

UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

SPECIAL FOURTH-CLASS RATE
POSTAGE & FEES PAID
USNRC
PERMIT No. G-67

Title List of Documents Made Publicly Available

August 1–31, 1990

U.S. Nuclear Regulatory Commission

Office of Administration



Available from

Superintendent of Documents
U.S. Government Printing Office
Post Office Box 37082
Washington, D.C. 20013-7082

A year's subscription consists of 12 issues for
this publication.

Single copies of this publication
are available from National Technical
Information Service, Springfield, VA 22161

Title List of Documents Made Publicly Available

August 1-31, 1990

Date Published: October 1990

**Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555**



CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	4
Domestic Licensing of Special Nuclear Material — Docket 70	184
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	190
Licensing of Independent Spent Fuel Storage — Docket 72	194
Nondocketed Items	195
10 CFR — Commission Meeting Records	195
ACNW — Advisory Committee on Nuclear Waste	195
ACRS — Advisory Committee on Reactor Safeguards	195
ADVCM — NRC Advisory Committee	196
COMMISSION — NRC Commissioners	196
CONTRACT — NRC Contracts and Modifications	199
FOIA — Freedom of Information Act Requests and Releases	204
GEN TECH IS — Generic Technical Issues	206
I&E — Inspection and Enforcement	206
NUREG — NUREG Reports and Related Correspondence	208
ORG — Correspondence with Other Organizations	211
PR — Proposed Rule	213
PRM — Petition for Rulemaking	215
PROJ — Projects-Predocket Licensing	216
PT21 — Noncompliance Reports and Related Correspondence	217
QA999 — Quality Assurance Inspections	217
REGGD — Regulatory Guides	217
REVIEW GROUP — NRC Research Review Groups	218
SECY — Position Papers Before the Commission	219
STATE PROG — State Programs	220
TOPREP — Vendor Reports and Related Correspondence	221
WASTE MGT — Nuclear Waste Management	223
WASTE RES — Waste Management Research Reports	227
XPORTLIC — Export and Import Licenses	227
Personal Author Index	231
Corporate Source Index	249
Report Number Index	265
Cross Reference of Enclosures to Principal Documents	267
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* in-

cludes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments

- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence
- R. Periodic operating reports and related correspondence
- S. Reportable occurrences, PNOs, PNSs, and related correspondence
- T. Transcripts, testimony, and briefings on non-antitrust matters
- U. Congressional/executive correspondence
- V. Licensing of operators and related correspondence
- W. Decommissioning stage documents and correspondence
- X. Onsite storage of low-level waste
- Y. Independent spent fuel storage installations

DOCKETED ITEMS (cont.)

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in

that category were filed in the time period of the report.

The principal elements of the entries in the list are

- ① P. Operating license stage documents & correspondence
- ② 8907070172 ③ Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.
- ④ DENTON, H.R. ⑤ Office of Governmental & Public Affairs (Post 870413). 89/06/27 ⑥
- ⑦ CLARK, P.R. ⑧ General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182 ⑨ ↓ ⑩ ↓ ⑪ ↓ ⑫ ↓ ⑬ ↓

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.

11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioners

CONTRACT—NRC Contracts and Modifications

NONDOCKETED ITEMS (cont.)

DISCLOSURE—Financial Disclosure Information

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

① NUREG—NRC-Issued Formal Reports and Related Correspondence

②

③

④

8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE
TEST VI-2

⑤

⑥

OSBORNE, M.F., COLLINS, J.I., LORENZ, R.A. Oak Ridge National Laboratory.

⑦

⑧

⑨

⑩

⑪

FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫

⑬

⑭

⑮

51409:065-51409:134.

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Nondocket category. 2. NRC/PDR Accession Number (year, month, day, and sequence number of item). 3. NRC Report Number. | <ol style="list-style-type: none"> 4. Title and description of information contained in the document. 5. Personal author(s). An asterisk in this position indicates that there is no personal author. |
|---|---|

NONDOCKETED ITEMS (cont.)

6. Corporate, agency, or other nonindividual source.
7. Contract of financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.

13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-275-2060.

2. The address for NTIS is

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The address for the PDR is

2120 L Street, NW., Lower Level
Washington, DC 20555

To place orders, either write to the NRC PDR or call (202) 634-3273. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Paper copy and microfiche of the documents listed in this title list may be purchased. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8820	AMAX, INC., GOLDEN, CO	4
27-047	BARNWELL, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8857	POWER RESOURCES, INC., GLENROCK, WY	4
27-048	RICHLAND, WA, U.S. ECOLOGY, INC.	1	40-8902	ARCO COAL CO. DIV. (ATLANTIC RICHFIELD CO.), GRANTS, NM	4
Domestic Licensing of Source Material - Docket 40			40-8903	HOMESTAKE MINING CO., GRANTS, NM	4
40-0017	DOW CHEMICAL CO., MIDLAND, MI	1	40-8904	BP AMERICA, INC., CLEVELAND, OH	4
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8905	QUIVIRA MINING CO., GRANTS, NM	4
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	1	40-8907	UNITED NUCLEAR CORP., SANTA FE, NM	4
40-1478	KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	1	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	4
40-2061	KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	1	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	4
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	4
40-3392	ALLIED-SIGNAL, INC., MORRISTOWN, NJ	2	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-3453	ATLAS MINERALS, INC., DENVER, CO	2	50-2	FORD NUCLEAR REACTOR	4
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2	50-3	INDIAN POINT STATION, UNIT 1	5
40-6563	MALLINCKRODT, INC., ST. LOUIS, MO	2	50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	5
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	5
40-6940	CABOT CORP., BOYERTOWN, PA	2	50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	6
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	6
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	3	50-29	YANKEE-ROWE NUCLEAR POWER STATION	6
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	3	50-54	CINTICHEM	7
40-8027	NEW SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK	3	50-57	BUFFALO MATERIALS RESEARCH CENTER	7
40-8084	RIO ALGOM MINING CORP., MOAB, UT	3	50-59	TEXAS A&M UNIV. RESEARCH REACTOR	7
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3	50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	8
40-8502	MALAPAI RESOURCES CO., PHOENIX, AZ	3	50-72	UNIV. OF UTAH RESEARCH REACTOR	8
40-8584	MINERALS EXPLORATION CO., LOS ANGELES, CA	3	50-83	UNIV. OF FLORIDA TRAINING REACTOR	8
40-8610	STEPAN CHEMICAL CO., MAYWOOD, NJ	3	50-89	GENERAL ATOMICS	8
40-8681	UMETCO MINERALS CORP., GRAND JUNCTION, CO	3	50-113	UNIV. OF ARIZONA RESEARCH REACTOR	8
40-8698	PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	3	50-116	IOWA STATE UNIV. RESEARCH REACTOR	8
40-8768	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	4	50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	8
40-8783	URANERZ USA, INC., CASPER, WY	4	50-128	TEXAS A&M UNIV. RESEARCH REACTOR	8
40-8786	URANIUM RESOURCES, INC., RICHARDSON, TX	4	50-130	PATHFINDER ATOMIC PLANT	8
			50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	8

Docket	Name	Page	Docket	Name	Page
50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	9	50-252	UNIV. OF NEW MEXICO RESEARCH REACTOR	29
50-142	UCLA TRAINING REACTOR	9	50-254	QUAD-CITIES STATION, UNIT 1	29
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	9	50-255	PALISADES NUCLEAR PLANT	30
50-148	UNIV. OF KANSAS RESEARCH REACTOR	9	50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	32
50-150	OHIO STATE UNIV. RESEARCH REACTOR	9	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	34
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	9	50-261	H.B. ROBINSON PLANT, UNIT 2	36
50-155	BIG ROCK POINT NUCLEAR PLANT	10	50-262	BRIGHAM YOUNG UNIV. RESEARCH REACTOR	37
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	11	50-263	MONTICELLO NUCLEAR GENERATING PLANT	38
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	11	50-264	DOW CHEMICAL CO.	39
50-163	GENERAL ATOMICS	11	50-265	QUAD-CITIES STATION, UNIT 2	39
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	11	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	40
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	11	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	41
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	12	50-269	OCONEE NUCLEAR STATION, UNIT 1	42
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	12	50-270	OCONEE NUCLEAR STATION, UNIT 2	44
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	12	50-271	VERMONT YANKEE NUCLEAR POWER STATION	46
50-192	UNIV. OF TEXAS RESEARCH REACTOR	12	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	47
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	12	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	49
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	12	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50
50-213	HADDAM NECK PLANT	15	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	51
50-219	OYSTER CREEK NUCLEAR POWER PLANT	16	50-280	SURRY POWER STATION, UNIT 1	52
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	18	50-281	SURRY POWER STATION, UNIT 2	54
50-223	UNIV. OF LOWELL RESEARCH REACTOR	19	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	55
50-225	RPI CRITICAL EXPERIMENT	19	50-285	FORT CALHOUN STATION, UNIT 1	56
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	19	50-286	INDIAN POINT STATION, UNIT 3	57
50-243	OREGON STATE UNIV. RESEARCH REACTOR	21	50-287	OCONEE NUCLEAR STATION, UNIT 3	58
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	21	50-288	REED COLLEGE RESEARCH REACTOR	60
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	22	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	60
50-247	INDIAN POINT STATION, UNIT 2	23	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	61
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	25	50-295	ZION NUCLEAR POWER STATION, UNIT 1	62
50-250	TURKEY POINT PLANT, UNIT 3	26	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	64
50-251	TURKEY POINT PLANT, UNIT 4	28	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	65
			50-298	COOPER NUCLEAR STATION	66
			50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	67
			50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	68

Docket	Name	Page	Docket	Name	Page
50-304	ZION NUCLEAR POWER STATION, UNIT 2	69	50-352	LIMERICK GENERATING STATION, UNIT 1	113
50-305	KEWAUNEE NUCLEAR POWER PLANT	71	50-353	LIMERICK GENERATING STATION, UNIT 2	115
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	72	50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	117
50-309	MAINE YANKEE ATOMIC POWER PLANT	72	50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	118
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	73	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	118
50-312	RANCHO SECO NUCLEAR GENERATING STATION	74	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	120
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	75	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	122
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	78	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	123
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	79	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	124
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	81	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	127
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	82	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	128
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	84	50-373	LASALLE COUNTY STATION, UNIT 1	130
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	85	50-374	LASALLE COUNTY STATION, UNIT 2	131
50-322	SHOREHAM NUCLEAR POWER STATION	86	50-382	WATERFORD GENERATING STATION, UNIT 3	131
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	87	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	133
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	88	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	134
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	91	50-389	ST. LUCIE PLANT, UNIT 2	135
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	93	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	136
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	93	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	138
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	95	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	140
50-329	MIDLAND PLANT, UNIT 1	97	50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	141
50-330	MIDLAND PLANT, UNIT 2	97	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	141
50-331	DUANE ARNOLD ENERGY CENTER	98	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	142
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	99	50-407	UNIV. OF UTAH RESEARCH REACTOR	143
50-334	BEAVER VALLEY POWER STATION, UNIT 1	100	50-409	LA CROSSE BOILING WATER REACTOR	143
50-335	ST. LUCIE PLANT, UNIT 1	101	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	144
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	102	50-412	BEAVER VALLEY POWER STATION, UNIT 2	145
50-338	NORTH ANNA POWER STATION, UNIT 1	104	50-413	CATAWBA NUCLEAR STATION, UNIT 1	146
50-339	NORTH ANNA POWER STATION, UNIT 2	106	50-414	CATAWBA NUCLEAR STATION, UNIT 2	148
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	107	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	149
50-344	TROJAN NUCLEAR PLANT	109	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	151
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	110	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	151
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	112			

Docket	Name	Page	Docket	Name	Page
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	153	Domestic Licensing of Special Nuclear Material - Docket 70		
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	155	70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	184
STN-50-437	FLOATING NUCLEAR PLANT	156	70-0025	ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	184
50-438	BELLEfonte NUCLEAR PLANT, UNIT 1	156	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	185
50-439	BELLEfonte NUCLEAR PLANT, UNIT 2	157	70-0036	COMBUSTION ENGINEERING, INC., WINDSOR, CT	185
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	158	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	185
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	159	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	185
50-443	SEABROOK NUCLEAR STATION, UNIT 1	159	70-0270	MISSOURI, UNIV. OF, COLUMBIA, MO	186
50-444	SEABROOK NUCLEAR STATION, UNIT 2	162	70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	187
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	163	70-0371	UNC, INC., UNCASVILLE, CT	187
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	165	70-0398	COMMERCE, DEPT. OF, WASHINGTON, DC	187
STN-50-454	BYRON STATION, UNIT 1	166	70-0622	ARMY, DEPT. OF, DOVER, NJ	187
STN-50-455	BYRON STATION, UNIT 2	167	70-0687	CINTICHEM, INC., TUXEDO, NY	187
STN-50-456	BRAIDWOOD STATION, UNIT 1	168	70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	187
STN-50-457	BRAIDWOOD STATION, UNIT 2	169	70-0712	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	187
50-458	RIVER BEND STATION, UNIT 1	170	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	187
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	172	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	188
50-461	CLINTON POWER STATION, UNIT 1	172	70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA	188
STN-50-482	WOLF CREEK GENERATING STATION	174	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	188
STN-50-483	CALLAWAY PLANT, UNIT 1	175	70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL	188
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	176	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	188
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	177	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	188
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	178	70-1151	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	189
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	179	70-1201	B&W FUEL CO., LYNCHBURG, VA	189
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	180	70-1203	SAN DIEGO STATE UNIV., SAN DIEGO, CA	189
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	182	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	189
50-537	CLINCH RIVER BREEDER REACTOR	183	70-1257	ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	189
50-602	UNIV. OF TEXAS RESEARCH REACTOR	183	70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	189
50-603	ALCHEMIE FACILITY 1 - CPDF	184	70-1359	IRT CORP., SAN DIEGO, CA	189
50-604	ALCHEMIE FACILITY 2 - OLIVER SPRINGS	184	70-1374	IDAHO STATE UNIV., POCATELLO, ID	189
STN-50-605	GE ADVANCED BWR DESIGN	184	70-1966	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	189
			70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	189

Docket	Name	Page	Docket	Name	Page
70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	190	71-6722	MODEL: BS-33-180, TENNESSEE VALLEY AUTHORITY	192
70-3020	NUCLEAR ASSURANCE CORP., NORCROSS, GA	190	71-9001	MODEL: IF-300, PACIFIC NUCLEAR SYSTEMS, INC.	192
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			71-9006	MODEL: AI 500 SU, AMERSHAM CORP.	192
71-0135	BABCOCK & WILCOX CO.	190	71-9007	MODEL: 520, TECH/OPS, INC.	192
71-0149	MIDWEST INSPECTION SERVICE	190	71-9030	MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY	192
71-0170	GENERAL ELECTRIC CO.	190	71-9032	MODEL: 650, AMERSHAM CORP.	192
71-0185	FBF, INC.	190	71-9033	MODEL: 660 & 660E, AMERSHAM CORP.	192
71-0192	PACIFIC NUCLEAR SYSTEMS, INC.	190	71-9035	MODEL: 680 & 680E, TECH/OPS, INC.	192
71-0259	WESTINGHOUSE ELECTRIC CORP.	190	71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	192
71-0315	RADIOGRAPHY INSPECTION, INC.	190	71-9039	MODEL: 715, AMERSHAM CORP.	192
71-0361	MODEL: PAT-1, ENERGY, DEPT. OF	190	71-9053	MODEL: 683, TECH/OPS, INC.	192
71-0387	MASSACHUSETTS MATERIALS RESEARCH, INC.	190	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.	192
71-0390	COMMERCE, DEPT. OF	190	71-9057	MODEL: FPD-100, GA TECHNOLOGIES, INC.	192
71-0504	TU ELECTRIC CO.	190	71-9073	MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.	192
71-0535	TEXAS, UNIV. OF	191	71-9079	MODEL: NUPAC 14D-2.0, HN-100 SERIES 2 & 2A, NUCLEAR	192
71-0552	OLD DOMINION FABRICATORS	191	71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	193
71-0657	N.V. ENTERPRISES	191	71-9086	MODEL: HN-100 SERIES 1, WESTINGHOUSE HITTMAN NUCLEAR,	193
71-0692	T&K INSPECTION	191	71-9094	MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	193
71-0702	GREGORY ENTERPRISES, INC.	191	71-9096	MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	193
71-0704	DIAMOND ENGINEERING & TESTING, INC.	191	71-9135	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	193
71-0705	APPLIED TECHNICAL SERVICES, INC.	191	71-9151	MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	193
71-0708	WESTINGHOUSE ELECTRIC CORP.	191	71-9160	MODEL: 20-VS & 40-VS, AMERSHAM CORP.	193
71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	191	71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	193
71-5088	MODEL: D34710-1, D34710-2, BABCOCK & WILCOX CO.	191	71-9181	MODEL: PAS-2, NUCLEAR PACKAGING, INC.	193
71-5797	MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF	191	71-9192	MODEL: AP-300, ANEFCO, INC.	193
71-5805	MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	191	71-9204	MODEL: CNS 10-160B, CHEM-NUCLEAR SYSTEMS, INC.	193
71-5830	MODEL: SNAP 21, NAVY, DEPT. OF	191	71-9208	MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.	193
71-5862	MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS	191	71-9218	MODEL: TRUPACT-II, ENERGY, DEPT. OF	193
71-5957	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	191	71-9222	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	193
71-5971	MODEL: 200, GENERAL ELECTRIC CO.	191	71-9224	MODEL: HN-190-2, WESTINGHOUSE HITTMAN NUCLEAR, INC.	193
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	191	71-9236	MODEL: NUPAC 10/140MB, NUCLEAR PACKAGING, INC.	193
71-6574	MODEL: HN-200, WESTINGHOUSE HITTMAN NUCLEAR, INC.	191			
71-6581	MODEL: 51032-1 & 1A, EXXON NUCLEAR CO., INC.	191			
71-6601	MODEL: CNS 8-120, CHEM-NUCLEAR SYSTEMS, INC.	191			
71-6717	MODEL: 6717-B, AMERSHAM CORP.	191			

Docket	Name	Page	Docket	Name	Page
71-9238	MODEL: PATHFINDER, NORTHERN STATES POWER CO.	194	72-0002	VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281	194
71-9788	MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF	194	72-0004	DUKE POWER CO., 50-269, 50-270 & 50-287	194
Licensing of Independent Spent Fuel Storage - Docket 72			72-0006	CAROLINA POWER & LIGHT CO., 50-324 & 50-325	194
72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	194	72-0008	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	194
			72-0009	PUBLIC SERVICE CO. OF COLORADO, 50-267	194

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			STEPAN CHEMICAL CO., MAYWOOD, NJ	40-8610	3
BARNWELL, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	UMETCO MINERALS CORP., GRAND JUNCTION, CO	40-8681	3
RICHLAND, WA, U.S. ECOLOGY, INC.	27-048	1	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
Domestic Licensing of Source Material - Docket 40			UNITED NUCLEAR CORP., SANTA FE, NM	40-8907	4
ALLIED-SIGNAL, INC., MORRISTOWN, NJ	40-3392	2	URANERZ USA, INC., CASPER, WY	40-8783	4
AMAX, INC., GOLDEN, CO	40-8820	4	URANIUM RESOURCES, INC., RICHARDSON, TX	40-8786	4
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	1
ARCO COAL CO. DIV. (ATLANTIC RICHFIELD CO.), GRANTS, NM	40-8902	4	Domestic Licensing of Production and Utilization Facilities - Docket 50		
ATLAS MINERALS, INC., DENVER, CO	40-3453	2	ALCHEMIE FACILITY 1 - CPDF	50-603	184
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3	ALCHEMIE FACILITY 2 - OLIVER SPRINGS	50-604	184
BP AMERICA, INC., CLEVELAND, OH	40-8904	4	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	153
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	3	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	155
CABOT CORP., BOYERTOWN, PA	40-6940	2	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	75
DOW CHEMICAL CO., MIDLAND, MI	40-0017	1	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	124
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	4	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	11
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	3	BEAVER VALLEY POWER STATION, UNIT 1	50-334	100
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	4	BEAVER VALLEY POWER STATION, UNIT 2	50-412	145
HOMESTAKE MINING CO., GRANTS, NM	40-8903	4	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	156
KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	40-2061	1	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	157
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8768	4	BIG ROCK POINT NUCLEAR PLANT	50-155	10
KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	40-1478	1	BRAIDWOOD STATION, UNIT 1	STN-50-456	168
MALAPAI RESOURCES CO., PHOENIX, AZ	40-8502	3	BRAIDWOOD STATION, UNIT 2	STN-50-457	169
MALLINCKRODT, INC., ST. LOUIS, MO	40-6563	2	BRIGHAM YOUNG UNIV. RESEARCH REACTOR	50-262	37
MINERALS EXPLORATION CO., LOS ANGELES, CA	40-8584	3	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	32
NEW SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK	40-8027	3	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	34
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	64
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	91
PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	40-8698	3	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	88
POWER RESOURCES, INC., GLENROCK, WY	40-8857	4	BUFFALO MATERIALS RESEARCH CENTER	50-57	7
QUIVIRA MINING CO., GRANTS, NM	40-8905	4	BYRON STATION, UNIT 1	STN-50-454	166
RIO ALGOM MINING CORP., MOAB, UT	40-8084	3	BYRON STATION, UNIT 2	STN-50-455	167
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	4	CALLAWAY PLANT, UNIT 1	STN-50-483	175
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	81
			CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	82
			CATAWBA NUCLEAR STATION, UNIT 1	50-413	146

Name	Docket	Page	Name	Docket	Page
CATAWBA NUCLEAR STATION, UNIT 2	50-414	148	INDIAN POINT STATION, UNIT 1	50-3	5
CINTICHEM	50-54	7	INDIAN POINT STATION, UNIT 2	50-247	23
CLINCH RIVER BREEDER REACTOR	50-537	183	INDIAN POINT STATION, UNIT 3	50-286	57
CLINTON POWER STATION, UNIT 1	50-461	172	IOWA STATE UNIV. RESEARCH REACTOR	50-116	8
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	163	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	99
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	165	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	112
COOPER NUCLEAR STATION	50-298	66	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	122
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	68	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	12
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	110	KEWAUNEE NUCLEAR POWER PLANT	50-305	71
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	49	LA CROSSE BOILING WATER REACTOR	50-409	143
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	87	LASALLE COUNTY STATION, UNIT 1	50-373	130
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	78	LASALLE COUNTY STATION, UNIT 2	50-374	131
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	79	LIMERICK GENERATING STATION, UNIT 1	50-352	113
DOW CHEMICAL CO.	50-264	39	LIMERICK GENERATING STATION, UNIT 2	50-353	115
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	5	MAINE YANKEE ATOMIC POWER PLANT	50-309	72
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	19	MANHATTAN COLLEGE RESEARCH REACTOR	50-199	12
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	25	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	6
DUANE ARNOLD ENERGY CENTER	50-331	98	MIDLAND PLANT, UNIT 1	50-329	97
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	85	MIDLAND PLANT, UNIT 2	50-330	97
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	123	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	22
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	6	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	102
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	107	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	151
FLOATING NUCLEAR PLANT	STN-50-437	156	MONTICELLO NUCLEAR GENERATING PLANT	50-263	38
FORD NUCLEAR REACTOR	50-2	4	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	12
FORT CALHOUN STATION, UNIT 1	50-285	56	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	18
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	41	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	144
GE ADVANCED BWR DESIGN	STN-50-605	184	NORTH ANNA POWER STATION, UNIT 1	50-338	104
GENERAL ATOMICS	50-89	8	NORTH ANNA POWER STATION, UNIT 2	50-339	106
GENERAL ATOMICS	50-163	11	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	65
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	11	OCONEE NUCLEAR STATION, UNIT 1	50-269	42
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	149	OCONEE NUCLEAR STATION, UNIT 2	50-270	44
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	151	OCONEE NUCLEAR STATION, UNIT 3	50-287	58
H.B. ROBINSON PLANT, UNIT 2	50-261	36	OHIO STATE UNIV. RESEARCH REACTOR	50-150	9
HADDAM NECK PLANT	50-213	15	OREGON STATE UNIV. RESEARCH REACTOR	50-243	21
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	117	OYSTER CREEK NUCLEAR POWER PLANT	50-219	16
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	8	PALISADES NUCLEAR PLANT	50-255	30

Name	Docket	Page	Name	Docket	Page
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	179	ST. LUCIE PLANT, UNIT 2	50-389	135
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	180	SURRY POWER STATION, UNIT 1	50-280	52
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	182	SURRY POWER STATION, UNIT 2	50-281	54
PATHFINDER ATOMIC PLANT	50-130	8	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	133
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	11	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	134
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	50	TEXAS A&M UNIV. RESEARCH REACTOR	50-59	7
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	51	TEXAS A&M UNIV. RESEARCH REACTOR	50-128	8
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	5	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	60
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	158	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	84
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	159	TROJAN NUCLEAR PLANT	50-344	109
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	61	TURKEY POINT PLANT, UNIT 3	50-250	26
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	40	TURKEY POINT PLANT, UNIT 4	50-251	28
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	67	UCLA TRAINING REACTOR	50-142	9
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	55	UNIV. OF ARIZONA RESEARCH REACTOR	50-113	8
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	72	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	93
QUAD-CITIES STATION, UNIT 1	50-254	29	UNIV. OF FLORIDA TRAINING REACTOR	50-83	8
QUAD-CITIES STATION, UNIT 2	50-265	39	UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	118
RANCHO SECO NUCLEAR GENERATING STATION	50-312	74	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	9
REED COLLEGE RESEARCH REACTOR	50-288	60	UNIV. OF KANSAS RESEARCH REACTOR	50-148	9
RIVER BEND STATION, UNIT 1	50-458	170	UNIV. OF LOWELL RESEARCH REACTOR	50-223	19
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	21	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	12
RPI CRITICAL EXPERIMENT	50-225	19	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	8
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	47	UNIV. OF NEW MEXICO RESEARCH REACTOR	50-252	29
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	73	UNIV. OF TEXAS RESEARCH REACTOR	50-192	12
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	12	UNIV. OF TEXAS RESEARCH REACTOR	50-602	183
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	118	UNIV. OF UTAH RESEARCH REACTOR	50-407	143
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	120	UNIV. OF UTAH RESEARCH REACTOR	50-72	8
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	9	UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	141
SEABROOK NUCLEAR STATION, UNIT 1	50-443	159	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	8
SEABROOK NUCLEAR STATION, UNIT 2	50-444	162	UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	9
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	93	UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	11
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	95	VERMONT YANKEE NUCLEAR POWER STATION	50-271	46
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	142	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	140
SHOREHAM NUCLEAR POWER STATION	50-322	86	WATERFORD GENERATING STATION, UNIT 3	50-382	131
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	176	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	136
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	177	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	138
ST. LUCIE PLANT, UNIT 1	50-335	101			

Name	Docket	Page	Name	Docket	Page
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	127	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	190
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	128	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	189
WOLF CREEK GENERATING STATION	STN-50-482	174	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-1966	189
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	172	UNC, INC., UNCASVILLE, CT	70-0371	187
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	141	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	70-1151	189
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	178	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	187
YANKEE-ROWE NUCLEAR POWER STATION	50-29	6			
ZION NUCLEAR POWER STATION, UNIT 1	50-295	62			
ZION NUCLEAR POWER STATION, UNIT 2	50-304	69			
Domestic Licensing of Special Nuclear Material - Docket 70			Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	70-1257	189	APPLIED TECHNICAL SERVICES, INC.	71-0705	191
ARMY, DEPT. OF, DOVER, NJ	70-0622	187	BABCOCK & WILCOX CO.	71-0135	190
B&W FUEL CO., LYNCHBURG, VA	70-1201	189	COMMERCE, DEPT. OF	71-0390	190
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	185	DIAMOND ENGINEERING & TESTING, INC.	71-0704	191
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	185	FBF, INC.	71-0185	190
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	188	GENERAL ELECTRIC CO.	71-0170	190
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	187	GREGORY ENTERPRISES, INC.	71-0702	191
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	184	MASSACHUSETTS MATERIALS RESEARCH, INC.	71-0387	190
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	188	MIDWEST INSPECTION SERVICE	71-0149	190
CINTICHEM, INC., TUXEDO, NY	70-0687	187	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	71-9222	193
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-0036	185	MODEL: 20-VS & 40-VS, AMERSHAM CORP.	71-9160	193
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	188	MODEL: 200, GENERAL ELECTRIC CO.	71-5971	191
COMMERCE, DEPT. OF, WASHINGTON, DC	70-0398	187	MODEL: 51032-1 & 1A, EXXON NUCLEAR CO., INC.	71-6581	191
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	189	MODEL: 520, TECH/OPS, INC.	71-9007	192
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	188	MODEL: 650, AMERSHAM CORP.	71-9032	192
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	187	MODEL: 660 & 660E, AMERSHAM CORP.	71-9033	192
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	188	MODEL: 6717-B, AMERSHAM CORP.	71-6717	191
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	189	MODEL: 680 & 680E, TECH/OPS, INC.	71-9035	192
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	188	MODEL: 683, TECH/OPS, INC.	71-9053	192
IDAHO STATE UNIV., POCATELLO, ID	70-1374	189	MODEL: 715, AMERSHAM CORP.	71-9039	192
IRT CORP., SAN DIEGO, CA	70-1359	189	MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	192
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	70-0712	187	MODEL: AP-300, ANEFCO, INC.	71-9192	193
MISSOURI, UNIV. OF, COLUMBIA, MO	70-0270	186	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	71-5957	191
NUCLEAR ASSURANCE CORP., NORCROSS, GA	70-3020	190	MODEL: BS-33-180, TENNESSEE VALLEY AUTHORITY	71-6722	192
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	185	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	192
ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	70-0025	184	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	71-9135	193
SAN DIEGO STATE UNIV., SAN DIEGO, CA	70-1203	189	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	193

Name	Docket	Page	Name	Docket	Page
MODEL: CNS 10-160B, CHEM-NUCLEAR SYSTEMS, INC.	71-9204	193	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	191
MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	71-9094	193	MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF	71-9788	194
MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	71-9096	193	MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS	71-5862	191
MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	71-5805	191	MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY	71-9030	192
MODEL: CNS 8-120, CHEM-NUCLEAR SYSTEMS, INC.	71-6601	191	MODEL: SNAP 21, NAVY, DEPT. OF	71-5830	191
MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	193	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.	71-9056	192
MODEL: D34710-1, D34710-2, BABCOCK & WILCOX CO.	71-5088	191	MODEL: TRUPACT-II, ENERGY, DEPT. OF	71-9218	193
MODEL: FPD-100, GA TECHNOLOGIES, INC.	71-9057	192	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	191
MODEL: HN-100 SERIES 1, WESTINGHOUSE HITTMAN NUCLEAR,	71-9086	193	N.V. ENTERPRISES	71-0657	191
MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	71-9151	193	OLD DOMINION FABRICATORS	71-0552	191
MODEL: HN-190-2, WESTINGHOUSE HITTMAN NUCLEAR, INC.	71-9224	193	PACIFIC NUCLEAR SYSTEMS, INC.	71-0192	190
MODEL: HN-200, WESTINGHOUSE HITTMAN NUCLEAR, INC.	71-6574	191	RADIOGRAPHY INSPECTION, INC.	71-0315	190
MODEL: IF-300, PACIFIC NUCLEAR SYSTEMS, INC.	71-9001	192	T&K INSPECTION	71-0692	191
MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF	71-5797	191	TEXAS, UNIV. OF	71-0535	191
MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.	71-9208	193	TU ELECTRIC CO.	71-0504	190
MODEL: NUPAC 10/140MB, NUCLEAR PACKAGING, INC.	71-9236	193	WESTINGHOUSE ELECTRIC CORP.	71-0708	191
MODEL: NUPAC 14D-2.0, HN-100 SERIES 2 & 2A, NUCLEAR	71-9079	192	WESTINGHOUSE ELECTRIC CORP.	71-0259	190
MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.	71-9073	192	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: PAS-2, NUCLEAR PACKAGING, INC.	71-9181	193	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	72-0008	194
MODEL: PAT-1, ENERGY, DEPT. OF	71-0361	190	CAROLINA POWER & LIGHT CO., 50-324 & 50-325	72-0006	194
MODEL: PATHFINDER, NORTHERN STATES POWER CO.	71-9238	194	DUKE POWER CO., 50-269, 50-270 & 50-287	72-0004	194
			GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	194
			PUBLIC SERVICE CO. OF COLORADO, 50-267	72-0009	194
			VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281	72-0002	194

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 BARNWELL, SC, CHEM-NUCLEAR SYSTEMS, INC.

9008130301 Submits comments on NRC draft SNM license for Chem-Nuclear Sys, Inc. per request. Typos should be corrected as indicated. AUTRY, V.R. South Carolina, State of. 90/08/08. LOHAUS, P.H. Operations Branch. 3pp. 54970:197-54970:199.

DOCKET 27-048 RICHLAND, WA, U.S. ECOLOGY, INC.

9008020303 Forwards "Proposed R&D Project for Vadose Zone Monitoring, Richland, WA" & "Environ Pathways Analysis of US Ecology Low Level Waste Disposal Facility." ELSEN, M.J. Washington, State of. 90/07/26. THAGGARD, M. Office of Nuclear Material Safety & Safeguards, Director. 1p. 54830:286-54831:012.

-9008020304 "Environ Pathways Analysis of US Ecology Low Level Waste Facility." BERGERON, M.P., NAPIER, B.A., REISENAUER, A.E. Battelle Memorial Institute, Pacific Northwest Laboratory. 86/08/18. 61pp. 54830:287-54830:347.

-9008020305 "Proposed R&D Project for Vadose Zone Monitoring, Richland, WA." BERGERON, M.P. Battelle Memorial Institute, Pacific Northwest Laboratory. 87/10/30. 61pp. 54830:348-54831:012.

9008140136 Notifies of environ air monitoring which exceeded action levels at US Ecology Richland, WA disposal facility. NEWMAN, H.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/05/11. ROBERTSON, G. Washington, State of. 2pp. 54955:088-54955:089.

9008130319 Forwards US Ecology comments re rept generated for Condition 33 of SNM License 16-19204-01. Eighteen boxes containing data base rept being forwarded to P Lohaus. CARPENTER, S.A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/06/29. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 32pp. 54958:029-54958:061.

9007310023 Notifies of occupational air sample exceeding action level for gross beta concentration in air particulates in restricted area at US Ecology, Richland, WA disposal facility. ADAMS, S.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/07/26. ELSEN, M. Washington, State of. 2pp. 54757:349-54757:350.

9008100225 Advises that monthly SNM receipt & burial rept for Jul 1990 submitted, per Condition 4 of License 16-19204-01. MARSHALL, S.W. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/08/07. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 1p. 54970:139-54970:157.

-9008100229 "US Ecology, Inc Rept of SNM Richland, WA Facility Jul 1990." U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/07/31. 17pp. 54970:140-54970:157.

9008140175 Submits 1989 facility utilization rept for review in accordance w/Condition 32, Amend 9 for License 16-19204-01. CARPENTER, S.A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/08/10. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 21pp. 54982:078-54982:098.

9008170194 Notifies of environ air monitoring results which exceeded action levels at US Ecology Richland, WA disposal facility. Air particulate samples at environ air monitoring stations 2-9 above gross 1 E-14/mi during periods 900625-0702. NEWMAN, H.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/08/13. ROBERTSON, G. Washington, State of. 4pp. 54991:143-54991:146.

9008140512 Ack that US Ecology has submitted monthly rept on receipt & burial of SNM at Hanford for May 1990. DUNKELMAN, M., LOHAUS, P.H. Operations Branch. 90/08/14. Operations Branch. 1p. 54951:356-54951:356.

9008160147 Ack that US Ecology has submitted monthly receipt & burial of SNM at Hanford for June 1990. Rept was timely submitted & summary review indicated no deficiencies. DUNKELMAN, M., LOHAUS, P.H. Operations Branch. 90/08/14. Operations Branch. 2pp. 54995:207-54995:208.

9008170166 Discusses review of environ monitoring data for groundwater wells which exceeded action levels for U-234 & U-238 during 900717-19 groundwater samples. Comparison w/1989 & 1990 historical data reveals samples similar to typical values. NEWMAN, H.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/08/14. ROBERTSON, G. Washington, State of. 4pp. 54983:065-54983:068.

9008170125 Expresses concern re proposed amend to License UT2300149, submitted by Envirocare of Utah, Inc., requesting approval for disposal of byproduct, source & nonPu SNM at Envirocare Clive disposal site. CARPENTER, S.A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/08/15. ANDERSON, L. Utah, State of. 9pp. 54993:014-54993:022.

9008220177 Documents NRC decision to authorize disposal of bulk, unpacked, U contaminated sand as backfill mat at Hanford low level radwaste disposal facility. Authorization qualifies for exclusion from requirements for environ assessment. DUNKELMAN, M. Division of Low-Level Waste Management & Decommissioning (Post 870413). LOHAUS, P.H. Operations Branch. 90/08/21. Division of Low-Level Waste Management & Decommissioning (Post 870413). 5pp. 55000:294-55000:334.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0017 DOW CHEMICAL CO., MIDLAND, MI

9008280282 Forwards "License Application Onsite Thorium Disposal at Salzburg Landfill." Licensee intends to remove thorium mat from storage site located on Bay City plant site & place in special cell at Salzburg landfill. CROYLE, R.M. Dow Chemical Co. 89/10/30. LAROCHE, G. NRC - No Detailed Affiliation Given. 2pp. 55037:146-55038:040.

-9008280283 "License Application, Onsite Thorium Disposal at Salzburg Landfill." Dow Chemical Co. 89/10/31. NRC - No Detailed Affiliation Given. 420pp. 55037:148-55038:040.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9008240239 Forwards Amend 14 to License SUA-648, accepting decommissioning plan w/exception of proposed burial site. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/26. LYONS, P.J. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 3pp. 55029:269-55029:285.

-9008240241 Amend 14 to License SUA-648 for Umetco Minerals Corp, authorizing unlimited use of natural U. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/26. 14pp. 55029:272-55029:285.

9008240243 Reviews Gas Hills Mill decommissioning plan, submitted via 900502 ltr. Recommends rev of License Condition 30. WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/26. Uranium Recovery Field Ofc, R4. 5pp. 55023:313-55023:317.

9008270075 Advises that licensee ALARA rept for site acceptable, per licensee 900208 submittal. NRC review of rept indicated listed major points. No further action necessary. WARD, D.C. Uranium Recovery Field Ofc, R4. 90/07/27. Uranium Recovery Field Ofc, R4. 2pp. 55037:003-55037:004.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9008270026 Reviews annual seepage assessment, submitted in 900629 ltr. Seepage declining from tailings impoundment. Calculated rates listed. KONWINSKI, G.R. Uranium Recovery Field Ofc, R4. 90/07/24. Uranium Recovery Field Ofc, R4. 2pp. 55031:327-55031:328.

9008240246 Advises that review of 900125 ALARA audit rept indicated that all radiation exposures at mln levels during yr & insps conducted as required by license conditions & repts submitted. Licensee performed acceptable ALARA audit. WARD, D.C. Uranium Recovery Field Ofc, R4. 90/07/26. Uranium Recovery Field Ofc, R4. 2pp. 55030:002-55030:003.

9008240247 Reviews decommissioning & Interim soil cover rept for Split Rock Mill. Decommissioning activities acceptable. WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/26. Uranium Recovery Field Ofc, R4. 5pp. 55028:230-55028:234.

DOCKET 40-1478 KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK

9008150255 Informs of plan to ship contaminated soils from Cushing site to Barnwell Low Level Radwaste Facility. STAUTER, J.C. Kerr-McGee Corp. 90/08/13. SJOBLUM, G. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 54972:060-54972:061.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL

9008210075 Comment supporting proposed rule 10CFR150 re Kerr-McGee plans for disposal of radwaste in West Chicago, IL. ORTIGER, T.W. Illinois, State of. 90/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54984:045-54984:046.

9007300069 Summary of 900713 meeting w/Kerr-McGee in Rockville, MD re erosion protection design of West Chicago disposal cell. Meeting closed by establishing 900723 as date for Kerr-McGee to submit final rept on soil erosion to NRC. SWIFT, J.J. Fuel Cycle Safety Branch. 90/07/25. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 10pp. 54758:075-54758:084.

9008010053 Forwards addl info in support of 900723 amend request re erosion evaluation of West Chicago disposal cell, per NRC 900725 request. STAUTER, J.C. Kerr-McGee Chemical Corp. (subs. of Kerr-McGee Corp.). 90/07/31. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 130pp. 54803:275-54804:045.

9008020046 Board Notification 90-005: forwards Swift 900725 memo to Haughney summarizing 900713 meeting w/Kerr-McGee on erosion protection design of West Chicago disposal cell & Kerr-McGee 900720 ltr to Haughney submitting erosion evaluation. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/07/31. Atomic Safety and Licensing Appeal Panel. 4pp. 54933:001-54933:137.

9008030348 Responds to 900625 ltr to Chairman Carr requesting removal of thorium-contaminated soil from residential area of West Chicago, IL. If proper procedures used, cleanup & disposal of tailings will not have radiological consequences. SWIFT, J.J. Fuel Cycle Safety Branch. 90/07/31. NOVAK, D. Affiliation Not Assigned. 2pp. 54841:206-54841:208.

-9008030348 Requests removal of thorium-contaminated soil in West Chicago, IL out of residential area. NOVAK, D. Affiliation Not Assigned. 90/06/25. CARR, K. Commissioners (Post 750119). 1p. 54841:208-54841:208.

2 DOCKETED ITEMS

9008090414 Advises of review & forwards comments on groundwater aspects of Kerr-McGee West Chicago facility. Proposed design will likely limit addl contamination to groundwater sufficiently to comply with relevant criteria.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/07/31. CUNNINGHAM, R.E. Office of Nuclear Material Safety & Safeguards, Director. 11pp. 54942:114-54942:124.

9008090333 Summarizes 900725 conference call w/Kerr-McGee on erosion protection design of West Chicago disposal cell.
SWIFT, J.J. Fuel Cycle Safety Branch. 90/08/01. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 3pp. 54932:358-54932:360.

9008150168 NRC Staff brief in response to briefs of State of IL, city of West Chicago & EPA. * Design of disposal cell as reflected in record & addl info provided in erosion evaluation, adequate to assure public health & safety. W/Certificate of Svc.
HODGDON, A.P., JEHL, P. Assistant General Counsel for Hearings & Enforcement. #390 10719. 90/08/10. Atomic Safety and Licensing Appeal Panel. 85pp. 54927:215-54927:299.

9008240120 Objections to NRC Staff brief based on extra record facts & data & emergency motion to defer ruling. * W/Certificate of Svc.
JORDAN, M.D. Illinois, State of. KARAGANIS, J.V. West Chicago, IL. #390 10730. 90/08/15. Atomic Safety and Licensing Appeal Panel. 5pp. 54995:109-54995:113.

9008240128 Kerr-McGee response to state & city emergency motion. * Urges that State of IL & city of West Chicago motion for 2 wk stay of resolution of appeal be denied. W/Certificate of Svc.
MESERVE, R.A. Kerr-McGee Chemical Corp. (subs. of Kerr-McGee Corp.). MESERVE, R.A. Covington & Burling. #390 10737. 90/08/16. Atomic Safety and Licensing Appeal Panel. 9pp. 54995:140-54995:142.

9008240138 Order. * Advises that response to 900810 brief for State of IL & city of West Chicago should be filed no later than 900910. W/Certificate of Svc. Served on 900816.
HAGINS, E.E. Atomic Safety and Licensing Board Panel. #390 10736. 90/08/16. Illinois, State of. 3pp. 54995:140-54995:142.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9008240165 Reviews ALARA rept for 1989, submitted in vendor 900403 ltr. Acceptable ALARA audit performed. No areas of concern noted.
WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/23. Uranium Recovery Field Ofc, R4. 3pp. 55027:175-55027:177.

9008270027 Ack receipt of 900628 submittal in response to NRC 900316 ltr re water level increases in Wells T1-12, T1-11 & T1-10. Graphs of water level changes support statements that levels increasing. Suggests mod of corrective action program.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/24. Pathfinder Mines Corp. 2pp. 55036:216-55036:217.

DOCKET 40-3392 ALLIED-SIGNAL, INC., MORRISTOWN, NJ

9007300018 Application for amend to License SUB-526, providing financial assurance certification for decommissioning. Ltr of credit & standby trust encl.
KOSMIDER, M.D. Allied-Signal Corp. 90/07/23. BINDER, G.H. Fuel Cycle Safety Branch. 18pp. 54745:338-54745:355.

9008020076 Discusses 900616 application re onsite burial of contaminated wooden pallets. Application on hold pending issuance of NRC Below Regulatory Concern Policy.
BINDER, G.H. Fuel Cycle Safety Branch. 90/07/27. KOSMIDER, M.D. Allied-Signal Corp. 1p. 54805:359-54805:359.

9008210055 Ack receipt of 900718 ltr re failure of UF6 cylinder valve packing nuts & incident involving mixture of ethylene glycol & water in cold trap. Info will be useful to licensee to identify similar problems.
GHOSH, A. Canada Atomic Energy Control Board. 90/08/08. PENNINGTON, S. Fuel Cycle Safety Branch. 1p. 55003:263-55003:263.

9008210061 Forwards "Event Trend Analysis," for U hexafluoride conversion facilities, per request.
PENNINGTON, W.S. Fuel Cycle Safety Branch. 90/08/13. BINDER, G.H. Fuel Cycle Safety Branch. 1p. 55000:038-55000:046.

-9008210064 "Event Trend Analysis."
PENNINGTON, W.S. NRC - No Detailed Affiliation Given. 90/08/01. 8pp. 55000:039-55000:046.

9008220019 Forwards comments & questions re review of revised radiological contingency plan, dtd 900415. Addl info requested within 120 days of ltr date.
BINDER, G.H. Fuel Cycle Safety Branch. 90/08/21. KOSMIDER, M.D. Allied-Signal Corp. 3pp. 55005:327-55005:329.

DOCKET 40-3453 ATLAS MINERALS, INC., DENVER, CO

9008280378 Advises that licensee 900321 submittal of results of annual land use survey for site acceptable, per License Condition 47 of License SUA-917.
WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/18. Uranium Recovery Field Ofc, R4. 2pp. 55040:358-55040:359.

9008240223 Forwards Amend 12 to License SUA-917, incorporating new organizational structure for Moab Mill Site into License Condition 11 as indicated.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. BLUBAUGH, R.E. Atlas Corp. 1p. 55027:120-55027:138.

-9008240224 Amend 12 to License SUA-917 for Atlas Corp, incorporating new organizational structure for Moab Mill Site into License Condition 11 as indicated.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. 15pp. 55027:121-55027:135.

-9008240228 Recommends that License SUA-917 be amended by revising Condition 11 as indicated & deleting submittal date of 900126.
WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. Uranium Recovery Field Ofc, R4. 3pp. 55027:136-55027:138.

9008240248 Advises that licensee 890718 ltr complies fully w/NRC requirement to implement air monitoring program.
GONZALES, R.O. Uranium Recovery Field Ofc, R4. 90/08/09. Uranium Recovery Field Ofc, R4. 2pp. 55030:082-55030:083.

9008220211 Forwards Radiation Safety Insp Rept 40-3453/90-01 on 900801. No violations or deviations noted. Actions taken to correct violations noted during 890426-27 insp also reviewed.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/13. BLUBAUGH, R.E. Atlas Corp. 2pp. 55001:026-55001:035.

-9008220212 Radiation Safety Insp Rept 40-3453/90-01 on 900801. No violations or deviations noted. Major areas inspected: mgt organization & controls/operations review, operator training & retraining, emergency preparedness & radiation protection.
GARCIA, P.J., WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/13. 8pp. 55001:028-55001:035.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9008270074 Recommends that Amend 40 be issued to License SUA-667 to authorize disposal of byproduct waste from Crow Butte facility by adding Condition 30 as indicated, per licensee 900621 request for amend to license.
WARD, D.C. Uranium Recovery Field Ofc, R4. 90/07/30. Uranium Recovery Field Ofc, R4. 3pp. 55037:010-55037:012.

9008270076 Forwards Amend 40 to License SUA-667, reissuing license in entirety to incorporate disposal of Ferret byproduct matl at Tailings Pond 1.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/30. FERGUSON, J.C. American Nuclear Corp. 2pp. 55035:313-55035:322.

-9008270077 Amend 40 to License SUA-667 for Gas Hills Project, American Nuclear Corp, revising license in entirety.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/30. 8pp. 55035:315-55035:322.

9008270065 Advises that proposed transfer of voting shares to Cycle Resources Investment Corp acceptable, per Atomic Act of 1954.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/03. FERGUSON, J.C. American Nuclear Corp. 2pp. 55036:205-55036:206.

9008240221 Advises of completion of review of settlement data for Tailings Pond 2, per 900712 submittal. Monitoring should be continued & data & settlement curves resubmitted prior to Spring 1991 const season.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/15. FERGUSON, J. American Nuclear Corp. 2pp. 55027:111-55027:112.

9008270045 Advises that NRC does not recommend that bond releases be made for work that has to be repeated next yr but recommends that licensee provide acceptable plan for protecting radon cover over winter, per 900726 ltr.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/16. HEMMER, D. Wyoming, State of. 2pp. 55035:092-55035:093.

DOCKET 40-6563 MALLINCKRODT, INC., ST. LOUIS, MO

9007270190 Forwards standby ltr of credit for Mallinckrodt for financial assurance for decommissioning.
* Brown Brothers Harriman & Co. 90/07/26. NRC - No Detailed Affiliation Given. 13pp. 54738:337-54738:349.

9007300070 Forwards application for amend to License STB-401, standby trust agreement, certification of financial assurance, certificate of licensee's Assistant Secretary & draft sample eight draft irrevocable standby ltr of credit also encl.
DUROS, J.W. Mallinckrodt Specialty Chemicals Co. 90/07/26. HAUGHNEY, C. Fuel Cycle Safety Branch. 1p. 54762:341-54762:358.

-9007300075 Application for amend to License STB-401, including encl certification of financial assurance for decommissioning & changing name of licensee to Mallinckrodt Specialty Chemicals Co.
BYRD, T.J. Mallinckrodt Specialty Chemicals Co. 90/07/27. HAUGHNEY, C. Fuel Cycle Safety Branch. 15pp. 54762:342-54762:358.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9008270024 Reviews ALARA rept for Shirley Basin Mill, submitted in 900220 ltr. Major points listed, including all monthly radon exposures were below 10% of MPE. Acceptable ALARA audit performed.
WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/23. Uranium Recovery Field Ofc, R4. 3pp. 55036:218-55036:220.

9008030065 Forwards Insp Rept 40-6622/90-01 on 900709-10. No violations or deviations noted. Corrective actions re items identified during previous insp verified.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/27. HOPKINS, R. Pathfinder Mines Corp. 2pp. 54851:114-54851:127.

-9008030070 Insp Rept 40-6622/90-01 on 900709-10. No violations or deviations noted. Major areas inspected: U milling operations & radiation safety program, including mgt organization & control/operations review & training.
GARCIA, P.J., WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/27. 12pp. 54851:116-54851:127.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9008140235 Application for amend to License SMB-920, requesting release for unrestricted use of bldgs & parking lot areas at Tulpehocken Street, Reading, PA. "...Final Decontamination & Decommissioning Survey 1988 - 1989" encl. Fee paid.
GANNON, W.C. Cabot Corp. 90/08/08. MCDANIEL, K. Fuel Cycle Safety Branch. 2pp. 54964:152-54964:359.

-9008140255 "Tulpehocken Street Reading Plant, Reading, PA, Final Decontamination & Decommissioning Survey 1988 - 1989."
GANNON, W.C. Cabot Corp. 90/02/18. 208pp. 54964:154-54964:359.

9008130204 Forwards results from 900628 survey performed at Cabot Washington Street Quarry in Kokomo, IN. Two locations identified as having potentially excessive activity levels. Locations remediated & surveyed w/ satisfactory results. VITKUS, T.J. Oak Ridge Associated Univs. 90/08/07. ADAMS, B. Region 3 (Post 820201). 10pp. 54957:292-54957:301.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9007270200 Forwards irrevocable Standby Ltr of Credit 839-51288, dtd 900718 & stand-by trust agreement, providing financial assurance for decommissioning for Shieldalloy Metallurgical Corp. AUSTIN, J.D. Arter & Hadden. 90/07/23. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 15pp. 54738:030-54738:044.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9008010154 Forwards "Decommissioning Plan, Fansteel Metals Muskogee, OK Facility." HUNTER, J.J. Fansteel Metals (subs. of Fansteel, Inc.). 90/07/30. MO, T. NRC - No Detailed Affiliation Given. 1p. 54789:005-54789:251.

-9008010155 "Decommissioning Plan, Fansteel Metals Muskogee, OK Facility." * Fansteel Metals (subs. of Fansteel, Inc.). 90/07/30. 325pp. 54789:006-54789:251.

9007300089 Forwards latest revs to application for License SMB-911, procedures for radiation safety activities & timely review & completion of corrective actions for identified deficiencies. HUNTER, J.J. Fansteel Metals (subs. of Fansteel, Inc.). 90/07/16. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 19pp. 54756:056-54756:074.

9007300066 Forwards Continental Bank irrevocable documentary Ltr of Credit C7155999, provided as financial assurance under Fansteel Inc., NRC License SMB-911. MOONIAK, M.J. Fansteel, Inc. 90/07/26. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 3pp. 54763:358-54763:360.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9007310071 Advises that target date of 900817 established for submission of financial assurance info, per 10CFR40.36 & 900726 & 27 telcons w/T Mo. ISAACSON, E.D. BP Chemicals International. 90/07/27. HAUGHNEY, C.J. Fuel Cycle Safety Branch. MO, T. NRC - No Detailed Affiliation Given. 1p. 54787:028-54787:029.

-9007310078 Advises that company target date set for 900817 for completion of required financial assurance documentation for BP Chemicals, Inc., per 10CFR40.36. LEBLANC, R.M. Standard Oil Co. of Ohio. 90/07/27. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 1p. 54787:029-54787:029.

9008020301 Forwards "BP Chemicals, Inc., Lima, OH Decommissioning Plan." BLYTHE, H.M. BP Chemicals International. 90/07/30. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 2pp. 54821:001-54821:114.

-9008020302 "BP Chemicals, Inc., Lima, OH Decommissioning Plan." * BP Chemicals International. 90/03/31. 600pp. 54821:003-54821:114.

DOCKET 40-8027 NEW SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK

9008060200 FOIA request for records re enforcement conference between NRC & New Sequoyah Fuels Corp in Region IV ofc on 900315. DEER IN WATER Native Americans for a Clean Environment. 90/07/10. ROBINSON, L. Division of Freedom of Information & Publications Services (Post 890205). 1p. 54837:122-54837:123.

9008010036 Application for amend to License SUB-1010, providing financial assurance for decommissioning Sequoyah facility. Fee paid. LACEY, L.R. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 90/07/26. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 14pp. 54805:055-54805:068.

9008020094 Transmits analysis of Sequoyah Fuels Corp ability to finance decommissioning of Gore facility. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/07/27. NASH, D.A. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 54807:304-54807:304.

9008020229 Submits irrevocable Ltr of Credit NY-0656-30007152 for Sequoyah Fuels Corp. Aggregate amount available upon presentation of listed documents. JAKLITSCH, J. Citibank, N.A. 90/07/27. NRC - No Detailed Affiliation Given. 2pp. 54826:188-54826:189.

9008060202 Final response to FOIA request. Apps A & B records encl & available in PDR. PHILIPS, J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/01. DEER IN WATER Native Americans for a Clean Environment. 3pp. 54837:124-54837:152.

-9008060208 Press release re unusual event at facility on 900123 involving spillage of several thousand pounds of green salt. Spillage contained within operating bldg. Caused by failure of solenoid valve on storage bin. Cleanup commenced. * Region 4 (Post 820201). 90/01/24. 28pp. 54837:127-54837:152.

9008210055 Ack receipt of 900718 ltr re failure of UF6 cylinder valve packing nuts & incident involving mixture of ethylene glycol & water in cold trap. Info will be useful to licensee to identify similar problems. GHOSH, A. Canada Atomic Energy Control Board. 90/08/08. PENNINGTON, S. Fuel Cycle Safety Branch. 1p. 55003:263-55003:263.

9008210061 Forwards "Event Trend Analysis," for U hexafluoride conversion facilities, per request. PENNINGTON, W.S. Fuel Cycle Safety Branch. 90/08/13. BIDINGER, G.H. Fuel Cycle Safety Branch. 1p. 55000:038-55000:046.

-9008210064 "Event Trend Analysis." PENNINGTON, W.S. NRC - No Detailed Affiliation Given. 90/08/01. 8pp. 55000:039-55000:046.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9008240255 Requests water balance info, freeboard data, compaction criteria & soil classifications. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/25. FREEMAN, M. Rio Algom Mining Corp. 2pp. 55029:147-55029:148.

9008220213 Forwards Radiation Safety Insp Rept 40-8084/90-01 on 900730-31. No violations or deviations noted. Insp also included review of corrective actions taken w/ respect to five violations identified during 890424-28 insp. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/13. PATTISON, R. Rio Algom Mining Corp. 2pp. 55006:047-55006:058.

-9008220214 Insp Rept 40-8084/90-01 on 900730-31. No violations or deviations noted. Major areas inspected: U milling operations & radiation safety program, including mgt organization & controls/operations review & operator training & retraining. GARCIA, P.J., WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/13. 10pp. 55006:049-55006:058.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9008240238 Discusses licensee submittal re windblown cleanup at site. Based on 900226 submittal staff could not conclude that remediated area meets contamination limits specified in Criterion 6 of App A. WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/10. Uranium Recovery Field Ofc, R4. 4pp. 55023:318-55023:321.

DOCKET 40-8502 MALAPAI RESOURCES CO., PHOENIX, AZ

9008240251 Requests addl info re 900726 amend request proposing to change license. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/10. Malapai Resources Co. 2pp. 55028:228-55028:229.

DOCKET 40-8584 MINERALS EXPLORATION CO., LOS ANGELES, CA

9008280375 Advises that licensee 900220 submittal of results of annual land use survey for site acceptable, per License Condition 39. WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/23. Uranium Recovery Field Ofc, R4. 2pp. 55044:253-55044:254.

9008240242 Ack receipt of 900725 request for amend to authorize disposal of yttrium processing residue site impoundment. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/10. PAULSON, O.A. Minerals Exploration Co. (subs. of Union Oil Co. of California). 2pp. 55029:160-55029:161.

DOCKET 40-8610 STEPAN CHEMICAL CO., MAYWOOD, NJ

9008060336 Requests exemption from financial assurance provisions of 10CFR40.36 & Part 40, App A re Matl License STC-1333. OBRIEN, J.G. Stepan Chemical Co. 90/07/24. HAUGHNEY, C. NRC - No Detailed Affiliation Given. 2pp. 54890:001-54890:002.

DOCKET 40-8681 UMETCO MINERALS CORP., GRAND JUNCTION, CO

9008270066 Forwards Amend 21 to License SUA-1358, revising License Condition 20 re licensee maintaining NRC approved financial surety arrangement adequate to cover estimated costs. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/17. HAMRICK, J. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 2pp. 55037:124-55037:142.

-9008270069 Amend 21 to License SUA-1358 for Umetco Minerals Corp, authorizing use of unlimited amounts of natural U. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/17. 13pp. 55037:126-55037:138.

-9008270071 Discusses annual review of Umetco White Mesa surety. MICHAUD, P.W., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/17. Uranium Recovery Field Ofc, R4. 4pp. 55037:139-55037:142.

9008240180 Recommends issuance of Amend 22 to License SUA-1358, permitting option to either fill or place synthetic liner in mill area sedimentation pond. WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/18. Uranium Recovery Field Ofc, R4. 3pp. 55027:233-55027:235.

9008240236 Forwards Amend 22 to License SUA-1358, permitting placement of synthetic liner in mill area sedimentation pond. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/18. SPARLING, D. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 3pp. 55029:191-55029:205.

-9008240237 Amend 22 to License SUA-1358 for Umetco Minerals Corp, authorizing use of unlimited amounts of natural U. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/18. 12pp. 55029:194-55029:205.

9008240244 Reviews ALARA rept for White Mesa Mill, submitted via 900331 ltr. Acceptable ALARA audit performed. WARD, D.C. Uranium Recovery Field Ofc, R4. 90/07/26. Uranium Recovery Field Ofc, R4. 2pp. 55023:311-55023:312.

DOCKET 40-8696 PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO

9008240168 Reviews ALARA rept for Shooting Canyon U Mill for 1989. Acceptable ALARA audit performed. No areas of concern noted during review. WARD, D.C., HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/23. Uranium Recovery Field Ofc, R4. 2pp. 55027:151-55027:152.

4 DOCKETED ITEMS

DOCKET 40-8768 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

9008270072 Advises that licensee submittal of ALARA rept for site acceptable, per 900713 ltr.
WARD, D.C. Uranium Recovery Field Ofc, R4. 90/07/27. Uranium Recovery Field Ofc, R4. 3pp. 55036:202-55036:204.

DOCKET 40-8783 URANERZ USA, INC., CASPER, WY

9008240230 Forwards Amend 13 to License SUA-1401, changing License Condition 2 to change mailing address & License Conditions 10 & 22 re status of project.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. Uranerz USA, Inc. 4pp. 55028:235-55028:243.

—9008240231 Amend 13 to License SUA-1401 for Uranerz USA, Inc., authorizing use for possession of residual contaminated matts while commercial license application being reviewed.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. 5pp. 55028:239-55028:243.

DOCKET 40-8786 URANIUM RESOURCES, INC., RICHARDSON, TX

9008270028 Ack receipt of 900713 response to violations noted in Insp Rept 40-8786/90-01.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/25. Uranium Resources, Inc. 1p. 55036:214-55036:215.

9008240245 Forwards water quality analysis for sampling conducted on 900716.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/09. PELIZZA, M. Uranium Resources, Inc. 6pp. 55027:089-55027:094.

DOCKET 40-8820 AMAX, INC., GOLDEN, CO

9008090185 Forwards, for info, D Hurt trip rept of 900626-27 visit to Amax site in Parkersburg, WV & memo by J Parrott, DOE representatives in need of addl info & possibly new monitoring facilities, before taking custody of property.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/08/06. KEPPLER, P. AMAX, Inc. 1p. 54931:271-54931:277.

9008130211 Advises of acceptance of review of trust fund arrangements & transmittal to DOE for evaluation, if only necessary costs are mowing, occasional surveillance & new fence at 25-yr interval.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/08/09. KEPPLER, P. AMAX, Inc. 1p. 54970:205-54970:205.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9008270006 Authorizes performance of pump test to determine hydrological conditions in Section 22/23-40 Sand Mine Unit, per 900620 amend request.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/13. Power Resources Corp. 2pp. 55035:106-55035:107.

DOCKET 40-8902 ARCO COAL CO. DIV. (ATLANTIC RICHFIELD CO.), GRANTS, NM

9008280364 Forwards Amend 11 to License SUA-1470, modifying License Condition 25 & adding License Condition 36 re reclamation plan to read as stated, per 900321 ltr & Reg Guide 3.66.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/10. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 3pp. 55060:031-55060:076.

—9008280367 Amend 11 to License SUA-1470 for ARCO Coal Co., modifying License Condition 25 & adding License Condition 36 re reclamation plan to read as stated.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/10. 6pp. 55060:034-55060:039.

—9008280368 Recommends that License SUA-1470 be amended by modifying License Condition 25 & by adding License Condition 36 re reclamation plan to read as stated, per 861125, 900321, 0712, 19, 23, 0802 & 08 submittals.
JACOBY, D.L., GONZALES, R.O., MICHAUD, P.W. Uranium Recovery Field Ofc, R4. 90/08/10. Uranium Recovery Field Ofc, R4. 35pp. 55060:040-55060:076.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9008240234 Summary of 900712 meeting w/ licensee in Denver, CO re point of compliance well locations at Homestake Mill.
KONWINSKI, G.R. Uranium Recovery Field Ofc, R4. 90/07/19. Uranium Recovery Field Ofc, R4. 2pp. 55029:225-55029:226.

9008240220 Forwards Amend 8 to License SUA-1471, revising License Conditions 31 & 35 to modify point of compliance well locations.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. HILES, M. Homestake Mining Co. 3pp. 55030:056-55030:065.

—9008240222 Amend 8 to License SUA-1471 for Homestake Mining Co., revising License Conditions 31 & 35 to modify point of compliance locations.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/20. 7pp. 55030:059-55030:065.

9008240254 Summary of 900730 meeting w/ licensee re reclamation plan for site.
JACOBY, D.L. Uranium Recovery Field Ofc, R4. 90/08/06. Uranium Recovery Field Ofc, R4. 2pp. 55029:289-55029:290.

DOCKET 40-8904 BP AMERICA, INC., CLEVELAND, OH

9008240249 Forwards Amend 17 to License SUA-1472, permitting installation of two addl seepage collection wells.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/25. SOHIO Western Mining Co. 3pp. 55028:216-55028:223.

—9008240250 Amend 17 to License SUA-1472 for Sohio Western Mining Co., authorizing possession of matt in form of U waste tailing.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/25. 5pp. 55028:219-55028:223.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9008240218 Summary of 900718 meeting w/ vendor to discuss reclamation plan for Quivira Mining Co Ambrosia Lake Mill.
JACOBY, D.L. Uranium Recovery Field Ofc, R4. 90/07/23. Uranium Recovery Field Ofc, R4. 4pp. 55030:052-55030:055.

9008270057 Forwards Amend 17 to License SUA-1473 for Quivira Mining Co., authorizing use of alkaline leach process for feed matts.
GARCIA, P.J. Uranium Recovery Field Ofc, R4. 90/08/13. Uranium Recovery Field Ofc, R4. 3pp. 55034:288-55034:299.

—9008270058 Informs that License SUA-1473 amended to authorize alkaline leach processing of alternate feed matts by revising License Condition 31.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/13. FERDINAND, B. Quivira Mining Co. 2pp. 55034:291-55034:292.

—9008270059 Amend 17 to License SUA-1473 for Quivira Mining Co., authorizing licensee to possess matt in form of U process tailings.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/13. 7pp. 55034:293-55034:299.

DOCKET 40-8907 UNITED NUCLEAR CORP., SANTA FE, NM

9008240170 Forwards Amend 7 to License SUA-1475 for United Nuclear Corp., permitting installation of two addl background wells, const of more efficient evaporation sys & addition of Well TWQ-126 to monitoring program.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/23. United Nuclear Corp. 3pp. 55027:139-55027:148.

—9008240171 Amend 7 to License SUA-1475, authorizing installation of two addl background wells, const of more efficient evaporation sys & addition of Well TWQ-126 to monitoring program.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/07/23. 7pp. 55027:142-55027:148.

9008240228 Summary of 900727 meeting w/ licensee re reclamation plan for site.
GONZALES, R.O. Uranium Recovery Field Ofc, R4. 90/08/03. Uranium Recovery Field Ofc, R4. 2pp. 55029:287-55029:288.

9008240225 Advises of retirement of D Smith & requests that future correspondence be sent to listed address. Amend 7 to License SUA-1475 should be reviewed.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/15. DAVIS, A.M. Environmental Protection Agency. 2pp. 55027:149-55027:150.

9008270040 Notification of 900801 meeting w/ licensee to discuss reclamation plan for site.
GONZALES, R.O. Uranium Recovery Field Ofc, R4. 90/08/16. Uranium Recovery Field Ofc, R4. 2pp. 55034:352-55034:353.

9008270060 Forwards revised comments on site reclamation plan. Parts of proposed plan re pipeline Arroyo unacceptable.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/16. VELASQUEZ, J.R. United Nuclear Corp. 5pp. 55035:249-55035:253.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9008270053 Forwards Amend 4 to License SUA-1534, amending License Condition 18 to require biannual refresher training in health physics for corp radiation safety officer.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/14. COLLINGS, S. Ferret Exploration Company of Nebraska, Inc. 4pp. 55036:184-55036:201.

—9008270054 Amend 4 to License SUA-1534 for Ferret Exploration Co of NE, Inc., authorizing use of 454,545 kg natural U.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/14. 10pp. 55036:188-55036:197.

—9008270055 Informs that license will be amended to cite revised corporate organization & to clarify requirements for site.
GRIMM, J.P. Uranium Recovery Field Ofc, R4. 90/08/14. Uranium Recovery Field Ofc, R4. 4pp. 55036:198-55036:201.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9007270200 Forwards Irrevocable Standby Ltr of Credit 839-51288, dtd 900718 & standby trust agreement, providing financial assurance for decommissioning for Shieldalloy Metallurgical Corp.
AUSTIN, J.D. Arter & Hadden. 90/07/23. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 15pp. 54738:030-54738:044.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9008140017 Forwards responses to questions in 900605 memo re manner in which staff proposing to review application on Envirocare.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/08/09. CURTISS Commissioners (Post 750119). 11pp. 54965:154-54965:164.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

S. Reportable occurrences, LERs & related correspondence

9008150073 RO 13: on 900721, tritium content in heavy water tank in excess of 50 Ci. Samples sent to KMS Fusion Health Physics Procedure 107 corrected to reflect correct density of heavy water.
FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 90/08/06. Document Control Branch (Document Control Desk). 4pp. 54981:020-54981:023.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

J. Insurance & Indemnity Information

9008070229 Forwards 900713 projection for Aug 1990 - Jul 1991 guaranteeing payment of deferred premiums.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54898:205-54898:206.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

I. Financial Information

9008010085 Forwards, "Penn State Univ Decommissioning Funding Plan for Radiation Research Facilities." Financial assurance document to be submitted as soon as approvals obtained.
HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54791:001-54791:021.

-9008010086 "Penn State Univ Decommissioning Funding Plan for Radiation Research Facilities." Svc list encl.
GRANLUND,R.W. Pennsylvania State Univ., University Park, PA. 90/07/16. 20pp. 54791:002-54791:021.

P. Operating license stage documents & correspondence

9008080024 Forwards Amend 28 to License R-2 & safety evaluation.Amend eliminates position of deputy director & adds position of manager of operations & training to organization of Pennsylvania State Univ Breazeale Reactor.
ADAMS,A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 90/08/01. HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 3pp. 54914:328-54914:337.

-9008080026 Amend 28 to License R-2,eliminating position of deputy director & adding position of manager of operations & training to organization of Pennsylvania State Univ Breazeale Reactor.
WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 90/08/01. 5pp. 54914:331-54914:335.

-9008080031 Safety evaluation supporting Amend 28 to License R-2.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 2pp. 54914:336-54914:337.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EPIPs.
Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008060004 Revised Page 5 to Rev 0A to EPIP 720-2.
Commonwealth Edison Co. 90/07/18. 2pp. 54889:358-54889:359.

9008230017 Revised EPIPs,including Rev 12 to ED-9A,Rev 12 to ED-9B, Rev 12 to ED-11,Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON,I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN,W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008090022 Suppl to 891101 proposed amend to License DPR-2,reflecting nonoperating status of facility & clarifying Section 3.10.F.
MORGAN,W.E. Commonwealth Edison Co. 90/07/31. Document Control Branch (Document Control Desk). 1p. 54942:259-54942:261.

-9008090023 Proposed Tech Specs reflecting nonoperating status of facility & clarifying Section 3.10.F.
Commonwealth Edison Co. 90/07/31. 2pp. 54942:260-54942:261.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

6 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9008170254 Monthly operating repts for Jul 1990 for Dresden Nuclear Power Station Units 1,2 & 3.W/900807 ltr. MAXWELL,D.C., EENIGENBURG,E. Commonwealth Edison Co. 90/07/31. 24pp. 54993:023-54993:046.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville,IL.Preliminary list of question/issues should be submitted to E Rau by 900815. MILLER,H.J. Region 3 (Post 820201). 90/07/25. REED,C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing nati exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

I. Financial Information

9007310100 Forwards certification of financial assurance for decommissioning of facility,per 10CFR50.33(k) & 50.75. Util intends to retain Unit 1 in safe storage status until Unit 2 shut down & decommissioned. ORSER,W.S. Detroit Edison Co. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54803:118-54803:176.

-9008070073 Rev 1 to "Decommissioning Cost Study of Enrico Fermi Atomic Power Plant Unit 1." * Nuclear Energy Services, Inc. 83A4902 R01. 89/11/08. 55pp. 54803:122-54803:176.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9008140205 Forwards "QA Program for MITR-II Spent Fuel Shipment" & requests that users be added to list for BMI-1 shipping cask. SANENTZ,A.B., KWOK,K.S. Massachusetts Institute of Technology, Cambridge, MA. 90/08/10. Document Control Branch (Document Control Desk). 1p. 54962:035-54962:050.

-9008140206 "QA Program for MITR-II Spent Fuel Shipment." * Massachusetts Institute of Technology, Cambridge, MA. 90/08/10. 15pp. 54962:036-54962:050.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

I. Financial Information

9007270145 Forwards "Decommissioning Funding Assurance Rept & Certification," per 10CFR50.75.Rept includes certification that reasonable assurance will be provided that funds will be available for decommissioning. TRACY,H.T. Yankee Atomic Electric Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54733:151-54733:231.

-9008020095 "Decommissioning Funding Assurance Rept & Certification." TRACY,H.T. Yankee Atomic Electric Co. 90/07/25. 80pp. 54733:152-54733:231.

P. Operating license stage documents & correspondence

9007310002 Forwards response to request for addl info re YAE-1710, "Yankee Nuclear Power Station Pilot Evaluation Rept for Plant License Renewal," & YAE-1727P, "Methodology for Identifying Potential Fluid Component Age-Related..." GRANT,J.M. Yankee Atomic Electric Co. 90/07/16. CRAIG,J.W. Document Control Branch (Document Control Desk). 25pp. 54769:222-54769:246.

9008020003 Forwards request for addl info re Yankee Rowe severe accident closure submittal.Questions concern individual plant exam,containment performance improvement program & accident mgt.Response requested within 1 month. SEARS,P.M. Project Directorate I-3. 90/07/27. GRANT,J.M. Yankee Atomic Electric Co. 18pp. 54819:340-54819:357.

9008020215 Forwards "1990 Shift Estimates for Yankee Rowe Vessel." ODETTE,G.R. California, Univ. of, Santa Barbara, CA. 90/07/30. TABOADA,A. NRC - No Detailed Affiliation Given. 1p. 54825:342-54825:355.

-9008020219 "1990 Shift Estimates for Yankee Rowe Vessel." ODETTE,G.R. California, Univ. of, Santa Barbara, CA. 90/07/30. NRC - No Detailed Affiliation Given. 13pp. 54825:343-54825:355.

9008030041 Requests performance of PTS probabilistic analysis using broad range of mat properties re reactor pressure vessel evaluation rept. SEARS,P.M. Project Directorate I-3. 90/07/31. GRANT,J. Yankee Atomic Electric Co. 3pp. 54878:011-54878:013.

9008060061 Forwards Amend 133 to License DPR-3 & safety evaluation. Amend incorporates wording from std Westinghouse Tech Specs into util limiting condition for operation Specs 3.10.3 & 3.10.4. SEARS,P.M. Project Directorate I-3. 90/08/02. PAPANIC,G. Yankee Atomic Electric Co. 2pp. 54890:029-54890:038.

-9008060062 Amend 133 to License DPR-3,incorporating wording from std Westinghouse Tech Specs into util limiting condition for operation Specs 3.10.3 & 3.10.4. NERSES,V. Project Directorate I-3. 90/08/02. 5pp. 54890:031-54890:035.

-9008060063 Safety evaluation supporting Amend 133 to License DPR-3. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 3pp. 54890:036-54890:038.

9008070079 Forwards results of PTS sensitivity study for mean values of ref temps for four mats in beltline region. HASELTINE,J.D. Yankee Atomic Electric Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54942:005-54942:006.

9008070265 Summary of 900717 meeting w/util re util reactor vessel submittal.List of attendees & viewgraphs encl. SEARS,P.M. Project Directorate I-3. 90/08/02. Project Directorate I-3. 7pp. 54902:188-54902:194.

9008070277 Forwards rept from NRC Consultant GR Odette re Yankee Rowe reactor vessel integrity.Response requested by 900806. SEARS,P.M. Project Directorate I-3. 90/08/02. GRANT,J.M. Yankee Atomic Electric Co. 17pp. 54950:001-54950:017.

9008070327 Forwards Amend 134 to License DPR-3 & safety evaluation. Amend incorporates NRC guidance in Generic Ltr 88-17 to facility Tech Specs.Three new Tech Specs added & change also addresses low temp overpressurization. SEARS,P.M. Project Directorate I-3. 90/08/02. PAPANIC,G. Yankee Atomic Electric Co. 2pp. 54896:321-54896:343.

-9008070374 Amend 134 to License DPR-3,incorporating NRC guidance in Generic Ltr 88-17 into facility Tech Specs & adding three new Tech Specs specifying plant conditions & equipment operability requirements to prevent core uncover. NERSES,V. Project Directorate I-3. 90/08/02. 17pp. 54896:323-54896:339.

-9008070376 Safety evaluation supporting Amend 134 to License DPR-3. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 3pp. 54896:340-54896:343.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008070080 Forwards peer review of 900705 reactor pressure vessel evaluation,prepared by LE Steele.Review indicates agreement w/methodology in Chapter 5 of evaluation. HASELTINE,J.D. Yankee Atomic Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 11pp. 54897:158-54897:168.

9008080248 Corrected notification of 900807 meeting w/util in Rockville,MD to discuss plant reactor vessel. SEARS,P.M. Project Directorate I-3. 90/08/03. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 54931:207-54931:209.

9008130166 Notification of 900807 meeting w/util in Rockville,MD to discuss plant reactor vessel. SEARS,P.M. Project Directorate I-3. 90/08/03. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 54958:218-54958:220.

9008130196 Discusses licensee engineering initiatives.Cooperative effort would promote efficiency & enhance effectiveness of nuclear power plant activities. MARTIN,T.T. Region 1 (Post 820201). 90/08/06. KADAK,A.C. Yankee Atomic Electric Co. 4pp. 54951:286-54951:289.

9008130203 Request relief from ASME Section XI requirements for low pressure surge tank cooling pumps,per Generic Ltr 89-04 as result of review of facility inservice testing program. PAPANIC,G. Yankee Atomic Electric Co. 90/08/09. Document Control Branch (Document Control Desk). 3pp. 54951:298-54951:300.

9008160064 Notification of 900821 mgt meeting w/util in Rockville,MD re vessel issues at facility. SEARS,P.M. Project Directorate I-3. 90/08/14. NERSES,V. Project Directorate I-3. 3pp. 54992:135-54992:137.

9008270017 Forwards test program for replacement diesel generators at plant,per 900817 & 20 commitments.Emergency diesel generators 1 & 2 accepted single step load of 600 kW when applied subsequent to listed load runs. PAPANIC,G. Yankee Atomic Electric Co. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55031:321-55031:323.

9008240188 Summary of 900807 meeting w/util re reactor vessel pressure evaluation.Listed info,including low temp overpressure analysis,analysis of small break LOCA w/1 h isolation & records of inservice testing of lines requested from util. SEARS,P.M. Project Directorate I-3. 90/08/21. NERSES,V. Project Directorate I-3. 3pp. 55027:230-55027:232.

Q. Inspection reports, IE Bulletins & correspondence

9008070246 Forwards Exam Rept 50-029/90-06OL on 900619-21. GALLO,R.M. Region 1 (Post 820201). 90/07/25. KADAK,A.C. Yankee Atomic Electric Co. 3pp. 54898:210-54898:339.

-9008070251 Exam Rept 50-029/90-06OL on 900619-21.Exam results:all three candidates passed exams & issued licenses. PRELL,J.A., ESELGROTH,P.W. Region 1 (Post 820201). 90/07/24. 118pp. 54898:213-54898:339.

9008090139 Ack receipt of 900423 ltr re violations noted in Insp Rept 50-029/89-80. GALLO,R.M. Region 1 (Post 820201). 90/07/25. KADAK,A.C. Yankee Atomic Electric Co. 2pp. 54922:098-54922:105.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008010192 Provides steam generator insp results & advises of nine defective tubes discovered during Jul 1990 insp. Complete results will follow within 12 months, per Tech Spec 4.4.10.5.b.
PAPANIC,G. Yankee Atomic Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 1p. 54793:310-54793:310.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100179 Forwards Radiological Safety Insp Rept 50-029/90-13 on 900709-13. One noncited violation noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/03. KADAK,A.C. Yankee Atomic Electric Co. 3pp. 54935:050-54935:058.

9008100182 Insp Rept 50-029/90-13 on 900709-13. One noncited violation noted. Major areas inspected: implementation of radiation protection program during current refueling outage & review of training & qualification of contractor technicians.
O'CONNELL,P., MANIN,D., PASCIAK,W. Region 1 (Post 820201). 90/08/03. 7pp. 54935:053-54935:058.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160030 Forwards Insp Rept 50-029/90-11 on 900619-22. No violations noted.
DURR,J.P. Region 1 (Post 820201). 90/08/09. KADAK,A.C. Yankee Atomic Electric Co. 2pp. 54977:001-54977:010.

9008160031 Insp Rept 50-029/90-11 on 900619-22. No violations or deviations noted. Major areas inspected: safety injection tank design & replacement procedures together w/walkdown of safety injection sys pumps, valves & piping.
CHAUDHARY,S., LOHMEIER,A., TERAQ,D. Region 1 (Post 820201). 90/08/01. 8pp. 54977:003-54977:010.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170253 Monthly operating rept for Jul 1990 for Yankee Atomic Power Station. W/ 900814 ltr.
CARROLL,K., BERRY,R.L. Yankee Atomic Electric Co. 90/07/31. 6pp. 54993:002-54993:007.

S. Reportable occurrences, LERs & related correspondence

9008020071 LER 90-004-00: on 900629, high radiation area found not conspicuously posted. Caused by personnel error involving inadvertent positioning of cover. Personnel instructed & area posted in conspicuous manner. W/900728 ltr.
MELLOR,R.A., HENDERSON,T.K. Yankee Atomic Electric Co. 90/07/28. 4pp. 54815:244-54815:247.

9008060102 LER 90-005-00: on 900706, determined that pressurizer code safety valve exceeded Tech Spec lift tolerance of nameplate set pressure. Caused by setpoint drift. Valve retested & disassembled. W/900730 ltr.
MELLOR,R.A., HENDERSON,T.K. Yankee Atomic Electric Co. 90/07/30. 4pp. 54904:157-54904:160.

9008060120 Special rept: two fire pumps inoperable at same time. Caused by necessity to accomplish Tech Spec lift tolerance of nameplate set pressure. Caused by necessity to perform 3 & planned 18-month insp of diesel per Tech Specs.
HENDERSON,T.K. Yankee Atomic Electric Co. 90/08/01. Document Control Branch (Document Control Desk). 1p. 54876:124-54876:124.

9008140329 Special rept re diesel fire pump & tank inoperable for greater than seven days for draining, cleaning & insp. During period redundant pumping capacity available via two remaining electric driven fire pumps.
HENDERSON,T.K. Yankee Atomic Electric Co. 90/08/13. Document Control Branch (Document Control Desk). 1p. 54955:038-54955:038.

9008160186 PNO-I-90-064: on 900810, observed electrical loading design & analyses inadequacies & post-maint testing deficiencies. Util chartering independent team to oversee implementation of mod. Outage extended to allow replacement.
ROGGE,J. Region 1 (Post 820201). 90/08/14. 1p. 54990:278-54990:278.

9008200081 Part 21 rept re misapplication of fluorolube FS-5 oil in main steam line pressure gauges. All four indicators replaced w/spare gauges which utilize high temp silicone oil.
PAPANIC,G. Yankee Atomic Electric Co. 90/08/14. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 54996:112-54996:116.

V. Operator Examinations

9008070246 Forwards Exam Rept 50-029/90-06OL on 900619-21.
GALLO,R.M. Region 1 (Post 820201). 90/07/25. KADAK,A.C. Yankee Atomic Electric Co. 3pp. 54898:210-54898:339.

9008070251 Exam Rept 50-029/90-06OL on 900619-21. Exam results: all three candidates passed exams & issued licenses.
PRELL,J.A., ESELGROTH,P.W. Region 1 (Post 820201). 90/07/24. 118pp. 54898:213-54898:339.

9008060311 Requests extension of NRC requirements for annual operator simulator training to 910301. Temporary delays occurring in Rowe simulator const process have undermined plans to use simulator for training of all operators before deadline.
ST LAURENT,N.N. Yankee Atomic Electric Co. 90/08/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 54856:124-54856:125.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-54 CINTICHEM

P. Operating license stage documents & correspondence

9008010153 Requests notification as soon as notice of decommissioning appears in FR. Notice will enable town to go forward w/ petition for public hearing.
DOROZYNSKI,A.R. Tuxedo, NY. 90/07/19. MICHAELS,T. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 1p. 54805:277-54805:277.

9008010241 Submits Cintichem decommissioning rept/funding plan, which includes cost estimate for decommissioning facility, financial assurance mechanism & description of means of adjusting cost estimate & funding level periodically.
JOHNSON,M.D. Cintichem, Inc. 90/07/25. Document Control Branch (Document Control Desk). 17pp. 54788:265-54788:285.

9008010254 Forwards 900622 check to cover facility decommissioning rept/funding plan submittal.
JOHNSON,M.D. Cintichem, Inc. 90/07/25. WEISS,D. Division of Accounting & Finance (Post 890205). 4pp. 54788:282-54788:285.

Q. Inspection reports, IE Bulletins & correspondence

9008160114 Forwards Insp Repts 50-054/90-03 & 70-0687/90-05 on 900620-21. No violations noted. Original regulatory objectives of Confirmatory Action Ltr CAL-RI-90-05 being satisfied & appropriate operational controls in place.
KNAPP,M.R. Region 1 (Post 820201). 90/08/08. MCGOVERN,J.J. Cintichem, Inc. 3pp. 54978:313-54978:321.

9008160116 Insp Repts 50-054/90-03 & 70-0687/90-05 on 900620-21. No violations noted. Major areas inspected: licensee corrective actions taken for previously identified items & status of licensee plan for decommissioning.
AUSTIN,M.A., JANG,J.C., BORES,R.J. Region 1 (Post 820201). 90/07/20. 6pp. 54978:316-54978:321.

DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

Q. Inspection reports, IE Bulletins & correspondence

9008100146 Forwards Safety Insp Rept 50-057/90-02 on 900621 & 0718. Violation noted but not cited. L. Henry committed to provide o/c w/detailed procedures prior to first use of procedures for removal of activated reactor components from storage.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/31. RENNIE,D.W. New York, State Univ. of Buffalo, NY. 2pp. 54943:334-54943:339.

9008100150 Insp Rept 50-057/90-02 on 900621 & 0718. Violation noted but not cited. Major areas inspected: procedures & actions taken to transfer irradiated fuel assemblies from reactor tank into adjacent hot cell.
ROTH,J., BORES,R.J. Region 1 (Post 820201). 90/07/27. 4pp. 54943:336-54943:339.

DOCKET 50-59 TEXAS A&M UNIV. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9008060308 Forwards R Huston ltr re NRC Info Notices 90-016 & 90-038. W/o encls.
BERRY,R.O. Texas A&M Univ., College Station, TX. 90/08/01. BEACH,A.B. Region 4 (Post 820201). 1p. 54876:234-54876:234.

8 DOCKETED ITEMS

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9008080212 Ack receipt of 900413 & 24 ltrs informing NRC of steps taken to correct violations noted in Insp Rept 50-062/90-02. EBNETER,S.D. Region 2 (Post 820201). 90/07/27. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 54917:168-54917:169.

P. Operating license stage documents & correspondence

9007270020 Forwards decommissioning rept & statement of intent for Univ of Virginia two MW research reactor. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 90/07/20. Document Control Branch (Document Control Desk). 1p. 54727:236-54727:251.

-9007270024 Forwards Univ of Virginia statement of intent for License R-66. GILCHRIST,J.R. Virginia, Univ. of, Charlottesville, VA. 90/07/10. Region 2 (Post 820201). 2pp. 54727:237-54727:238.

-9007270025 "Decommissioning Rept for Univ of Virginia Research Reactor." * Virginia, Univ. of, Charlottesville, VA. 90/07/31. 8pp. 54727:239-54727:251.

9008220126 Advises that NRC resident inspectors M Lesser & J Kahle have been assigned to facility to become familiar w/operations. EBNETER,S.D. Region 2 (Post 820201). 90/07/20. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 3pp. 55006:282-55006:284.

Q. Inspection reports, IE Bulletins & correspondence

9008080212 Ack receipt of 900413 & 24 ltrs informing NRC of steps taken to correct violations noted in Insp Rept 50-062/90-02. EBNETER,S.D. Region 2 (Post 820201). 90/07/27. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 54917:168-54917:169.

DOCKET 50-72 UNIV. OF UTAH RESEARCH REACTOR

I. Financial Information

9007270209 Submits info re decommissioning reactors,per 10CFR50.33 & 50.75 & NRC rule entitled, "General Requirements for Decommissioning Nuclear Facilities." SANDQUIST,G.M., GEHMLICH,D.K., PERSHING,D.W. Utah, Univ. of, Salt Lake City, UT. 90/07/17. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54980:333-54980:334.

9008090025 Forwards 900717 ltr assuring financial responsibility to provide adequate funds for decommissioning reactors. BENNION,J.S. Utah, Univ. of, Salt Lake City, UT. 90/07/25. MENDONCA,M.M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 1p. 54921:088-54921:090.

P. Operating license stage documents & correspondence

9008060254 Forwards correction to decommissioning plan title page,per 900717 ltr. BENNION,J.S. Utah, Univ. of, Salt Lake City, UT. 90/07/18. MARTIN,R.D. Region 4 (Post 820201). 1p. 54876:318-54876:318.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

I. Financial Information

9007310020 Submits decommissioning rept info for reactor,per 10CFR50.33 & 50.75 requirements.Funds for decommissioning will be requested from State of FL legislature when decision to decommission facility made. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 90/07/19. Document Control Branch (Document Control Desk). 2pp. 54795:159-54795:160.

Q. Inspection reports, IE Bulletins & correspondence

9008080049 Discusses NRC familiarization tour of univ reactor by resident inspectors re potential consequences of accident. EBNETER,S.D. Region 2 (Post 820201). 90/07/20. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 3pp. 54905:268-54905:270.

DOCKET 50-89 GENERAL ATOMICS

I. Financial Information

9007310101 Forwards decommissioning rept w/financial assurance for estimated cost for decommissioning research reactors,per 10CFR50.33. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/26. MENDONCA,M. Document Control Branch (Document Control Desk). 8pp. 54824:219-54824:240.

-9007310103 Supports company use of financial test to demonstrate financial assurance,per 10CFR50 & 70. BLUE,J.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54824:227-54824:227.

-9007310105 Supports General Atomics use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70.General Atomics not required to file Form 10K w/US Securities & Exchange Commission for latest FY90. KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54824:228-54824:229.

-9007310108 Forwards rept on agreed-upon procedures to demonstrate financial responsibility for decommissioning of facilities, per 10CFR50 & 70. BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 11pp. 54824:230-54824:240.

DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

I. Financial Information

9007300010 Submits certification that request will be made to Arizona Board of Regents to appropriate funding from Arizona State Legislature for decommissioning of reactor at some future date when decision for final shutdown must be made. CUSANOVICH,M.A. Arizona, Univ. of, Tucson, AZ. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54740:358-54740:359.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9008070125 "Annual Operations Rept for Iowa State Univ Research Reactor for Jul 1989 - June 1990." W/900731 ltr. HENDRICKSON,R. Iowa State Univ., Ames, IA. 90/06/30. 4pp. 54896:358-54896:361.

DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

P. Operating license stage documents & correspondence

9008140039 Forwards response to NRC 900717 request for addl info. FREEMAN,D.W. Missouri, Univ. of, Rolla, MO. 90/08/09. Document Control Branch (Document Control Desk). 18pp. 54962:259-54962:276.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

I. Financial Information

9008070266 Forwards KR Hall 900709 ltr re availability of funds for any future decommissioning of Nuclear Science Ctr Reactor, per 10CFR50.33(k),for filing. FELTZ,D.E. Texas A&M Univ., College Station, TX. 90/07/24. BEACH,J.A.B. Region 4 (Post 820201). 1p. 54898:340-54898:342.

-9008070267 Advises that request will be made to State of TX Legislature for appropriation of funds for decommissioning & decontamination of Nuclear Science Ctr Reactor after future decision for final shut down made. HALL,K.R. Texas A&M Univ., College Station, TX. 90/07/09. Document Control Branch (Document Control Desk). 2pp. 54898:341-54898:342.

P. Operating license stage documents & correspondence

9008070266 Forwards KR Hall 900709 ltr re availability of funds for any future decommissioning of Nuclear Science Ctr Reactor, per 10CFR50.33(k),for filing. FELTZ,D.E. Texas A&M Univ., College Station, TX. 90/07/24. BEACH,J.A.B. Region 4 (Post 820201). 1p. 54898:340-54898:342.

-9008070267 Advises that request will be made to State of TX Legislature for appropriation of funds for decommissioning & decontamination of Nuclear Science Ctr Reactor after future decision for final shut down made. HALL,K.R. Texas A&M Univ., College Station, TX. 90/07/09. Document Control Branch (Document Control Desk). 2pp. 54898:341-54898:342.

DOCKET 50-130 PATHFINDER ATOMIC PLANT

P. Operating license stage documents & correspondence

9008100173 Summarizes ACNW 22nd meeting on 900730-31 to review plans for decommissioning plant,per 891018 ltr. MOELLER,D.W. Advisory Committee on Nuclear Waste. 90/08/03. CARR,K.M. Commissioners (Post 750119). 3pp. 54963:018-54963:020.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

I. Financial Information

9008020153 Forwards decommissioning financial assurance certification rept,per 10CFR50.75. SHIFFER,J.D. Pacific Gas & Electric Co. 90/07/24. Document Control Branch (Document Control Desk). 175pp. 54807:043-54807:205.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

- 9008080043** Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008080047** Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-139 UNIV. OF WASHINGTON RESEARCH REACTOR

P. Operating license stage documents & correspondence

- 9008080156** Responds to 900706 request for addl info re decommissioning Univ of Washington ARGONAUT reactor.Items refer to Sections 1.3 & 2.1 of RAZEBLD decommissioning plan.
ROBKIN,M.A. Washington, Univ. of, Seattle, WA. 90/07/31. MICHAELS,T.S. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 5pp. 54919:270-54919:274.

DOCKET 50-142 UCLA TRAINING REACTOR

H. General correspondence

- 9008020196** Advises that author retiring from position of radiation safety officer,effective 900731.
MCCLAUGHLIN,J.E. California, Univ. of, Los Angeles, CA. 90/07/26. MENDONCA,M. Standardization & Non-Power Reactor Project Directorate (870411-890729). 4pp. 54826:077-54826:080.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

H. General correspondence

- 9008070083** Submits info re mgt changes at facility & changes in addressees for NRC correspondence.
HILDEBRAND,J.E. General Public Utilities Corp. - GPU Service Corp. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54930:282-54930:283.

I. Financial Information

- 9007270003** Forwards "Cost Estimate for Decommissioning of Saxton Nuclear Experimental Facility." Applicable costs shown in encl will be included in GPU submittal to NRC by 900726 for all GPU Nuclear facilities per 10CFR50.75.
HILDEBRAND,J.E. Saxton Nuclear Experimental Corp. 90/07/20. Document Control Branch (Document Control Desk). 1p. 54735:284-54735:336.

- 9007270004** "Cost Estimate for Decommissioning of Saxton Nuclear Experimental Facility."
LEIGH,D.W. Saxton Nuclear Experimental Corp. 90/07/09. 52pp. 54735:285-54735:336.

- 9007310120** Forwards decommissioning financial assurance certification repts for listed plants:Oyster Creek,TMI unit 1 Licenses; DPR-50 & 37-17257-02,TMI unit 2 & Saxton Nuclear Station, respectively.
MORRELL,M.P. General Public Utilities Corp. - GPU Service Corp. 90/07/26. Document Control Branch (Document Control Desk). 12pp. 54830:001-54830:195.

- 9008030052** "Oyster Creek Trust Agreement JCP&L Qualified Trust Dated 880122."
BALDASSARI,D. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 20pp. 54830:013-54830:032.

- 9008030069** "TMI-1 Trust Agreements."
HIGH,D.J. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 92pp. 54830:033-54830:114.

- 9008030076** "TMI-2 Trust Agreements."
KELLER,L.E. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 37pp. 54830:115-54830:151.

- 9008030083** "Saxton Trust Agreements."
MONTGOMERY,C.R. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 44pp. 54830:152-54830:195.

P. Operating license stage documents & correspondence

- 9008170008** Forwards administrative changes to cost estimate for decommissioning of Saxton nuclear experimental facility.
HILDEBRAND,J.E. Saxton Nuclear Experimental Corp. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 54984:203-54984:205.

Q. Inspection reports, IE Bulletins & correspondence

- 9008070214** Forwards Safety Insp Rept 50-146/90-01 on 900710-12.No violations noted.Confirms that util committed to provide addl info identified during insp in form of revised final survey rept by 900815.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/26. HILDEBRAND,J.E. Saxton Nuclear Experimental Corp. 3pp. 54902:267-54902:274.

- 9008070217** Insp Rept 50-146/90-01 on 900710-12.No violations noted. Major areas inspected:actions taken to decontaminate several bldgs on site & to review results of final release survey reported to NRC by 900426 ltr.
ROTH,J., BORES,R. Region 1 (Post 820201). 90/07/25. 5pp. 54902:270-54902:274.

DOCKET 50-148 UNIV. OF KANSAS RESEARCH REACTOR

P. Operating license stage documents & correspondence

- 9008010006** Discusses plans to decommission facility.
BUDIG,G.A. Kansas, Univ. of, Lawrence, KS. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54788:334-54788:334.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

I. Financial Information

- 9007310237** Advises that decommissioning funding plan awaiting signature by Univ provost.Provost due back during wk of 900730.
REDMOND,R.F. Ohio State Univ., Columbus, OH. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54803:253-54803:253.

- 9008060306** Forwards "Decommissioning Funding Plan for Ohio State Univ Research Reactor."
HUTCHINSON,F. Ohio State Univ., Columbus, OH. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54876:323-54876:325.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

V. Operator Examinations

- 9008020199** Forwards revised, "Univ of Illinois Nuclear Reactor Lab Operator Requalification Program," adding list of items in 10CFR55.41 & 10CFR55.43.
POHLOD,C.S. Illinois, Univ. of, Urbana, IL. 90/07/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54828:146-54828:155.

- 9008020201** Revised "Univ of Illinois Nuclear Reactor Lab Operator Requalification Program."
* Illinois, Univ. of, Urbana, IL. 90/07/11. 9pp. 54828:147-54828:155.

- 9008060177** Forwards revised operator requalification program for Illinois advanced TRIGA & LOFRA reactors.
POHLOD,C.S. Illinois, Univ. of, Urbana, IL. 90/07/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54854:103-54854:112.

- 9008060180** "Univ of Illinois Nuclear Reactor Lab Operator Requalification Program."
* Illinois, Univ. of, Urbana, IL. 90/07/26. 9pp. 54854:104-54854:112.

10 DOCKETED ITEMS

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9008130004 EIPs including Rev 118 to Vol 9A of EPIP, Rev 118 to EPIP-4E Rev 118 to EPIP-4F & Rev 118 to EPIP-5F. W/900803 ltr. THOMAS, P. Consumers Power Co. 90/08/03. 71pp. 54958:154-54958:217.

9008140053 Rev 96 to Vol 9 to site emergency plan Chapters 5 & 8.W/ 900807 ltr. THOMAS, P. Consumers Power Co. 90/08/07. 38pp. 54961:314-54961:351.

I. Financial Information

9008020188 Forwards certification of financial assurances for decommissioning. JOOS, D.W. Consumers Power Co. 90/07/26. Document Control Branch (Document Control Desk). 200pp. 54822:115-54823:028.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008140269 Notification of 900813 meeting w/util in Rockville, MD to discuss details of upcoming NRC NDE VAN visit to plant. MASCANTONIO, A. Project Directorate III-1. 90/08/10. MURLEY, T., MIRAGLIA, F. NRC - No Detailed Affiliation Given. RUSSELL, W. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 54964:132-54964:133.

9008220164 Application for amend to License DPR-6, reflecting administrative & organizational changes. BECKMAN, W.L. Consumers Power Co. 90/08/14. Document Control Branch (Document Control Desk). 4pp. 55006:034-55006:041.

-9008220166 Proposed Tech Specs, reflecting administrative & organizational changes. * Consumers Power Co. 90/08/14. 4pp. 55006:038-55006:041.

9008240048 Forwards environ assessment & finding of no significant impact re 900404 request for schedular relief from requirements of 10CFR55.45(b)(2)(ii) for plant. MASCANTONIO, A. Project Directorate III-1. 90/08/15. BERRY, K.W. Consumers Power Co. 3pp. 55030:046-55030:051.

-9008240050 Environ assessment & finding of no significant impact re issuance of exemption from requirements of 10CFR55.45(b)(2)(ii) to util for plant. No significant environ impacts re proposed exemption exists. PIERSON, R.C. Project Directorate III-1. 90/08/15. 3pp. 55030:049-55030:051.

9008270181 Application for amend to License DPR-6 re surveillance intervals in response to Generic Ltr 89-14. BECKMAN, W.L. Consumers Power Co. 90/08/15. Document Control Branch (Document Control Desk). 4pp. 55031:299-55031:304.

-9008270183 Proposed Tech Specs page change re surveillance intervals. * Consumers Power Co. 90/08/15. 2pp. 55031:303-55031:304.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008070084 Updates response to NRC Bulletin 90-002, "Loss of Thermal Margin Due to Channel Bow." EDDY, J.D. Consumers Power Co. 90/08/03. Document Control Branch (Document Control Desk). 5pp. 54915:025-54915:029.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090157 Provides util comments re SALP 9 Board rept. Declining trend in radiological controls noted in cover ltr needs to be reevaluated. HOFFMAN, D.P. Consumers Power Co. 90/08/06. Document Control Branch (Document Control Desk). 4pp. 54942:230-54942:233.

9008130298 Forwards Safety Insp Rept 50-155/90-12 on 900612-0723. No violations noted. CLAYTON, B. Region 3 (Post 820201). 90/08/07. HOFFMAN, D.P. Consumers Power Co. 2pp. 54956:270-54956:277.

-9008130300 Insp Rept 50-155/90-12 on 900612-0723. No violations noted. Major areas inspected: mgt meetings, surveillance activities, maint activities on various components & operational safety verification which included reactor depressurization sys. PLETTNER, E.A., DEFAYETTE, R.W. Region 3 (Post 820201). 90/08/07. 6pp. 54956:272-54956:277.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:085-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008220148 Forwards Safety Insp Rept 50-155/90-14 on 900730-0803. No violations noted. RING, M.A. Region 3 (Post 820201). 90/08/16. HOFFMAN, D.P. Consumers Power Co. 2pp. 55000:284-55000:291.

-9008220149 Safety Insp Rept 50-155/90-14 on 900730-0803. No violations, deviations or other items noted. Major areas inspected: maint & inservice testing of pumps & valves. HUBER, M.P., DANIELSON, D.H. Region 3 (Post 820201). 90/08/16. 6pp. 55000:286-55000:291.

9008220150 Informs that NRC NDE Mobile Lab will conduct independent NDE exams at plant on 900924-1005. Selected sys for exam listed on encl. GREENMAN, E.G. Region 3 (Post 820201). 90/08/16. HOFFMAN, D.P. Consumers Power Co. 3pp. 55000:281-55000:283.

9008230212 Advises that response to Bulletin 90-001, "Transmitters Mfg by Rosemount," complete, per 900711 ltr. MASCANTONIO, A. Project Directorate III-1. 90/08/16. BECKMAN, W.L. Consumers Power Co. 1p. 55010:329-55010:329.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008090133 Monthly operating rept for Jul 1990 for Big Rock Point Nuclear Plant. W/900801 ltr. JOHNSTON, J.R., BECKMAN, W.L. Consumers Power Co. 90/07/31. 5pp. 54934:140-54934:144.

S. Reportable occurrences, LERs & related correspondence

9008070091 Requests extension of due date for radiation on-the-job training to 901101, per 900518 LER-90-002 describing violation involving unqualified technician assigned to shift compliment. Delay due to forced outage. EDDY, J.D. Consumers Power Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54903:077-54903:081.

9008230008 Ack receipt of 900801 ltr informing NRC of change in completion date re on-the-job training procedure, per LER 90-002. GREGER, L.R. Region 3 (Post 820201). 90/08/14. EDDY, J.D. Consumers Power Co. 1p. 55012:293-55012:293.

9008280286 LER 90-003-00: on 900722, plant shutdown initiated due to defect in reactor coolant boundary in reactor cleanup sys. Caused by sensitization of pipe matl due to overlapping heat zones. Spec change implemented. W/900821 ltr. TOSKEY, J.B., ALEXANDER, R.J., BECKMAN, W.L. Consumers Power Co. 90/08/21. 4pp. 55056:055-55056:058.

V. Operator Examinations

9008010056 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. MILLER, H.J. Region 3 (Post 820201). 90/07/25. HOFFMAN, D.P. Consumers Power Co. 2pp. 54805:279-54805:280.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encls. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9008230136 Responds to 900717 request for info re rev of emergency action level for loss of pool water to 15 ft below pool curb.No member of public would receive whole body exposure in unlikely event that pool water lost.
CASHWELL,R.J. Wisconsin, Univ. of, Madison, WI. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 55014:301-55014:302.

R. Periodic operating reports & related correspondence

9008080252 "Univ of Wisconsin Nuclear Reactor Annual Operating Rept to DOE & NRC for FY89-90." W/900802 ltr.
CASHWELL,R.J. Wisconsin, Univ. of, Madison, WI. 90/06/30. 19pp. 54931:054-54931:072.

9008080283 Forwards "Univ of WI Nuclear Reactor Annual Operating Rept to DOE & NRC for FY89-90."
CASHWELL,R.J. Wisconsin, Univ. of, Madison, WI. 90/07/27. Document Control Branch (Document Control Desk). 1p. 54907:339-54908:014.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9007310004 Approves public release of 900606 request for Tech Spec amend.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 90/07/20. ADAMS,A. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 1p. 54769:247-54769:247.

9008030259 Responds to NRC 900720 request for addl info re 900605 request for amend to License R-97.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 90/07/31. ADAMS,A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 11pp. 54832:142-54832:152.

Q. Inspection reports, IE Bulletins & correspondence

9008220026 Forwards Exam Rept 50-160/OL-90-02 on 900507.
PEEBLES,T.A. Region 2 (Post 820201). 90/07/25. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 55006:075-55006:114.

9008220028 Exam Rept 50-160/OL-90-02 on 900507.Exam results:written reexamination administered to one reactor operator applicant who did not pass.
RAPP,C.W., CASTO,C.A. Region 2 (Post 820201). 90/07/24. 38pp. 55006:077-55006:114.

9008080052 Ack receipt of 900717 response to violations noted in Insp Rept 50-160/90-02.Implementation of corrective actions will be examined during future insps.
CLINE,W.E. Region 2 (Post 820201). 90/07/30. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 54905:245-54905:246.

V. Operator Examinations

9008220026 Forwards Exam Rept 50-160/OL-90-02 on 900507.
PEEBLES,T.A. Region 2 (Post 820201). 90/07/25. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 55006:075-55006:114.

9008220028 Exam Rept 50-160/OL-90-02 on 900507.Exam results:written reexamination administered to one reactor operator applicant who did not pass.
RAPP,C.W., CASTO,C.A. Region 2 (Post 820201). 90/07/24. 38pp. 55006:077-55006:114.

DOCKET 50-163 GENERAL ATOMICS

I. Financial Information

9007310101 Forwards decommissioning rept w/financial assurance for estimated cost for decommissioning research reactors,per 10CFR50.33.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/26. MENDONCA,M. Document Control Branch (Document Control Desk). 8pp. 54824:219-54824:240.

9007310103 Supports company use of financial test to demonstrate financial assurance,per 10CFR50 & 70.
BLUE,J.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54824:227-54824:227.

9007310105 Supports General Atomics use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70.General Atomics not required to file Form 10K w/US Securities & Exchange Commission for latest FY90.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54824:228-54824:229.

9007310108 Forwards rept on agreed-upon procedures to demonstrate financial responsibility for decommissioning of facilities, per 10CFR50 & 70.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 11pp. 54824:230-54824:240.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

F. Security, medical, emergency & fire protection plans

9007060011 Forwards replacement Pages 3 & 7 to physical security plans, 900401,interim,Summer 1990. "Guard" changed to "watchman" on each page.
IRVING,G.W. Armed Forces Radiobiological Research Institute. 90/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54985:007-54985:007.

9007240021 Forwards replacement pages to 900612 physical security plan. W/o encl.
IRVING,G.W. Armed Forces Radiobiological Research Institute. 90/07/11. Document Control Branch (Document Control Desk). 1p. 54873:095-54873:095.

P. Operating license stage documents & correspondence

9008030027 Forwards Amend 19 to License R-84 & safety evaluation.Amend approves installation of microprocessor based instrumentation & control sys.
ADAMS,A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 90/07/23. IRVING,G.W. Armed Forces Radiobiological Research Institute. 3pp. 54832:340-54832:354.

9008030028 Amend 19 to License R-84,approving installation of microprocessor based instrumentation & control sys.
WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 90/07/23. 5pp. 54832:343-54832:347.

9008030032 Safety evaluation supporting Amend 19 to License R-84.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/23. 7pp. 54832:348-54832:354.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

I. Financial Information

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER,G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

9008020096 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 31pp. 54831:131-54831:161.

9008020099 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 33pp. 54831:162-54831:194.

9008020101 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 33pp. 54831:195-54831:227.

9008020103 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 23pp. 54831:228-54831:250.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:165.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

12 DOCKETED ITEMS

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

P. Operating license stage documents & correspondence

9008170094 Discusses transfer of activities, responsibilities & obligations of NBS to Natl Institute of Stds & Technology. Designation of reactor will continue to be "NBSR." CARTER,R.S. National Institute of Standards & Technology (formerly National Bureau of Standa. 88/11/29. Docketing & Services Branch. 1p. 54983:087-54983:087.

9008010195 Application for amend to License TR-5, revising Tech Spec Section 6.2 by deleting description referring to number & type of HXs used in primary cooling sys. ROWE,J.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 90/07/27. Document Control Branch (Document Control Desk). 1p. 54796:310-54796:314.

-9008010197 Proposed Tech Specs re design descriptions of facility.
* National Institute of Standards & Technology (formerly National Bureau of Standa. 90/07/27. 3pp. 54796:311-54796:314.

9008060252 Provides addl info on request for change to Section 6.2 of Tech Specs. Basic design considerations unchanged re performance, matl, design pressure & temp & fabrication code requirements. ROWE,J.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 90/08/01. Document Control Branch (Document Control Desk). 1p. 54876:320-54876:320.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

H. General correspondence

9008140179 Responds to 900619 ltr re TRUMP S research project to be conducted at Univ of Missouri-Columbia. Proceeding concerning amends for Univ being conducted. RATHBUN,D.K. Congressional Affairs. 90/07/11. VOLKMER,H.L. House of Rep. 1p. 54951:320-54951:321.

-9008140493 Requests final determination of appeal re TRUMP S research project to be conducted at Univ of Missouri-Columbia.
VOLKMER,H.L. House of Rep. 90/06/19. CARR,K.M. Commissioners (Post 750119). 1p. 54951:321-54951:321.

P. Operating license stage documents & correspondence

9008010172 Advises of approval of route to transport spent reactor fuel from Columbia, MO to Idaho Falls, ID per 900613 ltr. Arrangements w/ law enforcement agencies along route as required by 10CFR73.37(a)(2) completed by NRC. MACDONALD,C.E. Transportation Branch. 90/07/26. HULTSCH,R.A. Missouri, Univ. of Columbia, MO. 19pp. 54788:286-54788:304.

9008030190 Forwards Amend 20 to License R-103 & safety evaluation. Amend allows use of extended life aluminum fuel.
ADAMS,A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 90/08/01. MORRIS,J.S. Missouri, Univ. of Columbia, MO. 3pp. 54851:213-54851:243.

-9008030192 Amend 20 to License R-103, revising Tech Specs to allow use of extended life aluminum fuel.
WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 90/08/01. 8pp. 54851:216-54851:223.

-9008030195 Safety evaluation supporting Amend 20 to License R-103.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 20pp. 54851:224-54851:243.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

I. Financial information

9007310200 Forwards preliminary cost estimate for decommissioning reactor. Cost estimate based on methods described in May 1989 NRC draft reg guide on "Assuring Availability of Funds for Decommissioning Nuclear Reactors."
COFFMAN,J.R. Kansas State Univ., Manhattan, KS. 90/07/17. Region 4 (Post 820201). 2pp. 54796:143-54796:144.

DOCKET 50-192 UNIV. OF TEXAS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9008090350 Forwards Insp Rept 50-192/90-01 on 900625-28 & notice of violation. Encls withheld (ref 10CFR2.790(d)).
BEACH,A.B. Region 4 (Post 820201). 90/08/06. WEHRING,B.W. Texas, Univ. of Austin, TX. 3pp. 54933:138-54933:140.

Q. Inspection reports, IE Bulletins & correspondence

9008090350 Forwards Insp Rept 50-192/90-01 on 900625-28 & notice of violation. Encls withheld (ref 10CFR2.790(d)).
BEACH,A.B. Region 4 (Post 820201). 90/08/06. WEHRING,B.W. Texas, Univ. of Austin, TX. 3pp. 54933:138-54933:140.

DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR

I. Financial information

9008080133 Advises that response to requirements of 10CFR50.33K & 50.75 re plan for future availability of decommissioning funds to decommission reactor will be provided by 900930.
BERLIN,R.E. Manhattan College, Riverdale, NY. 90/08/06. MICHAELS,T. Assistant Director for Region III & Region V Reactors (870411-890930). 1p. 54919:108-54919:108.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008010252 Rev 2.03 to "San Onofre Nuclear Generating Station Manual of Emergency Events." W/900709 ltr.
* Southern California Edison Co. 90/07/09. 7pp. 54797:074-54797:080.

9008030062 Forwards Jul 1990 edition of emergency response telephone directory for insertion in notebooks of nuclear emergency response team. W/DH Grimsley 900801 release memo. W/o encl.
PLAPPERT,R.D. Southern California Edison Co. 90/07/16. Region 5 (Post 820201). 2pp. 54842:344-54842:345.

9008020208 Forwards interim rept on new ECCS single failure analysis per 890317 ltr, "Technical Issues Impacting San Onofre Unit 1 Restart."
NANDY,F.R. Southern California Edison Co. 90/07/31. Document Control Branch (Document Control Desk). 35pp. 54826:190-54826:224.

9008270002 Forwards Insp Repts 50-206/90-25,50-361/90-25 & 50-362/90-25 on 900603-0714. No violations or deviations noted.
RICHARDS,S.A. Region 5 (Post 820201). 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 55035:108-55035:125.

-9008270004 Insp Repts 50-206/90-25,50-361/90-25 & 50-362/90-25 on 900603-0714. No violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
CALDWELL,C.W., CONSTABLE,G.L. Region 5 (Post 820201). 90/08/06. 16pp. 55035:110-55035:125.

9008270163 Forwards Insp Repts 50-206/90-30,50-361/90-30 & 50-362/90-30 on 900723-27. No deficiencies or violations noted.
ROBERTS,J. Region 5 (Post 820201). 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 55035:229-55035:236.

-9008270166 Insp Repts 50-206/90-30,50-361/90-30 & 50-362/90-30 on 900723-27. No violations noted. Major areas inspected: emergency preparedness program, including onsite followup of written repts of nonroutine events at plants & open items.
PRENDERGAST,K. Region 5 (Post 820201). 90/08/10. 6pp. 55035:231-55035:236.

9008230236 Forwards Amend 134 to License DPR-13 & safety evaluation. Amend revises Tech Spec Sections 3.7,3.14,4.1.1 & 4.4 re auxiliary electrical supply, fire protection, operational safety items & emergency power sys periodic testing.
TATUM,J.E. Project Directorate V. 90/08/14. RAY,H.B. Southern California Edison Co. 3pp. 55020:023-55020:049.

-9008230238 Amend 134 to License DPR-13, revising Tech Spec Sections 3.7, 3.14,4.1.1 & 4.4 re auxiliary electrical supply, fire protection, operational safety items & emergency power sys periodic testing, respectively.
LARKINS,J.T. Project Directorate V. 90/08/14. 18pp. 55020:026-55020:044.

-9008230239 Safety evaluation supporting Amend 134 to License DPR-13.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/14. 5pp. 55020:045-55020:049.

I. Financial information

9008010103 Forwards rept assuring availability of funds for decommissioning of plant.
AMENT,D.L. Anaheim, CA. 90/07/24. KOKAJKO,L.E. NRC - No Detailed Affiliation Given. 18pp. 54806:230-54806:247.

9008100064 Forwards rept assuring availability of funds for decommissioning facilities.
AMENT,D.L. Anaheim, CA. 90/07/24. MARTIN,J.B. Region 5 (Post 820201). 18pp. 54954:029-54954:046.

P. Operating license stage documents & correspondence

- 9008010124** Requests approval for use of tube plugs fabricated from Ni-Cr-Fe UNS N-06690 matl in steam generators. Alternative use of Alloy 690 for tube plugs requested as result of matl corrosion considerations.
NANDY, F.R. Southern California Edison Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54805:255-54805:256.
- 9008090290** Notification of contract execution, Task Order 12, to "Technical Assistance in Support of NRC Licensing Activities." Contractor: Viking Sys Intl.
MCUBBIN, S. Contract Administration Branch (890205-900602). FIN D-17620. 90/07/24. BAJWA, S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMAS, B. NRC - No Detailed Affiliation Given. 1p. 54921:233-54921:238.
- 9008090300** Ltr contract awarding Task Order 12, "San Onofre Intake Structure Evaluation" to "Technical Assistance in Support of NRC Licensing Activities."
HAGAN, T. Contract Administration Branch (890205-900602). FIN D-17620. 90/07/20. SALUJA, J. Viking Systems International. 5pp. 54921:234-54921:238.
- 9007270186** Requests approval for use of tube plugs fabricated from nickel-chromium-iron UNS N-06690 matl (Alloy 690) in steam generators.
NANDY, F.R. Southern California Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 2pp. 54734:085-54734:086.
- 9007300101** Advises of rev to overpressure mitigation sys administrative controls, which deleted previous controls to limit charging flow. Maint order has been issued to inspect & perform repair on valves during Cycle 11 refueling outage.
NANDY, F.R. Southern California Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 4pp. 54739:355-54739:358.
- 9007310016** Provides addl justification & clarification re Change Notice 37 to Amend 12 to Topical Rept SCE-1-A, "QA Program," per NRC 900626 request. Evaluations to improve engineering quality concluded that in-line reviews not worthwhile.
RAY, H.B. Southern California Edison Co. 90/07/26. ZIMMERMAN, R. Region 5 (Post 820201). 3pp. 54787:308-54787:310.
- 9008010055** Forwards response to 900323 request for addl info re License Amend Application 175 re radiological environ monitoring program & rev to ODCM.
NANDY, F.R. Southern California Edison Co. 90/07/27. Document Control Branch (Document Control Desk). 8pp. 54804:225-54805:054.
- 9008010057** Proposed Tech Specs to Amend Application 175 re radiological environ monitoring program.
* Southern California Edison Co. 90/07/27. 2pp. 54804:233-54804:235.
- 9008010061** Proposed Rev 6 to "San Onofre Nuclear Generating Station Unit 1 ODCM."
* Southern California Edison Co. 89/07/01. 200pp. 54804:236-54805:054.
- 9008010060** Forwards SMC O'Donnell final rept, "Engineering Evaluation of Thermal Shield Repair," per NRC request during 900625 & 27 meetings. Clarification of results of Westinghouse analysis of replacement support sys design also provided.
NANDY, F.R. Southern California Edison Co. 90/07/27. Document Control Branch (Document Control Desk). 4pp. 54804:046-54804:224.
- 9008010064** "Engineering Evaluation of Thermal Shield Repair."
POROWSKI, J.S., BADLANI, M.L., WESTERMANN, E.L. SMC O'Donnell & Associates, Inc. (formerly O'Donnell & Associates, Inc.). 90/07/31. Southern California Edison Co. 150pp. 54804:050-54804:224.
- 9008020185** Approves 900724 request to use Alloy 690 as alternative to Alloy 600 in steam generator tube plugs, per 10CFR50.55(a).
LARKINS, J.T. Project Directorate V. 90/07/27. RAY, H.B. Southern California Edison Co. 2pp. 54826:034-54826:035.
- 9008020193** Describes methodology for resolving SEP Topics III-5.A & III-5.B re effect of pipe breaks on structures, sys & components inside & outside containments.
NANDY, F.R. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 4pp. 54828:142-54828:145.
- 9008020238** Requests description of actions to address pressurizer integrity due to hair-line cracks in vicinity of lower head. Response requested prior to return to svc from refueling outage.
TATUM, J.E. Project Directorate V. 90/07/30. RAY, H.B. Southern California Edison Co. 2pp. 54826:186-54826:187.
- 9008030217** Forwards SER granting 891130 Relief Requests 2, 4 & 9 re inservice testing for certain components. Util requested to correct deficiency where integrated implementation schedule used improperly for delaying inservice testing mods.
TATUM, J.E. Project Directorate V. 90/07/30. RAY, H.B. Southern California Edison Co. 2pp. 54841:245-54841:252.
- 9008030218** SER granting request for relief from ASME Section XI inservice testing requirements for certain components, subj to stated conditions.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 6pp. 54841:247-54841:252.
- 9008060395** Forwards Amend 13 to Topical Rept SCE-1-A, "QA Program."
ROSENBLUM, R.M. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54881:348-54882:086.
- 9008060397** Amend 13 to "QA Program."
* Southern California Edison Co. 90/07/30. 98pp. 54881:349-54882:086.
- 9008060409** Discusses review of possibility of accelerating schedule for performing & submitting results of individual plant exams for Units 1, 2 & 3. Util believes that submittal schedule for Unit 1 can be accelerated to 920102.
NANDY, F.R. Southern California Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54877:131-54877:132.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008070015** Discusses background & schedule for providing new info re adequacy of station electric distribution sys voltages (Multiplant Action Item B-48). List of documents to be reviewed encl.
NANDY, F.R. Southern California Edison Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54897:132-54897:134.
- 9008070360** Provides addl info re station blackout submittals, per NRC 900622 request. Licensee expects to complete calculation to address loss of ventilation for dc switchgear room using NUMARC 87-00 methodology by 901130.
ROSENBLUM, R.M. Southern California Edison Co. 90/08/06. Document Control Branch (Document Control Desk). 17pp. 54898:181-54898:197.
- 9008130178** Advises that on 900713, new land use located w/ calculated dose greater than value currently calculated. New location results in annual dose increase of 27% for Units 2 & 3 & 39% increase for Unit 1.
ROSENBLUM, R.M. Southern California Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54956:199-54956:199.
- 9008130138** Informs that NRC completed review associated w/ response to Generic Ltr 89-04, "Guidance on Developing Acceptable Testing Program." Methodology for testing safety injection, refueling & feedwater pumps should be reconsidered.
TATUM, J.E. Project Directorate V. 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 54958:064-54958:065.
- 9008140213** Advises that 900726 response to request for addl info re Change Notice 37 to SCE-1-A provided acceptable justification to support deletion of specified in-line review of QA requirements. Changes acceptable.
ZIMMERMAN, R.P. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 3pp. 54964:086-54964:088.
- 9008150159** Forwards Amend 133 to License DPR-13 & safety evaluation. Amend revises Tech Spec 4.16, "Inservice Insp of Steam Generator Tubing," to delete special insp requirements of Spec 4.16.c.
TATUM, J.E. Project Directorate V. 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 54972:030-54972:043.
- 9008150160** Amend 133 to License DPR-13, revising Tech Spec 4.16, "Inservice Insp of Steam Generator Tubing," to delete special insp requirements of Spec 4.16.c.
LARKINS, J.T. Project Directorate V. 90/08/10. 10pp. 54972:032-54972:041.
- 9008150163** Safety evaluation supporting Amend 133 to License DPR-13.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/10. 2pp. 54972:042-54972:043.
- 9008150113** Forwards request for addl info re degradation of intake structure & insp of accessible areas of structure.
TATUM, J.E. Project Directorate V. 90/08/13. RAY, H.B. Southern California Edison Co. 3pp. 54972:044-54972:046.
- 9008160020** Forwards response to NRC 900516 request for addl info re control room events recorder to aid in review of response to Generic Ltr 83-28, item 2, "Post-Trip Review - Data Info Capabilities." Current status of parameters listed.
NANDY, F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 7pp. 54992:255-54992:262.
- 9008230236** Forwards Amend 134 to License DPR-13 & safety evaluation. Amend revises Tech Spec Sections 3.7, 3.14.4.1.1 & 4.4 re auxiliary electrical supply, fire protection, operational safety items & emergency power sys periodic testing.
TATUM, J.E. Project Directorate V. 90/08/14. RAY, H.B. Southern California Edison Co. 3pp. 55020:023-55020:049.
- 9008230238** Amend 134 to License DPR-13, revising Tech Spec Sections 3.7, 3.14.4.1.1 & 4.4 re auxiliary electrical supply, fire protection, operational safety items & emergency power sys periodic testing, respectively.
LARKINS, J.T. Project Directorate V. 90/08/14. 18pp. 55020:026-55020:044.
- 9008230239** Safety evaluation supporting Amend 134 to License DPR-13.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/14. 5pp. 55020:045-55020:049.
- 9008240040** Forwards info re facility intake structure degradation.
TATUM, J.E. Project Directorate V. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55027:236-55027:179.
- 9008240045** "Second Surveillance Rept for SONGS Unit 1 Intake Structure (Cycle X Refueling Outage)."
MILLER, R.L. Southern California Edison Co. 89/03/13. 75pp. 55027:237-55027:311.
- 9008240047** "Rept of First Surveillance for SONGS Unit 1 Intake Structure (Cycle IX)."
* Southern California Edison Co. BPC/SCE-86-4337. 86/06/11. 200pp. 55027:312-55027:179.
- 9008230230** Advises of discontinuation of review associated w/ 881110 ltr re use of turbine gantry crane.
TATUM, J.E. Project Directorate V. 90/08/15. RAY, H.B. Southern California Edison Co. 2pp. 55015:346-55015:347.
- 9008230233** Forwards comments re 881026 proposal to upgrade facility safety injection sys, for consideration. NRC understands that licensee intends to revise submittal & further review of 881026 response not warranted.
TATUM, J.E. Project Directorate V. 90/08/16. RAY, H.B. Southern California Edison Co. 5pp. 55015:350-55015:354.
- 9008230193** Lists deficiencies in 891212 Amend Application 175 re radiological effluent Tech Specs, per Generic Ltr 89-01.
TATUM, J.E. Project Directorate V. 90/08/17. RAY, H.B. Southern California Edison Co. 3pp. 55016:207-55016:209.

Q. Inspection reports, IE Bulletins & correspondence

- 9008080352** Forwards Insp Repts 50-206/90-26, 50-361/90-26 & 50-362/90-26 on 900625-29. No violations noted. Weaknesses re implementation of internal exposure control program noted.
YUHAS, G.P. Region 5 (Post 820201). 90/07/23. RAY, H.B. Southern California Edison Co. 2pp. 54907:078-54907:089.

14 DOCKETED ITEMS

-9008080355 Insp Repts 50-206/90-26,50-361/90-26 & 50-362/90-26 on 900625-29.No violations noted.Major areas inspected:followup items,occupational exposure,control of radioactive matis & contamination surveys & monitoring. COBLENTZ,L., GARCIA,E., CILLIS,M. Region 5 (Post 820201). 90/07/23. 10pp. 54907:080-54907:089.

9008090378 Ack receipt of 900625 ltr advising of steps taken to correct violations noted in Insp Repts 50-206/90-10,50-361/90-10 & 50-362/90-10.Identification of new info provided addl useful info on recent check valve activities at facility. KIRSCH,D.F. Region 5 (Post 820201). 90/07/26. RAY,H.B. Southern California Edison Co. 2pp. 54933:338-54933:356.

-9008090383 Responds to NRC 900518 ltr forwarding Insp Repts 50-206/90-10,50-361/90-10 & 50-362/90-10.Results of review of awareness & response to industry check valve concerns & evaluation of need to establish dedicated program provided. RAY,H.B. Southern California Edison Co. 90/06/25. KIRSCH,D.F. Region 5 (Post 820201). 17pp. 54933:340-54933:358.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007300151 Notification of 900730 meeting w/util in Rockville,MD to discuss util response to NRC Bulletin 88-004, "Safety- Related Pump Loss." TATUM,J.E. Project Directorate V. 90/07/27. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 54746:057-54746:059.

9008030208 Accepts Westinghouse Owners Group (WOG) bounding analysis in response to NRC Bulletin 88-011 re pressurizer surge line thermal stratification,pending util Jan 1991 submittal. Review of WOG bounding evaluation encl. TATUM,J.E. Project Directorate V. 90/07/31. RAY,H.B. Southern California Edison Co. 3pp. 54842:333-54842:343.

-9008030211 Review of Westinghouse Topical Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification." Info provided found comprehensive & acceptable. * NRC - No Detailed Affiliation Given. 90/07/31. 8pp. 54842:336-54842:343.

9008070030 Responds to NRC 900518 ltr re violations noted in Insp Repts 50-206/90-10,50-361/90-10 & 50-362/90-10.Corrective action: computer-based mgt sys will be developed to permit incoming revised info to be matched w/documents requiring review. RAY,H.B. Southern California Edison Co. 90/07/31. Region 5 (Post 820201). 3pp. 54897:146-54897:148.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008160131 Forwards Insp Repts 50-206/90-16,50-361/90-16 & 50-362/90-16 on 900521-0615 & 0616-0720.Violations noted.HB Ray 900716 ltr discussing findings of Insp Repts 90-14,90-15 & preliminary findings of Insp 90-16 also discussed. KIRSCH,D.F. Region 5 (Post 820201). 90/08/03. RAY,H.B. Southern California Edison Co. 4pp. 54990:096-54990:131.

-9008160132 Notice of violation from insp on 900521-0615.Violation noted:design changes made to replace Marotta hydraulic dump valves w/heavier PM Enertech dump valves w/o calculations to determine operability during design basis seismic event. KIRSCH,D.F. Region 5 (Post 820201). 90/08/03. 8pp. 54990:100-54990:107.

-9008160134 Insp Repts 50-206/90-16,50-361/90-16 & 50-362/90-16 on 900521-0702.Violations noted.Major areas inspected:licensee design,engineering & associated quality verification activities. HUEY,F.R. Region 5 (Post 820201). 90/08/02. 24pp. 54990:108-54990:131.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008150159 Forwards Amend 133 to License DPR-13 & safety evaluation. Amend revises Tech Spec 4.16, "Inservice Insp of Steam Generator Tubing." to delete special insp requirements of Spec 4.16.c. TATUM,J.E. Project Directorate V. 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 54972:030-54972:043.

-9008150160 Amend 133 to License DPR-13, revising Tech Spec 4.16, "Inservice Insp of Steam Generator Tubing." to delete special insp requirements of Spec 4.16.c. LARKINS,J.T. Project Directorate V. 90/08/10. 10pp. 54972:032-54972:041.

-9008150163 Safety evaluation supporting Amend 133 to License DPR-13. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/10. 2pp. 54972:042-54972:043.

9008270002 Forwards Insp Repts 50-206/90-25,50-361/90-25 & 50-362/90-25 on 900603-0714.No violations or deviations noted. RICHARDS,S.A. Region 5 (Post 820201). 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 55035:108-55035:125.

-9008270004 Insp Repts 50-206/90-25,50-361/90-25 & 50-362/90-25 on 900603-0714.No violations noted.Major areas inspected: operational safety verification,radiological protection, security & evaluation of plant trips & events. CALDWELL,C.W., HON,A.L., TOWNSEND,C.D. Region 5 (Post 820201). 90/08/08. 16pp. 55035:110-55035:125.

9008270163 Forwards Insp Repts 50-206/90-30,50-361/90-30 & 50-362/90-30 on 900723-27.No deficiencies or violations noted. ROBERTS,J. Region 5 (Post 820201). 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 55035:229-55035:236.

-9008270166 Insp Repts 50-206/90-30,50-361/90-30 & 50-362/90-30 on 900723-27.No violations noted.Major areas inspected: emergency preparedness program,including onsite followup of written repts of nonroutine events at plants & open items. PRENDERGAST,K., ROBERTS,J. Region 5 (Post 820201). 90/08/10. 6pp. 55035:231-55035:236.

9008140151 Responds to NRC Bulletin 89-002, "Stress Corrosion Cracking of High Hardness Type 410 Stainless Steel Internal Preloaded Bolting...Design." No safety-related Anchor/Darling Model S350W check valves used at facility. ROSENBLUM,R.M. Southern California Edison Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54961:280-54961:281.

9008150113 Forwards request for addl info re degradation of intake structure & insp of accessible areas of structure. TATUM,J.E. Project Directorate V. 90/08/13. RAY,H.B. Southern California Edison Co. 3pp. 54972:044-54972:046.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230076 Advises that 900717 response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mtg by Rosemount," served as basis for closing issue on Unit 1.Results of evaluation of Units 2 & 3 will be subj of future ltr. TATUM,J.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. 2pp. 55019:190-55019:191.

9008270224 Reviews 900813 response to NRC Bulletin 89-002 re cracking in Anchor/Darling swing check valves.Matter closed. TATUM,J.E. Project Directorate V. 90/08/22. RAY,H.B. Southern California Edison Co. 2pp. 55031:278-55031:279.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:414.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210132 Forwards monthly operating rept for Jul 1990 for San Onofre Nuclear Generating Station,Unit 1 & revised June 1990 operating status rept. NANDY,F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55004:085-55004:095.

-9008210133 Monthly operating rept for Jul 1990 for San Onofre Nuclear Generating Station. SARETTE,T.M. Southern California Edison Co. 90/07/31. 7pp. 55004:086-55004:093.

-9008210134 Revised monthly operating status rept for June 1990 for San Onofre Nuclear Generating Station. SARETTE,T.M. Southern California Edison Co. 90/06/30. 2pp. 55004:094-55004:095.

9008220022 Forwards util 900726 ltr & June 1990 NPDES monitoring rept. W/o rept. NANDY,F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 4pp. 55006:315-55006:318.

S. Reportable occurrences, LERs & related correspondence

9008080328 Part 21 rept re Topaz inverter,rated 125-volt dc to 115 volt ac.Info provided for review. GUNTRUM,B.C. Cooper Industries, Inc. 90/06/29. Southern California Edison Co. 2pp. 54919:135-54919:136.

9008010008 RO:followup rept for Tech Spec fire-rated assemblies found inoperable during routine surveillances in June 1990. Compensatory fire watches established.Supporting info encl. NANDY,F.R. Southern California Edison Co. 90/07/25. MARTIN,J.B. Region 5 (Post 820201). 4pp. 54791:063-54791:066.

9008060072 RO:during June 1990,two closure mechanism & three latching mechanism failures identified in Unit 1 & 20 latching mechanism & nine closure mechanism failures identified in Units 2 & 3.Compensatory fire watches established. NANDY,F.R. Southern California Edison Co. 90/07/25. MARTIN,J.B. Region 5 (Post 820201). 4pp. 54876:341-54876:344.

9008100240 LER 89-024-01:on 890929,during review of containment spray sys flow restricting valves,determined that implementation of Tech Spec 3.3.1.D would result in degraded flow.Caused by personnel error.Specs developed.W/900803 ltr. KRIEGER,R.W. Southern California Edison Co. 90/08/03. 9pp. 54952:315-54952:323.

9008130164 LER 90-014-00:on 900709,Diesel Generator 2 automatically started due to loss of bus signal.Caused by inadequate temporary tape insulation of lifted lead.Lifted lead restored & training program will be enhanced.W/900808 ltr. MORGAN,H.E. Southern California Edison Co. 90/08/08. 7pp. 54953:015-54953:021.

9008130202 LER 90-015-00: on 900711, spurious containment isolation sys actuation occurred. Caused by YE-1121 on-off toggle switch susceptible to inadvertent operation during manipulation of other controls. Guard devices installed. W/900809 ltr. MORGAN, H.E. Southern California Edison Co. 90/08/09. 5pp. 54953:043-54953:047.

9008210088 LER 90-017-00: on 900716, two discrepancies identified in equipment qualification. Formal root cause evaluation will be performed & corrective actions developed. W/900815 ltr. MORGAN, H.E. Southern California Edison Co. 90/08/15. 2pp. 54988:346-54988:347.

V. Operator Examinations

9007300003 Requests util provide listed ref mats for reactor & senior reactor operator licensing exams on 901023-25. KIRSCH, D.F. Region 5 (Post 820201). 90/07/24. MORGAN, H.E. Southern California Edison Co. 11pp. 54740:327-54740:337.

9008060155 Discusses generic fundamentals exam section administered on 900606. Requests that end results & answer sheet be forwarded to examinees. KIRSCH, D.F. Region 5 (Post 820201). 90/08/02. REEDER, J. Southern California Edison Co. 43pp. 54856:246-54856:288.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008090047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9008070046 Formalizes requests made in 900724 conversation between D Ray & J Prell re 901009-1017 planned insp of EOP. List of ref mat to be provided before 900818 & tentative schedule for insp period, including required facility support encl. GALLO, R.M. Region 1 (Post 820201). 90/07/26. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 4pp. 54915:055-54915:058.

9008200093 Notifies NRC that util volunteer to participate in emergency response data sys project for all four nuclear units, per Generic Ltr 89-15 & NUREG-1394. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54994:358-54994:359.

9008220220 Submits addendum to plant control room design review summary rept, per 900130 ltr. Lists 10CFR50 App R-related mods outside control room that could not be reviewed until after final implementation of changes. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55000:356-55000:358.

P. Operating license stage documents & correspondence

9008010202 Application for amend to License DPR-61, allowing plant to progress into Mode 3 w/o first demonstrating auxiliary feedwater sys operability. Temporary waiver of compliance from Tech Spec 4.7.1.2.2 requested until NRC acts on amend. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/07/26. Document Control Branch (Document Control Desk). 6pp. 54817:337-54817:344.

9008010203 Proposed Tech Spec Page 3/4 7-3 re auxiliary feedwater sys operability. * Connecticut Yankee Atomic Power Co. 90/07/26. 2pp. 54817:343-54817:344.

9008020166 Provides supplemental response to Generic Ltr 89-19 re request for action concerning resolution of Unresolved Safety Issue A-47. Plant procedures modified to provide operability verification of steam generator protection sys. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54826:149-54826:151.

9008060047 Proposes to review 900726 Tech Spec request for NRR temporary waiver of compliance re steam turbine-driven auxiliary feedwater pumps. Waiver will allow plant to proceed to Mode 3 w/o first demonstrating sys operability. WESSMAN, R.H. Assistant Director for Region I Reactors. 90/07/27. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 4pp. 54876:329-54876:332.

9008070287 Summary of 900628 meeting w/util in Berlin, CT re licensing issues associated w/facilities, including generic ltrs. JAFFE, D.H. Project Directorate I-4. 90/08/01. Project Directorate I-4. 76pp. 54902:275-54903:018.

9008070002 Withdraws 900731 request for temporary waiver of compliance w/Tech Spec 3.7.1.2 re inoperability of auxiliary feedwater pumps. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/02. Document Control Branch (Document Control Desk). 1p. 54897:137-54897:137.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080229 Forwards safety evaluation re cracks & flaw indications in plant pressurizer. WANG, A. Project Directorate I-4. 90/08/03. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54919:179-54919:182.

9008080233 Safety evaluation concluding that pressurizer has sufficient fracture toughness to preclude fracture of head w/flaws remaining in component & pressurizer acceptable for continued svc. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/03. 2pp. 54919:181-54919:182.

9008080236 Forwards notice of consideration of issuance of amend to License DPR-61 re 900726 request to add exception from requirements of Tech Spec 4.0.4 to Surveillance Requirements 4.7.1.2.2a,b & c for entry into Mode 3. WANG, A.B. Project Directorate I-4. 90/08/03. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 2pp. 54919:048-54919:057.

9008080237 Notice of consideration of issuance of amend to License DPR-61 & proposed NSHC determination & opportunity for hearing. Amend would add exception from requirements of Tech Spec 4.0.4 to Surveillance Requirements 4.7.1.2.2a,b & c. WANG, A.B. Project Directorate I-4. 90/08/06. 8pp. 54919:050-54919:057.

9008090193 Forwards notice of consideration of issuance of amend to License DPR-61 & proposed NSHC determination & opportunity for hearing. Amend would reword Tech Specs Section 3.4.6.2.f to better define sections of piping. WANG, A. Project Directorate I-4. 90/08/03. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54921:047-54921:059.

9008090195 Notice of consideration of issuance of amend to License DPR-61 & proposed NSHC determination & opportunity for hearing. Amend rewords Tech Specs Section 3.4.6.2.f to better define which sections of piping needed. WANG, A.B. Project Directorate I-4. 90/08/03. 11pp. 54921:049-54921:059.

9008130191 Discusses licensee engineering initiatives. Util encouraged to begin similar initiative. Cooperative effort would promote efficiency & enhance effectiveness of nuclear power plant engineering activities. MARTIN, T.T. Region 1 (Post 820201). 90/08/06. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 4pp. 54951:294-54951:297.

9008170004 Discusses revised Tech Spec conversion program, reflecting conversion of Tech Spec to Westinghouse STS. Future upgrade of Tech Specs should be conducted on voluntary basis consistent w/NRC policy statement. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/10. Document Control Branch (Document Control Desk). 5pp. 54981:342-54981:346.

9008220220 Submits addendum to plant control room design review summary rept, per 900130 ltr. Lists 10CFR50 App R-related mods outside control room that could not be reviewed until after final implementation of changes. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55000:356-55000:358.

9008230225 Forwards SSER accepting electrical design of new switchgear room at plant. WANG, A. Project Directorate I-4. 90/08/14. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 55010:279-55010:284.

9008230227 Supplemental safety evaluation accepting electrical design of new switchgear room at plant. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/14. 4pp. 55010:281-55010:284.

9008270134 Advises NRC of change in design basis analysis assumptions for auxiliary feedwater sys. No specific action being requested. Changing automatic initiation valve position setpoint undesirable. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/17. Document Control Branch (Document Control Desk). 5pp. 55036:267-55036:271.

9008270149 Forwards semiannual fitness-for-duty performance data, per 10CFR26. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/17. Document Control Branch (Document Control Desk). 19pp. 55031:280-55031:298.

Q. Inspection reports, IE Bulletins & correspondence

9008070046 Formalizes requests made in 900724 conversation between D Ray & J Prell re 901009-1017 planned insp of EOP. List of ref mat to be provided before 900818 & tentative schedule for insp period, including required facility support encl. GALLO, R.M. Region 1 (Post 820201). 90/07/26. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 4pp. 54915:055-54915:058.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008080406 Requests temporary waiver of compliance from Tech Spec 3.7.1.2, allowing plant to remain in Mode 3 for addl 14 days beyond current action statement limits w/ one or two auxiliary feedwater pumps inoperable. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54919:081-54919:085.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

16 DOCKETED ITEMS

9008100161 Forwards review of Westinghouse Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurized Surge Line Thermal Stratification," per NRC Bulletin 88-011.
STOLZ,J.F. Project Directorate I-4. 90/08/06. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 3pp. 54943:323-54943:333.

-9008100162 Review of Westinghouse WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurized Surge Line Thermal Stratification."
* NRC - No Detailed Affiliation Given. 90/08/06. 8pp. 54943:326-54943:333.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170235 Monthly operating rept for Jul 1990 for Haddam Neck Plant.W/ 900815 ltr. EMMONS,K.C., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. 90/07/31. 10pp. 54983:103-54983:112.

9008170003 Forwards final Bimonthly Progress Rept 23 re new switchgear bldg at facility.All switchgear bldg const complete.
MROCZKA,E.J., ROMBERG,W.D. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities. 90/08/10. Document Control Branch (Document Control Desk). 6pp. 54993:338-54993:343.

9008230106 Forwards, "Semiannual Radioactive Effluents Release Rept for Jan-June 1990."
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55014:153-55014:262.

-9008230107 "Semiannual Radioactive Effluents Release Rept for Jan-June 1990."
* Connecticut Yankee Atomic Power Co. 90/06/30. 52pp. 55014:154-55014:262.

S. Reportable occurrences, LERs & related correspondence

9008060401 LER 90-008-00: on 900709,engineering evaluation determined that design deficiency existed that could disable both centrifugal charging pumps during hypothetical LOCA.Check valves installed in each charging pump.W/900801 ltr.
MARTIN,C.W., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. 90/08/01. 8pp. 54904:209-54904:215.

9008210090 Special rept: on 900727,accident monitoring instrumentation found inoperable for core exit thermocouple.Troubleshooting initiated.Util working w/vendor to procure fully qualified replacement cable.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 55000:030-55000:032.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9008080313 Forwards Insp Rept 50-219/90-09 on 900422-0609 & notice of violation.Util should identify & correct any programmatic weaknesses re failure to perform adequate radiation surveys.
WENZINGER,E. Region 1 (Post 820201). 90/07/20. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 3pp. 54914:212-54914:244.

-9008080338 Insp Rept 50-219/90-09 on 900422-0609.Violations noted. Major areas inspected:observation & review of routine plant activities & operational events,site radiological controls & events & observations of corrective maint activities.
RULAND,W. Region 1 (Post 820201). 90/07/19. 28pp. 54914:217-54914:244.

9007310037 Rev 8 to EPIP 9473-IMP-1300.01, "Classification of Emergency Conditions." W/900725 ltr.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 90/07/25. 61pp. 54757:119-54757:179.

9008090061 Forwards Rev 2 to security contingency plan.Rev withheld (ref 10CFR73.21).
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54942:157-54942:157.

9008150259 Notification of 900816 meeting in Bethesda,MD w/util to discuss emergency response data sys.
JOLICOEUR,J.R. Incident Response Branch. 90/08/13. ZECH,G.G. Incident Response Branch. 3pp. 54966:139-54966:141.

I. Financial Information

9007310120 Forwards decommissioning financial assurance certification repts for listed plants:Oyster Creek,TMI unit 1 Licenses; DPR-50 & 37-17257-02,TMI unit 2 & Saxton Nuclear Station, respectively.
MORRELL,M.P. General Public Utilities Corp. - GPU Service Corp. 90/07/26. Document Control Branch (Document Control Desk). 12pp. 54830:001-54830:195.

-9008030052 "Oyster Creek Trust Agreement JCP&L Qualified Trust Dated 880122."
BALDASSARI,D. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 20pp. 54830:013-54830:032.

P. Operating license stage documents & correspondence

9008010004 Requests 2-wk extension for submittal of response to 900615 ltr re installation of hardened wetwell vent w/ appropriate extension period to be decided pending outcome of 900724 meeting discussion w/BWR Owners Group.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/07/19. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54806:271-54806:272.

9007300090 Advises of change to preventive maint program for electromechanical relief valves.Rebuild schedule will be modified to require rebuilding two or three valves during refueling outage & remaining valves during next refueling outage.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 90/07/20. Document Control Branch (Document Control Desk). 2pp. 54756:185-54756:186.

9007300011 Responds to NRC 900507 questions re 900413 Rev 1 to Topical Rept 028, "OC Response to NRC Reg Guide 1.97." Redundancy of valve position indication provided through redundant valves that satisfy function of containment isolation.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 90/07/23. Document Control Branch (Document Control Desk). 9pp. 54745:068-54745:074.

9008010045 Forwards Rev 6 to "Pump & Valve Inservice Testing Program," per Generic Ltr 89-04.Util finds that alternate testing option for full flow testing of check valves will not be fully implemented by Refueling Outage 13R.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 90/07/23. Document Control Branch (Document Control Desk). 9pp. 54789:252-54790:030.

-9008010051 Rev 6 to, "Pump & Valve Inservice Testing Program."
General Public Utilities Corp. - GPU Service Corp. 90/07/23. 122pp. 54789:261-54790:030.

9007310111 Forwards application for amend to License DPR-16,consisting of Tech Spec Change Request 177,Rev 2,adding surveillance requirements for station & diesel batteries.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 90/07/24. Document Control Branch (Document Control Desk). 4pp. 54756:295-54756:306.

-9007310114 Application for amend to License DPR-16,consisting of Tech Spec Change Request 177,Rev 2,revising Tech Specs to add new surveillance requirements for station & diesel batteries.
* General Public Utilities Corp. - GPU Service Corp. 90/07/24. 5pp. 54756:299-54756:303.

-9007310137 Proposed Tech Specs adding new surveillance requirements for station & diesel batteries.
* General Public Utilities Corp. - GPU Service Corp. 90/07/24. 3pp. 54756:304-54756:306.

9008060390 Forwards responses to proposed changes re plant diesel generator fuel supply,per NRC 900614 request.One oversize drawing encl.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 90/07/27. Document Control Branch (Document Control Desk). 4pp. 54930:224-54930:227.

9008060056 Forwards environ assessment & finding of no significant impact based on 900504 request for amend to revise Tech Specs to accommodate implementation of 21-month operating cycle w/3-month outage or 24-month plant refueling cycle.
DROMERICK,A.W. Project Directorate I-4. 90/07/31. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 2pp. 54876:266-54876:271.

-9008060057 Environ assessment & finding of no significant impact based on 900504 application for amend to revise Tech Specs to accommodate implementation of 21-month operating cycle w/ 3-month outage or 24-month refueling cycle.
STOLZ,J.F. Project Directorate I-4. 90/07/31. 4pp. 54876:268-54876:271.

9008070306 Notification of 900919 meeting w/util in Rockville,MD to discuss matters re plant drywell corrosion problem.
DROMERICK,A.W. Project Directorate I-4. 90/07/31. STOLZ,J.F. Project Directorate I-4. 3pp. 54902:224-54902:226.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130200 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum to share experiences.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. KINTNER, E. General Public Utilities Corp. - GPU Service Corp. 4pp. 54951:265-54951:268.

9008100104 Notification of 900829 meeting w/util in Forked River, NJ to discuss status of licensing activities for plant.
DROMERICK, A.W. Project Directorate I-4. 90/08/08. STOLZ, J.F. Project Directorate I-4. 3pp. 54942:352-54942:354.

9008130201 Submits info re pressure-temp operating limits for facility, per Generic Ltr 88-11. Util recalculated adjusted ref temp for each belt line matl as result of new displacement per atom values.
DEVINE, J.C. General Public Utilities Corp. - GPU Service Corp. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54951:301-54951:302.

9008160028 Advises that response to NRC 900523 request for assessment of hazardous matl shipment will be sent by 910531.
FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54992:138-54992:139.

9008270172 Application for amend to License DPR-16, consisting of Tech Spec Change Request 160, Rev 1, clarifying bases of Section 3.4 on applicable LOCA analysis supporting plant operation & invoking more restrictive license condition for operation.
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 90/08/14. Document Control Branch (Document Control Desk). 9pp. 55032:122-55032:138.

-9008270175 Proposed Tech Specs re core spray sys & bases of Section 3.4.
* General Public Utilities Corp. - GPU Service Corp. 90/08/14. 8pp. 55032:131-55032:138.

9008270231 Forwards environ assessment & finding of no significant impact re 900302 request for exemption from 10CFR50 concerning containment leakage test.
DROMERICK, A.W. Project Directorate I-4. 90/08/14. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 55035:141-55035:147.

-9008270232 Environ assessment & finding of no significant impact re 900302 request for exemptions from 10CFR50 concerning containment leakage test.
STOLZ, J.F. Project Directorate I-4. 90/08/14. App. 55035:143-55035:147.

9008270236 Disapproves requested delay to install hardened wetwell vent at facility, per Generic Ltr 89-16. NRR will be initiating order based on backfit analysis directing util to implement hardened vent, unless commitment to install vent received.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/20. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 3pp. 55035:239-55035:241.

Q. Inspection reports, IE Bulletins & correspondence

9008080313 Forwards Insp Rept 50-219/90-09 on 900422-0609 & notice of violation. Util should identify & correct any programmatic weaknesses re failure to perform adequate radiation surveys.
WENZINGER, E. Region 1 (Post 820201). 90/07/20. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 3pp. 54914:212-54914:244.

-9008080327 Notice of violation from insp on 900422-0609. Violation noted: failure to adhere to procedures for personnel radiation protection & failure to perform reasonable surveys.
* Region 1 (Post 820201). 90/07/20. 2pp. 54914:215-54914:216.

-9008080338 Insp Rept 50-219/90-09 on 900422-0609. Violations noted. Major areas inspected: observation & review of routine plant activities & operational events, site radiological controls & events & observations of corrective maint activities.
RULAND, W. Region 1 (Post 820201). 90/07/19. 28pp. 54914:217-54914:244.

9008150288 Partially withheld response to NRC Bulletin 90-002 re loss of thermal margin caused by box bow (ref 10CFR2.790(b)(1)).
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 90/07/20. Document Control Branch (Document Control Desk). 13pp. 54972:086-54972:098.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060144 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Record review performed & sys walkdowns completed to assemble requisite list.
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 90/07/30. Document Control Branch (Document Control Desk). 5pp. 54876:108-54876:112.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090065 Responds to SALP Rept 50-219/88-99. Although minor, several factual errors noted. Dialogue promotes & identifies areas where improvements should be made.
CLARK, P.R. General Public Utilities Corp. - GPU Service Corp. 90/08/03. Document Control Branch (Document Control Desk). 10pp. 54942:220-54942:229.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008100067 Requests addl info listed in encl re util 900521 & 0720 responses to NRC Bulletin 90-002, "Loss of Thermal Margin Caused by Channel Box Bow." Info requested within 10 days of receipt of ltr.
DROMERICK, A.W. Project Directorate I-4. 90/08/08. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 5pp. 54943:142-54943:146.

9008160040 Forwards Requalification Program Evaluation Rept 50-219/90-05OL on 900409-0608. Util should respond within 30 days of receipt of ltr confirming corrective actions committed to during 900424 interim exit meeting.
HODGES, M.W. Region 1 (Post 820201). 90/08/09. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 3pp. 54977:011-54977:081.

-9008160042 Requalification Program Evaluation Rept 50-219/90-05OL on 900409-11 & 0416-18, 0518-25, 0601 & 0607-08. Audit results: three reactor operators failed written exam & two reactor operators failed operating test.
CONICELLA, N.F., CONTER, R.J., GALLO, R.M. Region 1 (Post 820201). 90/08/09. 68pp. 54977:014-54977:081.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008220077 Forwards Safety Insp Rept 50-219/90-11 on 900610-0711. Unresolved item noted.
WENZINGER, E. Region 1 (Post 820201). 90/08/15. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 55005:029-55005:093.

-9008220079 Insp Rept 50-219/90-11 on 900610-0711. Noncited violation noted. Major areas inspected: observation & review of plant operations, review of radiological controls & routine observations of maint activities & surveillance tests.
RULAND, W. Region 1 (Post 820201). 90/08/15. 63pp. 55005:031-55005:093.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270062 Forwards Special Training Program Team Insp Rept 50-219/90-80 on 900514 & 0625-0710. Weaknesses identified.
HODGES, M.W. Region 1 (Post 820201). 90/08/20. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 3pp. 55037:066-55037:098.

-9008270063 Insp Rept 50-219/90-80 on 900514 & 0625-0710. Violations noted. Major areas inspected: review of training program procedures, training matls, records qualification stds & other applicable documents.
WALKER, T., CONTER, R.J., GALLO, R.M. Region 1 (Post 820201). 90/08/16. 28pp. 55037:069-55037:096.

-9008270064 Discusses 900710 telcon w/NRC re util corrective actions in response to NRC finding that operator received passing grade on administered requalification exam in 1989 should have received failing grade. Corrective actions listed.
FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 90/07/11. MARTIN, T.T. Region 1 (Post 820201). 2pp. 55037:097-55037:098.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210153 Monthly operating rept for Jul 1990 for Oyster Creek Nuclear Generating Station Unit 1. W/900815 ltr.
SHARMA, H.S., BARAN, R., FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 90/07/31. 8pp. 55003:275-55003:282.

S. Reportable occurrences, LERs & related correspondence

9008010237 LER 90-008-00: on 900625, reactor scram occurred on low condenser vacuum. Caused by failure of backwash outlet valve to open, causing loss of circulating water to condenser A. Plant stabilized & taken to cold shutdown. W/900723 ltr.
BARNES, D.T., FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 90/07/23. 4pp. 54815:231-54815:234.

9008060333 LER 90-009-00: on 900703, reactor isolation signal inadvertently initiated during surveillance test. Caused by design deficiency. Mods to facilitate testing scheduled to be performed during next outage. W/900730 ltr.
GODKNECHT, M., FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 90/07/30. 4pp. 54904:138-54904:141.

9008100089 PNO-I-90-062: on 900806, containment unidentified leak rate exceeded Tech Spec limit. Caused by water introduction into drywell. Licensee began plant shutdown, vented drywell & evaluated plant conditions.
RULAND, B. Region 1 (Post 820201). 90/08/07. 2pp. 54951:172-54951:173.

V. Operator Examinations

9008160040 Forwards Requalification Program Evaluation Rept 50-219/90-05OL on 900409-0608. Util should respond within 30 days of receipt of ltr confirming corrective actions committed to during 900424 interim exit meeting.
HODGES, M.W. Region 1 (Post 820201). 90/08/09. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 3pp. 54977:011-54977:081.

18 DOCKETED ITEMS

—9008160042 Requalification Program Evaluation Rept 50-219/90-05OL on 900409-11 & 0416-18,0518-25,0601 & 0607-08.Audit results: three reactor operators failed written exam & two reactor operators failed operating test.
CONICELLA,N.F., CONTE,R.J., GALLO,R.M. Region 1 (Post 820201). 90/08/09. 68pp. 54977:014-54977:081.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008270062 Forwards Special Training Program Team Insp Rept 50-219/90-80 on 900514 & 0625-0710.Weaknesses identified.
HODGES,M.W. Region 1 (Post 820201). 90/08/20. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 3pp. 55037:066-55037:098.

—9008270063 Insp Rept 50-219/90-80 on 900514 & 0625-0710.Violations noted.Major areas inspected:review of training program procedures,training mats,records qualification stds & other applicable documents.
WALKER,T., CONTE,R.J., GALLO,R.M. Region 1 (Post 820201). 90/08/16. 28pp. 55037:069-55037:096.

—9008270064 Discusses 900710 telcon w/NRC re util corrective actions in response to NRC finding that operator received passing grade on administered requalification exam in 1989 should have received failing grade.Corrective actions listed.
FIEDLER,P.B. General Public Utilities Corp. - GPU Service Corp. 90/07/11. MARTIN,T.T. Region 1 (Post 820201). 2pp. 55037:097-55037:098.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008090391 Revised EIPs,including Rev 10 to S-EPP-3,Rev 12 to S-EPP-5, Rev 1 to S-EPP-10,Rev 9 to S-EPP-16,Rev 4 to S-EPP-25.W/ 900727 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 90/07/27. 300pp. 54932:001-54932:300.

9008070050 Forwards Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712 & notice of violation.Corrective actions did not identify addl blue mark-up controlled components which were out of position & subsequently discovered by inspector.
COWGILL,C.J. Region 1 (Post 820201). 90/07/31. BURKHARDT,L. Niagara Mohawk Power Corp. 3pp. 54915:079-54915:102.

—9008070053 Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712. Violations noted.Major areas inspected:plant operations, surveillance & maint,emergency preparedness,security, engineering & technical support & safety assessment.
MEYER,G.W. Region 1 (Post 820201). 90/07/26. 20pp. 54915:083-54915:102.

9008090395 Forwards final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990.Change to Category 2 rating given in initial SALP rept not warranted.List of attendees,900507 & 0702 ltr encl.
MARTIN,T.T. Region 1 (Post 820201). 90/08/01. ENDRIES,J. Niagara Mohawk Power Corp. 5pp. 54934:035-54934:106.

—9008090406 Final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990.
* Region 1 (Post 820201). 90/08/01. 64pp. 54934:040-54934:106.

H. General correspondence

9008030024 Petitions NRC to modify,suspend &/or revoke OL until torus repaired,company implements every outstanding generic ltr & bulletin re safety & achieves insp rept that demonstrates mgt capability to operate nuclear power plant.
POOLER,R.S. Atlantic States Legal Foundation, Inc. 90/07/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54851:177-54851:191.

—9008030026 Responds to 891122 ltr re consideration of torus restart. Licensee committed to allow NRC to perform wall thickness measurements at 6-month intervals due to questionable requirements.
POOLER,R.S. Atlantic States Legal Foundation, Inc. 90/07/26. CARR,K. Commissioners (Post 750119). 3pp. 54851:189-54851:191.

9008280279 Notifies of recent organizational changes within util nuclear div,effective 900701.
BURKHARDT,L. Niagara Mohawk Power Corp. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55041:089-55041:089.

P. Operating license stage documents & correspondence

9008070061 Suppl 1 to Confirmatory Action Ltr 88-17 re commitment to performance of certain activities associated w/facility restart.
MARTIN,T.T. Region 1 (Post 820201). 90/07/27. ENDRIES,J.M. Niagara Mohawk Power Corp. 10pp. 54903:067-54903:076.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008070139 Forwards corrected Amend 115 to License DPR-63,changing Tech Spec Limited Condition for Operation 3.3.1.a re oxygen concentration of primary containment atmosphere.
MARTIN,R.E. Project Directorate I-1. 90/08/03. BURKHARDT,L. Niagara Mohawk Power Corp. 2pp. 54903:061-54903:063.

—9008070142 Amend 115 to License DPR-63,changing Limited Condition for Operation 3.3.1.a re oxygen concentration of primary containment atmosphere.
* NRC - No Detailed Affiliation Given. 90/08/03. 1p. 54903:063-54903:063.

9008080296 Forwards safety evaluation re facility DCRDR.Licensee meets DCRDR requirements of Suppl 1 to NUREG-0737.
MARTIN,R.E. Project Directorate I-1. 90/08/06. BURKHARDT,L. Niagara Mohawk Power Corp. 10pp. 54917:325-54917:334.

9008130192 Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. MANGAN,C. Niagara Mohawk Power Corp. 4pp. 54951:269-54951:272.

9008090209 Advises that facility satisfactorily meets SPDS requirements of Generic Ltr 89-06 & Suppl 1 of NUREG-0737,in response to util 890711 ltr.
MARTIN,R.E. Project Directorate I-1. 90/08/08. BURKHARDT,L. Niagara Mohawk Power Corp. 4pp. 54921:348-54921:351.

9008230234 Forwards "Nine Mile Point Unit 1 Reactor Containment Bldg Integrated Leakage Rate Test Rept."
FIRLIT,J.F. Niagara Mohawk Power Corp. 90/08/15. Document Control Branch (Document Control Desk). 1p. 55021:019-55021:118.

—9008230235 "Nine Mile Point Unit 1 Reactor Containment Bldg Integrated Leakage Rate Test Rept."
* General Physics Corp. 90/05/05. 99pp. 55021:020-55021:118.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070206 Forwards Safety Insp Rept 50-220/90-05 on 900709-13.No violations noted.Concern identified re licensee method of performing single control rod scram time testing.
GALLO,R.M. Region 1 (Post 820201). 90/07/27. BURKHARDT,L. Niagara Mohawk Power Corp. 2pp. 54891:218-54891:229.

—9008070211 Insp Rept 50-220/90-05 on 900709-13.No violations noted. Major areas inspected:overall restart Power Ascension Test Program including test results evaluation,quality verification interfaces & control of test equipment.
WINK,L.J., BESSETTE,D.E. Region 1 (Post 820201). 90/07/24. 10pp. 54891:220-54891:229.

9008070050 Forwards Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712 & notice of violation.Corrective actions did not identify addl blue mark-up controlled components which were out of position & subsequently discovered by inspector.
COWGILL,C.J. Region 1 (Post 820201). 90/07/31. BURKHARDT,L. Niagara Mohawk Power Corp. 3pp. 54915:079-54915:102.

—9008070052 Notice of violation from insp on 900531-0712.Violations noted:suction valve to feedwater pump 11 was shut under control of existing blue mark-up to support maint activity.
* Region 1 (Post 820201). 90/07/31. 1p. 54915:082-54915:082.

—9008070053 Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712. Violations noted.Major areas inspected:plant operations, surveillance & maint,emergency preparedness,security, engineering & technical support & safety assessment.
MEYER,G.W. Region 1 (Post 820201). 90/07/26. 20pp. 54915:083-54915:102.

9008090395 Forwards final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990.Change to Category 2 rating given in initial SALP rept not warranted.List of attendees,900507 & 0702 ltr encl.
MARTIN,T.T. Region 1 (Post 820201). 90/08/01. ENDRIES,J. Niagara Mohawk Power Corp. 5pp. 54934:035-54934:106.

—9008090406 Final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990.
* Region 1 (Post 820201). 90/08/01. 64pp. 54934:040-54934:106.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008210095 Forwards response to regulatory effectiveness review on 900604-08,Response withheld (ref 10CFR73.21).
BERATTA,J.P. Niagara Mohawk Power Corp. 90/08/15. Document Control Branch (Document Control Desk). 1p. 55000:130-55000:130.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230209 Lists commitments re single control rod testing, per Insp Rept 50-220/90-05.
FIRLIT, J.F. Niagara Mohawk Power Corp. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55010:311-55010:311.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220122 Monthly operating rept for Jul 1990 for Nine Mile Point Nuclear Station, Unit 1. W/900814 ltr.
DAHLBERG, K., FIRLIT, J.F. Niagara Mohawk Power Corp. 90/07/31. 13pp. 55001:169-55001:181.

9008130213 Forwards monthly NPDES discharge monitoring repts for Jan- June 1990. Violations noted.
FIRLIT, J.F. Niagara Mohawk Power Corp. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54958:221-54958:237.

—**9008130215** Discharge monitoring rept for Jan 1990.
* Niagara Mohawk Power Corp. 90/01/31. 2pp. 54958:223-54958:224.

—**9008130216** Discharge monitoring rept for Feb 1990.
* Niagara Mohawk Power Corp. 90/02/28. 4pp. 54958:225-54958:228.

—**9008130217** Discharge monitoring rept for Mar 1990.
* Niagara Mohawk Power Corp. 90/03/31. 3pp. 54958:229-54958:231.

—**9008130218** Discharge monitoring rept for Apr 1990.
* Niagara Mohawk Power Corp. 90/04/30. 2pp. 54958:232-54958:233.

—**9008130219** Discharge monitoring rept for May 1990.
* Niagara Mohawk Power Corp. 90/05/31. 2pp. 54958:234-54958:235.

—**9008130220** Discharge monitoring rept for June 1990.
* Niagara Mohawk Power Corp. 90/06/30. 2pp. 54958:236-54958:237.

S. Reportable occurrences, LERs & related correspondence

9008060388 PNO-I-90-057: on 900727, restart authorized for facility. Util agreed to perform self assessments of performance & inform NRC restart assessment panel of self assessment results.
MEYER, G., COOK, B. Region 1 (Post 820201). 90/07/27. 1p. 54890:003-54890:003.

9008060374 PNO-I-90-059: on 900730, plant shut down due to excessive RCS leakage. Util will repair plant electromagnetic relief valves found to be leaking during startup. State of NY has been informed.
MEYER, G., COOK, B. Region 1 (Post 820201). 90/07/30. 1p. 54876:317-54876:317.

9008100080 PNO-I-90-061: on 900806, plant operators manually scrambled reactor due to high vibration on main turbine bearing. Caused by blank flange left in oil supply line to bearing. Resident inspectors following licensee actions.
TEMPS, R., COWGILL, C. Region 1 (Post 820201). 90/08/07. 1p. 54944:042-54944:042.

9008240177 LER 90-006-00: on 891027, discovered unverified assumption in App R safe shutdown analysis. Caused by fire protection program failure to provide detailed procedural instructions for operator actions. New procedures developed. W/900810 ltr.
BELLER, R., FIRLIT, J.F. Niagara Mohawk Power Corp. 90/08/10. 8pp. 55024:017-55024:024.

9008230138 LER 88-009-02: on 880326, six potentially nonfunctional Tech Spec fire barrier penetrations discovered. Caused by lack of required documentation & inadequate surveillance procedure. Fire protection program developed. W/900816 ltr.
BELLER, R., FIRLIT, J.F. Niagara Mohawk Power Corp. 90/08/16. 14pp. 55012:199-55012:212.

U. Congressional/Executive Correspondence

9008030150 Responds to 900508 ltr which forwarded concerns raised by Retire Nine Mile One group re roles of NRC & INPO. Restart of plant will not be permitted until Commission fully satisfied that plant can operate safely.
ROGERS, K.C. Commissioners (Post 750119). 90/07/26. D'AMATO, A.M. Senate. WALSH, J.T. House of Rep. 4pp. 54957:083-54957:112.

—**9008030153** Responds to 900507 ltr forwarding concerns raised by Retire Nine Mile One re roles of NRC & INPO in evaluating safety of plant. Restart of plant will not be permitted until Commission fully satisfied that plant can operate safely.
ROGERS, K.C. Commissioners (Post 750119). 90/07/26. HORTON, F. House of Rep. 2pp. 54957:087-54957:088.

—**9008030155** Forwards Retire Nine Mile One 900430 ltr expressing concern about role of INPO & NRC in plant operation for comments.
HORTON, F. House of Rep. 90/05/07. ZECH, L. Commissioners (Post 750119). 3pp. 54957:089-54957:091.

—**9008030157** Requests response & add info re points raised by encl Retire Nine Mile One 900430 ltr, including role played by INPO in regulation of nuclear power plants.
WALSH, J.T. House of Rep. 90/05/08. CARR, K.M. Commissioners (Post 750119). 3pp. 54957:092-54957:094.

—**9008030161** Requests findings & views on encl Retire Nine Mile One 900430 ltr raising concern about role played by INPO in regulation of nuclear power plants.
D'AMATO, A.M. Senate. 90/05/08. NRC - No Detailed Affiliation Given. 3pp. 54957:095-54957:112.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-223 UNIV. OF LOWELL RESEARCH REACTOR

I. Financial Information

9008020210 Submits info re availability of decommissioning funds, per 10CFR50.33 & 50.75.
HOGAN, W. Lowell, Univ. of Lowell, MA. 90/07/21. DENTON, H. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 54826:071-54826:076.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

I. Financial Information

9007310191 Advises that submittal re decommissioning & financial assurance will be sent in mid-Sept 1990.
SUTHERLAND, E.A. Rensselaer Polytechnic Institute, Troy, NY. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54769:293-54769:293.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008060004 Revised Page 5 to Rev 0A to EPIP 720-2.
* Commonwealth Edison Co. 90/07/18. 2pp. 54889:358-54889:359.

9008010110 Forwards FEMA 900613 ltr transmitting findings for offsite emergency preparedness exercise at plant on 891101. No deficiencies noted. Four areas requiring corrective action identified.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. REED, C. Commonwealth Edison Co. 2pp. 54805:178-54805:232.

9007270082 Rev 2 to EPIP 0400-01, "Plant Assembly."
* Commonwealth Edison Co. 90/07/31. 15pp. 54733:344-54733:358.

9008230017 Revised EIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON, I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9007270016 Forwards endorsement of study re on-line functional testing of reactor trip sys being performed, per Generic Ltr 83-28, item 4.5.3.
STOLS, R. Commonwealth Edison Co. 90/07/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54733:359-54733:360.

9007300017 Forwards justification for 900720 request for waiver of compliance to Tech Spec primary containment leak rate testing requirements.
STOLS, R., RICHTER, M.H. Commonwealth Edison Co. 90/07/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 54745:001-54745:033.

9007300145 Forwards Amends 111 & 107 to Licenses DPR-19 & DPR-25, respectively & safety evaluation. Amends revise surveillance interval requirement for functional testing of reactor protection sys electrical protection assemblies.
SIEGEL, B.L. Project Directorate III-2. 90/07/25. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54762:229-54762:243.

—**9007300146** Amends 111 & 107 to Licenses DPR-19 & DPR-25 respectively, revising surveillance interval requirement for functional testing of reactor protection sys electrical protection assemblies.
WECHSELBERGER Project Directorate III-2. 90/07/25. 8pp. 54762:232-54762:239.

—**9007300148** Safety evaluation supporting Amends 111 & 107 to Licenses DPR-19 & DPR-25, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 4pp. 54762:240-54762:243.

9008070348 Forwards safety evaluation re inservice testing program & request for relief from ASME Code, Section XI. Relief should be granted from testing requirements impractical to conform, where proposed testing provides acceptable level of safety.
SIEGEL, B.L. Project Directorate III-2. 90/07/25. KOVACH, T.J. Commonwealth Edison Co. 4pp. 54902:001-54902:095.

—**9008070349** Safety evaluation supporting inservice testing program for pumps & valves & granting requests for relief.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 8pp. 54902:005-54902:012.

20 DOCKETED ITEMS

9007090111 Technical evaluation re "Pump & Valve Inservice Testing Program Dresden Nuclear Power Station, Units 2 & 3." HARTLEY, R.S. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6812. EGG-NTA-9104. 90/06/30. NRC - No Detailed Affiliation Given. 83pp. 54902:013-54902:095.

9008030349 Application for amends to Licenses DPR-19 & DPR-25, excluding reactor bldg closed cooling water inlet pathway to primary containment for each unit from leak rate testing requirements. RICHTER, M.H. Commonwealth Edison Co. 90/07/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 54829:050-54829:075.

9008030350 Proposed Tech Specs re reactor bldg closed cooling water inlet pathway. * Commonwealth Edison Co. 90/07/31. 5pp. 54829:071-54829:075.

9008080289 Summary of 900712 meeting w/util in Rockville, MD re programmatic improvements at plant concerning operations & maint. SIEGEL, B.L. Project Directorate III-2. 90/07/31. Project Directorate III-2. 60pp. 54917:235-54917:293.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080255 Forwards SER for Generic Ltr 83-28, item 4.5.3 re reactor trip sys reliability for all domestic operating reactors. SIEGEL, B.L. Project Directorate III-2. 90/08/06. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54908:150-54908:180.

9008080257 SER for Generic Ltr 83-28, item 4.5.3, "Reactor Trip Sys Reliability for All Domestic Operating Reactors." * NRC - No Detailed Affiliation Given. 90/08/06. 2pp. 54908:153-54908:180.

9008130161 Forwards summary of correspondence, per NRC 900615 request for addl info to support NRC licensing review. STOL, R. Commonwealth Edison Co. 90/08/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54954:295-54954:296.

9008160039 Forwards Amends 112 & 108 to Licenses DPR-19 & DPR-25, respectively & safety evaluation. Amends exclude reactor bldg closed cooling water inlet pathway to primary containment from App J, Type C leak rate testing requirements. SIEGEL, B.L. Project Directorate III-2. 90/08/09. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54990:250-54990:273.

9008160055 Amends 112 & 108 to Licenses DPR-19 & DPR-25, respectively, excluding reactor bldg closed cooling water inlet pathway to primary containment for each unit from App J, Type C leak rate testing requirements until next refueling outage. WECHSELBERGER Project Directorate III-2. 90/08/09. 16pp. 54990:253-54990:268.

9008160056 Safety evaluation supporting Amends 112 & 108 to Licenses DPR-19 & DPR-25, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 5pp. 54990:269-54990:273.

9008160059 Provides status of licensee implementation of generic safety issues resolved w/imposition of requirements or corrective actions, per Generic Ltr 90-04. RICHTER, M.H. Commonwealth Edison Co. 90/08/09. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54990:283-54990:290.

9008280352 Forwards safety evaluation re SEP Topic III-7.B, "Design Codes, Design Criteria & Load Combinations" for Unit 2. All issues re SEP topic resolved. SIEGEL, B.L. Project Directorate III-2. 90/08/23. KOVACH, T.J. Commonwealth Edison Co. 3pp. 55039:344-55039:352.

9008280362 SER accepting SEP Topic III-7.B, "Design Codes, Design Criteria & Load Combinations" for unit. Util explanation & clarification of load & load combinations acceptable & issues considered resolved. SIEGEL, B.L. Project Directorate III-2. 90/08/23. 6pp. 55039:347-55039:352.

Q. Inspection reports, IE Bulletins & correspondence

9008070341 Responds to NRC 900427 ltr re violations noted in Insp Repts 50-237/90-12 & 50-249/90-11. Corrective actions: guidelines for work in high dose rate gradients or localized hot spot areas will be developed & Procedure DAP-12-9 revised. KOVACH, T.J. Commonwealth Edison Co. 90/06/11. DAVIS, A.B. Region 3 (Post 820201). 2pp. 54896:354-54896:355.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030007 Advises that reactor head & upper shell insp plan provides ability to detect cracks that may be present. SIEGEL, B.L. Project Directorate III-2. 90/08/01. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54851:174-54851:176.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160059 Provides status of licensee implementation of generic safety issues resolved w/imposition of requirements or corrective actions, per Generic Ltr 90-04. RICHTER, M.H. Commonwealth Edison Co. 90/08/09. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54990:283-54990:290.

9008230009 Responds to SALP 9 Board Repts 50-237/90-01 & 50-249/90-01 for Feb 1989 - Apr 1990. Util believes that SALP rating of 2 & improving shows strong safety performance, but SALP 1 rating justified. DELGEORGE, L.O. Commonwealth Edison Co. 90/08/13. DAVIS, A.B. Region 3 (Post 820201). 2pp. 55014:303-55014:304.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230208 Responds to NRC Bulletin 88-010 re molded-case circuit breakers. Replacement of non-traceable breakers for Unit 3 will be completed within schedule presented in util 890913 ltr to NRC. Westinghouse Model FA 2100 breaker not installed. TAYLOR, D.L. Commonwealth Edison Co. 90/08/15. Document Control Branch (Document Control Desk). 3pp. 55016:119-55016:121.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270035 Forwards Enforcement Conference Repts 50-237/90-20 & 50-249/90-20 on 900810 & notice of violation. MILLER, H.J. Region 3 (Post 820201). 90/08/16. REED, C. Commonwealth Edison Co. 2pp. 55034:300-55034:351.

9008270036 Notice of violation from insp on 900521-0621. Violation noted: list examples of electrical equipment important to safety not properly qualified by EQ tests. MILLER, H.J. Region 3 (Post 820201). 90/08/16. 2pp. 55034:302-55034:303.

9008270037 Enforcement Conference Repts 50-237/90-20 & 50-249/90-20 on 900810. Violations noted: Major areas discussed: failure of environ qualification (EQ) program to ensure EQ of certain electrical splices. KOPP, M.J., GARDNER, R.N. Region 3 (Post 820201). 90/08/16. 48pp. 55034:304-55034:351.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170254 Monthly operating repts for Jul 1990 for Dresden Nuclear Power Station Units 1, 2 & 3. W/900807 ltr. MAXWELL, D.C., EENIGENBURG, E. Commonwealth Edison Co. 90/07/31. 24pp. 54993:023-54993:046.

9008160021 Forwards "Dresden Plant Status Rept for Jul 1990." EENIGENBURG, E. Commonwealth Edison Co. 90/08/14. DAVIS, A.B. Region 3 (Post 820201). 1p. 54990:132-54990:231.

9008160069 "Dresden Plant Status Rept for Jul 1990." * Commonwealth Edison Co. 90/07/31. 98pp. 54990:133-54990:231.

S. Reportable occurrences, LERs & related correspondence

9008010016 LER 90-003-00: on 900628, discovered that current methodology for performing primary containment air sampling potentially violated Tech Spec 3.7.A.a.(3). Caused by design deficiency. Sample point relocated. W/900727 ltr. PETERMAN, K.W., EENIGENBURG, E. Commonwealth Edison Co. 90/07/27. 9pp. 54792:038-54792:046.

9008090120 Confirmatory Action Ltr CAL-RIII-90-14, confirming 900803 telcon re Target Rock safety relief valve problem leading to manual scram which occurred on 900802 at Unit 2. Understands that util will have completed listed items. DAVIS, A.B. Region 3 (Post 820201). 90/08/03. REED, C. Commonwealth Edison Co. 2pp. 54922:011-54922:012.

9008150279 Summary of Operating Reactors Events Meeting 90-20 on 900808. KADAMBI, N.P. Events Assessment Branch. 90/08/09. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 22pp. 54972:062-54972:083.

9008220152 Advises that 900803 Confirmatory Action Ltr CAL-RIII-90-014 re Target Rock safety relief valve opening which led to manual scram on 900802, terminated. DAVIS, A.B. Region 3 (Post 820201). 90/08/14. REED, C. Commonwealth Edison Co. 2pp. 55000:292-55000:293.

9008220197 LER 90-004-00: on 900720, addl vols added to Type B & C local leak rate testing program due to self-assessment initiative. Caused by mgt deficiency. Lines outside primary containment for control rod drive capped. W/900815 ltr. GEIGER, J., EENIGENBURG, E. Commonwealth Edison Co. 90/08/15. 10pp. 55002:070-55002:079.

V. Operator Examinations

- 9008010062** Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/ issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.
- 9008070324** Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.
- 9008100220** Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.
- 9008080043** Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008080047** Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

- 9008010098** Forwards "Oregon State Univ Radiation Ctr & TRIGA Reactor Emergency Response Plan."
JOHNSON, A.G. Oregon State Univ., Corvallis, OR. 90/07/23. Document Control Branch (Document Control Desk). 8pp. 54818:001-54818:033.
- 9008010100** "Oregon State Univ Radiation Ctr & TRIGA Reactor Emergency Response Plan."
Oregon State Univ., Corvallis, OR. 90/06/30. 23pp. 54818:009-54818:033.

Q. Inspection reports, IE Bulletins & correspondence

- 9008160008** Forwards Exam Rept 50-243/OL-90-01 on 900625.W/o exam & non-power reactor exam results summary sheet.
KIRSCH, D.F. Region 5 (Post 820201). 90/08/03. JOHNSON, A.G. Oregon State Univ., Corvallis, OR. 2pp. 55003:001-55003:004.
- 9008160013** Exam Rept 50-243/OL-90-01 on 900625.Exam results:operator passed exam.
REIDINGER, T., MILLER, L. Region 5 (Post 820201). 90/08/03. 2pp. 55003:003-55003:004.

V. Operator Examinations

- 9008160008** Forwards Exam Rept 50-243/OL-90-01 on 900625.W/o exam & non-power reactor exam results summary sheet.
KIRSCH, D.F. Region 5 (Post 820201). 90/08/03. JOHNSON, A.G. Oregon State Univ., Corvallis, OR. 2pp. 55003:001-55003:004.
- 9008160013** Exam Rept 50-243/OL-90-01 on 900625.Exam results:operator passed exam.
REIDINGER, T., MILLER, L. Region 5 (Post 820201). 90/08/03. 2pp. 55003:003-55003:004.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9007310157** Forwards revised page 6:4 of plant security plan. Page withheld per 10CFR73.21.
MECREDY, R.C. Rochester Gas & Electric Corp. 90/07/23. Document Control Branch (Document Control Desk). 1p. 54796:160-54796:160.
- 9007310018** Forwards revised EOPs, including Rev 10 to AP-CR.1, Rev 8 to AP-RHR.1, Rev 12 to E-0, Rev 4 to FR-I.3 & Rev 2 to ATT.
MECREDY, R.C. Rochester Gas & Electric Corp. 90/07/25. Project Directorate I-3. 1p. 54793:034-54793:107.
- 9007310038** Rev 10 to AP-CR.1, "Control Room Inaccessibility."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/27. 6pp. 54793:035-54793:041.
- 9007310040** Rev 8 to AP-RHR.1, "Loss of RHR."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/01. 8pp. 54793:042-54793:053.
- 9007310042** Rev 12 to E-0, "Reactor Trip or Safety Injection."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/27. 27pp. 54793:054-54793:084.
- 9007310044** Rev 4 to FR-I.3, "Response to Voids in Reactor Vessel."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/27. 19pp. 54793:085-54793:107.
- 9008070275** Forwards Insp Rept 50-244/90-11 on 900612-0716. Concludes that overall plant operation conducted safely & operators responded properly to events.
JOHNSON, J.R. Region 1 (Post 820201). 90/07/27. MECREDEY, R.C. Rochester Gas & Electric Corp. 3pp. 54897:288-54898:022.
- 9008070278** Insp Rept 50-244/90-11 on 900612-0716. Major areas inspected: plant operations, radiological controls, maint/ surveillance, security, engineering/technical support & safety assessment/ quality verification.
MCCABE, E.C. Region 1 (Post 820201). 90/07/27. 92pp. 54897:291-54898:022.

9008070315 Revised EPIPs, including Rev 0 to EPIP 1-0, EPIP 1-1, EPIP 1-2, EPIP 1-3, EPIP 1-4, EPIP 1-5, EPIP 1-6, EPIP 1-7, EPIP 1-8, EPIP 1-9, EPIP 1-10, EPIP 1-11, EPIP 1-12, EPIP 1-13, EPIP 1-14 & EPIP 1-15.W/900801 ltr.
MECREDEY, R.C. Rochester Gas & Electric Corp. 90/08/01. JOHNSON, A. Project Directorate I-3. 700pp. 54877:180-54879:253.

9008100180 Forwards RA Erickson 900719 memo that forwards D Kwiatkowski 900705 ltr, transmitting FEMA Region II 890816 exercise rept.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/03. MECREDEY, R.C. Rochester Gas & Electric Corp. 2pp. 54954:146-54954:252.

-9007260039 Forwards D Kwiatkowski 900705 ltr re FEMA Region I rept for 890816 full participation exercise at plant.
ERICKSON, R.A. Emergency Preparedness Branch. 90/07/19. BELLAMY, R.R. Region 1 (Post 820201). 1p. 54954:148-54954:252.

P. Operating license stage documents & correspondence

- 9007310018** Forwards revised EOPs, including Rev 10 to AP-CR.1, Rev 8 to AP-RHR.1, Rev 12 to E-0, Rev 4 to FR-I.3 & Rev 2 to ATT.
MECREDEY, R.C. Rochester Gas & Electric Corp. 90/07/25. Project Directorate I-3. 1p. 54793:034-54793:107.
- 9007310038** Rev 10 to AP-CR.1, "Control Room Inaccessibility."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/27. 6pp. 54793:035-54793:041.
- 9007310040** Rev 8 to AP-RHR.1, "Loss of RHR."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/01. 8pp. 54793:042-54793:053.
- 9007310042** Rev 12 to E-0, "Reactor Trip or Safety Injection."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/27. 27pp. 54793:054-54793:084.
- 9007310044** Rev 4 to FR-I.3, "Response to Voids in Reactor Vessel."
WIDAY, J.A. Rochester Gas & Electric Corp. 90/06/27. 19pp. 54793:085-54793:107.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100227 Discusses licensee engineering initiatives. Informs that licensees in Region 5 established engineering mgrs forum to foster disciplined & coordinated approach to engineering initiatives.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. SMITH, R. Rochester Gas & Electric Corp. 4pp. 54951:188-54951:191.

9008090198 Advises that audit of boric acid corrosion prevention program on 891010-12, acceptable.
JOHNSON, A. Project Directorate I-3. 90/08/07. MECREDEY, R.C. Rochester Gas & Electric Corp. 15pp. 54922:218-54922:232.

9008230155 Provides info & assessment on integrity of connection of containment bldg to foundation, per 900808 telcon. Util believes that existing condition not safety concern & no reason exists to suspect joint will not perform function.
MECREDEY, R.C. Rochester Gas & Electric Corp. 90/08/15. JOHNSON, A.R. Project Directorate I-3. 6pp. 55020:136-55020:141.

Q. Inspection reports, IE Bulletins & correspondence

- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008070275** Forwards Insp Rept 50-244/90-11 on 900612-0716. Concludes that overall plant operation conducted safely & operators responded properly to events.
JOHNSON, J.R. Region 1 (Post 820201). 90/07/27. MECREDEY, R.C. Rochester Gas & Electric Corp. 3pp. 54897:288-54898:022.
- 9008070278** Insp Rept 50-244/90-11 on 900612-0716. Major areas inspected: plant operations, radiological controls, maint/ surveillance, security, engineering/technical support & safety assessment/ quality verification.
MCCABE, E.C. Region 1 (Post 820201). 90/07/27. 92pp. 54897:291-54898:022.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008080264** Forwards safety evaluation accepting util third 10-yr inservice insp program plan, per 890721 & 900116 ltrs. Requests for Relief 10 & 13 for listed reasons.
JOHNSON, A.R. Project Directorate I-3. 90/08/06. MECREDEY, R.C. Rochester Gas & Electric Corp. 3pp. 54931:150-54931:206.
- 9008080268** Safety evaluation accepting third 10-yr interval inservice insp program plan.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 7pp. 54931:153-54931:159.
- 9008080272** "Technical Evaluation Rept on Third 10-yr Interval Inservice Insp Program Plan: RE Ginna Nuclear Power Station."
BROWN, B.W., MUDLIN, J.D. EG&G Idaho, Inc. (subs. of EG&G, Inc.). BROWN, B.W. Idaho National Engineering Laboratory. FIN D-8022. EGG-MS-8923. 90/04/30. NRC - No Detailed Affiliation Given. 47pp. 54931:160-54931:206.

22 DOCKETED ITEMS

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008230006 Recommits to performing enhanced primary-to-secondary leak rate monitoring, per NRC Bulletin 88-002.
MECREDY,R.C. Rochester Gas & Electric Corp. 90/08/13. JOHNSON,A.R. Project Directorate I-3. 1p. 55012:298-55012:298.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230157 Responds to commitment tracking concerns noted in Insp Rept 50-244/90-09 & planned corrective actions. Util confirms commitments dates for implementation of effective shelf life program & comprehensive preventive maint program for parts.
MECREDY,R.C. Rochester Gas & Electric Corp. 90/08/14. MARTIN,T.T. Region 1 (Post 820201). 7pp. 55019:352-55019:358.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230153 Responds to NRC 900717 ltr re violations noted in Insp Rept 50-244/90-80. Corrective actions: Westinghouse Drawing E-2508 approved & issued to central records.
MECREDY,R.C. Rochester Gas & Electric Corp. 90/08/16. MARTIN,T.T. Region 1 (Post 820201). 7pp. 55020:129-55020:135.

9008230231 Forwards Rev 0 to, "Inservice Insp Rept for Third Interval (1990-1999), First Period, First Outage (1990) At RE Ginna Nuclear Power Plant."
MECREDY,R.C. Rochester Gas & Electric Corp. 90/08/17. JOHNSON,A.R. Project Directorate I-3. 1p. 55019:209-55019:327.

-9008230232 Rev 0 to, "Inservice Insp Rept for Third Interval (1990-1991), First Period, First Outage (1990) At RE Ginna Nuclear Power Plant."
* Rochester Gas & Electric Corp. 90/07/13. 95pp. 55019:210-55019:327.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210156 Monthly operating rept for Jul 1990 for RE Ginna Nuclear Power Plant. W/ 900815 ltr.
DODGE,R.E., MECREDEY,R.C. Rochester Gas & Electric Corp. 90/07/31. 5pp. 55000:060-55000:064.

S. Reportable occurrences, LERs & related correspondence

9008080300 Clarifies commitment made in 900316 RO re restoring inoperable Fire Damper I-411-21-P. Util plans to design removable track which will allow charcoal drawer to be manipulated. Definitive schedule will be provided in 60 days.
MECREDEY,R.C. Rochester Gas & Electric Corp. 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54919:141-54919:142.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008020020 Forwards Safety Insp Rept 50-245/90-09 on 900515-0625 & notice of violation.
WENZINGER,E.C. Region 1 (Post 820201). 90/07/20. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54825:217-54825:239.

-9008020023 Insp Rept 50-245/90-09 on 900515-0625. No violations noted. Major areas inspected: plant operations, radiological controls, maintenance, security, engineering/technical support & safety assessment/quality verification.
HAVERKAMP,D.R. Region 1 (Post 820201). 90/07/20. 21pp. 54825:219-54825:239.

9008020248 Forwards Rev 13 to physical security plan. Rev withheld (ref 10CFR73.21(b) & 2.790(a)).
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54820:293-54820:293.

9008080316 Advises that FEMA grants exemption from 10CFR50 App E for biennial full-participation onsite/offsite exercise.
KWIATKOWSKI,D. Federal Emergency Management Agency. 90/07/30. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 54903:358-54903:359.

9008070216 Responds to NRC 900718 request for addl info re util 900418 request for schedular exemption from 10CFR50, App E, Section IV.F.3 to allow Dec 1990 full participation exercise to be exchanged w/ Oct 1991 partial participation exercise.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54898:173-54898:180.

9008200093 Notifies NRC that util volunteer to participate in emergency response data sys project for all four nuclear units, per Generic Ltr 89-15 & NUREG-1394.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54994:358-54994:359.

9008230012 Rev 99 to emergency plan implementing forms index, including listing of cancelled procedures.
SCACE,S.E. Northeast Utilities. 90/08/15. 16pp. 55016:210-55016:225.

P. Operating license stage documents & correspondence

9007160156 Forwards Vols 1-4 to "Millstone Unit 1 Simulator Certification Submittal...."
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/03. Document Control Branch (Document Control Desk). 3pp. 54985:009-54988:235.

-9007160159 "Millstone Unit 1 Simulator Certification Submittal, Vol 1: Design Info & Certification Program Overview."
CATANDELLA,J.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/02. 750pp. 54985:012-54985:200.

-9007160165 "Millstone Unit 1 Simulator Certification Submittal, Vol 2, Nuclear Simulator Engineering Manual."
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/05/23. 500pp. 54985:201-54986:310.

-9007160167 "Millstone Unit 1 Simulator Certification Submittal, Vols 3 & 4, Performance Test Rept."
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/03. 1,200pp. 54986:311-54988:235.

9007270009 Discusses util comprehensive review of options re degraded grid undervoltage protection. Confirms previous conclusion that splitting loss of normal power logic would have overall adverse impact on plant safety.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/20. Document Control Branch (Document Control Desk). 8pp. 54727:271-54727:278.

9007270011 Advises that util has reasonable assurance that safety relief valves operable & will perform as expected until next outage.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/20. Document Control Branch (Document Control Desk). 4pp. 54727:267-54727:270.

9007310189 Responds to NRC 900302 request for addl info re LPCI swing bus transfer design & single failure vulnerabilities.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54796:145-54796:149.

9008020166 Provides supplemental response to Generic Ltr 89-19 re request for action concerning resolution of Unresolved Safety Issue A-47. Plant procedures modified to provide operability verification of steam generator protection sys.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54826:149-54826:151.

9008060238 Revised corporate organization for nuclear incidents procedures, consisting of Rev 16 to 1.01, Rev 33 to 1.02, Rev 11 to 4.01 & 4.10, Rev 0 to 7.01 & Rev 20 to 10.01.
* Northeast Utilities Service Co. (subs. of Northeast Utilities). 90/07/31. 94pp. 54864:288-54865:018.

9008070287 Summary of 900628 meeting w/ util in Berlin, CT re licensing issues associated w/ facilities, including generic ltrs.
JAFFE,D.H. Project Directorate I-4. 90/08/01. Project Directorate I-4. 76pp. 54902:275-54903:018.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130190 Discusses licensee engineering initiatives. Other power reactor licenses in Region 1 encouraged to start similar initiative to provide for sharing of info & experiences involving engineering & solutions of problems common to all.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. OPEKA,J.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 54957:302-54957:305.

9008130229 Responds to NRC backfit analyses of hardened wetwell vent, contained in 900615 ltr. Benefit of installing hardened wetwell vent to satisfy basic design objective of preventing core-melt event not sufficient for immediate decision. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 90/08/08. Document Control Branch (Document Control Desk). 11pp. 54970:206-54970:216.

9008270255 Forwards safety evaluation granting 900507 request for relief from requirements of Section XI of ASME Code re repair made to body of svc water sys valve at unit, per Generic Ltr 90-05. STOLZ, J.F. Project Directorate 1-4. 90/08/14. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 2pp. 55032:109-55032:113.

-9008270256 Safety evaluation granting relief from requirements of ASME Code Section XI re repair of svc water sys valve 1-SW-7A. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/14. 3pp. 55032:111-55032:113.

9008270149 Forwards semiannual fitness-for-duty performance data, per 10CFR26. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/17. Document Control Branch (Document Control Desk). 19pp. 55031:280-55031:298.

9008270239 Disapproves requested delay to install hardened wetwell vent at facility, per Generic Ltr 89-16. NRC decision based on importance of venting sequences & role in mitigating large radiological release. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/20. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 3pp. 55031:324-55031:326.

Q. Inspection reports, IE Bulletins & correspondence

9008020020 Forwards Safety Insp Rept 50-245/90-09 on 900515-0625 & notice of violation. WENZINGER, E.C. Region 1 (Post 820201). 90/07/20. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54825:217-54825:239.

-9008020023 Insp Rept 50-245/90-09 on 900515-0625. No violations noted. Major areas inspected: plant operations, radiological controls, maintenance, security, engineering/technical support & safety assessment/quality verification. HAVERKAMP, D.R. Region 1 (Post 820201). 90/07/20. 21pp. 54825:219-54825:239.

9008070136 Discusses Insp Rept 50-245/90-08 on 900510-25 & forwards notice of violation & proposed imposition of civil penalty. Violation occurred on 900507 when stated cask arriving at Barnwell, SC found to contain contaminated water. MARTIN, T.T. Region 1 (Post 820201). 90/07/23. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 54903:044-54903:050.

-9008070137 Notice of violation & proposed imposition of civil penalty in amount of \$50,000. Noncompliance noted: on 900507, stated cask, arriving at Barnwell, SC, found to contain contaminated water. MARTIN, T.T. Region 1 (Post 820201). 90/07/23. 3pp. 54903:048-54903:050.

9008070115 Forwards Safety Insp Repts 50-245/90-13, 50-336/90-13 & 50-423/90-11 on 900609-13. No violations or deviations noted. BELLAMY, R.R. Region 1 (Post 820201). 90/07/25. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54905:200-54905:208.

-9008070117 Insp Repts 50-245/90-13, 50-336/90-13 & 50-423/90-11 on 900609-13. No violations or deviations noted. Major areas inspected: radiological environment monitoring program, including mgt controls, audits & surveillance procedures. PELUSO, L., JANG, J.C., BORES, R.J. Region 1 (Post 820201). 90/07/24. 7pp. 54905:202-54905:208.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008240063 Responds to NRC 900716 ltr re violations noted in Insp Rept 50-245/90-05. Corrective actions: main steam line setpoint promptly recalculated & corrected & gas turbine generator testing operability surveillance procedure modified. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 90/08/15. Ofc of Enforcement (Post 870413). 18pp. 55029:316-55029:334.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140385 Monthly operating rept for Jul 1990 for Millstone Unit 1. W/900810 ltr. NEWBURGH, G. SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). NEWBURGH, G. Northeast Utilities. 90/07/31. 5pp. 54964:052-54964:056.

9008070354 Forwards draft "Effluent & Waste Disposal Annual Rept for 1988," per BNL 900531 request for comments. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 90/08/02. TICHLER, J.L. Battelle Memorial Institute, Pacific Northwest Laboratory. 2pp. 54897:213-54897:260.

-9008070357 Draft "Effluent & Waste Disposal Annual Rept for 1988." * Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/12/31. 45pp. 54897:215-54897:260.

S. Reportable occurrences, LERs & related correspondence

9008230158 LER 90-011-00: on 900720, Tech Spec fire door found blocked open & unguarded by fire watch. Caused by personnel error. Personnel cautioned to be aware of potential for impacting Tech Spec barrier requirements. W/900817 ltr. MURPHY, K.E., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/08/17. 3pp. 55012:213-55012:215.

V. Operator Examinations

9008020295 Advises that need to maintain OL or senior OL for listed individuals no longer exists, effective 900701. SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/07/27. Document Control Branch (Document Control Desk). 1p. 54805:313-54805:313.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008200107 Rev to emergency plan including Temporary Procedure Change (TPC) 90-15 to Rev 11 to IP-1002, TPC 90-15 to Rev 7 to IAP-1, TPC 90-16 to Rev 6 to IAP-3, TPC 90-17 to Rev 5 to IAP-8 & TPC 90-18 to Rev 4 to IAP-9. W/900810 ltr. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/10. 27pp. 54993:229-54993:256.

9008240197 Responds to NRC 900628 ltr re violations noted in Insp Rept 50-247/90-15. Corrective actions: training model will be developed for radiation protection staff & radiological workers & ALARA briefing form will be revised. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/10. Document Control Branch (Document Control Desk). 7pp. 55030:075-55030:081.

9008220206 Forwards Safety Insp Rept 50-247/90-17 on 900709-13. No violations noted. Insp indicated that areas of external control program reviewed, including radiation worker processing, appear to be well managed & technically sound. BELLAMY, R.R. Region 1 (Post 820201). 90/08/14. BRAM, S. Consolidated Edison Co. of New York, Inc. 3pp. 55015:159-55015:173.

-9008220209 Insp Rept 50-247/90-17 on 900709-13. No violations noted. Major areas inspected: radiological controls program on site, including followup of previously identified items & review of external exposure control program. SHERBINI, S., PASCIAK, W. Region 1 (Post 820201). 90/08/14. 12pp. 55015:162-55015:173.

9008280171 Forwards objectives for 1990 emergency exercise. Unless NRC advised to contrary, NRC will presume that schedule guidance applicable to 1989 exercise also prevails for 1990 drill in all other respects. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55041:004-55041:006.

J. Insurance & indemnity information

9008070229 Forwards 900713 projection for Aug 1990 - Jul 1991 guaranteeing payment of deferred premiums. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54899:205-54899:206.

24 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9008010079** Forwards exposure records for 3 util employees & 164 persons completing work at facility. Specific exposure records sent to each individual concerned. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/25. Office of Nuclear Regulatory Research (Post 860720). 1p. 54797:143-54797:143.
- 9008020203** Forwards corrected Amend 152 to License DPR-26, revising Tech Spec 3.5-1 re ESF initiation instrument setting limits. BRINKMAN, D.S. Project Directorate I-1. 90/07/31. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 2pp. 54826:068-54826:070.
- 9008020205** Corrected Amend 152 to License DPR-26, revising Tech Spec 3.5-1 re ESF initiation instrument setting limits.
* NRC - No Detailed Affiliation Given. 90/07/31. 1p. 54826:070-54826:070.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008130197** Discusses licensee engineering initiatives. Util encouraged to start similar initiative. Cooperative effort would promote efficiency & enhance effectiveness of nuclear power plant engineering activities. MARTIN, T.T. Region 1 (Post 820201). 90/08/06. BRAM, S. Consolidated Edison Co. of New York, Inc. 4pp. 54956:200-54956:203.
- 9008230196** Advises that requirements for responding to Generic Ltr 88-14 re instrument air sys fulfilled, per util 900726 ltr. BRINKMAN, D.S. Project Directorate I-1. 90/08/16. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 2pp. 55016:086-55016:087.
- 9008230054** Supports util 881130 & 900330 responses to Generic Ltr 88-11 re pressure-temp limits, per Rev 2 to Reg Guide 1.99. Difference of 3.4 F between util adjusted ref temp of 206.2 F & NRC adjusted ref temp of 209.6 F acceptable. BRINKMAN, D.S. Project Directorate I-1. 90/08/17. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 3pp. 55023:279-55023:281.
- 9008270174** Informs of closeout of Generic Ltr 89-19 re request for action concerning resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants." BRINKMAN, D.S. Project Directorate I-1. 90/08/20. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 2pp. 55035:237-55035:238.

Q. Inspection reports, IE Bulletins & correspondence

- 9007300027** Forwards summary rept, "Evaluation of Primary Auxiliary Bldg Ventilation Sys," per NRC 900613 request & Insp Rept 50-247/89-18. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/12. Document Control Branch (Document Control Desk). 1p. 54756:039-54756:046.
- 9007300031** "Evaluation of Primary Auxiliary Bldg Ventilation Sys."
* Consolidated Edison Co. of New York, Inc. 90/07/31. 7pp. 54756:040-54756:046.
- 9008010082** Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No transmitters of specified models exhibited symptoms indicative of loss of fill oil. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/19. Document Control Branch (Document Control Desk). 4pp. 54806:261-54806:264.
- 9008010028** Responds to violations noted in Insp Rept 50-247/90-11 on 900409-13. Expresses disagreement w/ factual bases cited for violation. Actions taken or planned to enhance design margin for long-term equipment operation. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/22. Document Control Branch (Document Control Desk). 4pp. 54791:059-54791:062.
- 9008020027** Informs of enforcement conference in King of Prussia, PA on 900801 re Mar 1989 maint activity at facility. HEHL, C.W. Region 1 (Post 820201). 90/07/24. BRAM, S. Consolidated Edison Co. of New York, Inc. 5pp. 54805:318-54805:322.
- 9008080129** Forwards Insp Rept 50-247/90-13 on 900507-0610 & notice of violation. Disassembly of svc water pump strainer not conducted in full compliance w/ NRC requirements. MEYER, G.W. Region 1 (Post 820201). 90/07/24. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 54905:273-54905:291.
- 9008080130** Notice of violation from insp on 900507-0610. Violation noted: maint conducted on svc water pump strainer 21, activity affecting quality, w/ procedure which did not contain documented instructions.
* Region 1 (Post 820201). 90/07/24. 1p. 54905:275-54905:275.
- 9008080131** Insp Rept 50-247/90-13 on 900507-0610. Violations noted. Major areas inspected: unscheduled backshift insps of onsite activities. SUMMERS, R.J. Region 1 (Post 820201). 90/07/13. 16pp. 54905:276-54905:291.
- 9008060341** Notifies that all actions set forth in Generic Ltr 88-14, "Instrument Air Sys Evaluation" addressed & completed, per Insp Rept 50-247/90-04. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54856:129-54856:129.
- 9008070317** Forwards Insp Rept 50-247/90-16 on 900625-29. No violations noted. DURR, J.P. Region 1 (Post 820201). 90/07/26. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 54891:210-54891:217.
- 9008070320** Insp Rept 50-247/90-16 on 900625-29. No violations or deviations noted. Major areas inspected: installation of new spent fuel racks in spent fuel storage pool. CARRASCO, J.E., STROSNIDER, J. Region 1 (Post 820201). 90/07/20. 6pp. 54891:212-54891:217.
- 9008160179** Notification of Enforcement Conference 90-251 on 900807 in King of Prussia, PA to discuss alleged falsification of test documents. SUMMERS, R.J. Region 1 (Post 820201). 90/07/26. Region 1 (Post 820201). 2pp. 54995:205-54995:206.

- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008170039** Responds to 900626 SALP Initial Rept 50-247/89-99. Util will continue to strive to achieve enhanced performance in operational & support areas, including formation of independent safety review group. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54993:326-54993:327.
- 9008170043** Ack receipt of 900625 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-247/90-08. DURR, J.P. Region 1 (Post 820201). 90/08/10. BRAM, S. Consolidated Edison Co. of New York, Inc. 3pp. 54991:135-54991:142.
- 9008200187** Responds to NRC 900628 ltr re violations noted in Insp Rept 50-247/90-15. Corrective action training model will be developed for radiation protection staff & radiological workers & ALARA briefing form will be revised. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/10. Document Control Branch (Document Control Desk). 7pp. 55030:075-55030:081.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008220206** Forwards Safety Insp Rept 50-247/90-17 on 900709-13. No violations noted. Insp indicated that areas of external control program reviewed, including radiation worker processing, appear to be well managed & technically sound. BELLAMY, R.R. Region 1 (Post 820201). 90/08/14. BRAM, S. Consolidated Edison Co. of New York, Inc. 3pp. 55015:159-55015:173.
- 9008220209** Insp Rept 50-247/90-17 on 900709-13. No violations noted. Major areas inspected: radiological controls program on site, including followup of previously identified items & review of external exposure control program. SHERBINI, S., PASCIAK, W. Region 1 (Post 820201). 90/08/14. 12pp. 55015:162-55015:173.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008280265** Advises that no short-term concerns re thermal stratification effects for duration of ten addl heatup/ cooldown cycles exists from when bounding analysis performed in 1988, per util 890531 response to NRC Bulletin 88-011. BRINKMAN, D.S. Project Directorate I-1. 90/08/17. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 2pp. 55042:113-55042:123.
- 9008280267** NRR review of Topical Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification." Info provided comprehensive & acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/17. 9pp. 55042:115-55042:123.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Regualification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

- 9008230216** Monthly operating rept for Jul 1990 for Indian Point Unit 2. W/900815 ltr. KRIEGER, K., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/07/31. 6pp. 55015:340-55015:345.

S. Reportable occurrences, LERs & related correspondence

- 9008240169** LER 90-003-00 on 900713, ESF actuation occurred due to electrical spikes. Review conducted to verify that instrument behavior not due to legitimate increase in gaseous activity. Mod developed to replace monitors. W/900812 ltr. REID, H., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/12. 4pp. 55024:007-55024:010.

9008230067 RO: on 900726, fire booster pump 12 inoperable for more than 7 days for faulty discharge check valve replacement. Fire booster pump returned to svc on 900729.
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/15. MARTIN, T.T. Document Control Branch (Document Control Desk). 1p. 55023:283-55023:283.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008220208 Advises NRC of scheduling of 1990 annual operating test for licensed reactor operators & senior reactor operators, per 10CFR55.59.
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55000:359-55000:360.

9008280177 Advises that listed mats sent directly to L. Briggs in preparation for Sept 1990 requalification program evaluation.
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 90/08/15. MARTIN, T.T. Region 1 (Post 820201). 2pp. 55045:343-55045:344.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EIPs.
* Commonwealth Edison Co. 90/08/15. 3pp. 54919:143-54919:145.

9008060004 Revised Page 5 to Rev 0A to EIP 720-2.
* Commonwealth Edison Co. 90/07/18. 2pp. 54889:358-54889:359.

9008010110 Forwards FEMA 900613 ltr transmitting findings for offsite emergency preparedness exercise at plant on 891101. No deficiencies noted. Four areas requiring corrective action identified.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. REED, C. Commonwealth Edison Co. 2pp. 54805:178-54805:232.

9007270062 Rev 2 to EIP 0400-01, "Plant Assembly."
* Commonwealth Edison Co. 90/07/31. 15pp. 54733:344-54733:358.

9008230017 Revised EIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON, I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9007270016 Forwards endorsement of study re on-line functional testing of reactor trip sys being performed, per Generic Ltr 83-28, Item 4.5.3.
STOLS, R. Commonwealth Edison Co. 90/07/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54733:359-54733:360.

9007300017 Forwards justification for 900720 request for waiver of compliance to Tech Spec primary containment leak rate testing requirements.
STOLS, R., RICHTER, M.H. Commonwealth Edison Co. 90/07/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 54745:001-54745:033.

9007300145 Forwards Amends 111 & 107 to Licenses DPR-19 & DPR-25, respectively & safety evaluation. Amends revise surveillance interval requirement for functional testing of reactor protection sys electrical protection assemblies.
SIEGEL, B.L. Project Directorate III-2. 90/07/25. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54762:229-54762:243.

-9007300146 Amends 111 & 107 to Licenses DPR-19 & DPR-25 respectively, revising surveillance interval requirement for functional testing of reactor protection sys electrical protection assemblies.
WECHSELBERGER Project Directorate III-2. 90/07/25. 8pp. 54762:232-54762:239.

-9007300148 Safety evaluation supporting Amends 111 & 107 to Licenses DPR-19 & DPR-25, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 4pp. 54762:240-54762:243.

9008070348 Forwards safety evaluation re inservice testing program & request for relief from ASME Code, Section XI. Relief should be granted from testing requirements impractical to conform, where proposed testing provides acceptable level of safety.
SIEGEL, B.L. Project Directorate III-2. 90/07/25. KOVACH, T.J. Commonwealth Edison Co. 4pp. 54902:001-54902:095.

-9008070349 Safety evaluation supporting inservice testing program for pumps & valves & granting requests for relief.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 8pp. 54902:005-54902:012.

-9007090111 Technical evaluation re "Pump & Valve Inservice Testing Program Dresden Nuclear Power Station, Units 2 & 3."
HARTLEY, R.S. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6812. EGG-NTA-9104. 90/06/30. NRC - No Detailed Affiliation Given. 83pp. 54902:013-54902:095.

9008030349 Application for amends to Licenses DPR-19 & DPR-25, excluding reactor bldg closed cooling water inlet pathway to primary containment for each unit from leak rate testing requirements.
RICHTER, M.H. Commonwealth Edison Co. 90/07/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 54829:050-54829:075.

-9008030350 Proposed Tech Specs re reactor bldg closed cooling water inlet pathway.
* Commonwealth Edison Co. 90/07/31. 5pp. 54829:071-54829:075.

9008080289 Summary of 900712 meeting w/ util in Rockville, MD re programmatic improvements at plant concerning operations & maint.
SIEGEL, B.L. Project Directorate III-2. 90/07/31. Project Directorate III-2. 60pp. 54917:235-54917:293.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080255 Forwards SER for Generic Ltr 83-28, Item 4.5.3 re reactor trip sys reliability for all domestic operating reactors.
SIEGEL, B.L. Project Directorate III-2. 90/08/06. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54908:150-54908:180.

-9008080257 SER for Generic Ltr 83-28, Item 4.5.3, "Reactor Trip Sys Reliability for All Domestic Operating Reactors."
* NRC - No Detailed Affiliation Given. 90/08/06. 2pp. 54908:153-54908:180.

9008130161 Forwards summary of correspondence, per NRC 900615 request for add info to support NRC licensing review.
STOLS, R. Commonwealth Edison Co. 90/08/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54954:295-54954:296.

9008160039 Forwards Amends 112 & 108 to Licenses DPR-19 & DPR-25, respectively & safety evaluation. Amends exclude reactor bldg closed cooling water inlet pathway to primary containment from App J, Type C leak rate testing requirements.
SIEGEL, B.L. Project Directorate III-2. 90/08/09. KOVACH, T.J. Commonwealth Edison Co. 3pp. 54990:250-54990:273.

-9008160055 Amends 112 & 108 to Licenses DPR-19 & DPR-25, respectively, excluding reactor bldg closed cooling water inlet pathway to primary containment for each unit from App J, Type C leak rate testing requirements until next refueling outage.
WECHSELBERGER Project Directorate III-2. 90/08/09. 16pp. 54990:253-54990:268.

-9008160056 Safety evaluation supporting Amends 112 & 108 to Licenses DPR-19 & DPR-25, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 5pp. 54990:269-54990:273.

9008160059 Provides status of licensee implementation of generic safety issues resolved w/ imposition of requirements or corrective actions, per Generic Ltr 90-04.
RICHTER, M.H. Commonwealth Edison Co. 90/08/09. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54990:283-54990:290.

Q. Inspection reports, IE Bulletins & correspondence

9008070341 Responds to NRC 900427 ltr re violations noted in Insp Repts 50-237/90-12 & 50-249/90-11. Corrective actions: guidelines for work in high dose rate gradients or localized hot spot areas will be developed & Procedure DAP-12-9 revised.
KOVACH, T.J. Commonwealth Edison Co. 90/08/11. DAVIS, A.B. Region 3 (Post 820201). 2pp. 54896:354-54896:355.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 83pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160059 Provides status of licensee implementation of generic safety issues resolved w/ imposition of requirements or corrective actions, per Generic Ltr 90-04.
RICHTER, M.H. Commonwealth Edison Co. 90/08/09. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54990:283-54990:290.

9008230009 Responds to SALP 9 Board Repts 50-237/90-01 & 50-249/90-01 for Feb 1989 - Apr 1990. Util believes that SALP rating of 2 & improving shows strong safety performance, but SALP 1 rating justified.
DELGEORGE, L.O. Commonwealth Edison Co. 90/08/13. DAVIS, A.B. Region 3 (Post 820201). 2pp. 55014:303-55014:304.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

26 DOCKETED ITEMS

9008230208 Responds to NRC Bulletin 88-010 re molded-case circuit breakers. Replacement of non-traceable breakers for Unit 3 will be completed within schedule presented in util 890913 ltr to NRC. Westinghouse Model FA 2100 breaker not installed.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/15. Document Control Branch (Document Control Desk). 3pp. 55016:119-55016:121.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270035 Forwards Enforcement Conference Repts 50-237/90-20 & 50-249/90-20 on 900810 & notice of violation.
MILLER, H.J. Region 3 (Post 820201). 90/08/16. REED, C. Commonwealth Edison Co. 2pp. 55034:300-55034:351.

-9008270036 Notice of violation from insp on 900521-0621. Violation noted: list examples of electrical equipment important to safety not properly qualified by EQ tests.
MILLER, H.J. Region 3 (Post 820201). 90/08/16. 2pp. 55034:302-55034:303.

-9008270037 Enforcement Conference Repts 50-237/90-20 & 50-249/90-20 on 900810. Violations noted. Major areas discussed: failure of environ qualification (EQ) program to ensure EQ of certain electrical splices
KOPP, M.J., GARDNER, R.N. Region 3 (Post 820201). 90/08/16. 48pp. 55034:304-55034:351.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170254 Monthly operating repts for Jul 1990 for Dresden Nuclear Power Station Units 1,2 & 3. W/900807 ltr.
MAXWELL, D.C., EENIGENBURG, E. Commonwealth Edison Co. 90/07/31. 24pp. 54993:023-54993:046.

9008160021 Forwards "Dresden Plant Status Rept for Jul 1990."
EENIGENBURG, E. Commonwealth Edison Co. 90/08/14. DAVIS, A.B. Region 3 (Post 820201). 1p. 54990:132-54990:231.

-9008160069 "Dresden Plant Status Rept for Jul 1990."
* Commonwealth Edison Co. 90/07/31. 98pp. 54990:133-54990:231.

S. Reportable occurrences, LERs & related correspondence

9008060345 PNO-III-90-054: on 900802, safety relief valve opened unexpectedly & remained open. Licensee evaluating event, which exceeded Tech Spec limit for reactor cooldown rate. Valve will be replaced & failed valve will be inspected.
HINDS, J., SHAFER, W. Region 3 (Post 820201). 90/08/02. 1p. 54876:322-54876:322.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9008010211 Forwards Insp Repts 50-250/90-21 & 50-251/90-21 on 900625-29. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 90/07/18. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 54796:327-54796:331.

-9008010214 Insp Repts 50-250/90-21 & 50-251/90-21 on 900625-29. No violations or deviations noted. Major areas inspected: security plan & implementing procedures, physical barriers - protected area & vital areas.
TILLMAN, A., THOMPSON, D., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/18. 2pp. 54796:330-54796:331.

9008010239 Advises that 900711 Rev 22 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Plan withheld (ref 10CFR73.21).
CLINE, W.E. Region 2 (Post 820201). 90/07/24. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 54805:257-54805:259.

9007310256 Forwards Rev 23 to physical security plan. Plan withheld (ref 10CFR73.21 & 2.790).
HARRIS, K.N. Florida Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54757:356-54757:356.

9008070285 Summary of 900717 meeting w/util in Rockville, MD re emergency power sys enhancement. Viewgraphs & list of attendees encl.
EDISON, G.E. Project Directorate II-2. 90/07/30. Project Directorate II-2. 51pp. 54901:308-54901:362.

9008130287 Advises that 900725 Rev 23 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CLINE, W.E. Region 2 (Post 820201). 90/08/10. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 54954:314-54954:316.

G. Adjudicatory correspondence

9008070167 Notice of appeal. * Requests oral argument on issue of standing & that argument be held in Miami, FL to permit fair & equitable opportunity to address issue in proceeding. W/Certificate of Svc.
SAPORITO, T.J. Nuclear Energy Accountability Project. #390 10676. 90/07/25. Atomic Safety and Licensing Appeal Panel. 3pp. 54824:037-54824:039.

9008070198 Responds to 900707 ltr requesting transcript of ACRS subcommittee meeting on 900724 or have transcript placed in LPDR in Miami, FL. Document can be obtained from PDR. Related correspondence.
MOORE, J.E. Assistant General Counsel for Hearings & Enforcement. #390 10673. 90/07/27. SAPORITO, T.J. Nuclear Energy Accountability Project. 1p. 54824:174-54824:174.

9008070150 NRC Staff response to licensee motion to submit citation to supplemental authority. * NRC has no objection to granting of licensee 900716 motion. W/Certificate of Svc.
MOORE, J.E. Assistant General Counsel for Hearings & Enforcement. #390 10678. 90/07/31. Atomic Safety and Licensing Appeal Panel. 3pp. 54824:031-54824:033.

9008070243 Notice of assignment of TS Moore, HA Wilber & GP Bollwerk to serve on ASLAB for license amend proceeding. Served on 900801. * W/Certificate of Svc.
TOMPKINS, B.A. Atomic Safety and Licensing Appeal Panel. #390 10687. 90/08/01. 3pp. 54824:194-54824:196.

9008070247 Advises that listed members of ASLAB, including TS Moore, HA Wilber & GP Bollwerk assigned to serve as ASLAB for OL amend proceeding. Related correspondence.
KOHL, C.N. Atomic Safety and Licensing Appeal Panel. #390 10685. 90/08/01. Atomic Safety and Licensing Appeal Panel. 1p. 54824:197-54824:197.

9008150189 Licensee motion for leave to submit citation to supplemental authority. * Licensee moves for leave to call recent Supreme Court authority to attention of Appeal Board. W/Certificate of Svc. Served on 900803. Granted for Appeal Board on 900803. * Florida Power & Light Co. #390 10695. 90/08/03. Atomic Safety and Licensing Appeal Panel. 3pp. 54929:057-54929:059.

9008090258 Board Notification 90-007: forwards util 900717 ltr requesting withdrawal of certain changes proposed in 900605 request & replacement of Tech Specs w/ revised Tech Specs & GE Edison 900806 ltr granting request w/encl notice.
BERKOW, H.N. Project Directorate II-2. 90/08/07. Atomic Safety and Licensing Board Panel. 3pp. 55059:263-55059:270.

9008150218 NRC Staff motion for extension of time. * Requests extension of time until 900831 to file response to Licensing Board 900717 order, per 10CFR2.711. W/Certificate of Svc.
MOORE, J.E. Assistant General Counsel for Hearings & Enforcement. #390 10717. 90/08/10. Atomic Safety and Licensing Board Panel. 4pp. 54929:066-54929:069.

9008240082 Motion for extension of time to appeal. * Requests extension of 15 days to file brief in support of appeal. W/Certificate of Svc. Served on 900817. Granted for Appeal Board on 900817. * Nuclear Energy Accountability Project. #390 10745. 90/08/13. Atomic Safety and Licensing Appeal Panel. 3pp. 54995:057-54995:059.

9008270132 Requests that encl intervenor motion for extension of time to appeal to Docketing & Svcs Branch re Tech Spec replacement hearing be provided. Motion inadvertently omitted in svc of request on 900813.
GARDE, B.P. Florida Power & Light Co. GARDE, B.P. Garde, B.P. #390 10757. 90/08/14. CHILK, S. Docketing & Services Branch. 5pp. 55006:264-55006:268.

-9008270135 Motion for extension of time to appeal. * Board should grant extension of time to insure intervenor has opportunity to fully & completely address issues on appeal. W/Certificate of Svc.
GARDE, B.P. Florida Power & Light Co. GARDE, B.P. Garde, B.P. 90/08/13. Atomic Safety and Licensing Appeal Panel. 4pp. 55006:265-55006:268.

9008240101 Opposition to motion for extension of time to appeal. * Requests that Nuclear Energy Accountability Project 900813 motion for extension of time to file brief in support of appeal be denied. W/Certificate of Svc.
REIS, H.F. Florida Power & Light Co. REIS, H.F. Newman & Holtzinger. #390 10742. 90/08/16. Atomic Safety and Licensing Board Panel. 5pp. 54995:083-54995:087.

P. Operating license stage documents & correspondence

9008010160 Forwards addl info on emergency power sys enhancement project re load sequencer, programmable logic controllers & implementation of sys in plant, per NRC 900705 request.
HARRIS, K.N. Florida Power & Light Co. 90/07/23. Document Control Branch (Document Control Desk). 19pp. 54797:089-54797:107.

9006020142 Advises that util 900530 final response to Generic Ltr 88-14, "Instrument Air Supply Sys Problems," acceptable.
EDISON,G.E. Project Directorate II-2. 90/07/25. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 54628:160-54628:161.

9008010204 Forwards rept detailing investigative analysis of unsatisfactory blind specimen results,identification of causes & corrective actions taken by lab to prevent recurrence,per unsatisfactory performance testing.
BOHLKE,W.H. Florida Power & Light Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:289-54805:291.

9008070262 Summary of 900711 meeting w/util in Rockville,MD re PRA. List of attendees & viewgraphs encl.
EDISON,G.E., NORRIS,J. Project Directorate II-2. 90/07/31. Project Directorate II-2. 17pp. 54930:244-54930:260.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080125 Forwards notice of withdrawal of portion of application for amends to plant OLS,per 900717 ltr.Amends regard composition list of company nuclear review board.
EDISON,G.E. Project Directorate II-2. 90/08/06. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 54917:321-54917:324.

9008080126 Notice of withdrawal of portion of application for amends to licenses re composition of company nuclear review board.
EDISON,G.E. Project Directorate II-2. 90/08/06. 2pp. 54917:323-54917:324.

9008090258 Board Notification 90-007:forwards util 900717 ltr requesting withdrawal of certain changes proposed in 900605 request & replacement of Tech Specs w/revised Tech Specs & GE Edison 900806 ltr granting request w/encl notice.
BERKOW,H.N. Project Directorate II-2. 90/08/07. Atomic Safety and Licensing Board Panel. 3pp. 55059:263-55059:270.

9008140113 Forwards safety evaluation accepting 831108 & 870417 submittals re Generic Ltr 83-28,Item 2.2.1 concerning program for properly classifying safety-related components. Technical evaluation rept also encl.
EDISON,G.E. Project Directorate II-2. 90/08/09. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 54965:045-54965:063.

9008140116 Safety evaluation accepting util 831108 & 870417 responses to Generic Ltr 83-28,Item 2.2.1 re equipment classification program for safety-related components.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 2pp. 54965:047-54965:048.

9009140274 "Conformance to Generic Ltr 83-28,Item 2.2-1 - Equipment Classification for All Other Safety-Related Components, Turkey Point-3/-4," technical evaluation rept.
UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). UDY,A.C. Idaho National Engineering Laboratory. FIN D-6001. EGG-NTA-7411. 89/05/30. NRC - No Detailed Affiliation Given. 15pp. 54965:049-54965:063.

9008270098 Forwards summary & presentation of 900726 meeting in Region II ofc re licensee self-assessment.List of attendees & viewgraphs encl.
EBNETER,S.D. Region 2 (Post 820201). 90/08/14. GOLDBERG,J.H. Florida Power & Light Co. 46pp. 55032:191-55032:236.

Q. Inspection reports, IE Bulletins & correspondence

9007260141 Forwards Insp Repts 50-250/90-19 & 50-251/90-19 on 900618-22.No violations or deviations noted.
PEEBLES,T.A. Region 2 (Post 820201). 90/07/13. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 54733:020-54733:032.

9007260143 Insp Repts 50-250/90-19 & 50-251/90-19 on 900618-22.No violations or deviations noted.Major areas inspected:design control,engineering support functions,commercial grade procurement & licensee action on previous insp findings.
WRIGHT,R., THOMAS,M., JAPE,F. Region 2 (Post 820201). 90/07/12. 10pp. 54733:023-54733:032.

9008080098 Confirms 900612 telcon re licensee self-assessment presentation on 900726 at Region II ofc for current Aug 1989 - Jul 1990 SALP period.
EBNETER,S.D. Region 2 (Post 820201). 90/07/14. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 54903:355-54903:357.

9007270041 Forwards Insp Repts 50-250/90-24 & 50-251/90-24 on 900625-29.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/07/16. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 54734:323-54734:333.

9007270045 Insp Repts 50-250/90-24 & 50-251/90-24 on 900625-29.No violations noted.Major areas inspected:inservice testing,IE bulletin followup & followup on previous insp findings.
SPARKS,S., BELISLE,G.A. Region 2 (Post 820201). 90/07/17. 8pp. 54734:326-54734:333.

9008010211 Forwards Insp Repts 50-250/90-21 & 50-251/90-21 on 900625-29.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 90/07/18. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 54796:327-54796:331.

9008010214 Insp Repts 50-250/90-21 & 50-251/90-21 on 900625-29.No violations or deviations noted.Major areas inspected: security plan & implementing procedures,physical barriers - protected area & vital areas.
TILLMAN,A., THOMPSON,D., MCGUIRE,D.R. Region 2 (Post 820201). 90/07/18. 2pp. 54796:330-54796:331.

9007260171 Forwards Insp Repts 50-250/90-22 & 50-251/90-22 on 900618-22.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/07/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 54732:326-54732:336.

9007260172 Insp Repts 50-250/90-22 & 50-251/90-22 on 900618-22.No violations or deviations noted.Major areas inspected: inservice testing of pressure isolation valves & review of licensee action on previous insp findings.
WHITENER,H.L., BELISLE,G.A. Region 2 (Post 820201). 90/07/19. 8pp. 54732:329-54732:336.

9008080114 Forwards Insp Repts 50-250/90-18 & 50-251/90-18 on 900526-0629 & notice of violation.
REYES,L.A. Region 2 (Post 820201). 90/07/23. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 54907:124-54907:147.

9008080116 Notice of violation from insp on 900526-0629.Violation noted:failure to follow procedures during performance of main turbine valves operability test.
REYES,L.A. Region 2 (Post 820201). 90/07/23. 2pp. 54907:127-54907:128.

9008080117 Insp Repts 50-250/90-18 & 50-251/90-18 on 900526-0629. Violations noted.Major areas inspected:monthly surveillance observations,monthly maint observations,ESF walkdowns, operational safety & plant events.
BUTCHER,R.C., MCELHINNEY,T.F., SCHNEBLI,G.A. Region 2 (Post 820201). 90/07/23. 19pp. 54907:129-54907:147.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008080076 Advises that util responses to NRC Bulletin 88-010 confirms that actions required to address issue of substandard molded case circuit breakers completed.
EDISON,G.E. Project Directorate II-2. 90/07/27. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 54876:259-54876:260.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140500 Responds to violations noted in Insp Repts 50-250/90-18 & 50-251/90-18.Corrective actions:unit stabilized in Mode 3, Operating Surveillance Procedures 3/4-OSP-089 revised & event response team formed.
GOLDBERG,J.H. Florida Power & Light Co. 90/08/10. Document Control Branch (Document Control Desk). 5pp. 54964:081-54964:085.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210121 Forwards monthly operating repts for Jul 1990 for Turkey Point Units 3 & 4 & revise rept for June 1990 for Unit 3.
HARRIS,K.N. Florida Power & Light Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 55003:200-55003:210.

9008210123 Monthly operating repts for July 1990 for Turkey Point Units 3 & 4.
TIERNEY,R.A. Florida Power & Light Co. 90/07/31. 9pp. 55003:201-55003:209.

9008210124 Revised monthly operating rept for June 1990 for Turkey Point Unit 3.
TIERNEY,R.A. Florida Power & Light Co. 90/08/30. 1p. 55003:210-55003:210.

9008200052 Forwards fitness-for-duty program performance data for Jan-June 1990.
BOHLKE,W.H. Florida Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 7pp. 54991:340-54991:346.

S. Reportable occurrences, LERs & related correspondence

9008100090 PNO-II-90-039: on 900723,const worker fell & was injured & subsequently transported by helicopter to local hosp.Extent of injuries unknown.Injury occurred outside protected area at new maint bldg under const.
CRLENJAK,R.V. Region 2 (Post 820201). 90/07/23. 1p. 54934:189-54934:189.

30 DOCKETED ITEMS

G. Adjudicatory correspondence

9008070232 Joint motion of NRC Staff & RL Dickherber for approval of settlement agreement.* Requests that ASLB approve settlement agreement & upon receipt of signed original thereof, enter order & terminate proceeding. W/Certificate of Svc. LEFSTEIN, S.R. Dickherber, R.L. HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10679. 90/07/30. Atomic Safety and Licensing Board Panel. 11pp. 54824:183-54824:193.

9008070155 Forwards until 900604 & 0711 ltrs ref to in proposed settlement agreement forwarded to Board on 900730 re proceeding. W/o encls. HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10683. 90/08/01. BECHHOEFER, C., KLINE, J.R., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 54824:036-54824:036.

9008150192 Memorandum & order (approving settlement agreement & terminating proceedings). * Settlement agreement between RL Dickherber & NRC approved & proceedings terminated per 10CFR2.203.W/Certificate of Svc. Served on 900803. BECHHOEFER, C., KLINE, J.L., LINENBERGER, G. Atomic Safety and Licensing Board Panel. #390 10696. 90/08/01. Office of the General Counsel (Post 860701). 8pp. 54929:031-54929:038.

9008240158 Forwards settlement agreement approved by Board in 900801 memorandum & order (approving settlement agreement & terminating proceedings). Certificate of Svc encl. HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10726. 90/08/13. BECHHOEFER, C., KLINE, J.R., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 3pp. 54995:152-54995:159.

-9008240162 Settlement agreement.* Agreement between NRC, RL Dickherber & util. HOLLER, E. Assistant General Counsel for Hearings & Enforcement. LEFSTEIN, S.R. Dickherber, R.L. TRUBATCH, S.L. Commonwealth Edison Co. 90/08/08. 5pp. 54995:155-54995:159.

I. Financial information

9007300029 Forwards financial info re decommissioning of plants. MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008130082 Responds to Generic Ltr 90-04, "Request for Info on Status of Licensee Implementation of Generic Safety Issue Resolved W/Imposition of Requirements of Corrective Actions." Status of implementation of generic safety issues encl. STOLS, R. Commonwealth Edison Co. 90/07/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 54957:227-54957:235.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130073 Advises that w/completion of operator training program, plant SPDS meets requirements delineated in NUREG-0737, Suppl 1. STOLS, R. Commonwealth Edison Co. 90/08/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54957:182-54957:182.

9008130078 Forwards response to Generic Ltr 90-04, "Request for Info on Status of Licensee Implementation of Generic Safety Issues Resolved W/Imposition of Requirements or Corrective Actions." STOLS, R. Commonwealth Edison Co. 90/08/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54958:088-54958:095.

9008130161 Forwards summary of correspondence, per NRC 900615 request for addl info to support NRC licensing review. STOLS, R. Commonwealth Edison Co. 90/08/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54954:295-54954:296.

Q. Inspection reports, IE Bulletins & correspondence

9008020261 Responds to NRC 900515 ltr re violations noted in Insp Repts 50-254/90-06 & 50-265/90-06. Corrective actions: Work Package Q80781 revised to cut & cap correct line & Work Package Q83354 developed to reweld incorrectly cut RHR line. STOLS, R. Commonwealth Edison Co. 90/06/18. DAVIS, A.B. Region 3 (Post 820201). 8pp. 54826:141-54826:148.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008220151 Forwards Safety Insp Repts 50-254/90-10 & 50-265/90-10 on 900605-0802. Violations noted. Enforcement conference will be held in Region III ofc w/util. RING, M.A. Region 3 (Post 820201). 90/08/15. REED, C. Commonwealth Edison Co. 2pp. 55006:021-55006:028.

-9008220153 Insp Repts 50-254/90-10 & 50-265/90-10 on 900605-0802. Violations noted. Major areas inspected: allegation that 1/2 emergency diesel generator cooling pump could not fulfill cooling of diesel & ECCS room coolers. SMITH, J.F., DANIELSON, D.H. Region 3 (Post 820201). 90/08/14. 6pp. 55006:023-55006:028.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008090136 Monthly operating repts for Jul 1990 for Quad-Cities Nuclear Station Units 1 & 2 W/900801 ltr. HAMILTON, L., ROBEY, R.A. Commonwealth Edison Co. 90/07/31. 22pp. 54921:190-54921:211.

9008100107 Forwards listing of changes, tests & experiments completed during month of Jul 1990 for plant. ROBEY, R.A. Commonwealth Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 13pp. 54943:249-54943:261.

S. Reportable occurrences, LERs & related correspondence

9007310063 LER 90-013-00: on 900626, annunciators on both units & reactor recirculation loop sample valve closed. Caused by actuation of primary containment isolation valve when lightning struck 345 kV line. Valve reopened. W/900724 ltr. BROWN, M., BAX, R.L. Commonwealth Edison Co. 90/07/24. 4pp. 54737:316-54737:319.

9008100044 LER 90-015-00: on 900707, Tech Spec 3.0.A entered. Caused by inoperability of reactor bldg ECCS room drain line check valves. Station drawings updated & procedures enhanced. BARBER, T., BROWN, M., BAX, R.L. Commonwealth Edison Co. 90/08/06. 7pp. 54952:302-54952:308.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815. MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54998:023-54998:102.

9008130073 Advises that w/completion of operator training program, plant SPDS meets requirements delineated in NUREG-0737, Suppl 1. STOLS, R. Commonwealth Edison Co. 90/08/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54957:182-54957:182.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9007300095 Rev & approval summary EI-90-010 to Procedure EI-3, Rev 11, "Communications & Notifications." BRUNET, J.R., HALL, J., KEUAGA, L. Consumers Power Co. 89/10/02. 3pp. 54746:201-54746:203.

9007300096 Attachment 1 to Rev 16 to Emergency Implementation Procedure EI-1, "Activation of Site Emergency Plan/Emergency Classification." W/rev & approval summary sheet.
* Consumers Power Co. 89/11/03. 34pp. 54763:324-54763:357.

9008080147 Rev & approval summary sheet of Rev 13 to Attachment 1 to Emergency Implementation Procedure EI-2.1, "Emergency Actions/Notifications/Responsibilities." BRUNET,J.R. Consumers Power Co. 89/12/04. 2pp. 54919:065-54919:067.

9008020258 Ack receipt of 900702 transmittal of Rev 26 to physical security plan. Estimated start & completion dates for each mod project & compensatory measures requested within 30 days after receipt of ltr.
GREGER,L.R. Region 3 (Post 820201). 90/07/23. JOHNSON,B.D. Consumers Power Co. 2pp. 54820:001-54820:002.

9008020206 Rev 16 to EI-1, "Activation of Site Emergency Plan/Emergency Classification."
* Consumers Power Co. 90/07/27. 34pp. 54826:152-54826:185.

9008080136 Rev 0 to emergency plan, App I, "NUREG-0654 Cross-Reference."
* Consumers Power Co. 90/07/30. 7pp. 54919:290-54919:296.

9008080184 Rev 4 to Emergency Implementation Procedure EI-16.1, "Maint of Emergency Equipment."
* Consumers Power Co. 90/07/31. 7pp. 54919:253-54919:259.

9008080193 Rev & approval summary sheet of Rev 4 to Emergency Implementation Procedure EI-9, "Offsite Radiological Monitoring." BRUNET,J.R. Consumers Power Co. 90/08/02. 2pp. 54919:068-54919:069.

9008080196 Rev & approval summary of Rev 5 to emergency plan Section 6.
BRUNET,J.R. Consumers Power Co. 90/08/02. 2pp. 54919:236-54919:237.

9008080202 Rev 3 to Emergency Implementing Procedure EI-12.1, "Personnel Accountability."
RIDLEY,J. Consumers Power Co. 90/08/02. 2pp. 54919:239-54919:240.

9008080208 Rev & approval summary of Rev 2 to Emergency Implementation Procedure EI-7.6, "Quantitative Analysis of Chloride in Post-Accident Solution."
CHARTRAND,T.A., HILLMAN,C.T. Consumers Power Co. 90/08/02. 2pp. 54919:251-54919:252.

9008080390 Rev & approval summary of Rev 4 to EIP EI-14, "Medical Care/ Treatment of Containment, Injured Personnel."
BRUNET,J.R., KOZUP,C.S., RIDLEY,J. Consumers Power Co. 90/08/02. 2pp. 54919:183-54919:184.

9008140008 Forwards addl info re util request for exemption from separation criteria of 10CFR50, App R, Section III.G.2 re containment air room.
SLADE,G.B. Consumers Power Co. 90/08/08. Document Control Branch (Document Control Desk). 22pp. 54970:244-54970:265.

9008130314 Ack receipt of 900703 ltr addressing isolation zone & closed circuit television coverage of plant security bldg. Util next rev to security plan should address isolation zone & closed circuit television configuration for security bldg.
GREGER,L.R. Region 3 (Post 820201). 90/08/09. JOHNSON,B.D. Consumers Power Co. 1p. 54956:299-54956:299.

9008210146 MRN-EI-90-009 to Rev 16 of Attachment 1 to Procedure EI-1, "ESFs."
* Consumers Power Co. 90/08/14. 7pp. 55000:198-55000:204.

9008240183 Forwards addl info in support of NRC development of SER for full-term OL for plant, including date of SER providing provisional OL to plant & summary of valid exemptions from 10CFR regulations, per telcon.
SLADE,G.B. Consumers Power Co. 90/08/17. Document Control Branch (Document Control Desk). 6pp. 55021:198-55023:027.

I. Financial Information

9008020009 Forwards request for addl info re proposed transfer of ownership of facility to Palisades Generating Co. Response to questions re stockholder financial liability & equity responsibility should be submitted by 900820.
HOLIAN,B. Project Directorate III-1. 90/07/25. BERRY,K.W. Consumers Power Co. 4pp. 54826:257-54826:260.

9008020244 Forwards certification of financial assurance for decommissioning.
JOOS,D.W. Consumers Power Co. 90/07/26. Document Control Branch (Document Control Desk). 200pp. 54823:029-54823:304.

P. Operating license stage documents & correspondence

9006060054 Forwards final response to concerns re PORV/block valve mod, per 900308 meeting. Bechtel technical rept withheld.
SMEDLEY,R.W. Consumers Power Co. 90/05/30. Document Control Branch (Document Control Desk). 125pp. 54976:001-54976:135.

9008020054 Confirms 900717 telcon w/S Cooper requesting response to request for addl info by 900901, per util 871112 & 880125 ltrs requesting authorization under provisions of 10CFR20.302 to dispose of contaminated soil in place.
HOLIAN,B.E. Project Directorate III-1. 90/07/25. BERRY,K.W. Consumers Power Co. 3pp. 54840:349-54840:351.

9008090003 Summary of 900710 meeting w/util re steam generator replacement project narrow gap welding. Attendees listed.
HOLIAN,B.E. Project Directorate III-1. 90/07/25. ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 891001). 61pp. 54922:153-54922:212.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008210191 Requests that Bechtel-KWU Rept 128901/MJS, "Full Flow Testing of Motor-Operated Valve MO-1042A," be withheld (ref 10CFR2.790(b)(1)).
SLADE,G.B. Consumers Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55000:098-55000:100.

9008220184 Confirms 900828 meeting w/util at plant to discuss Bechtel & Westinghouse participation in facility steam generator replacement project, engineering self-assessment, diesel generators as ECCS equipment & operational initiatives.
GREENMAN,E.G. Region 3 (Post 820201). 90/08/14. HOFFMAN,D.P. Consumers Power Co. 1p. 55015:151-55015:151.

9008220203 Provides addl info re transfer of plant ownership to Palisades Generating Co, per NRC 900725 ltr.
HOFFMAN,D.P. Consumers Power Co. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55001:036-55001:038.

9008240183 Forwards addl info in support of NRC development of SER for full-term OL for plant, including date of SER providing provisional OL to plant & summary of valid exemptions from 10CFR regulations, per telcon.
SLADE,G.B. Consumers Power Co. 90/08/17. Document Control Branch (Document Control Desk). 6pp. 55021:198-55023:027.

9008240186 Forwards interim provisional License DPR-20, authorizing fuel loading & operation of plant at steady state power levels not in excess of 1 MWLFR notice & Amend 1 to Indemnity Agreement B-40 also encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/03/24. YOUNGDAHL,R.C. Consumers Power Co. 2pp. 55021:204-55021:205.

9008240189 Interim provisional License DPR-20 for facility.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/03/24. 3pp. 55021:206-55021:208.

9008240191 Notice of issuance of interim provisional License DPR-20, authorizing fuel loading & low power testing of plant at power levels up to 1 MWL.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/03/24. 6pp. 55021:209-55022:340.

9008240191 "Evaluation of Spent Fuel Racks Structural Analysis, CPC, Palisades Plant," technical evaluation rept.
OKAILY,S.A. Calspan Corp. (subs. Arvin Industries/Franklin Research Center). NRC-03-81-130. TER-C5506-650. 87/01/12. NRC - No Detailed Affiliation Given. 48pp. 55022:341-55023:027.

Q. Inspection reports, IE Bulletins & correspondence

9008020030 Forwards Insp Rept 50-255/90-13 on 900513-31. No violations or deviations noted.
NORELIUS,C.E. Region 3 (Post 820201). 90/07/20. HOFFMAN,D.P. Consumers Power Co. 5pp. 54807:252-54807:303.

9008020032 Insp Rept 50-255/90-13 on 900513-31. No violations or deviations noted. Major areas inspected: ALARA program.
GILL,C.F., PAUL,R.A., KUNOWSKI,M.A. Region 3 (Post 820201). 90/07/12. 47pp. 54807:257-54807:303.

9008010120 Responds to commitment oversight issue resulting from Insp Rept 50-255/90-08. Commitment mgt seminar training will be complete prior to 901001.
BERRY,K.W. Consumers Power Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54788:329-54788:329.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008130305 Forwards Safety Insp Rept 50-255/90-03 on 900122-0720. No violations noted.
RING,M.A. Region 3 (Post 820201). 90/08/09. HOFFMAN,D.P. Consumers Power Co. 2pp. 54956:238-54956:250.

9008130306 Insp Rept 50-255/90-03 on 900122-0720. No violations or deviations noted. Major areas inspected: structural analyses re containment const, evaluation of rigging loads & review of narrow gap welding process.
LIU,W.C., JACOBSON,J.M., DANIELSON,D.H. Region 3 (Post 820201). 90/08/09. 11pp. 54956:240-54956:250.

9008130318 Requests response to Allegation RIII-90-A-0062 re complaint from former employee on dismissal due to expressing safety concerns. Due to possible violation, listed info requested, including basis for employment action.
DAVIS,A.B. Region 3 (Post 820201). 90/08/09. HOFFMAN,D.P. Consumers Power Co. 5pp. 54951:303-54951:307.

9008160174 Forwards Safety Insp Rept 50-255/90-15 on 900601-0716. No violations noted.
CLAYTON,B. Region 3 (Post 820201). 90/08/09. HOFFMAN,D.P. Consumers Power Co. 4pp. 54979:001-54979:024.

32 DOCKETED ITEMS

-9008160175 Insp Rept 50-255/90-15 on 900601-0716. One licensee identified violation, two unresolved items, three open items & no deviations noted. Major areas inspected: plant operations, reactor trips, maint & surveillance.
BURGESS, B.L. Region 3 (Post 820201). 90/08/09. 19pp. 54979:005-54979:024.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008160033 Notification of 900830 meeting w/util in Rockville, MD re util presentation on resolution of NRC Bulletin 79-14 issues.
HOLIAN, B. Project Directorate III-1. 90/08/14. PIERSON, R.C. Project Directorate III-1. 2pp. 54989:165-54989:166.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270128 Forwards replacement pages to "Palisades Second 10-Yr Interval Inservice Insp Program."
SLADE, G.B. Consumers Power Co. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55035:261-55035:266.

-9008270129 Replacement pages to "Palisades Second 10-Yr Interval Inservice Insp Program."
* Consumers Power Co. 90/08/14. 4pp. 55035:262-55035:266.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140036 Monthly operating rept for Jul 1990 for Palisades Nuclear Power Plant. W/ 900806 ltr.
MLYNAREK, M.G., GORALSKI, G. Consumers Power Co. 90/07/31. 4pp. 54971:157-54971:160.

S. Reportable occurrences, LERs & related correspondence

9008080141 LER 90-012-00: on 900705, svc water to control room HVAC found to be inadequate to support control room HVAC design temp due to incorrect heat load assumption. Caused by personnel error. Svc water flow rates rebalanced. W/900806 ltr.
KOZUP, C.S., SLADE, G.B. Consumers Power Co. 90/08/06. 4pp. 54904:253-54904:256.

V. Operator Examinations

9008010056 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. HOFFMAN, D.P. Consumers Power Co. 2pp. 54805:279-54805:280.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encls.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007310090 Considers 900425 request for approval to eliminate site local recovery ctrs withdrawn. Review terminated.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:251-54796:253.

9008200137 Forwards Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:257-54993:271.

-9008200139 Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted. Major areas inspected: radiological effluents, radiological environ monitoring & meteorological instrumentation.
MARSTON, R.R. Region 2 (Post 820201). 90/08/02. 11pp. 54993:261-54993:271.

9008090049 Application for amends to Licenses DPR-33, DPR-52 & DPR-68, consisting of Tech Spec Change 292. Amends revise surveillance requirements for flow & head for electric & diesel-driven fire pumps based on calculation of demand.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54921:313-54921:337.

-9008090050 Proposed Tech Specs re surveillance requirements for fire pumps & water distribution mains.
* Tennessee Valley Authority. 90/08/07. 22pp. 54921:316-54921:337.

9008090059 Rev 5 to EPIP-17, "Emergency Equipment & Supplies." W/900807 ltr.
CARRIER, P.P. Tennessee Valley Authority. 90/08/07. 23pp. 54942:234-54942:256.

9008210148 Ack receipt of 900705 & 0802 ltrs, transmitting objectives & scenario package, respectively, for exercise scheduled for wk of 900917.
WILSON, B.A. Region 2 (Post 820201). 90/08/13. Tennessee Valley Authority. 3pp. 55000:079-55000:081.

9008200026 Advises that rev to physical security/contingency plan submitted to NRC on 900514. Unit 3 restart action plan being refined & will be presented in Tech Spec amend after NRC review.
WALLACE, E.G. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54991:338-54991:339.

I. Financial Information

9007270157 Provides util statement of intent to have adequate funds available for de-commissioning activities.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 6pp. 54734:087-54734:092.

P. Operating license stage documents & correspondence

9008240134 Advises that 900412 ltr re plant power ascension testing program review acceptable w/listed changes agreed upon.
WILSON, B.A. Region 2 (Post 820201). 90/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55028:224-55028:227.

9008060185 Notification of contract execution, Mod 1 to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities."
Contractor: Sonalysts, Inc.
HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/07/23. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54864:087-54864:089.

-9008060190 Ltr contract, Mod 1, increasing authorized work hours by 16 PSH & task order ceiling & obligated amounts, to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities."
HAGAN, T.F. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/07/20. PETERSEN, L.R. Sonalysts, Inc. 2pp. 54864:088-54864:089.

9007300115 Notification of 900801 meeting w/util in Rockville, MD to discuss TVA approach in analyzing potential impact of toxic chemical barge traffic upon control room habitability.
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/26. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 54746:054-54746:056.

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/differing views expressed by employees in licensee nuclear power program.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

-9007310072 Forwards review of util current practices & procedures for dealing w/differing views expressed by employees in licensee Nuclear Power Program.
RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M., ROGERS, K.C., CURTISS, J.R. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020133 Forwards Rev 1 to TVA welding project final rept, initially submitted on 890825, reflecting rev of existing specs.
WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008080012 Forwards safety evaluation re util assessment of mgt problems & corrective actions described in facility nuclear performance plan, Vol 3, Rev 2. Corrective actions implemented by util consistent w/commitments made by subj plan.
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 54907:090-54907:123.

-9008080017 Safety evaluation accepting util assessment of mgt problems at plant & corrective actions described in nuclear performance plan, Vol 3, Rev 2.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 29pp. 54907:095-54907:123.

9008080036 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090110 Application for amends to Licenses DPR-33, DPR-52 & DPR-68, revising Table 3.2.A, Note 1.d of Tech Specs to allow operators 1 h to isolate shutdown cooling under certain circumstances.
WALLACE, E.G. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54942:195-54942:219.

—9008090115 Proposed Tech Specs re Table 3.2.A, Note 1.D allowing operators 1 h to isolate shutdown cooling under certain circumstances.
* Tennessee Valley Authority. 90/08/06. 22pp. 54942:198-54942:219.

9008090049 Application for amendments to Licenses DPR-33, DPR-52 & DPR-68, consisting of Tech Spec Change 292. Amends revise surveillance requirements for flow & head for electric & diesel-driven fire pumps based on calculation of demand.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54921:313-54921:337.

—9008090050 Proposed Tech Specs re surveillance requirements for fire pumps & water distribution mains.
* Tennessee Valley Authority. 90/08/07. 22pp. 54921:316-54921:337.

9008100135 Summary of 900727 meeting w/util on site re plant tour. Restart status & condition of Unit 2 primary focus of site tour. List of attendees encl.
ROSS, T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/08. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 31pp. 54951:198-54951:228.

9008150108 Requests provision of listed info prior to restart of Units 1 & 3. Performance of PRA for Unit 2 in manner that takes into account dependencies to equipment located in other two units also requested.
ROSS, T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54978:141-54978:144.

9008150266 Provides info that clarifies organizational Topical Rept TVA-NP089, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues.
CORTLAND, P. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 10pp. 54981:347-54981:355.

9008200110 Forwards safety evaluation accepting process for conducting DCRDR for plant. Requests that util address remaining open items & provide formal response no later than 90 days after restart of Unit 2.
ROSS, T. Division of Reactor Projects - I/II (Post 870411). 90/08/15. KINGSLEY, O.D. Tennessee Valley Authority. 9pp. 54995:306-54995:315.

9008230084 Responds to verbal commitment made during 900801 meeting w/NRC re control room habitability. Calculations performed to support util 900531 submittal listed in Encls 1 & 2.
WALLACE, E.G. Tennessee Valley Authority. 90/08/16. Document Control Branch (Document Control Desk). 3pp. 55014:052-55014:152.

—9008230085 "Control Room Habitability Following Potential Barge Shipment Accident of Hazardous Chemicals."
ROSSI, B. Tennessee Valley Authority. MD-Q0000-900046 R00. 90/08/13. 12pp. 55014:055-55014:066.

—9008230086 "Toxic Barge Study."
LIN, T.J. Bechtel Group, Inc. M-2 R00. 90/05/23. 70pp. 55014:067-55014:138.

—9008230087 Rev 0 to "Frequency of Chlorine Concentration in Control Room in Excess of Toxicity Limit Due to Barge Accident."
HAYES, F.K. Tennessee Valley Authority. XD-Q0000-900003 R00. 90/05/29. 14pp. 55014:139-55014:152.

9008230030 Forwards safety evaluation & Technical Evaluation Rept EGG-NTA 8341 considering actions per Generic Ltr 83-28, Item 4.5.3 re reactor trip sys reliability for domestic operating reactors.
ROSS, T. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55018:148-55018:167.

9008240091 Provides revised response to Generic Ltr 89-19 re request for action concerning resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants" & notification of commitment completion.
WALLACE, E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55030:029-55030:031.

9008280186 Forwards summary of 900710-11 meetings w/util re primary containment isolation at plant & requests that util formally respond within 30 days to NRC recommendations during exit meeting.
ROSS, T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 55042:050-55042:098.

—9008280187 Summary of 900710-11 meetings w/util at plant site re proposed Tech Spec change concerning Table 3.7-A, "Primary Containment Isolation Valves" & containment isolation arrangements at plant. List of attendees & TVA handouts encl.
MORAN, D.H. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 47pp. 55042:052-55042:098.

9008300089 Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response.
HEBDON, F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/24. ZIGROSSI, N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.

Q. Inspection reports, IE Bulletins & correspondence

9008240219 Lists prerequisites that should be completed prior to plant operational readiness assessment team insp scheduled for wks of 901022 & 1105.
WILSON, B.A. Region 2 (Post 820201). 90/08/29. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55030:066-55030:069.

9008080121 Forwards Initial Exam Rept 50-259/OL-90-02 on 900625-29 for Units 1, 2 & 3.
WILSON, B.A. Region 2 (Post 820201). 90/07/24. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54916:203-54917:161.

—9008080123 Exam Rept 50-259/OL-90-02 on 900625-09. Exam results: all applicants passed exam.
HOPPER, G.T. Region 2 (Post 820201). 90/07/23. 250pp. 54916:207-54917:161.

9008080254 Ack receipt of 900713 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/90-14, 50-260/90-14 & 50-296/90-14. Implementation of corrective actions will be examined during future insps.
WILSON, B.A. Region 2 (Post 820201). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54914:348-54914:350.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008080322 Advises of closure of NRC Bulletin 90-002, "Loss of Thermal Margin Caused by Channel Box Bow," per util 900424 ltr.
ROSS, T. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54931:142-54931:143.

9008200137 Forwards Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:257-54993:271.

—9008200139 Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted. Major areas inspected: radiological effluents, radiological environ monitoring & meteorological instrumentation.
MARSTON, R.R. Region 2 (Post 820201). 90/08/02. 11pp. 54993:261-54993:271.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140203 Forwards response to SALP Repts 50-259/90-07, 50-260/90-07 & 50-296/90-07 for Jul 1989 - Mar 1990.
KINGSLEY, O.D. Tennessee Valley Authority. 90/08/08. Document Control Branch (Document Control Desk). 34pp. 54955:004-54955:037.

9008160213 Responds to NRC 900713 ltr re violations & deviations noted in Insp Repts 50-259/90-18, 50-260/90-18 & 50-296/90-18. Corrective actions: craft foreman suspended for three days & relieved of duties as foreman.
MEDFORD, M.O. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 7pp. 54972:321-54972:327.

9008210099 Forwards Insp Repts 50-259/90-20, 50-260/90-20 & 50-296/90-20 on 900625-29 & 0709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 55003:067-55003:110.

—9008210116 Insp Repts 50-259/90-20, 50-260/90-20 & 50-296/90-20 on 900625-29 & 0709-13. No violations or deviations noted. Major areas inspected: corrective action program implementation & quality verification activities.
JAPE, F., PEEBLES, T. Region 2 (Post 820201). 90/08/13. 39pp. 55003:072-55003:110.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008150281 Submits revised response to violations noted in Insp Repts 50-259/89-16, 50-260/89-16 & 50-296/89-16. Extends completion dates for commitments to 901203.
MEDFORD, M.O. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 54971:283-54971:285.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230090 Provides response to NRC Bulletin 88-008, Suppl 3 re thermal stresses in piping connected to RCS. Util does not anticipate thermal cyclic fatigue induced piping, per Suppl 3 to occur in plant. Ltr contains no commitment.
WALLACE, E.G. Tennessee Valley Authority. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55016:146-55016:148.

9008240081 Forwards Insp Repts 50-259/90-23, 50-260/90-23 & 50-296/90-23 on 900619-0720. Violations noted but not cited.
WILSON, B.A. Region 2 (Post 820201). 90/08/16. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55029:335-55029:360.

—9008240085 Insp Repts 50-259/90-23, 50-260/90-23 & 50-296/90-23 on 900619-0720. Major areas inspected: surveillance observation, mods, calculations, ROs & TMI action items. Failure to follow procedure for interim order procedure changes noted.
CARPENTER, D.R., PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 90/08/15. 22pp. 55029:338-55029:360.

34 DOCKETED ITEMS

9008240084 Advises that IE Bulletin 80-11 re masonry wall design implemented at facilities. Design finalized, mods completed, procedures issued & necessary training completed. SIMS data base should be updated to show item being implemented. WALLACE, E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55029:314-55029:315.

9008240083 Suppl response to violations noted in Insp Repts 50-259/90-14, 50-260/90-14 & 50-296/90-14. Corrective actions: TVA developed corporate level std. STD-10.1.15 re independent verification. MEDFORD, M.O. Tennessee Valley Authority. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55029:055-55029:057.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220082 Monthly operating repts for Jul 1990 for Browns Ferry Units 1,2 & 3.W/ 900815 ltr. RATLIFF, S.A., CARRIER, P.P. Tennessee Valley Authority. 90/07/31. 12pp. 55002:001-55002:012.

S. Reportable occurrences, LERs & related correspondence

9008210073 LER 90-011-00 on 900720, deenergization of reactor protection sys bus 1B occurred. Caused by inadequate design of circuit protector setpoint. Setpoints adjusted to upper end of allowable band & design changes implemented. W/900815 ltr. RIDGELL, E.M., BYNUM, J.R. Tennessee Valley Authority. 90/08/15. 6pp. 54988:334-54988:339.

V. Operator Examinations

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA. MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN B-87170. 90/07/19. SPESSARD, R.L. Division of Operational Assessment (Post 870413). MILLER, L. NRC - No Detailed Affiliation Given. 1p. 55006:342-55006:343.

-9008220134 Mod 20, revising contract to purchase addl training aids, to "Use to TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." LAYMON, J.S. Tennessee Valley Authority. BELL, S. Contract Administration Branch (890205-900602). FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008080121 Forwards Initial Exam Rept 50-259/OL-90-02 on 900625-29 for Units 1,2 & 3. WILSON, B.A. Region 2 (Post 820201). 90/07/24. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54916:203-54917:161.

-9008080123 Exam Rept 50-259/OL-90-02 on 900625-09. Exam results: all applicants passed exam. HOPPER, G.T., CASTO, C.A. Region 2 (Post 820201). 90/07/23. 250pp. 54916:207-54917:161.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9007310090 Considers 900425 request for approval to eliminate site local recovery ctrs withdrawn. Review terminated. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:251-54796:253.

9008200137 Forwards Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted. WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:257-54993:271.

-9008200139 Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted. Major areas inspected: radiological effluents, radiological environ monitoring & meteorological instrumentation. MARSTON, R.R. Region 2 (Post 820201). 90/08/02. 11pp. 54993:261-54993:271.

9008090049 Application for amends to Licenses DPR-33, DPR-52 & DPR-68, consisting of Tech Spec Change 292. Amends revise surveillance requirements for flow & head for electric & diesel-driven fire pumps based on calculation of demand. WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54921:313-54921:337.

-9008090050 Proposed Tech Specs re surveillance requirements for fire pumps & water distribution mains. Tennessee Valley Authority. 90/08/07. 22pp. 54921:316-54921:337.

9008090059 Rev 5 to EPIP-17, "Emergency Equipment & Supplies." W/900807 ltr. CARRIER, P.P. Tennessee Valley Authority. 90/08/07. 23pp. 54942:234-54942:256.

9008210148 Ack receipt of 900705 & 0802 ltrs. transmitting objectives & scenario packages, respectively, for exercise scheduled for wk of 900917. WILSON, B.A. Region 2 (Post 820201). 90/08/13. Tennessee Valley Authority. 3pp. 55000:079-55000:081.

9008200026 Advises that rev to physical security/contingency plan submitted to NRC on 900514. Unit 3 restart action plan being refined & will be presented in Tech Spec amend after NRC review. WALLACE, E.G. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54991:338-54991:339.

I. Financial Information

9007270157 Provides util statement of intent to have adequate funds available for decommissioning activities. KINGSLEY, O.D. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 6pp. 54734:087-54734:092.

P. Operating license stage documents & correspondence

9008240134 Advises that 900412 ltr re plant power ascension testing program review acceptable w/ listed changes agreed upon. WILSON, B.A. Region 2 (Post 820201). 90/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55028:224-55028:227.

9008060185 Notification of contract execution, Mod 1 to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities." Contractor: Sonalysts, Inc. HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/07/23. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54864:087-54864:089.

-9008060190 Ltr contract, Mod 1, increasing authorized work hours by 16 PSH & task order ceiling & obligated amounts, to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities." HAGAN, T.F. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/07/20. PETERSEN, L.R. Sonalysts, Inc. 2pp. 54864:088-54864:089.

9007300115 Notification of 900801 meeting w/ util in Rockville, MD to discuss TVA approach in analyzing potential impact of toxic chemical barge traffic upon control room habitability. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/26. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 54746:054-54746:056.

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/ differing views expressed by employees in licensee nuclear power program. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

-9007310072 Forwards review of util current practices & procedures for dealing w/ differing views expressed by employees in licensee Nuclear Power Program. RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M., ROGERS, K.C., CURTISS, J.R. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020133 Forwards Rev 1 to TVA welding project final rept, initially submitted on 890825, reflecting rev of existing specs. WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008080012 Forwards safety evaluation re util assessment of mgt problems & corrective actions described in facility nuclear performance plan, Vol 3, Rev 2. Corrective actions implemented by util consistent w/ commitments made by subj plan. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 54907:090-54907:123.

-9008080017 Safety evaluation accepting util assessment of mgt problems at plant & corrective actions described in nuclear performance plan, Vol 3, Rev 2. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 29pp. 54907:095-54907:123.

9008080279 Forwards corrected page to 900731 executive summary & safety evaluation for facility. W/o encl. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54931:144-54931:145.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9008080320 Summary of 900716 meeting w/ util re development of dependency matrix for emergency diesel generators. List of attendees encl. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 4pp. 54931:086-54931:089.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080345 Forwards listing of outstanding util submittals required to support resolution of remaining licensing actions necessary for restart of Unit 2.
ROSS,T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54931:116-54931:119.

9008090103 Application for amend to License DPR-52, revising Level 1 low reactor pressure vessel water level.
WALLACE,E.G. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 2pp. 54942:165-54942:194.

9008090106 Proposed Tech Specs revising Level 1 low reactor pressure vessel water level.
* Tennessee Valley Authority. 90/08/06. 28pp. 54942:167-54942:194.

9008090110 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, revising Table 3.2.A, Note 1.d of Tech Specs to allow operators 1 h to isolate shutdown cooling under certain circumstances.
WALLACE,E.G. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54942:195-54942:219.

9008090115 Proposed Tech Specs re Table 3.2.A, Note 1.D allowing operators 1 h to isolate shutdown cooling under certain circumstances.
* Tennessee Valley Authority. 90/08/06. 22pp. 54942:198-54942:219.

9008090049 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, consisting of Tech Spec Change 292. Amends revise surveillance requirements for flow & head for electric & diesel-driven fire pumps based on calculation of demand.
WALLACE,E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54921:313-54921:337.

9008090050 Proposed Tech Specs re surveillance requirements for fire pumps & water distribution mains.
* Tennessee Valley Authority. 90/08/07. 22pp. 54921:316-54921:337.

9008100135 Summary of 900727 meeting w/util on site re plant tour. Restart status & condition of Unit 2 primary focus of site tour. List of attendees encl.
ROSS,T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/08. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 31pp. 54951:198-54951:228.

9008150257 Responds to NRC 900710 ltr re power ascension testing program. Four hold points selected by NRC added to Unit 2 restart schedule.
CARRIER,P. Tennessee Valley Authority. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54966:106-54966:107.

9008150108 Requests provision of listed info prior to restart of Units 1 & 3. Performance of PRA for Unit 2 in manner that takes into account dependencies to equipment located in other two units also requested.
ROSS,T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/13. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54978:141-54978:144.

9008150286 Provides info that clarifies organizational Topical Rept TVA-NP089, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE,E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues.
CORTLAND,P. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/15. HEBDON,F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 10pp. 54981:347-54981:355.

9008200110 Forwards safety evaluation accepting process for conducting DCRRD for plant. Requests that util address remaining open items & provide formal response no later than 90 days after restart of Unit 2.
ROSS,T. Division of Reactor Projects - I/II (Post 870411). 90/08/15. KINGSLEY,O.D. Tennessee Valley Authority. 9pp. 54995:306-54995:315.

9008230084 Responds to verbal commitment made during 900801 meeting w/NRC re control room habitability. Calculations performed to support util 900531 submittal listed in Encls 1 & 2.
WALLACE,E.G. Tennessee Valley Authority. 90/08/16. Document Control Branch (Document Control Desk). 3pp. 55014:052-55014:152.

9008230085 "Control Room Habitability Following Potential Barge Shipment Accident of Hazardous Chemicals."
ROSSI,B. Tennessee Valley Authority. MD-Q0000-900046 R00. 90/08/13. 12pp. 55014:055-55014:066.

9008230086 "Toxic Barge Study."
LIN,T.J. Bechtel Group, Inc. M-2 R00. 90/05/23. 70pp. 55014:067-55014:138.

9008230087 Rev 0 to "Frequency of Chlorine Concentration in Control Room in Excess of Toxicity Limit Due to Barge Accident."
HAYES,F.K. Tennessee Valley Authority. XD-Q0000-900003 R00. 90/05/29. 14pp. 55014:139-55014:152.

9008220138 Forwards request for addl info re util 900524 & 0713 applications for amend to License DPR-52.
ROSS,T. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 55006:010-55006:014.

9008230030 Forwards safety evaluation & Technical Evaluation Rept EGG-NTA 8341 considering actions per Generic Ltr 83-28, Item 4.5.3 re reactor trip sys reliability for domestic operating reactors.
ROSS,T. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55018:148-55018:167.

9008240091 Provides revised response to Generic Ltr 89-19 re request for action concerning resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants" & notification of commitment completion.
WALLACE,E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55030:029-55030:031.

9008280186 Forwards summary of 900710-11 meetings w/util re primary containment isolation at plant & requests that util formally respond within 30 days to NRC recommendations during exit meeting.
ROSS,T.M. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 55042:050-55042:098.

9008280187 Summary of 900710-11 meetings w/util at plant site re proposed Tech Spec change concerning Table 3.7-A, "Primary Containment Isolation Valves" & containment isolation arrangements at plant. List of attendees & TVA handouts encl.
MORAN,D.H. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 47pp. 55042:052-55042:098.

Q. Inspection reports, IE Bulletins & correspondence

9008240219 Lists prerequisites that should be completed prior to plant operational readiness assessment team insp scheduled for wks of 901022 & 1105.
WILSON,B.A. Region 2 (Post 820201). 90/06/29. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 55030:066-55030:069.

9008080121 Forwards Initial Exam Rept 50-259/OL-90-02 on 900625-29 for Units 1,2 & 3.
WILSON,B.A. Region 2 (Post 820201). 90/07/24. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54916:203-54917:161.

9008080123 Exam Rept 50-259/OL-90-02 on 900625-09. Exam results: all applicants passed exam.
HOPPER,G.T. Region 2 (Post 820201). 90/07/23. 250pp. 54916:207-54917:161.

9008080254 Ack receipt of 900713 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/90-14, 50-260/90-14 & 50-296/90-14. Implementation of corrective actions will be examined during future insps.
WILSON,B.A. Region 2 (Post 820201). 90/07/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 54914:348-54914:350.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008080322 Advises of closure of NRC Bulletin 90-002, "Loss of Thermal Margin Caused by Channel Box Bow," per util 900424 ltr.
ROSS,T. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/02. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 54931:142-54931:143.

9008200137 Forwards Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted.
WILSON,B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54993:257-54993:271.

9008200139 Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted. Major areas inspected: radiological effluents, radiological environ monitoring & meteorological instrumentation.
MARSTON,R.R. Region 2 (Post 820201). 90/08/02. 11pp. 54993:261-54993:271.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140203 Forwards response to SALP Repts 50-259/90-07, 50-260/90-07 & 50-296/90-07 for Jul 1989 - Mar 1990.
KINGSLEY,O.D. Tennessee Valley Authority. 90/08/08. Document Control Branch (Document Control Desk). 34pp. 54955:004-54955:037.

9008140177 Forwards Insp Rept 50-260/90-13 on 900423-27. Unresolved items noted re cable bend radius & vertical support.
VARGA,S. Division of Reactor Projects - I/II (Post 870411). 90/08/10. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 54962:024-54962:034.

9008140178 Insp Rept 50-260/90-13 on 900423-27. No violations noted. Major areas inspected: review of TVA responses to open items identified, review of analysis & plant walkdowns to verify resolutions of cable installation issues.
MARINOIS,E.C. GARG,H.C. Office of Nuclear Reactor Regulation, Director (Post 870411). NEWBERRY,S. Instrumentation & Control Systems Branch. 90/07/25. 9pp. 54962:026-54962:034.

9008160213 Responds to NRC 900713 ltr re violations & deviations noted in Insp Repts 50-259/90-18, 50-260/90-18 & 50-296/90-18. Corrective actions: craft foreman suspended for three days & relieved of duties as foreman.
MEDFORD,M.O. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 7pp. 54972:321-54972:327.

9008210099 Forwards Insp Repts 50-259/90-20, 50-260/90-20 & 50-296/90-20 on 900625-29 & 0709-13. No violations or deviations noted.
WILSON,B.A. Region 2 (Post 820201). 90/08/13. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 55003:067-55003:110.

36 DOCKETED ITEMS

—9008210116 Insp Repts 50-259/90-20, 50-260/90-20 & 50-296/90-20 on 900625-29 & 0709-13. No violations or deviations noted. Major areas inspected: corrective action program implementation & quality verification activities.
JAFE, F., PEEBLES, T. Region 2 (Post 820201). 90/08/13. 39pp. 55003:072-55003:110.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008150281 Submits revised response to violations noted in Insp Repts 50-259/89-16, 50-260/89-16 & 50-296/89-16. Extends completion dates for commitments to 901203.
MEDFORD, M.O. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 54971:283-54971:285.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230090 Provides response to NRC Bulletin 88-008, Suppl 3 re thermal stresses in piping connected to RCS. Util does not anticipate thermal cyclic fatigue induced piping, per Suppl 3 to occur in plant. Ltr contains no commitment.
WALLACE, E.G. Tennessee Valley Authority. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55016:146-55016:149.

9008240081 Forwards Insp Repts 50-259/90-23, 50-260/90-23 & 50-296/90-23 on 900619-0720. Violations noted but not cited.
WILSON, B.A. Region 2 (Post 820201). 90/08/16. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55029:335-55029:360.

—9008240085 Insp Repts 50-259/90-23, 50-260/90-23 & 50-296/90-23 on 900619-0720. Major areas inspected: surveillance observation, mods, calculations, ROs & TMI action items. Failure to follow procedure for interim order procedure changes noted.
CARPENTER, D.R., PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 90/08/15. 22pp. 55029:338-55029:360.

9008240084 Advises that IE Bulletin 80-11 re masonry wall design implemented at facilities. Design finalized, mods completed, procedures issued & necessary training completed. SIMS data base should be updated to show item being implemented.
WALLACE, E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55029:314-55029:315.

9008240079 Responds to 900807 telcon re rev to commitment due date per Insp Rept 50-260/89-59 re electrical issues program.
MEDFORD, M.O. Tennessee Valley Authority. 90/08/20. Document Control Branch (Document Control Desk). 2pp. 55026:262-55026:263.

9008240083 Suppls response to violations noted in Insp Repts 50-259/90-14, 50-260/90-14 & 50-296/90-14. Corrective actions: TVA developed corporate level std, STD-10.1.15 re independent verification.
MEDFORD, M.O. Tennessee Valley Authority. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55029:055-55029:057.

9008280284 Forwards SER re util responses to Open Item CSG-9 documented in Insp Rept 50-260/89-42 re HVAC ductworks & supports for plant. New amplified spectra impact evaluation meets restart requirements for unit.
ROSSI, T. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55045:257-55045:262.

—9008280294 SER accepting Class I ductwork & supports inside chimney, per unit restart requirements.
* Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/22. 3pp. 55045:260-55045:262.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:404.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220082 Monthly operating repts for Jul 1990 for Browns Ferry Units 1, 2 & 3/W/ 900815 ltr.
RATLIFF, S.A., CARRIER, P.P. Tennessee Valley Authority. 90/07/31. 12pp. 55002:001-55002:012.

V. Operator Examinations

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA.
MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN B-87170. 90/07/19. SPESARD, R.L. Division of Operational Assessment (Post 870413). MILLER, L. NRC - No Detailed Affiliation Given. 1p. 55006:342-55006:343.

—9008220134 Mod 20, revising contract to purchase addl training aids, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators."
LAYMON, J.S. Tennessee Valley Authority. BELL, S. Contract Administration Branch (890205-900602). FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008080121 Forwards Initial Exam Rept 50-259/OL-90-02 on 900625-29 for Units 1, 2 & 3.
WILSON, B.A. Region 2 (Post 820201). 90/07/24. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54916:203-54917:161.

—9008080123 Exam Rept 50-259/OL-90-02 on 900625-09. Exam results: all applicants passed exam.
HOPPER, G.T., CASTO, C.A. Region 2 (Post 820201). 90/07/23. 250pp. 54916:207-54917:161.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080039 Confirms 900806 mgt meeting w/util in Atlanta, GA to discuss emergency preparedness issues.
REYES, L.A. Region 2 (Post 820201). 90/07/27. EURY, L.W. Carolina Power & Light Co. 3pp. 54905:265-54905:267.

9008200098 Forwards Insp Rept 50-261/90-13 on 900617-21 & notice of violation. Attention directed to commitment for prompt corrective action, drill to demonstrate effectiveness of corrective action & mgt meeting.
STOHR, J.P. Region 2 (Post 820201). 90/07/27. EURY, L.W. Carolina Power & Light Co. 3pp. 54991:251-54991:271.

—9008200100 Notice of violation from insp on 900617-21. Violation noted: commitments for activation of operational support ctr & technical support ctr not acceptably demonstrated.
STOHR, J.P. Region 2 (Post 820201). 90/07/27. 2pp. 54991:254-54991:255.

—9008200101 Insp Rept 50-261/90-13 on 900617-21. Violation noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise & emergency organization activation & response in technical & operational support ctr.
SARTOR, W.M., RANKIN, W.H. Region 2 (Post 820201). 90/07/27. 16pp. 54991:256-54991:271.

9008200102 Notification of 900806 mgt meeting w/util in Atlanta, GA to discuss facility corporate emergency preparedness issues.
VERRELLI, D.M. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54996:127-54996:128.

9008060089 Requests mod to 841025 exemption from 10CFR50, App R re component cooling water (CCW) pump room, per 840425 ltr. Exemption revises combustible loading value identified for CCW room resulting from need to install addl cable areas.
CUTTER, A.B. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 13pp. 54882:087-54882:099.

9008210091 Forwards Insp Rept 50-261/90-15 on 900710-13. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/08/06. EURY, L.W. Carolina Power & Light Co. 3pp. 55004:041-55004:050.

—9008210094 Insp Rept 50-261/90-15 on 900710-13. No violations or deviations noted. Major areas inspected: inspector follow up items & violations re electrical & fire protection sys & licensee fire protection program.
WISEMAN, G.R., HUNT, M. Region 2 (Post 820201). 90/08/02. 7pp. 55004:044-55004:050.

9008230097 Provides addl info re util 900730 request for exemption from 10CFR50, App R re component cooling water pump room. Util believes that no significant nonradiological environ impacts associated w/proposed exemption exist.
CUTTER, A.B. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 2pp. 55016:084-55016:085.

9008270177 Responds to violations noted in Insp Rept 50-261/90-13. Corrective actions: qualified personnel for emergency response organization positions designated & plant procedure revised to provide new method for calling personnel.
DIETZ, C.R. Carolina Power & Light Co. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55032:156-55032:158.

I. Financial Information

9007310183 Forwards, "CP&L Master Decommissioning Trust Agreement for..." providing decommissioning financial assurance certification for facility, per 10CFR50.75.
CUTTER, A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54768:176-54768:223.

—9007310165 "CP&L Master Decommissioning Trust Agreement for: Brunswick Steam Electric Plant (BSEP) Unit 1, BSEP Unit 2, Shearon Harris Nuclear Power Plant, HB Robinson Steam Electric Plant Unit 2."
* Carolina Power & Light Co. 90/07/19. 44pp. 54768:180-54768:223.

P. Operating license stage documents & correspondence

9008270038 Submits rept of trace investigation of shipment consisting of dry active contaminated waste. Investigation terminated on 900426.
MORGAN, R.E. Carolina Power & Light Co. 90/05/11. Region 2 (Post 820201). 2pp. 55036:207-55036:208.

9008060087 Forwards safety evaluation accepting DCRDR program for plant, per Suppl 1 to NUREG-0737.
LO, R.H. Project Directorate II-1. 90/07/27. EURY, L.W. Carolina Power & Light Co. 7pp. 54857:105-54857:111.

9008020067 Notification of 900731 meeting w/util in Rockville,MD to review licensing status.
LO,R.H. Project Directorate II-1. 90/07/30. MURLEY,T. NRC - No Detailed Affiliation Given. 3pp. 54820:358-54820:360.

9008060305 Confirms 900730 electronic transfer for fourth quarterly installment payments of NRC FY90 annual fees per 10CFR171 for listed plants.
LOFLIN,L.I. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54876:314-54876:314.

9008070156 Confirms electronic transfer of payment for invoice I1088 for Part 55 svcs for 890618-1230.
LOFLIN,L.I. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54902:216-54902:216.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090090 Responds to NRC 900601 ltr re single electrical failures at plant.Results of 10CFR50,App K single failure analysis for ECCS will be provided within 60 days following end of Refueling Outage 13.
CUTTER,A.B. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 5pp. 54921:228-54921:232.

9008140089 Documents 900802 telcon w/B Mozafari of NRC & J Kozyra of util re inadequacy of 900730 exemption request due to lack of basis according to 10CFR50.12.Kozyra will suppl request w/addl info.
LO,R. Project Directorate II-1. 90/08/10. Project Directorate II-1. 3pp. 54965:001-54965:003.

9008220146 Notification of 900824 meeting w/util in Raleigh,NC to discuss licensing process & submittals.
LE,N. Project Directorate II-1. 90/08/17. ADENSAM,E.G. Project Directorate II-1. 3pp. 55000:274-55000:276.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008200098 Forwards Insp Rept 50-261/90-13 on 900617-21 & notice of violation.Attention directed to commitment for prompt corrective action,drrill to demonstrate effectiveness of corrective action & mgt meeting.
STOHR,J.P. Region 2 (Post 820201). 90/07/27. EURY,L.W. Carolina Power & Light Co. 3pp. 54991:251-54991:271.

-9008200100 Notice of violation from insp on 900617-21.Violation noted: commitments for activation of operational support ctr & technical support ctr not acceptably demonstrated.
STOHR,J.P. Region 2 (Post 820201). 90/07/27. 2pp. 54991:254-54991:255.

-9008200101 Insp Rept 50-261/90-13 on 900617-21.Violation noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise & emergency organization activation & response in technical & operational support ctr.
SARTOR,W.M., RANKIN,W.H. Region 2 (Post 820201). 90/07/27. 16pp. 54991:256-54991:271.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008200133 Ack receipt of 900709 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-261/90-11.
REYES,L.A. Region 2 (Post 820201). 90/08/03. EURY,L.W. Carolina Power & Light Co. 2pp. 54991:195-54991:196.

9008210087 Forwards Insp Rept 50-261/90-16 on 900716-20.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/08/03. EURY,L.W. Carolina Power & Light Co. 3pp. 55004:055-55004:067.

-9008210089 Insp Rept 50-261/90-16 on 900716-20.No violations or deviations noted.Major areas inspected:inservice testing & followup on previous insp findings.Weaknesses identified for valves in component cooling water sys.
SPARKS,S., BELISLE,G.A. Region 2 (Post 820201). 90/08/02. 10pp. 55004:058-55004:067.

9008230184 Forwards Insp Rept 50-261/90-14 on 900611-0710.No violations or deviations identified.
VERRELLI,D.M. Region 2 (Post 820201). 90/08/03. EURY,L.W. Carolina Power & Light Co. 3pp. 55016:099-55016:114.

-9008230187 Insp Rept 50-261/90-14 on 900611-0710. No violations or deviations noted.Major areas inspected:operational safety verification,monthly surveillance observation, self-assessment capability & outage preparations.
GARNER,L.W. Region 2 (Post 820201). 90/08/02. 13pp. 55016:102-55016:114.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008210091 Forwards Insp Rept 50-261/90-15 on 900710-13.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/08/06. EURY,L.W. Carolina Power & Light Co. 3pp. 55004:041-55004:050.

-9008210094 Insp Rept 50-261/90-15 on 900710-13.No violations or deviations noted.Major areas inspected:inspector follow up items & violations re electrical & fire protection sys & licensee fire protection program.
WISEMAN,G.R., HUNT,M. Region 2 (Post 820201). 90/08/02. 7pp. 55004:044-55004:050.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008200124 Forwards Insp Rept 50-261/90-10 on 900521-25,0604-08 & 25-29.No violations or deviations noted.
MERSCHOFF,E.W. Region 2 (Post 820201). 90/08/09. EURY,L.W. Carolina Power & Light Co. 3pp. 54995:336-54996:035.

-9008200126 Insp Rept 50-261/90-10 on 900521-25,0604-08,25-29 & 0713.No violations or deviations noted.Major areas inspected: in-depth team insp of maint program & implementation.
GIRARD,E.H., BLAKE,J.J. Region 2 (Post 820201). 90/08/07. 57pp. 54995:339-54996:035.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230095 Confirms that check electronically transferred to NRC on 900815 for payment of NRC insp costs,per 10CFR170.
LOFLIN,L.I. Carolina Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55016:144-55016:145.

9008270177 Responds to violations noted in Insp Rept 50-261/90-13. Corrective actions:qualified personnel for emergency response organization positions designated & plant procedure revised to provide new method for calling personnel.
DIETZ,C.R. Carolina Power & Light Co. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55032:156-55032:158.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140401 Monthly operating report for Jul 1990 for HB Robinson Steam Electric Plant,Unit 2.W/900810 ltr.
HAYNESWORTH,V., WOODS,J.B., MORGAN,R.E. Carolina Power & Light Co. 90/07/31. 4pp. 54965:150-54965:153.

S. Reportable occurrences, LERs & related correspondence

9008010188 Special rept on 900618,fire barrier penetration EP-2540.01-FL-07/05 made inoperable to perform plant mod. Mod revised to remove conduit.Repairs completed on 900703.
MORGAN,H.E. Carolina Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 3pp. 54797:066-54797:068.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008280372 Advises that EA Lee will no longer maintain Senior Reactor Operator License SOP-2833-6,effective 900825.
MORGAN,R.E. Carolina Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55041:333-55041:333.

DOCKET 50-262 BRIGHAM YOUNG UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

38 DOCKETED ITEMS

9008130144 Forwards Amend 3 to License R-109 & safety evaluation. Amend replaces title of Executive Vice President w/ title of Associate Administrative Vice President in facility organization in Tech Specs. ADAMS, A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 90/08/09. STOHLTON, J.B. Brigham Young Univ., Provo, UT. 3pp. 54956:107-54956:117.

-9008130147 Amend 3 to License R-109, replacing title of Executive Vice President w/ title of Associate Administrative Vice President in facility organization in Tech Specs. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 90/08/09. 6pp. 54956:110-54956:115.

-9008130149 Safety evaluation supporting Amend 3 to License R-109.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 2pp. 54956:116-54956:117.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9007310243 Ack receipt of 900430 & 0713 ltrs re allegation on breaker failure on cooling tower sys. Investigation found sufficient indicating that Load Ctr 106 located outside security fence was nonsafety-related.
MILLER, H.J. Region 3 (Post 820201). 90/07/26. ELIASON, L.R. Northern States Power Co. 2pp. 54796:263-54796:264.

9008130061 Forwards Rev 31 to security plan. Rev withheld per 10CFR73.21.
PARKER, T.M. Northern States Power Co. 90/08/06. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54956:127-54956:128.

9008160177 Advises that scope & objectives for 901002 emergency plan exercise acceptable, per 900706 ltr.
GREGER, L.R. Region 3 (Post 820201). 90/08/10. ELIASON, L.R. Northern States Power Co. 1p. 54992:247-54992:247.

9008230124 Advises that 900806 Rev 31 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable, w/ listed clarifications. Security officers used as dedicated observers for compensatory measures rotated every 2 h.
GREGER, L.R. Region 3 (Post 820201). 90/08/15. PARKER, T.M. Northern States Power Co. 2pp. 55019:359-55019:360.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008020108 Forwards Rev 9 to Updated SAR for Monticello Nuclear Generating Plant. Exhibit B includes Rev 14 to util operational QA plan.
PARKER, T.M. Northern States Power Co. 90/06/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 25pp. 54818:034-54818:150.

-9008020110 Rev 9 to Updated SAR for Monticello Nuclear Generating Plant.
* Northern States Power Co. 89/12/31. 500pp. 54818:060-54818:150.

P. Operating license stage documents & correspondence

9008010033 Forwards replacement Page 1.2-23 to Rev 9 to ASME Code Section XI insp & testing program. Page 1.2-23 not revised & not included w/ Rev 10 package.
PARKER, T.M. Northern States Power Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54789:001-54789:002.

-9008010034 Page 1.2-23 to Rev 9 to ASME Code XI inservice insp & testing program manual.
* Northern States Power Co. 90/07/25. 1p. 54789:002-54789:002.

9007310243 Ack receipt of 900430 & 0713 ltrs re allegation on breaker failure on cooling tower sys. Investigation found sufficient indicating that Load Ctr 106 located outside security fence was nonsafety-related.
MILLER, H.J. Region 3 (Post 820201). 90/07/26. ELIASON, L.R. Northern States Power Co. 2pp. 54796:263-54796:264.

9008060310 Forwards application for amend to License DPR-22, updating min oil storage tank level from 26,250 to 32,500 gallons & clarifying that diesel generator full load is 2,500 kW.
PARKER, T.M. Northern States Power Co. 90/07/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54856:130-54856:140.

-9008060316 Application for amend to License DPR-22, updating min oil storage tank level from 26,250 to 32,500 gallons & clarifying that diesel generator full load is 2,500 kW.
PARKER, T.M. Northern States Power Co. 90/07/31. 3pp. 54856:131-54856:133.

-9008060319 Proposed Tech Specs, updating min oil storage tank level to 32,500 gallons & clarifying that diesel generator full load is 2,500 kW.
* Northern States Power Co. 90/07/31. 7pp. 54856:134-54856:140.

9008030149 Forwards Rev 0 to NSPL-12-10146, "Monticello Nuclear Generating Plant, Application of Methodology to Evaluate Sys, Structures & Components for License Renewal," for review & comment.
PARKER, T.M. Northern States Power Co. 90/08/01. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54831:262-54831:264.

-9008030152 Rev 0 to "Monticello Nuclear Generating Plant Application of Methodology to Evaluate Sys, Structures & Components for License Renewal."
BAILEY, T.L. Northern States Power Co. NSPL-12-10146 R00. 90/07/31. 141pp. 54831:264-54831:264.

9008140212 Notification of contract execution, Task Order 51, "Monticello Nuclear Power Plant Initial Exam" to "Technical Assistance to Support Licensing Activities," awarded to Sonalysts, Inc.
HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/08/01. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54965:265-54965:268.

-9008140214 Ltr contract NRC-03-89-031, Task Order 51, "Monticello Nuclear Power Plant Initial Exam," awarded to Sonalysts, Inc.
HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-1289-0. 90/07/28. PETERSEN, L.R. Sonalysts, Inc. 3pp. 54965:266-54965:268.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9008010033 Forwards replacement Page 1.2-23 to Rev 9 to ASME Code Section XI insp & testing program. Page 1.2-23 not revised & not included w/ Rev 10 package.
PARKER, T.M. Northern States Power Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54789:001-54789:002.

-9008010034 Page 1.2-23 to Rev 9 to ASME Code XI inservice insp & testing program manual.
* Northern States Power Co. 90/07/25. 1p. 54789:002-54789:002.

9008010139 Forwards Safety Insp Rept 50-263/90-15 on 900625-0713 & notice of violation.
MILLER, H.J. Region 3 (Post 820201). 90/07/26. ELIASON, L.R. Northern States Power Co. 2pp. 54788:311-54788:321.

-9008010144 Notice of violation from insp on 900625-0713. Violation noted: safety evaluation for Mod 882013 did not document basis for conclusion re updated FSAR analyzed transients not impacted by mod.
MILLER, H.J. Region 3 (Post 820201). 90/07/26. 1p. 54788:313-54788:313.

-9008010146 Insp Rept 50-263/90-15 on 900625-0713. Violations noted. Major areas inspected: design changes & mods.
HASSE, R.A., PHILLIPS, M.P. Region 3 (Post 820201). 90/07/26. 8pp. 54788:314-54788:321.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030110 Forwards supplemental info re NRC Bulletin 90-002, per NRC request.
PARKER, T.M. Northern States Power Co. 90/07/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 54832:135-54832:141.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:264-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008010024 Submits results of sample split performed at facility during May 1990.
JEPSON, K. Northern States Power Co. 90/07/16. SCHUMACHER, M. Region 3 (Post 820201). 1p. 54805:278-54805:278.

9008140324 Monthly operating rept for Jul 1990 for Monticello Nuclear Generating Plant. W/900808 ltr.
PAUSTIAN, H.H., PARKER, T.M. Northern States Power Co. 90/07/31. 5pp. 54965:257-54965:261.

S. Reportable occurrences, LERs & related correspondence

9008010191 LER 90-006-00: on 900625, emergency filter train sys actuation occurred during filter train operability test. Caused by engineering error. Wire replaced & temporary jumper installed. W/900725 ltr.
PETERSON, S.K., PARKER, T.M. Northern States Power Co. 90/06/29. 6pp. 54815:220-54815:225.

9008010216 LER 90-005-00: on 900625, control room ventilation sys control circuit breaker tripped open by short circuit. Caused by personnel error. Breaker closed & sys returned to normal. W/900725 ltr.
PETERSON, S.K., PARKER, T.M. Northern States Power Co. 90/07/25. 5pp. 54815:226-54815:230.

9008100014 LER 90-007-00: on 900705, determined that electrical fault in reactor recirculation pump discharge valve motor could disable LPCI sys. Probably caused by stator winding endturn insulation failure. Motor replaced. W/900806 ltr.
LAVALLE, T.A., PARKER, T.M. Northern States Power Co. 90/08/06. 5pp. 54952:285-54952:289.

900820155 LER 90-008-00: on 900719, disk drive containing safeguards info removed from word processing sys & taken offsite w/o proper controls. Caused by personnel error. Dept procedure developed & personnel counseled. W/900814 ltr.
HUDSON, G., PARKER, T.M. Northern States Power Co. 90/08/14. 6pp. 55002:064-55002:069.

V. Operator Examinations

9007310277 Extends invitation to review Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. ELIASON, L.R. Northern States Power Co. 1p. 54769:299-54769:299.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-264 DOW CHEMICAL CO.

F. Security, medical, emergency & fire protection plans

9008140156 Forwards Insp Rept 50-264/90-01 on 900709-11. No violations or deviations identified.
KNOP, R.C. Region 3 (Post 820201). 90/08/01. RAMPY, L.W. Dow Chemical Co. 2pp. 54951:341-54951:351.

9008140159 Insp Rept 50-264/90-01 on 900709-11. No violations or deviations noted. Major areas inspected: organization, logs, review & audit functions, requalification training, procedures, surveillance & emergency planning.
DUNLOP, A., JACKIW, I.N. Region 3 (Post 820201). 90/08/01. 9pp. 54951:343-54951:351.

Q. Inspection reports, IE Bulletins & correspondence

9008140156 Forwards Insp Rept 50-264/90-01 on 900709-11. No violations or deviations identified.
KNOP, R.C. Region 3 (Post 820201). 90/08/01. RAMPY, L.W. Dow Chemical Co. 2pp. 54951:341-54951:351.

9008140159 Insp Rept 50-264/90-01 on 900709-11. No violations or deviations noted. Major areas inspected: organization, logs, review & audit functions, requalification training, procedures, surveillance & emergency planning.
DUNLOP, A., JACKIW, I.N. Region 3 (Post 820201). 90/08/01. 9pp. 54951:343-54951:351.

R. Periodic operating reports & related correspondence

9008060147 "Dow TRIGA Research Reactor Annual Rept - 1990." W/900802 ltr.
KOCHER, C.W. Dow Chemical Co. 90/06/30. 5pp. 54864:127-54864:131.

V. Operator Examinations

9008140156 Forwards Insp Rept 50-264/90-01 on 900709-11. No violations or deviations identified.
KNOP, R.C. Region 3 (Post 820201). 90/08/01. RAMPY, L.W. Dow Chemical Co. 2pp. 54951:341-54951:351.

9008140159 Insp Rept 50-264/90-01 on 900709-11. No violations or deviations noted. Major areas inspected: organization, logs, review & audit functions, requalification training, procedures, surveillance & emergency planning.
DUNLOP, A., JACKIW, I.N. Region 3 (Post 820201). 90/08/01. 9pp. 54951:343-54951:351.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EIPs.
Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008010078 Rev 5 to Procedure QEP 600-S4/W/900723 ltr.
Commonwealth Edison Co. 90/07/23. 12pp. 54797:054-54797:065.

9008230017 Revised EIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON, I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

G. Adjudicatory correspondence

9008070232 Joint motion of NRC Staff & RL Dickherber for approval of settlement agreement. Requests that ASLB approve settlement agreement & upon receipt of signed original thereof, enter order & terminate proceeding. W/Certificate of Svc.
LEFSTEIN, S.R. Dickherber, R.L. HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10679. 90/07/30. Atomic Safety and Licensing Board Panel. 11pp. 54824:183-54824:193.

9008070155 Forwards util 900604 & 0711 ltrs ref to in proposed settlement agreement forwarded to Board on 900730 re proceeding. W/o encls.
HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10683. 90/08/01. BECHHOEFER, C., KLINE, J.R., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 54824:036-54824:036.

9008150192 Memorandum & order (approving settlement agreement & terminating proceedings). Settlement agreement between RL Dickherber & NRC approved & proceedings terminated per 10CFR2.203.W/Certificate of Svc. Served on 900803.
BECHHOEFER, C., KLINE, J.L., LINENBERGER, G. Atomic Safety and Licensing Board Panel. #390 10696. 90/08/01. Office of the General Counsel (Post 860701). 8pp. 54929:031-54929:038.

9008240158 Forwards settlement agreement approved by Board in 900801 memorandum & order (approving settlement agreement & terminating proceedings). Certificate of Svc encl.
HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10726. 90/08/13. BECHHOEFER, C., KLINE, J.R., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 3pp. 54995:152-54995:159.

9008240162 Settlement agreement. Agreement between NRC, RL Dickherber & util.
HOLLER, E. Assistant General Counsel for Hearings & Enforcement. LEFSTEIN, S.R. Dickherber, R.L. TRUBATCH, S.L. Commonwealth Edison Co. 90/08/08. 5pp. 54995:155-54995:159.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008010147 Forwards "Reactor Containment Bldg Integrated Leak Rate Test Quad-Cities Nuclear Power Station Unit 2, 900427-28," & related apps describing Type A test, per 10CFR50, App J, Section V.B.1. Next test scheduled for Fall 1991.
BAX, R.L. Commonwealth Edison Co. 90/07/26. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54806:001-54806:079.

9008010166 "Reactor Containment Bldg Integrated Leak Rate Test Quad-Cities Nuclear Power Station Unit 2, 900427-28."
Commonwealth Edison Co. 90/07/26. 78pp. 54806:002-54806:079.

9008130082 Responds to Generic Ltr 90-04, "Request for Info on Status of Licensee Implementation of Generic Safety Issue Resolved W/Imposition of Requirements of Corrective Actions." Status of implementation of generic safety issues encl.
STOLSR, R. Commonwealth Edison Co. 90/07/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 54957:227-54957:235.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130073 Advises that w/completion of operator training program, plant SPDS meets requirements delineated in NUREG-0737, Suppl 1.
STOLSR, R. Commonwealth Edison Co. 90/08/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54957:182-54957:182.

9008130095 Forwards rept of metallurgical exam that revealed no evidence of defects, porosity or slag in weld overlay. Rept responds to IGSCC insp performed on facility IGSCC susceptible piping.
STOLSR, R. Commonwealth Edison Co. 90/08/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 54958:263-54958:269.

9008130078 Forwards response to Generic Ltr 90-04, "Request for Info on Status of Licensee Implementation of Generic Safety Issues Resolved W/Imposition of Requirements or Corrective Actions."
STOLSR, R. Commonwealth Edison Co. 90/08/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54958:088-54958:095.

9008130161 Forwards summary of correspondence, per NRC 900615 request for addl info to support NRC licensing review.
STOLSR, R. Commonwealth Edison Co. 90/08/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54954:295-54954:296.

9008160218 Forwards "Summary of Fuel Performance, End of Cycle 10, May 1990." No leakage or fuel failure noted.
BAX, R.L. Commonwealth Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54978:346-54978:347.

40 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9008020261 Responds to NRC 900515 ltr re violations noted in Insp Repts 50-254/90-06 & 50-265/90-06. Corrective actions: Work Package Q80781 revised to cut & cap correct line & Work Package Q83354 developed to reweld incorrectly cut RHR line. STOLLS, R. Commonwealth Edison Co. 90/06/18. DAVIS, A.B. Region 3 (Post 820201). 8pp. 54826:141-54826:148.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 81pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 83pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008130095 Forwards rept of metallurgical exam that revealed no evidence of defects, porosity or slag in weld overlay. Rept responds to IGSCC insp performed on facility IGSCC susceptible piping. STOLLS, R. Commonwealth Edison Co. 90/08/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 54958:263-54958:269.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008220151 Forwards Safety Insp Repts 50-254/90-10 & 50-265/90-10 on 900605-0802. Violations noted. Enforcement conference will be held in Region III ofc w/util. RING, M.A. Region 3 (Post 820201). 90/08/15. REED, C. Commonwealth Edison Co. 2pp. 55006:021-55006:028.

-9008220153 Insp Repts 50-254/90-10 & 50-265/90-10 on 900605-0802. Violations noted. Major areas inspected: allegation that 1/2 emergency diesel generator cooling pump could not fulfill cooling of diesel & ECOS room coolers. SMITH, J.F., DANIELSON, D.H. Region 3 (Post 820201). 90/08/14. 6pp. 55006:023-55006:028.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220193 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008090136 Monthly operating repts for Jul 1990 for Quad-Cities Nuclear Station Units 1 & 2. W/900801 ltr. HAMILTON, L., ROBEY, R.A. Commonwealth Edison Co. 90/07/31. 22pp. 54921:190-54921:211.

9008100107 Forwards listing of changes, tests & experiments completed during month of Jul 1990 for plant. ROBEY, R.A. Commonwealth Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 13pp. 54943:249-54943:261.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/ issues should be submitted to E Rau by 900815. MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270006 Responds to NRC 900608 ltr re violations noted in Insp Repts 50-266/90-12 & 50-301/90-12. Corrective actions: number of hot particle retrieval tools available at site increased & will be maintained at health physics station. FAY, C.W. Wisconsin Electric Power Co. 90/07/18. Document Control Branch (Document Control Desk). 13pp. 54980:335-54980:347.

9007310246 Forwards rev to plant security plan. Rev withheld per 10CFR3.50,70 & 73. FAY, C.W. Wisconsin Electric Power Co. 90/07/20. Document Control Branch (Document Control Desk). 4pp. 54769:249-54769:252.

9007270137 Forwards Central Files & public versions of revised EIPs, including Rev 2 to EIP 1.1.1, Rev 16 to EIP 4.1, Rev 6 to EIP 6.5, Rev 20 to EIP 1.2, Rev 8 to EIP 6.3, Rev 0 to EIP 7.3.2, Rev 10 EIP 10.2 & Rev 11 to EIP 11.3. FAY, C.W. Wisconsin Electric Power Co. 90/07/23. Document Control Branch (Document Control Desk). 3pp. 54735:001-54735:077.

-9007270138 Public version of revised EIPs, including Rev 2 to EIP 1.1.1, Rev 16 to EIP 4.1 & Rev 6 to EIP 6.5. * Wisconsin Electric Power Co. 90/07/23. 72pp. 54735:004-54735:077.

9008090340 Advises that 900720 Rev 3 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. GREGER, L.R. Region 3 (Post 820201). 90/08/01. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54921:226-54921:227.

9008140438 Forwards public version of revised procedures to emergency plan manual. W/900813 release memo. FAY, C.W. Wisconsin Electric Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54963:287-54964:051.

-9008140448 Public version of revised emergency plan. * Wisconsin Electric Power Co. 90/07/31. 151pp. 54963:290-54964:051.

9008210189 Forwards Safety Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations noted. KNOPF, R.C. Region 3 (Post 820201). 90/08/10. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54999:338-54999:359.

-9008210192 Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations or deviations noted. Major areas inspected: maint & surveillance, emergency preparedness, security, engineering & technical support. JACKIW, I.N. Region 3 (Post 820201). 90/08/10. 20pp. 54999:340-54999:359.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008020041 Forwards June 1990 updated FSAR for Point Beach Nuclear Plant Units 1 & 2. Steam generator upper pH guideline in Table 10.2-1 changed from 9.3 to 9.4. BOSTON, J.W. Wisconsin Electric Power Co. 90/07/23. Document Control Branch (Document Control Desk). 2pp. 54888:179-54889:195.

-9008020093 Updated FSAR for Point Beach Nuclear Plant Units 1 & 2. * Wisconsin Electric Power Co. 90/06/30. 200pp. 54888:181-54889:195.

P. Operating license stage documents & correspondence

9008070089 Application for amend to Licenses DPR-24 & DPR-27, consisting of Tech Spec Change Request 140, revising Tech Specs re steam generator overflow protection. BOSTON, J.W. Wisconsin Electric Power Co. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54942:012-54942:014.

-9008070090 Proposed Tech Specs re steam generator overflow protection. * Wisconsin Electric Power Co. 90/07/31. 1p. 54942:014-54942:014.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130290 Advises that 900619 changes to QA program description meet 10CFR50, App B requirements & acceptable. WRIGHT, G.C. Region 3 (Post 820201). 90/08/10. FAY, C.W. Wisconsin Electric Power Co. 1p. 54957:261-54957:261.

9008230109 Notification of 900905 meeting w/util in Rockville, MD to discuss util plans for installation of addl emergency diesel generators & extra station batteries. SAMWORTH, R.B. Project Directorate III-3. 90/08/17. HANNON, J.N. Project Directorate III-3. 3pp. 55016:122-55016:124.

Q. Inspection reports, IE Bulletins & correspondence

9008020163 Forwards Enforcement Conference Repts 50-266/90-12 & 50-301/90-12 on 900525 & notice of violation. NRC plans to increase insp frequency in order to better evaluate continued performance in radiation protection area. NORELIUS, C.E. Region 3 (Post 820201). 90/08/08. FAY, C.W. Wisconsin Electric Power Co. 3pp. 54830:220-54830:285.

-9008020164 Notice of violation from insp on 900525. Violation noted: failure to make adequate surveys or evaluations necessary & reasonable to ensure compliance w/occupational dose limits after health physics technologist handled 142.5 mCi fuel. NORELIUS, C.E. Region 3 (Post 820201). 90/08/08. 2pp. 54830:223-54830:224.

9008020165 Enforcement Conference Repts 50-266/90-12 & 50-301/90-12 on 900525. Violations noted. Major areas discussed: licensee apparent recurrent high radiation area barrier violations & weaknesses in radiation protection program. SNELL, W.G. Region 3 (Post 820201). 90/06/08. 43pp. 54830:225-54830:285.

9007270006 Responds to NRC 900608 ltr re violations noted in Insp Repts 50-266/90-12 & 50-301/90-12. Corrective actions: number of hot particle retrieval tools available at site increased & will be maintained at health physics station. FAY, C.W. Wisconsin Electric Power Co. 90/07/18. Document Control Branch (Document Control Desk). 13pp. 54980:335-54980:347.

9008010194 Responds to NRC Bulletin 89-002 re insp of safety-related Anchor/Darling Model S350W check valves supplied w/A193 Grade B6 Type 410 SS retaining block studs. Studs visually inspected & no cracks found. FAY, C.W. Wisconsin Electric Power Co. 90/07/25. Document Control Branch (Document Control Desk). 2pp. 54817:351-54817:352.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008070009 Responds to NRC 900605 ltr re weaknesses noted in Insp Repts 50-266/90-201 & 50-301/90-201 re electrical distribution. Corrective actions: design basis documentation will be developed to alleviate weaknesses in diesel generators. BOSTON, J.W. Wisconsin Electric Power Co. 90/08/03. Document Control Branch (Document Control Desk). 32pp. 54905:111-54905:152.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008210189 Forwards Safety Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations noted. KNOP, R.C. Region 3 (Post 820201). 90/08/10. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54999:338-54999:359.

9008210192 Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations or deviations noted. Major areas inspected: maint & surveillance, emergency preparedness, security, engineering & technical support. JACKWILL, N. Region 3 (Post 820201). 90/08/10. 20pp. 54999:340-54999:359.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008070263 Discusses & forwards results of fitness-for-duty program performance data for 6-month period ending 900630. FAY, C.W. Wisconsin Electric Power Co. 90/07/30. Document Control Branch (Document Control Desk). 4pp. 54898:343-54898:346.

9008140372 Monthly operating repts for Jul 1990 for Point Beach Nuclear Plant Units 1 & 2. W/900810 ltr. KRAUSE, C.W., FAY, C.W. Wisconsin Electric Power Co. 90/07/31. 9pp. 54961:246-54961:254.

S. Reportable occurrences, LERs & related correspondence

9008010037 Part 21 rept re error in Westinghouse ECCS decay heat model. Initially reported on 900712. Error resulted in nonconservative decay heat source & does not constitute actual operational safety concern. Meeting scheduled. FAY, C.W. Wisconsin Electric Power Co. 90/07/24. SAMWORTH, R.B. Project Director-ate II-3. 2pp. 54797:001-54797:002.

9008170035 LER 90-007-00: on 900712, error indicating potential for failure to comply w/ peak cladding temp acceptance limit noted. Caused by human error. Util committed to reduced height dependent heat flux hot channel factor limit. W/900813 ltr. FAY, C.W. Wisconsin Electric Power Co. 90/08/13. 7pp. 54974:343-54974:349.

9008240227 LER 90-008-00: on 900720, discovered RCS leakage of approx 0.27 gpm. Leakage through canopy seal weld on control rod drive mechanism I-3 & upstream weld on steam generator B. Leaks repaired by welding. W/900820 ltr. FAY, C.W. Wisconsin Electric Power Co. 90/08/20. 5pp. 55024:045-55024:049.

V. Operator Examinations

9007310254 Extends invitation to attend review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. MILLER, H.J. Region 3 (Post 820201). 90/07/25. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54796:267-54796:268.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9008200002 Forwards security plan for proposed ISFSI for NRC review, per 900622 & 0412 ltr. Plan withheld (ref 10CFR73.21). CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/20. GASKINS, C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 54996:235-54996:237.

9008160084 Forwards "Final Radiological Emergency Preparedness Exercise Rept," for 891115 full-participation exercise. Results of 891213 medical drill conducted at site also included in rept. One deficiency identified. KWIATKOWSKI, D. Federal Emergency Management Agency. 90/07/26. CONGEL, F.J. Division of Engineering & Systems Technology (870411-890826). 2pp. 54990:295-54990:345.

9008160086 "Final Radiological Emergency Preparedness Exercise Rept," for Fort St Vrain Nuclear Generating Station on 891115. * Federal Emergency Management Agency. 90/06/22. 48pp. 54990:297-54990:345.

9008130099 Forwards Insp Rept 50-267/90-13 on 900709-13. No violations or deviations identified. Licensee commitment to revise manual dose assessment procedure to incorporate appropriate unit conversion factor, noted. COLLINS, S.J. Region 4 (Post 820201). 90/08/08. CRAWFORD, A.C. Public Service Co. of Colorado. 4pp. 54958:347-54958:356.

9008130101 Insp Rept 50-267/90-13 on 900709-13. No violations or deviations noted. Major areas inspected: emergency preparedness program including emergency detection & classification, knowledge & performance of duties. SPITZBERG, D.B., POWERS, D.A. Region 4 (Post 820201). 90/08/03. 6pp. 54958:351-54958:356.

9008130227 Issue 56 to AOP-I, "Discussion of Fire." W/900810 ltr. FULLER, C.H. Public Service Co. of Colorado. 90/08/10. 19pp. 54954:317-54954:339.

I. Financial Information

9008060031 Discusses decommissioning funding for plant. Util revised decommissioning financial plan, based on SAFSTOR, currently in effect & funds will be accumulated per plan provisions. CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/20. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 2pp. 54876:227-54876:228.

J. Insurance & Indemnity Information

9008140199 Requests exemption from 10CFR50.54(w)(1) requirements for min property insurance coverage. CRAWFORD, A.C. Public Service Co. of Colorado. 90/08/08. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 20pp. 54962:004-54962:023.

P. Operating license stage documents & correspondence

9007300016 Forwards request for addl info re plant preliminary decommissioning plan based on review of 900501 submittal. Response requested by 900914. ERICKSON, P.B. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 90/07/25. CRAWFORD, A.C. Public Service Co. of Colorado. 4pp. 54756:094-54756:097.

9008020200 Summary of 900725 meeting w/util in Rockville, MD re defueling & decommissioning of facility. Attendees list encl. ERICKSON, P.B. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 90/07/31. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 15pp. 54826:041-54826:055.

42 DOCKETED ITEMS

9008020202 Ack receipt of 900713 request for exemption from FY90 annual fee requirements of 10CFR171. Annual fee will not be billed.
DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 90/07/31. CRAWFORD, A.C. Public Service Co. of Colorado. 1p. 54820:351-54820:351.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080171 Forwards GA-C18103, "Fort St Vrain Cycle 3 Core Performance," per request for addl info re proposed amend to Tech Spec which would allow util to complete defueling of facility.
BREY, H.L. Public Service Co. of Colorado. 90/08/03. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 2pp. 54906:047-54906:262.

-9008080174 GA-C18103, "Fort St Vrain Cycle 3 Core Performance."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). GA-C18103. 85/11/30. 113pp. 54906:049-54906:153.

-9008080216 "Fort St Vrain Midcycle 4 Core Performance."
MALAKHOV, V. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/50. 88/09/08. 61pp. 54906:154-54906:214.

-9008080218 "Fort St Vrain Mid to End of Cycle 4 Core Performance."
MALAKHOV, V. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 910078. 90/03/02. 48pp. 54906:215-54906:262.

9008240006 Ack 900809 visit to Region IV re status of util actions on defueling & decommissioning. Viewgraphs encl.
MARTIN, R.D. Region 4 (Post 820201). 90/08/14. CRAWFORD, A.C. Public Service Co. of Colorado. 25pp. 55029:109-55029:133.

Q. Inspection reports, IE Bulletins & correspondence

9007270130 Responds to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount." No Rosemount Model 1153 or 1154 transmitters presently in use at plant.
CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/20. Document Control Branch (Document Control Desk). 5pp. 54738:105-54738:109.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060054 Responds to NRC 900622 ltr re violations noted in Insp Rept 50-267/90-07. Corrective actions: electrical & mechanical craft personnel assigned to planning & scheduling organization.
CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/30. Document Control Branch (Document Control Desk). 6pp. 54877:073-54877:078.

9008070121 Forwards Insp Rept 50-267/90-10 on 900611-15. No violations or deviations noted. Actions taken re previously identified insp findings & status examined.
COLLINS, S.J. Region 4 (Post 820201). 90/07/31. CRAWFORD, A.C. Public Service Co. of Colorado. 3pp. 54930:289-54930:321.

-9008070122 Insp Rept 50-267/90-10 on 900611-15. No violations or deviations noted. Major areas inspected: radioactive matl transportation program, liquid & gaseous radwaste mgt programs, including radiological effluent releases.
BAER, R.E., NICHOLAS, J.B., MURRAY, B. Region 4 (Post 820201). 90/07/25. 30pp. 54930:292-54930:321.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008130099 Forwards Insp Rept 50-267/90-13 on 900709-13. No violations or deviations identified. Licensee commitment to revise manual dose assessment procedure to incorporate appropriate unit conversion factor, noted.
COLLINS, S.J. Region 4 (Post 820201). 90/08/08. CRAWFORD, A.C. Public Service Co. of Colorado. 4pp. 54958:347-54958:356.

-9008130101 Insp Rept 50-267/90-13 on 900709-13. No violations or deviations noted. Major areas inspected: emergency preparedness program including emergency detection & classification, knowledge & performance of duties.
SPITZBERG, D.B., POWERS, D.A. Region 4 (Post 820201). 90/08/03. 6pp. 54958:351-54958:356.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280238 Forwards Insp Rept 50-267/90-11 on 900601-0728. No violations or deviations noted.
COLLINS, S.J. Region 4 (Post 820201). 90/08/20. CRAWFORD, A.C. Public Service Co. of Colorado. 3pp. 55040:344-55040:353.

-9008280239 Insp Rept 50-267/90-11 on 900601-0728. No violations noted. Major areas inspected: onsite followup of LER, operational safety verification, monthly maint observation & monthly surveillance observation.
BAIRD, J.B. Region 4 (Post 820201). 90/08/15. 7pp. 55040:347-55040:353.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210131 Monthly operating rept for Jul 1990 for Fort St Vrain. W/900814 ltr.
BLOCK, M.L., FULLER, C.H. Public Service Co. of Colorado. 90/07/31. 8pp. 55004:167-55004:174.

V. Operator Examinations

9008090413 Advises of termination of KJ Einig reactor operator license, effective 900727.
FULLER, C.H. Public Service Co. of Colorado. 90/07/31. Document Control Branch (Document Control Desk). 1p. 54942:263-54942:263.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008200002 Forwards security plan for proposed ISFSI for NRC review, per 900622 & 0412 ltrs. Plan withheld (ref 10CFR73.21).
CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/20. GASKINS, C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 54996:235-54996:237.

9007300119 Forwards addl info in support of 900622 SAR for ISFSI. Proprietary SAR withheld (ref 10CFR2.790).
CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/23. ROBERTS, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 18pp. 54756:221-54756:238.

9008100325 Advises of review of SAR & environ repts & forwards agenda for 900828 meeting & site tour on ISFSI.
STURZ, F.C. Fuel Cycle Safety Branch. 90/08/09. CRAWFORD, A.C. Public Service Co. of Colorado. 3pp. 54935:059-54935:061.

9008100327 Forwards request for addl info based on review of Chapter 6 of license application, Section XI of SAR & related info on QA.
STURZ, F.C. Fuel Cycle Safety Branch. 90/08/09. CRAWFORD, A.C. Public Service Co. of Colorado. 5pp. 54935:067-54935:071.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008170222 Application for amend to License SNM-2503, obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl. Encls withheld.
TUCKER, H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54990:347-54990:352.

9008010105 Forwards partially withheld Safeguards Insp Repts 50-269/90-22, 50-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 90/07/24. TUCKER, H.B. Duke Power Co. 3pp. 54797:017-54797:020.

-9008010109 Partially withheld Safeguard Insp Repts 50-269/90-22, 5-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviation noted. Major areas inspected: core insp program for power reactors & safeguards contingency plan implementation.
MASNYK, O.M. Region 2 (Post 820201). 90/07/24. 1p. 54797:020-54797:020.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER, H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
WIENS, L.A. Project Directorate II-3. 90/08/01. TUCKER, H.B. Duke Power Co. 2pp. 54922:024-54922:027.

-9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
SIMION, G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). 90/07/17. WIENS, L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9008170046 Revised crisis mgt plan implementing procedures, including Rev 7 to EDA-3 & Rev 4 to EDA-4, W/900813 ltr.
TUCKER, H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8 & Rev 35 to CMIP-9, W/DH Grimsley 900821 release memo.
TUCKER, H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55031:276.

-9008240141 Public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8, Rev 35 to CMIP-9 & Rev 7 to CMIP-11.
* Duke Power Co. 90/08/14. 400pp. 55030:217-55031:276.

I. Financial Information

9007270054 Certifies that util will undertake funding accumulating necessary funds to cover estimated costs of decommissioning Unit 1, per 10CFR50.75, Info, including "Duke Power Co Master Decommissioning Trust Agreement for..." encl.
HAUSER, D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54738:229-54738:230.

9008160075 Forwards decommissioning funding plan for util ISFSI at plant. Submittal reflects util intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant.
HAUSER, D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54976:148-54976:201.

9008230066 Forwards 1989 annual repts for Duke Power Co, North Carolina Municipal Power Agency 1, North Carolina Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative.
TUCKER, H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

-9008230068 "North Carolina Municipal Power Agency 1, Annual Rept For 1989."
BOBO, J.T. North Carolina Municipal Power Agencies. 89/12/31. 32pp. 55023:080-55023:112.

-9008230070 "North Carolina Electric Membership Cooperative, Annual Rept For 1989."
KELLER, W. North Carolina Electric Membership Corp. 89/12/31. 27pp. 55023:113-55023:141.

-9008230072 "Piedmont Municipal Power Agency & Saluda River Electric Cooperative Annual Rept For 1989."
SMOAK, C.F. Piedmont Municipal Power Agency. 89/12/31. 104pp. 55023:142-55023:250.

J. Insurance & Indemnity Information

9008060337 Forwards Endorsement 105 to Policy NF-226.
O'CONNOR, D.J. Marsh & McLennan, Inc. 90/08/02. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54915:001-54915:002.

P. Operating license stage documents & correspondence

9008070023 Withdraws proposed changes to Spec 4.17.6 re primary to secondary leakage rate limit, per 880531 application. Page 7.17-4 should be replaced.
TUCKER, H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54897:149-54897:151.

-9008070026 Proposed Tech Specs withdrawing proposed changes to Spec 4.17.6 re primary to secondary leakage rate limit.
* Duke Power Co. 90/08/01. 1p. 54897:151-54897:151.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
WIENS, L.A. Project Directorate II-3. 90/08/01. TUCKER, H.B. Duke Power Co. 2pp. 54922:024-54922:027.

-9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
SIMION, G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). SIMION, G.P. Idaho National Engineering Laboratory. 90/07/17. WIENS, L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000.
TUCKER, H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101.
MATTHEWS, D.B. Project Directorate II-3. 90/08/15. TUCKER, H.B. Duke Power Co. 4pp. 54995:268-54995:271.

9008270123 "Oconee 1, Cycle 13 Startup Test Rept, Part I - Zero Power Physics Test, Part II - Power Escalation Test." W/900820 ltr.
PRICE, E.D., TUCKER, H.B. Duke Power Co. 90/08/20. 18pp. 55032:170-55032:187.

9008280370 Advises that post-accident liquid sampling sys mod & testing completed for Units 1 & 3. Unit 2 to be completed 900827.
TUCKER, H.B. Duke Power Co. 90/08/23. Document Control Branch (Document Control Desk). 1p. 55040:360-55040:360.

Q. Inspection reports, IE Bulletins & correspondence

9007270059 Forwards summary of enforcement conference on 900712 re Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17.
REYES, L.A. Region 2 (Post 820201). 90/07/18. TUCKER, H.B. Duke Power Co. 15pp. 54727:280-54727:294.

9008060033 Responds to NRC 900618 ltr re violations noted in Insp Repts 50-269/90-16, 50-270/90-16 & 50-287/90-16. Corrective actions: operations will revise out of sequence policy re higher levels of approval &/or add guidance.
TUCKER, H.B. Duke Power Co. 90/07/18. Document Control Branch (Document Control Desk). 5pp. 54877:157-54877:161.

9007310094 Responds to NRC 900619 ltr re violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. Corrective actions: settings for 44 safety-significant overcurrent relays compared to settings used in design engineering calculation.
TUCKER, H.B. Duke Power Co. 90/07/19. Document Control Branch (Document Control Desk). 2pp. 54803:235-54803:236.

9008010105 Forwards partially withheld Safeguards Insp Repts 50-269/90-22, 50-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 90/07/24. TUCKER, H.B. Duke Power Co. 3pp. 54797:017-54797:020.

-9008010109 Partially withheld Safeguard Insp Repts 50-269/90-22, 50-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviation noted. Major areas inspected: core insp program for power reactors & safeguards contingency plan implementation.
MASNYK, O.M., ENNIS, J.D., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/24. 1p. 54797:020-54797:020.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310220 Responds to NRC 900627 ltr re violations noted in Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17. Corrective actions: supervisor & crew counseled & reviewed Station Directives 2.2.1 & 3.1.2.
TUCKER, H.B. Duke Power Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54769:326-54769:328.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER, H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008160023 Provides supplemental response to violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. New relay setting control program being developed & program to be implemented by 910101.
TUCKER, H.B. Duke Power Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54992:183-54992:184.

9008210097 Ack receipt of 900727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17.
HERDT, A.R. Region 2 (Post 820201). 90/08/02. TUCKER, H.B. Duke Power Co. 2pp. 55004:083-55004:084.

9008270202 Forwards Insp Repts 50-269/90-21, 50-270/90-21 & 50-287/90-21 on 900617-0714. No violations or deviations noted.
HERDT, A.R. Region 2 (Post 820201). 90/08/03. TUCKER, H.B. Duke Power Co. 3pp. 55032:237-55032:251.

-9008270205 Insp Repts 50-269/90-21, 50-270/90-21 & 50-287/90-21 on 900617-0714. No violations or deviations noted. Major areas inspected: operation, surveillance testing, spent fuel transfer cask insp, maint activities & installation & testing of mods.
SKINNER, P.H., WERT, L.D., DESAI, B.B. Region 2 (Post 820201). 90/07/31. 12pp. 55032:240-55032:251.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008200149 Ack receipt of 900719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12.
HERDT, A.R. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 2pp. 54993:199-54993:200.

9008210027 Ack receipt of 900718 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-16, 50-270/90-16 & 50-287/90-16.
HERDT, A.R. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 2pp. 55004:081-55004:082.

9008210056 Forwards Insp Repts 50-269/90-23, 50-270/90-23 & 50-287/90-23 on 900716-19. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 3pp. 55003:320-55003:328.

-9008210060 Insp Repts 50-269/90-23, 50-270/90-23 & 50-287/90-23 on 900716-19. No violations or deviations noted. Major areas inspected: licensee actions in response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss."
HALLSTROM, G.A., BELISLE, G.A. Region 2 (Post 820201). 90/08/02. 6pp. 55003:323-55003:328.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

44 DOCKETED ITEMS

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect lot transmitters installed in reactor protection sys,ESFAS or ATWS applications at facility. TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008230053 EN-90-079: on 900816, notice of proposed imposition of civil penalty in amount of \$25,000 will be issued to licensee based on failure to take prompt corrective action re design error in penetration room ventilation sys. PEDERSEN,R.M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 90/08/13. 1p. 55016:031-55016:031.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages. TUCKER,H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008210014 Forwards Rev 0 to "Inservice Insp Rept, Unit 1 Oconee 1990 Refueling Outage 12." TUCKER,H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54999:001-54999:313.

-9008210015 Rev 0 to "Inservice Insp Rept, Unit 1 Oconee 1990 Refueling Outage 12." HOGGE,A.J., TUCKER,T.L. Duke Power Co. 90/08/09. 400pp. 54999:002-54999:313.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270246 Discusses Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17 on 900520-0616 & forwards notice of violation & proposed imposition of civil penalty in amount of \$25,000. EBNETER,S.D. Region 2 (Post 820201). 90/08/16. TUCKER,H.B. Duke Power Co. 6pp. 55032:141-55032:149.

-9008270250 Notice of violation & proposed imposition of civil penalty in amount of \$25,000. Violations noted: util failed to take corrective action for condition adverse to quality & 890508 & 0720 responses to Generic Ltr 88-14 incomplete. EBNETER,S.D. Region 2 (Post 820201). 90/08/16. 3pp. 55032:147-55032:149.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170246 Forwards monthly operating repts for Jul 1990 for Oconee Nuclear Station Units 1, 2 & 3 & revised rpt for June 1990. TUCKER,H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54991:083-54991:099.

-9008170247 Monthly operating repts for Jul 1990 for Oconee Nuclear Station, Units 1, 2 & 3. WILLIAMS,R.A., MOSER,S.W. Duke Power Co. 90/07/31. 15pp. 54991:084-54991:088.

-9008170249 Revised monthly operating rpt for June 1990 for Oconee Nuclear Station. * Duke Power Co. 90/06/30. 1p. 54991:099-54991:099.

S. Reportable occurrences, LERs & related correspondence

9008030084 LER 90-011-00: on 900627, determined that boron dilution sys did not meet single failure design criteria. Caused by design deficiency re unanticipated interaction of sys. Procedure developed. W/900726 ltr. LOWERY,H.R., BARRON,H.B. Duke Power Co. 90/07/26. 12pp. 54831:047-54831:058.

9007310067 Advises that concerns re HPI pump motor & reactor bldg spray pump motor overcurrent during motor startup reported in LER 269/87-05 & LER 270/89-06 resolved, per licensee 900221 & 0321 ltrs providing data & analysis from Westinghouse. WIENS,L.A. Project Directorate II-3. 90/07/27. TUCKER,H.B. Duke Power Co. 3pp. 54802:346-54802:348.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008170222 Application for amend to License SNM-2503, obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl. Encls withheld. TUCKER,H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54990:347-54990:352.

9008160075 Forwards decommissioning funding plan for util ISFSI at plant. Submittal reflects util intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant. HAUSER,D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54978:148-54978:201.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008170222 Application for amend to License SNM-2503, obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl. Encls withheld. TUCKER,H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54990:347-54990:352.

9008010105 Forwards partially withheld Safeguards Insp Repts 50-269/90-22, 50-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviations noted. CLINE,W.E. Region 2 (Post 820201). 90/07/24. TUCKER,H.B. Duke Power Co. 3pp. 54797:017-54797:020.

-9008010109 Partially withheld Safeguard Insp Repts 50-269/90-22, 5-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviation noted. Major areas inspected: core insp program for power reactors & safeguards contingency plan implementation. MASNYK,O.M. Region 2 (Post 820201). 90/07/24. 1p. 54797:020-54797:020.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants. TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas." WIENS,L.A. Project Directorate II-3. 90/08/01. TUCKER,H.B. Duke Power Co. 2pp. 54922:024-54922:027.

-9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas." SIMION,G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). 90/07/17. WIENS,L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9008170046 Revised crisis mgt plan implementing procedures, including Rev 7 to EDA-3 & Rev 4 to EDA-4. W/900813 ltr. TUCKER,H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8 & Rev 35 to CMIP-9. W/DH Grimsley 900821 release memo. TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55031:276.

-9008240141 Public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8, Rev 35 to CMIP-9 & Rev 7 to CMIP-11. * Duke Power Co. 90/08/14. 400pp. 55030:217-55031:276.

I. Financial Information

9007270049 Certifies that util will undertake funding accumulating necessary funds to cover estimated costs of decommissioning Unit 2, per 10CFR50.75. Info, including "Duke Power Co Master Decommissioning Trust Agreement for..." encl. HAUSER,D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54738:175-54738:176.

9008160075 Forwards decommissioning funding plan for util ISFSI at plant. Submittal reflects util intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant. HAUSER,D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54978:148-54978:201.

9008230066 Forwards 1989 annual repts for Duke Power Co., North Carolina Municipal Power Agency 1, North Carolina Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

P. Operating license stage documents & correspondence

9008070023 Withdraws proposed changes to Spec 4.17.6 re primary to secondary leakage rate limit, per 880531 application. Page 7.17-4 should be replaced. TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54897:149-54897:151.

-9008070026 Proposed Tech Specs withdrawing proposed changes to Spec 4.17.6 re primary to secondary leakage rate limit. * Duke Power Co. 90/08/01. 1p. 54897:151-54897:151.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
WIENS, L.A. Project Directorate II-3. 90/08/01. TUCKER, H.B. Duke Power Co. 2pp. 54922:024-54922:027.

-9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
SIMION, G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). SIMION, G.P. Idaho National Engineering Laboratory. 90/07/17. WIENS, L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000.
TUCKER, H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101.
MATTHEWS, D.B. Project Directorate II-3. 90/08/15. TUCKER, H.B. Duke Power Co. 4pp. 54995:268-54995:271.

9008280370 Advises that post-accident liquid sampling sys mod & testing completed for Units 1 & 3. Unit 2 to be completed 900827.
TUCKER, H.B. Duke Power Co. 90/08/23. Document Control Branch (Document Control Desk). 1p. 55040:360-55040:360.

Q. Inspection reports, IE Bulletins & correspondence

9007270059 Forwards summary of enforcement conference on 900712 re Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17.
REYES, L.A. Region 2 (Post 820201). 90/07/18. TUCKER, H.B. Duke Power Co. 15pp. 54727:280-54727:294.

9008060033 Responds to NRC 900618 ltr re violations noted in Insp Repts 50-269/90-16, 50-270/90-16 & 50-287/90-16. Corrective actions: operations will revise out of sequence policy re higher levels of approval &/or add guidance.
TUCKER, H.B. Duke Power Co. 90/07/18. Document Control Branch (Document Control Desk). 5pp. 54877:157-54877:161.

9007310094 Responds to NRC 900619 ltr re violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. Corrective actions: settings for 44 safety-significant overcurrent relays compared to settings used in design engineering calculation.
TUCKER, H.B. Duke Power Co. 90/07/19. Document Control Branch (Document Control Desk). 2pp. 54803:235-54803:236.

9008010105 Forwards partially withheld Safeguards Insp Repts 50-269/90-22, 50-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 90/07/24. TUCKER, H.B. Duke Power Co. 3pp. 54797:017-54797:020.

-9008010109 Partially withheld Safeguard Insp Repts 50-269/90-22, 5-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviation noted. Major areas inspected: core insp program for power reactors & safeguards contingency plan implementation.
MASNYK, O.M., ENNIS, J.D., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/24. 1p. 54797:020-54797:020.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310220 Responds to NRC 900627 ltr re violations noted in Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17. Corrective actions: supervisor & crew counseled & reviewed Station Directives 2.2.1 & 3.1.2.
TUCKER, H.B. Duke Power Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54769:326-54769:328.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER, H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008160023 Provides supplemental response to violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. New relay setting control program being developed & program to be implemented by 910101.
TUCKER, H.B. Duke Power Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54992:183-54992:184.

9008210097 Ack receipt of 900727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17.
HERDT, A.R. Region 2 (Post 820201). 90/08/02. TUCKER, H.B. Duke Power Co. 2pp. 55004:083-55004:084.

9008270202 Forwards Insp Repts 50-269/90-21, 50-270/90-21 & 50-287/90-21 on 900617-0714. No violations or deviations noted.
HERDT, A.R. Region 2 (Post 820201). 90/08/03. TUCKER, H.B. Duke Power Co. 3pp. 55032:237-55032:251.

-9008270205 Insp Repts 50-269/90-21, 50-270/90-21 & 50-287/90-21 on 900617-0714. No violations or deviations noted. Major areas inspected: operation, surveillance testing, spent fuel transfer cask insp, maint activities & installation & testing of mods.
SKINNER, P.H., WERT, L.D., DESAI, B.B. Region 2 (Post 820201). 90/07/31. 12pp. 55032:240-55032:251.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008200149 Ack receipt of 900719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12.
HERDT, A.R. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 2pp. 54993:199-54993:200.

9008210027 Ack receipt of 900718 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-16, 50-270/90-16 & 50-287/90-16.
HERDT, A.R. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 2pp. 55004:081-55004:082.

9008210056 Forwards Insp Repts 50-269/90-23, 50-270/90-23 & 50-287/90-23 on 900716-19. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 3pp. 55003:320-55003:328.

-9008210060 Insp Repts 50-269/90-23, 50-270/90-23 & 50-287/90-23 on 900716-19. No violations or deviations noted. Major areas inspected: licensee actions in response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss."
HALLSTROM, G.A., BELISLE, G.A. Region 2 (Post 820201). 90/08/02. 6pp. 55003:323-55003:328.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect oil transmitters installed in reactor protection sys, ESFAS or ATWS applications at facility.
TUCKER, H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008230053 EN-90-079: on 900816, notice of proposed imposition of civil penalty in amount of \$25,000 will be issued to licensee based on failure to take prompt corrective action re design error in penetration room ventilation sys.
PEDERSEN, R.M., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 90/08/13. 1p. 55016:031-55016:031.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages.
TUCKER, H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270246 Discusses Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17 on 900520-0616 & forwards notice of violation & proposed imposition of civil penalty in amount of \$25,000.
EBNETER, S.D. Region 2 (Post 820201). 90/08/16. TUCKER, H.B. Duke Power Co. 6pp. 55032:141-55032:149.

-9008270250 Notice of violation & proposed imposition of civil penalty in amount of \$25,000. Violations noted: util failed to take corrective action for condition adverse to quality & 890508 & 0720 responses to Generic Ltr 88-14 incomplete.
EBNETER, S.D. Region 2 (Post 820201). 90/08/16. 3pp. 55032:147-55032:149.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170245 Forwards monthly operating repts for Jul 1990 for Oconee Nuclear Station Units 1, 2 & 3 & revised rept for June 1990.
TUCKER, H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54991:083-54991:089.

-9008170247 Monthly operating repts for Jul 1990 for Oconee Nuclear Station, Units 1, 2 & 3.
WILLIAMS, R.A., MOSER, S.W. Duke Power Co. 90/07/31. 15pp. 54991:084-54991:089.

-9008170249 Revised monthly operating rept for June 1990 for Oconee Nuclear Station.
* Duke Power Co. 90/06/30. 1p. 54991:089-54991:089.

46 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9007310067 Advises that concerns re HPI pump motor & reactor bldg spray pump motor overcurrent during motor startup reported in LER 269/87-05 & LER 270/89-06 resolved, per licensee 900221 & 0321 ltrs providing data & analysis from Westinghouse.
WIENS, L.A. Project Directorate II-3. 90/07/27. TUCKER, H.B. Duke Power Co. 3pp. 54802:346-54802:348.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008170222 Application for amend to License SNM-2503, obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl. Encls withheld.
TUCKER, H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54990:347-54990:352.

9008160075 Forwards decommissioning funding plan for util ISFSI at plant. Submittal reflects util intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant.
HAUSER, D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54978:148-54978:201.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9008060012 Forwards public version of "Vermont Yankee Nuclear Power Station Emergency Response Preparedness Exercise 1990." Exercise scenario package includes all info pertinent to performance of exercise scheduled for 900718.
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 90/05/17. Document Control Branch (Document Control Desk). 2pp. 54857:115-54858:042.

9008060013 Public version of "Vermont Yankee Nuclear Power Station Emergency Response Preparedness Exercise 1990."
* Vermont Yankee Nuclear Power Corp. 90/07/18. 292pp. 54857:117-54858:042.

9007260003 Forwards Rev 2 to training & qualification plan. Rev withheld (ref 10CFR73.21).
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 90/07/20. Document Control Branch (Document Control Desk). 1p. 54737:354-54737:354.

9007300039 Change 77 to revised EPIPs, including Rev 9 to AP 3125 & contact list.
* Yankee Atomic Electric Co. 90/07/23. 30pp. 54745:034-54745:065.

9007270203 Informs that effective 900723 facility implemented Rev 4 of procedure generating package & corresponding revs to EOPs. Revs developed per Rev 4 of BWR Owners Group emergency procedure guidelines.
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 90/07/24. Document Control Branch (Document Control Desk). 1p. 54738:110-54738:110.

9008200089 Forwards Safety Insp Rept 50-271/90-03 on 900508-0702. Overall operations conducted safely. Unresolved items pending receipt of addl info noted.
JOHNSON, J.R. Region 1 (Post 820201). 90/08/16. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 4pp. 54993:148-54993:179.

9008200090 Safety Insp Rept 50-271/90-03 on 900508-0702. Major areas inspected: plant operations, radiological controls, maint/ surveillance, emergency preparedness, security, engineering/ technical support & safety assessment/ quality verification.
ROGGE, J. Region 1 (Post 820201). 90/08/16. 28pp. 54993:152-54993:179.

G. Adjudicatory correspondence

9008010137 Forwards affidavit of WK Sherman for responses to interrogatories by State of VT to Vermont Yankee Nuclear Power Corp (Set 4), filed 900718, for filing. W/Certificate of Svc. Related correspondence.
JANSON, K. Vermont, State of. #390 10661. 90/07/19. Office of the Secretary of the Commission. 3pp. 54722:153-54722:155.

9008010068 Memorandum & order (motion to compel answers to interrogatories, Set 2). * State of VT directed to clarify to extent indicated, responses to Interrogatories 1, 3, 9-10, 11-12, 37, 80, 147 & 152. W/Certificate of Svc. Served on 900723.
LAZO, R.M. Atomic Safety and Licensing Board Panel. #390 10656. 90/07/20. Vermont, State of. 36pp. 54722:012-54722:048.

9008010157 Stipulation enlarging time. * Advises that parties stipulate that time within which licensee obliged to respond to State of VT motion to add late-filed contention enlarged from 900731 to 900808. W/Certificate of Svc.
GAD, R.K. Vermont Yankee Nuclear Power Corp. GAD, R.K. Ropes & Gray. JANSON, K. Vermont, State of. #390 10662. 90/07/20. 2pp. 54722:159-54722:160.

9008070124 Interrogatories propounded by Vermont Yankee Nuclear Power Corp to State of VT (Set 5). * W/Certificate of Svc. Related correspondence.
TROUT, J.P. Vermont Yankee Nuclear Power Corp. TROUT, J.P. Ropes & Gray. #390 10669. 90/07/24. Vermont, State of. 11pp. 54824:198-54824:208.

9008070141 Document requests propounded by Vermont Yankee Nuclear Power Corp to State of VT (Set 1). * W/Certificate of Svc. Related correspondence.
TROUT, J.P. Vermont Yankee Nuclear Power Corp. TROUT, J.P. Ropes & Gray. #390 10668. 90/07/24. Vermont, State of. 5pp. 54824:001-54824:005.

9008070147 Motion to suppl answer of Vermont Yankee Nuclear Power Corp to State of VT motion to compel (document requests, Set 1). * Util moves that ASLB grant leave to suppl motion to compel by adding encl AS Howard ltr. W/Certificate of Svc.
TROUT, J.P. Vermont Yankee Nuclear Power Corp. TROUT, J.P. Ropes & Gray. #390 10687. 90/07/24. Atomic Safety and Licensing Board Panel. 4pp. 54824:027-54824:030.

9008070191 Forwards signed & conformed copies of listed documents, including document production requests propounded by State of VT to util (Set 3) & 13 notices of depositions of listed persons at listed times. Related correspondence.
JANSON, K. Vermont, State of. #390 10670. 90/07/24. Office of the Secretary of the Commission. 2pp. 54824:043-54824:168.

9008070194 Document production requests propounded by State of VT to Vermont Yankee Nuclear Power Corp (Set 3). * Related correspondence.
JANSON, K. Vermont, State of. 90/07/24. Vermont Yankee Nuclear Power Corp. 34pp. 54824:045-54824:078.

9008070202 Interrogatories propounded by State of VT to Vermont Yankee Nuclear Power Corp (Set 3). * Certificate of Svc & notices of depositions encl. Related correspondence.
JANSON, K. Vermont, State of. 90/07/24. Vermont Yankee Nuclear Power Corp. 90pp. 54824:079-54824:168.

9008150146 Notice of prehearing conference. * Prehearing conference re proposed extension of expiration date of facility OL license for plant scheduled for 900821. W/Certificate of Svc. Served on 900802.
LAZO, R.M. Atomic Safety and Licensing Board Panel. #390 10691. 90/08/01. 3pp. 54927:200-54927:202.

9008150134 NRC Staff motion to enlarge time within which to respond to State of VT late filed contention. * Response period extended to 900813. W/Certificate of Svc.
HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10699. 90/08/02. Atomic Safety and Licensing Board Panel. 5pp. 54927:193-54927:197.

9008150180 Answer of Vermont Yankee Nuclear Power Corp to State of VT motion to compel (Interrogatories Set 2). * Motion should be denied based on listed reasons. Certificate of Svc encl.
GAD, R.K. Vermont Yankee Nuclear Power Corp. GAD, R.K. Ropes & Gray. #390 10705. 90/08/02. Atomic Safety and Licensing Board Panel. 9pp. 54927:310-54927:318.

9008150184 Motion to compel answers to interrogatories (Vermont Yankee Nuclear Power Corp Set 4). * Util moves that Board enter order compelling State of VT to give proper answers to interrogatories propounded by util. W/Certificate of Svc.
GAD, R.K. Vermont Yankee Nuclear Power Corp. GAD, R.K. Ropes & Gray. #390 10704. 90/08/02. Atomic Safety and Licensing Board Panel. 14pp. 54929:043-54929:056.

9008150206 NRC Staff motion to enlarge time within which to respond to State of VT late filed contention. * Response period extended to 900813. Served on 900806. Granted for ASLB on 900803. W/Certificate of Svc.
* Assistant General Counsel for Hearings & Enforcement. #390 10701. 90/08/02. Atomic Safety and Licensing Board Panel. 2pp. 54929:064-54929:065.

9008150211 Supplemental responses to applicant interrogatories by State of VT (Set 2). * Clarification re scope of term "surveillance program" as used in Contention 7 provided. W/Certificate of Svc. Related correspondence.
SHERMAN, W.K. Vermont, State of. #390 10712. 90/08/06. Vermont Yankee Nuclear Power Corp. 14pp. 54929:017-54929:030.

9008150224 Answer of Vermont Yankee to State of VT motion for leave to submit late filed contention. * Motion of State of VT for late-filed contention should be denied. W/Certificate of Svc.
GAD, R.K. Vermont Yankee Nuclear Power Corp. GAD, R.K. Ropes & Gray. #390 10716. 90/08/08. Atomic Safety and Licensing Board Panel. 200pp. 54928:001-54928:316.

9008240117 Informs that 900724 notices of deposition suspended indefinitely until further notice. State of VT unable to prepare adequately for depositions until receipt of interrogatory responses from plant. Related correspondence.
JANSON, K. Vermont, State of. #390 10738. 90/08/10. Office of the Secretary of the Commission. 1p. 54995:108-54995:108.

9008240115 Responses to interrogatories by State of VT to Vermont Yankee Nuclear Power Corp (Set 5). * Related correspondence. W/Certificate of Svc.
JANSON, K. Vermont, State of. #390 10731. 90/08/13. Atomic Safety and Licensing Board Panel. 14pp. 54995:094-54995:107.

9008240132 NRC Staff response to motion to amend State of VT suppl to petition to intervene & accept & admit addl late-filed contention. * Licensing board should reject proposed Contention X. W/Certificate of Svc.
HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10728. 90/08/13. Atomic Safety and Licensing Board Panel. 17pp. 54995:123-54995:139.

9008240179 Notice of postponement of prehearing conference. * Conference scheduled for 900821 & 22 in Brattleboro, VT postponed to date to be determined later. Certificate of Svc encl. Served on 900814.
LAZO, R.M. Atomic Safety and Licensing Board Panel. #390 10725. 90/08/13. 2pp. 54995:176-54995:177.

9008240104 Advises of typo in NRC response to motion to amend State of VT suppl to petition to intervene & accept & admit addl late-filed contention on 900813. Introduction on Page 1, Line 11 should be "October 30, 1989." W/Certificate of Svc.
HOLLER, E. Assistant General Counsel for Hearings & Enforcement. #390 10739. 90/08/16. LAZO, R.M., SHON, F.J., KLINE, J.R. Atomic Safety and Licensing Board Panel. 3pp. 54995:088-54995:090.

9008240061 State of VT answer in opposition to Vermont Yankee Nuclear Power Corp fourth motion to compel & State of VT application for protective order. * Board should deny util motion to compel & issue protective order. W/Certificate of Svc.
JANSON, K. Vermont, State of. #390 10749. 90/08/17. Atomic Safety and Licensing Board Panel. 12pp. 54995:009-54995:020.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100232 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V licensees establishment of engineering mngs forum to foster disciplined & coordinated approach to initiatives.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 5pp. 54951:183-54951:187.

9008240204 Summary of 900430 meeting w/util in Rockville, MD re hardened wetwell vent design & plant toxic gas monitors. List of attendees encl.
FAIRFILL, M.B. Project Directorate I-3. 90/08/20. NERSES, V. Project Directorate I-3. 7pp. 55027:113-55027:119.

Q. Inspection reports, IE Bulletins & correspondence

9008070233 Forwards Radiological Controls Insp Rept 50-271/90-06 on 900618-22 & notice of violation.
BELLAMY, R.R. Region 1 (Post 820201). 90/07/25. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 5pp. 54879:259-54879:270.

-9008070237 Notice of violation from insp on 900618-22. Violation noted: failure to follow radiation protection procedures & failure to update FSAR to reflect reorganization of radiation protection dept.
* Region 1 (Post 820201). 90/07/25. 2pp. 54879:264-54879:265.

-9008070238 Insp Rept 50-271/90-06 on 900618-22. Violations noted. Major areas inspected: radiological controls program, including status of previously identified items, organization, external exposure controls & control of radioactive matl.
O'CONNELL, P., CHAWAGA, D., PASCIAK, W. Region 1 (Post 820201). 90/07/24. 5pp. 54879:266-54879:270.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100169 Forwards Safety Insp Rept 50-271/90-08 on 900716-20. No violations noted.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/02. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 5pp. 54934:226-54934:236.

-9008100171 Insp Rept 50-271/90-05 on 900716-20. No violations noted. Major areas inspected: transportation & solid radwaste programs including: mgt controls, audits & QA.
FURIA, J., PERSON, L., BORES, R. Region 1 (Post 820201). 90/08/02. 6pp. 54934:231-54934:236.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200089 Forwards Safety Insp Rept 50-271/90-03 on 900508-0702. Overall operations conducted safely. Unresolved items pending receipt of addl info noted.
JOHNSON, J.R. Region 1 (Post 820201). 90/08/16. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 4pp. 54993:148-54993:179.

-9008200090 Safety Insp Rept 50-271/90-03 on 900508-0702. Major areas inspected: plant operations, radiological controls, maint/ surveillance, emergency preparedness, security, engineering/ technical support & safety assessment/ quality verification.
ROGGE, J. Region 1 (Post 820201). 90/08/16. 28pp. 54993:152-54993:179.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140350 Monthly operating rept for Jul 1990 for Vermont Yankee Nuclear Power Station. W/900810 ltr.
WALLIN, G.A., MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 90/07/31. 6pp. 54965:165-54965:170.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008200087 Informs that sys testing & operator training successfully completed & SPDS declared operable on 900813. Util intends to operate SPDS in parallel w/original Honeywell GEPAC plant computer until mid-Nov 1990.
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54994:357-54994:357.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9007300043 Rev 6 to Salem event classification guide.
FAWCETT, D. Public Service Electric & Gas Co. of New Jersey. 90/07/27. 102pp. 54745:196-54745:297.

9008100068 Forwards Safety Insp Repts 50-272/90-18, 50-311/90-18 & 50-354/90-12 on 900625-29. No violations or deficiencies noted.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54943:340-54943:351.

-9008100072 Insp Repts 50-272/90-18, 50-311/90-18 & 50-354/90-12 on 900625-29. No violations, deviations or unresolved items noted. Major areas inspected: licensee emergency preparedness program.
AMATO, C.G. Region 1 (Post 820201). 90/08/01. 9pp. 54943:343-54943:351.

I. Financial Information

9007310281 Forwards rept & certification of financial assurance for decommissioning for plants, per 10CFR50.75.
FRYLING, R. Public Service Electric & Gas Co. of New Jersey. 90/07/24. Document Control Branch (Document Control Desk). 250pp. 54795:177-54796:102.

9007270077 Forwards decommissioning repts for Hope Creek, Peach Bottom & Salem nuclear generating stations.
JENNINGS, L.F. Atlantic City Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54759:105-54760:003.

-9007270080 "Salem Nuclear Generating Station - Unit 2 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:106-54759:156.

-9007270081 "Hope Creek Nuclear Generating Station Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:157-54759:208.

-9007270084 "Peach Bottom Atomic Power Station - Unit 2 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:209-54759:260.

-9007270085 "Peach Bottom Atomic Power Station - Unit 3 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:261-54759:312.

-9007270086 "Salem Nuclear Generating Station - Unit 1 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:313-54760:003.

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER, G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

-9008020101 "Decommissioning Rept of Philadelphia Electric Co."
RIMMERMAN, M.W. Philadelphia Electric Co. 90/07/20. 33pp. 54831:195-54831:227.

P. Operating license stage documents & correspondence

9008010243 Provides status of commitments made to NRC by util in 900109 ltr re NUREG-0737, item II.D.1, per 900628 telcon.
CRIMMINS, T.M. Public Service Electric & Gas Co. of New Jersey. 90/07/18. Document Control Branch (Document Control Desk). 3pp. 54805:260-54805:262.

9008030270 Forwards listing of station blackout major audit items resolution scope, per station blackout schedule commitment.
CRIMMINS, T.M. Public Service Electric & Gas Co. of New Jersey. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54832:045-54832:047.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

48 DOCKETED ITEMS

9008130195 Discusses licensee engineering initiatives. Util encouraged to initiate similar initiative. Cooperative effort would promote efficiency & enhance effectiveness of nuclear power plant engineering activities.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 54951:290-54951:293.

9008080228 Advises that util 900412 ltr. Attachment 1 re main steam line break core response limiting case will be withheld (ref 10CFR2.790) per 900411 affidavit.
STONE, J.C. Project Directorate I-2. 90/08/07. WIESEMANN, R.A. Westinghouse Electric Corp. 2pp. 54917:335-54917:337.

9008130228 Forwards corrected marked-up pages for Tech Spec Table 3.3-11 re sub-cooling margin monitor & reactor vessel level instrumentation sys. per 900223 ltr. Administrative changes made as indicated.
FRESTON, J.A. Public Service Electric & Gas Co. of New Jersey. 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54957:173-54957:181.

-9008130231 Proposed Tech Specs re accident monitoring instrumentation.
* Public Service Electric & Gas Co. of New Jersey. 90/08/08. 5pp. 54957:176-54957:181.

9008130282 Forwards responses to NRC comments re plant simulator certification for 10CFR55.45(b)(2), per 891228 ltr.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 90/08/09. Document Control Branch (Document Control Desk). 163pp. 54936:239-54937:057.

9008150285 Forwards response to request for addl info re reinstatement of OL expiration dates based on original issuance of OLs. Advises that correct expiration date for OL proposed to be 200418.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 90/08/10. Document Control Branch (Document Control Desk). 65pp. 54971:292-54971:358.

9008230195 Forwards details of allegations re activities & requests results of investigation by 900820. Results should not contain privacy, safeguards or proprietary info. Encl withheld (ref 10CFR2.790).
HEHL, C.W. Region 1 (Post 820201). 90/08/10. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 55016:036-55016:037.

Q. Inspection reports, IE Bulletins & correspondence

9008070242 Forwards Insp Repts 50-272/90-15 & 50-311/90-15 on 900514-25. No violations noted.
DURR, J.P. Region 1 (Post 820201). 90/07/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54902:227-54902:235.

-9008070245 Insp Repts 50-272/90-15 & 50-311/90-15 on 900514-25. No violations noted. Major areas inspected: inservice insp program including 10-yr plan, steam generator eddy current testing & primary & secondary water chemistry results.
CHAUDHARY, S.K., STROSNIDER, J.R. Region 1 (Post 820201). 90/07/10. 7pp. 54902:229-54902:235.

900808089 Ack receipt of 900608 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-272/90-80 & 50-311/90-80. Actions will be examined during future insp.
GALLO, R.M. Region 1 (Post 820201). 90/07/25. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54903:327-54903:334.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070293 Forwards Insp Repts 50-272/90-17, 50-311/90-17 & 50-354/90-11 on 900611-15. No violations noted.
DURR, J.P. Region 1 (Post 820201). 90/07/31. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54902:236-54902:250.

-9008070296 Insp Repts 50-272/90-17, 50-311/90-17 & 50-354/90-11 on 900611-15. No violations noted. Major areas inspected: review of licensee engineering organization, staffing, communications, QA & training & mgt support.
CHEUNG, L.S., MATHEW, R.K., RANGARAO, G. Region 1 (Post 820201). 90/07/25. 13pp. 54902:238-54902:250.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008080070 Ack receipt of 900702 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-272/90-09 & 50-311/90-09.
GALLO, R.M. Region 1 (Post 820201). 90/08/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54916:198-54916:202.

9008100068 Forwards Safety Insp Repts 50-272/90-18, 50-311/90-18 & 50-354/90-12 on 900625-29. No violations or deficiencies noted.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54943:340-54943:351.

-9008100072 Insp Repts 50-272/90-18, 50-311/90-18 & 50-354/90-12 on 900625-29. No violations, deviations or unresolved items noted. Major areas inspected: licensee emergency preparedness program.
AMATO, C.G., LAZARUS, W.J. Region 1 (Post 820201). 90/08/01. 9pp. 54943:343-54943:351.

9008160178 Notification of 900815 Mgt Meeting 90-97 w/util in King of Prussia, PA to discuss plant IPAT insp.
KAUFMAN, P.D. Region 1 (Post 820201). 90/08/03. Region 1 (Post 820201). 2pp. 54978:344-54978:345.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230162 Forwards safety evaluation accepting actions taken by util to fully resolve issues identified in Bulletin 88-002 re rapid propagating fatigue cracks in steam generator tubes. Util encouraged to review leak rate monitoring procedures.
STONE, J.C. Project Directorate I-2. 90/08/16. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 55020:147-55020:152.

-9008230164 Safety evaluation accepting actions taken by util to fully resolve issues identified in Bulletin 88-002 re rapidly propagating fatigue cracks in steam generator tubes.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/16. 3pp. 55020:150-55020:152.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007310015 "SPDES Discharge Monitoring Rept for June 1990." W/900712 ltr.
MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/06/30. CAPORALE, G. New Jersey, State of. 20pp. 54769:199-54769:219.

9008210129 Monthly operating rept for Jul 1990 for Salem 1. W/900815 ltr.
MORRONI, M., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/07/31. 10pp. 55003:290-55003:299.

S. Reportable occurrences, LERs & related correspondence

9008020029 PNO-I-90-056: on 900722, potential design deficiency in main steam isolation sys noted. Units shut down until final analysis & appropriate corrective actions completed.
JOHNSON, T., SWETLAND, P. Region 1 (Post 820201). 90/07/23. 3pp. 54805:328-54805:330.

9008010012 LER 90-018-01: on 900528, control room air intake radiation monitoring sys monitor alarm circuitry failed & on 900701, Channel 1R1B failed resulting in actuation of ESF function. Caused by spurious high channel spike. W/900724 ltr.
POLLACK, M.J., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/07/24. 4pp. 54792:034-54792:037.

9008100211 Part 21 rept re MSIV design deficiency at plant. Design spec provided by Westinghouse did not specify requirement to provide seal in capability & util design process failed to recognize deficiency.
CRIMMINS, T.M. Public Service Electric & Gas Co. of New Jersey. 90/08/02. Document Control Branch (Document Control Desk). 4pp. 54951:192-54951:195.

9008140055 LER 89-004-01: on 890120, discovered that Tech Spec Surveillance Table 4.3-1 Number 20, not performed as required. Probably caused by inadequate administrative controls. Procedure issued on status test. W/900807 ltr.
POLLACK, M.J., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/07. 5pp. 54953:219-54953:223.

9008140063 Special Rept 88-3-24: on 880720-900716, fire barrier penetration seals found impaired not being repaired within 7 days as specified. Hourly fire watch patrol established.
MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/07. Document Control Branch (Document Control Desk). 13pp. 54954:351-54955:003.

9008210161 LER 89-035-01: on 891210, containment compressed air supply valve found untagged in open position during mode changes. Caused by personnel error. Procedure IOP-2 revised to include step to verify valve 1SA118 closed. W/900813 ltr.
POLLACK, M.J., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/13. 4pp. 54994:140-54994:143.

9008210155 LER 90-022-00: on 900717, observed that relief valve 1SJ167 was leaking past seat as result of investigation to determine cause of decreasing level in accumulators. Caused by equipment failure. Valve repaired on 900722. W/900815 ltr.
POLLACK, M.J., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/15. 6pp. 55002:050-55002:055.

9008230032 LER 90-021-00: on 900717, discovered that work order not issued to perform revised Procedure 1IC-16.1.008. Caused by personnel error. Event reviewed by technical department mgt appropriate personnel. W/900815 ltr.
POLLACK, M.J., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/15. 5pp. 55002:080-55002:084.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008220072 Forwards public version of corporate emergency response plan implementing procedures (IP),including Rev 7 to IP 2.2,Rev 4 to IP 3.6,Rev 10 to IP 4.3 & Rev 8 to IP 4.9. WOMACK,L.F. Pacific Gas & Electric Co. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 55005:190-55005:290.

-9008220074 Public version of corporate emergency response plan implementing procedures (IP),including Rev 7 to IP 2.2,Rev 4 to IP 3.6,Rev 10 to IP 4.3 & Rev 8 to IP 4.9. * Pacific Gas & Electric Co. 90/08/07. 99pp. 55005:192-55005:290.

M. Antitrust correspondence

9008070152 Advises that time for Commission to review Director's Decision DD-90-03 expired.Commission declined review. Decision became final agency action on 900724.Served on 900731.W/Certificate of Svc. CHILK,S.J. Office of the Secretary of the Commission. #390 10672. 90/07/27. MCDIARMID,R.C. Spiegel & McDiarmid. 2pp. 54824:034-54824:035.

P. Operating license stage documents & correspondence

9008030221 Forwards application for License Amend Request 90-06 to Licenses DPR-80 & DPR-82.Amend would allow Unit 2 safety valves 8010A to be disabled if leak rate increases. SHIFFER,J.D. Pacific Gas & Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54841:009-54841:024.

-9008030224 Application for amends to Licenses DPR-80 & DPR-82, consisting of License Amend Request 90-06.Amend would allow Unit 2 safety valve 8010A to be disabled if leak rate increases. SHIFFER,J.D. Pacific Gas & Electric Co. 90/07/27. 11pp. 54841:012-54841:022.

-9008030225 Proposed Tech Specs re pressurizer code safety valves. * Pacific Gas & Electric Co. 90/07/27. 2pp. 54841:023-54841:024.

9008030333 Submits evaluation of continued operation w/crack in suction header of positive displacement pump.Continued operation until condition repaired does not involve significant safety or environ concern.W/justification for continued operation. SHIFFER,J.D. Pacific Gas & Electric Co. 90/07/30. Document Control Branch (Document Control Desk). 9pp. 54841:138-54841:146.

9008070011 Reviews 60-day response to Generic Ltr 88-20 re individual plant exams for Diablo Canyon Units 1 & 2. ROOD,H. Project Directorate V. 90/07/30. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 54903:019-54903:021.

9008070270 Forwards response to NRC Questions 2-18 & 10-13 re long-term seismic program geology,seismology & geophysics issues,per 900223 ltr.Questions 1-9 relate to ground motions & will be answered in future submittals.W/one oversize figure. SHIFFER,J.D. Pacific Gas & Electric Co. 90/08/02. Document Control Branch (Document Control Desk). 139pp. 54950:018-54950:158.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130063 Provides info re closeout of NRC review of util response to Generic Ltr 89-08 on SPDS.Requests that util notify NRC in writing upon implementation of SPDS at facility. ROOD,H. Project Directorate V. 90/08/10. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 54958:279-54958:281.

9008150185 Responds to 900709 ltr forwarding correspondence from BL Boxer & LE Panetta re seismic safety of plant.NRC will complete review of plant seismic reevaluation program & will document findings in SER. REMICK,F.J. Commissioners (Post 750119). 90/08/10. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 55059:330-55059:333.

-9008150187 Forwards 900601 ltr from B Boxer & LE Panetta re seismic issues at plant. DINGELL,J.D. House of Rep., Energy & Commerce. 90/07/09. CARR,K.M. Commissioners (Post 750119). 3pp. 55059:331-55059:333.

9008160076 Forwards "Reassessment of High Confidence of Low Probability of Failure Level of Diablo Canyon 230-kV Switchyard Following 1989 Loma Prieta Earthquake." SHIFFER,J.D. Pacific Gas & Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54976:337-54976:361.

-9008160078 "Reassessment of High Confidence of Low Probability of Failure Level of Diablo Canyon 230-kV Switchyard Following 1989 Loma Prieta Earthquake." * Pacific Gas & Electric Co. 90/08/31. 23pp. 54976:340-54976:361.

9008270092 Advises that proprietary WCAP-12221, "Advanced Digital Feedwater Control Sys for Diablo Canyon Units 1 & 2" will be withheld from public disclosure (ref 10CFR2.790).per 890328 request. LARKINS,J.T. Project Directorate V. 90/08/20. WIESEMANN,R.A. Westinghouse Electric Corp. 3pp. 55036:275-55036:277.

9008280312 Forwards, "Response to Ground Motion Questions LP 1 & LP 9 & Workshop Questions 1 Through 6." SHIFFER,J.D. Pacific Gas & Electric Co. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55041:090-55041:219.

-9008280315 "Response to Ground Motion Questions LP 1 & LP 9 & Workshop Questions 1 Through 6." * Pacific Gas & Electric Co. 90/08/31. 156pp. 55041:091-55041:219.

Q. Inspection reports, IE Bulletins & correspondence

9008010182 Forwards Insp Repts 50-275/90-13 & 50-323/90-13 on 900422- 0609 & notice of violation. RICHARDS,S.A. Region 5 (Post 820201). 90/07/13. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 54805:098-54805:119.

-9008010185 Notice of violation from insp on 900422-0609.Violations noted:work order which provided instructions for replacement of plant turbine driven auxiliary feedwater pump speed governor not appropriate to circumstances. RICHARDS,S.A. Region 5 (Post 820201). 90/07/13. 2pp. 54805:101-54805:102.

-9008010186 Insp Repts 50-275/90-13 & 50-323/90-13 on 900422-0609. Violations noted.Major areas inspected:plant operations, maint & surveillance activities,followup of onsite events, open items & IERS. RICHARDS,S.A. Region 5 (Post 820201). 90/07/13. 17pp. 54805:103-54805:119.

9007300014 Responds to violations noted in Insp Repts 50-275/90-16 & 50-323/90-16.Corrective actions:training on requirements of NPAP E-14 incorporated into ongoing maint training program. SHIFFER,J.D. Pacific Gas & Electric Co. 90/07/23. Document Control Branch (Document Control Desk). 6pp. 54740:344-54740:349.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020136 Ack receipt of 900502 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-275/90-01 & 50-323/90-01.Enforcement Item 275/90-01-01 withdrawn based on addl info provided in 900502 ltr. ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/27. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 54826:230-54826:241.

9008030219 Provides results of check valve insps conducted during third refueling outage & technical justification for scheduling addl check valve for insp in response to NRC Bulletin 89-002. SHIFFER,J.D. Pacific Gas & Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 5pp. 54842:287-54842:291.

9008060242 Discusses Investigation Case 5-89-012 re activities under Licenses DPR-80 & DPR-82.investigation involved concerns associated w/deficient vendor audits & interview of personnel.No willful violations identified. ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/31. SHIFFER,J.D. Pacific Gas & Electric Co. 4pp. 54890:025-54890:028.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090415 Responds to util 900705 request for addl time to reply to notice of violation.Northern California Power Agency opposes util request for time based on NRC analysis,independently of court. MCDIARMID,R.C. Spiegel & McDiarmid. DAVIDSON,D.I. Northern California Power Agency. 90/08/03. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 54942:111-54942:113.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

50 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9008170232 Monthly operating repts for Jul 1990 for Diablo Canyon Power Plant Units 1 & 2.W/900810 ltr.
JOYCE,T.C., DAHAN,P.G., TOWNSEND,J.D. Pacific Gas & Electric Co. 90/07/31. 11pp. 54983:088-54983:098.

S. Reportable occurrences, LERs & related correspondence

9008010041 PNO-V-90-033:on 900726,observed crack in charging pump suction header piping caused by boric acid crystals on elbow of pump.Licensee considers piping operable & to be repaired w/o plant shut down.Inspector monitoring plant.
MORRILL,P., NARBUT,P. Region 5 (Post 820201). 90/07/27. 2pp. 54788:353-54788:354.

9008170123 Special Rept 90-02:on 900712,diesel generator 1-2 started on simulated loss of bus voltage & operated w/o electrical load pending engine warmup.Caused by switch leaking electrolyte. Switch replaced & diesel generator tested successfully.
SHIFFER,J.D. Pacific Gas & Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 6pp. 54981:104-54981:109.

V. Operator Examinations

9008060253 Discusses generic fundamentals exam on 900606 & forwards exam form w/answers & results.
KIRSCH,D.F. Region 5 (Post 820201). 90/08/02. MARTIN,T. Pacific Gas & Electric Co. 43pp. 54858:115-54858:157.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing nati exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9007300033 Revised emergency response procedures including Rev 14 to ERP-110,App 1,Rev 11 to ERP-110,App 2 & Rev 10 to ERP-140 App 1.W/900720 ltr.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. 30pp. 54762:286-54762:315.

9008080058 Forwards Safety Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 90/07/30. SMITH,D.M. Philadelphia Electric Co. 2pp. 54931:095-54931:115.

-9008080065 Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702. Violations noted.Major areas inspected:operational safety, radiation protection,physical security,control room activities,licensee events & maint.
DOERFLEIN,L.T. Region 1 (Post 820201). 90/07/30. 18pp. 54931:098-54931:115.

9008220070 Forwards public version of revised emergency response procedures,including Rev 12 to ERP-140,App 2,Rev 13 to ERP-140,App 3,Rev 4 to ERP-230,Rev 3 to ERP-305 & Rev 3 to ERP-660.
HUNGER,G.A. Philadelphia Electric Co. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 55015:227-55015:310.

-9008220071 Public version of revised emergency response procedures, including Rev 12 to ERP-140,App 2,Rev 13 to ERP-140,App 3, Rev 4 to ERP-230,Rev 3 to ERP-305 & Rev 3 to ERP-660.
* Philadelphia Electric Co. 90/08/06. 77pp. 55015:230-55015:310.

9008160195 Forwards Initial SALP Board Repts 50-277/89-99 & 50-278/89-99 for period of Jul 1989 - May 1990.
MARTIN,T.T. Region 1 (Post 820201). 90/08/10. SMITH,D.M. Philadelphia Electric Co. 3pp. 54992:057-54992:093.

-9008160197 Initial SALP Repts 50-277/89-99 & 50-278/89-99 for 890701-900531.
* Region 1 (Post 820201). 90/08/10. 34pp. 54992:060-54992:093.

H. General correspondence

9007310007 Submits change of addresses for correspondence re util nuclear operations.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. NRC - No Detailed Affiliation Given. 2pp. 54770:021-54770:022.

9008130285 Advises of change of address for correspondence re util operations.All incoming correspondence must be directed to one of listed addresses.
HUNGER,G.A. Philadelphia Electric Co. 90/08/09. NRC - No Detailed Affiliation Given. 2pp. 54956:264-54956:265.

I. Financial Information

9007310281 Forwards rept & certification of financial assurance for decommissioning for plants,per 10CFR50.75.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 90/07/24. Document Control Branch (Document Control Desk). 250pp. 54795:177-54795:102.

9007270077 Forwards decommissioning repts for Hope Creek,Peach Bottom & Salem nuclear generating stations.
JENNINGS,L.F. Atlantic City Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54759:105-54760:003.

-9007270084 "Peach Bottom Atomic Power Station - Unit 2 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:209-54759:260.

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER,G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

-9008020099 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 33pp. 54831:162-54831:194.

P. Operating license stage documents & correspondence

9008150135 DRAFT EVALUATION OF SEVERE ACCIDENT RISKS: PEACH BOTTOM UNIT 2.
PAYNE,A.C., BREEDING,R.J., JOW,H.N. Sandia National Laboratories. FIN A-1228. NUREG/CR-4551 V4PIR1. 90/03/31. NRC - No Detailed Affiliation Given. 1,000pp. 54944:187-54947:221.

9008060240 Forwards list of 1990 QA program changes for plant.List identifies page & paragraph number,brief description & type of change.
HUNGER,G.A. Philadelphia Electric Co. 90/07/30. Document Control Branch (Document Control Desk). 4pp. 54864:101-54864:104.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090218 Further response to appeal of denial of FOIA request for records re Peach Bottom Nuclear Power Plant.Previously withheld info will continue to be withheld (ref FOIA Exemptions 5,6 & 7).Appeal denied.
THOMPSON,H.L. Dep Exec Dir for Nuc Mats Safety,Safeguards & Operations Support (Post 890205). 90/08/06. HILL,T.C. Shaw, Pittman, Potts & Trowbridge. 5pp. 54872:192-54872:226.

9008130187 Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. SMITH,D.M. Philadelphia Electric Co. 4pp. 54954:305-54954:308.

9008230159 Requests discussion of measures considered &/or taken to reduce amount of time needed to obtain effluent sample analyses results,per 870121 application for license amends to Licenses DPR-44 & DPR-56.
SUH,G.Y. Project Directorate I-2. 90/08/16. HUNGER,G.A. Philadelphia Electric Co. 3pp. 55020:144-55020:146.

9008270087 Forwards Amends 155 & 157 to Licenses DPR-44 & DPR-56, respectively & safety evaluation.Amends involve removal of organizational charts from Tech Spec per Generic Ltr 88-06 & miscellaneous administrative changes.
SUH,G.Y. Project Directorate I-2. 90/08/20. HUNGER,G.A. Philadelphia Electric Co. 3pp. 55036:148-55036:178.

-9008270089 Amends 155 & 157 to Licenses DPR-44 & DPR-56,respectively, involving removal of organizational charts from Tech Spec per NRC Generic Ltr 88-06 & miscellaneous administrative changes.
BUTLER,W.R. Project Directorate I-2. 90/08/20. 23pp. 55036:151-55036:174.

-9008270090 Safety evaluation supporting Amends 155 & 157 to Licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/20. 4pp. 55036:175-55036:178.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030120 Forwards updated human resource status rept for Jan-Jul 1990 for areas identified in Integrated Assessment Team Insp Repts 50-277/89-81 & 50-278/89-81.
MILLER,D.B. Philadelphia Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 9pp. 54841:197-54841:205.

9008080058 Forwards Safety Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 90/07/30. SMITH,D.M. Philadelphia Electric Co. 2pp. 54931:095-54931:115.

-9008080063 Notice of violation from insp on 900516-0702.Violation noted:electrical splices performed under maint request Form 9061750 on emergency diesel generator solenoid valves of configuration not approved for Class IE applications.
* Region 1 (Post 820201). 90/07/30. 1p. 54931:097-54931:097.

-9008080065 Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702. Violations noted.Major areas inspected:operational safety, radiation protection,physical security,control room activities,licensee events & maint.
DOERFLEIN,L.T. Region 1 (Post 820201). 90/07/30. 18pp. 54931:098-54931:115.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100263 Responds to NRC 890406 Integrated Assessment Team Insp Repts 50-277/89-81 & 50-278/89-81.Based on encl schedule,overall projected implementation date will be 901119.
MILLER,D.B. Philadelphia Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54943:122-54943:123.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160195 Forwards Initial SALP Board Repts 50-277/89-99 & 50-278/89-99 for period of Jul 1989 - May 1990.
MARTIN,T.T. Region 1 (Post 820201). 90/08/10. SMITH,D.M. Philadelphia Electric Co. 3pp. 54992:057-54992:093.

-9008160197 Initial SALP Repts 50-277/89-99 & 50-278/89-99 for 890701-900531.
* Region 1 (Post 820201). 90/08/10. 34pp. 54992:060-54992:093.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008170165 Notification of 900829 SALP Mgt Meeting 90-99 w/util in Delta,PA.
DOERFLEIN,L.T. Region 1 (Post 820201). 90/08/14. Region 1 (Post 820201). 2pp. 54983:063-54983:064.

9008230150 Responds to violation noted in Insp Repts 50-277/90-200, 50-278/90-200,50-277/90-06 & 50-278/90-06 & payment of civil penalty in amount of \$75,000.Corrective actions:emergency svc water sys restored to operable status.
SMITH,D.M. Philadelphia Electric Co. 90/08/15. Document Control Branch (Document Control Desk). 12pp. 55023:267-55023:278.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220084 Monthly operating repts for Jul 1990 for Peach Bottom Atomic Power Station Units 2 & 3.W/900815 ltr.
BARON,M.J., MILLER,D.B. Philadelphia Electric Co. 90/07/31. 14pp. 55001:348-55001:361.

S. Reportable occurrences, LERs & related correspondence

9008100308 LER 90-015-00:on 900707,control room emergency ventilation actuation occurred as result of high radiation signal from control room ventilation sys radiation monitor B.Cause of spurious signal under investigation.W/900803 ltr.
FULVIO,A.A., FRAY,J. Philadelphia Electric Co. 90/08/03. 5pp. 54953:001-54953:005.

9008140351 Special repton 900802 & 07,diesel driven & motor driven fire pumps,respectively,declared administratively out of svc.Caused by engine overheating & diesel generator (DG) E-2 out of svc.Local fire depts notified & DG E-2 repaired.
FRAZ,J. Philadelphia Electric Co. 90/08/08. Document Control Branch (Document Control Desk). 3pp. 54962:141-54962:143.

9008240160 LER 90-016-00:on 900718,two control room emergency ventilation sys actuations resulted from spurious high radiation signals from radiation monitor B.Cause under investigation.Diagnostic equipment installed.W/900817 ltr.
FULVIO,A.A. Philadelphia Electric Co. 90/08/17. 5pp. 55024:025-55024:029.

V. Operator Examinations

9008100260 Notifies that BE Saxman terminated employment & operating responsibilities w/util on 900706.
FRAZ,J. Philadelphia Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 10pp. 54934:147-54934:148.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9007300033 Revised emergency response procedures including Rev 14 to ERP-110,App 1,Rev 11 to ERP-110,App 2 & Rev 10 to ERP-140 App 1.W/900720 ltr.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. 30pp. 54762:286-54762:315.

9008080058 Forwards Safety Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702 & notice of violation.
BLOUGH,A.R. Region 1 (Post 820201). 90/07/30. SMITH,D.M. Philadelphia Electric Co. 2pp. 54931:095-54931:115.

-9008080065 Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702. Violations noted.Major areas inspected:operational safety, radiation protection,physical security,control room activities,licensee events & maint.
DOERFLEIN,L.T. Region 1 (Post 820201). 90/07/30. 18pp. 54931:098-54931:115.

9008220070 Forwards public version of revised emergency response procedures,including Rev 12 to ERP-140,App 2,Rev 13 to ERP-140,App 3,Rev 4 to ERP-230,Rev 3 to ERP-305 & Rev 3 to ERP-660.
HUNGER,G.A. Philadelphia Electric Co. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 55015:227-55015:310.

-9008220071 Public version of revised emergency response procedures, including Rev 12 to ERP-140,App 2,Rev 13 to ERP-140,App 3, Rev 4 to ERP-230,Rev 3 to ERP-305 & Rev 3 to ERP-660.
* Philadelphia Electric Co. 90/08/06. 77pp. 55015:230-55015:310.

9008160195 Forwards Initial SALP Board Repts 50-277/89-99 & 50-278/89-99 for period of Jul 1989 - May 1990.
MARTIN,T.T. Region 1 (Post 820201). 90/08/10. SMITH,D.M. Philadelphia Electric Co. 3pp. 54992:057-54992:093.

-9008160197 Initial SALP Repts 50-277/89-99 & 50-278/89-99 for 890701-900531.
* Region 1 (Post 820201). 90/08/10. 34pp. 54992:060-54992:093.

H. General correspondence

9007310007 Submits change of addresses for correspondence re util nuclear operations.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. NRC - No Detailed Affiliation Given. 2pp. 54770:021-54770:022.

9008130285 Advises of change of address for correspondence re util operations.All incoming correspondence must be directed to one of listed addresses.
HUNGER,G.A. Philadelphia Electric Co. 90/08/09. NRC - No Detailed Affiliation Given. 2pp. 54956:264-54956:265.

I. Financial Information

9007310281 Forwards rept & certification of financial assurance for decommissioning for plants,per 10CFR50.75.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 90/07/24. Document Control Branch (Document Control Desk). 250pp. 54795:177-54796:102.

9007270077 Forwards decommissioning repts for Hope Creek,Peach Bottom & Salem nuclear generating stations.
JENNINGS,L.F. Atlantic City Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54759:105-54760:003.

-9007270085 "Peach Bottom Atomic Power Station - Unit 3 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:261-54759:312.

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER,G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

-9008020099 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 33pp. 54831:162-54831:194.

P. Operating license stage documents & correspondence

9008060240 Forwards list of 1990 QA program changes for plant.List identifies page & paragraph number,brief description & type of change.
HUNGER,G.A. Philadelphia Electric Co. 90/07/30. Document Control Branch (Document Control Desk). 4pp. 54864:101-54864:104.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090218 Further response to appeal of denial of FOIA request for records re Peach Bottom Nuclear Power Plant.Previously withheld info will continue to be withheld (ref FOIA Exemptions 5,6 & 7).Appeal denied.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 90/08/06. HILL,T.C. Shaw, Pittman, Potts & Trowbridge. 5pp. 54872:192-54872:226.

9008130187 Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. SMITH,D.M. Philadelphia Electric Co. 4pp. 54954:305-54954:308.

9008230159 Requests discussion of measures considered &/or taken to reduce amount of time needed to obtain effluent sample analyses results,per 870121 application for license amends to Licenses DPR-44 & DPR-56.
SUH,G.Y. Project Directorate I-2. 90/08/16. HUNGER,G.A. Philadelphia Electric Co. 3pp. 55020:144-55020:146.

9008270067 Forwards Amends 155 & 157 to Licenses DPR-44 & DPR-56, respectively & safety evaluation.Amends involve removal of organizational charts from Tech Spec per Generic Ltr 88-06 & miscellaneous administrative changes.
SUH,G.Y. Project Directorate I-2. 90/08/20. HUNGER,G.A. Philadelphia Electric Co. 3pp. 55036:148-55036:178.

-9008270089 Amends 155 & 157 to Licenses DPR-44 & DPR-56,respectively, involving removal of organizational charts from Tech Spec per NRC Generic Ltr 88-06 & miscellaneous administrative changes.
BUTLER,W.R. Project Directorate I-2. 90/08/20. 23pp. 55036:151-55036:174.

52 DOCKETED ITEMS

-9008270090 Safety evaluation supporting Amends 155 & 157 to Licenses DPR-44 & DPR-56, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/20. 4pp. 55036:175-55036:178.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030120 Forwards updated human resource status rept for Jan-Jul 1990 for areas identified in Integrated Assessment Team Insp Repts 50-277/89-81 & 50-278/89-81. MILLER, D.B. Philadelphia Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 9pp. 54841:197-54841:205.

9008080058 Forwards Safety Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702 & notice of violation.
BLOUGH, A.R. Region 1 (Post 820201). 90/07/30. SMITH, D.M. Philadelphia Electric Co. 2pp. 54931:095-54931:115.

-9008080063 Notice of violation from insp on 900516-0702. Violation noted: electrical splices performed under maint request Form 9061750 on emergency diesel generator solenoid valves of configuration not approved for Class IE applications.
* Region 1 (Post 820201). 90/07/30. 1p. 54931:097-54931:097.

-9008080065 Insp Repts 50-277/90-13 & 50-278/90-13 on 900516-0702. Violations noted: Major areas inspected: operational safety, radiation protection, physical security, control room activities, licensee events & maint.
DOERFLEIN, L.T. Region 1 (Post 820201). 90/07/30. 18pp. 54931:098-54931:115.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100263 Responds to NRC 890406 Integrated Assessment Team Insp Repts 50-277/89-81 & 50-278/89-81. Based on encl schedule, overall projected implementation date will be 901119.
MILLER, D.B. Philadelphia Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54943:122-54943:123.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:165.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160195 Forwards Initial SALP Board Repts 50-277/89-99 & 50-278/89-99 for period of Jul 1989 - May 1990.
MARTIN, T.T. Region 1 (Post 820201). 90/08/10. SMITH, D.M. Philadelphia Electric Co. 3pp. 54952:057-54952:058.

-9008160197 Initial SALP Repts 50-277/89-99 & 50-278/89-99 for 890701-900531.
* Region 1 (Post 820201). 90/08/10. 34pp. 54992:060-54992:093.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008170165 Notification of 900829 SALP Mgt Meeting 90-99 w/utl in Delta, PA.
DOERFLEIN, L.T. Region 1 (Post 820201). 90/08/14. Region 1 (Post 820201). 2pp. 54983:063-54983:064.

9008230150 Responds to violation noted in Insp Repts 50-277/90-200, 50-278/90-200, 50-277/90-06 & 50-278/90-06 & payment of civil penalty in amount of \$75,000. Corrective actions: emergency svc water sys restored to operable status.
SMITH, D.M. Philadelphia Electric Co. 90/08/15. Document Control Branch (Document Control Desk). 12pp. 55023:267-55023:278.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220084 Monthly operating repts for Jul 1990 for Peach Bottom Atomic Power Station Units 2 & 3. W/900815 ltr.
BARON, M.J., MILLER, D.B. Philadelphia Electric Co. 90/07/31. 14pp. 55001:348-55001:361.

S. Reportable occurrences, LERs & related correspondence

9008060393 PNO-I-90-058: on 900727, cooling water supply valve to offgas recombiner condenser failed & closed. Reactor power reduced & manual reactor scram initiated. Plant will remain shutdown pending completion of licensee post-event investigation.
LYASH, J. Region 1 (Post 820201). 90/07/27. 2pp. 54889:353-54889:354.

9008140351 Special rept on 900802 & 07, diesel driven & motor driven fire pumps, respectively, declared administratively out of svc. Caused by engine overheating & diesel generator (DG) E-2 out of svc. Local fire depts notified & DG E-2 repaired.
FRAZ, J. Philadelphia Electric Co. 90/08/08. Document Control Branch (Document Control Desk). 3pp. 54982:141-54982:143.

V. Operator Examinations

9008100260 Notifies that BE Saxman terminated employment & operating responsibilities w/utl on 900706.
FRAZ, J. Philadelphia Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 10pp. 54934:147-54934:148.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008010199 Advises of withdrawal of request for NRC review & approval of Engineering Evaluation 8. Revised evaluation will be maintained onsite for NRC audit during future insps. per Generic Ltr 89-10.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54796:321-54796:322.

9008010200 Rev 4 to EPIP-4.29, "TSC/LEOF Radiation Sys." W/900726 ltr.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. 25pp. 54796:269-54796:293.

I. Financial Information

9008030081 Forwards "Decommissioning Financial Assurance Certification Rept...," "Nuclear Decommissioning Trust Agreement" & "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement." per 10CFR50.75.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54842:204-54842:270.

-9008030086 "Decommissioning Financial Assurance Certification Rept for Surry Power Station & North Anna Power Station."
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. 18pp. 54842:206-54842:223.

-9008030104 "Nuclear Decommissioning Trust Agreement."
ROBERTSON, L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 21pp. 54842:224-54842:244.

-9008030107 "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement."
ROBERTSON, L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 26pp. 54842:245-54842:270.

P. Operating license stage documents & correspondence

9007260221 Discusses Dept of Labor complaint received from former employee of Omni Svcs, Inc re dismissal for raising safety concerns.
EBNETER, S.D. Region 2 (Post 820201). 90/07/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54737:352-54737:353.

9008030050 Forwards revised Tech Spec pages, addressing constitution of quorum & timeliness of Mgt Safety Review Committee meeting minutes, per NRC request.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54876:005-54876:010.

-9008030055 Proposed Tech Specs re offsite committee review functions.
* Virginia Power (Virginia Electric & Power Co.). 90/07/30. 4pp. 54876:007-54876:010.

9008030066 Provides outline of plan to meet 10CFR50 App G requirements, for low upper shelf energy mats, per NRC 900521 request.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54832:153-54832:155.

9008070212 Forwards environ assessment & finding of no significant impact re 900405 request for exemption from 10CFR50, Section III.A.6(b) of App J. Notice being forwarded to otc of FR for publication.
BUCKLEY, B.C. Project Directorate II-2. 90/07/31. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54898:355-54898:360.

-9008070213 Environ assessment & finding of no significant impact re exemption from requirements of App J, 10CFR50, Paragraph III.A.6(b), App J.
BERKOW, H.N. Project Directorate II-2. 90/07/31. 4pp. 54898:357-54898:360.

9008060140 Application for amends to Licenses DPR-32 & DPR-37, changing Tech Specs by revising frequency of surveillance for outside recirculation spray & containment spray weight-loaded check valves.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54858:228-54858:235.

-9008060142 Proposed Tech Specs re outside recirculation spray & containment spray surveillance frequency.
* Virginia Power (Virginia Electric & Power Co.). 90/08/01. 5pp. 54858:231-54858:235.

9008060293 Provides supplemental response to NRC 900629 ltr re electrical cross-ties, load shedding on nonblackout unit & emergency diesel generator reliability. Emergency diesel generator reliability program in place, per Reg Guide 1.155.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 9pp. 54843:001-54843:009.

9008060320 Resubmits synopsis of changes to updated operational QA Program Topical Rept VEP 1-5A.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54876:284-54876:293.

-9008060375 Revised pages to Operational QA Program Topical Rept VEP 1-5A.
* Virginia Power (Virginia Electric & Power Co.). 90/08/01. 2pp. 54876:292-54876:293.

9008200151 Confirms 900730 telcon between DA Sommers & PE Fredrickson re upcoming Region 2 mgt meeting in Atlanta, GA on 900815 to discuss configuration mgt program.
REYES, L.A. Region 2 (Post 820201). 90/08/01. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54993:272-54993:274.

9008100142 Forwards Amends 143 & 140 to Licenses DPR-32 & DPR-37, respectively & safety evaluation. Amends increase number of auxiliary feedwater pumps available for cross-connect to opposite unit to two.
BUCKLEY, B.C. Project Directorate II-2. 90/08/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54951:149-54951:171.

-9008100145 Amends 143 & 140 to Licenses DPR-32 & DPR-37, respectively, increasing number of auxiliary feedwater pumps available for cross-connect to opposite unit to two.
BERKOW, H.N. Project Directorate II-2. 90/08/02. 17pp. 54951:151-54951:167.

-9008100147 Safety evaluation supporting Amends 143 & 140 to Licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 4pp. 54951:168-54951:171.

9008210186 Forwards summary, list of attendees & handout of 900724 meeting re recirculation spray HX proposed testing.
MERSCHOFF, E.W. Region 2 (Post 820201). 90/08/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 19pp. 55003:005-55003:024.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130140 Notification of 900813 meeting w/Util in Glen Allen, VA to discuss Unit 1 outage schedule & content.
BUCKLEY, B.C. Project Directorate II-2. 90/08/06. BERKOW, H.N. Project Directorate II-2. 3pp. 54958:077-54958:079.

9008080282 Forwards exemption & SER granting one-time exemption from Section III.A.6(b) of 10CFR50 to permit resumption of retesting schedule.
BUCKLEY, B.C. Project Directorate II-2. 90/08/07. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54919:163-54919:171.

-9008080286 Exemption from scheduler requirements of Section III.A.6(b) to 10CFR50 allowing resumption of retesting schedule.
LAINAS, G.C. Division of Reactor Projects - I/II (Post 870411). 90/08/07. Virginia Power (Virginia Electric & Power Co.). 5pp. 54919:165-54919:169.

-9008080287 Safety evaluation approving exemption from scheduler requirements of Section III.A.6(b) allowing resumption of retesting schedule.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. 2pp. 54919:170-54919:171.

9008170058 Advises that 890806-08 audit of boric acid corrosion prevention program, per Generic Ltr 88-05 resulted in acceptable finding. Util adequately implemented program for monitoring small primary coolant leakage through components.
BUCKLEY, B.C. Project Directorate II-2. FIN A-3871. 90/08/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 20pp. 54991:030-54991:049.

9008270049 Confirms 900921 mgt meeting in Atlanta, GA to discuss commitment mgt sys, per 900730 telcon. Proposed meeting agenda encl.
REYES, L.A. Region 2 (Post 820201). 90/08/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 55035:071-55035:074.

Q. Inspection reports, IE Bulletins & correspondence

9007270017 Ack receipt of 900619 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/90-02 & 50-281/90-02.
MERSCHOFF, E.W. Region 2 (Post 820201). 90/07/10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54738:118-54738:120.

9008080068 Ack receipt of 900711 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/90-18 & 50-281/90-18.
STOHR, J.P. Region 2 (Post 820201). 90/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54919:058-54919:060.

9008080245 Forwards Insp Repts 50-280/90-21 & 50-281/90-21 on 900603-30 & notice of violation. Util response, including results of future insps to determine whether future NRC enforcement action necessary to ensure compliance will be reviewed.
REYES, L.A. Region 2 (Post 820201). 90/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54931:035-54931:053.

-9008080250 Notice of violation from insp on 900603-30. Violation noted: failure to follow procedures for testing of components & sys involving nuclear safety.
REYES, L.A. Region 2 (Post 820201). 90/07/23. 2pp. 54931:038-54931:039.

-9008080251 Insp Repts 50-280/90-21 & 50-281/90-21 on 900603-30. Violations noted. Major areas inspected: plant operations, LER reviews, plant maintenance on previous insp findings, plant surveillance & 10CFR21 closeout.
HOLLAND, W.E., YORK, J.W., TINGEN, S.G. Region 2 (Post 820201). 90/07/20. 14pp. 54931:040-54931:053.

9008010143 Informs that util response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss," satisfactory.
BUCKLEY, B.C. Project Directorate II-2. 90/07/25. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54796:308-54796:309.

9008080025 Ack receipt of 900621 response to violations noted in Insp Repts 50-280/90-07 & 50-281/90-07.
BAGCHI, G. Region 2 (Post 820201). 90/07/25. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54917:162-54917:163.

9008010199 Advises of withdrawal of request for NRC review & approval of Engineering Evaluation 8. Revised evaluation will be maintained onsite for NRC audit during future insps, per Generic Ltr 88-10.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54796:321-54796:322.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 89pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008200140 Ack receipt of 900726 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/90-20 & 50-281/90-20.
REYES, L.A. Region 2 (Post 820201). 90/08/08. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54991:193-54991:194.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008270119 Forwards Insp Repts 50-280/90-25 & 50-281/90-25 on 900716-20. No violations or deviations noted. Violation re control rod movement being cited due to previous problems concerning poor communications.
COLLINS, D.M. Region 2 (Post 820201). 90/08/14. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 55035:285-55035:299.

-9008270121 Insp Repts 50-280/90-25 & 50-281/90-25 on 900716-20. No violations or deviations noted. Major areas inspected: occupational exposure, shipping, transportation & followup of previous inspector identified items.
SHORTIDGE, R.B., GLOERSON, W.B., POTTER, J.P. Region 2 (Post 820201). 90/08/13. 12pp. 55035:288-55035:299.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210126 Monthly operating reports for Jul 1990 for Surry Power Station Units 1 & 2. W/900815 ltr.
WARREN, L.A., STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/31. 21pp. 55004:018-55004:038.

S. Reportable occurrences, LERs & related correspondence

9008010066 LER 90-006-00: on 900701, station svc transformer tripped due to actuation of sudden pressure relay. Caused by grounded terminal in sudden pressure relay connector. Emergency & abnormal procedures implemented. W/900727 ltr.
KANSLER, M.R. Virginia Power (Virginia Electric & Power Co.). 90/07/27. 7pp. 54792:056-54792:062.

54 DOCKETED ITEMS

9008010118 LER 90-007-00: on 900628, determined that fire protection surveillance procedure verifying operability of fire dampers not completed within required grace period, per Tech Specs. Caused by administrative oversight. W/900727 ltr. KANSLER, M.R. Virginia Power (Virginia Electric & Power Co.). 90/07/27. 5pp. 54792:128-54792:132.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008010238 Advises that util submitted decommissioning funding plan & financial assurance info w/ISFSI license application. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54793:325-54793:326.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008010199 Advises of withdrawal of request for NRC review & approval of Engineering Evaluation 8. Revised evaluation will be maintained onsite for NRC audit during future insps, per Generic Ltr 86-10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54796:321-54796:322.

9008010200 Rev 4 to EPIP-4.29, "TSC/LEOF Radiation Sys." W/900726 ltr. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. 25pp. 54796:269-54796:293.

I. Financial Information

9008030081 Forwards "Decommissioning Financial Assurance Certification Rept.," "Nuclear Decommissioning Trust Agreement" & "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement," per 10CFR50.75. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54842:204-54842:270.

9008030086 "Decommissioning Financial Assurance Certification Rept for Surry Power Station & North Anna Power Station." STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. 18pp. 54842:206-54842:223.

9008030104 "Nuclear Decommissioning Trust Agreement." ROBERTSON, L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 21pp. 54842:224-54842:244.

9008030107 "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement." ROBERTSON, L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 26pp. 54842:245-54842:270.

P. Operating license stage documents & correspondence

9007260221 Discusses Dept of Labor complaint received from former employee of Omni Svcs, Inc re dismissal for raising safety concerns. EBNETER, S.D. Region 2 (Post 820201). 90/07/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54737:352-54737:353.

9008030050 Forwards revised Tech Spec pages, addressing constitution of quorum & timeliness of Mgt Safety Review Committee meeting minutes, per NRC request. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54876:005-54876:010.

9008030055 Proposed Tech Specs re offsite committee review functions. * Virginia Power (Virginia Electric & Power Co.). 90/07/30. 4pp. 54876:007-54876:010.

9008060140 Application for amendments to Licenses DPR-32 & DPR-37, changing Tech Specs by revising frequency of surveillance for outside recirculation spray & containment spray weight-loaded check valves. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54858:228-54858:235.

9008060142 Proposed Tech Specs re outside recirculation spray & containment spray surveillance frequency. * Virginia Power (Virginia Electric & Power Co.). 90/08/01. 5pp. 54858:231-54858:235.

9008060293 Provides supplemental response to NRC 900629 ltr re electrical cross-ties, load shedding on nonblackout unit & emergency diesel generator reliability. Emergency diesel generator reliability program in place, per Reg Guide 1.155. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 9pp. 54843:001-54843:009.

9008060320 Resubmits synopsis of changes to updated operational QA Program Topical Rept VEP 1-5A. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54876:284-54876:293.

9008060375 Revised pages to Operational QA Program Topical Rept VEP 1-5A. * Virginia Power (Virginia Electric & Power Co.). 90/08/01. 2pp. 54876:292-54876:293.

9008200151 Confirms 900730 telcon between DA Sommers & PE Fredrickson re upcoming Region 2 mgt meeting in Atlanta, GA on 900815 to discuss configuration mgt program. REYES, L.A. Region 2 (Post 820201). 90/08/01. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54993:272-54993:274.

9008100142 Forwards Amends 143 & 140 to Licenses DPR-32 & DPR-37, respectively & safety evaluation. Amends increase number of auxiliary feedwater pumps available for cross-connect to opposite unit to two. BUCKLEY, B.C. Project Directorate II-2. 90/08/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54951:149-54951:171.

9008100145 Amends 143 & 140 to Licenses DPR-32 & DPR-37, respectively, increasing number of auxiliary feedwater pumps available for cross-connect to opposite unit to two. BERKOW, H.N. Project Directorate II-2. 90/08/02. 17pp. 54951:151-54951:167.

9008100147 Safety evaluation supporting Amends 143 & 140 to Licenses DPR-32 & DPR-37, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 4pp. 54951:168-54951:171.

9008210186 Forwards summary, list of attendees & handout of 900724 meeting re recirculation spray HX proposed testing. MERSCHOFF, E.W. Region 2 (Post 820201). 90/08/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 19pp. 55003:005-55003:024.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008170058 Advises that 890806-08 audit of boric acid corrosion prevention program, per Generic Ltr 88-05 resulted in acceptable finding. Util adequately implemented program for monitoring small primary coolant leakage through components. BUCKLEY, B.C. Project Directorate II-2. FIN A-3871. 90/08/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 20pp. 54991:030-54991:049.

9008270049 Confirms 900921 mgt meeting in Atlanta, GA to discuss commitment mgt sys, per 900730 telcon. Proposed meeting agenda encl. REYES, L.A. Region 2 (Post 820201). 90/08/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 55035:071-55035:074.

Q. Inspection reports, IE Bulletins & correspondence

9007270017 Ack receipt of 900619 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/90-02 & 50-281/90-02. MERSCHOFF, E.W. Region 2 (Post 820201). 90/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54738:118-54738:120.

9008080068 Ack receipt of 900711 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/90-18 & 50-281/90-18. STOHR, J.P. Region 2 (Post 820201). 90/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54919:058-54919:060.

9008080245 Forwards Insp Repts 50-280/90-21 & 50-281/90-21 on 900603-30 & notice of violation. Util response, including results of future insps to determine whether future NRC enforcement action necessary to ensure compliance will be reviewed. REYES, L.A. Region 2 (Post 820201). 90/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54931:035-54931:053.

9008080251 Insp Repts 50-280/90-21 & 50-281/90-21 on 900603-30. Violations noted. Major areas inspected: plant operations, LER reviews, plant maintenance on previous insp findings, plant surveillance & 10CFR21 closeout. HOLLAND, W.E., YORK, J.W., TINGEN, S.G. Region 2 (Post 820201). 90/07/20. 14pp. 54931:040-54931:053.

9008010143 Informs that util response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss," satisfactory. BUCKLEY, B.C. Project Directorate II-2. 90/07/25. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54796:308-54796:309.

9008080025 Ack receipt of 900621 response to violations noted in Insp Repts 50-280/90-07 & 50-281/90-07. BAGCHI, G. Region 2 (Post 820201). 90/07/25. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54917:162-54917:163.

9008010199 Advises of withdrawal of request for NRC review & approval of Engineering Evaluation 8. Revised evaluation will be maintained onsite for NRC audit during future insps, per Generic Ltr 86-10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54796:321-54796:322.

9008010201 Responds to NRC 900626 ltr re violations noted in Insp Rept 50-281/90-20. Corrective actions: leaking drain plug & upper drain plug on motor replaced w/oil drain assemblies composed of piping & valves. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54796:317-54796:320.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008200140 Ack receipt of 900726 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/90-20 & 50-281/90-20.
REYES,L.A. Region 2 (Post 820201). 90/08/08. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54991:193-54991:194.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008270119 Forwards Insp Repts 50-280/90-25 & 50-281/90-25 on 900716-20. No violations or deviations noted. Violation re control rod movement being cited due to previous problems concerning poor control conditions.
COLLINS,D.M. Region 2 (Post 820201). 90/08/14. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 55035:285-55035:299.

9008270121 Insp Repts 50-280/90-25 & 50-281/90-25 on 900716-20. No violations or deviations noted. Major areas inspected: occupational exposure, shipping, transportation & followup of previous inspector identified items.
SHORTRIDGE,R.B., GLOERSON,W.B., POTTER,J.P. Region 2 (Post 820201). 90/08/13. 12pp. 55035:288-55035:299.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210126 Monthly operating repts for Jul 1990 for Surry Power Station Units 1 & 2.W/900815 ltr.
WARREN,L.A., STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/31. 21pp. 55004:018-55004:038.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing nati exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008010238 Advises that until submitted decommissioning funding plan & financial assurance info w/ISFSI license application.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54793:325-54793:326.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

P. Operating license stage documents & correspondence

9008060273 "Prairie Island Nuclear Generating Plant Core Operating Limits Rept, Unit 1, Cycle 14, Rev 1." W/900727 ltr.
PARKER,T.M. Northern States Power Co. 90/07/27. 19pp. 54854:013-54854:031.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9008010002 Forwards Safety Insp Repts 50-282/90-13 & 50-306/90-13 on 900709, 11 & 12. No violations noted.
RING,M.A. Region 3 (Post 820201). 90/07/24. ELIASON,L.R. Northern States Power Co. 2pp. 54806:273-54806:278.

9008010003 Insp Repts 50-282/90-13 & 50-306/90-13 on 900709, 11 & 12. No violations noted. Major areas inspected: licensee const, insp & testing activities re station blackout/electrical sys upgrade mod & previously identified insp issues.
NEISLER,J.H., GARDNER,R.N. Region 3 (Post 820201). 90/07/24. 4pp. 54806:275-54806:278.

9008020269 Submits supplemental info to violations noted in Insp Repts 50-282/89-26 & 50-306/89-26. Training of supervisory personnel not completed until 900719 due to time constraints encountered during Feb 1990 Unit 1 shutdown outage.
ELIASON,L.R. Northern States Power Co. 90/07/26. CLAYTON,B. Region 3 (Post 820201). 2pp. 54826:261-54826:262.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070035 Forwards Rev 2 to, "ASME Code Section XI Inservice Insp & Testing Program, Second 10-Yr Insp Interval of Operation."
PARKER,T.M. Northern States Power Co. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54915:003-54915:011.

9008070037 Rev 2 to "ASME Code Section XI Inservice Insp & Testing Program, Second 10-Yr Insp Interval."
STEPHENS,B. Northern States Power Co. 90/07/31. 7pp. 54915:005-54915:011.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140339 Monthly operating repts for Jul 1990 for Prairie Island Nuclear Generating Plant Units 1 & 2.W/900806 ltr.
DUGSTAD,D., PARKER,T.M. Northern States Power Co. 90/07/31. 9pp. 54965:135-54965:143.

S. Reportable occurrences, LERs & related correspondence

9008010063 LER 90-008-00: on 900627, shield bldg exhaust fan inadvertently made inoperable. Caused by personnel error in turning off incorrect circuit breaker. Rev made to procedures to involve personnel in equipment isolation. W/900727 ltr.
HUNSTAD,A., PARKER,T.M. Northern States Power Co. 90/07/27. 5pp. 54792:051-54792:055.

9008030227 LER 90-010-00: on 900629, surveillance test missed because of rescheduling. Discrepancy existed between due dates on master surveillance schedule & radiation protection group schedule. Caused by personnel error. Schedules improved. W/900730 ltr.
HUNSTAD,A., PARKER,T.M. Northern States Power Co. 90/07/30. 4pp. 54831:074-54831:077.

9008220069 Informs NRC of potentially generic problem experienced w/Westinghouse DB-50 reactor trip breaker. Info being provided due to potential generic implications of deficiencies in Westinghouse torquing procedures.
PARKER,T.M. Northern States Power Co. 90/08/02. BRACH,E.W. Vendor Inspection Branch. 2pp. 55015:090-55015:091.

9008150272 LER 90-011-00: on 900712, Westinghouse notified util of error in facility large break LOCA analysis. Peak cladding temp predicted by code WCOBRA/TRAC exceeded 10CFR50.46 Limit reduced. W/900813 ltr.
BRENET,T., PARKER,T.M. Northern States Power Co. 90/08/13. 5pp. 54953:274-54953:278.

V. Operator Examinations

9007310277 Extends invitation to review Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. ELIASON,L.R. Northern States Power Co. 1p. 54769:299-54769:299.

56 DOCKETED ITEMS

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008010125 Forwards Insp Rept 50-285/90-30 on 900513-0616 & notice of violation.App C withheld from public per 10CFR73.21.
COLLINS,S.J. Region 4 (Post 820201). 90/07/23. GATES,W.G. Omaha Public Power District. 3pp. 54797:023-54797:047.

-9008010128 Notice of violation from insp on 900513-0616.Violation noted:inspector noted that door to vital area not locked.
* Region 4 (Post 820201). 90/07/23. 2pp. 54797:026-54797:027.

-9008010132 Insp Rept 50-285/90-30 on 900513-0616.No violations noted. Major areas inspected:monthly maint,surveillance,security, complex surveillance observation,review of licensee outage plans & verification of containment integrity.
CONSTABLE,G.L. Region 4 (Post 820201). 90/07/24. 20pp. 54797:028-54797:047.

9008200001 Responds to Generic Ltr 89-15 re NRC solicitation of utility to voluntarily participate emergency response data sys program.Util prepared to investigate actions necessary to implement program at plant.
GATES,W.G. Omaha Public Power District. 90/08/08. Document Control Branch (Document Control Desk). 1p. 54996:245-54996:245.

9008270012 Forwards Insp Rept 50-285/90-32 on 900617-0728 & 0801 & notice of violation.Elevated ambient air temps generated concerns re operability of emergency diesel generators.
COLLINS,S.J. Region 4 (Post 820201). 90/08/16. GATES,W.G. Omaha Public Power District. 3pp. 55035:075-55035:091.

-9008270013 Notice of violation from insp on 900617-0728 & 0801. Violation noted:failure to verify that emergency loads do not exceed 2,000 h-kW rating of emergency diesel generator.
* Region 4 (Post 820201). 90/08/16. 1p. 55035:078-55035:078.

-9008270014 Insp Rept 50-285/90-32 on 900617-0728 & 0801.Violation noted.Major areas inspected:operational safety verification, monthly maint,surveillance,security & radiological protection observations & review of LERs.
CONSTABLE,G.L. Region 4 (Post 820201). 90/08/16. 13pp. 55035:079-55035:091.

9008280270 Rev 17 to radiological emergency response plan,Section H, "Emergency Facilities & Equipment." W/900817 ltr.
GATES,W.G. Omaha Public Power District. 90/08/17. 41pp. 55038:316-55038:356.

9008280248 Forwards Insp Rept 50-285/90-34 on 900730-0803.No violations or deviations noted.Unresolved items identified in Paragraphs 2.1 & 4.0 of encl insp rept.
COLLINS,S.J. Region 4 (Post 820201). 90/08/20. GATES,W.G. Omaha Public Power District. 2pp. 55040:313-55040:322.

-9008280249 Insp Rept 50-285/90-34 on 900730-0803.Fire protection/ prevention program satisfactory.Unresolved item re proper fire rating noted.Major areas inspected:fire protection/ prevention program & emergency diesel generator problems.
MURPHY,M.E., SEIDLE,W.C. Region 4 (Post 820201). 90/08/16. 8pp. 55040:315-55040:322.

H. General correspondence

9008060353 Informs that TL Patterson assumed position of plant manager, effective 900801.
GATES,W.G. Omaha Public Power District. 90/08/01. Document Control Branch (Document Control Desk). 1p. 54876:251-54876:251.

P. Operating license stage documents & correspondence

9008070104 Advises of plans to achieve operability of third auxiliary feedwater pump by 900810.
GATES,W.G. Omaha Public Power District. 90/07/31. Document Control Branch (Document Control Desk). 1p. 54897:023-54897:023.

9008070222 Application for amend to License DPR-40,consisting of administrative clarification to Tech Spec.
GATES,W.G. Omaha Public Power District. 90/08/02. Document Control Branch (Document Control Desk). 1p. 54898:198-54898:199.

-9008070225 Proposed Tech Specs consisting of administrative clarification.
* Omaha Public Power District. 90/08/02. 1p. 54898:199-54898:199.

9008080006 Forwards application for amend to License DPR-40,making typo & administrative corrections to Tech Specs.
GATES,W.G. Omaha Public Power District. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54908:050-54908:059.

-9008080008 Application for amend to License DPR-40,making typo & administrative corrections to Tech Specs.
GATES,W.G. Omaha Public Power District. 90/08/02. 3pp. 54908:052-54908:054.

-9008080010 Proposed Tech Specs re min frequencies for sampling tests.
* Omaha Public Power District. 90/08/02. 5pp. 54908:055-54908:059.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:048.

9008090153 Advises of concluded Investigation Case 4-87-016 re alleged false welding records,violations of employee protection & cheating on welding performance tests.Allegations unsubstantiated.
COLLINS,S.J. Region 4 (Post 820201). 90/08/06. GATES,W.G. Omaha Public Power District. 4pp. 54934:122-54934:125.

9008080261 Forwards request for addl info to review alternate seismic criteria & methodologies for facility.
BOURNIA,A. Project Directorate IV-1 (Post 900603). 90/08/07. GATES,W.G. Omaha Public Power District. 8pp. 54931:211-54931:218.

9008130153 Confirms interim resolution of identified problem associated w/use of input variable for PORV opening time in calculation of low temp overpressure protection sys setpoints.
GATES,W.G. Omaha Public Power District. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54956:087-54956:088.

9008140084 Advises that programmed enhancements for Generic Ltr 88-17, "Loss of DHR," acceptable.
BOURNIA,A. Project Directorate IV (891001-900602). 90/08/10. GATES,W.G. Omaha Public Power District. 4pp. 54964:077-54964:080.

9008150044 Provides info re RCS leak detection sys to detect leaks from primary piping sys to containment,per Generic Ltr 84-04 & USI A-2.
GATES,W.G. Omaha Public Power District. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54972:161-54972:162.

Q. Inspection reports, IE Bulletins & correspondence

9008010125 Forwards Insp Rept 50-285/90-30 on 900513-0616 & notice of violation.App C withheld from public per 10CFR73.21.
COLLINS,S.J. Region 4 (Post 820201). 90/07/23. GATES,W.G. Omaha Public Power District. 3pp. 54797:023-54797:047.

-9008010128 Notice of violation from insp on 900513-0616.Violation noted:inspector noted that door to vital area not locked.
* Region 4 (Post 820201). 90/07/23. 2pp. 54797:026-54797:027.

-9008010132 Insp Rept 50-285/90-30 on 900513-0616.No violations noted. Major areas inspected:monthly maint,surveillance,security, complex surveillance observation,review of licensee outage plans & verification of containment integrity.
CONSTABLE,G.L. Region 4 (Post 820201). 90/07/24. 20pp. 54797:028-54797:047.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090153 Advises of concluded Investigation Case 4-87-016 re alleged false welding records,violations of employee protection & cheating on welding performance tests.Allegations unsubstantiated.
COLLINS,S.J. Region 4 (Post 820201). 90/08/06. GATES,W.G. Omaha Public Power District. 4pp. 54934:122-54934:125.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008130074 Discusses closeout of NRC Bulletin 90-001, "Loss of Fill-Oil Transmitters Mfg by Rosemount." Util replaced four transmitters which fell within scope of bulletin during refueling & maint outage.
BOURNIA,A. Project Directorate IV-1 (Post 900603). 90/08/10. GATES,W.G. Omaha Public Power District. 3pp. 54958:357-54958:359.

9008150042 Forwards results of 1990 refueling outage inservice insp & rept for repairs or replacement.
GATES,W.G. Omaha Public Power District. 90/08/13. Document Control Branch (Document Control Desk). 70pp. 54972:166-54972:234.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008240005 Advises that Insp Rept 50-285/90-33 canceled.No rept will be issued for rept number.
COLLINS,S.J. Region 4 (Post 820201). 90/08/15. GATES,W.G. Omaha Public Power District. 2pp. 55023:289-55023:290.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270012 Forwards Insp Rept 50-285/90-32 on 900617-0728 & 0801 & notice of violation.Elevated ambient air temps generated concerns re operability of emergency diesel generators.
COLLINS,S.J. Region 4 (Post 820201). 90/08/16. GATES,W.G. Omaha Public Power District. 3pp. 55035:075-55035:091.

-9008270013 Notice of violation from insp on 900617-0728 & 0801. Violation noted:failure to verify that emergency loads do not exceed 2,000 h-kW rating of emergency diesel generator.
* Region 4 (Post 820201). 90/08/16. 1p. 55035:078-55035:078.

-9008270014 Insp Rept 50-285/90-32 on 900617-0728 & 0801.Violation noted.Major areas inspected:operational safety verification, monthly maint,surveillance,security & radiological protection observations & review of LERs.
CONSTABLE,G.L. Region 4 (Post 820201). 90/08/16. 13pp. 55035:079-55035:091.

9008220169 Forwards evaluation of CEN 387-P, "Pressurizer Surge Line Thermal Stratification." Info provided by C-E Owners Group in Ref 1 & 2 inadequate to justify meeting all appropriate limits for 40-yr plant life.
BOURNIA,A. Project Directorate IV-1 (Post 900603). 90/08/17. GATES,W.G. Omaha Public Power District. 4pp. 55015:092-55015:105.

-9008220171 Evaluation of Topical Rept CEN 387-P, "Pressurizer Surge Line Thermal Stratification." Info provided in Ref 1 & 2 inadequate to justify continued operation for 40-yr plant life.
* NRC - No Detailed Affiliation Given. 90/08/17. 10pp. 55015:096-55015:105.

9008280248 Forwards Insp Rept 50-285/90-34 on 900730-0803.No violations or deviations noted.Unresolved items identified in Paragraphs 2.1 & 4.0 of encl insp rept.
COLLINS,S.J. Region 4 (Post 820201). 90/08/20. GATES,W.G. Omaha Public Power District. 2pp. 55040:313-55040:322.

-9008280249 Insp Rept 50-285/90-34 on 900730-0803.Fire protection/ prevention program satisfactory.Unresolved item re proper fire rating noted.Major areas inspected:fire protection/ prevention program & emergency diesel generator problems.
MURPHY,M.E., SEIDLE,W.C. Region 4 (Post 820201). 90/08/16. 8pp. 55040:315-55040:322.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160097 Monthly operating rept for Jul 1990 for Fort Calhoun Station Unit 1.W/ 900813 ltr.
STICE,D.L., GATES,W.G. Omaha Public Power District. 90/07/31. 8pp. 54972:241-54972:248.

S. Reportable occurrences, LERs & related correspondence

9008070067 LER 90-007-02: on 900228,determined that main feedwater & main steam piping outside design basis.Caused by design deficiency & failure of engineer to consider loads induced on piping.Piping supports modified.W/900801 ltr.
VAN SANT,B., GATES,W.G. Omaha Public Power District. 90/08/01. 6pp. 54831:117-54831:122.

9008090014 Special rept: on 900629,inoperability of fire protection equipment occurred due to excessive security alarms being received on door.Door propped open & required fire protection/security measures established.
GATES,W.G. Omaha Public Power District. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54942:163-54942:164.

V. Operator Examinations

9008070076 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. GATES,W.G. Omaha Public Power District. 22pp. 54915:030-54915:050.

9008080034 Advises that written licensing exams scheduled on 901113 & operating licensing exams scheduled on 901114 & 15.Licensee requested to furnish ref matl listed in Encl 1 by 900917 in order to avoid exam being rescheduled.
COLLINS,S.J. Region 4 (Post 820201). 90/07/30. GATES,W.G. Omaha Public Power District. 12pp. 54876:125-54876:136.

9008100272 Advises that S Heyden senior reactor operator license will be maintained inactive until physician has verified requirements met.
GATES,W.G. Omaha Public Power District. 90/08/07. Document Control Branch (Document Control Desk). 1p. 54943:214-54943:214.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9008060001 Revised EP-Form 30a to IP-1011,Attachment 7.2 re determination of radioactive airborne concentration.
* New York Power Authority (formerly Power Authority of the State of New York). 90/07/24. 3pp. 54864:072-54864:074.

9008080140 Forwards Insp Rept 50-286/90-09 on 900515-0625.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 90/07/30. RUSSELL,J. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 54919:070-54919:080.

-9008080143 Insp Rept 50-286/90-09 on 900515-0625.No violations noted. Major areas inspected:operations,radiological controls,maint & surveillance,security,emergency preparedness,engineering & technical support & safety assessment/assurance of quality.
MEYER,G.W. Region 1 (Post 820201). 90/07/26. 8pp. 54919:073-54919:080.

9008210081 Advises of intentions to conduct annual emergency preparedness exercise at facility on 910313.Exercise objectives & scenario will be submitted by 901213 & 910112, respectively.
RUSSELL,J.E. New York Power Authority (formerly Power Authority of the State of New York). 90/08/15. LAZARUS,W. Region 1 (Post 820201). 1p. 55003:230-55003:230.

H. General correspondence

9008220215 Comment supporting petition for rulemaking PRM-50-55 re revs to FSAR.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/09. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 54993:300-54993:302.

I. Financial Information

9008020083 Forwards "Conformed Copy of Master Decommissioning Trust Agreement for Indian Point 3 Nuclear Power Plant & James A Fitzpatrick Nuclear Power Plant." Financial assurance of plants certified.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54827:142-54827:185.

-9008020085 "Conformed Copy of Master Decommissioning Trust Agreement for Indian Point 3 Nuclear Power Plant & James A Fitzpatrick Nuclear Power Plant."
TSCHERNE,R.L. New York Power Authority (formerly Power Authority of the State of New York). 90/07/25. 40pp. 54827:146-54827:185.

P. Operating license stage documents & correspondence

9007310179 Forwards application for amend to License DPR-64, revising Tech Specs re Cycle 8 reconstituted fuel assembly,per Generic Ltr 90-02.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54757:339-54757:348.

-9007310180 Application for amend to License DPR-64, revising Tech Specs re Cycle 8 operation.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/26. 1p. 54757:341-54757:341.

-9007310181 Proposed Tech Specs re Cycle 8 reconstituted fuel assembly.
* New York Power Authority (formerly Power Authority of the State of New York). 90/07/26. 7pp. 54757:342-54757:348.

9008090085 Forwards corrected Page 3.10-9 inadvertently omitted from 900621 application for amend to License DPR-64 re removal of cycle-specific parameter limits per Generic Ltr 88-16.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54921:307-54921:309.

-9008090088 Proposed Tech Spec Page 3.10-9.
* New York Power Authority (formerly Power Authority of the State of New York). 90/07/27. 1p. 54921:309-54921:309.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130193 Discusses licensee engineering initiatives.Other power reactor licenses in Region 1 encouraged to start similar initiative to provide for sharing of info & experiences involving engineering & solutions of problems common to all.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 4pp. 54957:162-54957:165.

9008170086 Forwards Amend 102 to License DPR-64 & safety evaluation. Amend revises Tech Spec Tables 3.6-1 & 4.4-1 to reflect mods to certain containment isolation valves.Appropriate valve identification prefix & suffix also added in listed tables.
NEIGHBORS,J.D. Project Directorate I-1. 90/08/13. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 54983:071-54983:086.

-9008170089 Amend 102 to License DPR-64, revising Tech Spec Tables 3.6-1 & 4.4-1 to reflect mods to certain containment isolation valves.Appropriate identification prefix & suffix also added to valves in listed tables.
CAPRA,R.A. Project Directorate I-1. 90/08/13. 11pp. 54983:073-54983:083.

58 DOCKETED ITEMS

-9008170090 Safety evaluation supporting Amend 102 to License DPR-64.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/13. 3pp. 54983:084-54983:086.

9008170199 Provides comments on util 891228 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," per NRC Bulletin 85-003 & 890926 meeting.
LABARGE,D.E., NEIGHBORS,J.D. Project Directorate I-1. 90/08/13. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 5pp. 54993:047-54993:051.

Q. Inspection reports, IE Bulletins & correspondence

9008070301 Forwards Safety Insp Rept 50-286/90-12 on 900709-12.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/23. RUSSELL,J. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 54898:347-54898:354.

-9008070304 Insp Rept 50-286/90-12 on 900709-12.No violations or deviations noted.Major areas inspected:transportation & solid radwaste program including mgt controls,audits & QA.
FURIA,J., BORES,R. Region 1 (Post 820201). 90/07/19. 5pp. 54898:350-54898:354.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008080140 Forwards Insp Rept 50-286/90-09 on 900515-0625.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 90/07/30. RUSSELL,J. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 54919:070-54919:080.

-9008080143 Insp Rept 50-286/90-09 on 900515-0625.No violations noted. Major areas inspected:operations,radiochemical controls,maint & surveillance,security,emergency preparedness,engineering & technical support & safety assessment/assurance of quality.
MEYER,G.W. Region 1 (Post 820201). 90/07/26. 8pp. 54919:073-54919:080.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008170199 Provides comments on util 891228 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," per NRC Bulletin 85-003 & 890926 meeting.
LABARGE,D.E., NEIGHBORS,J.D. Project Directorate I-1. 90/08/13. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 5pp. 54993:047-54993:051.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230052 Forwards NRR review of Westinghouse Owners Group bounding analysis in response to NRC Bulletin 88-011, "Pressurizer Surge Line Thermal Stratification."
NEIGHBORS,J.D. Project Directorate I-1. 90/08/17. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 10pp. 55014:291-55014:300.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140034 Monthly operating rept for Jul 1990 for Indian Point 3 Nuclear Power Plant.W/900801 ltr.
SMITH,S., RUSSELL,J.E. New York Power Authority (formerly Power Authority of the State of New York). 90/07/31. 5pp. 54971:161-54971:165.

S. Reportable occurrences, LERs & related correspondence

9008030072 LER 90-004-00:on 900629,reactor trip occurred as result of 345 kV breaker protective relay misoperation.Caused by direct trip signal from Relay TR-1 via MTC1.Lockout relay MCT1 replaced & circuits & trips tested.W/900727 ltr.
COULEHAN,V., RUSSELL,J. New York Power Authority (formerly Power Authority of the State of New York). 90/07/27. 5pp. 54831:038-54831:042.

9008160079 PNO-I-90-063:on 900809,plant shutdown due to potential loss of three emergency diesel generators.Caused by blown control power fuse.Fuse replaced.
ROSSBACH,L., COWGILL,C. Region 1 (Post 820201). 90/08/09. 2pp. 54978:211-54978:212.

9008220080 PNO-I-90-065:on 900814,licensee reported that licensed reactor operator tested positive for marijuana as result of random fitness for duty test.Operator unescorted site access suspended for 14 days.
ALBERT,R., KEIMIG,R. Region 1 (Post 820201). 90/08/15. 1p. 55020:124-55020:124.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9008170222 Application for amend to License SNM-2503,obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl.Encls withheld.
TUCKER,H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards,Director. 5pp. 54990:347-54990:352.

9008010105 Forwards partially withheld Safeguards Insp Repts 50-269/90-22,50-270/90-22 & 50-287/90-22 on 900625-29.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 90/07/24. TUCKER,H.B. Duke Power Co. 3pp. 54797:017-54797:020.

-9008010109 Partially withheld Safeguard Insp Repts 50-269/90-22, 5-270/90-22 & 50-287/90-22 on 900625-29.No violations or deviation noted.Major areas inspected:core insp program for power reactors & safeguards contingency plan implementation.
MASNYK,O.M. Region 2 (Post 820201). 90/07/24. 1p. 54797:020-54797:020.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC,per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
WIENS,L.A. Project Directorate II-3. 90/08/01. TUCKER,H.B. Duke Power Co. 2pp. 54922:024-54922:027.

-9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
SIMION,G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). 90/07/17. WIENS,L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9008170046 Revised crisis mgt plan implementing procedures,including Rev 7 to EDA-3 & Rev 4 to EDA-4.W/900813 ltr.
TUCKER,H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures,including Rev 36 to CMIP-1,Rev 32 to CMIP-4,Rev 36 to CMIP-5,Rev 41 to CMIP-6,Rev 40 to CMIP-7,Rev 27 to CMIP-8 & Rev 35 to CMIP-9.W/DH Grimsley 900821 release memo.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55031:276.

-9008240141 Public version of revised crisis mgt implementing procedures,including Rev 36 to CMIP-1,Rev 32 to CMIP-4,Rev 36 to CMIP-5,Rev 41 to CMIP-6,Rev 40 to CMIP-7,Rev 27 to CMIP-8,Rev 35 to CMIP-9 & Rev 7 to CMIP-11.
* Duke Power Co. 90/08/14. 400pp. 55030:217-55031:276.

I. Financial Information

9008160075 Forwards decommissioning funding plan for util ISFSI at plant.Submittal reflects intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant.
HAUSER,D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54978:148-54978:201.

9008230066 Forwards 1989 annual repts for Duke Power Co,North Carolina Municipal Power Agency 1,North Carolina Electric Membership Cooperative,Piedmont Municipal Power Agency & Saluda River Electric Cooperative.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

P. Operating license stage documents & correspondence

9008070023 Withdraws proposed changes to Spec 4.17.6 re primary to secondary leakage rate limit, per 880531 application. Page 7.17-4 should be replaced. TUCKER, H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54897:149-54897:151.

-9008070026 Proposed Tech Specs withdrawing proposed changes to Spec 4.17.6 re primary to secondary leakage rate limit.
* Duke Power Co. 90/08/01. 1p. 54897:151-54897:151.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas." WIENS, L.A. Project Directorate II-3. 90/08/01. TUCKER, H.B. Duke Power Co. 2pp. 54922:024-54922:027.

-9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas." SIMION, G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). SIMION, G.P. Idaho National Engineering Laboratory. 90/07/17. WIENS, L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000. TUCKER, H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101. MATTHEWS, D.B. Project Directorate II-3. 90/08/15. TUCKER, H.B. Duke Power Co. 4pp. 54995:268-54995:271.

9008280370 Advises that post-accident liquid sampling sys mod & testing completed for Units 1 & 3. Unit 2 to be completed 900827. TUCKER, H.B. Duke Power Co. 90/08/23. Document Control Branch (Document Control Desk). 1p. 55040:360-55040:360.

Q. Inspection reports, IE Bulletins & correspondence

9007270059 Forwards summary of enforcement conference on 900712 re Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17. REYES, L.A. Region 2 (Post 820201). 90/07/18. TUCKER, H.B. Duke Power Co. 15pp. 54727:280-54727:294.

9008060033 Responds to NRC 900618 ltr re violations noted in Insp Repts 50-269/90-16, 50-270/90-16 & 50-287/90-16. Corrective actions: operations will revise out of sequence policy re higher levels of approval & add guidance. TUCKER, H.B. Duke Power Co. 90/07/18. Document Control Branch (Document Control Desk). 5pp. 54877:157-54877:161.

9007310094 Responds to NRC 900619 ltr re violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. Corrective actions: settings for 44 safety-significant overcurrent relays compared to settings used in design engineering calculation. TUCKER, H.B. Duke Power Co. 90/07/19. Document Control Branch (Document Control Desk). 2pp. 54803:235-54803:236.

9008010105 Forwards partially withheld Safeguards Insp Repts 50-269/90-22, 50-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 90/07/24. TUCKER, H.B. Duke Power Co. 3pp. 54797:017-54797:020.

-9008010109 Partially withheld Safeguard Insp Repts 50-269/90-22, 5-270/90-22 & 50-287/90-22 on 900625-29. No violations or deviation noted. Major areas inspected: core insp program for power reactors & safeguards contingency plan implementation. MASNYK, O.M., ENNIS, J.D., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/24. 1p. 54797:020-54797:020.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310220 Responds to NRC 900627 ltr re violations noted in Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17. Corrective actions: supervisor & crew counseled & reviewed Station Directives 2.2.1 & 3.1.2. TUCKER, H.B. Duke Power Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54769:326-54769:328.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants. TUCKER, H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008160023 Provides supplemental response to violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. New relay setting control program being developed & program to be implemented by 910101. TUCKER, H.B. Duke Power Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54992:183-54992:184.

9008210097 Ack receipt of 900727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17. HERDT, A.R. Region 2 (Post 820201). 90/08/02. TUCKER, H.B. Duke Power Co. 2pp. 55004:083-55004:084.

9008270202 Forwards Insp Repts 50-269/90-21, 50-270/90-21 & 50-287/90-21 on 900617-0714. No violations or deviations noted. HERDT, A.R. Region 2 (Post 820201). 90/08/03. TUCKER, H.B. Duke Power Co. 3pp. 55032:237-55032:251.

-9008270205 Insp Repts 50-269/90-21, 50-270/90-21 & 50-287/90-21 on 900617-0714. No violations or deviations noted. Major areas inspected: operation, surveillance testing, spent fuel transfer cask insp, maint activities & installation & testing of mods. SKINNER, P.H., WERT, L.D., DESAI, B.B. Region 2 (Post 820201). 90/07/31. 12pp. 55032:240-55032:251.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008200149 Ack receipt of 900719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-12, 50-270/90-12 & 50-287/90-12. HERDT, A.R. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 2pp. 54993:199-54993:200.

9008210027 Ack receipt of 900718 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/90-16, 50-270/90-16 & 50-287/90-16. HERDT, A.R. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 2pp. 55004:081-55004:082.

9008210056 Forwards Insp Repts 50-269/90-23, 50-270/90-23 & 50-287/90-23 on 900716-19. No violations or deviations noted. JULIAN, C.A. Region 2 (Post 820201). 90/08/06. TUCKER, H.B. Duke Power Co. 3pp. 55003:320-55003:328.

-9008210060 Insp Repts 50-269/90-23, 50-270/90-23 & 50-287/90-23 on 900716-19. No violations or deviations noted. Major areas inspected: licensee actions in response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." HALLSTROM, G.A., BELISLE, G.A. Region 2 (Post 820201). 90/08/02. 6pp. 55003:323-55003:328.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect lot transmitters installed in reactor protection sys, ESFAS or ATWS applications at facility. TUCKER, H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008230053 EN-90-079: on 900816, notice of proposed imposition of civil penalty in amount of \$25,000 will be issued to licensee based on failure to take prompt corrective action re design error in penetration room ventilation sys. PEDERSEN, R.M. Ofc of Enforcement (Post 870413). 90/08/13. 1p. 55016:031-55016:031.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages. TUCKER, H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270246 Discusses Insp Repts 50-269/90-17, 50-270/90-17 & 50-287/90-17 on 900520-0616 & forwards notice of violation & proposed imposition of civil penalty in amount of \$25,000. EBNETER, S.D. Region 2 (Post 820201). 90/08/16. TUCKER, H.B. Duke Power Co. 6pp. 55032:141-55032:149.

-9008270250 Notice of violation & proposed imposition of civil penalty in amount of \$25,000. Violations noted: util failed to take corrective action for condition adverse to quality & 890508 & 0720 responses to Generic Ltr 88-14 incomplete. EBNETER, S.D. Region 2 (Post 820201). 90/08/16. 3pp. 55032:147-55032:149.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

900820103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170246 Forwards monthly operating reports for Jul 1990 for Oconee Nuclear Station Units 1, 2 & 3 & revised rept for June 1990. TUCKER, H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54991:083-54991:099.

60 DOCKETED ITEMS

9008170247 Monthly operating repts for Jul 1990 for Oconee Nuclear Station, Units 1, 2 & 3.
WILLIAMS, R.A., MOSER, S.W. Duke Power Co. 90/07/31. 15pp. 54991:084-54991:098.

9008170249 Revised monthly operating rept for June 1990 for Oconee Nuclear Station.
* Duke Power Co. 90/06/30. 1p. 54991:099-54991:099.

S. Reportable occurrences, LERs & related correspondence

9007310067 Advises that concerns re HPI pump motor & reactor bldg spray pump motor overcurrent during motor startup reported in LER 269/87-05 & LER 270/89-06 resolved, per licensee 900221 & 0321 ltrs providing data & analysis from Westinghouse.
WIENS, L.A. Project Directorate II-3. 90/07/27. TUCKER, H.B. Duke Power Co. 3pp. 54802:346-54802:348.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008170222 Application for amend to License SNM-2503, obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl. Encls withheld.
TUCKER, H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54990:347-54990:352.

9008160075 Forwards decommissioning funding plan for util ISFSI at plant. Submittal reflects util intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant.
HAUSER, D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54978:148-54978:201.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

P. Operating license stage documents & correspondence

9008060249 Provides info required by 10CFR50.75 re assurances that funds will be available to decommission research reactor. Licensee will make available senior reactor operator to supervise decommissioning over period of 1 to 2 yrs.
POWELL, J.L. Reed College, Portland, OR. 90/07/31. MICHAELS, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54876:321-54876:321.

V. Operator Examinations

9007300111 Forwards operator license certificates for listed individuals in recognition for role in protecting public. Certificate constitutes recognition of achievement & not license. W/o encls.
KIRSCH, D.F. Region 5 (Post 820201). 90/07/19. POWELL, J.L. Reed College, Portland, OR. 1p. 54746:194-54746:194.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008060005 Revised EIPs including Rev 3 to EIP 9471-IMP-1300.27 & Temporary Change Notice 1-90-0101 to Rev 5 to EIP 9471-IMP-1300.04.
* General Public Utilities Corp. - GPU Service Corp. 90/07/12. 5pp. 54889:347-54889:350.

9008010242 Temporary Change 1-90-0101 to Rev 5 to EIP 9471-IMP-1300.04, "Contact/Callout of Emergency Personnel."
* General Public Utilities Corp. - GPU Service Corp. 90/07/23. 24pp. 54793:338-54793:361.

9008170076 Rev 2 to EIP 9471-IMP-1300.09, "In-Plant Radiological Controls During Emergencies."
WHITELAND, J.L. General Public Utilities Corp. - GPU Service Corp. 90/07/25. 17pp. 54991:113-54991:129.

9008100094 Forwards initial SALP Rept 50-289/89-99 for 890116-900515. Evaluation will be discussed w/util on 900813 at plant training ctr. Util should be prepared to discuss assessments & plans for improvement of performance.
MARTIN, T.T. Region 1 (Post 820201). 90/08/03. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 54943:295-54943:322.

9008100096 Initial SALP Rept 50-289/89-99 for 890116-900515.
* Region 1 (Post 820201). 90/08/03. 26pp. 54943:297-54943:322.

9008100022 Rev 6 to EIP 9471-IMP-1300.04, "Contact/Callout of Emergency Personnel."
* General Public Utilities Corp. - GPU Service Corp. 90/08/06. 23pp. 54954:047-54954:069.

9008140038 Rev 3 to Procedure 8200-IMP-1720.01, "Emergency Public Info Plan & Implementing Procedure."
CLAWSON, C. General Public Utilities Corp. - GPU Service Corp. 90/08/10. 59pp. 54965:197-54965:256.

I. Financial Information

9007310120 Forwards decommissioning financial assurance certification repts for listed plants: Oyster Creek, TMI unit 1 Licenses; DPR-50 & 37-17257-02, TMI unit 2 & Saxton Nuclear Station, respectively.
MORRELL, M.P. General Public Utilities Corp. - GPU Service Corp. 90/07/26. Document Control Branch (Document Control Desk). 12pp. 54830:001-54830:195.

9008030069 "TMI-1 Trust Agreements."
HIGH, D.J. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 92pp. 54830:033-54830:114.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130200 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum to share experiences.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. KINTNER, E. General Public Utilities Corp. - GPU Service Corp. 4pp. 54951:265-54951:268.

9008140077 Forwards Amend 154 to License DPR-50 & safety evaluation. Amend extends OL expiration date from 080518 to 140418.
HERNAN, R.W. Project Directorate I-4. 90/08/10. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 54954:340-54954:350.

9008140080 Amend 154 to License DPR-50, extending facility OL expiration date from 080518-140419.
STOLZ, J.F. Project Directorate I-4. 90/08/10. 3pp. 54954:342-54954:344.

9008140083 Safety evaluation supporting Amend 154 to License DPR-50.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/10. 6pp. 54954:345-54954:350.

Q. Inspection reports, IE Bulletins & correspondence

9008070085 Forwards Exam Rept 50-289/90-14OL administered during wk of 900716. Results of exam discussed.
GALLO, R.M. Region 1 (Post 820201). 90/07/26. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 54897:169-54897:173.

9008070087 Exam Rept 50-289/90-14OL on 900718. Exam results: senior reactor operator (SRO) upgrade candidate issued license & SRO eligible for license renewal.
NORRIS, B.S., ESELGROTH, P.W. Region 1 (Post 820201). 90/07/25. 3pp. 54897:171-54897:173.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020292 Responds to violations noted in Insp Rept 50-289/90-10. Corrective actions: missing support brace on cable tray support found & corrected.
HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:309-54805:311.

9008100034 Forwards Safety Insp Repts 50-289/90-12 & 50-320/90-05 on 900515-0626. No violations noted. Decline noted in general housekeeping for facility Unit 2 which may warrant increased mgt attention.
WENZINGER, E.C. Region 1 (Post 820201). 90/08/01. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 4pp. 54943:194-54943:210.

9008100039 Insp Repts 50-289/90-12 & 50-320/90-12 on 900515-0626. No violations noted. Major areas inspected: Unit 1 power operations & Unit 2 cleanup activities. Actions on previous insp findings also reviewed.
RULAND, W. Region 1 (Post 820201). 90/08/01. 13pp. 54943:198-54943:210.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100094 Forwards initial SALP Rept 50-289/89-99 for 890116-900515. Evaluation will be discussed w/util on 900813 at plant training ctr. Util should be prepared to discuss assessments & plans for improvement of performance.
MARTIN, T.T. Region 1 (Post 820201). 90/08/03. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 54943:295-54943:322.

9008100096 Initial SALP Rept 50-289/89-99 for 890116-900515.
* Region 1 (Post 820201). 90/08/03. 26pp. 54943:297-54943:322.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008230218 Forwards review of B&W Owners Group pressurizer surge line thermal stratification BAW-2085 analysis per IE Bulletin 88-011. Continued operation justified until final rept complete but issues needing resolution noted.
HERNAN,R.W. Project Directorate I-4. 90/08/09. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 55016:046-55016:054.

—**9008230220** Review of B&W Owners Group pressurizer surge line thermal stratification BAW-2085 analysis per IE Bulletin 88-011.
* NRC - No Detailed Affiliation Given. 90/08/09. 7pp. 55016:048-55016:054.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200099 Ack receipt of 900709 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-289/89-82.
GALLO,R.M. Region 1 (Post 820201). 90/08/15. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 54996:129-54996:135.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280318 Corrects statement made in 900716 response to NRC Bulletin 90-001, "Loss of Fill-Oil in Rosemount Transmitters." Identified that only half of operating crews provided w/ briefing on bulletin.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55040:223-55040:223.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008200049 "TMI Citizens Monitoring Network Jul 1990 Rept." W/900814 ltr.
BAKER,D.M. Three Mile Island Citizen's Monitoring Network. 90/07/31. 13pp. 54993:135-54993:147.

9008210125 Monthly operating rept for Jul 1990 for TMI-1.W/900814 ltr.
HEYSEK,W.G., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 90/07/31. 6pp. 55004:012-55004:017.

S. Reportable occurrences, LERs & related correspondence

9008090134 LER 90-006-00 on 900702, control room operator depressed manual RB high pressure actuation pushbutton during testing causing emergency safeguards actuation. Caused by personnel error. Personnel reinstated w/900731 ltr.
KNIGHT,N.R., HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 90/07/31. 6pp. 54952:275-54952:280.

V. Operator Examinations

9008070085 Forwards Exam Rept 50-289/90-14OL administered during wk of 900716. Results of exam discussed.
GALLO,R.M. Region 1 (Post 820201). 90/07/26. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 54897:169-54897:173.

—**9008070087** Exam Rept 50-289/90-14OL on 900718. Exam results: senior reactor operator (SRO) upgrade candidate issued license & SRO eligible for license renewal.
NORRIS,B.S., ESELGROTH,P.W. Region 1 (Post 820201). 90/07/25. 3pp. 54897:171-54897:173.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008030260 Ofc of inspector general rept of insp NRC review of Pilgrim offsite emergency preparedness.
MULLEY,G.A., FOSSETT,H.L. Office of Inspector General (Post 890417). 90/07/23. 51pp. 54832:221-54832:268.

9008080013 Forwards Safeguards Insp Rept 50-293/90-16 on 900625-29. No violations noted. One unresolved item identified.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/30. BIRD,R.G. Boston Edison Co. 3pp. 54917:348-54917:358.

—**9008080019** Partially withheld Physical Security Insp Rept 50-293/90-16 on 900625-29 (ref 10CFR73.21). No violations noted. Major areas inspected: mgt support & program plans, protected & vital area physical barriers & detection & assessment aids.
DEXTER,T.W., LIMROTH,D.F., KEIMIG,R.R. Region 1 (Post 820201). 90/07/30. 8pp. 54917:351-54917:358.

H. General correspondence

9008170081 Responds to 900731 ltr re NRC methodology for determining reasonable assurance. NRC views & position re reasonable assurance of emergency preparedness at plant not changed. Meeting will be held on 900906 for public views on subj.
WESSMAN,R.H. Assistant Director for Region I Reactors. 90/08/16. FLEMING,J.A. Affiliation Not Assigned. 4pp. 54991:148-54991:154.

—**9008170083** Requests that plant be returned to 5% power until emergency planning does offer reasonable assurance.
FLEMING,J.A. Affiliation Not Assigned. 90/07/31. CARR Commissioners (Post 750119). 3pp. 54991:152-54991:154.

I. Financial Information

9007310212 Forwards, "Decommissioning Funding Rept," per 10CFR50.33(k) & 50.75(b).
BIRD,R.G. Boston Edison Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54769:282-54769:284.

K. Utility Final Safety Analysis Report (FSAR) & amends

9007270131 Rev 11 to updated FSAR for Pilgrim Nuclear Power Station.W/ 900723 ltr.
BIRD,R.G. Boston Edison Co. 90/07/31. 650pp. 54758:001-54759:104.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130181 Discusses licensee engineering initiatives. Power reactor licenses in Region 1 should initiate similar program to provide sharing of info & experiences involving engineering initiatives & solution to problems common to all.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. BIRD,R.G. Boston Edison Co. 4pp. 54957:288-54957:291.

9008100048 Responds to 900611 ltr re FR notices to amend OL for plant. Plant request consistent w/ previously approved requests re BWRs & BWR STS. Most other BWRs perform logic sys functional test once per 18 months.
EATON,R.B. Project Directorate I-3. 90/08/09. KRIESBERG,J. Massachusetts Citizens for Safe Energy. 9pp. 54943:047-54943:055.

9008210108 Application for amend to License DPR-35, revising Tech Spec Section 6, "Administrative Controls."
BIRD,R.G. Boston Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 5pp. 55003:329-55004:011.

—**9008210111** Proposed Tech Spec Section 6, "Administrative Controls."
* Boston Edison Co. 90/08/09. 38pp. 55003:334-55004:011.

9008240240 Application for amend to License DPR-35, making minor corrections & improvements to plant administrative Tech Specs to be consistent w/ current STS.
BIRD,R.G. Boston Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 5pp. 55030:136-55030:179.

—**9008270056** Proposed Tech Specs, making minor corrections & improvements to plant administrative Tech Specs to be consistent w/ current STS.
* Boston Edison Co. 90/08/09. 39pp. 55030:141-55030:179.

9008220139 Forwards 900816 summary of 900807 meeting re inservice testing program.
EATON,R.B. Project Directorate I-3. 90/08/17. DIETRICH,J.S. Boston Edison Co. 2pp. 55005:300-55005:315.

—**9008170074** Summary of 900807 meeting w/ util & EG&G Idaho in Braintree, MA re inservice testing program review. Meeting agenda & list of attendees encl.
MARSH,L.B. Mechanical Engineering Branch. 90/08/16. EATON,R. Project Directorate I-3. 13pp. 55005:302-55005:315.

9008270184 Requests interim approval of encl Relief Request RV-03, extending test frequency for valve leak rate test & position indication verification test of drywell to torus vacuum breakers from once every 2-yr to once each refueling outage.
BIRD,R.G. Boston Edison Co. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55032:150-55032:152.

9008270143 Advises that valve MO-1001-50 cannot be shown to meet 30-day mission for PASS in post-accident environ due to elevated radiation dose rates. Util currently developing solution to allow PASS to meet 30-day availability requirement.
BIRD,R.G. Boston Edison Co. 90/08/27. Document Control Branch (Document Control Desk). 1p. 55032:048-55032:048.

Q. Inspection reports, IE Bulletins & correspondence

9008030260 Ofc of inspector general rept of insp NRC review of Pilgrim offsite emergency preparedness.
MULLEY,G.A., FOSSETT,H.L. Office of Inspector General (Post 890417). 90/07/23. 51pp. 54832:221-54832:268.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008080038 Forwards Safety Insp Rept 50-293/90-17 on 900625-29. No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/27. BIRD,R.G. Boston Edison Co. 2pp. 54908:062-54908:078.

62 DOCKETED ITEMS

—9008080045 Insp Rept 50-293/90-17 on 900624-29.No violations noted. Major areas inspected:radiological & nonradiological chemistry programs. MCNAMARA,N.T., KOTTAN,J.J., BORES,R.J. Region 1 (Post 820201). 90/07/25. 15pp. 54908:064-54908:078.

9008080013 Forwards Safeguards Insp Rept 50-293/90-16 on 900625-29.No violations noted.One unresolved item identified. BELLAMY,R.R. Region 1 (Post 820201). 90/07/30. BIRD,R.G. Boston Edison Co. 3pp. 54917:348-54917:358.

—9008080019 Partially withheld Physical Security Insp Rept 50-293/90-16 on 900625-29 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support & program plans,protected & vital area physical barriers & detection & assessment aids. DEXTER,T.W., LIMROTH,D.F., KEIMIG,R.R. Region 1 (Post 820201). 90/07/30. 8pp. 54917:351-54917:358.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160014 Forwards Safety Insp Rept 50-293/90-18 on 900709-13.No violations noted. DURR,J.P. Region 1 (Post 820201). 90/08/09. BIRD,R.G. Boston Edison Co. 2pp. 54972:293-54972:300.

—9008160016 Insp Rept 50-293/90-18 on 900709-13.No violations noted. Major areas inspected:inservice insp activities to ascertain whether licensee activities conducted in compliance w/ASME Code & regulatory requirements. MCBREATH,R.A., TERAQ,D. Region 1 (Post 820201). 90/07/26. 6pp. 54972:295-54972:300.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007310021 Rept of changes,tests & experiments performed at plant for 890122-900121.W/900722 ltr. BIRD,R.G. Boston Edison Co. 90/01/21. 10pp. 54770:023-54770:032.

9007310008 "NPDES Discharge Monitoring Rept, Apr-June 1990." W/900720 ltr. WAGNER,E.J. Boston Edison Co. 90/06/30. 19pp. 54770:002-54770:020.

9008220118 Monthly operating rept for Jul 1990 for Pilgrim Nuclear Generating Station.W/900814 ltr. MUNRO,W., HIGHFILL,K.L. Boston Edison Co. 90/07/31. 8pp. 55001:194-55001:201.

S. Reportable occurrences, LERs & related correspondence

9008130169 LER 90-011-00:on 900703,automatic actuation of RHR sys portion of primary containment isolation control sys occurred while shut down.Caused by hydrodynamic transient. Procedure revised.W/900731 ltr. BASILESCO,G.J., BIRD,R.G. Boston Edison Co. 90/07/31. 5pp. 54953:032-54953:036.

9008080243 LER 90-010-00:on 900703,shutdown completed due to inoperable recirculation sys loop.Caused by combination of factors including malfunction of recirculation motor-generator. Oil samples obtained & analyzed.W/900803 ltr. ELLIS,D.W., BIRD,R.G. Boston Edison Co. 90/08/03. 7pp. 54904:330-54904:336.

9008150055 LER 90-012-00:on 900712,discovered two radioactive sources not leak checked within Tech Spec required interval.Caused by procedural weakness.Sources inventoried & leak checked & Procedure 6.6-010 will be revised.W/900810 ltr. LUNN,B.P., BIRD,R.G. Boston Edison Co. 90/08/10. 5pp. 54953:291-54953:295.

V. Operator Examinations

9008150067 Informs that KN Taylor permanently reassigned to nuclear training dept as of 900717.Taylor will remain in position which does not require license certification. BIRD,R.G. Boston Edison Co. 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54972:084-54972:085.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EIPs. * Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008030180 Forwards justification for rev to installation schedules for two commitments re safeguards inadequacies & program concerns.Encl withheld. CHRZANOWSKI,R. Commonwealth Edison Co. 90/07/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54832:269-54832:269.

9008210151 Change Request A-90-478 to Rev 28 to EPIP 320-1, "Activation of GSEP Station Group." W/900801 ltr. * Commonwealth Edison Co. 90/08/01. 8pp. 55000:190-55000:197.

9008090047 Forwards Safety Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19.No violations noted.One exercise weakness identified.Util should address actions taken or to be taken to improve performance in emergency preparedness area. NORELIUS,C.E. Region 3 (Post 820201). 90/08/03. REED,C. Commonwealth Edison Co. 3pp. 54934:001-54934:034.

—9008090048 Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19.No violations,deficiencies or deviations noted.One exercise weakness identified.Major areas inspected:annual emergency preparedness exercise. BARSS,D., SNELL,W. Region 3 (Post 820201). 90/08/02. 31pp. 54934:004-54934:034.

9008230017 Revised EIPs,including Rev 12 to ED-9A,Rev 12 to ED-9B, Rev 12 to ED-11,Rev 8 to ED-12 & Rev 10 to ED-13. JOHNSON,J.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

9008240164 Forwards Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714 & notice of violation. SHAFER,W.D. Region 3 (Post 820201). 90/08/09. REED,C. Commonwealth Edison Co. 2pp. 55027:155-55027:174.

—9008240167 Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714. Violations noted.Major areas inspected:licensee action on previous insp findings,summary of operations,operational safety verification & emergency preparedness practice drill. FARBER,M.J. Region 3 (Post 820201). 90/08/09. 17pp. 55027:156-55027:174.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants. MORGAN,W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008010196 Confirms plans for mgt meeting w/util in Region III ofc on 900725 to discuss diagnostic evaluation team findings at plant re motor-operated valve issues & svc water operability. GREENMAN,E.G. Region 3 (Post 820201). 90/07/24. REED,C. Commonwealth Edison Co. 2pp. 54796:315-54796:316.

9008010093 Responds to Generic Ltr 90-04, "Request for Info re Status of Implementation of Generic Safety Issues Resolved w/ Imposition of Requirements or Corrective Actions." Current status of issues encl. CHRZANOWSKI,R. Commonwealth Edison Co. 90/07/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54806:248-54806:255.

9008010218 Requests withdrawal of proposed amend re deletion of confirmatory order dtd 800228. CHRZANOWSKI,R. Commonwealth Edison Co. 90/07/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54793:329-54793:329.

9008020266 Confirms mgt meeting on 900731 in Zion,IL to discuss performance improvement plan progress update which should include DET findings. GREENMAN,E.G. Region 3 (Post 820201). 90/07/27. REED,C. Commonwealth Edison Co. 1p. 54831:256-54831:256.

9008030097 Provides addl info re resolution of number of older licensing issues,including containment isolation valve position indication,per NRC 900615 ltr. CHRZANOWSKI,R. Commonwealth Edison Co. 90/07/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54832:048-54832:049.

9008060334 Responds to Generic Ltr 90-04, "Request for Info re Status of Implementation of Generic Safety Issue Resolved w/ Imposition of Requirements or Corrective Actions." Status of implementation of generic safety issues encl. CHRZANOWSKI,R. Commonwealth Edison Co. 90/07/31. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 54864:075-54864:086.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008170053 Discusses NUREG-0737, Item I.C.6 verification, per 801215 & 820112 commitments. Procedures will be put in place to ensure that independent verification of safety-related equipment performed utilizing qualified personnel.
CHYZANOWSKI, R. Commonwealth Edison Co. 90/08/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54993:359-54993:359.

9008270126 Confirms 900821 mgt meeting in Zion, IL to discuss performance improvement progress update & recent findings.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/14. REED, C. Commonwealth Edison Co. 1p. 55040:222-55040:222.

9008270189 Presents revised schedule for completion of program & implementation procedure revs to inservice testing program, per Generic Ltr 89-04. Revs will be completed by 901130 & inservice testing program rev will be submitted for review.
TAYLOR, D. Commonwealth Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55032:119-55032:119.

Q. Inspection reports, IE Bulletins & correspondence

9008020272 Responds to NRC 900328 ltr re violations noted in Insp Repts 50-295/90-03 & 50-304/90-03. Corrective actions: training rev request initiated & personnel counseled.
KOVACH, T.J. Commonwealth Edison Co. 90/04/26. DAVIS, A.B. Region 3 (Post 820201). 6pp. 54820:003-54820:008.

9008140439 Suppls 900626 response to CAL-R111-90-011 re torque switch settings, per NRC Bulletin 85-003. Program to address Generic Ltr 89-10 which expands scope of Bulletin 85-003 testing to safety-related motor-operated valves being developed.
SCHUSTER, T.K. Commonwealth Edison Co. 90/07/06. DAVIS, A.B. Region 3 (Post 820201). 4pp. 54961:294-54961:297.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008130172 Forwards Safety Insp Repts 50-295/90-16 & 50-304/90-18 on 900702-06.16 & 20. No violations noted.
GREGER, L.R. Region 3 (Post 820201). 90/08/01. REED, C. Commonwealth Edison Co. 2pp. 54956:167-54956:178.

9008130173 Insp Repts 50-295/90-16 & 50-304/90-18 on 900702-06.16 & 20. No violations or deviations noted. Major areas inspected: chemistry program, procedures, organization & training.
HOLTZMAN, R.B., SCHUMACHER, M.C. Region 3 (Post 820201). 90/07/30. 10pp. 54956:169-54956:178.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090047 Forwards Safety Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19. No violations noted. One exercise weakness identified. Util should address actions taken or be taken to improve performance in emergency preparedness area.
NORELIUS, C.E. Region 3 (Post 820201). 90/08/03. REED, C. Commonwealth Edison Co. 3pp. 54934:001-54934:034.

9008090048 Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19. No violations, deficiencies or deviations noted. One exercise weakness identified. Major areas inspected: annual emergency preparedness exercise.
BARSS, D., SNELL, W. Region 3 (Post 820201). 90/08/02. 31pp. 54934:004-54934:034.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008130194 Responds to NRC Bulletin 88-009 re incore neutron monitoring sys thimble tube integrity. Thimble tube insps will be performed at every refueling outage until sufficient data accumulated on thimble tube wear.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/07. Document Control Branch (Document Control Desk). 10pp. 54957:278-54957:287.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008240164 Forwards Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714 & notice of violation.
SHAFER, W.D. Region 3 (Post 820201). 90/08/09. REED, C. Commonwealth Edison Co. 2pp. 55027:155-55027:174.

9008240166 Notice of violation from insp on 900603-0714. Violation noted: failure to complete analysis of properties of fuel oil listed in ASTM-D975 within 14 days.
SHAFER, W.D. Region 3 (Post 820201). 90/08/09. 1p. 55027:157-55027:157.

9008240167 Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714. Violations noted. Major areas inspected: licensee action on previous insp findings, summary of operations, operational safety verification & emergency preparedness practice drill.
FARBER, M.J. Region 3 (Post 820201). 90/08/09. 17pp. 55027:158-55027:174.

9008200070 Provides supplemental response to NRC Bulletin 89-001 re mechanical plugs supplied by Westinghouse, per 890616 ltr. All mechanical plugs from heats NX-3513 & NX-4523 removed from hot legs of plant steam generators.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54996:121-54996:122.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008220180 Discusses Insp Repts 50-295/89-200 & 50-304/89-200 on 891127-1208 & forwards notice of violation. Review of vendor interface program indicated need for improvement. NRC will review operability determination.
MILLER, H.J. Region 3 (Post 820201). 90/08/14. REED, C. Commonwealth Edison Co. 2pp. 55000:277-55000:280.

9008220182 Notice of violation from insp on 891127-1208. Violations noted: established measures failed to assure that cause of significant condition adverse to quality & fretting of emergency diesel generator small diameter tubing identified.
MILLER, H.J. Region 3 (Post 820201). 90/08/14. 2pp. 55000:279-55000:280.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008280273 "Radioactive Effluent Rept for Jan-June 1990." W/900820 ltr.
JOYCE, T.P. Commonwealth Edison Co. 90/06/30. DAVIS, B. Region 3 (Post 820201). 33pp. 55040:161-55040:193.

9008170242 Monthly operating repts for Jul 1990 for Zion Generating Station Units 1 & 2. W/900814 ltr.
THOMAS, J., JOYCE, T.P. Commonwealth Edison Co. 90/07/31. 12pp. 54993:310-54993:321.

9008280274 Forwards errata to "Radioactive Effluent Rept for Jan-June 1990" & gaseous effluent errata sheet.
JOYCE, T.P. Commonwealth Edison Co. 90/08/20. DAVIS, A.B. Region 3 (Post 820201). 4pp. 55042:037-55042:049.

9008280275 Errata to "Radioactive Effluent Rept for Jan-June 1990" & gaseous effluent errata sheet.
* Commonwealth Edison Co. 90/06/30. 9pp. 55042:041-55042:049.

S. Reportable occurrences, LERs & related correspondence

9008030075 LER 90-014-00: on 900628, determined N-2 sys inoperable w/two penetration pressurization compressors out of svc. Caused by procedural deficiency. Special surveillance checklist & technical staff test procedure changed. W/900730 ltr.
COOK, J.B., JOYCE, T.P. Commonwealth Edison Co. 90/07/30. 4pp. 54831:043-54831:046.

9008030119 Forwards AEOD/T925A, "Evaluation of Safety Equipment Outages for Significance at Zion (Revised)."
NOVAK, T.M. Division of Safety Programs (Post 870413). 90/07/31. CHYZANOWSKI, R.A. Commonwealth Edison Co. 2pp. 54876:018-54876:024.

9008030121 "Evaluation of Safety Equipment Outages for Significance at Zion (Revised)."
MANNING, F. Office for Analysis & Evaluation of Operational Data, Director. 90/07/31. 5pp. 54876:020-54876:024.

9008030126 Forwards AEOD/T925A, "Evaluation of Safety Equipment Outages for Significance at Zion (Revised)."
MANNING, F.M. Reactor Operations Analysis Branch. 90/07/31. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 1p. 54851:192-54851:197.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

64 DOCKETED ITEMS

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

- 9007310090** Considers 900425 request for approval to eliminate site local recovery ctrs withdrawn. Review terminated.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:251-54796:253.
- 9008200137** Forwards Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:257-54993:271.
- 9008200139** Insp Repts 50-259/90-24, 50-260/90-24 & 50-296/90-24 on 900709-13. No violations or deviations noted. Major areas inspected: radiological effluents, radiological environ monitoring & meteorological instrumentation.
MARSTON, R.R. Region 2 (Post 820201). 90/08/02. 11pp. 54993:261-54993:271.
- 9008090049** Application for amends to Licenses DPR-33, DPR-52 & DPR-68, consisting of Tech Spec Change 292. Amends revise surveillance requirements for flow & head for electric & diesel-driven fire pumps based on calculation of demand.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54921:313-54921:337.
- 9008090050** Proposed Tech Specs re surveillance requirements for fire pumps & water distribution mains.
* Tennessee Valley Authority. 90/08/07. 22pp. 54921:316-54921:337.
- 9008090059** Rev 5 to EIP-17, "Emergency Equipment & Supplies." W/900807 ltr.
CARRIER, P.P. Tennessee Valley Authority. 90/08/07. 23pp. 54942:234-54942:256.
- 9008210148** Ack receipt of 900705 & 0802 ltrs, transmitting objectives & scenario package, respectively, for exercise scheduled for wk of 900917.
WILSON, B.A. Region 2 (Post 820201). 90/08/13. Tennessee Valley Authority. 3pp. 55000:079-55000:081.
- 9008200026** Advises that rev to physical security/contingency plan submitted to NRC on 900514. Unit 3 restart action plan being refined & will be presented in Tech Spec amend after NRC review.
WALLACE, E.G. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54991:338-54991:339.

I. Financial Information

- 9007270157** Provides util statement of intent to have adequate funds available for de-commissioning activities.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 6pp. 54734:087-54734:092.

P. Operating license stage documents & correspondence

- 9008240134** Advises that 900412 ltr re plant power ascension testing program review acceptable w/ listed changes agreed upon.
WILSON, B.A. Region 2 (Post 820201). 90/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55028:224-55028:227.
- 9008060185** Notification of contract execution, Mod 1 to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities."
Contractor: Sonalysts, Inc.
HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/07/23. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54864:087-54864:089.
- 9008060190** Ltr contract, Mod 1, increasing authorized work hours by 16 PSH & task order ceiling & obligated amounts, to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities."
HAGAN, T.F. Contract Administration Branch (890205-900602). FIN L-1289-0. 90/07/20. PETERSEN, L.R. Sonalysts, Inc. 2pp. 54864:088-54864:089.
- 9007300115** Notification of 900801 meeting w/ util in Rockville, MD to discuss TVA approach in analyzing potential impact of toxic chemical barge traffic upon control room habitability.
ROSS, T.M. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/07/26. HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 3pp. 54746:054-54746:056.
- 9007310068** Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/ differing views expressed by employees in licensee nuclear power program.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.
- 9007310072** Forwards review of util current practices & procedures for dealing w/ differing views expressed by employees in licensee Nuclear Power Program.
RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M., ROGERS, K.C., CURTISS, J.R. Commissioners (Post 750119). 19pp. 54769:336-54769:354.
- 9008020133** Forwards Rev 1 to TVA welding project final rept, initially submitted on 890825, reflecting rev of existing specs.
WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.
- 9008080012** Forwards safety evaluation re util assessment of mgt problems & corrective actions described in facility nuclear performance plan, Vol 3, Rev 2. Corrective actions implemented by util consistent w/ commitments made by subj plan.
ROSS, T.M. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 54907:090-54907:123.
- 9008080017** Safety evaluation accepting util assessment of mgt problems at plant & corrective actions described in nuclear performance plan, Vol 3, Rev 2.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 29pp. 54907:095-54907:123.

- 9008080306** Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008090110** Application for amends to Licenses DPR-33, DPR-52 & DPR-68, revising Table 3.2.A, Note 1.d of Tech Specs to allow operators 1 h to isolate shutdown cooling under certain circumstances.
WALLACE, E.G. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54942:195-54942:219.
- 9008090115** Proposed Tech Specs re Table 3.2.A, Note 1.D allowing operators 1 h to isolate shutdown cooling under certain circumstances.
* Tennessee Valley Authority. 90/08/06. 22pp. 54942:198-54942:219.
- 9008090049** Application for amends to Licenses DPR-33, DPR-52 & DPR-68, consisting of Tech Spec Change 292. Amends revise surveillance requirements for flow & head for electric & diesel-driven fire pumps based on calculation of demand.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54921:313-54921:337.
- 9008090050** Proposed Tech Specs re surveillance requirements for fire pumps & water distribution mains.
* Tennessee Valley Authority. 90/08/07. 22pp. 54921:316-54921:337.
- 9008100135** Summary of 900727 meeting w/ util on site re plant tour. Restart status & condition of Unit 2 primary focus of site tour. List of attendees encl.
ROSS, T.M. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/08. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 31pp. 54951:198-54951:228.
- 9008150108** Requests provision of listed info prior to restart of Units 1 & 3. Performance of PRA for Unit 2 in manner that takes into account dependencies to equipment located in other two units also requested.
ROSS, T.M. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54978:141-54978:144.
- 9008150286** Provides info that clarifies organizational Topical Rept TVA-NP089, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.
- 9008170072** Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues.
CORTLAND, P. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 10pp. 54981:347-54981:355.
- 9008200110** Forwards safety evaluation accepting process for conducting DCRDR for plant. Requests that util address remaining open items & provide formal response no later than 90 days after restart of Unit 2.
ROSS, T. Division of Reactor Projects - I/II (Post 870411). 90/08/15. KINGSLEY, O.D. Tennessee Valley Authority. 9pp. 54995:306-54995:315.
- 9008230084** Responds to verbal commitment made during 900801 meeting w/ NRC re control room habitability. Calculations performed to support util 900531 submittal listed in Encls 1 & 2.
WALLACE, E.G. Tennessee Valley Authority. 90/08/16. Document Control Branch (Document Control Desk). 3pp. 55014:052-55014:152.
- 9008230085** "Control Room Habitability Following Potential Barge Shipment Accident of Hazardous Chemicals."
ROSS, B. Tennessee Valley Authority. MD-Q0000-900046 R00. 90/08/13. 12pp. 55014:055-55014:066.
- 9008230086** "Toxic Barge Study."
LIN, T.J. Bechtel Group, Inc. M-2 R00. 90/05/23. 70pp. 55014:067-55014:138.
- 9008230087** Rev 0 to "Frequency of Chlorine Concentration in Control Room in Excess of Toxicity Limit Due to Barge Accident."
HAYES, F.K. Tennessee Valley Authority. XD-Q0000-900003 R00. 90/05/29. 14pp. 55014:139-55014:152.
- 9008230030** Forwards safety evaluation & Technical Evaluation Rept EGG-NTA 8341 considering actions per Generic Ltr 83-28, Item 4.5.3 re reactor trip sys reliability for domestic operating reactors.
ROSS, T. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55018:148-55018:167.
- 9008240091** Provides revised response to Generic Ltr 89-19 re request for action concerning resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants" & notification of commitment completion.
WALLACE, E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55030:029-55030:031.
- 9008280186** Forwards summary of 900710-11 meetings w/ util re primary containment isolation at plant & requests that util formally respond within 30 days to NRC recommendations during exit meeting.
ROSS, T.M. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 55042:050-55042:098.
- 9008280187** Summary of 900710-11 meetings w/ util at plant site re proposed Tech Spec change concerning Table 3.7-A, "Primary Containment Isolation Valves" & containment isolation arrangements at plant. List of attendees & TVA handouts encl.
MORAN, D.H. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 90/08/17. Project Directorate II-4 ● formerly TVA Project Directorate● (Post 900603). 47pp. 55042:052-55042:098.

Q. Inspection reports, IE Bulletins & correspondence

9008240219 Lists prerequisites that should be completed prior to plant operational readiness assessment team insp scheduled for wks of 901022 & 1105. WILSON,B.A. Region 2 (Post 820201). 90/06/29. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 55030:066-55030:069.

9008080121 Forwards Initial Exam Rept 50-259/OL-90-02 on 900625-29 for Units 1,2 & 3. WILSON,B.A. Region 2 (Post 820201). 90/07/24. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54916:203-54917:161.

-9008080123 Exam Rept 50-259/OL-90-02 on 900625-09.Exam results:all applicants passed exam. HOPPER,G.T. Region 2 (Post 820201). 90/07/23. 250pp. 54916:207-54917:161.

9008080254 Ack receipt of 900713 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/90-14, 50-260/90-14 & 50-296/90-14.Implementation of corrective actions will be examined during future insps. WILSON,B.A. Region 2 (Post 820201). 90/07/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 54914:348-54914:350.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008080322 Advises of closure of NRC Bulletin 90-002, "Loss of Thermal Margin Caused by Channel Box Bow," per util 900424 ltr. ROSSI,T. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 54931:142-54931:143.

9008200137 Forwards Insp Repts 50-259/90-24,50-260/90-24 & 50-296/90-24 on 900709-13.No violations or deviations noted. WILSON,B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54993:257-54993:271.

-9008200139 Insp Repts 50-259/90-24,50-260/90-24 & 50-296/90-24 on 900709-13.No violations or deviations noted.Major areas inspected:radiological effluents,radiological environ monitoring & meteorological instrumentation. MARSTON,R.R. Region 2 (Post 820201). 90/08/02. 11pp. 54993:261-54993:271.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140203 Forwards response to SALP Repts 50-259/90-07,50-260/90-07 & 50-296/90-07 for Jul 1989 - Mar 1990. KINGSLEY,O.D. Tennessee Valley Authority. 90/08/08. Document Control Branch (Document Control Desk). 34pp. 54955:004-54955:037.

9008160213 Responds to NRC 900713 ltr re violations & deviations noted in Insp Repts 50-259/90-18,50-260/90-18 & 50-296/90-18. Corrective actions:craft foreman suspended for three days & relieved of duties as foreman. MEDFORD,M.O. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 7pp. 54972:321-54972:327.

9008210099 Forwards Insp Repts 50-259/90-20,50-260/90-20 & 50-296/90-20 on 900625-29 & 0709-13.No violations or deviations noted. WILSON,B.A. Region 2 (Post 820201). 90/08/13. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 55003:067-55003:110.

-9008210116 Insp Repts 50-259/90-20,50-260/90-20 & 50-296/90-20 on 900625-29 & 0709-13.No violations or deviations noted.Major areas inspected:corrective action program implementation & quality verification activities. JAPE,F., PEEBLES,T. Region 2 (Post 820201). 90/08/13. 39pp. 55003:072-55003:110.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008150281 Submits revised response to violations noted in Insp Repts 50-259/89-18,50-260/89-18 & 50-296/89-18.Extends completion dates for commitments to 901203. MEDFORD,M.O. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 54971:283-54971:285.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230090 Provides response to NRC Bulletin 88-008,Suppl 3 re thermal stresses in piping connected to RCS.Util does not anticipate thermal cyclic fatigue induced piping,per Suppl 3 to occur in plant.Ltr contains no commitment. WALLACE,E.G. Tennessee Valley Authority. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55016:146-55016:149.

9008240081 Forwards Insp Repts 50-259/90-23,50-260/90-23 & 50-296/90-23 on 900619-0720.Violations noted but not cited. WILSON,B.A. Region 2 (Post 820201). 90/08/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55029:335-55029:360.

-9008240085 Insp Repts 50-259/90-23,50-260/90-23 & 50-296/90-23 on 900619-0720.Major areas inspected:surveillance observation, mods,calculations,ROs & TMI action items.Failure to follow procedure for interim order procedure changes noted. CARPENTER,D.R., PATTERSON,C.A., KELLOGG,P.J. Region 2 (Post 820201). 90/08/15. 22pp. 55029:338-55029:360.

9008240084 Advises that IE Bulletin 80-11 re masonry wall design implemented at facilities.Design finalized,mods completed, procedures issued & necessary training completed.SIMS data base should be updated to show item being implemented. WALLACE,E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55029:314-55029:315.

9008240083 Suppls response to violations noted in Insp Repts 50-259/90-14,50-260/90-14 & 50-296/90-14.Corrective actions: TVA developed corporate level std,STD-10.1.15 re independent verification. MEDFORD,M.O. Tennessee Valley Authority. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55029:314-55029:315.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220082 Monthly operating repts for Jul 1990 for Browns Ferry Units 1,2 & 3.W/ 900815 ltr. RATLIFF,S.A., CARRIER,P.P. Tennessee Valley Authority. 90/07/31. 12pp. 55002:001-55002:012.

V. Operator Examinations

9008220132 Notification of contract execution,Mod 20,to "Use of TVA Reactor Simulator Facilities at Chattanooga,TN for Training on Browns Ferry,Sequoyah & Bellefonte Simulators." Contractor:TVA. MCCUBBIN,S. Contract Administration Branch (890205-900602). 90/07/19. SPESSARD,R.L. Division of Operational Assessment (Post 870413). 1p. 55006:342-55006:343.

-9008220134 Mod 20,revising contract to purchase addl training aids,to "Use to TVA Reactor Simulator Facilities at Chattanooga,TN for Training on Browns Ferry,Sequoyah & Bellefonte Simulators." LAYMON,J.S. Tennessee Valley Authority. FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008080121 Forwards Initial Exam Rept 50-259/OL-90-02 on 900625-29 for Units 1,2 & 3. WILSON,B.A. Region 2 (Post 820201). 90/07/24. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54916:203-54917:161.

-9008080123 Exam Rept 50-259/OL-90-02 on 900625-09.Exam results:all applicants passed exam. HOPPER,G.T., CASTO,C.A. Region 2 (Post 820201). 90/07/23. 250pp. 54916:207-54917:161.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR**F. Security, medical, emergency & fire protection plans**

9008200153 Informs that J Tedrow & M Shannon assigned as early responders to emergency or event involving NRC license. Advises of plan to have individuals accompany C Bassett on familiarization tour of facility during future insp. EBNETER,S.D. Region 2 (Post 820201). 90/07/20. MILLER,G.D. North Carolina State Univ., Raleigh, NC. 3pp. 54995:296-54995:298.

I. Financial Information

9007310127 Forwards statement of financial qualifications,per 10CFR50.33(f)(3) for PULSTAR reactor facility. MONTEITH,L.K. North Carolina State Univ., Raleigh, NC. 90/07/24. ADAMS,A. Document Control Branch (Document Control Desk). 5pp. 54796:155-54796:159.

Q. Inspection reports, IE Bulletins & correspondence

9008200153 Informs that J Tedrow & M Shannon assigned as early responders to emergency or event involving NRC license. Advises of plan to have individuals accompany C Bassett on familiarization tour of facility during future insp. EBNETER,S.D. Region 2 (Post 820201). 90/07/20. MILLER,G.D. North Carolina State Univ., Raleigh, NC. 3pp. 54995:296-54995:298.

66 DOCKETED ITEMS

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9008060016 Forwards public version of "Nebraska Public Power District Cooper Nuclear Station 1990 Evaluated Exercise, 900725." TREVORS, G.A. Nebraska Public Power District. 90/05/23. Document Control Branch (Document Control Desk). 2pp. 54854:135-54855:185.

-9008060017 Public version of "Nebraska Public Power District Cooper Nuclear Station 1990 Evaluated Exercise, 900725." * Nebraska Public Power District. 90/07/25. 408pp. 54854:137-54855:185.

9007270208 Revised EIPPs, consisting of Rev 14 to 5.7.6, Rev 12 to 5.7.9, Rev 13 to 5.7.10, Rev 9 to 5.7.11, Rev 8 to 5.7.12, Rev 14 to 5.7.17 & Rev 13 to 5.7.21. W/900723 ltr. TREVORS, G.A. Nebraska Public Power District. 90/07/23. 125pp. 54735:155-54735:283.

9008270016 Summarizes 900720 mgt meeting in Region IV ofc to discuss emergency action levels & changes to emergency plan. List of attendees encl. Licensee committed to notify emergency response decisionmakers of changes to be reflected in rev. COLLINS, S.J. Region 4 (Post 820201). 90/08/16. WHITMAN, D.A. Nebraska Public Power District. 5pp. 55037:023-55037:027.

9008270018 Ack receipt of 900619 ltr responding to NRC 900510 ltr re Insp Rept 50-298/89-34. Audits of outside contractors holding safeguards info during future insp will be reviewed. COLLINS, S.J. Region 4 (Post 820201). 90/08/16. TREVORS, G.A. Nebraska Public Power District. 2pp. 55031:341-55031:345.

J. Insurance & Indemnity Information

9008060158 Forwards info to demonstrate util ability to obtain funds for payment of deferred insurance premiums. Supporting documentation encl. TREVORS, G.A. Nebraska Public Power District. 90/08/01. Document Control Branch (Document Control Desk). 90pp. 54858:300-54859:028.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008230004 Application for amend to License DPR-46, consisting of Proposed Change 87 to Tech Spec re definition of instrument calibr. WHITMAN, D.A. Nebraska Public Power District. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55013:015-55013:017.

-9008230005 Proposed Tech Specs revising definition of instrument calibr. * Nebraska Public Power District. 90/08/17. 1p. 55013:017-55013:017.

9008230222 Notification of 900824 meeting w/util in Rockville, MD to discuss inter-tie of two radwaste bldgs built to two different specs. BOURNIA, A. Project Directorate IV-1 (Post 900603). 90/08/17. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 2pp. 55010:299-55010:300.

9008270186 Notification of cancellation of 900824 meeting w/util in Rockville, MD to discuss inter-tie of two radwaste bldgs built to two different specs. BOURNIA, A. Project Directorate IV-1 (Post 900603). 90/08/17. MURLEY, T., MIRAGLIA, F. NRC - No Detailed Affiliation Given. RUSSELL, W. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 55032:167-55032:168.

9008240163 Notification of 900912 meeting w/util in Region IV ofc to discuss status of areas of interest, including util training program & to introduce new plant mgt organization. CONSTABLE, G.L. Region 4 (Post 820201). 90/08/20. Region 4 (Post 820201). 1p. 55027:153-55027:153.

Q. Inspection reports, IE Bulletins & correspondence

9008010225 Forwards Insp Rept 50-298/90-27 on 900709-13. No violations or deviations noted. Actions taken re previous insp findings examined. COLLINS, S.J. Region 4 (Post 820201). 90/07/24. TREVORS, G.A. Nebraska Public Power District. 3pp. 54796:300-54796:307.

-9008010226 Insp Rept 50-298/90-27 on 900709-13. No violations or deviations noted. Major areas inspected: licensee startup testing following refueling & followup on corrective actions for violation & deviation. SINGH, A., MURPHY, M.E., SEIDLE, W.C. Region 4 (Post 820201). 90/07/20. 5pp. 54796:303-54796:307.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060302 Forwards Insp Rept 50-298/90-28 on 900709-13. No violations or deviations noted. Status of actions taken re previously identified insp findings discussed in Paragraph 2. COLLINS, S.J. Region 4 (Post 820201). 90/07/30. TREVORS, G.A. Nebraska Public Power District. 3pp. 54864:220-54864:226.

-9008060304 Insp Rept 50-298/90-28 on 900709-13. No violations noted. Major areas inspected: followup to violations cited during prior maint team insp & corrective measures in progress re weaknesses identified during maint team insp. MCKERNON, T.C., GAGLIARDO, J.E. Region 4 (Post 820201). 90/07/27. 4pp. 54864:223-54864:226.

9008090306 Responds to violations noted in Insp Rept 50-298/90-09. Corrective actions: to ensure future clarity, district will revise procedures to clearly indicate acceptability of Okonite in instrumentation applications. TREVORS, G.A. Nebraska Public Power District. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54942:264-54942:265.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090189 Forwards "Owners Data Rept for ISI" & "Owners Rept for Repairs & Replacements." TREVORS, G.A. Nebraska Public Power District. 90/08/02. Document Control Branch (Document Control Desk). 1p. 54918:204-54918:046.

-9008090210 "Owners Data Rept for Inservice Inspns." * Nebraska Public Power District. NPPD-900802. 90/08/02. 110pp. 54918:205-54918:046.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008170031 Forwards Insp Rept 50-298/90-26 on 900616-0715. No violations or deviations noted. COLLINS, S.J. Region 4 (Post 820201). 90/08/08. TREVORS, G.A. Nebraska Public Power District. 3pp. 54982:345-54982:361.

-9008170034 Insp Rept 50-298/90-26 on 900616-0715. One unresolved item identified. Major areas inspected: operational safety verification, monthly maint & surveillance observations, ESF walkdown & onsite followup of written repts. CONSTABLE, G.L. Region 4 (Post 820201). 90/08/08. 14pp. 54982:348-54982:361.

9008160150 Ack receipt of 900731 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/90-09. Position re inappropriate use of tape splices restated. COLLINS, S.J. Region 4 (Post 820201). 90/08/13. TREVORS, G.A. Nebraska Public Power District. 3pp. 54992:269-54992:273.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270018 Ack receipt of 900619 ltr responding to NRC 900510 ltr re Insp Rept 50-298/89-34. Audits of outside contractors holding safeguards info during future insp will be reviewed. COLLINS, S.J. Region 4 (Post 820201). 90/08/16. TREVORS, G.A. Nebraska Public Power District. 2pp. 55031:341-55031:345.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140054 Monthly operating rept for Jul 1990 for Cooper Nuclear Station. W/900808 ltr. THOMPSON, J.E., MEACHAM, J.M. Nebraska Public Power District. 90/07/31. 5pp. 54951:352-54951:355.

S. Reportable occurrences, LERs & related correspondence

9008090382 LER 90-008-00 on 900706. Surveillance procedures not performed within required surveillance intervals. Caused by deficiency in computer based scheduling sys & personnel error. Surveillance coordinator counseled. W/900803 ltr. MYERS, J.R., MEACHAM, J.M. Nebraska Public Power District. 90/08/03. 4pp. 54952:281-54952:284.

V. Operator Examinations

9008060148 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021. List of attendees, slides & agenda for meeting encl. CALLAN, L.J. Region 4 (Post 820201). 90/07/27. TREVORS, G.A. Nebraska Public Power District. 21pp. 54876:156-54876:176.

9008060022 Advises that written licensing exams scheduled on 901119 & operating licensing exams scheduled on 901120. Preliminary applications should be submitted at least 30 days prior to exam date to review training & experience of candidates. COLLINS, S.J. Region 4 (Post 820201). 90/07/30. TREVORS, G.A. Nebraska Public Power District. 10pp. 54877:133-54877:142.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9007270006 Responds to NRC 900608 ltr re violations noted in Insp Repts 50-266/90-12 & 50-301/90-12. Corrective actions: number of hot particle retrieval tools available at site increased & will be maintained at health physics station. FAY, C.W. Wisconsin Electric Power Co. 90/07/18. Document Control Branch (Document Control Desk). 13pp. 54980:335-54980:347.

9007310248 Forwards rev to plant security plan. Rev withheld per 10CFR3.50,70 & 73. FAY, C.W. Wisconsin Electric Power Co. 90/07/20. Document Control Branch (Document Control Desk). 4pp. 54769:249-54769:252.

9007270137 Forwards Central Files & public versions of revised EIPs, including Rev 2 to EIP 1.1.1, Rev 16 to EIP 4.1, Rev 6 to EIP 6.5, Rev 20 to EIP 1.2, Rev 8 to EIP 6.3, Rev 0 to EIP 7.3.2, Rev 10 EIP 10.2 & Rev 11 to EIP 11.3. FAY, C.W. Wisconsin Electric Power Co. 90/07/23. Document Control Branch (Document Control Desk). 3pp. 54735:001-54735:077.

9007270138 Public version of revised EIPs, including Rev 2 to EIP 1.1.1, Rev 16 to EIP 4.1 & Rev 6 to EIP 6.5.
* Wisconsin Electric Power Co. 90/07/23. 72pp. 54735:004-54735:077.

9008090340 Advises that 900720 Rev 3 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. GREGER, L.R. Region 3 (Post 820201). 90/08/01. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54921:226-54921:227.

9008140438 Forwards public version of revised procedures to emergency plan manual. W/900813 release memo. FAY, C.W. Wisconsin Electric Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54963:287-54964:051.

9008140448 Public version of revised emergency plan.
* Wisconsin Electric Power Co. 90/07/31. 15pp. 54963:290-54964:051.

9008210189 Forwards Safety Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations noted. KNOP, R.C. Region 3 (Post 820201). 90/08/10. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54999:338-54999:359.

9008210192 Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations or deviations noted. Major areas inspected: maint & surveillance, emergency preparedness, security, engineering & technical support. JACKIW, I.N. Region 3 (Post 820201). 90/08/10. 20pp. 54999:340-54999:359.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008020041 Forwards June 1990 updated FSAR for Point Beach Nuclear Plant Units 1 & 2. Steam generator upper pH guideline in Table 10.2-1 changed from 9.3 to 9.4. BOSTON, J.W. Wisconsin Electric Power Co. 90/07/23. Document Control Branch (Document Control Desk). 2pp. 54888:179-54889:195.

9008020093 Updated FSAR for Point Beach Nuclear Plant Units 1 & 2.
* Wisconsin Electric Power Co. 90/06/30. 200pp. 54888:181-54889:195.

P. Operating license stage documents & correspondence

9008070089 Application for amend to Licenses DPR-24 & DPR-27, consisting of Tech Spec Change Request 140, revising Tech Specs re steam generator overfill protection. BOSTON, J.W. Wisconsin Electric Power Co. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54942:012-54942:014.

9008070090 Proposed Tech Specs re steam generator overfill protection.
* Wisconsin Electric Power Co. 90/07/31. 1p. 54942:014-54942:014.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130290 Advises that 900619 changes to QA program description meet 10CFR50, App B requirements & acceptable. WRIGHT, G.C. Region 3 (Post 820201). 90/08/10. FAY, C.W. Wisconsin Electric Power Co. 1p. 54957:261-54957:261.

9008230109 Notification of 900905 meeting w/util in Rockville, MD to discuss util plans for installation of addl emergency diesel generators & extra station batteries. SAMWORTH, R.B. Project Directorate III-3. 90/08/17. HANNON, J.N. Project Directorate III-3. 3pp. 55016:122-55016:124.

Q. Inspection reports, IE Bulletins & correspondence

9008020163 Forwards Enforcement Conference Repts 50-266/90-12 & 50-301/90-12 on 900525 & notice of violation. NRC plans to increase insp frequency in order to better evaluate continued performance in radiation protection area. NORELIUS, C.E. Region 3 (Post 820201). 90/06/08. FAY, C.W. Wisconsin Electric Power Co. 3pp. 54830:220-54830:285.

9008020164 Notice of violation from insp on 900525. Violation noted: failure to make adequate surveys or evaluations necessary & reasonable to ensure compliance w/occupational dose limits after health physics technologist handled 142.5 mCi fuel. NORELIUS, C.E. Region 3 (Post 820201). 90/06/08. 2pp. 54830:223-54830:224.

9008020165 Enforcement Conference Repts 50-266/90-12 & 50-301/90-12 on 900525. Violations noted. Major areas discussed: licensee apparent recurrent high radiation area barrier violations & weaknesses in radiation protection program. SNELL, W.G. Region 3 (Post 820201). 90/06/08. 43pp. 54830:225-54830:285.

9007270008 Responds to NRC 900608 ltr re violations noted in Insp Repts 50-266/90-12 & 50-301/90-12. Corrective actions: number of hot particle retrieval tools available at site increased & will be maintained at health physics station. FAY, C.W. Wisconsin Electric Power Co. 90/07/18. Document Control Branch (Document Control Desk). 13pp. 54980:335-54980:347.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008070009 Responds to NRC 900605 ltr re weaknesses noted in Insp Repts 50-266/90-201 & 50-301/90-201 re electrical distribution. Corrective actions: design basis documentation will be developed to alleviate weaknesses in diesel generators. BOSTON, J.W. Wisconsin Electric Power Co. 90/08/03. Document Control Branch (Document Control Desk). 32pp. 54905:111-54905:152.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008210189 Forwards Safety Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations noted. KNOP, R.C. Region 3 (Post 820201). 90/08/10. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54999:338-54999:359.

9008210192 Insp Repts 50-266/90-14 & 50-301/90-14 on 900616-0731. No violations or deviations noted. Major areas inspected: maint & surveillance, emergency preparedness, security, engineering & technical support. JACKIW, I.N. Region 3 (Post 820201). 90/08/10. 20pp. 54999:340-54999:359.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007300055 Forwards corrected monthly operating rept for June 1990 for Point Beach Unit 2. Correction on Line 18 regards "Net Electrical Energy Generated." FAY, C.W. Wisconsin Electric Power Co. 90/07/24. Document Control Branch (Document Control Desk). 1p. 54746:071-54746:072.

9007300058 Corrected monthly operating rept for June 1990 for Point Beach Nuclear Plant Unit 2. KRAUSE, C.W. Wisconsin Electric Power Co. 90/06/30. 1p. 54746:072-54746:072.

9008070263 Discusses & forwards results of fitness-for-duty program performance data for 6-month period ending 900630. FAY, C.W. Wisconsin Electric Power Co. 90/07/30. Document Control Branch (Document Control Desk). 4pp. 54898:343-54898:346.

68 DOCKETED ITEMS

9008140372 Monthly operating repts for Jul 1990 for Point Beach Nuclear Plant Units 1 & 2. R. 9008140372. KRAUSE, C.W., FAY, C.W. Wisconsin Electric Power Co. 90/07/31. 9pp. 54961:246-54961:254.

S. Reportable occurrences, LERs & related correspondence

9008010037 Part 21 rept re error in Westinghouse ECCS decay heat model. Initially reported on 900712. Error resulted in nonconservative decay heat source & does not constitute actual operational safety concern. Meeting scheduled. FAY, C.W., Wisconsin Electric Power Co. 90/07/24. SAMWORTH, R.B. Project Directorate III-3. 2pp. 54797:001-54797:002.

V. Operator Examinations

9007310254 Extends invitation to attend review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. MILLER, H.J. Region 3 (Post 820201). 90/07/25. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54796:267-54796:268.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900806. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:215-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:188.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9007270125 Revised EPIPs, including Rev 10 to REP-06 & Rev 5 to REP-07. W/900702 ltr. STEPHENSON, J.G., JOHNSON, S.A. Florida Power Corp. (subs. of Florida Progress Corp.). 90/07/02. 69pp. 54733:256-54733:324.

9008100105 Forwards Insp Rept 50-302/90-21 on 900602-0706. No violations or deviations noted. SINKULE, M.V. Region 2 (Post 820201). 90/07/27. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 54934:203-54934:217.

9008100108 Insp Rept 50-302/90-21 on 900602-0706. No violations noted. Major areas inspected: plant operations, security, radiological controls, LER, facility mods & licensee action on previous insp items. HOLMES-RAY, P., BRADFORD, W., VIASS, S. Region 2 (Post 820201). 90/07/27. 12pp. 54934:206-54934:217.

9008140027 Advises that 900613 Rev 5 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2 (Post 820201). 90/07/31. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 54955:201-54955:203.

9008280255 Rev 31 to Site Nuclear Svcs Dept Procedure REP-02, "Activation & Notification of Corporate Emergency Support Organization." STEPHENSON, J.G. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/13. 29pp. 55038:265-55038:297.

I. Financial information

9007310110 Forwards decommissioning financial assurance repts. BEARD, P.M. Florida Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 200pp. 54802:001-54802:334.

P. Operating license stage documents & correspondence

9008070207 Forwards request for addl info re spent fuel pool rerack amend. Response to items should be submitted by 900820. SILVER, H. Project Directorate II-2. 90/07/31. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 4pp. 54902:204-54902:207.

9008070056 Provides current status of Reg Guide 1.97 activities. Pressurizer heater status & main steam safety/relief valve position indications completed. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54905:051-54905:052.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130291 Forwards addl info re response to MODE 3 LOCA, per 900711 request, providing background of factors considered during evaluation of Tech Spec Change Request 174. WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/10. Document Control Branch (Document Control Desk). 7pp. 54956:304-54956:310.

9008170038 Discusses emergency diesel generator block loading voltage dips, per 900718 justification for continued operation. Continued operation until mid-cycle outage acceptable. Corrective action plan sound. SILVER, H. Project Directorate II-2. 90/08/15. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 54993:324-54993:325.

9008220064 Advises that util completed mods to comply w/10CFR50.62 requirements re reduction of risk from ATWS events. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/16. Document Control Branch (Document Control Desk). 1p. 55005:094-55005:094.

Q. Inspection reports, IE Bulletins & correspondence

9007260117 Forwards Insp Rept 50-302/90-17 on 900501-03. Noncited violations noted. Corrective measures to assure randomness of chemical testing program & to improve reporting of chemical test results to NRC will be reviewed in future insps. STORR, J.P. Region 2 (Post 820201). 90/07/10. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 54733:007-54733:019.

9007260118 Insp Rept 50-302/90-17 on 900501-03. Noncited violations noted. Major areas inspected: fitness for duty program as required by 10CFR26, including licensee drug & alcohol abuse policies, training, chemical testing, appeals & repts & audits. MCPREEK, E., TOBIN, W.J., THOMPSON, D. Region 2 (Post 820201). 90/07/10. 10pp. 54733:010-54733:019.

9007270018 Forwards Insp Rept 50-302/90-22 on 900612-16. Violations noted but not cited. JULIAN, C.A. Region 2 (Post 820201). 90/07/10. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 54738:111-54738:117.

9007270019 Insp Repts 50-302/90-22 on 900612-16. Violations noted but not cited. Major areas inspected: review & witnessing of integrated engineered safeguards & loss of offsite power tests. TAYLOR, P.A., BELISLE, G.A. Region 2 (Post 820201). 90/07/06. 4pp. 54738:114-54738:117.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008100105 Forwards Insp Rept 50-302/90-21 on 900602-0706. No violations or deviations noted. SINKULE, M.V. Region 2 (Post 820201). 90/07/27. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 54934:203-54934:217.

9008100108 Insp Rept 50-302/90-21 on 900602-0706. No violations noted. Major areas inspected: plant operations, security, radiological controls, LER, facility mods & licensee action on previous insp items. HOLMES-RAY, P., BRADFORD, W., VIASS, S. Region 2 (Post 820201). 90/07/27. 12pp. 54934:206-54934:217.

9008210152 Requests supplemental response describing util corrective actions & date of full compliance, per Insp Rept 50-302/89-18. MERSCHOFF, E.W. Region 2 (Post 820201). 90/07/31. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 5pp. 54998:290-54998:294.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiactive Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008270153 Advises that 900625 response to notice of deviation noted in Insp Rept 50-302/90-15 meets requirements of 10CFR2.201. JULIAN, C.A. Region 2 (Post 820201). 90/08/15. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 55035:242-55035:244.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008220090 Responds to NRC 900613 request for addl info re util 871222 response to violations noted in Insp Rept 50-302/87-30. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55001:222-55001:338.

9008220091 Revised "Spec Reactor Bldg Liner & Penetrations, Crystal River, Unit 3." * Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.). 69/10/02. 16pp. 55001:226-55001:241.

—9008220092 Rev 2 to HLP-1L, "Containment Vessel Liner."
* CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 70/12/16. 4pp. 55001:242-55001:245.

—9008220094 Rev 6 to WPS-1L, "Containment Vessel Liner."
* CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 71/03/02. 13pp. 55001:246-55001:258.

—9008220101 Rev 0 to HLP-1L, "Containment Vessel Liner."
* CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 69/02/28. 17pp. 55001:259-55001:275.

—9008220102 Audit Rept 10, "QA Dept Audit of Erection of Southeast, Northeast & Southwest Quadrants of Containment Vessel Bottom Liner, Knuckle & Toriconical Sections to Elevation 95' + 3."
HOFFMAN, C.R. Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.). 71/04/19. 63pp. 55001:276-55001:338.

9008240130 Forwards Rev 11 to "Inservice Insp - Pump & Valve Program, Crystal River Unit 3."
BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/16. Document Control Branch (Document Control Desk). 6pp. 55028:273-55029:044.

—9008240133 Rev 11 to "Inservice Insp - Pump & Valve Program, Crystal River Unit 3."
* Florida Power Corp. (subs. of Florida Progress Corp.). 90/07/19. 157pp. 55028:279-55029:044.

9008240068 Forwards Insp Rept 50-302/90-23 on 900709-13 & notice of violation.
CONLON, T.E., JULIAN, C.A. Region 2 (Post 820201). 90/08/17. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 55027:211-55027:226.

—9008240071 Notice of violation from insp on 900709-13. Violation noted: failure to produce visicorder charts used to measure & evaluate required control rod drop time measurements.
JULIAN, C.A. Region 2 (Post 820201). 90/08/17. 2pp. 55027:214-55027:215.

—9008240073 Insp Rept 50-302/90-23 on 900709-13. Violations noted. Major areas inspected: post-refueling startup tests for Cycle 8 & comparison of results w/ results of Cycle 7. End-of-life reactivity also reviewed.
BURNETT, P.T., BELISLE, G.A. Region 2 (Post 820201). 90/08/15. 11pp. 55027:216-55027:226.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170225 Monthly operating rept for Jul 1990 for Crystal River Unit 3. W/900813 ltr.
STEWART, S.A., BOLDT, G.L. Florida Power Corp. (subs. of Florida Progress Corp.). 90/07/31. 5pp. 54983:002-54983:006.

S. Reportable occurrences, LERs & related correspondence

9008010005 LER 90-010-00: on 900626, determined that voltage dips caused by sluggish voltage regulator response exceed Reg Guide 1.9 limits. Caused by improper load sequence interval. Test plan being developed for testing voltage regulator. W/900727 ltr.
STEPHENSON, W.A., BOLDT, G.L. Florida Power Corp. (subs. of Florida Progress Corp.). 90/07/27. 4pp. 54792:025-54792:028.

9008080087 LER 90-011-00: on 900705, determined that on 900615 plant ascended from Mode IV, hot shutdown to Mode III hot standby w/ only one operable reactor bldg cooler unit. Caused by personnel error. Selector switch realigned. W/900803 ltr.
STEPHENSON, W.A., WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/03. 5pp. 54904:313-54904:317.

9008080362 LER 89-016-05: on 890426, deficiencies discovered in environ qualification of plant equipment. Caused by deficiencies in detailed development & implementation of program. Enhancement of present program to be implemented. W/900803 ltr.
STEPHENSON, W.A., WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/03. 21pp. 54904:287-54904:307.

9008080369 LER 89-011-01: on 890406, FSAR statement confirmed to be incorrect & determined that facility operating outside design basis. Probably caused by personnel error. Flood watch secured & flood warning alarms installed. W/900803 ltr.
STEPHENSON, W.A., WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/03. 5pp. 54904:308-54904:312.

9008130307 LER 90-012-00: on 900709, discovered that quarterly calibr of hydrogen channel of waste gas decay tank explosive gas monitoring instrumentation not performed per Tech Spec 4.3.3.10. Caused by personnel error. W/900809 ltr.
STEPHENSON, W.A., WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 90/08/09. 4pp. 54953:076-54953:079.

9008270201 Forwards AEOD Technical Review Rept AEOD/T90-11, "Effect of High Energy Line Breaks on Chilled Water Sys at Nuclear Power Plants." Licensees have taken corrective actions to address problem. No further AEOD action warranted.
PADOVANI, L.M. Reactor Operations Analysis Branch. 90/08/14. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 1p. 55035:254-55035:257.

—9008270203 Technical Review Rept AEOD/T90-11, "Effect of High Energy Line Breaks on Chilled Water Sys at Nuclear Power Plants."
PADOVANI, L. Office for Analysis & Evaluation of Operational Data, Director. 90/08/13. 3pp. 55035:255-55035:257.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EPIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008030180 Forwards justification for rev to installation schedules for two commitments re safeguards inadequacies & program concerns. Encl withheld.
CHRZANOWSKI, R. Commonwealth Edison Co. 90/07/27. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54832:269-54832:269.

9008210151 Change Request A-90-478 to Rev 28 to EPIP 320-1, "Activation of GSEP Station Group." W/900801 ltr.
* Commonwealth Edison Co. 90/08/01. 8pp. 55000:190-55000:197.

9008090047 Forwards Safety Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19. No violations noted. One exercise weakness identified. Util should address actions taken or to be taken to improve performance in emergency preparedness area.
NORELIUS, C.E. Region 3 (Post 820201). 90/08/03. REED, C. Commonwealth Edison Co. 3pp. 54934:001-54934:034.

—9008090048 Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19. No violations, deficiencies or deviations noted. One exercise weakness identified. Major areas inspected: annual emergency preparedness exercise.
BARSS, D. Region 3 (Post 820201). 90/08/02. 31pp. 54934:004-54934:034.

9008230017 Revised EPIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON, I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

9008240164 Forwards Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714 & notice of violation.
SHAFFER, W.D. Region 3 (Post 820201). 90/08/09. REED, C. Commonwealth Edison Co. 2pp. 55027:155-55027:174.

—9008240167 Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714. Violations noted. Major areas inspected: licensee action on previous insp findings, summary of operations, operational safety verification & emergency preparedness practice drill.
FARBER, M.J. Region 3 (Post 820201). 90/08/09. 17pp. 55027:158-55027:174.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008010196 Confirms plans for mgt meeting w/ util in Region III ofc on 900725 to discuss diagnostic evaluation team findings at plant re motor-operated valve issues & svc water operability.
GREENMAN, E.G. Region 3 (Post 820201). 90/07/24. REED, C. Commonwealth Edison Co. 2pp. 54796:315-54796:316.

9008010093 Responds to Generic Ltr 90-04, "Request for Info re Status of Implementation of Generic Safety Issues Resolved w/ Imposition of Requirements or Corrective Actions." Current status of issues encl.
CHRZANOWSKI, R. Commonwealth Edison Co. 90/07/26. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 54806:248-54806:255.

9008010218 Requests withdrawal of proposed amend re deletion of confirmatory order dtd 800228.
CHRZANOWSKI, R. Commonwealth Edison Co. 90/07/26. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54793:329-54793:329.

9008020266 Confirms mgt meeting on 900731 in Zion, IL to discuss performance improvement plan progress update which should include DET findings.
GREENMAN, E.G. Region 3 (Post 820201). 90/07/27. REED, C. Commonwealth Edison Co. 1p. 54831:256-54831:256.

9008030097 Provides addl info re resolution of number of older licensing issues, including containment isolation valve position indication, per NRC 900615 ltr.
CHRZANOWSKI, R. Commonwealth Edison Co. 90/07/30. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54832:048-54832:049.

9008060334 Responds to Generic Ltr 90-04, "Request for Info re Status of Implementation of Generic Safety Issues Resolved w/ Imposition of Requirements or Corrective Actions." Status of implementation of generic safety issues encl.
CHRZANOWSKI, R. Commonwealth Edison Co. 90/07/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 54864:075-54864:086.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

70 DOCKETED ITEMS

9008170053 Discusses NUREG-0737, Item I.C.6 verification, per 801215 & 820112 commitments. Procedures will be put in place to ensure that independent verification of safety-related equipment performed utilizing qualified personnel.
CHYZANOWSKI, R. Commonwealth Edison Co. 90/08/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54993:359-54993:359.

9008270126 Confirms 900821 mgt meeting in Zion, IL to discuss performance improvement progress update & recent findings.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/14. REED, C. Commonwealth Edison Co. 1p. 55040:222-55040:222.

9008270189 Presents revised schedule for completion of program & implementation procedure revs to inservice testing program, per Generic Ltr 89-04. Revs will be completed by 901130 & inservice testing program rev will be submitted for review.
TAYLOR, D. Commonwealth Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55032:119-55032:119.

Q. Inspection reports, IE Bulletins & correspondence

9008020272 Responds to NRC 900328 ltr re violations noted in Insp Repts 50-295/90-03 & 50-304/90-03. Corrective actions: training rev request initiated & personnel counseled.
KOVACH, T.J. Commonwealth Edison Co. 90/04/26. DAVIS, A.B. Region 3 (Post 820201). 6pp. 54820:003-54820:008.

9008140439 Suppls 900626 response to CAL-R111-90-011 re torque switch settings, per NRC Bulletin 85-003. Program to address Generic Ltr 89-10 which expands scope of Bulletin 85-003 testing to safety-related motor-operated valves, being developed.
SCHUSTER, T.K. Commonwealth Edison Co. 90/07/06. DAVIS, A.B. Region 3 (Post 820201). 4pp. 54961:294-54961:297.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008130172 Forwards Safety Insp Repts 50-295/90-16 & 50-304/90-18 on 900702-06, 16 & 20. No violations noted.
GREGER, L.R. Region 3 (Post 820201). 90/08/01. REED, C. Commonwealth Edison Co. 2pp. 54956:167-54956:178.

-9008130173 Insp Repts 50-295/90-16 & 50-304/90-18 on 900702-06, 16 & 20. No violations or deviations noted. Major areas inspected: chemistry program, procedures, organization & training.
HOLTZMAN, R.B., SCHUMACHER, M.C. Region 3 (Post 820201). 90/07/30. 10pp. 54956:169-54956:178.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090047 Forwards Safety Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19. No violations noted. One exercise weakness identified. Util should address actions taken or to be taken to improve performance in emergency preparedness area.
NOELIUS, C.E. Region 3 (Post 820201). 90/08/03. REED, C. Commonwealth Edison Co. 3pp. 54934:001-54934:034.

-9008090048 Insp Repts 50-295/90-12 & 50-304/90-14 on 900717-19. No violations, deficiencies or deviations noted. One exercise weakness identified. Major areas inspected: annual emergency preparedness exercise.
BARSS, D., SNELL, W. Region 3 (Post 820201). 90/08/02. 31pp. 54934:004-54934:034.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008130194 Responds to NRC Bulletin 88-009 re incore neutron monitoring sys thimble tube integrity. Thimble tube insps will be performed at every refueling outage until sufficient data accumulated on thimble tube wear.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/07. Document Control Branch (Document Control Desk). 10pp. 54957:278-54957:287.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008240164 Forwards Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714 & notice of violation.
SHAFER, W.D. Region 3 (Post 820201). 90/08/09. REED, C. Commonwealth Edison Co. 2pp. 55027:155-55027:174.

-9008240166 Notice of violation from insp on 900603-0714. Violation noted: failure to complete analysis of properties of fuel oil listed in ASTM-D875 within 14 days.
SHAFER, W.D. Region 3 (Post 820201). 90/08/09. 1p. 55027:157-55027:157.

-9008240167 Insp Repts 50-295/90-13 & 50-304/90-15 on 900603-0714. Violations noted. Major areas inspected: license action on previous insp findings, summary of operations, operational safety verification & emergency preparedness practice drill.
FARBER, M.J. Region 3 (Post 820201). 90/08/09. 17pp. 55027:158-55027:174.

9008200070 Provides supplemental response to NRC Bulletin 89-001 re mechanical plugs supplied by Westinghouse, per 890616 ltr. All mechanical plugs from heats NX-3513 & NX-4523 removed from hot legs of plant steam generators.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54996:121-54996:122.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008220180 Discusses Insp Repts 50-295/89-200 & 50-304/89-200 on 891127-1208 & forwards notice of violation. Review of vendor interface program indicated need for improvement. NRC will review operability determination.
MILLER, H.J. Region 3 (Post 820201). 90/08/14. REED, C. Commonwealth Edison Co. 2pp. 55000:277-55000:280.

-9008220182 Notice of violation from insp on 891127-1208. Violations noted: established measures failed to assure that cause of significant condition adverse to quality & fretting of emergency diesel generator small diameter tubing identified.
MILLER, H.J. Region 3 (Post 820201). 90/08/14. 2pp. 55000:279-55000:280.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008280273 "Radioactive Effluent Rept for Jan-June 1990." W/900820 ltr.
JOYCE, T.P. Commonwealth Edison Co. 90/06/30. DAVIS, B. Region 3 (Post 820201). 33pp. 55040:161-55040:193.

9008170242 Monthly operating repts for Jul 1990 for Zion Generating Station Units 1 & 2. W/900814 ltr.
THOMAS, J., JOYCE, T.P. Commonwealth Edison Co. 90/07/31. 12pp. 54993:310-54993:321.

9008280274 Forwards errata to "Radioactive Effluent Rept for Jan-June 1990" & gaseous effluent errata sheet.
JOYCE, T.P. Commonwealth Edison Co. 90/08/20. DAVIS, A.B. Region 3 (Post 820201). 4pp. 55042:037-55042:049.

-9008280275 Errata to "Radioactive Effluent Rept for Jan-June 1990" & gaseous effluent errata sheet.
* Commonwealth Edison Co. 90/06/30. 9pp. 55042:041-55042:049.

S. Reportable occurrences, LERs & related correspondence

9008030119 Forwards AEOD/T925A, "Evaluation of Safety Equipment Outages for Significance at Zion (Revised)." NOVAK, T.M. Division of Safety Programs (Post 870413). 90/07/31. CHYZANOWSKI, R.A. Commonwealth Edison Co. 2pp. 54876:018-54876:024.

-9008030121 "Evaluation of Safety Equipment Outages for Significance at Zion (Revised)." MANNING, F. Office for Analysis & Evaluation of Operational Data, Director. 90/07/31. 5pp. 54876:020-54876:024.

9008030126 Forwards AEOD/T925A, "Evaluation of Safety Equipment Outages for Significance at Zion (Revised)." MANNING, F.M. Reactor Operations Analysis Branch. 90/07/31. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 1p. 54851:192-54851:197.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54988:023-54988:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT**F. Security, medical, emergency & fire protection plans**

9008090342 Advises that 900627 Rev 11 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
GREGER,L.R. Region 3 (Post 820201). 90/07/30. EVERS,K.W. Wisconsin Public Service Corp. 2pp. 54931:283-54931:284.

9008060265 Forwards Maint Team Insp Rept 50-305/90-11 on 900604-08 & 18-22 & notice of violation.Concludes that implementation of maint program at plant good overall.
MILLER,H.J. Region 3 (Post 820201). 90/08/01. EVERS,K.W. Wisconsin Public Service Corp. 3pp. 54854:046-54854:102.

-9008060268 Team Insp Rept 50-305/90-11 on 900604-08 & 18-22.Violations noted.Major areas inspected:maint,engineering,fire protection,support of maint & related mgt activities.
BURGESS,S., FALEVITS,Z., HAUSMAN,G. Region 3 (Post 820201). 90/07/26. 50pp. 54854:053-54854:102.

9008160176 Advises that scope & objectives for 901010 emergency preparedness exercise,acceptable,per 900716 ltr.
GREGER,L.R. Region 3 (Post 820201). 90/08/10. EVERS,K.W. Wisconsin Public Service Corp. 1p. 54992:264-54992:264.

I. Financial information

9008020119 Forwards trust agreements certifying that adequate decommissioning funds available for facility.Existence of viable plan to assure that funds necessary for safe decommissioning being considered for plant demonstrated.
EVERS,K.H. Wisconsin Public Service Corp. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54889:196-54889:268.

-9008020120 "Kewaunee Nuclear Decommissioning Trust Fund."
* Wisconsin Public Service Corp. 87/07/10. 26pp. 54889:199-54889:224.

-9008020121 "Trust Agreement Between Madison Gas & Electric Co & First Wisconsin Natl Bank of Madison."
HELFRECHT,D.J. Madison Gas & Electric Co. JENSEN,F.W. First Wisconsin National Bank of Madison. 88/01/19. 28pp. 54889:225-54889:251.

-9008020123 "Wisconsin Power & Light Co Kewaunee Nuclear Decommissioning Qualified Trust Fund."
* Wisconsin Power & Light Co. 87/11/11. 15pp. 54889:252-54889:268.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008060035 Rev 8 to updated FSAR for Kewaunee Nuclear Power Plant.W/ 900720 ltr.
EVERS,K.H. Wisconsin Public Service Corp. 90/07/01. 1,200pp. 54882:100-54885:094.

9008230026 Rev to updated SAR for Kewaunee Nuclear Power Plant. W/900814 ltr.
SMITH,M.D. Wisconsin Public Service Corp. 90/08/14. 1,200pp. 55024:080-55027:088.

9008230101 Forwards pages inadvertently deleted from 1990 rev to updated FSAR submitted on 900720.
EVERS,K.H. Wisconsin Public Service Corp. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55016:132-55016:138.

-9008230102 Pages inadvertently omitted from updated FSAR for Kewaunee Nuclear Power Plant.
* Wisconsin Public Service Corp. 90/08/17. 6pp. 55016:133-55016:138.

P. Operating license stage documents & correspondence

9008070021 Advises that listed revised drawings transmitted to Region III.
EVERS,K.H. Wisconsin Public Service Corp. 90/08/02. Document Control Branch (Document Control Desk). 1p. 54905:110-54905:110.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080194 Forwards GP-R-243101, "Reactor Containment Bldg Integrated Leakage Rate Test Rept."
EVERS,K.H. Wisconsin Public Service Corp. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54907:148-54907:338.

-9008080199 "Reactor Containment Bldg Integrated Leakage Rate Test Rept."
* General Physics Corp. GP-R-243101. 90/04/07. 150pp. 54907:150-54907:338.

9008100330 Forwards proprietary rept BAW-2095P, "Kewaunee New & Spent Fuel Storage Rack Criticality Analysis." Rept withheld.
STEINHARDT,C.R. Wisconsin Public Service Corp. 90/08/07. Document Control Branch (Document Control Desk). 5pp. 54935:062-54935:066.

9008140174 Ack receipt of 900611 submittal re changes to operational QA program description.Changes acceptable.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/09. EVERS,K.H. Wisconsin Public Service Corp. 2pp. 54961:352-54961:353.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060265 Forwards Maint Team Insp Rept 50-305/90-11 on 900604-08 & 18-22 & notice of violation.Concludes that implementation of maint program at plant good overall.
MILLER,H.J. Region 3 (Post 820201). 90/08/01. EVERS,K.W. Wisconsin Public Service Corp. 3pp. 54854:046-54854:102.

-9008060266 Notice of violation from insp on 900604-08 & 18-22.Violation noted:measuring & test equipment (M&TE) program did not address retired M&TE.
MILLER,H.J. Region 3 (Post 820201). 90/08/01. 4pp. 54854:049-54854:052.

-9008060268 Team Insp Rept 50-305/90-11 on 900604-08 & 18-22.Violations noted.Major areas inspected:maint,engineering,fire protection,support of maint & related mgt activities.
BURGESS,S., FALEVITS,Z., HAUSMAN,G. Region 3 (Post 820201). 90/07/26. 50pp. 54854:053-54854:102.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008100267 Advises that fitness-for-duty insp scheduled to be conducted at plant during wk of 900925-28.
GREGER,L.R. Region 3 (Post 820201). 90/08/06. EVERS,K.W. Wisconsin Public Service Corp. 2pp. 54934:354-54934:355.

9008130294 Forwards Safety Insp Rept 50-305/90-14 on 900601-0721 & notice of violation.Insp showed that actions had been taken to correct identified violation & to prevent recurrence.
KNOP,R.C. Region 3 (Post 820201). 90/08/07. EVERS,K.W. Wisconsin Public Service Corp. 2pp. 54956:251-54956:263.

-9008130296 Notice of violation from insp on 900601-0721.Violation noted:reactor made critical w/o having demonstrated operability of components by successful performance of required surveillance testing within required periodicity.
KNOP,R.C. Region 3 (Post 820201). 90/08/07. 1p. 54956:253-54956:253.

-9008130297 Insp Rept 50-305/90-14 on 900601-0721.Violation noted.Major areas inspected:operational safety,surveillance,maint, followup of written repts of nonroutine events & temporary instruction followup.
HAGUE,R.L. Region 1 (Post 820201). 90/08/07. 10pp. 54956:254-54956:263.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140050 Monthly operating rept for Jul 1990 for Kewaunee Nuclear Power Plant.W/ 900810 ltr.
RUITER,G.H., EVERS,K.H. Wisconsin Public Service Corp. 90/07/31. 5pp. 54964:134-54964:138.

V. Operator Examinations

9007310257 Extends invitation to attend review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Region III.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. EVERS,K.W. Wisconsin Public Service Corp. 2pp. 54803:262-54803:263.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key.W/o encls.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

72 DOCKETED ITEMS

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9008010002 Forwards Safety Insp Repts 50-282/90-13 & 50-306/90-13 on 900709,11 & 12.No violations noted.
RING,M.A. Region 3 (Post 820201). 90/07/24. ELIASON,L.R. Northern States Power Co. 2pp. 54806:273-54806:278.

-9008010003 Insp Repts 50-282/90-13 & 50-306/90-13 on 900709,11 & 12.No violations noted.Major areas inspected:licensee const,insp & testing activities re station blackout/electrical sys upgrade mod & previously identified insp issues.
NEISLER,J.H., GARDNER,R.N. Region 3 (Post 820201). 90/07/24. 4pp. 54806:275-54806:278.

9008020269 Submits supplemental info to violations noted in Insp Repts 50-282/89-26 & 50-306/89-26.Training of supervisory personnel not completed until 900719 due to time constraints encountered during Feb 1990 Unit 1 refueling outage.
ELIASON,L.R. Northern States Power Co. 90/07/26. CLAYTON,B. Region 3 (Post 820201). 2pp. 54826:261-54826:262.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070035 Forwards Rev 2 to, "ASME Code Section XI Inservice Insp & Testing Program,Second 10-Yr Insp Interval of Operation."
PARKER,T.M. Northern States Power Co. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54915:003-54915:011.

-9008070037 Rev 2 to "ASME Code Section XI Inservice Insp & Testing Program,Second 10-Yr Insp Interval."
STEPHENS,B. Northern States Power Co. 90/07/31. 7pp. 54915:005-54915:011.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140339 Monthly operating repts for Jul 1990 for Prairie Island Nuclear Generating Plant Units 1 & 2.W/900806 ltr.
DUGSTAD,D., PARKER,T.M. Northern States Power Co. 90/07/31. 9pp. 54965:135-54965:143.

S. Reportable occurrences, LERs & related correspondence

9008220069 Informs NRC of potentially generic problem experienced w/Westinghouse DB-50 reactor trip breaker.Info being provided due to potential generic implications of deficiencies in Westinghouse torquing procedures.
PARKER,T.M. Northern States Power Co. 90/08/02. BRACH,E.W. Vendor Inspection Branch. 2pp. 55015:090-55015:091.

V. Operator Examinations

9007310277 Extends invitation to review Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville,IL.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. ELIASON,L.R. Northern States Power Co. 1p. 54769:299-54769:299.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54896:023-54896:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9008130043 "Maine Yankee Emergency Response & Evaluation 1990 Final Full-Participation Exercise Parts I & II."
Maine Yankee Atomic Power Co. 90/07/31. 550pp. 54935:077-54936:236.

9008230237 Responds to Emergency Preparedness Exercise & Routine Insp Repts 50-309/88-09 & 90-14,respectively.Corrective actions: remedial training will be given to available emergency coordinators in use of procedures for developing PARs.
NICHOLS,S.E. Maine Yankee Atomic Power Co. 90/08/10. MARTIN,T.T. Region 1 (Post 820201). 10pp. 55020:013-55020:022.

K. Utility Final Safety Analysis Report (FSAR) & amends

9007300061 Rev 8 to updated FSAR for Maine Yankee.W/900723 ltr.
BOULETTE,E.T. Maine Yankee Atomic Power Co. 90/07/23. 550pp. 54760:047-54762:015.

P. Operating license stage documents & correspondence

9008090019 Application for amend to License DPR-36,consisting of proposed Change 154,revising Page 5.2-2 re manager qualification requirements for operations.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54942:158-54942:160.

-9008090020 Proposed Tech Spec Page 5.2-2 re manager qualification for operations.
Maine Yankee Atomic Power Co. 90/07/30. 1p. 54942:160-54942:160.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130186 Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V establishment of engineering managers forum to share experiences.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 54956:093-54956:096.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020245 Advises that util actions to address NRC Bulletin 88-010 re nonconforming molded-case circuit breakers complete,per Insp Rept 50-309/89-82.
LEEDS,E.J. Project Directorate I-3. 90/07/30. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 54826:252-54826:254.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100184 Forwards Insp Rept 50-309/90-08 on 900507-11.No violations noted.
DURR,J.P. Region 1 (Post 820201). 90/08/03. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 2pp. 54934:190-54934:202.

-9008100187 Insp Rept 50-309/90-08 on 900507-11.No violations noted. Major areas inspected:licensee inservice insp program including outage performance & control of program.
WINTERS,R.W., TERAQ,D. Region 1 (Post 820201). 90/07/24. 11pp. 54934:192-54934:202.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008230237 Responds to Emergency Preparedness Exercise & Routine Insp Repts 50-309/88-09 & 90-14, respectively. Corrective actions: remedial training will be given to available emergency coordinators in use of procedures for developing PARs.
NICHOLS,S.E. Maine Yankee Atomic Power Co. 90/08/10. MARTIN,T.T. Region 1 (Post 820201). 10pp. 55020:013-55020:022.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170010 Forwards monthly operating report for Jul 1990 for Maine Yankee Atomic Power Station & revised report for June 1990.
NICHOLS,S.E. Maine Yankee Atomic Power Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54981:092-54981:098.

-9008170011 Monthly operating report for Jul 1990 for Maine Yankee Atomic Power Station.
HALL,S.L. Maine Yankee Atomic Power Co. 90/07/31. 5pp. 54981:093-54981:097.

-9008170012 Revised monthly operating report for June 1990.
HALL,S.L. Maine Yankee Atomic Power Co. 90/06/30. 1p. 54981:098-54981:098.

9008240145 Requests reconsideration of results of NRC performance indicators for facility for First Quarter 1990.
NICHOLS,S.E. Maine Yankee Atomic Power Co. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 55028:200-55028:201.

S. Reportable occurrences, LERs & related correspondence

9008230204 PNO-I-90-066: on 900816, notified of unplanned shutdown for greater than 48 h to repair letdown isolation valve LD-M-2. Licensee to repair LD-M-2 before coolant activity elevated. State of ME notified.
MCCABE,E. Region 1 (Post 820201). 90/08/16. 1p. 55015:349-55015:349.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9007300043 Rev 6 to Salem event classification guide.
FAWCETT,D. Public Service Electric & Gas Co. of New Jersey. 90/07/27. 102pp. 54745:196-54745:287.

9008100068 Forwards Safety Insp Repts 50-272/90-18,50-311/90-18 & 50-354/90-12 on 900625-29. No violations or deficiencies noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/02. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54943:340-54943:351.

-9008100072 Insp Repts 50-272/90-18,50-311/90-18 & 50-354/90-12 on 900625-29. No violations, deviations or unresolved items noted. Major areas inspected: licensee emergency preparedness program.
AMATO,C.G. Region 1 (Post 820201). 90/08/01. 9pp. 54943:343-54943:351.

I. Financial Information

9007310281 Forwards rept & certification of financial assurance for decommissioning for plants, per 10CFR50.75.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 90/07/24. Document Control Branch (Document Control Desk). 250pp. 54795:177-54796:102.

9007270077 Forwards decommissioning repts for Hope Creek, Peach Bottom & Salem nuclear generating stations.
JENNINGS,L.F. Atlantic City Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54759:105-54760:003.

-9007270080 "Salem Nuclear Generating Station - Unit 2 Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:106-54759:156.

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER,G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

-9008020101 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 33pp. 54831:195-54831:227.

P. Operating license stage documents & correspondence

9008010240 Provides supplemental info re facility sub-cooling margin monitor.
CRIMMINS,T.M. Public Service Electric & Gas Co. of New Jersey. 90/07/18. Document Control Branch (Document Control Desk). 2pp. 54793:327-54793:328.

9008010243 Provides status of commitments made to NRC by util in 900109 ltr re NUREG-0737, Item II.D.1, per 900628 telcon.
CRIMMINS,T.M. Public Service Electric & Gas Co. of New Jersey. 90/07/18. Document Control Branch (Document Control Desk). 3pp. 54805:260-54805:262.

9008030267 Application for amend to License DPR-75, revising emergency diesel generator Tech Specs, per Generic Ltr 84-15, "Proposed Staff Actions to Improve & Maintain Diesel Generator Reliability."
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 90/07/27. Document Control Branch (Document Control Desk). 6pp. 54842:278-54842:286.

-9008030268 Proposed Tech Specs re emergency diesel generator reliability.
* Public Service Electric & Gas Co. of New Jersey. 90/07/27. 3pp. 54842:284-54842:286.

9008030270 Forwards listing of station blackout major audit items resolution scope, per station blackout schedule commitment.
CRIMMINS,T.M. Public Service Electric & Gas Co. of New Jersey. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54832:045-54832:047.

9008080231 Forwards notice of consideration of issuance of amend to License DPR-75 & proposed NSHC determination & opportunity for hearing re 900727 amend request to change Tech Spec Table 4.8-1.
STONE,J.C. Project Directorate I-2. 90/07/31. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54905:231-54905:240.

-9008080232 Notice of consideration of issuance of amend to License DPR-75 & proposed NSHC determination & opportunity for hearing re change to Tech Spec Table 4.8-1 to incorporate changes recommended by Generic Ltr 84-15.
BUTLER,W.R. Project Directorate I-2. 90/07/31. 8pp. 54905:233-54905:240.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130195 Discusses licensee engineering initiatives. Util encouraged to initiate similar initiative. Cooperative effort would promote efficiency & enhance effectiveness of nuclear power plant engineering activities.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 54951:290-54951:293.

9008080228 Advises that util 900412 ltr, Attachment 1 re main steam line break core response limiting case will be withheld (ref 10CFR2.790), per 900411 affidavit.
STONE,J.C. Project Directorate I-2. 90/08/07. WIESEMANN,R.A. Westinghouse Electric Corp. 2pp. 54917:336-54917:337.

9008090267 Forwards correction notice correcting date for requesting hearing from 900821 to 900905, published on 900806.
STONE,J.C. Project Directorate I-2. 90/08/07. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54953:321-54953:323.

-9008090268 Corrected notice correcting hearing date from 900821 to 900905.
CLARK,R.J. Project Directorate I-2. 90/08/07. 1p. 54953:323-54953:323.

9008130228 Forwards corrected marked-up pages for Tech Spec Table 3.3-11 re sub-cooling margin monitor & reactor vessel level instrumentation sys, per 900223 ltr. Administrative changes made as indicated.
PRESTON,B.A. Public Service Electric & Gas Co. of New Jersey. 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54957:173-54957:181.

-9008130231 Proposed Tech Specs re accident monitoring instrumentation.
* Public Service Electric & Gas Co. of New Jersey. 90/08/08. 5pp. 54957:176-54957:181.

9008130282 Forwards responses to NRC comments re plant simulator certification for 10CFR55.45(b)(2), per 891228 ltr.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 90/08/09. Document Control Branch (Document Control Desk). 163pp. 54936:239-54937:057.

9008150285 Forwards response to request for addl info re reinstatement of OL expiration dates based on original issuance of OLs. Advises that correct expiration date for OL proposed to be 200418.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 90/08/10. Document Control Branch (Document Control Desk). 65pp. 54971:292-54971:358.

74 DOCKETED ITEMS

9008230195 Forwards details of allegations re activities & requests results of investigation by 900820. Results should not contain privacy, safeguards or proprietary info. Encl withheld (ref 10CFR2.790).
HEHL, C.W. Region 1 (Post 820201). 90/08/10. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 55016:036-55016:037.

9008270048 Forwards Amend 93 to License DPR-75 & safety evaluation. Amend re-vises diesel generator surveillance test frequency requirements in Tech Specs.
STONE, J.C. Project Directorate I-2. 90/08/22. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 55035:094-55035:105.

9008270050 Amend 93 to License DPR-75, revising diesel generator surveillance test frequency requirements in Tech Specs.
BUTLER, W.R. Project Directorate I-2. 90/08/22. 5pp. 55035:097-55035:101.

9008270051 Safety evaluation supporting Amend 93 to License DPR-75.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/22. 4pp. 55035:102-55035:105.

Q. Inspection reports, IE Bulletins & correspondence

9008070242 Forwards Insp Repts 50-272/90-15 & 50-311/90-15 on 900514-25. No violations noted.
DURR, J.P. Region 1 (Post 820201). 90/07/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54902:227-54902:235.

9008070245 Insp Repts 50-272/90-15 & 50-311/90-15 on 900514-25. No violations noted. Major areas inspected: in-service insp program including 10-yr plan, steam generator eddy current testing & primary & secondary water chemistry results.
CHAUDHARY, S.K., STROSNIDER, J.R. Region 1 (Post 820201). 90/07/10. 7pp. 54902:229-54902:235.

9008080089 Ack receipt of 900608 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-272/90-80 & 50-311/90-80. Actions will be examined during future insp.
GALLO, R.M. Region 1 (Post 820201). 90/07/25. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54903:327-54903:334.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070293 Forwards Insp Repts 50-272/90-17, 50-311/90-17 & 50-354/90-11 on 900611-15. No violations noted.
DURR, J.P. Region 1 (Post 820201). 90/07/31. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54902:236-54902:250.

9008070296 Insp Repts 50-272/90-17, 50-311/90-17 & 50-354/90-11 on 900611-15. No violations noted. Major areas inspected: review of licensee engineering organization, staffing, communications, QA & training & mgt support.
CHEUNG, L.S., MATHEW, R.K., RANGARAO, G. Region 1 (Post 820201). 90/07/25. 13pp. 54902:238-54902:250.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008080070 Ack receipt of 900702 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-272/90-09 & 50-311/90-09.
GALLO, R.M. Region 1 (Post 820201). 90/08/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54916:198-54916:202.

9008100068 Forwards Safety Insp Repts 50-272/90-18, 50-311/90-18 & 50-354/90-12 on 900625-29. No violations or deficiencies noted.
BELLAMY, F.R. Region 1 (Post 820201). 90/08/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54943:340-54943:351.

9008100072 Insp Repts 50-272/90-18, 50-311/90-18 & 50-354/90-12 on 900625-29. No violations, deviations or unresolved items noted. Major areas inspected: licensee emergency preparedness program.
AMATO, C.G., LAZARUS, W.J. Region 1 (Post 820201). 90/08/01. 9pp. 54943:343-54943:351.

9008160178 Notification of 900815 Mgt Meeting 90-97 w/util in King of Prussia, PA to discuss plant IPAT insp.
KAUFMAN, P.D. Region 1 (Post 820201). 90/08/03. Region 1 (Post 820201). 2pp. 54978:344-54978:345.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230162 Forwards safety evaluation accepting actions taken by util to fully resolve issues identified in Bulletin 88-002 re rapid propagating fatigue cracks in steam generator tubes. Util encouraged to review leak rate monitoring procedures.
STONE, J.C. Project Directorate I-2. 90/08/16. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 55020:147-55020:152.

9008230164 Safety evaluation accepting actions taken by util to fully resolve issues identified in Bulletin 88-002 re rapidly propagating fatigue cracks in steam generator tubes.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/16. 3pp. 55020:150-55020:152.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:404.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007310015 "SPDES Discharge Monitoring Rept for June 1990." W/900712 ltr.
MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/06/30. CAPORALE, G. New Jersey, State of. 20pp. 54769:199-54769:219.

9008210119 Monthly operating rept for Jul 1990 for Salem 2.W/900815 ltr.
MORRONI, M., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/07/31. 10pp. 55003:211-55003:220.

S. Reportable occurrences, LERs & related correspondence

9008020029 PNO-I-90-056 on 900722, potential design deficiency in main steam isolation sys noted. Units shut down until final analysis & appropriate corrective actions completed.
JOHNSON, T., SWETLAND, P. Region 1 (Post 820201). 90/07/23. 3pp. 54805:328-54805:330.

9008030040 LER 90-030-00 on 900703, ESF actuation containment purge/pressure vacuum relief sys isolation occurred after channel function not placed in block. Caused by personnel error. Individuals involved held accountable. W/900724 ltr.
POLLACK, M., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/07/24. 5pp. 54831:033-54831:037.

9008030037 LER 90-029-00 on 900727, reactor trip occurred as result of loss of both steam generator feedwater pumps. Caused by failure of Transformer 2F 4160-480Y/277. Valve dents repaired as required & inspected. W/900727 ltr.
POLLACK, M., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/07/27. 8pp. 54831:025-54831:032.

9008100211 Part 21 rept re MSIV design deficiency at plant. Design spec provided by Westinghouse did not specify requirement to provide seal in capability & util design process failed to recognize deficiency.
CRIMMINS, T.M. Public Service Electric & Gas Co. of New Jersey. 90/08/02. Document Control Branch (Document Control Desk). 4pp. 54951:192-54951:195.

9008140060 LER 89-016-01 on 891014, 3 of 4 MSIVs failed to close within 5 s, per requirement of Tech Spec 4.7.1.5. Caused by design error. MSIVs will be modified to eliminate concerns associated w/condensation collection. W/900807 ltr.
POLLACK, M., MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/07. 6pp. 54953:224-54953:229.

9008210167 Special Rept 90-9: on 900722, diesel generator 2A failed to achieve rated load within 60 s during surveillance testing. Electro-hydraulic governor actuator replaced & associated controls calibr.
MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/15. Document Control Branch (Document Control Desk). 4pp. 55000:147-55000:150.

9008270131 Special Rept 90-10: on 900721, 64 & 84 ft elevation switchgear room CO2 sys inoperable for more than 14 days. Caused by inadequate communications, departmental interfaces & accountability. Sys relay replaced.
MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55037:005-55037:007.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9007110027 Forwards Security Insp Rept 50-312/90-10 on 900611-22. No violations noted. Major areas inspected: physical protection. Rept withheld (ref 10CFR2.790 & 73.21).
SCHUSTER, M.D. Region 5 (Post 820201). 90/07/03. KEUTER, D.R. Sacramento Municipal Utility District. 3pp. 55002:354-55002:356.

9007300019 Requests exemption from performing annual exercise of emergency plan, activation of alert & notification sys & distribution of public info brochures, per 10CFR50.12 requirements.
KEUTER, D.R. Sacramento Municipal Utility District. 90/07/24. Document Control Branch (Document Control Desk). 6pp. 54740:338-54740:343.

9008140309 Forwards Insp Rept 50-312/90-11 on 900527-0706. No violations identified.
RICHARDS, S.A. Region 5 (Post 820201). 90/07/31. KEUTER, D.R. Sacramento Municipal Utility District. 2pp. 54965:004-54965:044.

-9008140321 Insp Rept 50-312/90-11 on 900527-0706. No violations or deviations noted. Major areas inspected: operational safety verification, health physics & security observations, ESF sys walkdown, maint, surveillance & testing & QA.
WONG, H. Region 5 (Post 820201). 90/07/31. 39pp. 54965:006-54965:044.

9008080189 Rev 4 to EPIP 5660, "Emergency Preparedness Surveillance Program."
* Sacramento Municipal Utility District. 90/08/02. 62pp. 54914:150-54914:211.

H. General correspondence

9008130322 Expresses appreciation for TE Murley & K Carr 900731 ltr re plant. Parties should recognize that voters did not vote against plant operating but against util operating plant.
ROSSI, A.D. Environmental Conservation Organization. 90/08/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54957:168-54957:169.

I. Financial Information

9007300116 Forwards decommissioning financial plan for plant, per 10CFR50.33(k)(2) & requests interim exemption re requirement to have full decommissioning funding at time of termination of operation, per 10CFR50.12.
KEUTER, D.R. Sacramento Municipal Utility District. 90/07/24. LARKINS, J. Document Control Branch (Document Control Desk). 53pp. 54746:001-54746:053.

P. Operating license stage documents & correspondence

9007310296 Forwards fitness-for-duty performance data for facility from 900103-0630.
KEUTER, D.R. Sacramento Municipal Utility District. 90/07/25. LARKINS, J. Document Control Branch (Document Control Desk). 2pp. 54796:265-54796:266.

9008030272 Apprises of status of plans to use 3 of 4 emergency diesel generators as peaking power supplies & responds to questions in 900703 ltr. Util obtained authorization for operation of diesel generators for no more than 90 days per yr.
KEUTER, D.R. Sacramento Municipal Utility District. 90/07/30. LARKINS, J. Document Control Branch (Document Control Desk). 107pp. 54828:180-54828:325.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130210 Notices of minor change in list of Tech Specs applicable in plant defueled condition. Determined that surveillance requirements Table 4.1-1, Item 63 not required to be included in list of Tech Specs applicable in defueled condition.
KEUTER, D.R. Sacramento Municipal Utility District. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54954:297-54954:299.

9008220016 Forwards updated listing of commitments & long-range scope list items deferred or closed by Commitment Mgt Review Group since last update.
KEUTER, D.R. Sacramento Municipal Utility District. 90/08/09. MARTIN, J.B. Region 5 (Post 820201). 24pp. 55015:194-55015:217.

Q. Inspection reports, IE Bulletins & correspondence

9007110027 Forwards Security Insp Rept 50-312/90-10 on 900611-22. No violations noted. Major areas inspected: physical protection. Rept withheld (ref 10CFR2.790 & 73.21).
SCHUSTER, M.D. Region 5 (Post 820201). 90/07/03. KEUTER, D.R. Sacramento Municipal Utility District. 3pp. 55002:354-55002:356.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060133 Provides response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount." Pressure & differential pressure Transmitters 1153 & 1154 do not perform any safety-related function in current plant mode.
KEUTER, D.R. Sacramento Municipal Utility District. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54877:106-54877:106.

9008140309 Forwards Insp Rept 50-312/90-11 on 900527-0706. No violations identified.
RICHARDS, S.A. Region 5 (Post 820201). 90/07/31. KEUTER, D.R. Sacramento Municipal Utility District. 2pp. 54965:004-54965:044.

-9008140321 Insp Rept 50-312/90-11 on 900527-0706. No violations or deviations noted. Major areas inspected: operational safety verification, health physics & security observations, ESF sys walkdown, maint, surveillance & testing & QA.
WONG, H. Region 5 (Post 820201). 90/07/31. 39pp. 54965:006-54965:044.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220032 Monthly operating rept for Jul 1990 for Rancho Seco Nuclear Generating Station. W/900815 ltr.
NAGEL, R.E., DELEZENSKI, J. Sacramento Municipal Utility District. 90/07/31. 7pp. 55005:291-55005:297.

9008270103 Forwards, "Discharger Self Monitoring Rept for Jul 1990." High coliform noted on 900709 & 10 attributed to low chlorine residual caused by chlorine disinfection equipment problems.
KEUTER, D.R. Sacramento Municipal Utility District. 90/08/15. MARTIN, J.B. Region 5 (Post 820201). 1p. 55032:159-55032:162.

-9008270104 "Discharger Self Monitoring Rept for Jul 1990."
* Sacramento Municipal Utility District. 90/07/31. 3pp. 55032:160-55032:162.

S. Reportable occurrences, LERs & related correspondence

9008270161 Special Rept 90-12: on 900718, fire barrier breached for more than 7 days. Door AV 117 blocked open for work. Operability of fire detectors verified on one side of breached barriers & hourly fire watches established.
KEUTER, D.R. Sacramento Municipal Utility District. 90/08/13. MARTIN, J.B. Region 5 (Post 820201). 2pp. 55031:314-55031:315.

U. Congressional/Executive Correspondence

9008060303 Responds to 900705 ltr re interaction of NRC w/util to facilitate expeditious closure of plant. NRC continuing to work expeditiously on number of other requests from util. Prioritization schedule developed for pending applications.
CARR, K.M. Commissioners (Post 750119). 90/08/03. FAZIO, V. House of Rep. 5pp. 54931:232-54931:238.

-9008080305 Extends appreciation to NRC in support of activities necessary to expeditiously close Rancho Seco Nuclear Generating Station.
FAZIO, V. House of Rep. 90/07/05. CARR, K.M. Commissioners (Post 750119). 2pp. 54931:237-54931:238.

V. Operator Examinations

9007310296 Notices of change in operator/senior operator status. Operators terminating employment & no longer require license.
KEUTER, D.R. Sacramento Municipal Utility District. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54803:264-54803:264.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9008140056 Rev 6 to EPIP 1903.011, "Emergency Response/Notifications."
* Arkansas Power & Light Co. 90/03/30. 5pp. 54961:255-54961:259.

9008280263 Rev 4 to EPIP 1903.014, "Emergency Communications."
* Arkansas Power & Light Co. 90/04/17. 21pp. 55046:003-55046:023.

9008280258 Rev 3 to EPIP 1905.004, "Emergency Operations Facility Radiological Controls."
* Arkansas Power & Light Co. 90/04/23. 18pp. 55038:298-55038:315.

76 DOCKETED ITEMS

9008060042 Rev 10 to EPIP 1903.051, "Turnover of Responsibility."
* Arkansas Power & Light Co. 90/07/17. 2pp. 54877:057-54877:068.

9008060073 Revised EPIPs, including Rev 0 to 1903.064 & Rev 0 to 1903.065 & deletion of Rev 6 to 1903.063.
* Arkansas Power & Light Co. 90/07/17. 62pp. 54856:184-54856:245.

9008060075 Revised EPIPs, including Rev 18 to 1903.030 & Rev 9 to 1903.033 & deletion of Rev 10 to 1903.033.
* Arkansas Power & Light Co. 90/07/17. 34pp. 54864:009-54864:042.

9008060105 Revised EPIPs, including Rev 11 to 1903.001, Rev 13 to 1903.002 & Rev 11 to 1903.003.
* Arkansas Power & Light Co. 90/07/17. 49pp. 54853:302-54853:350.

9008060113 Revised EPIPs, including Rev 0 to 1903.066, Rev 0 to 1903.067 & Rev 3 to 1903.078.
* Arkansas Power & Light Co. 90/07/17. 86pp. 54856:025-54856:110.

9008060122 Revised EPIPs, consisting of Rev 27 to 1903.10, "Emergency Action Level Classification" & notice of deletion of Rev 10 to 1903.51, "Turnover of Responsibility."
* Arkansas Power & Light Co. 90/07/17. 129pp. 54851:247-54852:015.

9008010244 Rev 5 to EPIP 1904.005, "Atmospheric Stability Class Determination."
* Arkansas Power & Light Co. 90/07/23. 11pp. 54855:250-54855:270.

9008010248 Rev 3 to EPIP 1905.032, "Use of ND-60 Multi-Channel Analyzer."
* Arkansas Power & Light Co. 90/07/23. 23pp. 54795:332-54795:354.

9008060286 Revised EPIP - emergency radiation protection, including Rev 6 to 1905.001, Rev 10 to 1905.002 & Rev 4 to 1905.003.
* Arkansas Power & Light Co. 90/07/23. 64pp. 54876:028-54876:093.

9008060131 Rev 3 to EPIP - Emergency Radiation Protection 1905.031, "Airborne I-131 Determination Using RM-14/HP-210."
* Arkansas Power & Light Co. 90/07/26. 7pp. 54876:277-54876:283.

9008010076 Submits followup response to items from 1990 Radiological Emergency Preparedness Exercise Insp Repts 50-313/90-08 & 50-368/90-08.
EWING, E.C. Entergy Operations, Inc. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54893:156-54893:205.

9007310003 Rev 10 to "Arkansas Nuclear One Emergency Plan." W/900727 ltr.
FISICARO, J.J. Arkansas Power & Light Co. 90/07/30. 147pp. 54787:057-54787:262.

9008060046 Rev 10 to EPIP - Offsite Dose Projections Procedure 1904.007, "Protective Action Recommendations."
* Arkansas Power & Light Co. 90/07/30. 14pp. 54889:333-54889:346.

9008060080 Revised EPIPs, including Rev 5 to 1903.054, "Requests for Addl Personnel," Rev 2 to 1903.053, "Logistical Support" & Rev 4 to 1903.055, "Security for Util Offsite Facilities."
* Arkansas Power & Light Co. 90/07/30. 22pp. 54856:312-54856:333.

9008060085 Revised EPIPs, including Rev 5 to 1903.034 & 1903.040 & Rev 3 to 1903.035.
* Arkansas Power & Light Co. 90/07/30. 50pp. 54876:177-54876:226.

9008060196 Revised EPIPs, consisting of Rev 10 to 1904.001, Rev 18 to 1904.002 & Rev 8 to 1904.004.
* Arkansas Power & Light Co. 90/07/30. 125pp. 54853:141-54853:301.

9008060203 Revised EPIPs, consisting of Rev 11 to 1903.004, Rev 6 to 1903.011 & notice of deletion of Rev 3 to 1903.012.
* Arkansas Power & Light Co. 90/07/30. 65pp. 54865:021-54865:085.

9008060212 Revised EPIPs, including Rev 24 to 1903.060, Rev 19 to 1903.061 & Rev 8 to 1903.062.
* Arkansas Power & Light Co. 90/07/30. 120pp. 54856:336-54857:096.

9008060220 Revised EPIPs, including Rev 16 to 1903.042, Rev 15 to 1903.043 & deletion of Rev 18 to 1903.050.
* Arkansas Power & Light Co. 90/07/30. 20pp. 54890:004-54890:023.

9008070248 Forwards update to status of remaining open items on security perimeter improvement project, per Insp Repts 50-313/87-31 & 50-368/87-31. Encl withheld (ref 10CFR2.790).
EWING, E.C. Entergy Operations, Inc. 90/07/31. BEACH, A.B. Region 4 (Post 820201). 2pp. 54898:200-54898:201.

9008090146 Forwards safety evaluation accepting licensee fire barrier penetration seal program & commitment to complete 100% review of all Tech Spec fire penetration seals by 911231.
ALEXION, T.W., POSLUSNY, C. Project Directorate IV-1 (Post 900603). 90/08/07. CARNS, N.S. Arkansas Power & Light Co. 3pp. 54931:249-54931:255.

9008090147 Safety evaluation accepting licensee fire barrier penetration seal program & commitment to complete 100% review of all Tech Spec fire penetration seals by 911231.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. 4pp. 54931:252-54931:255.

9008280228 Ack receipt of 900727 ltr informing NRC of corrective measures taken & proposed to address concerns identified during 1990 Radiological Emergency Insp Repts 50-313/90-08 & 50-368/90-08.
COLLINS, S.J. Region 4 (Post 820201). 90/08/21. CARNS, N.S. Entergy Operations, Inc. 3pp. 55045:345-55045:357.

9008280253 Forwards summary of 900718 meeting re exercise weaknesses noted in Insp Repts 50-313/90-08 & 50-368/90-08.
COLLINS, S.J. Region 4 (Post 820201). 90/08/21. CARNS, N.S. Entergy Operations, Inc. 3pp. 55044:160-55044:189.

9008280254 Summary of 900718 meeting w/Entergy Operations, Inc in Arlington, TX to discuss exercise weaknesses identified in Insp Repts 50-313/90-08 & 50-368/90-08.
TERC, N.M. Region 4 (Post 820201). 90/08/20. Region 4 (Post 820201). 26pp. 55044:163-55044:189.

9008280317 Ack receipt of 900731 ltr advising NRC of current status of security perimeter improvements, per Insp Repts 50-313/87-31 & 50-368/87-31. Implementation of Design Change DCP 90-2001 for perimeter lighting will be monitored for adequacy later.
COLLINS, S.J. Region 4 (Post 820201). 90/08/21. CARNS, N.S. Entergy Operations, Inc. 3pp. 55041:329-55041:332.

I. Financial Information

9008020105 Forwards info to provide reasonable assurance that funds will be available to decommission plant, per 10CFR50.33k(2).
EWING, E.C. Entergy Operations, Inc. 90/07/26. Document Control Branch (Document Control Desk). 100pp. 54806:279-54807:042.

P. Operating license stage documents & correspondence

9008010092 Forwards Rev 12 to QA manual operations. W/o encl.
JAMES, D.E. Entergy Operations, Inc. 90/07/23. MARTIN, R.D. Region 4 (Post 820201). 2pp. 54788:307-54788:308.

9008010015 Certifies that info contained in Rev 12 to QA manual operations freighted to NRC on 900723 & accurately represents changes made since previous submittal, per 10CFR50.54(a)(3).
EWING, E.C. Entergy Operations, Inc. 90/07/24. Document Control Branch (Document Control Desk). 3pp. 54805:285-54805:287.

9008090191 Forwards Amend 134 to License DPR-51 & safety evaluation. Amend revises Tech Spec 3.1.6.3.b limiting condition for operation for RCS leakage.
ALEXION, T.W. Project Directorate IV-1 (Post 900603). 90/07/24. CARNS, N.S. Arkansas Power & Light Co. 3pp. 54921:060-54921:074.

9008090199 Amend 134 to License DPR-51, revising Tech Spec 3.1.6.3.b re limiting condition for operation for RCS leakage.
DUDLEY, R.F. Project Directorate IV-1 (Post 900603). 90/07/24. 9pp. 54921:063-54921:071.

9008090200 Safety evaluation supporting Amend 134 to License DPR-51.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/24. 3pp. 54921:072-54921:074.

9008070204 Forwards corrected Pages 1-15, 1-16 & 16-4 to Rev 12 to QA manual operations, Section 1.0 re organization.
FISICARO, J.J. Entergy Operations, Inc. 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54879:272-54879:276.

9008070205 Corrected Pages 1-15, 1-16 & 16-4 to Rev 12 to QA manual operations, Section 1.0 re organization.
* Entergy Operations, Inc. 90/07/22. 3pp. 54879:274-54879:276.

9008060146 Advises that since guidance contained in Reg Guide 1.97 not addressed in submittals re Generic Ltr 82-33 further clarification of position re compliance w/generic ltr appropriate, per 900613 ltr. ltr will be submitted by 901215.
EWING, E.C. Entergy Operations, Inc. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54864:205-54864:206.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090192 Notification of significant licensee meeting w/util on 900823 to discuss periodic plant performance.
GWYNN, T.P. Region 4 (Post 820201). 90/08/03. Region 4 (Post 820201). 2pp. 54922:144-54922:145.

9008160168 Ack granting of temporary waiver of compliance to Tech Specs 3.3.6 & 3.4.5.1, per util 900811 request. Waiver granted on 900811 to continue operation in Mode 1 while repairs completed to masonry blockout located in south wall.
COLLINS, S.J. Region 4 (Post 820201). 90/08/13. CARNS, N.S. Entergy Operations, Inc. 4pp. 54989:194-54989:205.

9008160169 Provides written documentation to followup on 900811 request re temporary waiver of compliance from Tech Specs 3.3.6 & 3.4.5.1 re limiting condition for operation. Supporting info encl.
EWING, E.C. Entergy Operations, Inc. 90/08/11. MARTIN, R.D. Region 4 (Post 820201). 8pp. 54989:198-54989:205.

9008200060 Requests relief from ASME Code Section XI requirements re exercise & stroke time testing for Low Pressure Injection Valves CV-1432 & CV-1433. Valves located in bypass lines around decay heat coolers.
FISICARO, J.J. Entergy Operations, Inc. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 54991:357-54991:360.

9008230180 Forwards SSER concluding that Rochester Instrument Sys Model SC-1302 isolation device acceptable for use at plant for interfacing SPDS w/Class IE circuits.
ALEXION, T.W. Project Directorate IV-1 (Post 900603). 90/08/17. CARNS, N.S. Entergy Operations, Inc. 3pp. 55020:103-55020:107.

9008230181 SSER concluding that Rochester Instrument Sys Model SC-1302 isolation device acceptable for use at plant for interfacing SPDS w/Class IE circuits.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/17. 2pp. 55020:106-55020:107.

9008280251 Summarizes 900810 meeting re proposed agenda for upcoming quarterly performance meeting. Meeting beneficial & should facilitate conduct of next quarterly performance meeting scheduled for 900823.
COLLINS, S.J. Region 4 (Post 820201). 90/08/20. CARNS, N.S. Entergy Operations, Inc. 3pp. 55038:357-55038:359.

Q. Inspection reports, IE Bulletins & correspondence

- 9008010054** Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Data base identified 144 transmitters currently in use at plant. FISICARO,J.J. Entergy Operations, Inc. 90/07/19. Document Control Branch (Document Control Desk). 12pp. 54815:345-54815:357.
- 9007310188** Ack receipt of 900605 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/89-02 & 50-368/89-02. COLLINS,S.J. Region 4 (Post 820201). 90/07/20. CARNS,N.S. Entergy Operations, Inc. 3pp. 54769:285-54769:292.
- 9007310192** Ack receipt of 900706 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/90-01 & 50-368/90-01. COLLINS,S.J. Region 4 (Post 820201). 90/07/23. CARNS,N.S. Entergy Operations, Inc. 3pp. 54769:253-54769:264.
- 9008010094** Advises that Operational Safety Team Insps 50-313/90-24 & 50-368/90-24 scheduled at plant site on 900910-21. COLLINS,S.J. Region 4 (Post 820201). 90/07/24. CARNS,N.S. Entergy Operations, Inc. 3pp. 54793:305-54793:307.
- 9007310289** Discusses clarification to Insp Repts 50-313/90-04 & 50-368/90-04. Corrective actions: surveillance sampling being performed monthly & analyzed prior to loading/releasing each load to Russellville Municipal Sewage Sys. EWING,E.C. Arkansas Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54803:265-54803:266.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008010076** Submits followup response to items from 1990 Radiological Emergency Preparedness Exercise Insp Repts 50-313/90-08 & 50-368/90-08. EWING,E.C. Entergy Operations, Inc. 90/07/27. Document Control Branch (Document Control Desk). 10pp. 54830:196-54830:205.
- 9008030089** Ack receipt of 890307 & 900720 ltrs informing NRC of steps taken to correct violation noted in Insp Repts 50-313/88-47 & 50-368/88-47. COLLINS,S.J. Region 4 (Post 820201). 90/07/30. CARNS,N.S. Entergy Operations, Inc. 3pp. 54832:119-54832:128.
- 9008020209** Discusses until 890602 response to Item 1.b of NRC Bulletin 88-11, "Presurizer Surge Line Thermal Stratification." Sufficient info provided to justify continued plant operation until final rept for Unit 1 completed. ALEXION,T.W. Project Directorate IV-1 (Post 900603). 90/07/31. CARNS,N.S. Entergy Operations, Inc. 4pp. 54820:333-54820:343.
- 9008060135** Forwards revised response to Insp Repts 50-313/90-04 & 50-368/90-04. Corrective actions: specific communication meetings will be conducted w/staff re decontamination practices & procedures. EWING,E.C. Entergy Operations, Inc. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54877:096-54877:101.
- 9008070097** Amends commitment date for mods to svc water pump design, per Insp Repts 50-313/89-30 & 50-368/89-30. Project scoping rept expected to be completed by 800930. EWING,E.C. Entergy Operations, Inc. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54905:066-54905:067.
- 9008070248** Forwards update to status of remaining open items on security perimeter improvement project, per Insp Repts 50-313/87-31 & 50-368/87-31. Encl withheld (ref 10CFR2.790). EWING,E.C. Entergy Operations, Inc. 90/07/31. BEACH,A.B. Region 4 (Post 820201). 2pp. 54898:200-54898:201.
- 9008060331** Forwards Insp Repts 50-313/90-20 & 50-368/90-20 on 900625-29. NRC does not consider further enforcement action warranted. Understands that until committed to complete review of internal procedures for assessing & reporting of event. MARTIN,R.D. Region 4 (Post 820201). 90/08/01. CARNS,N.S. Entergy Operations, Inc. 3pp. 54858:111-54858:120.
- 9008060332** Insp Repts 50-313/90-20 & 50-368/90-20 on 900625-29. Major areas inspected: LERs. Licensee improving in timeliness of issuing LERs. Availability of supporting equipment was not always taken into account when addressing safety issue. WESTERMAN,T.F. Region 4 (Post 820201). 90/07/26. 7pp. 54856:114-54856:120.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008090146** Forwards safety evaluation accepting licensee fire barrier penetration seal program & commitment to complete 100% review of all Tech Spec fire penetration seals by 911231. ALEXION,T.W., POSLUSNY,C. Project Directorate IV-1 (Post 900603). 90/08/07. CARNS,N.S. Arkansas Power & Light Co. 3pp. 54931:249-54931:255.
- 9008090147** Safety evaluation accepting licensee fire barrier penetration seal program & commitment to complete 100% review of all Tech Spec fire penetration seals by 911231.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. 4pp. 54931:252-54931:255.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020038** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008130225** Responds to recommendations from Insp Repts 50-313/90-04 & 50-368/90-04 on 900202 that reporting format for semiannual radioactive effluent release repts be revised to comply w/ Reg Guide 1.21, Rev 1. EWING,E.C. Entergy Operations, Inc. 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54956:295-54956:298.
- 9008130264** Ack receipt of 900611 & 0731 ltrs re steps taken to correct violations noted in Insp Repts 50-313/90-04 & 50-368/90-04. COLLINS,S.J. Region 4 (Post 820201). 90/08/09. CARNS,N.S. Entergy Operations, Inc. 3pp. 54951:245-54951:264.
- 9008160001** Forwards Insp Repts 50-313/90-16 & 50-368/90-16 on 900618-29. No violations or deviations noted. Two unresolved items noted. COLLINS,S.J. Region 4 (Post 820201). 90/08/09. CARNS,N.S. Entergy Corp. 4pp. 54992:147-54992:181.
- 9008160002** Insp Repts 50-313/90-16 & 50-368/90-16 on 900618-29. No violations or deviations noted. Two unresolved items noted. Major areas inspected: licensee activities re selected diagnostic evaluation team & maint insp findings. CUMMINS,J.E., GAGLIARDO,J.E. Region 4 (Post 820201). 90/08/06. 31pp. 54992:151-54992:181.
- 9008150280** Forwards Insp Repts 50-313/90-19 & 50-368/90-19 on 900601-0715 & notice of violation. Util should respond to failure to adequately implement surveillance test required by Tech Specs. COLLINS,S.J. Region 4 (Post 820201). 90/08/10. CARNS,N.S. Entergy Operations, Inc. 4pp. 54966:074-54966:096.
- 9008150282** Notice of violation from insp on 900601-0715. Violations noted: failure to adequately perform Tech Spec surveillance & to properly document condition adverse to quality.
* Region 4 (Post 820201). 90/08/10. 2pp. 54966:078-54966:079.
- 9008150283** Insp Repts 50-313/90-19 & 50-368/90-19 on 900601-0715. Violations noted. Major areas inspected: onsite followup of events, operational safety verification, surveillance, maint & design changes. WESTERMAN,T.F. Region 4 (Post 820201). 90/08/07. 17pp. 54966:080-54966:096.
- 9008160123** Forwards Insp Repts 50-313/90-21 & 50-368/90-21 on 900716-20. No violations or deviations noted. COLLINS,S.J. Region 4 (Post 820201). 90/08/13. CARNS,N.S. Entergy Operations, Inc. 3pp. 54989:175-54989:193.
- 9008160128** Insp Repts 50-313/90-21 & 50-368/90-21 on 900716-20. No violations or deviations noted. Major areas inspected: licensee corrective action program, quality verification function & internal audit program. ELLERSHAW,L.E., BARNES,I. Region 4 (Post 820201). 90/08/08. 15pp. 54989:178-54989:193.
- 9008160165** Forwards Insp Repts 50-313/90-26 & 50-368/90-26 on 900730-0803. No violations or deviations noted. Rept does not include specific insp followup for any diagnostic evaluation team findings. COLLINS,S.J. Region 4 (Post 820201). 90/08/13. CARNS,N.S. Entergy Operations, Inc. 3pp. 54978:202-54978:210.
- 9008160166** Insp Repts 50-313/90-26 & 50-368/90-26 on 900730-0803. No violations or deviations noted. Major areas inspected: procurement, receipt, storage & handling of equipment & mats. GILBERT,L.D., BARNES,I. Region 4 (Post 820201). 90/08/13. 6pp. 54978:205-54978:210.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54978:186-54978:275.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008280228** Ack receipt of 900727 ltr informing NRC of corrective measures taken & proposed to address concerns identified during 1990 Radiological Emergency Insp Repts 50-313/90-08 & 50-368/90-08. COLLINS,S.J. Region 4 (Post 820201). 90/08/21. CARNS,N.S. Entergy Operations, Inc. 3pp. 55045:345-55045:357.
- 9008280253** Forwards summary of 900718 meeting re exercise weaknesses noted in Insp Repts 50-313/90-08 & 50-368/90-08. COLLINS,S.J. Region 4 (Post 820201). 90/08/21. CARNS,N.S. Entergy Operations, Inc. 3pp. 55044:160-55044:189.
- 9008280254** Summary of 900718 meeting w/Entergy Operations, Inc in Arlington, TX to discuss exercise weaknesses identified in Insp Repts 50-313/90-08 & 50-368/90-08. TERC,N.M. Region 4 (Post 820201). 90/08/20. Region 4 (Post 820201). 26pp. 55044:163-55044:189.
- 9008280317** Ack receipt of 900731 ltr advising NRC of current status of security perimeter improvements, per Insp Repts 50-313/87-31 & 50-368/87-31. Implementation of Design Change DCP 90-2001 for perimeter lighting will be monitored for adequacy later. COLLINS,S.J. Region 4 (Post 820201). 90/08/21. CARNS,N.S. Entergy Operations, Inc. 3pp. 55041:329-55041:332.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

78 DOCKETED ITEMS

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008010050 "Annual 10CFR50.59 Rept for 1989." W/900723 ltr.
FISICARO,J.J. Entergy Operations, Inc. 89/12/31. 18pp. 54791:022-54791:039.

9008210113 Monthly operating rept for Jul 1990 for Arkansas Nuclear One - Unit 1.W/900815 ltr.
SCHAUBROECK,D., FISICARO,J.J. Arkansas Power & Light Co. 90/07/31. 6pp. 55000:235-55000:241.

S. Reportable occurrences, LERs & related correspondence

9008070094 Revises commitment completion date for LER 89-041-00 re proper method of calibr of startup feedwater control valves CV-2623 & 2673 to 900915.Delay due to time needed to review & implement new calibr guidance criteria.
EWING,E.C. Entergy Operations, Inc. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54905:102-54905:103.

9008080207 LER 90-005-00:on 900703.possible failure of containment isolation valve associated w/letdown sys discovered.Caused by inadequate electrical separation between safety & nonsafety-related components.Mod installed.W/900802 ltr.
SAULSBERRY,D.B., EWING,E.C. Entergy Operations, Inc. 90/08/02. 5pp. 54904:273-54904:277.

V. Operator Examinations

9008200032 Forwards generic fundamentals exam section of written operator licensing exam administered on 900606.
COLLINS,S.J. Region 4 (Post 820201). 90/07/19. CARNS,S.J. Entergy Operations, Inc. 41pp. 54996:163-54996:203.

9008060181 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021, "Operator Licensing Examiner Stds." List of attendees encl.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. CARNS,N.S. Entergy Corp. 22pp. 54854:113-54854:133.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008140472 Forwards Safety Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717.No violations noted.
CLAYTON,B. Region 3 (Post 820201). 90/08/01. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54961:298-54961:313.

-9008140476 Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717.No violations noted.Major areas inspected:plant operations, reactor trip,radiological controls,maint,surveillance, emergency preparedness,security & bulletins.
BURGESS,B.L. Region 3 (Post 820201). 90/08/01. 14pp. 54961:300-54961:313.

9008070138 Responds to open items in safety evaluation of util response to unresolved issues on post-fire safe shutdown methodology. Open Items 1 & 21 will be closed by implementing plant procedures providing equivalent degree of protection.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 54905:209-54905:210.

P. Operating license stage documents & correspondence

9007270030 Requests withdrawal of 890830 proposed Tech Spec changes re Sections 3.0 & 4.0.Util will resubmit Generic Ltr 87-09 recommended improvement items on case by case basis.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/07/23. Document Control Branch (Document Control Desk). 2pp. 54727:313-54727:314.

9008020008 Advises that 900125 response to Generic Ltr 89-13 re svc water problems affecting safety-related equipment, acceptable.Util requested to document & retain appropriate justification that heat removal requirements satisfied.
COLBURN,T. Project Directorate III-1. 90/07/25. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54826:249-54826:251.

9008020010 Requests confirmation of listed actions re 890224 & 0323 responses to Generic Ltr 88-14 on instrument air supply sys problems affecting safety-related equipment.
COLBURN,T.G. Project Directorate III-1. 90/07/25. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 6pp. 54820:283-54820:288.

9008070138 Responds to open items in safety evaluation of util response to unresolved issues on post-fire safe shutdown methodology. Open Items 1 & 21 will be closed by implementing plant procedures providing equivalent degree of protection.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 54905:209-54905:210.

9008160080 Forwards Amends 142 & 129 to Licenses DPR-58 & DPR-74, respectively & safety evaluation.Amends change Tech Spec reporting requirements re specific activity of primary coolant,per Generic Ltr 85-19.
COLBURN,T. Project Directorate III-1. 90/08/02. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54978:322-54978:343.

-9008160081 Amends 142 & 129 to Licenses DPR-58 & DPR-74, respectively, revising Tech Spec reporting requirements re specific activity of primary coolant,per Generic Ltr 85-19.
PIERSON,R. Project Directorate III-1. 90/08/02. 16pp. 54978:325-54978:341.

-9008160083 Safety evaluation supporting Amends 142 & 129 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 2pp. 54978:342-54978:343.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008160043 Forwards Amends 143 & 130 to Licenses DPR-58 & DPR-74, respectively & safety evaluation.Amends modify Tech Spec 4.0.2 per Generic Ltr 89-14 by removing 3.25 limit for extension of three consecutive surveillance intervals.
COLBURN,T. Project Directorate III-1. 90/08/03. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54989:206-54989:221.

-9008160044 Amends 143 & 130 to Licenses DPR-58 & DPR-74, respectively, modifying Tech Spec 4.0.2 per Generic Ltr 89-14 by removing 3.25 limit for extension of three consecutive surveillance intervals.
PIERSON,R. Project Directorate III-1. 90/08/03. 10pp. 54989:209-54989:218.

-9008160045 Safety evaluation supporting Amends 143 & 130 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/03. 3pp. 54989:219-54989:221.

9008140005 Application for amends to Licenses DPR-58 & DPR-74,deleting redundant valve cycling requirements & increasing surveillance interval for pump testing,per ASME code,Section XI.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/07. MURLEY,T.E. Document Control Branch (Document Control Desk). 15pp. 54970:266-54970:302.

-9008140006 Proposed Tech Specs deleting redundant valve cycling requirements re inservice testing program & increasing surveillance interval for pump testing,per ASME code,Section XI.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/07. 22pp. 54970:281-54970:302.

9008170045 Approves use of Eberline SPING 3/4 noble gas & particulate effluent monitoring sys to meet requirements of NUREG-0737, Section II.F.1 & use of calibr certification of containment high-range radiation monitoring sys.
COLBURN,T.G. Project Directorate III-1. 90/08/13. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 54993:355-54993:358.

9008170050 Forwards safety evaluation accepting util reactor core thermal-hydraulic analysis using COBRA IIIC/MIT-2 computer code,per Generic Ltr 83-11 based on review of 890130 ltr.
COLBURN,T.G. Project Directorate III-1. 90/08/13. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54981:076-54981:085.

-9008170051 Safety evaluation accepting util thermal-hydraulic analysis using COBRA IIIC/MIT2 computer code.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/13. 9pp. 54981:079-54981:085.

9008240031 Revised application for amends to Licenses DPR-58 & DPR-74, changing Tech Spec by roping off areas conspicuously posted w/flashing light warning device.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/14. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 55023:291-55023:298.

-9008240033 Proposed Tech Specs re radiation protection.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/14. 2pp. 55023:293-55023:298.

9008270021 Forwards performance data sheets for plant fitness-for-duty program for period Jan-June 1990,per 10CFR26.Encl includes statistics on various categories of testing,substances tested for & cut-off levels used.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/15. MURLEY,T.E. Document Control Branch (Document Control Desk). 5pp. 55036:179-55036:183.

9008270136 Responds to NRC 900720 ltr re violations noted in onsite audit of SPDS.Corrective actions:apparent disparity in selection of reactor trip & sys capacity or anticipatory values rectified.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/17. MURLEY,T.E. Document Control Branch (Document Control Desk). 3pp. 55035:300-55035:302.

9008270192 Notification of 900824 meeting w/util in Rockville,MD to discuss plant simulator certification.
COLBURN,T.G. Project Directorate III-1. 90/08/22. MURLEY,T., MIRAGLIA,F. NRC - No Detailed Affiliation Given. RUSSELL,W. Associate Director for Inspection & Technical Assessment (Post 870411). 4pp. 55032:273-55032:276.

Q. Inspection reports, IE Bulletins & correspondence

9008010178 Forwards Requalification Exam Rept 50-315/OL-90-03 administered on 900618 & 27.
WRIGHT,G.C. Region 3 (Post 820201). 90/07/24. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54790:298-54790:363.

—9008010181 Exam Rept 50-315/OL-90-03 on 900618 & 27.Exam results:one reactor operator & two senior reactor operators passed both written & simulator exams. LENNARTZ,J., SHEMBARGER,K., BURDICK,T. Region 3 (Post 820201). 90/07/09. 64pp. 54790:300-54790:363.

9008010227 Forwards Exam Rept 50-315/OL-90-02 for both units administered during wk of 900625. WRIGHT,G.C. Region 3 (Post 820201). 90/07/24. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54840:072-54840:243.

—9008010228 Exam Rept 50-315/OL-90-02 on 900625 for both units.Exam results:all candidates passed exam. LANNARTZ,J., SHEMBARGER,K., BURDICK,T. Region 3 (Post 820201). 90/07/24. 150pp. 54840:074-54840:243.

9008020127 Informs that util response to NRC Bulletin 88-010 & Suppl 1 to Bulletin 88-010 complete. COLBURN,T. Project Directorate III-1. 90/07/25. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54805:349-54805:351.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008140472 Forwards Safety Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717.No violations noted. CLAYTON,B. Region 3 (Post 820201). 90/08/01. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54961:298-54961:313.

—9008140476 Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717.No violations noted.Major areas inspected:plant operations, reactor trip,radiological controls,maint,surveillance, emergency preparedness,security & bulletins. BURGESS,B.L. Region 3 (Post 820201). 90/08/01. 14pp. 54961:300-54961:313.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008170048 Reviews util 890306 response to NRC Bulletin 88-011 re pressurizer surge line thermal stratification,per Westinghouse Owners Group bounding analysis.No short-term safety concerns found concerning thermal stratification. COLBURN,T.G. Project Directorate III-1. 90/08/13. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54993:344-54993:354.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270003 Forwards SSFI Repts 50-315/90-201 & 50-316/90-201 on 900611- 22 & 0709-13.Essential svc water sys had adequate design capacity to perform required safety functions but some problems noted. CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 90/08/22. ALEXICH,M.P. American Electric Power Service Corp. 4pp. 55035:031-55035:070.

—9008270005 SSFI Repts 50-315/90-201 & 50-316/90-201 on 900611-22 & 0709-13.Essential svc water sys has adequate design capacity to perform safety functions.Major areas inspected:design, design control & operations. KOLTAY,P.S., KONKLIN,J.E., LANNING,W.D. Special Inspection Branch. 90/08/22. 36pp. 55035:035-55035:070.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008010178 Forwards Requalification Exam Rept 50-315/OL-90-03 administered on 900618 & 27. WRIGHT,G.C. Region 3 (Post 820201). 90/07/24. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54790:298-54790:363.

—9008010181 Exam Rept 50-315/OL-90-03 on 900618 & 27.Exam results:one reactor operator & two senior reactor operators passed both written & simulator exams. LENNARTZ,J., SHEMBARGER,K., BURDICK,T. Region 3 (Post 820201). 90/07/09. 64pp. 54790:300-54790:363.

9008010227 Forwards Exam Rept 50-315/OL-90-02 for both units administered during wk of 900625. WRIGHT,G.C. Region 3 (Post 820201). 90/07/24. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54840:072-54840:243.

—9008010228 Exam Rept 50-315/OL-90-02 on 900625 for both units.Exam results:all candidates passed exam. LANNARTZ,J., SHEMBARGER,K., BURDICK,T. Region 3 (Post 820201). 90/07/24. 150pp. 54840:074-54840:243.

9008010046 Extends invitation to participate in 900829 meeting in Naperville IL to review Rev 6 to NUREG-1021 re operator licensing examiner stds.Preliminary list of questions/issues to E Rau by 900815 requested. MILLER,H.J. Region 3 (Post 820201). 90/07/25. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 54805:251-54805:251.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key,w/o encls. WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008140472 Forwards Safety Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717.No violations noted. CLAYTON,B. Region 3 (Post 820201). 90/08/01. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54961:298-54961:313.

—9008140476 Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717.No violations noted.Major areas inspected:plant operations, reactor trip,radiological controls,maint,surveillance, emergency preparedness,security & bulletins. BURGESS,B.L. Region 3 (Post 820201). 90/08/01. 14pp. 54961:300-54961:313.

9008070138 Responds to open items in safety evaluation of util response to unresolved issues on post-fire safe shutdown methodology. Open items 1 & 21 will be closed by implementing plant procedures providing equivalent degree of protection. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 54905:209-54905:210.

P. Operating license stage documents & correspondence

9007270030 Requests withdrawal of 890830 proposed Tech Spec changes re Sections 3.0 & 4.0.Util will resubmit Generic Ltr 87-09 recommended improvement items on case by case basis. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/07/23. Document Control Branch (Document Control Desk). 2pp. 54727:313-54727:314.

9008020008 Advises that 900125 response to Generic Ltr 89-13 re svc water problems affecting safety-related equipment, acceptable.Util requested to document & retain appropriate justification that heat removal requirements satisfied. COLBURN,T. Project Directorate III-1. 90/07/25. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54826:249-54826:251.

9008020010 Requests confirmation of listed actions re 890224 & 0323 responses to Generic Ltr 88-14 on instrument air supply sys problems affecting safety-related equipment. COLBURN,T.G. Project Directorate III-1. 90/07/25. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 6pp. 54820:283-54820:288.

9008070138 Responds to open items in safety evaluation of util response to unresolved issues on post-fire safe shutdown methodology. Open items 1 & 21 will be closed by implementing plant procedures providing equivalent degree of protection. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/02. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 54905:209-54905:210.

9008160080 Forwards Amends 142 & 129 to Licenses DPR-58 & DPR-74, respectively & safety evaluation.Amends change Tech Spec reporting requirements re specific activity of primary coolant,per Generic Ltr 85-19. COLBURN,T. Project Directorate III-1. 90/08/02. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54978:322-54978:343.

—9008160081 Amends 142 & 129 to Licenses DPR-58 & DPR-74,respectively, revising Tech Spec reporting requirements re specific activity of primary coolant,per Generic Ltr 85-19. PIERSON,R. Project Directorate III-1. 90/08/02. 16pp. 54978:325-54978:341.

—9008160083 Safety evaluation supporting Amends 142 & 129 to Licenses DPR-58 & DPR-74,respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 2pp. 54978:342-54978:343.

80 DOCKETED ITEMS

- 9008170063** Forwards errata for Amend 125 to License DPR-74, consisting of Tech Spec Page 3/4 6-40, inadvertently omitted from 900529 submittal.
COLBURN, T. Project Directorate III-1. 90/08/02. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54984:209-54984:213.
- 9008170065** Errata for Amend 125 to License DPR-74 consisting of Tech Spec Page 3/4 6-40.
* NRC - No Detailed Affiliation Given. 90/08/02. 2pp. 54984:212-54984:213.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008090247** Advises that WCAP-12576, "Westinghouse Revised Thermal Design Procedure Instrument Uncertainty Methodology for American Electric Power DC Cook Unit 2 Nuclear Power Station (Proprietary)," withheld, per 10CFR2.790(b)(5).
COLBURN, T. Project Directorate III-1. 90/08/03. WIESEMANN, R.A. Westinghouse Electric Corp. 4pp. 54934:118-54934:121.
- 9008160043** Forwards Amends 143 & 130 to Licenses DPR-58 & DPR-74, respectively & safety evaluation. Amends modify Tech Spec 4.0.2 per Generic Ltr 89-14 by removing 3.25 limit for extension of three consecutive surveillance intervals.
COLBURN, T. Project Directorate III-1. 90/08/03. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54989:206-54989:221.
- 9008160044** Amends 143 & 130 to Licenses DPR-58 & DPR-74, respectively, modifying Tech Spec 4.0.2 per Generic Ltr 89-14 by removing 3.25 limit for extension of three consecutive surveillance intervals.
PIERSON, R. Project Directorate III-1. 90/08/03. 10pp. 54989:209-54989:218.
- 9008160045** Safety evaluation supporting Amends 143 & 130 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/03. 3pp. 54989:219-54989:221.
- 9008140005** Application for amends to Licenses DPR-58 & DPR-74, deleting redundant valve cycling requirements & increasing surveillance interval for pump testing, per ASME code, Section XI.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/07. MURLEY, T.E. Document Control Branch (Document Control Desk). 15pp. 54970:266-54970:302.
- 9008140006** Proposed Tech Specs deleting redundant valve cycling requirements re inservice testing program & increasing surveillance interval for pump testing, per ASME code, Section XI.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/07. 22pp. 54970:281-54970:302.
- 9008170045** Approves use of Eberline SPING 3/4 noble gas & particulate effluent monitoring sys to meet requirements of NUREG-0737, Section II.F.1 & use of calibrator certification of containment high-range radiation monitoring sys.
COLBURN, T.G. Project Directorate III-1. 90/08/13. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 54993:355-54993:358.
- 9008170050** Forwards safety evaluation accepting util reactor core thermal-hydraulic analysis using COBRA IIC/MIT-2 computer code, per Generic Ltr 83-11 based on review of 890130 ltr.
COLBURN, T.G. Project Directorate III-1. 90/08/13. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54981:076-54981:085.
- 9008170051** Safety evaluation accepting util thermal-hydraulic analysis using COBRA IIC/MIT-2 computer code.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/13. 9pp. 54981:079-54981:085.
- 9008240031** Revised application for amends to Licenses DPR-58 & DPR-74, changing Tech Spec by roping off areas conspicuously posted w/ flashing light warning device.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/14. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 55023:291-55023:298.
- 9008240033** Proposed Tech Specs re radiation protection.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/14. 2pp. 55023:293-55023:298.
- 9008270021** Forwards performance data sheets for plant fitness-for-duty program for period Jan-June 1990, per 10CFR26. Encl includes statistics on various categories of testing substances tested for & cut-off levels used.
BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/15. MURLEY, T.E. Document Control Branch (Document Control Desk). 5pp. 55036:179-55036:183.
- 9008270136** Responds to NRC 900720 ltr re violations noted in onsite audit of SPDS. Corrective actions: apparent disparity in selection of reactor trip & sys capacity or anticipatory values rectified.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/17. MURLEY, T.E. Document Control Branch (Document Control Desk). 3pp. 55035:300-55035:302.
- 9008270192** Notification of 900824 meeting w/ util in Rockville, MD to discuss plant simulator certification.
COLBURN, T.G. Project Directorate III-1. 90/08/22. MURLEY, T., MIRAGLIA, F. NRC - No Detailed Affiliation Given. RUSSELL, W. Associate Director for Inspection & Technical Assessment (Post 870411). 4pp. 55032:273-55032:276.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9008010178** Forwards Requalification Exam Rept 50-315/OL-90-03 administered on 900618 & 27.
WRIGHT, G.C. Region 3 (Post 820201). 90/07/24. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54790:298-54790:363.
- 9008010181** Exam Rept 50-315/OL-90-03 on 900618 & 27. Exam results: one reactor operator & two senior reactor operators passed both written & simulator exams.
LENNARTZ, J. Region 3 (Post 820201). 90/07/09. 64pp. 54790:300-54790:363.
- 9008010227** Forwards Exam Rept 50-315/OL-90-02 for both units adminis wk of 900625.
WRIGHT, G.C. Region 3 (Post 820201). 90/07/24. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54840:072-54840:243.
- 9008010228** Exam Rept 50-315/OL-90-02 on 900625 for both units. Exam results: all candidates passed exam.
LANNARTZ, J. Region 3 (Post 820201). 90/07/24. 150pp. 54840:074-54840:243.
- 9008020127** Informs that util response to NRC Bulletin 88-010 & Suppl 1 to Bulletin 88-010 complete.
COLBURN, T. Project Directorate III-1. 90/07/25. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 54805:349-54805:351.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008140472** Forwards Safety Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717. No violations noted.
CLAYTON, B. Region 3 (Post 820201). 90/08/01. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54961:298-54961:313.
- 9008140476** Insp Repts 50-315/90-13 & 50-316/90-13 on 900606-0717. No violations noted. Major areas inspected: plant operations, reactor trip, radiological controls, maintenance, surveillance, emergency preparedness, security & bulletins.
BURGESS, B.L. Region 3 (Post 820201). 90/08/01. 14pp. 54961:300-54961:313.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008170048** Reviews util 890306 response to NRC Bulletin 88-011 re pressurizer surge line thermal stratification, per Westinghouse Owners Group bounding analysis. No short-term safety concerns found concerning thermal stratification.
COLBURN, T.G. Project Directorate III-1. 90/08/13. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54993:344-54993:354.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008270003** Forwards SSFI Repts 50-315/90-201 & 50-316/90-201 on 900611-22 & 0709-13. Essential svc water sys had adequate design capacity to perform required safety functions but some problems noted.
CRUTCHFIELD, D. Division of Reactor Projects - III, IV & Special Projects (Post 870411). 90/08/22. ALEXICH, M.P. American Electric Power Service Corp. 4pp. 55035:031-55035:070.
- 9008270005** SSFI Repts 50-315/90-201 & 50-316/90-201 on 900611-22 & 0709-13. Essential svc water sys has adequate design capacity to perform safety functions. Major areas inspected: design, design control & operations.
KOLTAY, P.S., KONKLIN, J.E., LANNING, W.D. Special Inspection Branch. 90/08/22. 36pp. 55035:035-55035:070.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.
- S. Reportable occurrences, LERs & related correspondence**
- 9008150263** LER 90-007-00: on 900717, accumulated leakage found while performing Type B & C leak rate tests on containment penetrations exceeded Tech Spec 3.6.1.2.b. Caused by degradation of isolation valve seating svcs. W/900810 ltr.
DROSTE, J.B., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 90/08/10. 2pp. 54953:272-54953:273.
- V. Operator Examinations**
- 9008010178** Forwards Requalification Exam Rept 50-315/OL-90-03 administered on 900618 & 27.
WRIGHT, G.C. Region 3 (Post 820201). 90/07/24. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54790:298-54790:363.

—9008010181 Exam Rept 50-315/OL-90-03 on 900618 & 27. Exam results: one reactor operator & two senior reactor operators passed both written & simulator exams. LENNARTZ, J., SHEMBARGER, K., BURDICK, T. Region 3 (Post 820201). 90/07/09. 64pp. 54790:300-54790:363.

9008010227 Forwards Exam Rept 50-315/OL-90-02 for both units administered during wk of 900625. WRIGHT, G.C. Region 3 (Post 820201). 90/07/24. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 54840:072-54840:243.

—9008010228 Exam Rept 50-315/OL-90-02 on 900625 for both units. Exam results: all candidates passed exam. LENNARTZ, J., SHEMBARGER, K., BURDICK, T. Region 3 (Post 820201). 90/07/24. 150pp. 54840:074-54840:243.

9008010046 Extends invitation to participate in 900829 meeting in Naperville IL, to review Rev 6 to NUREG-1021 re operator licensing examiner stds. Preliminary list of questions/issues to E Rau by 900815 requested. MILLER, H.J. Region 3 (Post 820201). 90/07/25. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 54805:251-54805:251.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encls. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008240085 Change 4 to Rev 14 to ERPI 3.0, "Reactivity Release - Dose Estimate." W/900621 ltr. * Baltimore Gas & Electric Co. 90/06/21. 18pp. 55029:206-55029:224.

9008160007 Rev 1 to "Calvert Cliffs Nuclear Power Plant Emergency Response Drill Scenario, Calvex 1990." * Baltimore Gas & Electric Co. 90/07/31. 425pp. 54969:001-54970:138.

9008240056 EPIPs, including Change 1 to Rev 10 to ERPI 4.4.4 & Change 1 to Rev 10 to ERPI 4.4.9. * Baltimore Gas & Electric Co. 90/08/03. 13pp. 55029:134-55029:146.

9008100060 Forwards environ assessment & finding of no significant impact re 900629 request for exemption from 10CFR50, App R requirements. McDONALD, D.G. Project Directorate I-1. 90/08/08. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 54943:124-54943:130.

—9008100062 Environ assessment & finding of no significant impact re exemption request from requirements of 10CFR50, App R for facilities. CAPRA, R.A. Project Directorate I-1. 90/08/08. 4pp. 54943:127-54943:130.

9008160095 Forwards Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29. No violations noted. BELLAMY, R.R. Region 1 (Post 820201). 90/08/08. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 54978:348-54978:358.

—9008160106 Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29. No violations noted. Major areas inspected: status of previously identified items, worker allegations, control of outage work, ALARA & site access for NRC personnel. DRAGOUN, T., PASCIAK, W. Region 1 (Post 820201). 90/08/08. 8pp. 54978:351-54978:358.

9008270042 Forwards technical exemption from 10CFR50, App R requirements to permit use of portable handlights w/8 h rating as alternative to permanently installed 8 h emergency lighting. McDONALD, D.G. Project Directorate I-1. 90/08/22. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 55037:013-55037:021.

—9008270043 Exemption re use of portable handlights of rechargeable type w/8 h rating as alternative to permanently installed 8 h emergency lighting. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 90/08/22. Baltimore Gas & Electric Co. 6pp. 55037:016-55037:021.

I. Financial information

9007310205 Forwards certification of financial assurance for decommissioning of plant, per 10CFR50.33(k)(1) & 50.75. CREEL, G.C. Baltimore Gas & Electric Co. 90/07/24. Document Control Branch (Document Control Desk). 45pp. 54803:177-54803:221.

9008060276 Declines invitation to provide speaker for State of MD Safe Energy Coalition upcoming meeting on 900825 re safe operation & future decommissioning of plant. WESSMAN, R.H. Assistant Director for Region I Reactors. 90/08/01. BIRNIE, P. Maryland Safe Energy Coalition. 5pp. 54855:186-54855:241.

—9008060281 Forwards certification of financial assurance for decommissioning of plant, per 900705 discussion. BURNETT, R. Region 1 (Post 820201). 90/07/10. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 105pp. 54855:242-54855:347.

P. Operating license stage documents & correspondence

9007300020 Forwards Amend 145 to License DPR-53 & safety evaluation. Amend replaces existing 0-10 EPFY & 10-40 EPFY heatup & cooldown curves w/0-12 EPFY heatup & cooldown curves. McDONALD, D.G. Project Directorate I-1. 90/07/24. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 54740:201-54740:252.

—9007300021 Amend 145 to License DPR-53, replacing existing 0-10 EPFY & 10-40 EPFY heatup & cooldown curves w/0-12 EPFY heatup & cooldown curves. WESSMAN, R. Assistant Director for Region I Reactors. 90/07/24. 34pp. 54740:205-54740:238.

—9007300022 Safety evaluation supporting Amend 145 to License DPR-53. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/24. 14pp. 54740:239-54740:252.

9008060276 Declines invitation to provide speaker for State of MD Safe Energy Coalition upcoming meeting on 900825 re safe operation & future decommissioning of plant. WESSMAN, R.H. Assistant Director for Region I Reactors. 90/08/01. BIRNIE, P. Maryland Safe Energy Coalition. 5pp. 54855:186-54855:241.

—9008060281 Forwards certification of financial assurance for decommissioning of plant, per 900705 discussion. BURNETT, R. Region 1 (Post 820201). 90/07/10. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 105pp. 54855:242-54855:347.

9008080054 Forwards plant performance improvement plan implementation program schedule status as of 900724. RUSSELL, L.B. Baltimore Gas & Electric Co. 90/08/01. Document Control Branch (Document Control Desk). 15pp. 54908:015-54908:029.

9008080262 Withdraws license amend request changing Tech Spec Pages 3/4 25a & 25b, "RCS Pressure-Temp Limitations." Change would have revised min reactor vessel flange bolt-up temp from 70 F to 90 F. CREEL, G.C. Baltimore Gas & Electric Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54905:225-54905:226.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080106 Application for amends to Licenses DPR-53 & DPR-69, revising 870710 Tech Spec amend request re reactor vessel level monitoring sys Action Statement 35-3 in Table 3.3-10. CREEL, G.C. Baltimore Gas & Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54908:141-54908:149.

—9008080110 Proposed Tech Specs revising 870710 Tech Spec amend request re reactor vessel level monitoring sys Action Statement 35-3 contained in Table 3.3-10, "Post Accident Monitoring Instrumentation." * Baltimore Gas & Electric Co. 90/08/03. 6pp. 54908:144-54908:149.

9008130184 Discusses licensee engineering initiatives. Other power reactor licenses in Region 1 should provide for sharing of info & experiences involving engineering initiatives & solutions of problems common to all. MARTIN, T.T. Region 1 (Post 820201). 90/08/06. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 54958:084-54958:087.

9008140009 Application for amends to Licenses DPR-53 & DPR-69, revising Tech Specs re low temp overpressure protection. CREEL, G.C. Baltimore Gas & Electric Co. 90/08/13. Document Control Branch (Document Control Desk). 10pp. 54971:166-54971:206.

—9008140012 Proposed Tech Specs revising low temp overpressure protection. * Baltimore Gas & Electric Co. 90/08/13. 31pp. 54971:176-54971:206.

9008210173 Forwards Performance Improvement Plan Implementation Program schedule status as of 900807. Synopsis of activities since last update & updated list of key action plan info also encl. RUSSELL, L.B. Baltimore Gas & Electric Co. 90/08/14. Document Control Branch (Document Control Desk). 15pp. 55000:175-55000:189.

Q. Inspection reports, IE Bulletins & correspondence

9008020091 Forwards Insp Repts 50-317/90-10 & 50-318/90-10 on 900604-08. No violations noted. DURR, J.P. Region 1 (Post 820201). 90/06/29. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54820:048-54820:059.

—9008020092 Insp Repts 50-317/90-10 & 50-318/90-10 on 900514-18. No violations noted. Major areas inspected: activities re engineering mods. CARRASCO, J.E., STROSNIDER, J. Region 1 (Post 820201). 90/06/15. 7pp. 54820:050-54820:059.

9008070249 Forwards Insp Repts 50-317/90-12 & 50-318/90-11 on 900604-08. No violations noted. DURR, J.P. Region 1 (Post 820201). 90/07/24. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54873:131-54873:144.

82 DOCKETED ITEMS

9008070252 Insp Repts 50-317/90-12 & 50-318/90-11 on 900604-08. No violations noted. Major areas inspected: activities re engineering mods, including replacement of LPSI pump mechanical seals & changes to salt water inlet piping. CHAUDHARY, S.K., CARRASCO, J.E., STROSNIDER, J.R. Region 1 (Post 820201). 90/07/10. 12pp. 54873:133-54873:144.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070084 Responds to NRC 900404 ltr re unresolved item noted in Insp Repts 50-317/90-80 & 50-318/90-80. Corrective action: evaluation of battery charger determined that provisions adequately verify requirements of Tech Spec 4.8.2.3.2. CREEL, G.C. Baltimore Gas & Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 4pp. 54905:062-54905:065.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160095 Forwards Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29. No violations noted. BELLAMY, R.R. Region 1 (Post 820201). 90/08/08. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 54978:348-54978:358.

9008160106 Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29. No violations noted. Major areas inspected: status of previously identified items, worker allegations, control of outage work, ALARA & site access for NRC personnel. DRAGOUN, T., PASCIAK, W. Region 1 (Post 820201). 90/08/08. 8pp. 54978:351-54978:358.

9008170078 Forwards Safety Insp Repts 50-317/90-15 & 50-318/90-14 on 900709-13. No violations noted. GALLO, R.M. Region 1 (Post 820201). 90/08/10. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54991:165-54991:176.

9008170079 Insp Repts 50-317/90-15 & 50-318/90-14 on 900709-13. No violations noted. Major areas inspected: licensee maint program. FINKE, A., BESSETTE, D. Region 1 (Post 820201). 90/08/06. 10pp. 54991:167-54991:176.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170251 Monthly operating repts for Jul 1990 for Calvert Cliffs Nuclear Power Plant. W/900813 ltr. SHANLEY, L., DENTON, R.E. Baltimore Gas & Electric Co. 90/07/31. 11pp. 54992:347-54992:357.

S. Reportable occurrences, LERs & related correspondence

9008060045 Special repton 900713, determined that meteorological info data acquisition sys out-of-svc. Cause of malfunction has not been determined. Meteorological info data acquisition sys being upgraded w/PC-based sys. DENTON, R.E. Baltimore Gas & Electric Co. 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54877:129-54877:130.

9008070305 Part 21 rept re Thomas & Betts electrical terminal lug cracking around barrel. Initially reported on 900731. All Thomas & Betts products currently stocked in warehouses isolated & ordered held in warehouse. CREEL, G.C. Baltimore Gas & Electric Co. 90/08/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 54879:254-54879:257.

9008100315 LER 90-021-00: on 900710, discovered cables supporting operation of both emergency diesel generators 11 & 12 routed through electrical equipment room. Design change issued to be implemented prior to restart of unit. W/900809 ltr. BENSE, R.H., DENTON, R.E. Baltimore Gas & Electric Co. 90/08/09. 5pp. 54953:006-54953:010.

9008230134 Special repton 900707, smoke detection sys in ECCS pump room disabled via temporary mod evaluation. Sprinkler alarm verified operable. Work in ECCS pump room scheduled for completion by 900831. DENTON, R.E. Baltimore Gas & Electric Co. 90/08/15. Document Control Branch (Document Control Desk). 2pp. 55014:289-55014:290.

9008240016 LER 89-007-01: on 890317, damaged LPSI suction piping identified while performing test on containment spray pump 11. Caused by slamming shut of check valve 12 w/ other pumps running. Restraint replaced & sys inspected. W/900817 ltr. BENSE, R.H., DENTON, R.E. Baltimore Gas & Electric Co. 90/08/17. 9pp. 55012:227-55012:235.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

Y. Dry Cask Independent Spent Fuel Storage Installations

9007300059 Forwards comments on SAR for Calvert Cliffs ISFSI. STURZ, F. Fuel Cycle Safety Branch. 90/07/23. CREEL, G.C. Baltimore Gas & Electric Co. 39pp. 54745:075-54745:113.

9007310152 Forwards "Decommissioning Plan for Calvert Cliffs ISFSI." CREEL, G.C. Baltimore Gas & Electric Co. 90/07/26. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 54803:036-54803:117.

9007310155 "Decommissioning Plan for Calvert Cliffs ISFSI." Baltimore Gas & Electric Co. 90/07/26. 78pp. 54803:038-54803:117.

9008090348 Advises that listed documents marked proprietary will be withheld from public disclosure, per 900323 request & 10CFR2.790(b)(5). CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/03. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54933:206-54933:207.

9008150293 Advises that documents marked proprietary will be withheld from public disclosure, per 900426 & 0629 ltrs & 10CFR2.790(b)(5). CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/10. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54971:250-54971:251.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008240065 Change 4 to Rev 14 to ERPIP 3.0, "Reactivity Release - Dose Estimate." W/900621 ltr. Baltimore Gas & Electric Co. 90/06/21. 18pp. 55029:206-55029:224.

9008160007 Rev 1 to "Calvert Cliffs Nuclear Power Plant Emergency Response Drill Scenario, Calvex 1990." Baltimore Gas & Electric Co. 90/07/31. 425pp. 54969:001-54970:138.

9008240056 EPIPs, including Change 1 to Rev 10 to ERPIP 4.4.4 & Change 1 to Rev 10 to ERPIP 4.4.9. Baltimore Gas & Electric Co. 90/08/03. 13pp. 55029:134-55029:146.

9008100060 Forwards environ assessment & finding of no significant impact re 900629 request for exemption from 10CFR50, App R requirements. McDONALD, D.G. Project Directorate I-1. 90/08/08. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 54943:124-54943:130.

9008100062 Environ assessment & finding of no significant impact re exemption request from requirements of 10CFR50, App R for facilities. CAPRA, R.A. Project Directorate I-1. 90/08/08. 4pp. 54943:127-54943:130.

9008160095 Forwards Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29. No violations noted. BELLAMY, R.R. Region 1 (Post 820201). 90/08/08. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 54978:348-54978:358.

9008160106 Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29. No violations noted. Major areas inspected: status of previously identified items, worker allegations, control of outage work, ALARA & site access for NRC personnel. DRAGOUN, T. Region 1 (Post 820201). 90/08/08. 8pp. 54978:351-54978:358.

9008270042 Forwards technical exemption from 10CFR50, App R requirements to permit use of portable handlights w/8 h rating as alternative to permanently installed 8 h emergency lighting. McDONALD, D.G. Project Directorate I-1. 90/08/22. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 55037:013-55037:021.

9008270043 Exemption re use of portable handlights of rechargeable type w/8 h rating as alternative to permanently installed 8 h emergency lighting. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 90/08/22. Baltimore Gas & Electric Co. 6pp. 55037:016-55037:021.

I. Financial Information

9007310205 Forwards certification of financial assurance for decommissioning of plant, per 10CFR50.33(k)(1) & 50.75. CREEL, G.C. Baltimore Gas & Electric Co. 90/07/24. Document Control Branch (Document Control Desk). 45pp. 54803:177-54803:221.

9008060276 Declines invitation to provide speaker for State of MD Safe Energy Coalition upcoming meeting on 900825 re safe operation & future decommissioning of plant.
WESSMAN,R.H. Assistant Director for Region I Reactors. 90/08/01. BIRNIE,P. Maryland Safe Energy Coalition. 5pp. 54855:186-54855:241.

-9008060281 Forwards certification of financial assurance for decommissioning of plant,per 900705 discussion.
BURNETT,R. Region 1 (Post 820201). 90/07/10. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 105pp. 54855:242-54855:347.

P. Operating license stage documents & correspondence

9008060276 Declines invitation to provide speaker for State of MD Safe Energy Coalition upcoming meeting on 900825 re safe operation & future decommissioning of plant.
WESSMAN,R.H. Assistant Director for Region I Reactors. 90/08/01. BIRNIE,P. Maryland Safe Energy Coalition. 5pp. 54855:186-54855:241.

-9008060281 Forwards certification of financial assurance for decommissioning of plant,per 900705 discussion.
BURNETT,R. Region 1 (Post 820201). 90/07/10. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 105pp. 54855:242-54855:347.

9008080054 Forwards plant performance improvement plan implementation program schedule status as of 900724.
RUSSELL,L.B. Baltimore Gas & Electric Co. 90/08/01. Document Control Branch (Document Control Desk). 15pp. 54908:015-54908:029.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080106 Application for amends to Licenses DPR-53 & DPR-69, revising 870710 Tech Spec amend request re reactor vessel level monitoring sys Action Statement 35-3 in Table 3.3-10.
CREEL,G.C. Baltimore Gas & Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54908:141-54908:149.

-9008080110 Proposed Tech Specs revising 870710 Tech Spec amend request re reactor vessel level monitoring sys Action Statement 35-3 contained in Table 3.3-10, "Post Accident Monitoring Instrumentation."
* Baltimore Gas & Electric Co. 90/08/03. 6pp. 54908:144-54908:149.

9008130184 Discusses licensee engineering initiatives.Other power reactor licenses in Region 1 should provide for sharing of info & experiences involving engineering initiatives & solutions of problems common to all.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. CREEL,G.C. Baltimore Gas & Electric Co. 4pp. 54958:084-54958:087.

9008140082 Forwards notice of withdrawal of 900801 applications for amend to License DPR-69 re shift of min pressurization temp between 530 & 20 psia on heatup & cool-down curves.
MCDONALD,D.G. Project Directorate I-1. 90/08/09. CREEL,G.C. Baltimore Gas & Electric Co. 2pp. 54962:277-54962:280.

-9008140087 Notice of withdrawal of 881101 application for amend to License DPR-69, Request for withdrawal granted.
MCDONALD,D.G. Project Directorate I-1. 90/08/09. 2pp. 54962:279-54962:280.

9008140009 Application for amends to Licenses DPR-53 & DPR-69, revising Tech Specs re low temp overpressure protection.
CREEL,G.C. Baltimore Gas & Electric Co. 90/08/13. Document Control Branch (Document Control Desk). 10pp. 54971:166-54971:206.

-9008140012 Proposed Tech Specs revising low temp overpressure protection.
* Baltimore Gas & Electric Co. 90/08/13. 31pp. 54971:176-54971:206.

9008210173 Forwards Performance Improvement Plan Implementation Program schedule status as of 900807.Synopsis of activities since last update & updated list of key action plan info also encl.
RUSSELL,L.B. Baltimore Gas & Electric Co. 90/08/14. Document Control Branch (Document Control Desk). 15pp. 55000:175-55000:189.

Q. Inspection reports, IE Bulletins & correspondence

9008020091 Forwards Insp Repts 50-317/90-10 & 50-318/90-10 on 900604-08.No violations noted.
DURR,J.P. Region 1 (Post 820201). 90/06/29. CREEL,G.C. Baltimore Gas & Electric Co. 2pp. 54820:048-54820:059.

-9008020092 Insp Repts 50-317/90-10 & 50-318/90-10 on 900514-18.No violations noted.Major areas inspected:activities re engineering mods.
CARRASCO,J.E., STROSNIER,J. Region 1 (Post 820201). 90/06/15. 7pp. 54820:050-54820:059.

9008070249 Forwards Insp Repts 50-317/90-12 & 50-318/90-11 on 900604-08.No violations noted.
DURR,J.P. Region 1 (Post 820201). 90/07/24. CREEL,G.C. Baltimore Gas & Electric Co. 2pp. 54873:131-54873:144.

-9008070252 Insp Repts 50-317/90-12 & 50-318/90-11 on 900604-08.No violations noted.Major areas inspected:activities re engineering mods,including replacement of LPSI pump mechanical seals & changes to salt water inlet piping.
CHAUDHARY,S.K., CARRASCO,J.E., STROSNIER,J.R. Region 1 (Post 820201). 90/07/10. 12pp. 54873:133-54873:144.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070084 Responds to NRC 900404 ltr re unresolved item noted in Insp Repts 50-317/90-80 & 50-318/90-80.Corrective action: evaluation of battery charger determined that provisions adequately verify requirements of Tech Spec 4.8.2.3.2.
CREEL,G.C. Baltimore Gas & Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 4pp. 54905:062-54905:065.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160095 Forwards Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/08. CREEL,G.C. Baltimore Gas & Electric Co. 3pp. 54978:348-54978:358.

-9008160106 Radiation Safety Insp Repts 50-317/90-14 & 50-318/90-12 on 900625-29.No violations noted.Major areas inspected:status of previously identified items,worker allegations,control of outage work,ALARA & site access for NRC personnel.
DRAGOUN,T., PASCIAK,W. Region 1 (Post 820201). 90/08/08. 8pp. 54978:351-54978:358.

9008170078 Forwards Safety Insp Repts 50-317/90-15 & 50-318/90-14 on 900709-13.No violations noted.
GALLO,R.M. Region 1 (Post 820201). 90/08/10. CREEL,G.C. Baltimore Gas & Electric Co. 2pp. 54991:165-54991:176.

-9008170079 Insp Repts 50-317/90-15 & 50-318/90-14 on 900709-13.No violations noted.Major areas inspected:licensee maint program.
FINKEL,A., BESSETTE,D. Region 1 (Post 820201). 90/08/06. 10pp. 54991:167-54991:176.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170251 Monthly operating repts for Jul 1990 for Calvert Cliffs Nuclear Power Plant.W/900813 ltr.
SHANLEY,L., DENTON,R.E. Baltimore Gas & Electric Co. 90/07/31. 11pp. 54992:347-54992:357.

S. Reportable occurrences, LERs & related correspondence

9008060045 Special rept on 900713,determined that meteorological info data acquisition sys out-of-svc.Cause of malfunction has not been determined.Meteorological info data acquisition sys being upgraded w/PC-based sys.
DENTON,R.E. Baltimore Gas & Electric Co. 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54877:129-54877:130.

9008070305 Part 21 rept re Thomas & Betts electrical terminal lug cracking around barrel.Initially reported on 900731.All Thomas & Betts products currently stocked in warehouses isolated & ordered held in warehouse.
CREEL,G.C. Baltimore Gas & Electric Co. 90/08/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 54879:254-54879:257.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing final exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

84 DOCKETED ITEMS

Y. Dry Cask Independent Spent Fuel Storage Installations

- 9007300059 Forwards comments on SAR for Calvert Cliffs ISFSI.
STURZ,F. Fuel Cycle Safety Branch. 90/07/23. CREEL,G.C. Baltimore Gas & Electric Co. 39pp. 54745:075-54745:113.
- 9007310152 Forwards "Decommissioning Plan for Calvert Cliffs ISFSI."
CREEL,G.C. Baltimore Gas & Electric Co. 90/07/26. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 54803:036-54803:117.
- 9007310155 "Decommissioning Plan for Calvert Cliffs ISFSI."
* Baltimore Gas & Electric Co. 90/07/26. 78pp. 54803:038-54803:117.
- 9008090348 Advises that listed documents marked proprietary will be withheld from public disclosure,per 900323 request & 10CFR2.790(b)(5).
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/03. CREEL,G.C. Baltimore Gas & Electric Co. 2pp. 54933:206-54933:207.
- 9008150293 Advises that documents marked proprietary will be withheld from public disclosure,per 900426 & 0629 ltrs & 10CFR2.790(b)(5).
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/10. CREEL,G.C. Baltimore Gas & Electric Co. 2pp. 54971:250-54971:251.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9008060005 Revised EPIPs including Rev 3 to EPIP 9471-IMP-1300.27 & Temporary Change Notice 1-90-0101 to Rev 5 to EPIP 9471-IMP-1300.04.
* General Public Utilities Corp. - GPU Service Corp. 90/07/12. 5pp. 54889:347-54889:350.
- 9008170076 Rev 2 to EPIP 9471-IMP-1300.09, "In-Plant Radiological Controls During Emergencies."
WHITELAND,J.L. General Public Utilities Corp. - GPU Service Corp. 90/07/25. 17pp. 54991:113-54991:129.
- 9008100022 Rev 6 to EPIP 9471-IMP-1300.04, "Contact/Callout of Emergency Personnel."
* General Public Utilities Corp. - GPU Service Corp. 90/08/06. 23pp. 54954:047-54954:069.
- 9008140038 Rev 3 to Procedure 8200-IMP-1720.01, "Emergency Public Info Plan & Implementing Procedure."
CLAWSON,C. General Public Utilities Corp. - GPU Service Corp. 90/08/10. 59pp. 54965:197-54965:256.

H. General correspondence

- 9007270165 Forwards Rev 25 to TMI-2 organization plan for NRC review & approval.Rev proposes consolidation of plant operations & maint sections into plant operation & maint section.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/07/20. Document Control Branch (Document Control Desk). 2pp. 54733:331-54733:334.
- 9007270167 Rev 25 to "GPU Organization Plan."
* General Public Utilities Corp. - GPU Service Corp. 90/07/20. 2pp. 54733:333-54733:334.
- 9008060079 Approves proposed Rev 25 to TMI-2 organizational plan submitted in util 900720 ltr.Change reflects reduced work activity associated w/Mode 3 & lack of need for two separate organizations to perform similar functions.
STOLZ,J.F. Project Directorate I-4. 90/07/31. LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 5pp. 54876:261-54876:265.
- 9008210142 Requests that distribution list for TMI-2 correspondence be updated to be consistent w/recently implemented organizational changes.EE Kintner,MB Roche & WJ Marshall should be deleted.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55002:357-55002:357.

I. Financial information

- 9007310120 Forwards decommissioning financial assurance certification repts for listed plants:Oyster Creek,TMI unit 1 Licenses; DPR-50 & 37-17257-02,TMI unit 2 & Saxton Nuclear Station, respectively.
MORRELL,M.P. General Public Utilities Corp. - GPU Service Corp. 90/07/26. Document Control Branch (Document Control Desk). 12pp. 54830:001-54830:195.
- 9008030078 "TMI-2 Trust Agreements."
KELLER,L.E. General Public Utilities Corp. - GPU Service Corp. 90/07/26. 37pp. 54830:115-54830:151.

P. Operating license stage documents & correspondence

- 9008090018 TMI-2 VESSEL INVESTIGATION PROJECT (VIP) METALLURGICAL PROGRAM,Project Report,January-September 1989.
DIERCKS,D.R. Argonne National Laboratory. FIN L-10050. NUREG/CR-5524 V01. 90/03/31. Division of Engineering (Post 870413). 43pp. 54872:048-54872:093.
- 9008020288 Advises that info contained in Generic Ltr 90-06,not applicable to current nonoperating & defueled condition of facility.Generic ltr will be reevaluated,if decision made to restart facility.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54830:218-54830:219.
- 07310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100326 Forwards Rev 2 to TER 3232-019, "Div Technical Evaluation Rept for Processed Water Disposal Sys." Mods include elimination of pelletizer & relocation of drumming station to discharge of blender/dryer.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54943:056-54943:099.

-9008100328 Rev 2 to "Div Technical Evaluation Rept for Processed Water Disposal Sys."
THOMAS,J.A., BUCHANAN,D.R. General Public Utilities Corp. - GPU Service Corp. TER 3232-019 R02. 90/08/01. 43pp. 54943:057-54943:099.

9008080304 Requests addl info re evaluation of post-defueling monitoring storage proposed license amend & SAR.
MASNIK,M.T. Project Directorate I-4. 90/08/06. LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 3pp. 54919:172-54919:174.

9008130200 Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum to share experiences.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. KINTNER,E. General Public Utilities Corp. - GPU Service Corp. 4pp. 54951:265-54951:268.

9008170075 Forwards safety evaluation accepting util 900307 proposed changes to Table 4.3-3 of recovery operations plan.Changes will modify surveillance & operability requirements of specific criticality monitors.
STOLZ,J.F. Project Directorate I-4. 90/08/09. LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 6pp. 54981:329-54981:336.

-9008170077 Safety evaluation accepting changes to Table 4.3-3 of recovery operations plan.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 2pp. 54981:335-54981:336.

9008210141 Advises that util will no longer provide annual update to dewatering sys for defueling canisters sys description,per NRC 900204 ltr.W/completion of defueling & shipment of all defueling canisters offsite,sys has been deactivated.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/08/13. Document Control Branch (Document Control Desk). 1p. 55002:358-55002:358.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008010223 Enforcement Notice 90-075:on 900730,proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee,based on failure to take appropriate action to resolve inattentiveness allegations re shift supervisor.
LUEHMANN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 90/07/27. 1p. 54824:292-54824:292.

9008070126 Discusses Investigation Rept 1-87-008 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000.
MARTIN,T.T. Region 1 (Post 820201). 90/07/30. CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 4pp. 54905:053-54905:059.

-9008070127 Notice of violation & proposed imposition of civil penalty in amount of \$50,000.Noncompliance noted:for indeterminate periods prior to Jul 1987,on various shifts,shift supervisor not attentive or alert to duties at times.
MARTIN,T.T. Region 1 (Post 820201). 90/07/30. 3pp. 54905:057-54905:059.

9008070144 Discusses Office of Investigations Rept 1-87-008 re observation of sleeping or appearance of sleeping on duty & forwards notice of violation.
MARTIN,T.T. Region 1 (Post 820201). 90/07/30. ILLJES,T.F. Affiliation Not Assigned. 3pp. 54930:284-54930:288.

-9008070146 Notice of violation from NRC insp.Violation noted:F-shift supervisor assigned direct responsibility for operations & control of unit,not alert/attentive to duties & exhibited longstanding pattern of sleeping/appearance of sleeping.
MARTIN,T.T. Region 1 (Post 820201). 90/07/30. 2pp. 54930:287-54930:288.

9008100034 Forwards Safety Insp Repts 50-289/90-12 & 50-320/90-05 on 900515-0626.No violations noted.Decline noted in general housekeeping for facility Unit 2 which may warrant increased mgt attention.
WENZINGER,E.C. Region 1 (Post 820201). 90/08/01. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 4pp. 54943:194-54943:210.

-9008100039 Insp Repts 50-289/90-12 & 50-320/90-12 on 900515-0626.No violations noted.Major areas inspected:Unit 1 power operations & Unit 2 cleanup activities.Actions on previous insp findings also reviewed.
RULAND,W. Region 1 (Post 820201). 90/08/01. 13pp. 54943:198-54943:210.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:264-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008200049 "TMI Citizens Monitoring Network Jul 1990 Rept." W/900814 ltr.
BAKER,D.M. Three Mile Island Citizen's Monitoring Network. 90/07/31. 13pp. 54993:135-54993:147.

9008210139 Forwards "TMI-2 Effluent & Offsite Dose Rept,First Quarter 1990," update.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 90/08/13. Document Control Branch (Document Control Desk). 3pp. 55003:265-55003:274.

-9008210140 "TMI-2 Effluent & Offsite Dose Rept,First Quarter 1990."
* General Public Utilities Corp. - GPU Service Corp. 90/03/31. 7pp. 55003:268-55003:274.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270188 Forwards Rev 8 to "FSAR" & Rev 5 to "El Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program." Repts reflect changes through 900122.
HAIRSTON,W.G. Georgia Power Co. 90/07/16. Document Control Branch (Document Control Desk). 5pp. 54808:001-54814:353.

-9007270194 "El Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program."
* Georgia Power Co. 90/07/31. 900pp. 54811:056-54814:353.

9007300036 Revised emergency implementing procedures,including Rev 2 to 73EP-EIP-062-OS,73EP-EIP-063-OS & 73EP-EIP-064-OS.W/900720 ltr.
HAIRSTON,W.G. Georgia Power Co. 90/07/20. 39pp. 54746:075-54746:113.

9008100038 Rev 3 to 73EP-EIP-073-OS, "Offsite Emergency Notifications." W/900806 ltr.
HAIRSTON,W.G. Georgia Power Co. 90/08/06. 17pp. 54942:310-54942:326.

I. Financial information

9007300102 Forwards nuclear decommissioning funding plan for plant,per 10CFR50.75(b) & 33(k).Reasonable assurance that NRC prescribed min funding will be available to decommission each unit on current expiration date exists.
DAHLBERG,A.W. Georgia Power Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54763:001-54763:252.

K. Utility Final Safety Analysis Report (FSAR) & amends

9007270188 Forwards Rev 8 to "FSAR" & Rev 5 to "El Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program." Repts reflect changes through 900122.
HAIRSTON,W.G. Georgia Power Co. 90/07/16. Document Control Branch (Document Control Desk). 5pp. 54808:001-54814:353.

-9007270192 Rev 8 to "FSAR."
* Georgia Power Co. 90/07/31. 1,300pp. 54808:007-54811:055.

-9007270194 "El Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program."
* Georgia Power Co. 90/07/31. 900pp. 54811:056-54814:353.

P. Operating license stage documents & correspondence

9007270027 Forwards "Seismic Margin Assessment Edwin I Hatch Nuclear Plant," Vols 1-3.
HAIRSTON,W.G. Georgia Power Co. 90/07/20. Document Control Branch (Document Control Desk). 11pp. 54724:001-54727:168.

-9007270028 "Seismic Margin Assessment Edwin I Hatch Nuclear Plant," Vols 1-3.
* Georgia Power Co. 90/07/20. 750pp. 54724:012-54727:168.

9008020132 Informs of implementation of Amend 169 to facility Tech Specs.
HAIRSTON,W.G. Georgia Power Co. 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54820:291-54820:292.

9008020130 Forwards final response to Generic Ltr 88-14, "Instrument Air Supply Sys Problems Affecting Safety-Related Equipment." Actions required by generic ltr completed.
HAIRSTON,W.G. Georgia Power Co. 90/07/27. Document Control Branch (Document Control Desk). 6pp. 54820:009-54820:014.

9008020149 Discusses guidance for reporting of events under requirements of 10CFR50.73 at plant,per 900525 request. Authors ofc aware that BWR Owners Group intends to pursue 10CFR50.73 interpretation issue w/NRC.
LAINAS,G.C. Assistant Director for Region II Reactors. 90/07/31. REYES,L.A. Region 2 (Post 820201). 1p. 54826:277-54826:280.

-9008020150 Provides summary of licensee position,Region II position & results of review re reporting of events under requirements of 10CFR50.73 at plant.Actuation of ESF logic w/o component operation also reportable,unless equipment removed from svc.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/12. LAINAS,G.C. Assistant Director for Region II Reactors. 3pp. 54826:278-54826:280.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008070281 Advises that 900727 response to Generic Ltr 88-14 re instrument air supply sys problems affecting safety-related equipment,acceptable.
CROCKER,L.P. Project Directorate II-3. 90/08/03. HAIRSTON,W.G. Georgia Power Co. 2pp. 54902:201-54902:202.

9008100085 Discusses util response to Generic Ltr 89-10, "Safety- Related Motor-Operated Valve (MOV) Testing & Surveillance." Recommends that licensees test MOVs in situ under design basis conditions.
CROCKER,L.P. Project Directorate II-3. 90/08/08. HAIRSTON,W.G. Georgia Power Co. 3pp. 54951:174-54951:176.

9008280306 Application for amends to Licenses DPR-57 & NPF-5,making editorial revs to Tech Specs & ETS.
HAIRSTON,W.G. Georgia Power Co. 90/08/20. Document Control Branch (Document Control Desk). 10pp. 55045:323-55045:342.

-9008280308 Proposed Tech Specs,making editorial revs to Tech Specs & ETS.
* Georgia Power Co. 90/08/20. 10pp. 55045:333-55045:342.

Q. Inspection reports, IE Bulletins & correspondence

9007270118 Forwards Insp Repts 50-321/90-14 & 50-366/90-14 on 900512-0622.No violations or deviations noted.
HERDT,A.R. Region 2 (Post 820201). 90/07/13. HAIRSTON,W.G. Georgia Power Co. 3pp. 54735:094-54735:109.

-9007270120 Insp Repts 50-321/90-14 & 50-366/90-14 on 900512-0622.No specific strengths or weaknesses of licensee programs noted. Major areas inspected:operational safety verification,maint observation,surveillance testing observation & events.
MUSSER,R.A., MOORE,L.R., BROCKMAN,K.E. Region 2 (Post 820201). 90/07/12. 13pp. 54735:097-54735:109.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280100 Forwards revised "El Hatch Nuclear Plant,Units 1 & 2 Inservice Insp Program Second 10-Yr Interval," for review & approval.Program will be implemented while awaiting SER.
HAIRSTON,W.G. Georgia Power Co. 90/08/20. Document Control Branch (Document Control Desk). 2pp. 55039:001-55039:343.

86 DOCKETED ITEMS

—9008280101 "El Hatch Nuclear Plant, Units 1 & 2 Inservice Insp Program Second 10-Yr Interval."
* Georgia Power Co. 90/08/01. 160pp. 55039:003-55039:343.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140052 Monthly operating reports for Jul 1990 for Hatch Units 1 & 2. W/900808 ltr.
BEARD, R.M., HAIRSTON, W.G. Georgia Power Co. 90/07/31. 12pp. 54961:282-54961:293.

S. Reportable occurrences, LERs & related correspondence

9008140024 LER 90-014-00: on 900718, determined that instrument check of neutron monitoring sys APRMs not performed at required frequency. Caused by personnel error. Procedure 34V-SUV-019-1S revised. W/900808 ltr.
TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 90/08/08. 7pp. 54953:257-54953:263.

9008170148 LER 90-010-01: on 900530, two unplanned ESF actuations occurred. Caused by personnel error involving noncompliance w/procedural requirements & unplanned testing of valve logic. Personnel counseled. W/900813 ltr.
TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 90/08/13. 7pp. 54979:306-54979:312.

V. Operator Examinations

9007300099 Forwards correction of typo in 900531 submittal of certification for operator licensing simulator facility. On worksheet 00-01, Exception 8, ANSI spec ref corrected to 3.2.1.
HAIRSTON, W.G. Georgia Power Co. 90/07/20. Document Control Branch (Document Control Desk). 9pp. 54756:085-54756:093.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9008060020 Forwards notice of environ assessment & finding of no significant impact re util 891215 request for license amend which would impose new License Condition 2.C(14) & exemption from emergency planning requirements of 10CFR50.54(q).
BUTLER, W.R. Project Directorate I-2. 90/07/25. LEONARD, J.D. Long Island Lighting Co. 3pp. 54856:291-54856:298.

—9008060025 Environ assessment & finding of no significant impact re issuance of license amend imposing new License Condition 2.C(14) & exemption from required emergency preparedness requirements of 10CFR50.54(q).
BUTLER, W.R. Project Directorate I-2. 90/07/25. 5pp. 54856:294-54856:298.

9008060123 Forwards Amend 6 to License NPF-82, safety evaluation, notice of issuance & exemption re defueled emergency preparedness license condition. Proposed changes would allow util to cease offsite emergency preparedness activities.
BUTLER, W.R. Project Directorate I-2. 90/07/31. LEONARD, J.D. Long Island Lighting Co. 5pp. 54877:034-54877:066.

—9008060125 Amend 6 to License NPF-82, allowing licensee to cease offsite emergency preparedness activities.
BUTLER, W.R. Project Directorate I-2. 90/07/31. 3pp. 54877:039-54877:041.

—9008060126 Safety evaluation supporting Amend 6 to License NPF-82.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 15pp. 54877:042-54877:056.

—9008060127 Notice of issuance of amend to License NPF-82 & final determination of NSHC. Amend allows licensee to cease offsite emergency preparedness activities.
BUTLER, W.R. Project Directorate I-2. 90/07/31. 3pp. 54877:057-54877:059.

—9008060130 Exemption from emergency preparedness requirements of 10CFR50.54(q) based on facility defueled condition.
VARGA, S.G. Project Directorate I-2. 90/07/31. Long Island Lighting Co. 7pp. 54877:060-54877:066.

9008140007 Notice of deactivation of offsite emergency preparedness plan & procedures.
TOREN, H. Long Island Lighting Co. 90/08/06. 8pp. 54965:171-54965:178.

9008160111 Forwards Insp Rept 50-322/90-03 on 900710-13. No violations noted. One unresolved item noted.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/07. STIEGER, W.E. Long Island Lighting Co. 5pp. 54976:301-54976:312.

—9008160112 Partially withheld Physical Security Insp Rept 50-322/90-03 on 900710-13 (ref 10CFR73.21). No violations noted. One unresolved item noted. Major areas inspected: mgt support, security program plans & audits, testing & security locks.
DEXTER, T.W., FIVEASH, S., KEIMIG, R.R. Region 1 (Post 820201). 90/08/07. 7pp. 54976:306-54976:312.

9008280301 Forwards exemption from fitness-for-duty requirements re 10CFR26, per 900315 ltr. Exemption requested to limit scope of program to persons w/unescorted access to area containing equipment necessary to support & maintain storage of fuel.
BROWN, S.S. Project Directorate I-2. 90/08/21. LEONARD, J.D. Long Island Lighting Co. 3pp. 55042:099-55042:105.

—9008280304 Exemption from full scope requirements of fitness for duty program imposed by 10CFR26 until such time that util places nuclear fuel into plant reactor vessel, provided that licensee include persons w/unescorted access in program.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 90/08/21. Long Island Lighting Co. 4pp. 55042:102-55042:105.

H. General correspondence

9008140186 Advises that util eliminated positions of outage & mod div manager & outage engineer. Safety significance of changes evaluated. No impact exist because util contractually prohibited from operating facility.
LEONARD, J.D. Long Island Lighting Co. 90/08/10. Document Control Branch (Document Control Desk). 4pp. 54962:055-54962:058.

P. Operating license stage documents & correspondence

9006210018 Responds to Generic Ltr 90-04 re status of implementation of USIs at facility.
STEIGER, W.E. Long Island Lighting Co. 90/06/14. Document Control Branch (Document Control Desk). 6pp. 54792:263-54792:268.

9008060020 Forwards notice of environ assessment & finding of no significant impact re util 891215 request for license amend which would impose new License Condition 2.C(14) & exemption from emergency planning requirements of 10CFR50.54(q).
BUTLER, W.R. Project Directorate I-2. 90/07/25. LEONARD, J.D. Long Island Lighting Co. 3pp. 54856:291-54856:298.

—9008060025 Environ assessment & finding of no significant impact re issuance of license amend imposing new License Condition 2.C(14) & exemption from required emergency preparedness requirements of 10CFR50.54(q).
BUTLER, W.R. Project Directorate I-2. 90/07/25. 5pp. 54856:294-54856:298.

9008060123 Forwards Amend 6 to License NPF-82, safety evaluation, notice of issuance & exemption re defueled emergency preparedness license condition. Proposed changes would allow util to cease offsite emergency preparedness activities.
BUTLER, W.R. Project Directorate I-2. 90/07/31. LEONARD, J.D. Long Island Lighting Co. 5pp. 54877:034-54877:066.

—9008060125 Amend 6 to License NPF-82, allowing licensee to cease offsite emergency preparedness activities.
BUTLER, W.R. Project Directorate I-2. 90/07/31. 3pp. 54877:039-54877:041.

—9008060126 Safety evaluation supporting Amend 6 to License NPF-82.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 15pp. 54877:042-54877:056.

—9008060127 Notice of issuance of amend to License NPF-82 & final determination of NSHC. Amend allows licensee to cease offsite emergency preparedness activities.
BUTLER, W.R. Project Directorate I-2. 90/07/31. 3pp. 54877:057-54877:059.

—9008060130 Exemption from emergency preparedness requirements of 10CFR50.54(q) based on facility defueled condition.
VARGA, S.G. Project Directorate I-2. 90/07/31. Long Island Lighting Co. 7pp. 54877:060-54877:066.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100200 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V licensee establishment of engineering mgrs forum to foster disciplined & coordinated approach to initiatives.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. STIEGER, W.E. Long Island Lighting Co. 6pp. 54951:177-54951:182.

9008140188 Application for amend to License NPF-82, revising Tech Specs re defueled SAR.
LEONARD, J.D. Long Island Lighting Co. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54971:125-54971:156.

—9008140189 Proposed Tech Specs re defueled SAR.
* Long Island Lighting Co. 90/08/10. 30pp. 54971:127-54971:156.

9008140192 Requests interim relief from Limiting Condition for Operation 3.7.1.2.b.3 re Tech Spec for plant svc water sys - shutdown.
LEONARD, J.D. Long Island Lighting Co. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 54962:052-54962:054.

9008140232 Forwards Rev 1 to, "Environ Qualification Rept for Class 1E Equipment for Shoreham Nuclear Power Station Unit 1 LILCO." Provides technical justification for rev.
LEONARD, J.D. Long Island Lighting Co. 90/08/10. Document Control Branch (Document Control Desk). 17pp. 54961:208-54961:235.

—9008140240 "Environ Qualification Rept for Class 1E Equipment for Shoreham Nuclear Power Station Unit 1 LILCO."
* Long Island Lighting Co. SE-90-023 R01. 83/06/30. 11pp. 54961:225-54961:235.

9008150165 Forwards environ assessment & finding of no significant impact re 900315 request for exemption from full scope of fitness for duty requirements of 10CFR26.
BUTLER, W.R. Project Directorate I-2. 90/08/13. LEONARD, J.D. Long Island Lighting Co. 4pp. 54978:133-54978:140.

—9008150169 Environ assessment & finding of no significant impact re util 900315 request for exemption from requirements of fitness for duty program of 10CFR26.
BUTLER, W.R. Project Directorate I-2. 90/08/13. 4pp. 54978:137-54978:140.

9008230189 Expresses appreciation for remarks on status & schedules during drop-in visit at Region I on 8/27/81. Summary of discussion encl.
BLOUGH, A.R. Region 1 (Post 820201). 30/03/14. LEONARD, J.D. Long Island Lighting Co. 5pp. 55018:125-55018:129.

9008170089 Forwards proposed findings & draft response to request from LILCO re decommissioning funding for facility.
VIRGILIO, M.J. Policy Development & Technical Support Branch (Post 870411). 90/08/15. WEISS, S.H. Non-Power Reactor, Decommissioning & Environ. Proj. Directorate (890730-890930). 5pp. 54984:263-54984:267.

9008230148 Forwards notice of consideration of issuance of amend to License NPF-82 & proposed NSHC determination & opportunity for hearing re 900105 application.
BUTLER, W.R. Project Directorate I-2. 90/08/15. LEONARD, J.D. Long Island Lighting Co. 4pp. 55010:312-55010:326.

-9008230149 Notice of consideration of issuance of amend to License NPF-82 & proposed NSHC determination & opportunity for hearing. Amend removes licensee authority to operate facility.
BUTLER, W.R. Project Directorate I-2. 90/08/15. 11pp. 55010:318-55010:326.

9008270110 Amends util 900810 request for interim relief from Tech Spec Limiting Condition for Operation 3.7.1.2.b.3 associated w/ plant svc water sys-shutdown. Requests that relief be granted starting 900817 & ending 900908.
LEONARD, J.D. Long Island Lighting Co. 90/08/15. Document Control Branch (Document Control Desk). 2pp. 55037:008-55037:009.

9008230151 Grants waiver of compliance from Limiting Condition for Operation 3.7.1.2.b.3 of Tech Spec on plant svc water sys, per 900810 & 15 ltrs. Waiver allows performance of underwater radiation survey & physical insp of selected fuel elements.
CAPRA, R.A. Assistant Director for Region I Reactors. 90/08/16. LEONARD, J.D. Long Island Lighting Co. 5pp. 55023:262-55023:266.

9008280301 Forwards exemption from fitness-for-duty requirements re 10CFR26, per 900315 ltr. Exemption requested to limit scope of program to persons w/ unescorted access to area containing equipment necessary to support & maintain storage of fuel.
BROWN, S.S. Project Directorate I-2. 90/08/21. LEONARD, J.D. Long Island Lighting Co. 3pp. 55042:099-55042:105.

-9008280304 Exemption from full scope requirements of fitness for duty program imposed by 10CFR26 until such time that util places nuclear fuel into plant reactor vessel, provided that licensee include persons w/ unescorted access in program.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 90/08/21. Long Island Lighting Co. 4pp. 55042:102-55042:105.

9008280377 Forwards application for amend to License NPF-82, consisting of License Change Application 8, modifying Tech Specs by deleting independent safety engineering group & associated controls.
LEONARD, J.D. Long Island Lighting Co. 90/08/21. Document Control Branch (Document Control Desk). 2pp. 55045:246-55045:256.

-9008280379 Application for amend to License NPF-82, deleting Section 6.2.3, "Independent Safety Engineering Group (ISEG)" & associated refs from Tech Specs.
LEONARD, J.D. Long Island Lighting Co. 90/08/21. 7pp. 55045:248-55045:254.

-9008280380 Proposed Tech Specs, deleting Section 6.2.3, "Independent Safety Engineering Group (ISEG)" & associated administrative controls.
* Long Island Lighting Co. 90/08/21. 2pp. 55045:255-55045:256.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008160111 Forwards Insp Rept 50-322/90-03 on 900710-13. No violations noted. One unresolved item noted.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/07. STIEGER, W.E. Long Island Lighting Co. 5pp. 54976:301-54976:312.

-9008160112 Partially withheld Physical Security Insp Rept 50-322/90-03 on 900710-13 (ref 10CFR73.21). No violations noted. One unresolved item noted. Major areas inspected: mgt support, security program plans & audits, testing & security locks.
DEXTER, T.W., FIVEASH, S., KEIMIG, R.R. Region 1 (Post 820201). 90/08/07. 7pp. 54976:306-54976:312.

900820034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Waste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

900820036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230151 Grants waiver of compliance from Limiting Condition for Operation 3.7.1.2.b.3 of Tech Spec on plant svc water sys, per 900810 & 15 ltrs. Waiver allows performance of underwater radiation survey & physical insp of selected fuel elements.
CAPRA, R.A. Assistant Director for Region I Reactors. 30/03/14. LEONARD, J.D. Long Island Lighting Co. 5pp. 55023:262-55023:266.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160170 Forwards fitness-for-duty program performance data for Jan-June 1990, per 10CFR26.71(d).
CALONE, L.J. Long Island Lighting Co. 90/08/13. Division of Reactor Inspection & Safeguards (Post 870411). 5pp. 54978:220-54978:224.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008220072 Forwards public version of corporate emergency response plan implementing procedures (IP), including Rev 7 to IP 2.2, Rev 4 to IP 3.6, Rev 10 to IP 4.3 & Rev 8 to IP 4.9.
WOMACK, L.F. Pacific Gas & Electric Co. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 55005:190-55005:290.

-9008220074 Public version of corporate emergency response plan implementing procedures (IP), including Rev 7 to IP 2.2, Rev 4 to IP 3.6, Rev 10 to IP 4.3 & Rev 8 to IP 4.9.
* Pacific Gas & Electric Co. 90/08/07. 99pp. 55005:192-55005:290.

M. Antitrust correspondence

9008070152 Advises that time for Commission to review Director's Decision DD-90-03 expired. Commission declined review. Decision became final agency action on 900724. Served on 900731. W/Certificate of Svc.
CHILK, S.J. Office of the Secretary of the Commission. #390 10672. 90/07/27. MCDIARMID, R.C. Spiegel & McDiarmid. 2pp. 54824:034-54824:035.

P. Operating license stage documents & correspondence

9008020124 "Diablo Canyon Power Plant Unit 2 Cycle 4 Startup Rept." W/ 900724 ltr.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/07/24. 11pp. 54807:310-54807:320.

9008030221 Forwards application for License Amend Request 90-06 to Licenses DPR-80 & DPR-82. Amend would allow Unit 2 safety valves 8010A to be disabled if leak rate increases.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54841:009-54841:024.

-9008030224 Application for amends to Licenses DPR-80 & DPR-82, consisting of License Amend Request 90-06. Amends would allow Unit 2 safety valve 8010A to be disabled if leak rate increases.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/07/27. 11pp. 54841:012-54841:022.

-9008030225 Proposed Tech Specs re pressurizer code safety valves.
* Pacific Gas & Electric Co. 90/07/27. 2pp. 54841:023-54841:024.

9008070011 Reviews 60-day response to Generic Ltr 88-20 re individual plant exams for Diablo Canyon Units 1 & 2.
ROOD, H. Project Directorate V. 90/07/30. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 54903:019-54903:021.

9008070270 Forwards response to NRC Questions 2-18 & 10-13 re long-term seismic program geology, seismology & geophysics issues, per 900223 ltr. Questions 1-9 relate to ground motions & will be answered in future submittals. W/one oversize figure.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/08/02. Document Control Branch (Document Control Desk). 139pp. 54950:018-54950:158.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130063 Provides info re closeout of NRC review of util response to Generic Ltr 89-06 on SPDS. Requests that util notify NRC in writing upon implementation of SPDS at facility.
ROOD, H. Project Directorate V. 90/08/10. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 54958:279-54958:281.

88 DOCKETED ITEMS

9008150185 Responds to 900709 ltr forwarding correspondence from BL Boxer & LE Panetta re seismic safety of plant. NRC will complete review of plant seismic reevaluation program & will document findings in SER.
REMICK, F.J. Commissioners (Post 750119). 90/08/10. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 55059:330-55059:333.

-9008150187 Forwards 900601 ltr from B Boxer & LE Panetta re seismic issues at plant.
DINGELL, J.D. House of Rep., Energy & Commerce. 90/07/09. CARR, K.M. Commissioners (Post 750119). 3pp. 55059:331-55059:333.

9008160076 Forwards "Reassessment of High Confidence of Low Probability of Failure Level of Diablo Canyon 230-kV Switchyard Following 1989 Loma Prieta Earthquake."
SHIFFER, J.D. Pacific Gas & Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54976:337-54976:361.

-9008160078 "Reassessment of High Confidence of Low Probability of Failure Level of Diablo Canyon 230-kV Switchyard Following 1989 Loma Prieta Earthquake."
* Pacific Gas & Electric Co. 90/08/31. 23pp. 54976:340-54976:361.

9008270092 Advises that proprietary WCAP-12221, "Advanced Digital Feedwater Control Sys for Diablo Canyon Units 1 & 2" will be withheld from public disclosure (ref 10CFR2.790), per 890328 request.
LARKINS, J.T. Project Directorate V. 90/08/20. WIESEMANN, R.A. Westinghouse Electric Corp. 3pp. 55036:275-55036:277.

9008280312 Forwards, "Response to Ground Motion Questions LP 1 & LP 9 & Workshop Questions 1 Through 6."
SHIFFER, J.D. Pacific Gas & Electric Co. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55041:090-55041:219.

-9008280315 "Response to Ground Motion Questions LP 1 & LP 9 & Workshop Questions 1 Through 6."
* Pacific Gas & Electric Co. 90/08/31. 156pp. 55041:091-55041:219.

Q. Inspection reports, IE Bulletins & correspondence

9008010182 Forwards Insp Repts 50-275/90-13 & 50-323/90-13 on 900422-0609 & notice of violation.
RICHARDS, S.A. Region 5 (Post 820201). 90/07/13. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 54805:098-54805:119.

-9008010185 Notice of violation from Insp on 900422-0609. Violations noted: work order which provided instructions for replacement of plant turbine driven auxiliary feedwater pump speed governor not appropriate to circumstances.
RICHARDS, S.A. Region 5 (Post 820201). 90/07/13. 2pp. 54805:101-54805:102.

-9008010186 Insp Repts 50-275/90-13 & 50-323/90-13 on 900422-0609. Violations noted. Major areas inspected: plant operations, maint & surveillance activities, followup of onsite events, open items & LERs.
RICHARDS, S.A. Region 5 (Post 820201). 90/07/13. 17pp. 54805:103-54805:119.

9007300013 Forwards "Diablo Canyon Power Plant Unit 2 Third Refueling Outage Inservice Insp Rept."
SHIFFER, J.D. Pacific Gas & Electric Co. 90/07/23. Document Control Branch (Document Control Desk). 1p. 54740:264-54740:326.

-9007300015 "Diablo Canyon Power Plant Unit 2 Third Refueling Outage Inservice Insp Rept."
LEGER, M.E. Pacific Gas & Electric Co. 90/07/23. 64pp. 54740:265-54740:326.

9007300014 Responds to violations noted in Insp Repts 50-275/90-16 & 50-323/90-16. Corrective actions: training on requirements of NPAP E-14 incorporated into ongoing maint training program.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/07/23. Document Control Branch (Document Control Desk). 6pp. 54740:344-54740:349.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020138 Ack receipt of 900502 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-275/90-01 & 50-323/90-01. Enforcement item 275/90-01-01 withdrawn based on addl info provided in 900502 ltr.
ZIMMERMAN, R.P. Region 5 (Post 820201). 90/07/27. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 54826:230-54826:241.

9008030219 Provides results of check valve insps conducted during third refueling outage & technical justification for scheduling addl check valve for insp in response to NRC Bulletin 89-002.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/07/27. Document Control Branch (Document Control Desk). 5pp. 54842:287-54842:291.

9008060242 Discusses Investigation Case 5-89-012 re activities under Licenses DPR-80 & DPR-82. Investigation involved concerns associated w/deficient vendor audits & interview of personnel. No willful violations identified.
ZIMMERMAN, R.P. Region 5 (Post 820201). 90/07/31. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 54890:025-54890:028.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090415 Responds to util 900705 request for addl time to reply to notice of violation. Northern California Power Agency opposes util request for time based on NRC analysis, independent of court.
MCDIARMID, R.C. Spiegel & McDiarmid. DAVIDSON, D.I. Northern California Power Agency. 90/08/03. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 54942:111-54942:113.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008200048 Responds to NRC 900713 ltr re violations noted in Insp Rept 50-323/90-13. Corrective actions: maint procedure will be developed for installation & maint of Woodward governor for auxiliary feedwater pump speed control.
SHIFFER, J.D. Pacific Gas & Electric Co. 90/08/13. Document Control Branch (Document Control Desk). 6pp. 54996:238-54996:243.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170232 Monthly operating repts for Jul 1990 for Diablo Canyon Power Plant Units 1 & 2. W/900810 ltr.
JOYCE, T.C., DAHAN, P.G., TOWNSEND, J.D. Pacific Gas & Electric Co. 90/07/31. 11pp. 54983:088-54983:098.

S. Reportable occurrences, LERs & related correspondence

9008170129 LER 90-002-01: on 900312, irradiated fuel movement conducted w/inoperable fuel handling bldg ventilation sys. Caused by personnel failure to recognize personnel doors as part of ventilation boundary. Signs posted. W/900810 ltr.
HUG, M.T., SHIFFER, J.D. Pacific Gas & Electric Co. 90/08/10. 8pp. 54979:294-54979:301.

9008170135 Forwards three analyses of shutdown events evaluated by Accident Sequence Precursor Program.
NOVAK, T.M. Division of Safety Programs (Post 870413). 90/08/15. THADANI, A.C. Division of Systems Technology (Post 890827). 1p. 54981:035-54981:060.

-9008170140 Accident sequence precursor program event analysis 424/PNO-IIT-90-02A, "LOOP Diesel Generator Failure & 36 Min Interruption of SDC During Mid-Loop Operation."
* Office for Analysis & Evaluation of Operational Data, Director. 90/04/05. 10pp. 54981:036-54981:045.

-9008170142 Accident sequence precursor program event analysis 323/87-005 R2, "Loss of RHR Cooling Results in Reactor Vessel Bulk Boiling."
* Office for Analysis & Evaluation of Operational Data, Director. 90/05/11. 9pp. 54981:046-54981:054.

-9008170144 Accident sequence precursor program event analysis "Loss of Reactor Protection Sys Bus B Causes Loss of Shutdown Cooling."
* Office for Analysis & Evaluation of Operational Data, Director. 90/02/03. 6pp. 54981:055-54981:060.

V. Operator Examinations

9008080253 Discusses generic fundamentals exam on 900606 & forwards exam form w/answers & results.
KIRSCH, D.F. Region 5 (Post 820201). 90/08/02. MARTIN, T. Pacific Gas & Electric Co. 43pp. 54858:115-54858:157.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9007310062 Revised plant emergency procedures, consisting of Rev 12 to PEP-02.6.12, Rev 7 to Vol XII to PEP-03.8.2 & Rev 33C to PEP-App A.W/900712 ltr.
HARNESS, J.L. Carolina Power & Light Co. 90/07/12. EBNETER, S.D. Region 2 (Post 820201). 34pp. 54803:001-54803:035.

9008080039 Confirms 900806 mgt meeting w/util in Atlanta,GA to discuss emergency preparedness issues.
REYES,L.A. Region 2 (Post 820201). 90/07/27. EURY,L.W. Carolina Power & Light Co. 3pp. 54905:265-54905:267.

9008200102 Notification of 900806 mgt meeting w/util in Atlanta,GA to discuss facility corporate emergency preparedness issues.
VERRELLI,D.M. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54996:127-54996:128.

9008150084 Rev 8 to EPIP PEP-03.8.2, "Personnel Accountability." W/ 900807 ltr.
HARNESSE,J.L. Carolina Power & Light Co. 90/08/07. 11pp. 54972:150-54972:160.

I. Financial Information

9007310163 Forwards, "CP&L Master Decommissioning Trust Agreement for..." providing decommissioning financial assurance certification for facility,per 10CFR50.75.
CUTTER,A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54768:176-54768:223.

9007310165 "CP&L Master Decommissioning Trust Agreement for: Brunswick Steam Electric Plant (BSEP) Unit 1,BSEP Unit 2,Shearon Harris Nuclear Power Plant,HB Robinson Steam Electric Plant Unit 2."
* Carolina Power & Light Co. 90/07/19. 44pp. 54768:180-54768:223.

9008020081 Forwards decommissioning financial assurance certification rept.Certifies that financial assurance for decommissioning util ownership share of plant will be provided in listed amount for each unit,per 10CFR50.75(c).
CUTTER,A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54820:078-54820:189.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008170082 Forwards corrections to plant updated FSAR,Amend 8,per 900601 ltr.
LOFLIN,L.I. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54991:005-54991:023.

9008170085 Corrections to plant updated FSAR,Amend 8.
* Carolina Power & Light Co. 90/08/03. 17pp. 54991:007-54991:023.

P. Operating license stage documents & correspondence

9008060055 Forwards info re NPDES permit noncompliance reported to permit agency for month of Mar 1990,per 830426 agreement.
LOFLIN,L.I. Carolina Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 2pp. 54877:069-54877:070.

9008030145 Advises that util plans to perform next integrated leak rate test during next Reload 8 outage,currently scheduled for Sept 1991.
CUTTER,A.B. Carolina Power & Light Co. 90/07/27. Document Control Branch (Document Control Desk). 1p. 54832:112-54832:112.

9008080033 Confirms 900806 mgt meeting w/util in Atlanta,GA to discuss recent significant potential for personnel overexposure.
REYES,L.A. Region 2 (Post 820201). 90/07/27. EURY,L.W. Carolina Power & Light Co. 2pp. 54905:271-54905:272.

9008030099 Forwards response to NRC 900206 request for addl info re util 870817 license amend request,extending expiration dates for OLs.
CUTTER,A.B. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54832:116-54832:118.

9008060305 Confirms 900730 electronic transfer for fourth quarterly installment payments of NRC FY90 annual fees per 10CFR171 for listed plants.
LOFLIN,L.I. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54876:314-54876:314.

9008090177 Forwards FR notice of withdrawal of 900419 application to amend Tech Spec 4.8.1.1.2.d.1 to allow one time only extension of surveillances until 901031.
L.E.N. Division of Reactor Projects - I/II (Post 870411). 90/08/02. EURY,L.W. Carolina Power & Light Co. 2pp. 54921:344-54921:347.

9008090178 Notice of withdrawal of 900419 application for amend to revise Tech Spec 4.8.1.1.2.d.1 to allow one time only extension of surveillances until 901031.
L.E.N. Project Directorate II-1. 90/08/02. 2pp. 54921:346-54921:347.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130269 Application for amends to Licenses DPR-71 & DPR-62,revising Tech Spec Section 3.4.6.3 re primary containment isolation sys.
LOFLIN,L.I. Carolina Power & Light Co. 90/08/09. Document Control Branch (Document Control Desk). 5pp. 54958:098-54958:153.

9008130270 Proposed Tech Spec Section 3.4.6.3 re primary containment isolation sys.
* Carolina Power & Light Co. 90/08/09. 55pp. 54958:101-54958:153.

9008130274 Forwards updated Tech Spec pages re 900314 application for amends to Licenses DPR-71 & DPR-62,Amends permit removal of rod sequence control sys & reduces rod worth minimizer cutoff setpoint to 10%-rated thermal power.
LOFLIN,L.I. Carolina Power & Light Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54970:158-54970:196.

9008130275 Updated Tech Specs permitting removal of rod sequence control sys & reducing rod worth minimizer cutoff setpoints to 10%-rated thermal power.
* Carolina Power & Light Co. 90/08/09. 38pp. 54970:159-54970:196.

9008240055 Application for amends to Licenses DPR-71 & DPR-62,adding footnote to Tech Spec 3.8.1.1.a,permitting offsite power source on unit in Operational Conditions 4 or 5 to be inoperable for up to 45 days.
CUTTER,A.B. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 2pp. 55029:045-55029:054.

9008240060 Proposed Tech Specs re offsite/onsite electrical distribution sys.
* Carolina Power & Light Co. 90/08/16. 8pp. 55029:047-55029:054.

9008220146 Notification of 900824 meeting w/util in Raleigh,NC to discuss licensing process & submittals.
L.E.N. Project Directorate II-1. 90/08/17. ADENSAM,E.G. Project Directorate II-1. 3pp. 55000:274-55000:276.

Q. Inspection reports, IE Bulletins & correspondence

9007270099 Ack receipt of 900601 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/90-14 & 50-325/90-14.NRC understands that supplemental response will be issued by 900723 re improvement of equipment anomalies.
VERRELLI,D.M. Region 2 (Post 820201). 90/06/26. EURY,L.W. Carolina Power & Light Co. 2pp. 54735:153-54735:154.

9007260132 Forwards Insp Repts 50-324/90-21 & 50-325/90-21 on 900521-25.No violations or deviations noted.Separate insp to review engineering work requests scheduled due to concerns raised in area.
MERSCHOFF,E.W. Region 2 (Post 820201). 90/06/27. EURY,L.W. Carolina Power & Light Co. 4pp. 54756:001-54756:020.

9007260135 Insp Repts 50-324/90-21 & 50-325/90-21 on 900521-25.No violations or deviations noted.Major areas inspected: followup of Diagnostic Evaluation Team findings.
GIBBS,R., KELLOGG,P.J. Region 2 (Post 820201). 90/06/26. 16pp. 54756:005-54756:020.

9007260170 Forwards Insp Repts 50-324/90-23 & 50-325/90-23 on 900611-15.No violations or deviations noted.Insp concluded that adequate control over engineering work requests existed.
MERSCHOFF,E.W. Region 2 (Post 820201). 90/07/11. EURY,L.W. Carolina Power & Light Co. 4pp. 54737:337-54737:349.

9007260175 Insp Repts 50-325/90-23 & 50-324/90-23 on 900611-15.No violations or deviations noted.Major areas inspected:status of corrective action program for problems noted by site issued engineering work requests.
GIBBS,R., KELLOGG,P.J. Region 2 (Post 820201). 90/07/11. 9pp. 54737:341-54737:349.

9007260197 Forwards Insp Repts 50-324/90-22 & 50-325/90-22 on 900611-15.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/07/13. EURY,L.W. Carolina Power & Light Co. 3pp. 54732:337-54732:348.

9007260198 Insp Repts 50-324/90-22 & 50-325/90-22 on 900611-15.No violations or deviations noted.Major areas inspected: planning & technical issues associated w/recirculation sys inlet & core spray sys safe-ends & piping replacement.
ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 90/07/10. 9pp. 54732:340-54732:348.

9008080093 Forwards Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10.Results of evaluations discussed.
EBNETER,S.D. Region 2 (Post 820201). 90/07/16. EURY,L.W. Carolina Power & Light Co. 4pp. 54905:214-54905:224.

9008080095 Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10.Two crews & 16 operators performed satisfactorily. Major areas evaluated:crew evaluations on simulator per NUREG-1021.
MUNRO,J., PEEBLES,T.A. Region 2 (Post 820201). 90/07/11. 7pp. 54905:218-54905:224.

9008100057 Forwards Insp Repts 50-324/90-19 & 50-325/90-19 on 900601-30 & notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 90/07/17. EURY,L.W. Carolina Power & Light Co. 3pp. 54934:331-54934:353.

9008100059 Notice of violation from insp on 900601-30.Violation noted: written procedures for local operation of reactor feed pump not developed & implemented.
VERRELLI,D.M. Region 2 (Post 820201). 90/07/17. 2pp. 54934:334-54934:335.

9008100061 Insp Repts 50-324/90-19 & 50-325/90-19 on 900601-30.No violations noted.Major areas inspected:maint observation, surveillance observation,operational safety verification, licensee self-assessment capability & onsite LER review.
PREVATTE,R.L., DANCE,H.C. Region 2 (Post 820201). 90/07/17. 18pp. 54934:336-54934:353.

9007310171 Informs of change to info in NRC Insp Repts 50-324/90-01 & 50-325/90-01 Paragraph 3.b of details.
HARNESSE,J.L. Carolina Power & Light Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54757:359-54757:360.

9008080055 Forwards Insp Repts 50-324/90-25 & 50-325/90-25 on 900709-13.Violations noted & under consideration for escalated enforcement action.
STOHR,J.P. Region 2 (Post 820201). 90/07/26. EURY,L.W. Carolina Power & Light Co. 3pp. 54905:247-54905:264.

9008080056 Insp Repts 50-324/90-25 & 50-325/90-25 on 900709-13. Violations noted.Major areas inspected:review of licensee organization & mgt controls & onsite followup of events at facility.
WRIGHT,F.N., POTTER,J.P. Region 2 (Post 820201). 90/07/26. 15pp. 54905:250-54905:264.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008200161 Notification of 900806 meeting w/util in Atlanta,GA to discuss significant potential personnel overexposure.
DANCE,H.C. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54993:193-54993:194.

90 DOCKETED ITEMS

9008230191 Forwards Insp Repts 50-325/90-27 & 50-324/90-27 on 900709-12. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/08/01. EURY, L.W. Carolina Power & Light Co. 3pp. 55016:036-55016:098.

9008230192 Insp Repts 50-324/90-27 & 50-325/90-27 on 900709-12. No violations or deviations noted. Major areas inspected: electrical sys design & maint & follow up to potential concerns identified in previous insp.
FILLION, P. Region 2 (Post 820201). 90/08/01. 8pp. 55016:091-55016:098.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 83pp. 54961:043-54961:136.

9008210175 Forwards corrected summary page for Insp Repts 50-324/90-27 & 50-325/90-27 per 900801 ltr.
JULIAN, C.A. Region 2 (Post 820201). 90/08/03. EURY, L.W. Carolina Power & Light Co. 2pp. 55063:001-55063:003.

9008270222 Revised Insp Repts 50-324/90-27 & 50-325/90-27 on 900709-12. No violations noted. Major areas inspected: electrical sys designs & maint.
FILLION, P., HUNT, M.D. Region 2 (Post 820201). 90/08/03. 1p. 55063:003-55063:003.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008270061 Forwards enforcement conference meeting summary on 900806. Issues discussed related to event associated w/traversing incore probe sys mod w/potential for significant personnel radiation exposures.
EBNETER, S.D. Region 2 (Post 820201). 90/08/14. EURY, L.W. Carolina Power & Light Co. 46pp. 55036:221-55036:266.

9008220065 Forwards NRC Operational Evaluation Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. EURY, L.W. Carolina Power & Light Co. 3pp. 55015:001-55015:089.

9008220067 Exam Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26. Exam results: 1 of 2 crews evaluated & 9 of 12 operators performed satisfactorily. One operator passed requalification exam.
MUNRO, J.F., PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. 86pp. 55015:004-55015:089.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200147 Responds to violations noted in Insp Repts 50-324/90-06 & 50-325/90-06. Corrective actions: personnel counseled on closure of locked high radiation area doors & preventive maint program established for reactor & turbine bldg gates.
HARNESS, J.L. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 3pp. 54993:216-54993:218.

9008210085 Forwards response to violations noted in Insp Repts 50-324/90-19 & 50-325/90-19. Corrective actions: procedures to shutdown reactor feed pump using manual control approved on 900627 & real time training provided to operators.
HARNESS, J.L. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55004:051-55004:054.

9008230095 Confirms that check electronically transferred to NRC on 900815 for payment of NRC insp costs, per 10CFR170.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55016:144-55016:145.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160100 Forwards monthly operating rept for Jul 1990 for Brunswick Steam Electric Plant Units 1 & 2 & corrected operating data rept for June 1990, Unit 2.
HARNESS, J.L. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54978:226-54978:251.

9008160101 Monthly operating repts for Jul 1990 for Brunswick Steam Electric Plant, Units 1 & 2.
RUMPLE, R. Carolina Power & Light Co. 90/07/31. 24pp. 54978:227-54978:250.

9008160103 Corrected monthly plant performance data sys rept for June 1990 for Brunswick Steam Electric Plant, Unit 2.
RUMPLE, R. Carolina Power & Light Co. 90/06/30. 1p. 54978:251-54978:251.

9008220135 Forwards monthly status rept on plant integrated action plan. New target completion date for D27 will be 900815.
STARKEY, R.B. Carolina Power & Light Co. 90/08/07. EBNETER, S.D. Region 2 (Post 820201). 97pp. 55001:067-55001:163.

9008220170 Forwards corrected "Effluent & Waste Disposal Annual Rept for 1988." Util understands that summary data will be used for inclusion in BNL rept of radioactive effluents released from commercial nuclear power plants during 1988.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/15. TICHLER, J.L. Brookhaven National Laboratory. 2pp. 55015:116-55015:136.

9008220181 Corrected "Effluent & Waste Disposal Annual Rept for 1988."
* Carolina Power & Light Co. 88/12/31. 19pp. 55015:118-55015:136.

S. Reportable occurrences, LERs & related correspondence

9008020126 LER 90-004-01: on 900313, manual reactor scram initiated due to failure of safety relief valve G to close during startup testing. Caused by inoperable solenoid valve. Solenoid valve replaced. W/900727 ltr.
JONES, T.M., HARNESS, J.L. Carolina Power & Light Co. 90/07/27. 6pp. 54815:248-54815:253.

9008070039 LER 88-001-07: on 880102, manual reactor scram occurred due to decreasing main condenser vacuum. Reactor power at 55% & vacuum decreased to 22 inches mercury. Caused by leaks on main turbine piping. Piping repaired. W/900801 ltr.
JONES, T.M., HARNESS, J.L. Carolina Power & Light Co. 90/08/01. 11pp. 54831:106-54831:116.

V. Operator Examinations

9008080093 Forwards Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Results of evaluations discussed.
EBNETER, S.D. Region 2 (Post 820201). 90/07/16. EURY, L.W. Carolina Power & Light Co. 4pp. 54905:214-54905:224.

9008080095 Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Two crews & 16 operators performed satisfactorily. Major areas evaluated: crew evaluations on simulator per NUREG-1021.
MUNRO, J., PEEBLES, T.A. Region 2 (Post 820201). 90/07/11. 7pp. 54905:218-54905:224.

9008080057 Ack receipt of 900628 response to confirmation of action ltr re results of root cause analysis for failures of requalification exam & operational evaluation & associated long-term corrective action plan.
EBNETER, S.D. Region 2 (Post 820201). 90/07/25. EURY, L.W. Carolina Power & Light Co. 4pp. 54908:030-54908:033.

9008080023 Confirms 900815 mgt meeting in Atlanta, GA to discuss issues re operator training program, including root cause & corrective actions, shortcomings in root cause analysis, scheduling future insps & integration of action plan items.
REYES, L.A. Region 2 (Post 820201). 90/07/27. EURY, L.W. Carolina Power & Light Co. 2pp. 54919:215-54919:216.

9008200175 Notification of 900815 meeting w/util in Atlanta, GA to discuss licensee root cause analysis of recent operator requalification test failures.
DANCE, H.C. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54993:195-54993:196.

9008090043 Advises of plans to complete remaining portions of licensed operator requalification exams during Oct-Dec 1990.
CUTTER, A.B. Carolina Power & Light Co. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54922:277-54922:279.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing final exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008220065 Forwards NRC Operational Evaluation Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. EURY, L.W. Carolina Power & Light Co. 3pp. 55015:001-55015:089.

9008220067 Exam Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26. Exam results: 1 of 2 crews evaluated & 9 of 12 operators performed satisfactorily. One operator passed requalification exam.
MUNRO, J.F., PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. 86pp. 55015:004-55015:089.

9008210085 Forwards response to violations noted in Insp Repts 50-324/90-19 & 50-325/90-19. Corrective actions: procedures to shutdown reactor feed pump using manual control approved on 900627 & real time training provided to operators.
HARNESS, J.L. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55004:051-55004:054.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008090152 Responds to NRC 900404 comments re Brunswick Steam Electric Plant ISFSI matis license application dtd 900427.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 10pp. 54921:153-54921:162.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

9007310062 Revised plant emergency procedures, consisting of Rev 12 to PEP-02.6.12, Rev 7 to Vol XIII to PEP-03.8.2 & Rev 33C to PEP-App A.W/900712 ltr. HARNESS, J.L. Carolina Power & Light Co. 90/07/12. EBNETER, S.D. Region 2 (Post 820201). 34pp. 54803:001-54803:035.

9008080039 Confirms 900806 mgt meeting w/util in Atlanta, GA to discuss emergency preparedness issues. REYES, L.A. Region 2 (Post 820201). 90/07/27. EURY, L.W. Carolina Power & Light Co. 3pp. 54905:265-54905:267.

9008200102 Notification of 900806 mgt meeting w/util in Atlanta, GA to discuss facility corporate emergency preparedness issues. VERRELLI, D.M. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54996:127-54996:128.

9008150084 Rev 8 to EPIP PEP-03.8.2, "Personnel Accountability." W/ 900807 ltr. HARNESS, J.L. Carolina Power & Light Co. 90/08/07. 11pp. 54972:150-54972:160.

I. Financial Information

9007310163 Forwards, "CP&L Master Decommissioning Trust Agreement for..." providing decommissioning financial assurance certification for facility, per 10CFR50.75. CUTTER, A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54768:176-54768:223.

-9007310165 "CP&L Master Decommissioning Trust Agreement for Brunswick Steam Electric Plant (BSEP) Unit 1, BSEP Unit 2, Shearon Harris Nuclear Power Plant, HB Robinson Steam Electric Plant Unit 2." * Carolina Power & Light Co. 90/07/19. 44pp. 54768:180-54768:223.

9008020081 Forwards decommissioning financial assurance certification rept. Certifies that financial assurance for decommissioning util ownership share of plant will be provided in listed amount for each unit, per 10CFR50.75(c). CUTTER, A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54820:078-54820:189.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008170082 Forwards corrections to plant updated FSAR, Amend 8, per 900601 ltr. LOFLIN, L.I. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54991:005-54991:023.

-9008170085 Corrections to plant updated FSAR, Amend 8. * Carolina Power & Light Co. 90/08/03. 17pp. 54991:007-54991:023.

P. Operating license stage documents & correspondence

9008060055 Forwards info re NPDES permit noncompliance reported to permit agency for month of Mar 1990, per 830426 agreement. LOFLIN, L.I. Carolina Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 2pp. 54877:069-54877:070.

9008080033 Confirms 900806 mgt meeting w/util in Atlanta, GA to discuss recent significant potential for personnel overexposure. REYES, L.A. Region 2 (Post 820201). 90/07/27. EURY, L.W. Carolina Power & Light Co. 2pp. 54905:271-54905:272.

9008030099 Forwards response to NRC 900206 request for addl info re util 870817 license amend request, extending expiration dates for OLS. CUTTER, A.B. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54832:116-54832:118.

9008060305 Confirms 900730 electronic transfer for fourth quarterly installment payments of NRC FY90 annual fees per 10CFR171 for listed plants. LOFLIN, L.I. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54876:314-54876:314.

9008090177 Forwards FR notice of withdrawal of 900419 application to amend Tech Spec 4.8.1.1.2.d.1 to allow one time only extension of surveillances until 901031. LE, N.B. Division of Reactor Projects - I/II (Post 870411). 90/08/02. EURY, L.W. Carolina Power & Light Co. 2pp. 54921:344-54921:347.

-9008090178 Notice of withdrawal of 900419 application for amend to revise Tech Spec 4.8.1.1.2.d.1 to allow one time only extension of surveillances until 901031. LE, N. Project Directorate II-1. 90/08/02. 2pp. 54921:346-54921:347.

9007310052 Suppl 2 to Generic LR 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130269 Application for amends to Licenses DPR-71 & DPR-62, revising Tech Spec Section 3.4.6.3 re primary containment isolation sys. LOFLIN, L.I. Carolina Power & Light Co. 90/08/09. Document Control Branch (Document Control Desk). 5pp. 54958:096-54958:153.

-9008130270 Proposed Tech Spec Section 3.4.6.3 re primary containment isolation sys. * Carolina Power & Light Co. 90/08/09. 55pp. 54958:101-54958:153.

9008130274 Forwards updated Tech Spec pages re 900314 application for amends to Licenses DPR-71 & DPR-62. Amends permit removal of rod sequence control sys & reduces rod worth minimizer cutoff setpoint to 10%-rated thermal power. LOFLIN, L.I. Carolina Power & Light Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54970:158-54970:196.

-9008130275 Updated Tech Specs permitting removal of rod sequence control sys & reducing rod worth minimizer cutoff setpoints to 10%-rated thermal power. * Carolina Power & Light Co. 90/08/09. 38pp. 54970:159-54970:196.

9008240055 Application for amends to Licenses DPR-71 & DPR-62, adding footnote to Tech Spec 3.8.1.1.a, permitting offsite power source on unit in Operational Conditions 4 or 5 to be inoperable for up to 45 days. CUTTER, A.B. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 2pp. 55029:045-55029:054.

-9008240060 Proposed Tech Specs re offsite/onsite electrical distribution sys. * Carolina Power & Light Co. 90/08/16. 8pp. 55029:047-55029:054.

9008220146 Notification of 900824 meeting w/util in Raleigh, NC to discuss licensing process & submittals. LE, N. Project Directorate II-1. 90/08/17. ADENSAM, E.G. Project Directorate II-1. 3pp. 55000:274-55000:276.

Q. Inspection reports, IE Bulletins & correspondence

9007270099 Ack receipt of 900601 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/90-14 & 50-325/90-14. NRC understands that supplemental response will be issued by 900723 re improvement of equipment anomalies. VERRELLI, D.M. Region 2 (Post 820201). 90/06/26. EURY, L.W. Carolina Power & Light Co. 2pp. 54735:153-54735:154.

9007260132 Forwards Insp Repts 50-324/90-21 & 50-325/90-21 on 900521-25. No violations or deviations noted. Separate insp to review engineering work requests scheduled due to concerns raised in area. MERSCHOFF, E.W. Region 2 (Post 820201). 90/06/27. EURY, L.W. Carolina Power & Light Co. 4pp. 54756:001-54756:020.

-9007260135 Insp Repts 50-324/90-21 & 50-325/90-21 on 900521-25. No violations or deviations noted. Major areas inspected: followup of Diagnostic Evaluation Team findings. GIBBS, R., KELLOGG, P.J. Region 2 (Post 820201). 90/06/26. 16pp. 54756:005-54756:020.

9007260170 Forwards Insp Repts 50-324/90-23 & 50-325/90-23 on 900611-15. No violations or deviations noted. Insp concluded that adequate control over engineering work requests existed. MERSCHOFF, E.W. Region 2 (Post 820201). 90/07/11. EURY, L.W. Carolina Power & Light Co. 4pp. 54737:337-54737:349.

-9007260175 Insp Repts 50-325/90-23 & 50-324/90-23 on 900611-15. No violations or deviations noted. Major areas inspected: status of corrective action program for problems noted by site issued engineering work requests. GIBBS, R., KELLOGG, P.J. Region 2 (Post 820201). 90/07/11. 9pp. 54737:341-54737:349.

9007260197 Forwards Insp Repts 50-324/90-22 & 50-325/90-22 on 900611-15. No violations or deviations noted. JULIAN, C.A. Region 2 (Post 820201). 90/07/13. EURY, L.W. Carolina Power & Light Co. 3pp. 54732:337-54732:348.

-9007260198 Insp Repts 50-324/90-22 & 50-325/90-22 on 900611-15. No violations or deviations noted. Major areas inspected: planning & technical issues associated w/re-circulation sys inlet & core spray sys safe-ends & piping replacement. ECONOMOS, N., BLAKE, J.J. Region 2 (Post 820201). 90/07/10. 9pp. 54732:340-54732:348.

9008080093 Forwards Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Results of evaluations discussed. EBNETER, S.D. Region 2 (Post 820201). 90/07/16. EURY, L.W. Carolina Power & Light Co. 4pp. 54905:214-54905:224.

-9008080095 Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Two crews & 16 operators performed satisfactorily. Major areas evaluated: crew evaluations on simulator per NUREG-1021. MUNRO, J. Region 2 (Post 820201). 90/07/11. 7pp. 54905:218-54905:224.

9008100057 Forwards Insp Repts 50-324/90-19 & 50-325/90-19 on 900601-30 & notice of violation. VERRELLI, D.M. Region 2 (Post 820201). 90/07/17. EURY, L.W. Carolina Power & Light Co. 3pp. 54934:331-54934:353.

-9008100061 Insp Repts 50-324/90-19 & 50-325/90-19 on 900601-30. No violations noted. Major areas inspected: maint observation, surveillance observation, operational safety verification, licensee self-assessment capability & onsite LER review. PREVATTE, R.L., DANCE, H.C. Region 2 (Post 820201). 90/07/17. 18pp. 54934:336-54934:353.

9007310171 Informs of change to info in NRC Insp Repts 50-324/90-01 & 50-325/90-01 Paragraph 3.b of details. HARNESS, J.L. Carolina Power & Light Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54757:359-54757:360.

9008080055 Forwards Insp Repts 50-324/90-25 & 50-325/90-25 on 900709-13. Violations noted & under consideration for escalated enforcement action. STORR, J.P. Region 2 (Post 820201). 90/07/26. EURY, L.W. Carolina Power & Light Co. 3pp. 54905:247-54905:264.

-9008080056 Insp Repts 50-324/90-25 & 50-325/90-25 on 900709-13. Violations noted. Major areas inspected: review of licensee organization & mgt controls & onsite followup of events at facility. WRIGHT, F.N., POTTER, J.P. Region 2 (Post 820201). 90/07/26. 15pp. 54905:250-54905:264.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008200161 Notification of 900806 meeting w/util in Atlanta, GA to discuss significant potential personnel overexposure. DANCE, H.C. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54993:193-54993:194.

92 DOCKETED ITEMS

9008230191 Forwards Insp Repts 50-325/90-27 & 50-324/90-27 on 900709-12. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/08/01. EURY, L.W. Carolina Power & Light Co. 3pp. 55016:088-55016:098.

9008230192 Insp Repts 50-324/90-27 & 50-325/90-27 on 900709-12. No violations or deviations noted. Major areas inspected: electrical sys design & maint & follow up to potential concerns identified in previous insp.
FILLION, P. Region 2 (Post 820201). 90/08/01. 8pp. 55016:091-55016:098.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008210175 Forwards corrected summary page for Insp Repts 50-324/90-27 & 50-325/90-27, per 900801 ltr.
JULIAN, C.A. Region 2 (Post 820201). 90/08/03. EURY, L.W. Carolina Power & Light Co. 2pp. 55063:001-55063:003.

9008270222 Revised Insp Repts 50-324/90-27 & 50-325/90-27 on 900709-12. No violations noted. Major areas inspected: electrical sys designs & maint.
FILLION, P., HUNT, M.D. Region 2 (Post 820201). 90/08/03. 1p. 55063:003-55063:003.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54978:186-54978:275.

9008270061 Forwards enforcement conference meeting summary on 900806. Issues discussed related to event associated w/traversing incore probe sys mod w/potential for significant personnel radiation exposures.
EBNETER, S.D. Region 2 (Post 820201). 90/08/14. EURY, L.W. Carolina Power & Light Co. 46pp. 55036:221-55036:266.

9008220065 Forwards NRC Operational Evaluation Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. EURY, L.W. Carolina Power & Light Co. 3pp. 55015:001-55015:089.

9008220067 Exam Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26. Exam results: 1 of 2 crews evaluated & 9 of 12 operators performed satisfactorily. One operator passed requalification exam.
MUNRO, J.F. Region 2 (Post 820201). 90/08/15. 86pp. 55015:004-55015:089.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200147 Responds to violations noted in Insp Repts 50-324/90-06 & 50-325/90-06. Corrective actions: personnel counseled on closure of locked high radiation area doors & preventive maint program established for reactor & turbine bldg gates.
HARNESS, J.L. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 3pp. 54993:216-54993:218.

9008210065 Forwards response to violations noted in Insp Repts 50-324/90-19 & 50-325/90-19. Corrective actions: procedures to shutdown reactor feed pump using manual control approved on 900827 & real time training provided to operators.
HARNESS, J.L. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55004:051-55004:054.

9008230095 Confirms that check electronically transferred to NRC on 900815 for payment of NRC insp costs, per 10CFR170.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55016:144-55016:145.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160100 Forwards monthly operating rept for Jul 1990 for Brunswick Steam Electric Plant Units 1 & 2 & corrected operating data rept for June 1990, Unit 2.
HARNESS, J.L. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54978:226-54978:251.

9008160101 Monthly operating repts for Jul 1990 for Brunswick Steam Electric Plant, Units 1 & 2.
RUMPLE, R. Carolina Power & Light Co. 90/07/31. 24pp. 54978:227-54978:250.

9008160103 Corrected monthly plant performance data sys rept for June 1990 for Brunswick Steam Electric Plant, Unit 2.
RUMPLE, R. Carolina Power & Light Co. 90/08/30. 1p. 54978:251-54978:251.

9008220135 Forwards monthly status rept on plant integrated action plan. New target completion date for D27 will be 900815.
STARKEY, R.B. Carolina Power & Light Co. 90/08/07. EBNETER, S.D. Region 2 (Post 820201). 87pp. 55001:067-55001:163.

9008220170 Forwards corrected "Effluent & Waste Disposal Annual Rept for 1988." Util understands that summary data will be used for inclusion in BNL rept of radioactive effluents released from commercial nuclear power plants during 1988.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/15. TICHLER, J.L. Brookhaven National Laboratory. 2pp. 55015:116-55015:136.

9008220181 Corrected "Effluent & Waste Disposal Annual Rept for 1988."
* Carolina Power & Light Co. 88/12/31. 19pp. 55015:118-55015:136.

S. Reportable occurrences, LERs & related correspondence

9008010087 LER 90-009-01: on 900507, determined that requirements of Tech Spec 4.6.1.1a not being met for RHR sys E11-F103A/B valves. Caused by inadequacy of periodic test PT-2.2.4a. Test revised. W/900727 ltr.
HARRIS, T., HARNESS, J.L. Carolina Power & Light Co. 90/07/27. 6pp. 54792:122-54792:127.

9008090072 LER 90-012-00: on 900705, determined that 18-month surveillance on battery 1A-1 exceeded surveillance time interval. Probably caused by Tech Spec change & rescheduling of outage. Personnel counseled. W/900806 ltr.
JONES, T.M., HARNESS, J.L. Carolina Power & Light Co. 90/08/06. 7pp. 54904:342-54904:348.

9008130208 LER 90-007-01: on 900511, identified that emergency air filtration sys inlet damper 2L-D-CB would fail to close on loss of power to damper solenoid valve. Caused by inadequate damper design. Damper secured & mod implemented. W/900810 ltr.
HARRIS, T., HARNESS, J.L. Carolina Power & Light Co. 90/08/10. 8pp. 54953:048-54953:055.

V. Operator Examinations

9008080093 Forwards Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Results of evaluations discussed.
EBNETER, S.D. Region 2 (Post 820201). 90/07/16. EURY, L.W. Carolina Power & Light Co. 4pp. 54905:214-54905:224.

9008080095 Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Two crews & 16 operators performed satisfactorily. Major areas evaluated: crew evaluations on simulator per NUREG-1021.
MUNRO, J., PEEBLES, T.A. Region 2 (Post 820201). 90/07/11. 7pp. 54905:218-54905:224.

9008080057 Ack receipt of 900628 response to confirmation of action ltr re results of root cause analysis for failures of requalification exam & operational evaluation & associated long-term corrective action plan.
EBNETER, S.D. Region 2 (Post 820201). 90/07/25. EURY, L.W. Carolina Power & Light Co. 4pp. 54908:030-54908:033.

9008080023 Confirms 900815 mgt meeting in Atlanta, GA to discuss issues re operator training program, including root cause & corrective actions, shortcomings in root cause analysis, scheduling future insps & integration of action plan items.
REYES, L.A. Region 2 (Post 820201). 90/07/27. EURY, L.W. Carolina Power & Light Co. 2pp. 54919:215-54919:216.

9008200175 Notification of 900815 meeting w/util in Atlanta, GA to discuss licensee root cause analysis of recent operator requalification test failures.
DANCE, H.C. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54993:195-54993:196.

9008090043 Advises of plans to complete remaining portions of licensed operator requalification exams during Oct-Dec 1990.
CUTTER, A.B. Carolina Power & Light Co. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54922:277-54922:279.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008220065 Forwards NRC Operational Evaluation Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. EURY, L.W. Carolina Power & Light Co. 3pp. 55015:001-55015:089.

9008220067 Exam Repts 50-324/OL-90-04 & 50-325/OL-90-04 on 900725 & 26. Exam results: 1 of 2 crews evaluated & 9 of 12 operators performed satisfactorily. One operator passed requalification exam.
MUNRO, J.F., PEEBLES, T.A. Region 2 (Post 820201). 90/08/15. 86pp. 55015:004-55015:089.

9008210085 Forwards response to violations noted in Insp Repts 50-324/90-19 & 50-325/90-19. Corrective actions: procedures to shutdown reactor feed pump using manual control approved on 900827 & real time training provided to operators.
HARNESS, J.L. Carolina Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 4pp. 55004:051-55004:054.

Y. Dry Cask Independent Spent Fuel Storage Installations

9008090152 Responds to NRC 900404 comments re Brunswick Steam Electric Plant ISFSI matts license application dtd 900427.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 10pp. 54921:153-54921:162.

DOCKET 50-326 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR**F. Security, medical, emergency & fire protection plans**

9007310241 Forwards Safeguards Insp Rept 50-326/90-02 on 900709-10. No violations or deviations identified. Rept withheld per 10CFR2.790.
ROBERTS, J.P. Region 5 (Post 820201). 90/07/24. MOORE, H.W. California, Univ. of, Irvine, CA. 2pp. 54770:037-54770:038.

G. Inspection reports, IE Bulletins & correspondence

9007310241 Forwards Safeguards Insp Rept 50-326/90-02 on 900709-10. No violations or deviations identified. Rept withheld per 10CFR2.790.
ROBERTS, J.P. Region 5 (Post 820201). 90/07/24. MOORE, H.W. California, Univ. of, Irvine, CA. 2pp. 54770:037-54770:038.

R. Periodic operating reports & related correspondence

9008070322 "Univ of California Irvine Nuclear Reactor Facility Annual Rept for Jul 1989 to June 1990." W/900804 ltr.
MILLER, G.E. California, Univ. of, Irvine, CA. 90/06/30. 11pp. 54896:344-54896:353.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

9007310090 Considers 900425 request for approval to eliminate site local recovery ctrs withdrawn. Review terminated.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:251-54796:253.

9008020136 Forwards revised commitment to resolve EOP step deviation document review comments.
MEDFORD, M.O. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:332-54805:334.

9008020211 Forwards Amend 142 to License DPR-77 & safety evaluation. Amend modifies Table 3.3-11, "Fire Detection Instruments."
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/27. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54826:020-54826:028.

-9008020216 Amend 142 to License DPR-77, modifying Tech Spec 3.3-11, "Fire Detection Instruments."
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/27. 4pp. 54826:022-54826:025.

9008070361 Forwards Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends modify Tech Spec 3/4.7.11 re fire suppressions sys.
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54901:147-54901:160.

-9008070364 Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively, modifying Tech Spec 3/4.7.11 re fire suppression sys.
HEBDON, F.J. Assistant Director for Region II Reactors. 90/07/31. 9pp. 54901:150-54901:158.

-9008070365 Safety evaluation supporting Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 2pp. 54901:159-54901:160.

9008100027 Revised EIPs, including Rev 3 to EIP-6, Rev 3 to EIP-7 & Rev 1 to EIP-14. W/900803 ltr.
WALLACE, E.G. Tennessee Valley Authority. 90/08/03. 38pp. 54944:002-54944:039.

9008200121 Forwards Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54996:036-54996:057.

-9008200123 Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: observation & evaluation of annual emergency response exercise.
KREH, J.L. Region 2 (Post 820201). 90/07/31. 18pp. 54996:040-54996:057.

I. Financial Information

9007270157 Provides util statement of intent to have adequate funds available for de-commissioning activities.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 6pp. 54734:087-54734:092.

P. Operating license stage documents & correspondence

9007300005 Forwards environ assessment & finding of no significant impact re 900504 request for increase in enrichment of fuel assemblies to 5.0% weight U-235 for plan.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54756:047-54756:053.

-9007300007 Environ assessment & finding of no significant impact re 900504 request for amends to Licenses DPR-77 & DPR-79. Amends increase max allowed fuel enrichment in assemblies used onsite to 5.0% weight U-235 & adds surveillance requirement.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. 5pp. 54756:049-54756:053.

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/differing views expressed by employees in licensee nuclear power program.

MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

-9007310072 Forwards review of util current practices & procedures for dealing w/differing views expressed by employees in licensee Nuclear Power Program.
RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020136 Forwards revised commitment to resolve EOP step deviation document review comments.
MEDFORD, M.O. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:332-54805:334.

9008020211 Forwards Amend 142 to License DPR-77 & safety evaluation. Amend modifies Table 3.3-11, "Fire Detection Instruments."
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/27. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54826:020-54826:028.

-9008020216 Amend 142 to License DPR-77, modifying Tech Spec 3.3-11, "Fire Detection Instruments."
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/27. 4pp. 54826:022-54826:025.

-9008020218 Safety evaluation supporting Amend 142 to License DPR-77.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/27. 3pp. 54826:026-54826:028.

9008090255 Forwards add info re plant condition adverse to quality rept concerning operability determination. Probability of cable damage during installation low. No grammatic cable installation problems exist.
WALLACE, E.G. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 9pp. 54942:266-54942:274.

9008020133 Forwards Rev 1 to TVA welding project final rept, initially submitted on 890825, reflecting rev of existing specs.
WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008070361 Forwards Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends modify Tech Spec 3/4.7.11 re fire suppressions sys.
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54901:147-54901:160.

-9008070364 Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively, modifying Tech Spec 3/4.7.11 re fire suppression sys.
HEBDON, F.J. Assistant Director for Region II Reactors. 90/07/31. 9pp. 54901:150-54901:158.

-9008070365 Safety evaluation supporting Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 2pp. 54901:159-54901:160.

9008070369 Forwards Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends modify Tech Specs to increase max enrichment of fuel allowed on site from 4.0 to 5.0 weight percent (w/o) U-235.
DONOHEW, J.N. Assistant Director for Region II Reactors. 90/08/01. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54901:161-54901:183.

-9008070372 Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively, increasing max enrichment fuel allowed on site from 4.0 to 5.0 weight percent (w/o) U-235.
HEBDON, F.J. Assistant Director for Region II Reactors. 90/08/01. 13pp. 54901:165-54901:177.

-9008070373 Safety evaluation supporting Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 6pp. 54901:178-54901:183.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080134 "Reactor Bldg Containment Integrated Leak Rate Test, Sequoyah Nuclear Plant Unit 1 Conducted on 900504-06." W/900806 ltr.
WALLACE, E.G. Tennessee Valley Authority. 90/08/06. 152pp. 54914:001-54914:149.

9008100116 Provides evaluation of util justification for continued operation re cable testing program. Concludes that justification provides acceptable basis for continued operation until cable testing or replacement completed.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/08. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 54943:169-54943:173.

9008130039 Forwards corrected forwarding ltr & encl re Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively. Fuel assembly enrichment & boron values corrected. Corrected Page 3/4 3-63 to Amend 142 to License DPR-77 also encl.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55063:004-55063:010.

94 DOCKETED ITEMS

—9008170273 Corrects ltr forwarding Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively. Fuel assembly enrichment, burnup & boron values corrected.
* Assistant Director for Region II Reactors, 90/08/01. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 55063:007-55063:008.

—9008130040 Corrected Amend 142 to License DPR-77, Page 3/4 3-63, adding amend number on page.
* Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/10. 2pp. 55063:009-55063:010.

9008150286 Provides info that clarifies organizational Topical Rept TVA-NPOD89, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues.
CORTLAND, P. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 10pp. 54981:347-54981:355.

9008230089 Provides clarification of implementation of replacement items project at plant for previously procured warehouse inventory. Util committed to 100% dedication of commercial grade, QA, Level II, previous procurement warehouse spare.
WALLACE, E.G. Tennessee Valley Authority. 90/08/15. Document Control Branch (Document Control Desk). 3pp. 55015:311-55015:313.

9008240094 Forwards cable test program resolution plan to resolve issues re pulleys, jamming & vertical supported cable & TVA-identified cable damage. TVA commits to take actions prior to startup to verify integrity of safety-related cables.
WALLACE, E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 19pp. 55029:085-55029:103.

9008240095 Submits implementation schedule for cable tray support program. Util proposes deferral of portion of remaining activities until after current Unit 2 Cycle 4 refueling outage, per 900817 meeting. TVA presentation matl encl.
WALLACE, E.G. Tennessee Valley Authority. 90/08/20. Document Control Branch (Document Control Desk). 17pp. 55029:065-55029:082.

9008300089 Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response.
HEBDON, F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/24. ZIGROSSI, N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.

Q. Inspection reports, IE Bulletins & correspondence

9007270075 Ack receipt of 900605 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/90-14 & 50-328/90-14.
WILSON, B.A. Region 2 (Post 820201). 90/06/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54735:150-54735:152.

9008080020 Discusses SALP Repts 50-327/90-09 & 50-328/90-09 & forwards summary of 900530 SALP meeting. Improvements noted. Encourages pursuance & monitoring of effectiveness of corrective actions.
EDNETER, S.D. Region 2 (Post 820201). 90/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 15pp. 54906:265-54906:299.

—9008080021 Forwards response to SALP Repts 50-327/90-09 & 50-328/90-09 for 900204 - 900305, including corrective actions & improvements being implemented.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/16. Document Control Branch (Document Control Desk). 20pp. 54906:280-54906:299.

9007310154 Advises that 900119 response to NRC Bulletin 89-003, "Potential Loss of Required Shutdown Margin During Refueling Operations," acceptable.
HEBDON, F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:152-54796:154.

9008080001 Forwards Insp Repts 50-327/90-22 & 50-328/90-22 on 900606-0705 & notice of violation. NRC decided not to hold enforcement conference or propose civil penalty because significant changes in plant mgt occurred.
WILSON, B.A. Region 2 (Post 820201). 90/07/26. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:001-54931:029.

—9008080002 Notice of violation from insp on 900606-0705. Violation noted: licensee exceeded overtime requirements of AI-30 on numerous occasions from Nov 1989 - 900527 w/o proper authorization.
WILSON, B.A. Region 2 (Post 820201). 90/07/27. 2pp. 54931:005-54931:006.

—9008080003 Insp Repts 50-327/90-22 & 50-328/90-22 on 900606-0705. Violation noted. Major areas inspected: operational safety verification, including control room observations, operations performance, sys lineups & radiation protection.
HARMON, P., LITTLE, W.S. Region 2 (Post 820201). 90/07/26. 23pp. 54931:007-54931:029.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008100131 Responds to unresolved items which remain open from Insp Repts 50-327/90-18 & 50-328/90-18. TVA in agreement w/NRC on scope of work required to address concerns w/exception of design basis accident & zero period acceleration effects.
WALLACE, E.G. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 28pp. 54954:001-54954:028.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008200121 Forwards Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54996:036-54996:057.

—9008200123 Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: observation & evaluation of annual emergency response exercise.
KREH, J.L. Region 2 (Post 820201). 90/07/31. 18pp. 54996:040-54996:057.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008200132 Forwards Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:221-54993:227.

—9008200135 Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted. Major areas inspected: requalification program focussing on conduct of simulator & classroom training, exam matls & simulator fidelity & maint.
MOORMAN, J.H., MUNRO, J.F. Region 2 (Post 820201). 90/08/01. 3pp. 54993:225-54993:227.

9008200334 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008200336 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280366 Forwards evaluation of Westinghouse Owners Group bounding analysis, per util response to Bulletin 88-011, "Pressurizer Surge Line Thermal Stratification."
DONOHEW, J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/21. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55044:198-55044:209.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220085 Monthly operating repts for Jul 1990 for Sequoyah Nuclear Plant Units 1 & 2 w/900815 ltr.
HOLLOMON, T.J., WALLACE, E.G. Tennessee Valley Authority. 90/07/31. 9pp. 55001:339-55001:347.

S. Reportable occurrences, LERs & related correspondence

9008060255 LER 90-016-00: on 900629, determined that containment purge had been initiated on 900628 w/o disabling steam generator water level environ allowance modifier. Caused by personnel error. Limiting condition for operation entered. W/900730 ltr.
THOMPSON, R.R., BYNUM, J.R. Tennessee Valley Authority. 90/07/30. 5pp. 54904:182-54904:186.

9008070043 LER 90-017-00: on 900708, auxiliary bldg isolation initiated. Caused by random drift of setpoint for Switch 1-TS-30-103A. Temp switch calibr. returned to svc & recovered from auxiliary bldg isolation. W/900803 ltr.
WHITTEMORE, C.H., BYNUM, J.R. Tennessee Valley Authority. 90/08/03. 4pp. 54904:221-54904:224.

9008100020 Forwards rept of 900709 fishkill, per requirements in App B, environ Tech Spec, Subsections 4.1.1 & 5.4.2. Sudden water temp increase killed approximately 150 fish in plant diffuser pond.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54943:131-54943:133.

T. Hearing transcripts on non-antitrust matters

9008280250 Summary of 900723 meeting w/util in Rockville, MD re plant cable/conduit testing program for safety-related cable. List of attendees, TVA & NRR handouts & transcript of meeting encl.
DONOHEW, J.N. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/20. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 29pp. 55040:001-55040:160.

—9008280252 Transcript of 900723 meeting w/util in Rockville, MD re plant cable testing program. Pp 1-95.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/23. 97pp. 55040:064-55040:160.

U. Congressional/Executive Correspondence

9008080247 Forwards response to Congressman H Meyers 900720 request re justification for continued plant operation.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. RATHBUN, D. Congressional Affairs. 6pp. 54907:071-54907:077.

—9008080249 Requests info re util 900717 ltr on safety related cables at plant & NRC request that util provide justification for continued operation.
MYERS, H. House of Rep., Interior & Insular Affairs. 90/07/20. RATHBUN, D. NRC - No Detailed Affiliation Given. 1p. 54907:077-54907:077.

V. Operator Examinations

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA.
MCCUBBIN, S. Contract Administration Branch (890205-900602). 90/07/19. SPESARD, R.L. Division of Operational Assessment (Post 870413). 1p. 55006:342-55006:343.

—9008220134 Mod 20, revising contract to purchase addl training aids, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators."
LAYMON, J.S. Tennessee Valley Authority. FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008010040 Requests termination of Senior Reactor Operator License SOP-20830 for JH Sullivan due to resignation from util.
WALLACE, E.G. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54788:355-54788:356.

9008200132 Forwards Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:221-54993:227.

—9008200135 Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted. Major areas inspected: requalification program focussing on conduct of simulator & classroom training, exam mats & simulator fidelity & maint.
MOORMAN, J.H., MUNRO, J.F. Region 2 (Post 820201). 90/08/01. 3pp. 54993:225-54993:227.

9008130308 Confirms that requalification program evaluation ref matl delivered to RD McWhorter on 900801. Ref matl needed to support NRC preparation for administering licensed operator requalification exams in Sept 1990.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54956:278-54956:279.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9007310090 Considers 900425 request for approval to eliminate site local recovery ctrs withdrawn. Review terminated.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:251-54796:253.

9008020136 Forwards revised commitment to resolve EOP step deviation document review comments.
MEDFORD, M.O. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:332-54805:334.

9008020211 Forwards Amend 142 to License DPR-77 & safety evaluation. Amend modifies Table 3.3-11, "Fire Detection Instruments."
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/27. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54826:020-54826:028.

9008070361 Forwards Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends modify Tech Spec 3/4.7.11 re fire suppression sys.
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54901:147-54901:160.

—9008070364 Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively, modifying Tech Spec 3/4.7.11 re fire suppression sys.
HEBDON, F.J. Assistant Director for Region II Reactors. 90/07/31. 9pp. 54901:150-54901:158.

—9008070365 Safety evaluation supporting Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 2pp. 54901:159-54901:160.

9008100027 Revised EIPs, including Rev 3 to EIP-6, Rev 3 to EIP-7 & Rev 1 to EIP-14. W/900803 ltr.
WALLACE, E.G. Tennessee Valley Authority. 90/08/03. 38pp. 54944:002-54944:039.

9008200121 Forwards Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54996:036-54996:057.

—9008200123 Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: observation & evaluation of annual emergency response exercise.
KREH, J.L. Region 2 (Post 820201). 90/07/31. 18pp. 54996:040-54996:057.

I. Financial Information

9007270157 Provides util statement of intent to have adequate funds available for de-commissioning activities.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 6pp. 54734:087-54734:092.

P. Operating licensee stage documents & correspondence

9007300005 Forwards environ assessment & finding of no significant impact re 900504 request for increase in enrichment of fuel assemblies to 5.0% weight U-235 for plan. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54756:047-54756:053.

—9007300007 Environ assessment & finding of no significant impact re 900504 request for amends to Licenses DPR-77 & DPR-79. Amends increase max allowed fuel enrichment in assemblies used onsite to 5.0% weight U-235 & adds surveillance requirement.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/25. 5pp. 54756:049-54756:053.

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/differing views expressed by employees in licensee nuclear power program.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

—9007310072 Forwards review of util current practices & procedures for dealing w/differing views expressed by employees in licensee Nuclear Power Program.
RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020136 Forwards revised commitment to resolve EOP step deviation document review comments.
MEDFORD, M.O. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:332-54805:334.

9008020211 Forwards Amend 142 to License DPR-77 & safety evaluation. Amend modifies Table 3.3-11, "Fire Detection Instruments."
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/27. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54826:020-54826:028.

9008090255 Forwards addl info re plant condition adverse to quality rept concerning operability determination. Probability of cable damage during installation low. No programmatic cable installation problems exist.
WALLACE, E.G. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 8pp. 54942:266-54942:274.

9008020133 Forwards Rev 1 to TVA welding project final rept, initially submitted on 900825, reflecting rev of existing specs.
WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008070361 Forwards Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends modify Tech Spec 3/4.7.11 re fire suppression sys.
DONOHEW, J.N. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54901:147-54901:160.

—9008070364 Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively, modifying Tech Spec 3/4.7.11 re fire suppression sys.
HEBDON, F.J. Assistant Director for Region II Reactors. 90/07/31. 9pp. 54901:150-54901:158.

—9008070365 Safety evaluation supporting Amends 143 & 124 to Licenses DPR-77 & DPR-79, respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 2pp. 54901:159-54901:160.

9008070369 Forwards Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends modify Tech Specs to increase max enrichment of fuel allowed on site from 4.0 to 5.0 weight percent (w/o) U-235.
DONOHEW, J.N. Assistant Director for Region II Reactors. 90/08/01. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54901:161-54901:183.

—9008070372 Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively, increasing max enrichment fuel allowed on site from 4.0 to 5.0 weight percent (w/o) U-235.
HEBDON, F.J. Assistant Director for Region II Reactors. 90/08/01. 13pp. 54901:165-54901:177.

—9008070373 Safety evaluation supporting Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 6pp. 54901:178-54901:183.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

96 DOCKETED ITEMS

- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008100116** Provides evaluation of util justification for continued operation re cable testing program. Concludes that justification provides acceptable basis for continued operation until cable testing or replacement completed.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/08. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 54943:169-54943:173.
- 9008130039** Forwards corrected forwarding ltr & encl re Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively. Fuel assembly enrichment & boron values corrected. Corrected Page 3/4 3-63 to Amend 142 to License DPR-77 also encl.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55063:004-55063:010.
- 9008170273** Corrects ltr forwarding Amends 144 & 125 to Licenses DPR-77 & DPR-79, respectively. Fuel assembly enrichment, burnup & boron values corrected.
* Assistant Director for Region II Reactors. 90/08/01. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 55063:007-55063:008.
- 9008130242** Notification of 900817 meeting w/ TVA in Rockville, MD to discuss schedules of mods to be completed in Cycle 4 refueling outage scheduled to begin Sept 1990.
DONOHEW, J.N. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/10. HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 3pp. 54970:200-54970:202.
- 9008150286** Provides info that clarifies organizational Topical Rept TVA-NP089, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.
- 9008170072** Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues.
CORTLAND, P. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 10pp. 54981:347-54981:355.
- 9008230089** Provides clarification of implementation of replacement items project at plant for previously procured warehouse inventory. Util committed to 100% dedication of commercial grade, QA, Level II, previous procurement warehouse space.
WALLACE, E.G. Tennessee Valley Authority. 90/08/15. Document Control Branch (Document Control Desk). 3pp. 55015:311-55015:313.
- 9008240094** Forwards cable test program resolution plan to resolve issues re pulbys, jamming & vertical supported cable & TVA-identified cable damage. TVA commits to take actions prior to startup to verify integrity of safety-related cables.
WALLACE, E.G. Tennessee Valley Authority. 90/08/17. Document Control Branch (Document Control Desk). 19pp. 55023:035-55023:103.
- 9008240055** Submits implementation schedule for cable tray support program. Util proposes cessation of portion of remaining activities until after current Unit 2 Cycle 4 refueling outage, per 900817 meeting. TVA presentation matl encl.
WALLACE, E.G. Tennessee Valley Authority. 90/08/20. Document Control Branch (Document Control Desk). 17pp. 55029:065-55029:082.
- 9008280287** Forwards notice of environ assessment & finding of no significant impact on exemption from 10CFR50, App J re accelerated test frequency for Type A testing if two consecutive tests fail to meet acceptance criteria.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/21. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 55045:233-55045:242.
- 9008280292** Environ assessment & finding of no significant impact re exemption from 10CFR50, App J requirement that upon two consecutive failures of App J containment Type A tests, test frequency accelerated.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/21. 7pp. 55045:236-55045:242.
- 9008300089** Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/24. ZIGROSSI, N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9007270075** Ack receipt of 900605 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/90-14 & 50-328/90-14.
WILSON, B.A. Region 2 (Post 820201). 90/06/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54735:150-54735:152.
- 9008080020** Discusses SALP Repts 50-327/90-09 & 50-328/90-09 & forwards summary of 900530 SALP meeting. Improvements noted. Encourages pursuance & monitoring of effectiveness of corrective actions.
EDNETER, S.D. Region 2 (Post 820201). 90/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 15pp. 54906:265-54906:299.
- 9008080021** Forwards response to SALP Repts 50-327/90-09 & 50-328/90-09 for 890204 - 900305, including corrective actions & improvements being implemented.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/16. Document Control Branch (Document Control Desk). 20pp. 54906:280-54906:299.
- 9007310154** Advises that 900119 response to NRC Bulletin 89-003, "Potential Loss of Required Shutdown Margin During Refueling Operations," acceptable.
HEBDON, F.J. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/07/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54796:152-54796:154.
- 9008080001** Forwards Insp Repts 50-327/90-22 & 50-328/90-22 on 900606-0705 & notice of violation. NRC decided not to hold enforcement conference or propose civil penalty because significant changes in plant mgt occurred.
WILSON, B.A. Region 2 (Post 820201). 90/07/26. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:001-54931:029.
- 9008080002** Notice of violation from insp on 900606-0705. Violation noted: licensee exceeded overtime requirements of AI-30 on numerous occasions from Nov 1989 - 900527 w/o proper authorization.
WILSON, B.A. Region 2 (Post 820201). 90/07/27. 2pp. 54931:005-54931:006.
- 9008080003** Insp Repts 50-327/90-22 & 50-328/90-22 on 900606-0705. Violation noted. Major areas inspected: operational safety verification, including control room observations, operations performance, sys lineups & radiation protection.
HARMON, P., LITTLE, W.S. Region 2 (Post 820201). 90/07/26. 23pp. 54931:007-54931:029.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008100131** Responds to unresolved items which remain open from Insp Repts 50-327/90-18 & 50-328/90-18. TVA in agreement w/ NRC on scope of work required to address concerns w/ exception of design basis accident & zero period acceleration effects.
WALLACE, E.G. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 28pp. 54954:001-54954:028.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9008200121** Forwards Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54996:036-54996:057.
- 9008200123** Insp Repts 50-327/90-21 & 50-328/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: observation & evaluation of annual emergency response exercise.
KREH, J.L. Region 2 (Post 820201). 90/07/31. 18pp. 54996:040-54996:057.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:009-55012:039.
- 9008200132** Forwards Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:221-54993:227.
- 9008200135** Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted. Major areas inspected: requalification program focussing on conduct of simulator & classroom training, exam mats & simulator fidelity & maint.
MORMAN, J.H., MUNRO, J.F. Region 2 (Post 820201). 90/08/01. 3pp. 54993:225-54993:227.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020038** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008080248** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008280366** Forwards evaluation of Westinghouse Owners Group bounding analysis, per util response to Bulletin 88-011, "Pressurizer Surge Line Thermal Stratification."
DONOHEW, J.N. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 900603). 90/08/21. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55044:198-55044:209.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.
- R. Periodic operating reports & related correspondence**
- 9008220085** Monthly operating reports for Jul 1990 for Sequoyah Nuclear Plant Units 1 & 2. W/900815 ltr.
HOLLOMON, T.J., WALLACE, E.G. Tennessee Valley Authority. 90/07/31. 9pp. 55001:339-55001:347.

S. Reportable occurrences, LERs & related correspondence

9008100020 Forwards rept of 900709 fishkill, per requirements in App B, environ Tech Spec, Subsections 4.1.1 & 5.4.2. Sudden water temp increase killed approximately 150 fish in plant diffuser pond.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54943:131-54943:133.

9008130246 LER 90-005-01: on 900315, inadvertent containment vent isolation event occurred while preparing to purge containment. Caused by personnel error. Individual counseled. W/900807 ltr.
HIPP, G., BYNUM, J.R. Tennessee Valley Authority. 90/08/07. 5pp. 54953:084-54953:088.

T. Hearing transcripts on non-antitrust matters

9008280250 Summary of 900723 meeting w/util in Rockville, MD re plant cable/conduit testing program for safety-related cable. List of attendees, TVA & NRR handouts & transcript of meeting encl.
DONOHEW, J.N. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 870413). 90/08/20. Project Directorate II-4 ● formerly TVA Project Directorate ● (Post 870413). 29pp. 55040:001-55040:160.

—**9008280252** Transcript of 900723 meeting w/util in Rockville, MD re plant cable testing program. Pp 1-95.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/23. 97pp. 55040:064-55040:160.

U. Congressional/Executive Correspondence

9008080247 Forwards response to Congressman H Meyers 900720 request re justification for continued plant operation.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. RATHBUN, D. Congressional Affairs. 6pp. 54907:071-54907:077.

—**9008080249** Requests info re util 900717 ltr on safety related cables at plant & NRC request that util provide justification for continued operation.
MYERS, H. House of Rep., Interior & Insular Affairs. 90/07/20. RATHBUN, D. NRC - No Detailed Affiliation Given. 1p. 54907:077-54907:077.

V. Operator Examinations

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA.
MCCUBBIN, S. Contract Administration Branch (890205-900602). 90/07/19. SPESSARD, R.L. Division of Operational Assessment (Post 870413). 1p. 55006:342-55006:343.

—**9008220134** Mod 20, revising contract to purchase addl training aids, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators."
LAYMON, J.S. Tennessee Valley Authority. FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008010040 Requests termination of Senior Reactor Operator License SOP-20830 for JH Sullivan due to resignation from util.
WALLACE, E.G. Tennessee Valley Authority. 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54788:355-54788:356.

9008200132 Forwards Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted.
WILSON, B.A. Region 2 (Post 820201). 90/08/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54993:221-54993:227.

—**9008200135** Insp Repts 50-327/90-24 & 50-328/90-24 on 900717-20. No violations or deviations noted. Major areas inspected: requalification program focussing on conduct of simulator & classroom training, exam matts & simulator fidelity & maint.
MOORMAN, J.H. Region 2 (Post 820201). 90/08/01. 3pp. 54993:225-54993:227.

9008130308 Confirms that requalification program evaluation ref matl delivered to RD McWhorter on 900801. Ref matl needed to support NRC preparation for administering licensed operator requalification exams in Sept 1990.
WALLACE, E.G. Tennessee Valley Authority. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54956:278-54956:279.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-329 MIDLAND PLANT, UNIT 1**A. Application/construction stage documents & correspondence**

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-330 MIDLAND PLANT, UNIT 2**A. Application/construction stage documents & correspondence**

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

98 DOCKETED ITEMS

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9007310240 Advises that Rev 24 to plant security plan,training & qualification plan & safeguards contingency plan,acceptable.
GREGER,L.R. Region 3 (Post 820201). 90/07/25. MINECK,D.L. Iowa Electric Light & Power Co. 2pp. 54803:254-54803:255.

9008030345 Forwards 1990 emergency preparedness exercise objectives for review,including offsite objectives prepared for Benton, Buchanan,Linn & Scott Counties & State of IA.
MINECK,D.L. Iowa Electric Light & Power Co. 90/07/27. DAVIS,A.B. Region 3 (Post 820201). 31pp. 54841:162-54841:192.

9008060288 Corporate plan implementing procedures,including Rev 5 to CIP 1.5 & Rev 2 to CIP 1.6.W/900730 ltr.
SERRA,P.L. Iowa Electric Light & Power Co. 90/07/30. 31pp. 54843:010-54843:041.

9008060350 Revised procedures,including Rev 6 to EPIP-2.4, "Activation & Operation of Offsite Relocation & Assembly Area" & Rev 60 to index.W/900730 ltr.
SERRA,P.L. Iowa Electric Light & Power Co. 90/07/30. 23pp. 54864:160-54864:182.

9008060394 Revised EIPs,including Rev 5 to Corporate Plan Implementing Procedure 5.1,Rev 3 to Corporate Plan Implementing Procedure 2.2 & Rev 2 to Corporate Plan Implementing Procedure 2.6. W/900730 ltr.
SERRA,P.L. Iowa Electric Light & Power Co. 90/07/30. 30pp. 54877:001-54877:030.

9008210143 Rev 4 to Corporate Plan Implementing Procedure CIP-2.3, "Administrative Svcs & Corporate Response Coordination." W/900810 ltr.
SERRA,P.L. Iowa Electric Light & Power Co. 90/08/10. 13pp. 55000:207-55000:219.

9008220168 Advises that 900727 ltr transmitting scope of participation & exercise objectives info for plant emergency preparedness exercise scheduled for 901031-1101 acceptable.
GREGER,L.R. Region 3 (Post 820201). 90/08/13. LIU,L. Iowa Electric Light & Power Co. 1p. 55015:154-55015:154.

9008230024 Rev 11 to "Duane Arnold Energy Ctr Emergency Plan." W/ 900814 ltr.
MINECK,D.L., SERRA,P.L. Iowa Electric Light & Power Co. 90/08/14. 200pp. 55018:272-55019:189.

9008230221 Forwards summary of changes omitted from 900814 transmittal of emergency plan.
BLOOD,C. Iowa Electric Light & Power Co. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55105:011-55105:017.

-9008280124 Summary of emergency plan changes,omitted from 900814 submittal.
* Iowa Electric Light & Power Co. 90/08/17. 6pp. 55105:012-55105:017.

I. Financial Information

9007310196 Forwards, "Decommissioning Rept" submitted by Iowa Electric Light & Power Co,Central IA Power Cooperative & Corn Belt Cooperative,per 10CFR50.33(k) & 50.75(b).
MINECK,D.L. Iowa Electric Light & Power Co. 90/07/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 55pp. 54756:239-54756:294.

P. Operating license stage documents & correspondence

9008010198 Confirms plans for mgt meeting on 900731 in Region III ofc to discuss plant status & other items of mutual interest.
GREENMAN,E.G. Region 3 (Post 820201). 90/07/24. LIU,L. Iowa Electric Light & Power Co. 1p. 54793:330-54793:330.

9008070005 Forwards safety evaluation & technical evaluation rept re util responses to Generic Ltr 83-28,Item 2.2.1 re equipment classification program for all safety-related components. Responses acceptable.
HALL,J.P. Project Directorate III-3. 90/07/26. LIU,L. Iowa Electric Light & Power Co. 1p. 54896:289-54896:307.

-9008070007 Safety evaluation accepting util responses to Generic Ltr 83-23,Item 2.2.1 "Equipment Classification Program for all Safety-Related Components."
Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. 2pp. 54896:290-54896:291.

-9009280266 "Conformance to Generic Ltr 83-28,Item 2.2.1-Equipment Classification for All Other Safety-Related Components: Duane Arnold," technical evaluation rept UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN D-8001. EGG-NTA-7189. 89/08/31. NRC - No Detailed Affiliation Given. 18pp. 54896:292-54896:307.

9008030035 Notification of 900808 meeting w/util in Rockville,MD to discuss licensee 900105 submittal of Rev 9 to inservice testing program.
HALL,J.R. Project Directorate III-3. 90/07/31. HANNON,J.N. Project Directorate III-3. 3pp. 54851:198-54851:200.

9008070119 Advises of decision not to revise surveillance test procedure or to modify logic circuitry.Benefit of increasing frequency of test does not justify risk of turbine & feed pump trip during power operation.
MINECK,D.L. Iowa Electric Light & Power Co. 90/07/31. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54905:060-54905:061.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090416 Requests that Section B of Confirmatory Action Ltr CAL-RIII-90-13 be modified to permit reloading fuel into reactor before 900813 operations evaluation.Seventeen licensed operators received 46 h of enhanced training.
MINECK,D.L. Iowa Electric Light & Power Co. 90/08/06. DAVIS,A.B. Region 3 (Post 820201). 3pp. 54933:357-54933:359.

9008140482 Amends Confirmatory Action Ltr RIII-90-13,Item B to allow reloading of fuel prior to operational evaluation,per util 900806 ltr.
DAVIS,A.B. Region 3 (Post 820201). 90/08/08. LIU,L. Iowa Electric Light & Power Co. 2pp. 54962:139-54962:140.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090163 Forwards Requalification Exam Rept 50-331/OL-90-02 on 900624-29.
MILLER,H.J. Region 3 (Post 820201). 90/08/03. LIU,L. Iowa Electric Light & Power Co. 3pp. 54934:126-54934:139.

-9008090165 Exam Rept 50-331/OL-90-02 on 900625-29.Exam results:three crews,two operating shift & one staff,failed dynamic simulator portion of NRC requalification exam.
BIEBY,M., PETERSON,H., JORDAN,M.J. Region 3 (Post 820201). 90/08/02. 11pp. 54934:129-54934:139.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008220188 Forwards Saftey Insp Rept 50-331/90-12 on 900723-27.No violations noted.
GREGER,L.R. Region 3 (Post 820201). 90/08/10. LIU,L. Iowa Electric Light & Power Co. 2pp. 55001:039-55001:053.

-9008220192 Insp Rept 50-331/90-12 on 900723-27.No violations or deviations noted.Major areas inspected:radiation & radwaste programs,including audits & surveillances,exposure control, changes in organization,training & instrumentation.
GRANT,W.B., HOLTZMAN,R.B., SNELL,W. Region 3 (Post 820201). 90/08/10. 13pp. 55001:041-55001:053.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 1pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210127 Monthly operating rept for Jul 1990 for Duane Arnold Energy Ctr.W/900815 ltr.
TRAN,H., HANNEN,R.L. Iowa Electric Light & Power Co. 90/07/31. DAVIS,A.B. Region 3 (Post 820201). 7pp. 55003:256-55003:262.

S. Reportable occurrences, LERs & related correspondence

9008090160 LER 90-007-00:on 900709,loss of power essential to buses 1A3 & 1A4 occurred when standby transformer inadvertently deenergized.Caused by personnel error.Work performed in switchyard will be controlled.W/900802 ltr.
AXLINE,J., HANNEN,R.L. Iowa Electric Light & Power Co. 90/08/02. DAVIS,A.B. Region 3 (Post 820201). 5pp. 54905:001-54905:005.

9008140183 LER 90-008-00:on 900709,three primary containment isolation sys Group III isolations occurred.Caused by loose terminal lug screw,restricted work space & personnel error.Spade lug replaced w/ring lug & relay sealed on socket.W/900808 ltr.
TRAN,H., HANNEN,R.L. Iowa Electric Light & Power Co. 90/08/08. DAVIS,A.B. Region 3 (Post 820201). 5pp. 54953:203-54953:207.

V. Operator Examinations

9008010039 Extends invitation to participate in 900829 meeting in Naperville,IL to review Rev 6 to NUREG-1021 re operator licensing examiner stds.Preliminary list of questions/issues to E Rau by 900815 requested.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. LIU,L. Iowa Electric Light & Power Co. 1p. 54805:250-54805:250.

9008070375 Forwards exams & evaluations for licensed operator requalification documentation of remedial & enhanced training.Both types of training conducted in segments of 30 h & 20 h.Encl withheld.
MINECK,D.L. Iowa Electric Light & Power Co. 90/07/27. DAVIS,A.B. Region 3 (Post 820201). 2pp. 54957:139-54957:140.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key.W/o encls.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008090168 Forwards licensed operator requalification exams & evaluations for accelerated remedial & enhanced training.
MINECK,D.L. Iowa Electric Light & Power Co. 90/08/01. DAVIS,A.B. Region 3 (Post 820201). 14pp. 54922:263-54922:276.

9008090163 Forwards Requalification Exam Rept 50-331/OL-90-02 on 900624-29.
MILLER,H.J. Region 3 (Post 820201). 90/08/03. LIU,L. Iowa Electric Light & Power Co. 3pp. 54934:126-54934:139.

-9008090165 Exam Rept 50-331/OL-90-02 on 900625-29.Exam results:three crews,two operating shift & one staff,failed dynamic simulator portion of NRC requalification exam.
BIELEY,M., PETERSON,H., JORDAN,M.J. Region 3 (Post 820201). 90/08/02. 11pp. 54934:129-54934:139.

9008090416 Requests that Section B of Confirmatory Action Ltr CAL-RIII-90-13 be modified to permit reloading fuel into reactor before 900813 operations evaluation.Seventeen licensed operators received 46 h of enhanced training.
MINECK,D.L. Iowa Electric Light & Power Co. 90/08/06. DAVIS,A.B. Region 3 (Post 820201). 3pp. 54933:357-54933:359.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9008060068 Forwards proposed Rev 6 to IAP-2, "Classification of Emergency Conditions," per Insp Rept 50-333/90-15,Unresolved Item 89-11-03.Rev incorporates changes assuring that applicable initiating conditions,per NUREG-0654,addressed.
FERNANDEZ,W. New York Power Authority (formerly Power Authority of the State of New York). 90/07/30. Document Control Branch (Document Control Desk). 5pp. 54853:009-54853:140.

-9008060071 Rev 6 to EPIP IAP-2, "Classification of Emergency Conditions."
* New York Power Authority (formerly Power Authority of the State of New York). 90/06/30. 126pp. 54853:014-54853:140.

9008140029 Revised EPIPs,including Rev 37 to EAP-17,Rev 7 to EAP-43 & Rev 23 to SAP-3.W/900731 ltr.
* New York Power Authority (formerly Power Authority of the State of New York). 90/07/31. 48pp. 54955:039-54955:087.

9008100181 Forwards Insp Rept 50-333/90-04 on 900527-0630.No violations noted.
HEHL,C.W. Region 1 (Post 820201). 90/08/06. FERNANDEZ,W. New York Power Authority (formerly Power Authority of the State of New York). 4pp. 54934:239-54934:278.

-9008100183 Insp Rept 50-333/90-04 on 900527-0630.No violations noted. Major areas inspected:plant activities during day & backshift hrs including:plant operations,radiological protection,surveillance & maint & security.
MEYER,G.W. Region 1 (Post 820201). 90/08/02. 36pp. 54934:243-54934:278.

H. General correspondence

9008220215 Comment supporting petition for rulemaking PRM-50-55 re revs to FSAR.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/09. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 54993:300-54993:302.

I. Financial Information

9008020083 Forwards "Conformed Copy of Master Decommissioning Trust Agreement for Indian Point 3 Nuclear Power Plant & James A Fitzpatrick Nuclear Power Plant." Financial assurance of plants certified.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54827:142-54827:185.

-9008020085 "Conformed Copy of Master Decommissioning Trust Agreement for Indian Point 3 Nuclear Power Plant & James A Fitzpatrick Nuclear Power Plant."
TSCHERNE,R.L. New York Power Authority (formerly Power Authority of the State of New York). 90/07/25. 40pp. 54827:146-54827:185.

P. Operating license stage documents & correspondence

9007300112 Forwards notice of consideration of issuance of amend to License DPR-59 & opportunity for hearing for info.Amend would increase number of spent fuel assemblies stored in spent fuel pool to 2,797 assemblies.
LABARGE,D.E. Project Directorate I-1. 90/07/24. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 54762:332-54762:340.

-9007300113 Notice of consideration of issuance of amend to License DPR-59 & opportunity for hearing.Amend would increase number of spent fuel assemblies stored in spent fuel pool to 2,797 assemblies.
CAPRA,R.A. Project Directorate I-1. 90/07/16. 7pp. 54762:334-54762:340.

9007300048 Forwards comments on installation of hardened wetwell vent at plant,per 891027 response to Generic Ltr 89-16.Concludes that hardened vent not cost beneficial & consideration of mods be deferred until individual plant evaluation complete.
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/25. Document Control Branch (Document Control Desk). 178pp. 54762:016-54762:228.

-9007300052 "Questionable Techniques Used in Cost-Benefit Analyses of Nuclear Safety Enhancements."
REULAND,W. Electric Power Research Institute. NSAC-143. 89/11/30. 34pp. 54762:194-54762:228.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130193 Discusses licensee engineering initiatives.Other power reactor licenses in Region 1 encouraged to start similar initiative to provide for sharing of info & experiences involving engineering & solutions of problems common to all.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 4pp. 54957:162-54957:165.

9008140117 Forwards Amend 164 to License DPR-59 & safety evaluation. Amend updates diesel generator fuel oil quality limits for water sediment & ash.
LABARGE,D.E. Project Directorate I-1. 90/08/10. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 54962:109-54962:118.

-9008140120 Amend 164 to License DPR-59,updating diesel generator fuel oil quality limits for water,sediment & ash.
CAPRA,R.A. Project Directorate I-1. 90/08/10. 6pp. 54962:111-54962:116.

-9008140121 Safety evaluation supporting Amend 164 to License DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/10. 2pp. 54962:117-54962:118.

9008170040 Forwards safety evaluation accepting modified recirculation pump trip (RPT) logic design & alternate rod insertion/RPT logic testing features based on review of 900423 submittal.
LABARGE,D.E. Project Directorate I-1. 90/08/13. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 54995:272-54995:276.

-9008170042 Safety evaluation accepting ATWS recirculation pump trip sys design mod.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/13. 2pp. 54995:275-54995:276.

9008170199 Provides comments on util 891228 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," per NRC Bulletin 85-003 & 890926 meeting.
LABARGE,D.E., NEIGHBORS,J.D. Project Directorate I-1. 90/08/13. BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). 5pp. 54993:047-54993:051.

100 DOCKETED ITEMS

9008170021 Forwards GE "Supplemental Rept of Ultrasonic Indications in Top Head Weld VC-TH-1-2 at JA Fitzpatrick Power Station." BRONSON, J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54984:177-54984:196.

9008170026 "Supplemental Rept of Ultrasonic Indications in Top Head Weld VC-TH-1-2 at JA Fitzpatrick Power Station." MORTENSON, S.O., CLARK, J.P., CHAPMAN, T.L. General Electric Co. B11-0497 DFT. 90/08/15. 18pp. 54984:179-54984:195.

9008230049 Forwards list of topics for discussion during planned site visit re hardened wetwell vent at facility. No conclusions will be reached during site visit. LABARGE, D.E. Project Directorate I-1. 90/08/17. BRONSON, J.C. New York Power Authority (formerly Power Authority of the State of New York). 5pp. 55019:192-55019:196.

Q. Inspection reports, IE Bulletins & correspondence

9008020113 Forwards Outage Completion Team Insp Rept 50-333/90-81 on 900604-08. Util mgt controls, programs & personnel were adequately completing items necessary to support plant restart. Several minor problems identified during insp. WIGGINS, J.T. Region 1 (Post 820201). 90/07/19. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 54823:340-54823:359.

9008020114 Insp Rept 50-333/90-81 on 900604-08. Major areas inspected: effectiveness of util outage completion activities, mod closeout, preparations for startup & mgt & QA oversight. MEYER, G.W. Region 1 (Post 820201). 90/07/16. 18pp. 54823:342-54823:359.

9007300105 Forwards addendum to summary of IGSCC insp during 1990 refueling outage re reactor recirculation sys as-built dimensions & weld overlay induced shrinkage & recirculation loop stresses. BRONSON, J.C. New York Power Authority (formerly Power Authority of the State of New York). 90/07/20. Document Control Branch (Document Control Desk). 9pp. 54739:345-54739:354.

9008090255 Forwards maint insp tree, inadvertently omitted from 900716 Maint Insp Rept 50-333/90-80. DURR, J.P. Region 1 (Post 820201). 90/07/26. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 54934:111-54934:115.

9008090273 Maint insp tree, inadvertently omitted from 900716 Maint Insp Rept 50-333/90-80. * NRC - No Detailed Affiliation Given. 90/07/26. 1p. 54934:114-54934:115.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060068 Forwards proposed Rev 6 to IAP-2, "Classification of Emergency Conditions," per Insp Rept 50-333/90-15. Unresolved Item 89-11-03. Rev incorporates changes assuring that applicable initiating conditions, per NUREG-0654, addressed. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 90/07/30. Document Control Branch (Document Control Desk). 5pp. 54853:009-54853:140.

9008060071 Rev 6 to EPIP IAP-2, "Classification of Emergency Conditions." * New York Power Authority (formerly Power Authority of the State of New York). 90/06/30. 126pp. 54853:014-54853:140.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 83pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008080191 Discusses util response to notice of violation & proposed imposition of civil penalty. Sufficient basis not provided for adjustment in civil penalty amount. BAKER, E.T. Ofc of Enforcement (Post 870413). 90/08/06. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 4pp. 54905:241-54905:244.

9008100181 Forwards Insp Rept 50-333/90-04 on 900527-0630. No violations noted. HEHL, C.W. Region 1 (Post 820201). 90/08/06. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 4pp. 54934:239-54934:278.

9008100183 Insp Rept 50-333/90-04 on 900527-0630. No violations noted. Major areas inspected: plant activities during day & backshift hrs including plant operations, radiological protection, surveillance & maint & security. MEYER, G.W. Region 1 (Post 820201). 90/08/02. 36pp. 54934:243-54934:278.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160181 Notification of 900821 Enforcement Conference 90-100 w/util in King of Prussia, PA re emergency svc water concerns. MEYER, G.W. Region 1 (Post 820201). 90/08/08. Region 1 (Post 820201). 2pp. 54995:218-54995:219.

9008170199 Provides comments on util 891228 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance," per NRC Bulletin 85-003 & 890926 meeting. LABARGE, D.E. Project Directorate I-1. 90/08/13. BRONSON, J.C. New York Power Authority (formerly Power Authority of the State of New York). 5pp. 54993:047-54993:051.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008240020 Forwards Insp Rept 50-333/90-19 on 900625-29 & notice of violation. DUNN, J.P. Region 1 (Post 820201). 90/08/14. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 55029:162-55029:171.

9008240023 Notice of deviation from insp on 900625-29. Deviation noted: transfer switch determined to be non-Class 1E. * Region 1 (Post 820201). 90/08/14. 1p. 55029:164-55029:164.

9008240028 Insp Rept 50-333/90-19 on 900625-29. Deviations noted. Major areas inspected: review of licensee implementation of post-accident monitoring instrumentation per Reg Guide 1.97, Rev 2. ANDERSON, C., BHATIA, R., DELLA GRECA, N. Region 1 (Post 820201). 90/08/14. 7pp. 55029:165-55029:171.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140046 Monthly operating rept for Jul 1990 for JA Fitzpatrick Nuclear Power Plant. W/900809 ltr. FITZPATRICK, FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 90/07/31. 5pp. 54964:072-54964:076.

S. Reportable occurrences, LERs & related correspondence

9007270207 Advises that suppl to LER 89-012-00 re postulated fault 4 kV bus fault will be submitted by 900904. FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 90/07/16. Document Control Branch (Document Control Desk). 1p. 54727:345-54727:345.

9008060028 LER 90-020-00: on 900626, shutdown cooling mode of RHR sys isolated. Caused by air in pressure switch sensing line due to deficient installation design. Possible design mod to sensing line to eliminate air trap considered. W/900726 ltr. FISH, H.C., FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 90/07/26. 4pp. 54904:115-54904:118.

9008130146 LER 90-021-00: on 900628, RWCU sys isolation occurred due to drawing errors. Control power unintentionally removed from Div I steam leak detection & isolation logic. Drawing change request prepared to correct drawing errors. W/900730 ltr. FISH, H.C., FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 90/07/30. 6pp. 54953:026-54953:031.

9008080201 LER 90-019-00: on 900530, automatic depressurization sys safety relief valve accumulator pressure discovered to be lower than test required psig. Caused by large pressure drop across check valves. Check valves replaced. W/900803 ltr. FISH, H.C., FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). 90/08/03. 9pp. 54904:257-54904:265.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008070099 Forwards Safety Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622 & notice of deviation. WENZINGER, E.C. Region 1 (Post 820201). 90/07/24. SIEBER, J.D. Duquesne Light Co. 2pp. 54915:059-54915:078.

9008070103 Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622. Violations noted. Major areas inspected: plant operations, radiological protection, surveillance & maint, emergency preparedness, security & engineering & technical support. RULAND, W. Region 1 (Post 820201). 90/07/24. 16pp. 54915:063-54915:078.

9008160024 Forwards Security Insp Repts 50-334/90-17 & 50-412/90-17 on 900716-20. No violations noted. BELLAMY, R.R. Region 1 (Post 820201). 90/08/09. SIEBER, J.D. Duquesne Light Co. 2pp. 54992:235-54992:243.

9008160027 Physical Security Insp Repts 50-334/90-17 & 50-412/90-17. No violations noted. Major areas inspected: mgt support, security program plans, audits, protected & vital area physical barriers, detection & assessment aids, packages & vehicles. SMITH, G.C., DELLA RATTIA, A., KEIMIG, R.R. Region 1 (Post 820201). 90/08/08. 7pp. 54992:237-54992:243.

J. Insurance & Indemnity Information

9008060337 Forwards Endorsement 105 to Policy NF-226. O'CONNOR, D.J. Marsh & McLennan, Inc. 90/08/02. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54915:001-54915:002.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008220136 Rev 8 to updated FSAR for Beaver Valley Power Station, Unit 1.W/900813 ltr. SIEBER, J.D. Duquesne Light Co. 90/08/13. 650pp. 55007:063-55010:200.

P. Operating license stage documents & correspondence

9008060059 Forwards revised methodology for achieving alternate ac for plant, per 900720 telcon. SIEBER, J.D. Duquesne Light Co. 90/07/27. Document Control Branch (Document Control Desk). 8pp. 54877:088-54877:095.

9008070106 Forwards Issue 2 to Rev 6 to "Browns Ferry Power Station Inservice Testing Program for Pumps & Valves." NRC review of encl proposed Rev 1A to second 10-year in-service testing program requested to support 910412 implementation. SIEBER, J.D. Duquesne Light Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54891:231-54892:047.

9008070107 Issue 2 to Rev 6 to "Browns Ferry Power Station Unit 1 Inservice Testing Program for Pumps & Valves." * Duquesne Light Co. 90/07/27. 207pp. 54891:234-54892:047.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130198 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V establishment of engineering managers forum. MARTIN, T.T. Region 1 (Post 820201). 90/08/06. SIEBER, J.D. Duquesne Light Co. 4pp. 54956:089-54956:092.

9008200058 Provides info on acceptability of rescheduling response to Reg Guide 1.97 SER, item 4b, "Neutron Flux Monitoring Instrumentation." Rescheduling of util response will be determined on or shortly after meeting w/NRC. SIEBER, J.D. Duquesne Light Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 54996:244-54996:244.

Q. Inspection reports, IE Bulletins & correspondence

9008070099 Forwards Safety Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622 & notice of deviation. WENZINGER, E.C. Region 1 (Post 820201). 90/07/24. SIEBER, J.D. Duquesne Light Co. 2pp. 54915:059-54915:078.

9008070101 Notice of deviation from insp on 900505-0622. Violation noted: failure to ensure that procedural controls to assure flange would be removed during power operation existed on or before 900622. * Region 1 (Post 820201). 90/07/24. 2pp. 54915:061-54915:062.

9008070103 Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622. Violations noted. Major areas inspected: plant operations, radiological protection, surveillance & maint, emergency preparedness, security & engineering & technical support. RULAND, W. Region 1 (Post 820201). 90/07/24. 16pp. 54915:063-54915:078.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070081 Responds to NRC Bulletin 90-001. Items 1 through 5 of requested actions for operating reactors completed. SIEBER, J.D. Duquesne Light Co. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54930:322-54930:326.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160024 Forwards Security Insp Repts 50-334/90-17 & 50-412/90-17 on 900716-20. No violations noted. BELLAMY, R.R. Region 1 (Post 820201). 90/08/09. SIEBER, J.D. Duquesne Light Co. 2pp. 54992:235-54992:243.

9008160027 Physical Security Insp Repts 50-334/90-17 & 50-412/90-17. No violations noted. Major areas inspected: mgt support, security program plans, audits, protected & vital area physical barriers, detection & assessment aids, packages & vehicles. SMITH, G.C., DELLA RATTIA, A., KEIMIG, R.R. Region 1 (Post 820201). 90/08/08. 7pp. 54992:237-54992:243.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008010158 "1989 Rept of Facility Changes, Tests & Experiments." W/900725 ltr. SIEBER, J.D. Duquesne Light Co. 89/12/31. 90pp. 54790:093-54790:182.

9007270134 "NPDES Discharge Monitoring Rept for June 1990 Unit 1.W/ 900718 ltr. DULICK, A.M. Duquesne Light Co. 90/06/30. 24pp. 54733:232-54733:255.

9008170016 Monthly operating repts for Jul 1990 for Beaver Valley Power Station, Units 1 & 2.W/900809 ltr. WINGER, M.A., SIEBER, J.D. Duquesne Light Co. 90/07/31. 9pp. 54991:051-54991:059.

S. Reportable occurrences, LERs & related correspondence

9008150251 LER 90-010-00: on 900714, automatic isolation of reactor coolant letdown sys initiated when transient/cool-down caused pressurizer level to decrease below setpoint. MSIV stroke time surveillance tests revised. W/900813 ltr. NOONAN, T.P. Duquesne Light Co. 90/08/13. 8pp. 54953:264-54953:271.

9008270140 LER 90-011-00: on 900719, ESF actuation - inadvertent trip of reactor coolant pump A occurred during maint surveillance procedure. Caused by personnel error. Procedures revised. W/900820 ltr. NOONAN, T.P. Duquesne Light Co. 90/08/20. 7pp. 55024:063-55024:069.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9007310082 Rev 45 to EPIP 3100023E, "Onsite Emergency Organization & Call Directory." W/900725 ltr. SAGER, D.A. Florida Power & Light Co. 90/07/25. 25pp. 54787:032-54787:056.

P. Operating license stage documents & correspondence

9008010106 Submits addl info re implementation of programmed enhancements per Generic Ltr 88-17, "Loss of DHR." All mods for Unit 1 completed & operational. Mods for Unit 2 schedule for upcoming refueling outage. SAGER, D.A. Florida Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54806:266-54806:266.

9008010204 Forwards rept detailing investigative analysis of unsatisfactory blind specimen results, identification of causes & corrective actions taken by lab to prevent recurrence, per unsatisfactory performance testing. BOHLKE, W.H. Florida Power & Light Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:289-54805:291.

9008070262 Summary of 900711 meeting w/util in Rockville, MD re PRA. List of attendees & viewpoints encl. EDISON, G.E., NORRIS, J. Project Directorate II-2. 90/07/31. Project Directorate II-2. 17pp. 54930:244-54930:260.

102 DOCKETED ITEMS

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008160219 "St Lucie Unit 1, Cycle 10 Startup Physics Testing Rept." W/ 900813 ltr. SAGER, D.A. Florida Power & Light Co. 90/08/13. 17pp. 54979:039-54979:055.

Q. Inspection reports, IE Bulletins & correspondence

9007310235 Advises that NIS-1 & NIS-2 forms, as part of inservice insp rept, will be submitted by 900831.
SAGER, D.A. Florida Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54803:258-54803:258.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008130154 Forwards Insp Repts 50-335/90-17 & 50-389/90-17 on 900716-20. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/07/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 54951:276-54951:285.

-9008130155 Insp Repts 50-335/90-17 & 50-389/90-17 on 900716-20. No violations or deviations noted. Major areas inspected: reactor pump failure, control element assembly exam, mail condition & actions on previous insp findings.
KLEINSORGE, W.P., BLAKE, J.J. Region 2 (Post 820201). 90/07/25. 7pp. 54951:279-54951:285.

9008210077 Ack receipt of 900709 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-335/90-13 & 50-389/90-13.
SINKULE, M.V. Region 2 (Post 820201). 90/07/27. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 55004:039-55004:040.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008200145 Ack receipt of 900720 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-335/90-09 & 50-389/90-09.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/07. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 54991:201-54991:202.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140504 Responds to violations noted in Insp Rept 50-335/90-14. Corrective actions: RCS flow determination by calorimetric procedure repeated w/supervisor of individual observing & individual counseled by supervisor.
GOLDBERG, J.H. Florida Power & Light Co. 90/08/09. Document Control Branch (Document Control Desk). 3pp. 54964:089-54964:091.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008240111 Forwards Insp Repts 50-335/90-16 & 50-389/90-16 on 900612-0723. Violations not cited.
SINKULE, M.V. Region 2 (Post 820201). 90/08/16. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 55029:229-55029:257.

-9008240113 Insp Repts 50-335/90-16 & 50-389/90-16 on 900612-0723. Noncited violations noted. Major areas inspected: plant operations review, maint observations, surveillance observations & review of nonroutine events.
ELROD, S.A., SCOTT, M.A., CRLENIJAK, R.V. Region 2 (Post 820201). 90/08/13. 24pp. 55029:232-55029:257.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:414.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210157 Monthly operating repts for Jul 1990 for St Lucie Units 1 & 2. W/900813 ltr. HOLT, J.W., SAGER, D.A. Florida Power & Light Co. 90/07/31. 9pp. 55000:084-55000:092.

9008200052 Forwards fitness-for-duty program performance data for Jan-June 1990.
BOHLKE, W.H. Florida Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 7pp. 54991:340-54991:346.

9008280277 Forwards corrected monthly operating repts for Jul 1990 for St Lucie Units 1 & 2 & summary of operating experience.
SAGER, D.A. Florida Power & Light Co. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55041:007-55041:010.

-9008280280 Corrected monthly operating rept for Jul 1990 for St Lucie Units 1 & 2.
HOLT, J.W. Florida Power & Light Co. 90/07/31. 3pp. 55041:008-55041:010.

V. Operator Examinations

9008270229 Forwards ref matl requirements for requalification program evaluation scheduled for wks of 901029 & 1105. Items listed in encl should be furnished by 900829.
PEEBLES, T.A. Region 2 (Post 820201). 90/07/16. GOLDBERG, J.H. Florida Power & Light Co. 8pp. 55031:353-55031:361.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLS or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008020248 Forwards Rev 13 to physical security plan. Rev withheld (ref 10CFR73.21(b) & 2.790(a)).
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54820:293-54820:293.

9008080316 Advises that FEMA grants exemption from 10CFR50 App E for biennial full-participation onsite/offsite exercise.
KWIATKOWSKI, D. Federal Emergency Management Agency. 90/07/30. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 54903:358-54903:359.

9008070216 Responds to NRC 900718 request for addl info re util 900418 request for scheduled exemption from 10CFR50, App E, Section IV.F.3 to allow Dec 1990 full participation exercise to be exchanged w/Oct 1991 partial participation exercise.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54898:173-54898:180.

9008090035 Forwards Insp Rept 50-336/90-11 on 900530-0711. No violations noted.
WENZINGER, E.C. Region 1 (Post 820201). 90/08/01. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54922:066-54922:097.

-9008090042 Insp Rept 50-336/90-11 on 900530-0711. Noncited violations noted. Major areas inspected: plant operations, radiological controls/emergency preparedness, maint/surveillance, engineering/technical support & security.
HAVERKAMP, D.R. Region 1 (Post 820201). 90/07/31. 30pp. 54922:068-54922:097.

9008200093 Notifies NRC that utils volunteer to participate in emergency response data sys project for all four nuclear units, per Generic Ltr 89-15 & NUREG-1394.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54994:358-54994:359.

9008230012 Rev 99 to emergency plan implementing forms index, including listing of cancelled procedures.
SCACE, S.E. Northeast Utilities. 90/08/15. 16pp. 55016:210-55016:225.

P. Operating license stage documents & correspondence

9007300028 Forwards safety evaluation re util 871030 inservice testing (IST) program & requests for relief, IST program & other info submitted by 871030 & 880826 ltrs, together w/granting of relief w/conditions acceptable for 10-yr insp interval.
STOLZ, J.F. Project Directorate I-4. 90/07/19. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 4pp. 54746:114-54746:191.

-9007300032 Safety evaluation granting relief from testing requirements determined to be impractical for facility. Inservice program will provide reasonable assurance of operational readiness of pumps & valves to perform safety-related functions.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/19. 8pp. 54746:118-54746:125.

-9006210383 "Pump & Valve Inservice Testing Program, Millstone Nuclear Power Station, Unit 2." technical rept.
RANSOM, C.B. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6812. EGG-NTA-8080. 90/02/28. NRC - No Detailed Affiliation Given. 67pp. 54746:126-54746:191.

9008010205 Advises that review of CEN 387-P, "C-E Owners Group Pressurizer Surge Line Flow Stratification Evaluation," concludes adequate bases not provided that facility meets all appropriate code limits for 40-yr plant life.
VISSING, G.S. Project Directorate I-4. 90/07/25. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54797:005-54797:016.

-9008010212 Safety evaluation re review of CEN 387-P, "C-E Owners Group Pressurizer Surge Line Flow Stratification Evaluation." Rept found inadequate.
* NRC - No Detailed Affiliation Given. 90/07/25. 10pp. 54797:007-54797:016.

9008060238 Revised corporate organization for nuclear incidents procedures, consisting of Rev 16 to 1.01, Rev 33 to 1.02, Rev 11 to 4.01 & 4.10, Rev 0 to 7.01 & Rev 20 to 10.01.

* Northeast Utilities Service Co. (subs. of Northeast Utilities). 90/07/31. 94pp. 54864:268-54865:018.

9008070287 Summary of 900628 meeting w/util in Berlin, CT re licensing issues associated w/facilities, including generic ltrs.

JAFFE, D.H. Project Directorate I-4. 90/08/01. Project Directorate I-4. 76pp. 54902:275-54903:018.

9008100111 Application for amend to License DPR-65, relocating cycle-specific parameter limits from Tech Specs to core operating limits rept, per Generic Ltr 88-16.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54943:262-54943:283.

9008100114 Proposed Tech Specs re removal of cycle-specific parameter limits.

* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/01. 19pp. 54943:265-54943:283.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.

PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130190 Discusses licensee engineering initiatives. Other power reactor licenses in Region 1 encouraged to start similar initiative to provide for sharing of info & experiences involving engineering & solutions of problems common to all.

MARTIN, T.T. Region 1 (Post 820201). 90/08/06. OPEKA, J.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 54957:302-54957:305.

9006130083 Discusses spent fuel racks poison surveillance coupon boraflex degradation. Visual exam of remaining surveillance coupons revealed similar situation existed in all coupon samples.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. FIN B-13605. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54954:309-54954:310.

9008130088 Application for amend to License DPR-65, changing Section 3.9.3.2 to require spent fuel pool bulk temp be maintained below 140 f at all times.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/08/07. Document Control Branch (Document Control Desk). 5pp. 54958:282-54958:289.

9008130090 Proposed Tech Specs re refueling operations.

* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/07. 3pp. 54958:287-54958:289.

9008150064 Application for amend to License DPR-65, revising Tech Specs per Generic Ltr 87-09 re Section 3 on limiting conditions for operation & Section 4 on surveillance requirements.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/08/09. Document Control Branch (Document Control Desk). 11pp. 54972:099-54972:147.

9008150065 Proposed Tech Specs changes per Generic Ltr 87-09.

* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/09. 36pp. 54972:111-54972:147.

9008170002 Requests relief from ASME Code Section XI to reflect mod to piping adjacent to valve 2-SW-97A, in response to Generic Ltr 90-05.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/08/10. Document Control Branch (Document Control Desk). 5pp. 54981:337-54981:341.

9008270149 Forwards semiannual fitness-for-duty performance data, per 10CFR26.

MROCKZKA, E.J. Connecticut Yankee Atomic Power Co. MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/17. Document Control Branch (Document Control Desk). 19pp. 55031:280-55031:298.

Q. Inspection reports, IE Bulletins & correspondence

9007300028 Forwards safety evaluation re util 871030 inservice testing (IST) program & requests for relief, IST program & other info submitted by 871030 & 880826 ltrs, together w/granting of relief w/conditions acceptable for 10-yr insp interval.

STOLZ, J.F. Project Directorate I-4. 90/07/19. MROCKZKA, E.J. Connecticut Yankee Atomic Power Co. 4pp. 54746:114-54746:191.

9007300032 Safety evaluation granting relief from testing requirements determined to be impractical for facility. Inservice program will provide reasonable assurance of operational readiness of pumps & valves to perform safety-related functions.

* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/19. 8pp. 54746:118-54746:125.

9006210383 "Pump & Valve Inservice Testing Program, Millstone Nuclear Power Station, Unit 2" technical rept.

RANSOM, C.B. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6812. EGG-NTA-8080. 90/02/28. NRC - No Detailed Affiliation Given. 67pp. 54746:126-54746:191.

9008070110 Forwards Requalification Exam 50-336/90-10OL-RQ on 900618-22.

GALLO, R.M. Region 1 (Post 820201). 90/07/24. MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 54915:012-54915:024.

9008070112 Requalification Program Audit Rept 50-336/90-10OL-RQ on 900618-22. Audit results: training program rated satisfactory.

BRIGGS, L.E., ESELGROTH, P. Region 1 (Post 820201). 90/07/20. 10pp. 54915:015-54915:024.

9008070115 Forwards Safety Insp Repts 50-245/90-13, 50-336/90-13 & 50-423/90-11 on 900609-13. No violations or deviations noted.

BELLAMY, R.R. Region 1 (Post 820201). 90/07/25. MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54905:200-54905:208.

9008070117 Insp Repts 50-245/90-13, 50-336/90-13 & 50-423/90-11 on 900609-13. No violations or deviations noted. Major areas inspected: radiological environ monitoring program, including mgt controls, audits & surveillance procedures.

PELUSO, L., JANG, J.C., BORES, R.J. Region 1 (Post 820201). 90/07/24. 7pp. 54905:202-54905:208.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020144 Responds to NRC 900628 ltr re violations noted in Safety Insp Rept 50-336/90-09 on 900417-0529. Corrective actions: Surveillance Procedure SP-2736A performed & water added to battery cells where necessary.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/07/27. MARTIN, T.T. Region 1 (Post 820201). 8pp. 54828:166-54828:173.

9008090035 Forwards Insp Rept 50-336/90-11 on 900530-0711. No violations noted.

WENZINGER, E.C. Region 1 (Post 820201). 90/08/01. MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54922:066-54922:097.

9008090042 Insp Rept 50-336/90-11 on 900530-0711. Noncited violations noted. Major areas inspected: plant operations, radiological controls/emergency preparedness, maint/surveillance, engineering/technical support & security.

HAVERKAMP, D.R. Region 1 (Post 820201). 90/07/31. 30pp. 54922:068-54922:097.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.

BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140042 Monthly operating rept for Jul 1990 for Millstone Unit 2. W/900809 ltr.

NERON, G., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/07/31. 5pp. 54971:120-54971:124.

9008070354 Forwards draft "Effluent & Waste Disposal Annual Rept for 1988," per BNL 900531 request for comments.

MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/08/02. TICHLER, J.L. Battelle Memorial Institute, Pacific Northwest Laboratory. 2pp. 54897:213-54897:260.

9008070357 Draft "Effluent & Waste Disposal Annual Rept for 1988."

* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/12/31. 45pp. 54897:215-54897:260.

V. Operator Examinations

9008070110 Forwards Requalification Exam 50-336/90-10OL-RQ on 900618-22.

GALLO, R.M. Region 1 (Post 820201). 90/07/24. MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 54915:012-54915:024.

9008070112 Requalification Program Audit Rept 50-336/90-10OL-RQ on 900618-22. Audit results: training program rated satisfactory.

BRIGGS, L.E., ESELGROTH, P. Region 1 (Post 820201). 90/07/20. 10pp. 54915:015-54915:024.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.

PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

104 DOCKETED ITEMS

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270103 Forwards Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/06/26. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54735:110-54735:123.

-9007270106 Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08.No violations or deviations noted.Major areas inspected:fire protection & followup on unresolved item identified during App R triennial insp on 880718-22.
HARRIS,J.R., CONLON,T. Region 2 (Post 820201). 90/06/22. 11pp. 54735:113-54735:123.

9008030131 Forwards Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 90/07/30. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54876:001-54876:004.

-9008030133 Partially withheld Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13 (ref 10CFR2.790).No violations or deviations.Major areas inspected:physical security program for power reactors & security plan & implementing procedures.
TILLMAN,A., MCGUIRE,D.R. Region 2 (Post 820201). 90/07/27. 1p. 54876:004-54876:004.

9008140217 Responds to NRC 900709 ltr re violations noted in Insp Repts 50-338/90-11 & 50-339/90-11.Corrective actions:procedure revised to limit applicability to small refueling cavity leaks & listed evaluations & revs will be made to EOP.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/08. Document Control Branch (Document Control Desk). 4pp. 54961:276-54961:279.

9008160099 Revised EIPs,including Rev 13 to EIP-3.02,Rev 10 to EIP-4.01,Rev 9 to EIP-4.03 & EIP-4.07,Rev 8 to EIP-4.12, Rev 11 to EIP-4.16 & Rev 0 to EIP-4.30,EIP-4.31 & EIP-4.32.W/900810 ltr.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/10. 131pp. 54989:222-54990:012.

I. Financial Information

9008030081 Forwards "Decommissioning Financial Assurance Certification Rept...," "Nuclear Decommissioning Trust Agreement" & "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement," per 10CFR50.75.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54842:204-54842:270.

-9008030086 "Decommissioning Financial Assurance Certification Rept for Surry Power Station & North Anna Power Station."
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. 18pp. 54842:206-54842:223.

-9008030104 "Nuclear Decommissioning Trust Agreement."
ROBERTSON,L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 21pp. 54842:224-54842:244.

-9008030107 "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement."
ROBERTSON,L. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 26pp. 54842:245-54842:270.

P. Operating license stage documents & correspondence

9007270005 Requests for temporary waiver of compliance from requirement of Tech Spec 3.3.1.1,Table 2.3-2 re response time testing. Request does not pose significant hazards consideration.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/20. Document Control Branch (Document Control Desk). 4pp. 54727:309-54727:312.

9008080142 Forwards summary of 900718 mgt meeting at plant re self-assessment of facility.
REYES,L.A. Region 2 (Post 820201). 90/07/20. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 65pp. 54917:170-54917:234.

9007310013 Requests publication of encl public notice of reissuance of VPDES permit for plant.Certification of public notice issue date also requested.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/07/23. Central Virginia, Louisa, VA. 4pp. 54737:357-54737:360.

9007310014 Requests publication of encl public notice of reissuance of VPDES permit for plant.Certification of public notice issue date requested.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/07/23. Richmond Times Dispatch, Richmond, VA. 4pp. 54744:355-54744:358.

9007300130 Forwards Amends 131 & 115 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends add requirement to close isolation valve on drain pipe in flood control dyke around west end of NA-2 turbine & svc bldg.
ENGLE,L.B. Project Directorate II-2. 90/07/25. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54762:316-54762:331.

-9007300132 Amends 131 & 115 to Licenses NPF-4 & NPF-7, respectively, adding requirement to close isolation valve on drain pipe in flood control dyke around west end of NA-2 turbine & svc bldgs.
BERKOW,H.N. Project Directorate II-2. 90/07/25. 10pp. 54762:319-54762:328.

-9007300134 Safety evaluation supporting Amends 131 & 115 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 3pp. 54762:329-54762:331.

9008030230 Application for amends to Licenses NPF-4 & NPF-7,replacing independent operational event review group w/mgt safety review committee as organization responsible for offsite review function.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54832:050-54832:056.

-9008030231 Proposed Tech Specs re offsite review function.
* Virginia Power (Virginia Electric & Power Co.). 90/07/30. 5pp. 54832:052-54832:056.

9008080263 Forwards Amends 133 & 117 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise noble gas high range effluent monitor setpoints in Table 3.3-6.
ENGLE,L.B. Project Directorate II-2. 90/07/31. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54919:146-54919:161.

-9008080266 Amends 133 & 117 to Licenses NPF-4 & NPF-7, respectively, revising noble gas high range effluent monitor setpoints in Table 3.3-6.
BERKOW,H.N. Project Directorate II-2. 90/07/31. 9pp. 54919:149-54919:157.

-9008080267 Safety evaluation supporting Amends 133 & 117 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 4pp. 54919:158-54919:161.

9008100040 Forwards Amends 132 & 116 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends add footnote to Tech Spec Table 3.3-2, "Reactor Trip Sys Instrumentation Response Times."
ENGLE,L.B. Project Directorate II-2. 90/07/31. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 54942:275-54942:295.

-9008100042 Amends 132 & 116 to Licenses NPF-4 & NPF-7, respectively, adding footnote to Tech Spec Table 3.3-2, "Reactor Trip Sys Instrumentation Response Times."
LAINAS,G.C. Assistant Director for Region II Reactors. 90/07/31. 10pp. 54942:279-54942:288.

-9008100045 Safety evaluation supporting Amends 132 & 116 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 7pp. 54942:289-54942:295.

9008060320 Resubmits synopsis of changes to updated operational QA Program Topical Rept VEP 1-5A.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54876:284-54876:293.

-9008060375 Revised pages to Operational QA Program Topical Rept VEP 1-5A.
* Virginia Power (Virginia Electric & Power Co.). 90/08/01. 2pp. 54876:292-54876:293.

9008200151 Confirms 900730 telcon between DA Sommers & PE Fredrickson re upcoming Region 2 mgt meeting in Atlanta,GA on 900815 to discuss configuration mgt program.
REYES,L.A. Region 2 (Post 820201). 90/08/01. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54993:272-54993:274.

9008080153 Forwards Amend 134 to License NPF-4 & safety evaluation. Amend allows one-time extension of 6 months for test intervals for certain surveillance tests specified in Tech Specs.
ENGLE,L.B. Project Directorate II-2. 90/08/02. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54916:153-54916:160.

-9008080164 Amend 134 to License NPF-4,allowing one-time extension of 6 months for test intervals for certain surveillance tests specified in Tech Specs.
BERKOW,H.N. Project Directorate II-2. 90/08/02. 2pp. 54916:155-54916:156.

-9008080165 Safety evaluation supporting Amend 134 to License NPF-4.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 3pp. 54916:157-54916:160.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008160182 Forwards Amends 135 & 118 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise Tech Spec Section 6.5 to conform to Westinghouse STS re Independent/ Operational Event Review Group.
ENGLE,L.B. Project Directorate II-2. 90/08/07. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54992:274-54992:308.

-9008160183 Amends 135 & 118 to Licenses NPF-4 & NPF-7, respectively, revising Tech Spec Section 6.5 by changing Independent/ Operational Event Review Group to conform to Westinghouse STS.
BERKOW,H.N. Project Directorate II-2. 90/08/07. 27pp. 54992:277-54992:303.

-9008160184 Safety evaluation supporting Amends 135 & 118 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. 3pp. 54992:304-54992:308.

9008140211 Application for amends to Licenses NPF-4 & NPF-7,changing Tech Spec per requirements of Generic Ltr 88-16.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54962:129-54962:138.

-9008140216 Proposed Tech Specs re core operating limits rept.
* Virginia Power (Virginia Electric & Power Co.). 90/08/08. 8pp. 54962:131-54962:138.

9008160070 Forwards Amends 136 & 119 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends permit suspension of cycling turbine governor valves during end-of-cycle power coastdown between 835 & 886 MWs.
ENGLE,L.B. Project Directorate II-2. 90/08/10. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54990:232-54990:249.

—9008160071 Amends 136 & 119 to Licenses NPF-4 & NPF-7, respectively, permitting suspension of cycling turbine governor valves during end-of-cycle power coastdown between 835 & 386 MWe.
BERKOW,H.N. Project Directorate II-2. 90/08/10. 10pp. 54990:235-54990:244.

—9008160073 Safety evaluation supporting Amends 136 & 119 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/10. 4pp. 54990:245-54990:249.

9008200061 Provides supplemental info for 900115 Tech Spec change request re max allowable control rod drop time.Retained DNBR margin tracked & documented by calculational note.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/15. Document Control Branch (Document Control Desk). 2pp. 54993:203-54993:204.

9008270049 Confirms 900921 mgt meeting in Atlanta,GA to discuss commitment mgt sys.per 900730 telcon.Proposed meeting agenda encl.
REYES,L.A. Region 2 (Post 820201). 90/08/15. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 55035:071-55035:074.

9008280309 Advises that legal notices re reissuances of NPDES permit for plant have been published in Richmond-Times Dispatch & Central Virginian on 900804 & 11 & 0726 & 0802, respectively, as requested.Confirmation from newspapers encl.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/08/21. KREGLOE,W.L. Virginia, Commonwealth of. 3pp. 55041:001-55041:003.

Q. Inspection reports, IE Bulletins & correspondence

9007270103 Forwards Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/06/26. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54735:110-54735:123.

—9007270106 Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08.No violations or deviations noted.Major areas inspected:fire protection & followup on unresolved item identified during App R triennial insp on 880718-22.
HARRIS,J.R., CONLON,T. Region 2 (Post 820201). 90/06/22. 11pp. 54735:113-54735:123.

9007270090 Forwards Insp Repts 50-338/90-13 & 50-339/90-13 on 900514-18 & 29.Noncited violations noted.
COLLINS,D.M. Region 2 (Post 820201). 90/06/28. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54735:137-54735:149.

—9007270094 Insp Repts 50-338/90-13 & 50-339/90-13 on 900514-18 & 29. Noncited violations noted.Major areas inspected:radiation monitoring sys,water chemistry & QC.
SEYMOUR,D.A., DECKER,T.R. Region 2 (Post 820201). 90/06/27. 10pp. 54735:140-54735:149.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030131 Forwards Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 90/07/30. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54876:001-54876:004.

—9008030133 Partially withheld Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13 (ref 10CFR2.790).No violations or deviations.Major areas inspected:physical security program for power reactors & security plan & implementing procedures.
TILLMAN,A., MCGUIRE,D.R. Region 2 (Post 820201). 90/07/27. 1p. 54876:004-54876:004.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008210006 Forwards Insp Repts 50-338/90-16 & 50-339/90-16 on 900709-13.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/08/06. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 55003:057-55003:066.

—9008210007 Insp Repts 50-338/90-16 & 50-339/90-16 on 900709-13.No violations or deviations noted.Major areas inspected: surveillance testing of main steam safety relief valves & follow up of licensee actions on previous insp findings.
LENAHAN,J.J., BELISLE,G.A. Region 2 (Post 820201). 90/08/02. 7pp. 55003:060-55003:066.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140217 Responds to NRC 900709 ltr re violations noted in Insp Repts 50-338/90-11 & 50-339/90-11.Corrective actions:procedure revised to limit applicability to small refueling cavity leaks & listed evaluations & revs will be made to EOP.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/08. Document Control Branch (Document Control Desk). 4pp. 54961:276-54961:279.

9008160122 Informs of administrative error in Insp Repts 50-338/90-17 & 50-339/90-17.
CLINE,W.E. Region 2 (Post 820201). 90/08/10. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54992:248-54992:249.

9008270204 Forwards Insp Repts 50-338/90-15 & 50-339/90-15 on 900526-0714 & notice of violation.
SINKULE,M.V. Region 2 (Post 820201). 90/08/10. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 55032:277-55032:301.

—9008270209 Notice of violation from insp on 900526-0714.Violations noted:failure to use correct procedure for calibr of hydrogen analyzers & use of uncontrolled vendor ref matl for determining instrument setpoint.
SINKULE,M.V. Region 2 (Post 820201). 90/08/10. 2pp. 55032:280-55032:281.

—9008270213 Insp Repts 50-338/90-15 & 50-339/90-15 on 900526-0714. Violations noted.Major areas inspected:operations,maint, surveillances,ESF walkdown,operational event followup,LER followup & licensee self assessment.
LESSER,M.S., KING,L.P., FREDRICKSON,P. Region 2 (Post 820201). 90/08/09. 20pp. 55032:282-55032:301.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008270267 "Radioactive Effluent Release Rept,North Anna Power Station,Jan-June 1990." W/900820 ltr.
JOHNSON,M.R., STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/06/30. 31pp. 55037:028-55037:058.

9008160093 Monthly operating rept for Jul 1990 for North Anna Power Station,Units 1 & 2,W/900810 ltr.
PHILLIPS,T., STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/31. 23pp. 54976:289-54976:300.

9008220056 Addendum to "Semiannual Radioactive Effluent Release Rept for Jan-June 1989."
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/16. 2pp. 55015:225-55015:226.

S. Reportable occurrences, LERs & related correspondence

9007310011 NPDES noncompliance notification:on 900719,partially processed water directed to storm drain in error.Alteration of piping being evaluated.Outlet to storm drain permanently capped & no further discharge anticipated.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/07/23. 2pp. 54769:357-54769:358.

9008150274 LER 90-009-00:on 900719,discovered that response time testing of pressurizer high level reactor trip function not performed per Tech Spec 3.3.1.1,Table 3.3-2.Caused by personnel error.Tech Spec revised,W/900810 ltr.
KANE,G.E. Virginia Power (Virginia Electric & Power Co.). 90/08/10. 4pp. 54953:279-54953:285.

V. Operator Examinations

9008070017 Notification of contract execution:Task Order 44, "North Anna Nuclear Power Plant Requalification Exam" to "Technical Assistance to Support Licensing Activities."
HUGHES,A. Contract Administration Branch (890205-900602). FIN L-12890. 90/07/23. WEST,K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p. 54902:210-54902:213.

—9008070027 Ltr contract,definitizing Task Order 44, "North Anna Nuclear Power Plant Requalification Exam" to "Technical Assistance to Support Licensing Activities."
HAGAN,T.F. Contract Administration Branch (890205-900602). FIN L-12890. 90/07/23. PETERSON,L.R. Sonalysts, Inc. 3pp. 54902:211-54902:213.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

106 DOCKETED ITEMS

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9007270103** Forwards Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/06/26. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54735:110-54735:123.
- 9007270106** Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08.No violations or deviations noted.Major areas inspected:fire protection & followup on unresolved item identified during App R triennial insp on 880718-22.
HARRIS,W.R. Region 2 (Post 820201). 90/06/22. 11pp. 54735:113-54735:123.
- 9008030131** Forwards Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 90/07/30. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54876:001-54876:004.
- 9008030133** Partially withheld Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13 (ref 10CFR2.790).No violations or deviations.Major areas inspected:physical security program for power reactors & security plan & implementing procedures.
TILLMAN,A. Region 2 (Post 820201). 90/07/27. 1p. 54876:004-54876:004.
- 9008140217** Responds to NRC 900709 ltr re violations noted in Insp Repts 50-338/90-11 & 50-339/90-11.Corrective actions:procedure revised to limit applicability to small refueling cavity leaks & listed evaluations & revs will be made to EOP.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/08. Document Control Branch (Document Control Desk). 4pp. 54961:276-54961:279.
- 9008160099** Revised EIPs,including Rev 13 to EIP-3.02,Rev 10 to EIP-4.01,Rev 9 to EIP-4.03 & EIP-4.07,Rev 8 to EIP-4.12, Rev 11 to EIP-4.16 & Rev 0 to EIP-4.30,EIP-4.31 & EIP-4.32.W/900810 ltr.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/10. 131pp. 54989:222-54990:012.

I. Financial information

- 9008030081** Forwards "Decommissioning Financial Assurance Certification Rept...," "Nuclear Decommissioning Trust Agreement" & "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement." per 10CFR50.75.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54842:204-54842:270.
- 9008030086** "Decommissioning Financial Assurance Certification Rept for Surry Power Station & North Anna Power Station."
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. 18pp. 54842:206-54842:223.
- 9008030104** "Nuclear Decommissioning Trust Agreement."
ROBERTSON,L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 21pp. 54842:224-54842:244.
- 9008030107** "Nonqualified Nuclear Decommissioning Trust Amended & Restated Trust Agreement."
ROBERTSON,L.R. Virginia Power (Virginia Electric & Power Co.). 89/04/18. 26pp. 54842:245-54842:270.

P. Operating license stage documents & correspondence

- 9007270005** Requests for temporary waiver of compliance from requirement of Tech Spec 3.3.1.1,Table 2.3-2 re response time testing. Request does not pose significant hazards consideration.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/20. Document Control Branch (Document Control Desk). 4pp. 54727:309-54727:312.
- 9008080142** Forwards summary of 900718 mgt meeting at plant re self-assessment of facility.
REYES,L.A. Region 2 (Post 820201). 90/07/20. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 65pp. 54917:170-54917:234.
- 9007310013** Requests publication of encl public notice of reissuance of VPDES permit for plant.Certification of public notice issue date also requested.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/07/23. Central Virginian, Louisa, VA. 4pp. 54737:357-54737:360.
- 9007310014** Requests publication of encl public notice of reissuance of VPDES permit for plant.Certification of public notice issue date requested.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/07/23. Richmond Times Dispatch, Richmond, VA. 4pp. 54744:355-54744:358.
- 9007300130** Forwards Amends 131 & 115 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends add requirement to close isolation valve on drain pipe in flood control dyke around west end of NA-2 turbine & svc bldg.
ENGLE,L.B. Project Directorate II-2. 90/07/25. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54762:316-54762:331.
- 9007300132** Amends 131 & 115 to Licenses NPF-4 & NPF-7, respectively, adding requirement to close isolation valve on drain pipe in flood control dyke around west end of NA-2 turbine & svc bldgs.
BERKOW,H.N. Project Directorate II-2. 90/07/25. 10pp. 54762:319-54762:328.
- 9007300134** Safety evaluation supporting Amends 131 & 115 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 3pp. 54762:329-54762:331.
- 9008030230** Application for amends to Licenses NPF-4 & NPF-7,replacing independent operational event review group w/mgt safety review committee as organization responsible for offsite review function.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54832:050-54832:056.
- 9008030231** Proposed Tech Specs re offsite review function.
* Virginia Power (Virginia Electric & Power Co.). 90/07/30. 5pp. 54832:052-54832:056.

- 9008080263** Forwards Amends 133 & 117 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise noble gas high range effluent monitor setpoints in Table 3.3-6.
ENGLE,L.B. Project Directorate II-2. 90/07/31. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54919:146-54919:161.
- 9008080266** Amends 133 & 117 to Licenses NPF-4 & NPF-7, respectively, revising noble gas high range effluent monitor setpoints in Table 3.3-6.
BERKOW,H.N. Project Directorate II-2. 90/07/31. 9pp. 54919:149-54919:157.
- 9008080267** Safety evaluation supporting Amends 133 & 117 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 4pp. 54919:158-54919:161.
- 9008100040** Forwards Amends 132 & 116 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends add footnote to Tech Spec Table 3.3-2, "Reactor Trip Sys Instrumentation Response Times."
ENGLE,L.B. Project Directorate II-2. 90/07/31. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 54942:275-54942:295.
- 9008100042** Amends 132 & 116 to Licenses NPF-4 & NPF-7, respectively, adding footnote to Tech Spec Table 3.3-2, "Reactor Trip Sys Instrumentation Response Times."
LAINAS,G.C. Assistant Director for Region II Reactors. 90/07/31. 10pp. 54942:279-54942:288.
- 9008100045** Safety evaluation supporting Amends 132 & 116 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 7pp. 54942:289-54942:295.
- 9008060320** Resubmits synopsis of changes to updated operational QA Program Topical Rept VEP 1-5A.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54876:284-54876:293.
- 9008060375** Revised pages to Operational QA Program Topical Rept VEP 1-5A.
* Virginia Power (Virginia Electric & Power Co.). 90/08/01. 2pp. 54876:292-54876:293.
- 9008200151** Confirms 900730 telcon between DA Sommers & PE Fredrickson re upcoming Region 2 mgt meeting in Atlanta,GA on 900815 to discuss configuration mgt program.
REYES,L.A. Region 2 (Post 820201). 90/08/01. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54993:272-54993:274.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008160182** Forwards Amends 135 & 118 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise Tech Spec Section 6.5 to conform to Westinghouse STS re Independent/ Operational Event Review Group.
ENGLE,L.B. Project Directorate II-2. 90/08/07. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54992:274-54992:308.
- 9008160183** Amends 135 & 118 to Licenses NPF-4 & NPF-7, respectively, revising Tech Spec Section 6.5 by changing Independent/ Operational Event Review Group to conform to Westinghouse STS.
BERKOW,H.N. Project Directorate II-2. 90/08/07. 27pp. 54992:277-54992:303.
- 9008160184** Safety evaluation supporting Amends 135 & 118 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. 3pp. 54992:304-54992:308.
- 9008140211** Application for amends to Licenses NPF-4 & NPF-7,changing Tech Spec per requirements of Generic Ltr 88-16.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54962:129-54962:138.
- 9008140216** Proposed Tech Specs re core operating limits rept.
* Virginia Power (Virginia Electric & Power Co.). 90/08/08. 8pp. 54962:131-54962:138.
- 9008160070** Forwards Amends 136 & 119 to Licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends permit suspension of cycling turbine governor valves during end-of-cycle power coastdown between 835 & 386 MWe.
ENGLE,L.B. Project Directorate II-2. 90/08/10. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54990:232-54990:249.
- 9008160071** Amends 136 & 119 to Licenses NPF-4 & NPF-7, respectively, permitting suspension of cycling turbine governor valves during end-of-cycle power coastdown between 835 & 386 MWe.
BERKOW,H.N. Project Directorate II-2. 90/08/10. 10pp. 54990:235-54990:244.
- 9008160073** Safety evaluation supporting Amends 136 & 119 to Licenses NPF-4 & NPF-7, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/10. 4pp. 54990:245-54990:249.
- 9008200061** Provides supplemental info for 900115 Tech Spec change request re max allowable control rod drop time.Retained DNBR margin tracked & documented by calculational note.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/15. Document Control Branch (Document Control Desk). 2pp. 54993:203-54993:204.
- 9008270049** Confirms 900921 mgt meeting in Atlanta,GA to discuss commitment mgt sys,per 900730 telcon.Proposed meeting agenda encl.
REYES,L.A. Region 2 (Post 820201). 90/08/15. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 55035:071-55035:074.
- 9008280309** Advises that legal notices re reissuances of NPDES permit for plant have been published in Richmond-Times Dispatch & Central Virginian on 900804 & 11 & 0726 & 0802,respectively, as requested.Confirmation from newspapers encl.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 90/08/21. KREGLOE,W.L. Virginia, Commonwealth of. 3pp. 55041:001-55041:003.

Q. Inspection reports, IE Bulletins & correspondence

9007270103 Forwards Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54735:110-54735:123.

-9007270106 Insp Repts 50-338/90-14 & 50-339/90-14 on 900604-08. No violations or deviations noted. Major areas inspected: fire protection & followup on unresolved item identified during App R triennial insp on 880718-22.
HARRIS, J.R., CONLON, T. Region 2 (Post 820201). 90/06/22. 11pp. 54735:113-54735:123.

9007270090 Forwards Insp Repts 50-338/90-13 & 50-339/90-13 on 900514-18 & 29. Noncited violations noted.
COLLINS, D.M. Region 2 (Post 820201). 90/06/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54735:137-54735:149.

-9007270094 Insp Repts 50-338/90-13 & 50-339/90-13 on 900514-18 & 29. Noncited violations noted. Major areas inspected: radiation monitoring sys, water chemistry & QC.
SEYMOUR, D.A., DECKER, T.R. Region 2 (Post 820201). 90/06/27. 10pp. 54735:140-54735:149.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030131 Forwards Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 90/07/30. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 54876:001-54876:004.

-9008030133 Partially withheld Insp Repts 50-338/90-17 & 50-339/90-17 on 900709-13 (ref 10CFR2.790). No violations or deviations. Major areas inspected: physical security program for power reactors & security plan & implementing procedures.
TILLMAN, A., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/27. 1p. 54876:004-54876:004.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008210006 Forwards Insp Repts 50-338/90-16 & 50-339/90-16 on 900709-13. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/08/06. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 55003:057-55003:066.

-9008210007 Insp Repts 50-338/90-16 & 50-339/90-16 on 900709-13. No violations or deviations noted. Major areas inspected: surveillance testing of main steam safety relief valves & follow up of licensee actions on previous insp findings.
LENAHAN, J.J., BELISLE, G.A. Region 2 (Post 820201). 90/08/02. 7pp. 55003:060-55003:066.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiative Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140217 Responds to NRC 900709 ltr re violations noted in Insp Repts 50-338/90-11 & 50-339/90-11. Corrective actions: procedure revised to limit applicability to small refueling cavity leaks & listed evaluations & revs will be made to EOP.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/08. Document Control Branch (Document Control Desk). 4pp. 54961:276-54961:279.

9008160122 Informs of administrative error in Insp Repts 50-338/90-17 & 50-339/90-17.
CLINE, W.E. Region 2 (Post 820201). 90/08/10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 54992:248-54992:249.

9008270204 Forwards Insp Repts 50-338/90-15 & 50-339/90-15 on 900526-0714 & notice of violation.
SINKULE, M.V. Region 2 (Post 820201). 90/08/10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 55032:277-55032:301.

-9008270209 Notice of violation from insp on 900526-0714. Violations noted: failure to use correct procedure for calibr of hydrogen analyzers & use of uncontrolled vendor ref mat for determining instrument setpoint.
SINKULE, M.V. Region 2 (Post 820201). 90/08/10. 2pp. 55032:280-55032:281.

-9008270213 Insp Repts 50-338/90-15 & 50-339/90-15 on 900526-0714. Violations noted: Major areas inspected: operations, maint, surveillances, ESF walkdown, operational event followup, LER followup & licensee self assessment.
LESSER, M.S., KING, L.P., FREDRICKSON, P. Region 2 (Post 820201). 90/08/09. 20pp. 55032:282-55032:301.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:264-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008270267 "Radioactive Effluent Release Rept, North Anna Power Station, Jan-June 1990." W/900820 ltr.
JOHNSON, M.R., STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/06/30. 31pp. 55037:028-55037:058.

9008160093 Monthly operating rept for Jul 1990 for North Anna Power Station, Units 1 & 2. W/900810 ltr.
PHILLIPS, T., STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/31. 23pp. 54976:289-54976:300.

9008220056 Addendum to "Semiannual Radioactive Effluent Release Rept for Jan-June 1989."
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/16. 2pp. 55015:225-55015:226.

S. Reportable occurrences, LERs & related correspondence

9007310011 NPDES noncompliance notification on 900719, partially processed water directed to storm drain in error. Alteration of piping being evaluated. Outlet to storm drain permanently capped & no further discharge anticipated.
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 90/07/23. 2pp. 54769:357-54769:358.

V. Operator Examinations

9008070017 Notification of contract execution: Task Order 44, "North Anna Nuclear Power Plant Requalification Exam" to "Technical Assistance to Support Licensing Activities."
HUGHES, A. Contract Administration Branch (890205-900602). FIN L-12890. 90/07/23. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54902:210-54902:213.

-9008070027 Ltr contract, definitizing Task Order 44, "North Anna Nuclear Power Plant Requalification Exam" to "Technical Assistance to Support Licensing Activities."
HAGAN, T.F. Contract Administration Branch (890205-900602). FIN L-12890. 90/07/23. PETERSON, L.R. Sonalysts, Inc. 3pp. 54902:211-54902:213.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9008010119 Recommends that util wait until generic effort on NUMARC proposal completed before pursuing rev to emergency action level scheme.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. ORSER, W.S. Detroit Edison Co. 2pp. 54791:053-54791:055.

9007310159 Forwards Rev 15 to physical security plan. Rev withheld.
ORSER, W.S. Detroit Edison Co. 90/07/24. Document Control Branch (Document Control Desk). 1p. 54824:218-54824:218.

9008150033 Revised EPIPs, including Rev 4 to EP-542 & Rev 2 to EP-226.
* Detroit Edison Co. 90/08/08. 8pp. 54989:157-54989:164.

9008140030 Forwards Rev 5 to security personnel training & qualification plan. Rev establishes App D & records retention matrix to provide central location in plan for info on records retention Pages 3-4, 3-8 & 3-9. Rev withheld.
CATOLA, S.G. Detroit Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54955:199-54955:200.

9008230126 Advises that 900724 Rev 15 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
GREGER, L.R. Region 3 (Post 820201). 90/08/15. ORSER, W.S. Detroit Edison Co. 2pp. 55019:207-55019:208.

I. Financial Information

9007310104 Forwards certification of financial assurance for decommissioning of facility.
ORSER, W.S. Detroit Edison Co. 90/07/26. Document Control Branch (Document Control Desk). 9pp. 54796:161-54796:249.

P. Operating license stage documents & correspondence

9008030049 Notification of 900809 meeting w/util in Rockville, MD to discuss storage of low level waste at plant.
STANG, J. Project Directorate III-1. 90/07/26. PIERSON, R. Project Directorate III-1. 2pp. 54842:353-54842:354.

108 DOCKETED ITEMS

9008080220 Forwards Amend 53 to License NPF-43 & safety evaluation. Amend revises Tech Specs to allow extended operation of plant at reduced power w/single recirculation loop in operation.
STANG,J.F. Project Directorate III-1. 90/07/27. ORSER,W.S. Detroit Edison Co. 3pp. 54903:271-54903:319.

—**9008080223** Amend 53 to License NPF-43, revising Tech Specs to allow extended operation of plant at reduced power w/single recirculation loop in operation.
PIERSON,R.C. Project Directorate III-1. 90/07/27. 40pp. 54903:274-54903:313.

—**9008080226** Safety evaluation supporting Amend 53 to License NPF-43.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/27. 6pp. 54903:314-54903:319.

9008080027 Confirms plans for mgt meeting on 900821 in Glen Ellyn, IL to discuss plant status, Refueling 2 planning & mgt changes.
GREENMAN,E.G. Region 3 (Post 820201). 90/07/30. ORSER,W.S. Detroit Edison Co. 1p. 54919:162-54919:162.

9008130077 Application for amend to License NPF-43, providing revised ECCS response time requirements for LPCI mode of RHR sys. New response time requirements reflect results of recalculation of applicable accident analysis by GE.
ORSER,W.S. Detroit Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 7pp. 54958:270-54958:278.

—**9008130079** Proposed Tech Specs re ECCS actuation instrumentation.
* Detroit Edison Co. 90/08/01. 2pp. 54958:277-54958:278.

9008130085 Application for amend to License NPF-43, changing title of "Vice President - Nuclear Operations" to "Assistant Vice President & Manager - Nuclear Production," to reflect util new onsite nuclear organization.
ORSER,W.S. Detroit Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 7pp. 54957:263-54957:277.

—**9008130087** Proposed Tech Specs changing title of "Vice President - Nuclear Operations" to "Assistant Vice President & Manager - Nuclear Operation," to reflect util new onsite nuclear operation.
* Detroit Edison Co. 90/08/01. 8pp. 54957:270-54957:277.

9008130107 Application for amend to License NPF-43, clarifying ref points for setting uptravel & downtravel stops on refueling platform hoists. Requests review & approval of proposal prior to second refueling outage scheduled for Mar 1991.
ORSER,W.S. Detroit Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 9pp. 54958:251-54958:262.

—**9008130109** Proposed Tech Specs re clarification of ref points for setting uptravel & downtravel stops on refueling platform hoists.
* Detroit Edison Co. 90/08/01. 3pp. 54958:260-54958:262.

9008130145 Application for amend to License NPF-43, revising Tech Spec 5.3.2 re control rod assemblies. Approval requested prior to second refueling outage scheduled for Mar 1991. Proprietary GE rept on control rod assembly withdrawal (ref 13CF32.790).
ORSER,W.S. Detroit Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 9pp. 54958:331-54958:346.

—**9008130148** Proposed Tech Spec 5.3.2 re control rod assemblies.
* Detroit Edison Co. 90/08/01. 7pp. 54958:340-54958:346.

9008130119 Application for amend to License NPF-43, permitting util to maintain RHR sys operable w/min flow valve disabled in closed position when sys in shutdown cooling mode.
ORSER,W.S. Detroit Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 9pp. 54958:204-54958:222.

—**9008130125** Proposed Tech Specs allowing maint of RHR sys operable w/min flow valve disabled in closed position when sys in shutdown cooling mode of operation.
* Detroit Edison Co. 90/08/02. 9pp. 54956:213-54956:222.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008150229 Advises that 890724 application for amend to License NPF-43, re RCIC sys actuation instrumentation considered withdrawn.
STANG,J.F. Project Directorate III-1. 90/08/08. ORSER,W.S. Detroit Edison Co. 4pp. 54971:231-54971:234.

9008150231 Advises that 881222 application for amend to License NPF-43, re isolation actuation instrumentation considered withdrawn.
STANG,J.F. Project Directorate III-1. 90/08/08. ORSER,W.S. Detroit Edison Co. 3pp. 54971:247-54971:249.

9008150234 Advises that 881222 application for amend to License NPF-43 re control room emergency filtration sys considered withdrawn.
STANG,J.F. Project Directorate III-1. 90/08/08. ORSER,W.S. Detroit Edison Co. 3pp. 54966:121-54966:123.

9008230199 Advises that 890721 & 1109 responses to Generic Ltr 89-08, "Erosion/Corrosion Induced Pipe Wall Thinning," satisfactory.
STANG,J.F. Project Directorate III-1. 90/08/09. ORSER,W.S. Detroit Edison Co. 4pp. 55016:150-55016:153.

9008240190 Accepts 900126 response to Generic Ltr 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment." Review of response to ltr will be completed upon receipt of second of two required responses.
STANG,J.F. Project Directorate III-1. 90/08/14. ORSER,W.S. Detroit Edison Co. 3pp. 55027:227-55027:229.

9008220140 Forwards NPDES Permit MI0037028 for plant, approved by State of MI Water Resources Commission during 900719 meeting.
ORSER,W.S. Detroit Edison Co. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55006:285-55006:314.

—**9008220143** NPDES Permit MI0037028, issued to Michigan Water Resources Commission.
ZUGGER,P.D. Michigan, State of. 90/07/19. 29pp. 55006:286-55006:314.

Q. Inspection reports, IE Bulletins & correspondence

9008070368 Forwards Safety Insp Rept 50-341/90-09 on 900514-0706. Violations re inadequacies associated w/emergency diesel generator surveillance & process computer changes noted, but not cited.
CLAYTON,B. Region 3 (Post 820201). 90/07/26. ORSER,W.S. Detroit Edison Co. 2pp. 54897:261-54897:281.

—**9008070368** Insp Rept 50-341/90-09 on 900514-0706. Violations noted, but not cited. Major areas inspected: action on previous insp findings, operational safety, maint, surveillance, followup of events, LER followup, bulletin & info notice follow-up.
DEFAYETTE,R.W. Region 3 (Post 820201). 90/07/25. 19pp. 54897:263-54897:281.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020104 Ack receipt of 900309 response to 900212 order modifying license & notice of violation from investigation repts. Util corrective actions acceptable.
DAVIS,A.B. Region 3 (Post 820201). 90/07/28. ORSER,W.S. Detroit Edison Co. 2pp. 54828:178-54828:179.

9008080340 Advises that requirements in CAL-RIII-88-09, satisfied & confirmatory action ltr closed, per 900518 ltr.
DAVIS,A.B. Region 3 (Post 820201). 90/07/31. ORSER,W.S. Toledo Edison Co. 2pp. 54917:166-54917:167.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090021 Responds to NRC 900627 ltr re violations noted in Insp Rept 50-341/90-07. Corrective actions: review of RF01 turbine work packages to identify where add controls should be placed in similar future RFO2 packages conducted.
ORSER,W.S. Detroit Edison Co. 90/08/03. Document Control Branch (Document Control Desk). 7pp. 54932:341-54932:349.

9008090027 Responds to concerns re Open Item 90-C07-04, per NRC 900627 request. Potential enhancements to drawings being reviewed & to be resolved by Dec 1990.
ORSER,W.S. Detroit Edison Co. 90/08/03. Document Control Branch (Document Control Desk). 5pp. 54922:280-54922:284.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008230213 Advises that response to Bulletin 88-010, "Nonconforming Molded-Case Circuit Breakers," acceptable, per 890331, 0706 & 1106 ltrs.
STANG,J. Project Directorate III-1. 90/08/09. ORSER,W.S. Detroit Edison Co. 4pp. 55016:001-55016:004.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008220083 Affirms that util intends to conduct insp of low pressure turbine rotor disks during upcoming refueling outage. Insp of low pressure Turbine 2 carried out during first refueling outage. No evidence of stress corrosion found.
ORSER,W.S. Detroit Edison Co. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55023:029-55023:030.

9008230045 Accepts util 881003 response to NRC Bulletin 88-008 & Suppl 1, "Thermal Stresses in Piping Connected to RCSs." NRC recommends that analysis prepared in response to bulletin & suppl be kept on file for further review.
STANG,J.F. Project Directorate III-1. 90/08/20. ORSER,W.S. Detroit Edison Co. 3pp. 55019:201-55019:203.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:404.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210150 Monthly operating rept for Jul 1990 for Fermi 2. Rept includes average daily unit power level & summary of unit shutdowns & power reductions identified in NRC Reg Guide 1.16 & Tech Spec 6.9.1.6.W/900815 ltr.
ANTHONY,P.M., DAWSON,E., ORSER,W.S. Detroit Edison Co. 90/07/31. 6pp. 55000:054-55000:059.

S. Reportable occurrences, LERs & related correspondence

9007310077 Part 21 rept re configuration discrepancies in Limitorque geared limit switch assemblies. Initially reported on 900724. Recommendations made to Limitorque to prevent such incidents from occurring in future & quality surveillance performed.
ORSER,W.S. Detroit Edison Co. 90/07/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 54803:241-54803:247.

9008230175 LER 90-005-00: on 900717, RWCU outboard isolation valve G3352-F004 closed & caused RWCU pumps to trip. Caused by abnormal open circuit condition. Procedure NPP-35.318.017 performed. W/900816 ltr.
PENDERGAST,J.M., ORSER,W.S. Detroit Edison Co. 90/08/16. 6pp. 55012:216-55012:221.

V. Operator Examinations

9007310275 Extends invitation to review Rev 6 to NUREG-1021 re operator licensing examiners stds on 900829 in Naperville, IL.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. ORSER,W.S. Detroit Edison Co. 2pp. 54770:035-54770:036.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encls.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-344 TROJAN NUCLEAR PLANT**F. Security, medical, emergency & fire protection plans**

9008030130 Forwards SALP Mgt Meeting Insp Rept 50-344/90-22 on 900615.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/20. CROSS,J.E. Portland General Electric Co. 2pp. 54873:113-54873:121.

9008030135 Mgt Meeting Insp Rept 50-344/90-22 on 900615. Major areas discussed: results of NRC SALP for 890101 through 900331.
RICHARDS,S.A. Region 5 (Post 820201). 90/07/20. 7pp. 54873:115-54873:121.

9008080346 Forwards FEMA rept re observation of offsite activities during plant emergency preparedness exercise on 891115. NRC understands that FEMA rept for 900724 remedial drill will close five deficiencies. W/o encls.
SCARANO,R.A. Region 5 (Post 820201). 90/08/01. CROSS,J.E. Portland General Electric Co. 2pp. 54919:131-54919:132.

9008130111 Responds to 900731 request for review of draft exercise rept & comments.
ROBERTS,J.P. Region 5 (Post 820201). 90/08/08. DONOVAN,R.W. Federal Emergency Management Agency. 1p. 54956:130-54956:156.

9008130112 Forwards draft "Remedial Drill Rept." for review & comments.
DONOVAN,R.W. Federal Emergency Management Agency. 90/07/31. SCHUSTER,D. Region 5 (Post 820201). 1p. 54956:131-54956:131.

9008130115 Draft "Remedial Drill Rept."
* Federal Emergency Management Agency. 90/07/31. 25pp. 54956:132-54956:156.

9008230058 Advises that 900712 & 31 responses to SALP Rept 50-344/90-09 appropriate. Page 18 of initial rept changed to reflect effort by util engineering groups in design of ATWS mitigation sys actuation circuitry, per 900615 board meeting.
MARTIN,J.B. Region 5 (Post 820201). 90/08/15. CROSS,J.E. Portland General Electric Co. 5pp. 55045:153-55045:218.

9008290121 Errata to SALP Rept 50-344/90-09 for Jan 1989 - Mar 1990, consisting of revised Page 18 to reflect effort by util engineering groups in design of ATWS mitigation sys actuation circuitry.
* Region 5 (Post 820201). 90/08/15. 39pp. 55045:179-55045:218.

9008280009 Forwards Safeguards Insp Rept 50-344/90-23 on 900719-0817. Violation noted but not cited. Characterization of apparent violation in insp rept may change as result of further NRC review. Enforcement conference scheduled for 900830.
SCARANO,R.A. Region 5 (Post 820201). 90/08/21. CROSS,J.E. Portland General Electric Co. 3pp. 55041:220-55041:223.

9008280010 Partially withheld Security Insp Rept 50-344/90-23 on 900719-0817 (ref 10CFR2.790). Violation noted. Major areas inspected: access control of personnel & packages & entry of unauthorized firearm into plant protected area.
SCHAEFER,D.W., ROBERTS,J.P. Region 5 (Post 820201). 90/08/20. 1p. 55041:223-55041:223.

I. Financial Information

9008020117 Forwards decommissioning financial assurance certification rept for plant, per 10CFR50.75. Certifies that financial assurance utilizing methodology as listed will be available to decommission plant.
CROSS,J.E. Portland General Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 86pp. 54820:190-54820:275.

P. Operating license stage documents & correspondence

9008070215 Forwards corrected Amend 161 to License NPF-1, revising Items 6.4.1 & 6.4.2 re administrative controls.
BEVAN,R. Project Directorate V. 90/08/02. CROSS,J.E. Portland General Electric Co. 2pp. 54896:202-54896:204.

9008070218 Corrected Amend 161 to License NPF-1, revising Items 6.4.1 & 6.4.2 re administrative controls.
* NRC - No Detailed Affiliation Given. 90/08/02. 1p. 54896:204-54896:204.

9008070283 Forwards safety evaluation concluding that instrumented ammonia detection unnecessary for protection of control room personnel based on review of submittals.
BEVAN,R. Project Directorate V. 90/08/02. CROSS,J.E. Portland General Electric Co. 2pp. 54896:308-54896:312.

9008070284 Safety evaluation concluding that operable instrumented ammonia detection capability unnecessary for protection of control room personnel in event of spill of anhydrous ammonia in vicinity of plant.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 5pp. 54896:310-54896:312.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080087 Advises that response to Generic Ltr 89-06 re SPDS implementation complete, per 890412 & 0815 ltrs. Sys meets NUREG-0737 requirements & takes into account NUREG-1342 info.
BEVAN,R. Project Directorate V. 90/08/03. CROSS,J.E. Portland General Electric Co. 2pp. 54903:353-54903:354.

9008230179 Advises that util 900119 program description including positions on static testing to ensure proper switch settings & motor-operated valve problem trending schedules may be reviewed during possible further NRC insp.
BEVAN,R. Project Directorate V. 90/08/17. CROSS,J.E. Portland General Electric Co. 3pp. 55020:153-55020:155.

Q. Inspection reports, IE Bulletins & correspondence

9007270007 Forwards Insp Rept 50-344/90-19 on 900611-15 & notice of violation.
YUHAS,G.P. Region 5 (Post 820201). 90/07/11. CROSS,J.E. Portland General Electric Co. 3pp. 54734:298-54734:322.

9007270008 Notice of violation from insp on 900611-15. Violations noted: containment atmosphere particulate radioactivity sys PRM-1A inoperable for greater than 30 days prior to 900130 during which containment isolation valves not maintained closed.
YUHAS,G.P. Region 5 (Post 820201). 90/07/11. 3pp. 54734:301-54734:303.

9007270010 Insp Rept 50-344/90-19 on 900611-15. Violations noted: Major areas inspected: follow-up of items of noncompliance, occupational exposure during outages & keeping occupational exposure ALARA.
TENBROOK,W.K., COBLENTZ,L.L., YUHAS,G.P. Region 5 (Post 820201). 90/07/11. 19pp. 54734:304-54734:322.

9008030130 Forwards SALP Mgt Meeting Insp Rept 50-344/90-22 on 900615.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/20. CROSS,J.E. Portland General Electric Co. 2pp. 54873:113-54873:121.

9008030135 Mgt Meeting Insp Rept 50-344/90-22 on 900615. Major areas discussed: results of NRC SALP for 890101 through 900331.
RICHARDS,S.A. Region 5 (Post 820201). 90/07/20. 7pp. 54873:115-54873:121.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020135 Ack receipt of 900706 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-344/90-11.
RICHARDS,S.A. Region 5 (Post 820201). 90/07/27. CROSS,J.E. Portland General Electric Co. 1p. 54826:242-54826:248.

9008030334 Forwards updated response to address maint/surveillance area of SALP for period from Jan 1989 - Mar 1990. Overall plant performance during period acceptable & found to be directed toward safe operation.
CROSS,J.E. Portland General Electric Co. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54841:025-54841:031.

9008230041 Forwards Insp Rept 50-344/90-17 on 900604-07. No violations or deviations noted.
RICHARDS,S.A. Region 5 (Post 820201). 90/08/01. CROSS,J.E. Portland General Electric Co. 2pp. 55016:018-55016:029.

9008230042 Insp Rept 50-344/90-17 on 900604-07. No violations or deviations noted. Major areas inspected: licensee actions in response to issues identified in Insp Rept 50-344/89-12.
KERCH,H.W., STROSNIDER,J.R. Region 1 (Post 820201). 90/07/20. 10pp. 55016:020-55016:029.

110 DOCKETED ITEMS

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008080086 Advises that response to NRC Bulletin 88-010, "Molded Case Circuit Breakers," complete, per 890331, 0414, 0725 & 900316 ltrs. If subsequent insp identifies deficiencies in actions & responses, issue will be reopened.
BEVAN, R.B. Project Directorate V. 90/08/03. CROSS, J. Portland General Electric Co. 2pp. 54917:164-54917:165.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230058 Advises that 900712 & 31 responses to SALP Rept 50-344/90-09 appropriate. Page 18 of initial rept changed to reflect effort by util engineering groups in design of ATWS mitigation sys actuation circuitry, per 900615 board meeting.
MARTIN, J.B. Region 5 (Post 820201). 90/08/15. CROSS, J.E. Portland General Electric Co. 5pp. 55045:153-55045:218.

-9008290121 Errata to SALP Rept 50-344/90-09 for Jan 1989 - Mar 1990, consisting of revised Page 18 to reflect effort by util engineering groups in design of ATWS mitigation sys actuation circuitry.
* Region 5 (Post 820201). 90/08/15. 39pp. 55045:179-55045:218.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230179 Advises that util 900119 program description including positions on static testing to ensure proper switch settings & motor-operated valve problem trending schedules may be reviewed during possible further NRC insp.
BEVAN, R. Project Directorate V. 90/08/17. CROSS, J.E. Portland General Electric Co. 3pp. 55020:153-55020:155.

9008260009 Forwards Safeguards Insp Rept 50-344/90-23 on 900719-0817. Violation noted but not cited. Characterization of apparent violation in insp rept may change as result of further NRC review. Enforcement conference scheduled for 900830.
SCARANO, R.A. Region 5 (Post 820201). 90/08/21. CROSS, J.E. Portland General Electric Co. 3pp. 55041:220-55041:223.

-9008280010 Partially withheld Security Insp Rept 50-344/90-23 on 900719-0817 (ref 10CFR2.790). Violation noted. Major areas inspected: access control of personnel & packages & entry of unauthorized firearm into plant protected area.
SCHAEFER, D.W., ROBERTS, J.P. Region 5 (Post 820201). 90/08/20. 1p. 55041:223-55041:223.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170243 Monthly operating rept for Jul 1990 for Trojan Nuclear Plant. W/900803 ltr.
ULMER, F.J., ROBINSON, W.R. Portland General Electric Co. 90/07/31. 5pp. 54995:263-54995:267.

9008130065 Forwards monthly operating rept for Jul 1990. W/o encl.
ROBINSON, W.R. Portland General Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54957:183-54957:183.

S. Reportable occurrences, LERs & related correspondence

9008140311 Special rept on 900618, Deluge Sys 19 for electrical penetration area declared inoperable due to electrical & electronic problems within sys actuation panel. Fire watch established.
ROBINSON, W.R. Portland General Electric Co. 90/07/10. Document Control Branch (Document Control Desk). 1p. 54951:357-54951:357.

9008010018 LER 90-031-00: on 900625, determined that performance of Tech Spec required surveillance not adequately documented for component cooling water sys valves. Caused by personnel error. Review of procedures performed. W/900725 ltr.
FORD, E.W., ROBINSON, W.R. Portland General Electric Co. 90/07/25. 5pp. 54792:029-54792:033.

9008060107 LER 90-028-00: on 900628, determined that auxiliary feedwater pump control instrumentation not seismically mounted. Caused by inadequate work instructions. Auxiliary feedwater trains declared inoperable & plant procedures revised. W/900730 ltr.
GUBERSKI, J.D., ROBINSON, W.R. Portland General Electric Co. 90/07/30. 4pp. 54831:096-54831:099.

9008060111 LER 90-029-00: on 900629, control switches for safety injection pumps found in "Pull-to-Lock" position. Caused by personnel error in failing to follow procedures. Pump control switches placed in "Auto" position. W/900730 ltr.
FORD, E.W., ROBINSON, W.R. Portland General Electric Co. 90/07/30. 9pp. 54904:161-54904:169.

9008060324 LER 90-030-00: on 900729, containment ventilation isolation occurred due to electronic signal spike on Process Radiation Monitor 18. Caused by loose connection between high voltage cable & connector assembly. Connector repaired. W/900801 ltr.
GUBERSKI, J.D., ROBINSON, W.R. Portland General Electric Co. 90/08/01. 4pp. 54904:161-54904:169.

9008070062 Special rept on 900720, discovered circuit breaker, which supplies stated fire pump, in open position. Pump would have been unable to automatically start. Caused by fire water sys low pressure while filling sprinkler. Personnel counseled.
ROBINSON, W.R. Portland General Electric Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54903:059-54903:060.

9008130262 Special rept on 900626, condenser air ejector noble gas effluent monitor PERM-6C declared inoperable. Caused by high flow rates of off-gases present. Chiller repaired & monitor placed in svc.
ROBINSON, W.R. Portland General Electric Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54936:237-54936:238.

9008130207 Special rept on 900710, review revealed that 99 fire dampers classified as Tech Spec fire barriers. QA audit in fall of 1989 identified installation requirements for fire dampers failed to permit testing. Repairs to be completed by 900928.
ROBINSON, W.R. Portland General Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 11pp. 54956:179-54956:189.

9008140366 LER 90-033-00: on 900711, incorrect main steam power operated relief valve controller settings led to pressure transient & results in turbine trip & feedwater isolation. Caused by high level steam generator. W/900810 ltr.
FORD, E.W., ROBINSON, W.R. Portland General Electric Co. 90/08/10. 7pp. 55002:085-55002:091.

9008210196 LER 90-007-01: on 900312, both trains of control room emergency ventilation sys made inoperable during testing. Caused by inadequate control over work activities. Event will be discussed w/personnel in depts involved. W/900815 ltr.
FORD, E.W., ROBINSON, W.R. Portland General Electric Co. 90/08/15. 7pp. 55002:039-55002:062.

9008240194 LER 90-027-00: on 900717, discovered that two valves inadvertently not included in procedure for surveillance of containment isolation valve positions. Caused by inadequate programmatic change. Review performed. W/900816 ltr.
GUBERSKI, J.D., ROBINSON, W.R. Portland General Electric Co. 90/08/16. 6pp. 55024:039-55024:044.

9008270122 Special rept on 900627, pressurizer PORV MO-455A declared inoperable because of excessive seat leakage. Power-operated relief valve scheduled for repair during 1991 refueling outage.
ROBINSON, W.R. Portland General Electric Co. 90/08/16. Document Control Branch (Document Control Desk). 2pp. 55036:273-55036:274.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080061 Rev 0 to Emergency Plan Off-Normal Occurrence Procedure HS-EP-02861, "Radiological Incidents." W/Rev 10 to table of contents.
* Toledo Edison Co. 90/06/12. 24pp. 54916:161-54916:184.

9008010071 Rev 2 to EPIP HS-EP-02290, "Emergency Facilities Equipment Operation."
ROLLENS, J., DEMAISON, B.P., MYERS, T.J. Toledo Edison Co. 90/07/03. 32pp. 54790:031-54790:062.

9008130059 Forwards Rev 10 to industrial security plan & Rev 6 to security training & qualification plan. Revs withheld.
SHELTON, D.C. Toledo Edison Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54956:097-54956:098.

9008200075 Advises of intentions to revise testing requirements for fire protection portable detection sys at plant & functional testing of auto-dialer & telephone line subsys from daily to weekly testing.
SHELTON, D.C. Toledo Edison Co. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54996:246-54996:247.

9008230167 Forwards Safety Insp Rept 50-346/90-13 on 900605-30 & 0709. Violation noted but not cited.
KNOP, R.C. Region 3 (Post 820201). 90/08/10. SHELTON, D.C. Toledo Edison Co. 2pp. 55016:193-55016:206.

-9008230168 Insp Rept 50-346/90-13 on 900605-0709. Noncited violation noted. Major areas inspected: LERs, plant operations, refueling, radiological controls, maint/surveillance, emergency preparedness, security, engineering & technical support.
JACKIW, I.N. Region 3 (Post 820201). 90/08/10. 12pp. 55016:195-55016:206.

9008230169 Forwards Safety Insp Rept 50-346/90-09 on 900417-0717. Violations noted but not cited. Util will be notified by separate correspondence of NRC decision re enforcement action based on findings of insp.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/13. SHELTON, D. Toledo Edison Co. 3pp. 55020:050-55020:068.

-9008230171 Safety Insp Rept 50-346/90-09 on 900417-0717. Violations noted. Major areas inspected: licensee actions on previous insp findings, LERs, plant operations, refueling, radiological controls, security, emergency preparedness & maint.
KNOP, R.C. Region 3 (Post 820201). 90/08/10. 16pp. 55020:053-55020:068.

9008220062 Requests NRC concurrence on encl interpretation & technical justification of Tech Spec 3/4.7.10, "Fire Barriers."
SHELTON, D.C. Toledo Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 7pp. 55005:095-55005:101.

I. Financial Information

9007300024 Forwards decommissioning repts for facility certifying that licensees providing financial assurance of availability of funds for decommissioning of plant by establishing external sinking funds, per 10CFR50.33(k) & 75(b).
SHELTON, D.C. Toledo Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 55pp. 54739:291-54739:345.

P. Operating license stage documents & correspondence

9008070041 Forwards "Davis-Besse DCRDR Human Engineering Discrepancy Repts 1988 Summary Addendum 1, Vol 1," per NRC audit team request.
SHELTON, D.C. Toledo Edison Co. 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54890:039-54890:272.

-9008070042 "Davis-Besse DCRDR Human Engineering Discrepancy Repts 1988 Summary Addendum 1, Vol 1."
* Toledo Edison Co. 90/08/01. 250pp. 54890:048-54890:272.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080149 Confirms electronic transfer of payment of Invoice 10942 covering annual fee for FY90, per 10CFR171.
SHELTON, D.C. Toledo Edison Co. 90/08/03. Office of the Controller (Post 890205). 1p. 54919:281-54919:281.

9008230190 Provides comments on 900105 response to Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance. Util should provide description of methodology for periodic verification of motor-operated valve switch settings.
LYNCH, M.D. Project Directorate III-3. 90/08/08. SHELTON, D.C. Toledo Edison Co. 3pp. 55020:173-55020:175.

9008150253 Requests relief from ASME Code Section XI requirements re visual exam of portion of Class 1 DHR sys suction piping located in DHR valve pit at plant. Util requests NRC approval of requested relief by 901130.W/one oversize drawing.
SHELTON, D.C. Toledo Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 4pp. 54994:178-54994:182.

9008220062 Requests NRC concurrence on encl interpretation & technical justification of Tech Spec 3/4.7.10, "Fire Barriers."
SHELTON, D.C. Toledo Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 7pp. 55005:095-55005:101.

Q. Inspection reports, IE Bulletins & correspondence

9008020040 Confirms 900731 meeting in Region III ofc to discuss util response to violation re instrumented insp techniques.
GREENMAN, E.G. Region 3 (Post 820201). 90/07/24. SHELTON, D. Toledo Edison Co. 1p. 54807:322-54807:322.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008240210 Approves util 890602 response to NRC Bulletin 88-011 re pressurizer surge line thermal stratification. Issues identified which need to be resolved for util to meet all appropriate code limits for 40-yr plant operating life.
LYNCH, M.D. Project Directorate III-3. 90/08/07. SHELTON, D.C. Toledo Edison Co. 4pp. 55027:200-55027:210.

-9007250191 Review of B&W Owners Group Rept BAW-2085, "Pressurizer Surge Line Thermal Stratification." Info provided by B&W inadequate & not entirely acceptable for justifying life operation.
* NRC - No Detailed Affiliation Given. 90/06/25. 7pp. 55027:204-55027:210.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008230190 Provides comments on 900105 response to Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance. Util should provide description of methodology for periodic verification of motor-operated valve switch settings.
LYNCH, M.D. Project Directorate III-3. 90/08/08. SHELTON, D.C. Toledo Edison Co. 3pp. 55020:173-55020:175.

9008160161 Submits supplemental response to Insp Rept 50-346/89-21. Util rescinds denial & accepts alleged violation.
SHELTON, D.C. Toledo Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54984:111-54984:112.

9008230163 Forwards Enforcement Conference Rept 50-346/90-14 on 900601 & 900717 telcon re violations noted in Insp Repts 50-346/90-09 & 50-346/90-12.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/10. SHELTON, D. Toledo Edison Co. 2pp. 55020:069-55020:102.

-9008230165 Enforcement Conference Rept 50-346/90-14 on 900601 & 900717 telcon. Major areas discussed: violations of Tech Specs & 10CFR50, App B requirements re potential for overexposure during core support assembly lift activities.
KNOP, R.C. Region 3 (Post 820201). 90/08/09. 32pp. 55020:071-55020:102.

9008230167 Forwards Safety Insp Rept 50-346/90-13 on 900605-30 & 0709. Violation noted but not cited.
KNOP, R.C. Region 3 (Post 820201). 90/08/10. SHELTON, D.C. Toledo Edison Co. 2pp. 55016:193-55016:206.

-9008230168 Insp Rept 50-346/90-13 on 900605-0709. Noncited violation noted. Major areas inspected: LERs, plant operations, refueling, radiological controls, maint/surveillance, emergency preparedness, security, engineering & technical support.
JACKIW, J.N. Region 3 (Post 820201). 90/08/10. 12pp. 55016:195-55016:206.

9008230169 Forwards Safety Insp Rept 50-346/90-09 on 900417-0717. Violations noted but not cited. Util will be notified by separate correspondence of NRC decision re enforcement action based on findings of insp.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/13. SHELTON, D. Toledo Edison Co. 3pp. 55020:050-55020:068.

-9008230171 Safety Insp Rept 50-346/90-09 on 900417-0717. Violations noted. Major areas inspected: licensee actions on previous insp findings, LERs, plant operations, refueling, radiological controls, security, emergency preparedness & maint.
KNOP, R.C. Region 3 (Post 820201). 90/08/10. 16pp. 55020:053-55020:068.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008090271 Forwards revised monthly operating rept for June 1990 for Davis-Besse Nuclear Power Station Unit 1.
STORZ, L.F. Toledo Edison Co. 90/07/23. Document Control Branch (Document Control Desk). 1p. 54932:355-54932:357.

-9008090276 Revised monthly operating rept for June 1990 for Davis-Besse Nuclear Power Station Unit 1.
SARSOUR, B. Toledo Edison Co. 90/06/30. 2pp. 54932:356-54932:357.

9008170250 Monthly operating rept for Jul 1990 for Davis-Besse Nuclear Power Station, W/900813 ltr.
SARSOUR, B., STORZ, L.F. Toledo Edison Co. 90/07/31. 6pp. 54993:008-54993:013.

S. Reportable occurrences, LERs & related correspondence

9008080144 LER 90-005-01: on 900314, determined that Class 1E circuits passed through containment electrical penetrations w/o adequate backup fault protection. Caused by inadequate design control. Procedures written & implemented. W/900803 ltr.
STOTZ, J.C., STORZ, L.F. Toledo Edison Co. 90/08/03. 7pp. 54904:318-54904:324.

9008130093 RO: on 900609 & 11, station experienced series of events which lead to opening of control rod drive trip breakers. Caused by fuse failure & mispositioned control mode selector switch, respectively. Test procedure being modified.
STORZ, L.F. Toledo Edison Co. 90/08/06. Document Control Branch (Document Control Desk). 2pp. 54956:223-54956:224.

9008170145 LER 90-012-00: on 900714, trip setpoint for safety features actuation sys containment radiation monitor RE2006 found to be greater than Tech Spec allowable value. Caused by use of incorrect method to project setpoint. W/900813 ltr.
SHINGLETON, E.B., STORZ, L.F. Toledo Edison Co. 90/08/13. 4pp. 54974:355-54974:358.

112 DOCKETED ITEMS

9008170147 LER 90-011-00: on 900712, safety features actuation sys level 1 actuation occurred initiating emergency ventilation sys & isolating containment purge & sample sys. Caused by personnel error. Individual counseled. W/900813 ltr.
SHINGLETON, E.B., STORZ, L.F. Toledo Edison Co. 90/08/13. 4pp. 54979:302-54979:305.

9008260303 LER 90-010-01: on 900518, inadvertent safety features actuation w/injection of 1,000 gallons borated water occurred w/plant in Mode 5. Caused by loss of 120 volt ac bus Y3. Personnel retrained. W/900817 ltr.
GASTON, R.W., STORZ, L.F. Toledo Edison Co. 90/08/17. 4pp. 55056:063-55056:066.

9008260384 LER 90-013-00: on 900723, determined that 18 month fire barrier not completed due to procedural deficiencies. Fire barrier procedures revised to provide better guidance for determining unresolvable inaccessibilities. W/900822 ltr.
STOTZ, J.C., STORZ, L.F. Toledo Edison Co. 90/08/22. 4pp. 55056:076-55056:079.

V. Operator Examinations

9008010048 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829.
MILLER, H.J. Region 3 (Post 820201). 90/07/24. SHELTON, D.C. Toledo Edison Co. 1p. 54806:265-54806:265.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54896:023-54896:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080297 Rev 18 to EPIP FNP-0-EIP-27. W/900802 ltr.
HUDSPETH, J.B. Alabama Power Co. 90/08/02. 4pp. 54931:090-54931:094.

9008130134 Forwards Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13 & notice of violation. Notice of violation withheld (ref 10CFR2.790(d) & 73.21).
CLINE, W.E. Region 2 (Post 820201). 90/08/03. HAIRSTON, W.G. Alabama Power Co. 3pp. 54958:060-54958:063.

-9008130135 Partially withheld Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13. Violations noted. Major areas inspected: physical barriers-protected area, assessment aids & access control- packages. Details withheld (ref 10CFR2.790(d) & 73.21).
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/30. 1p. 54958:063-54958:063.

9008210168 Rev 18 to EPIP FNP-0-EIP-0027, "Activation of Emergency Operations Facility." W/900614 ltr.
HUDSPETH, J.B. Alabama Power Co. 90/08/14. 14pp. 55003:036-55003:049.

9008230020 Rev 2 to Administrative Procedure FNP-0-EIP-9.3, "Personal Computer - Automated Dose Assessment Method." W/900817 ltr.
HUDSPETH, J.B. Alabama Power Co. 90/08/17. 104pp. 55018:168-55018:271.

9008280295 Revised EIPs, including Rev 5 to FNP-0-EIP-17, Rev 8 to FNP-0-EIP-3, Rev 9 to FNP-0-EIP-19 & Rev 32 to FNP-0-EIP-26. W/900822 ltr.
HUDSPETH, J.B. Alabama Power Co. 90/08/22. 75pp. 55041:011-55041:087.

P. Operating license stage documents & correspondence

9008150138 Application for amends to Licenses NPF-2 & NPF-8, changing Tech Specs re EOL moderator temp coefficients. Encl proprietary rept WCAP-11953 & nonproprietary rept WCAP-11954 justifies changes. Rept withheld (ref 10CFR2.790).
HAIRSTON, W.G. Alabama Power Co. 90/07/13. Document Control Branch (Document Control Desk). 2pp. 54978:044-54978:128.

-9008150139 Proposed Tech Specs concerning EOL moderator temp coefficient.
* Alabama Power Co. 90/07/13. 11pp. 54978:046-54978:056.

-9008150142 Requests that proprietary WCAP-11953, "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for Joseph M Farley Nuclear Plant Units 1 & 2," be withheld per 10CFR2.790.
WIESEMANN, R.A. Westinghouse Electric Corp. 89/01/09. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 54978:057-54978:069.

-9008150143 "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for JM Farley Nuclear Plant Units 1 & 2."
ANKNEY, R.D., OSBORNE, M.P. Westinghouse Electric Corp. WCAP-11954. 88/12/31. 60pp. 54978:070-54978:128.

9008020222 Repts unsatisfactory performance testing of sample of urine. On 900702, lab reported sample as negative.
HAIRSTON, W.G. Alabama Power Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54825:337-54825:341.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008150028 Advises that rept entitled, "Steam Generator Tube Laser Welded Sleeve-ing," will be withheld per 10CFR9.5(4) w/listed exceptions.
HOFFMAN, S.T. Project Directorate II-1. 90/08/09. JOHNSON, W.J. Westinghouse Electric Corp. 3pp. 54972:027-54972:029.

9008150096 Requests addl info re SPDS, per NUREG-0737, Suppl 1.
HOFFMAN, S.T. Project Directorate II-1. 90/08/10. HAIRSTON, W.G. Alabama Power Co. 4pp. 54972:053-54972:056.

Q. Inspection reports, IE Bulletins & correspondence

9007270122 Forwards Insp Repts 50-348/90-17 & 50-364/90-17 on 900618-22. No violations or deviations noted.
COLLINS, D.M. Region 2 (Post 820201). 90/07/13. HAIRSTON, W.G. Alabama Power Co. 3pp. 54727:295-54727:306.

-9007270126 Insp Repts 50-348/90-17 & 50-364/90-17 on 900618-22. No violations or deviations noted. Major areas inspected: radiological liquid & gaseous effluent processing & releases & radiological environ monitoring programs.
MARSTON, R.R., DECKER, T.R. Region 2 (Post 820201). 90/07/10. 9pp. 54727:298-54727:306.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008210002 Forwards Insp Repts 50-348/90-21 & 50-364/90-21 on 900709-13. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/07/31. HAIRSTON, W.G. Alabama Power Co. 3pp. 55003:304-55003:312.

-9008210003 Insp Repts 50-348/90-21 & 50-364/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: areas of local leak rate testing & review of previous insp findings. Five open items re leak rate testing closed.
WHITENER, H.L., BELISLE, G.A. Region 2 (Post 820201). 90/07/30. 6pp. 55003:307-55003:312.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008130134 Forwards Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13 & notice of violation. Notice of violation withheld (ref 10CFR2.790 & 73.21).
CLINE, W.E. Region 2 (Post 820201). 90/08/03. HAIRSTON, W.G. Alabama Power Co. 3pp. 54958:060-54958:063.

-9008130135 Partially withheld Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13. Violations noted. Major areas inspected: physical barriers-protected area, assessment aids & access control- packages. Details withheld (ref 10CFR2.790(d) & 73.21).
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 90/07/30. 1p. 54958:063-54958:063.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:085-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008210118 Forwards Rev 3 to FNP-1-M-043, "JM Farley Nuclear Plant Unit 1 Second 10-Yr Inservice Insp Program, ASME Code Class 1, 2 & 3 Components."
HAIRSTON, W.G. Alabama Power Co. 90/08/15. Document Control Branch (Document Control Desk). 5pp. 55003:113-55003:191.

-9008210120 Rev 3 to FNP-1-M-043, "JM Farley Nuclear Plant Unit 1 Second 10-Yr Inservice Insp Program, ASME Code Class 1, 2 & 3 Components."
* Alabama Power Co. 90/08/15. 74pp. 55003:118-55003:191.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008220175 EN-88-066A: on 900821, notice of proposed imposition of civil penalty in amount of \$450,000 issued to licensee. Action based on violations of environ qualification requirements of 10CFR50.49.
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 90/08/21. 1p. 55015:115-55015:115.

9008270001 Forwards order imposing civil monetary penalty, issued on 900821, for FR publication & personal use. W/o encl.
BAKER, E.T. Ofc of Enforcement (Post 870413). 90/08/22. LESAR, M.T. Regulatory Publications Branch. 1p. 55037:022-55037:022.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170014 Monthly operating rept for Jul 1990 for JM Farley Nuclear Plant, Unit 1.W./900814 ltr.
MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 90/07/31. 5pp. 54981:324-54981:328.

S. Reportable occurrences, LERs & related correspondence

9008010044 LER 90-004-00: on 900628, determined that procedural inadequacy caused improper surveillance of accumulators. Sample purge time too short to ensure representative sample. Procedures revised. W/900727 ltr.
MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 90/07/27. 4pp. 54792:047-54792:050.

9008080256 LER 90-005-00: on 900720, reactor tripped manually following automatic trip of steam generator 1A feed pump. Caused by failure of speed sensor converter. Speed sensor converter replaced. W/900806 ltr.
MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 90/08/06. 4pp. 54904:278-54904:281.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270121 Discusses submittal of 1990 emergency exercise preparedness scenario pending approval of 900516 exemption request. If exemption request approved, date of limited participation annual emergency exercise will be changed to wk of 901119.
HUNGER, G.A. Philadelphia Electric Co. 90/07/20. Document Control Branch (Document Control Desk). 2pp. 54734:359-54734:360.

9007310035 Responds to NRC 900720 request for addl info re util 900516 request for exemption from full participation during 1990 onsite/offsite emergency exercise. NRC Region I & FEMA support Feb 1991 exercise, per 900718 telcon.
HUNGER, G.A. Philadelphia Electric Co. 90/07/24. Document Control Branch (Document Control Desk). 4pp. 54802:349-54802:352.

9008080316 Advises that FEMA grants exemption from 10CFR50 App E for biennial full-participation onsite/offsite exercise.
KWIATKOWSKI, D. Federal Emergency Management Agency. 90/07/30. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 54903:358-54903:359.

9008100052 Forwards Radiological Safety Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13. No violations noted. Weakness observed in maint of station health physics procedures.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/03. SMITH, D.M. Philadelphia Electric Co. 3pp. 54943:001-54943:009.

9008100053 Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13. No violations noted. Major areas inspected: radiological control program, including organization & staffing, training & qualification of personnel & applied health physics.
CHAWAGA, D., PASCIAK, W. Region 1 (Post 820201). 90/08/03. 6pp. 54943:004-54943:009.

9008100204 Forwards Safety Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701 & notice of violation. Inspectors continued to note problems w/procedure compliance & in technical adequacy & implementation of procedures.
BLOUGH, A.R. Region 1 (Post 820201). 90/08/03. SMITH, D.M. Philadelphia Electric Co. 3pp. 54943:221-54943:246.

9008100210 Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701. Violations noted. Major areas inspected: plant operations, radiation protection, surveillance & maint, emergency preparedness, security, engineering & technical support.
DOERFLEIN, L.T. Region 1 (Post 820201). 90/08/03. 21pp. 54943:226-54943:246.

9008130251 Forwards correction to Rev 10 to EPIP EP-234, "Obtaining Containment Gas Samples from Containment Leak Detector During Emergencies."
HUNGER, G.A. Philadelphia Electric Co. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54954:286-54954:292.

9008130253 Rev 10 to EPIP EP-234, App A, "Diagram of Gas Sampling Apparatus."
Philadelphia Electric Co. 90/08/09. 5pp. 54954:288-54954:292.

9008230154 Forwards environ assessment & finding of no significant impact re 900516 request for exemption from 10CFR50, App E, Section IV.F.3 to perform biennial full participation onsite/offsite emergency preparedness exercise during 1990.
CLARK, R.J. Project Directorate I-2. 90/08/16. HUNGER, G.A. Philadelphia Electric Co. 3pp. 55020:001-55020:006.

9008230156 Environ assessment & finding of no significant impact re 900516 request for exemption from 10CFR50, App E, Section IV.F.3. Proposed exemption would extend time for conducting onsite/offsite emergency preparedness exercise to Feb 1991.
BUTLER, W.R. Project Directorate I-2. 90/08/16. 3pp. 55020:004-55020:006.

9008280047 Forwards Rev 0 to updated FSAR for Limerick Generating Station, Units 1 & 2. Vols 1-19. W/one oversize encl. Proprietary Vol 7A (App 3B) withheld (ref 10CFR2.790).
HELWIG, D.R. Philadelphia Electric Co. 90/08/24. Document Control Branch (Document Control Desk). 8pp. 55151:001-55177:338.

9008280138 App 9A, "Fire Protection Evaluation Rept," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 800pp. 55171:165-55173:032.

H. General correspondence

9007310007 Submits change of addresses for correspondence re util nuclear operations.
HUNGER, G.A. Philadelphia Electric Co. 90/07/20. NRC - No Detailed Affiliation Given. 2pp. 54770:021-54770:022.

9008130285 Advises of change of address for correspondence re util operations. All incoming correspondence must be directed to one of listed addresses.
HUNGER, G.A. Philadelphia Electric Co. 90/08/09. NRC - No Detailed Affiliation Given. 2pp. 54956:264-54956:265.

I. Financial information

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER, G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

9008020103 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN, M.W. Philadelphia Electric Co. 90/07/20. 23pp. 54831:228-54831:250.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008280047 Forwards Rev 0 to updated FSAR for Limerick Generating Station, Units 1 & 2. Vols 1-19. W/one oversize encl. Proprietary Vol 7A (App 3B) withheld (ref 10CFR2.790).
HELWIG, D.R. Philadelphia Electric Co. 90/08/24. Document Control Branch (Document Control Desk). 8pp. 55151:001-55177:338.

9008280054 Vol 1, updated FSAR for Limerick Generating Station, Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 12,099pp. 55151:009-55151:013.

9008280060 Chapter 1, "Introduction & General Description of Plant," to Limerick Generating Station Units 1 & 2 updated FSAR.
Philadelphia Electric Co. 90/08/24. 700pp. 55151:014-55152:282.

9008280069 Chapter 2, "Site Characteristics," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 1,600pp. 55152:283-55154:312.

9008280077 Chapter 3, "Design of Structures, Components, Equipment & Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 2,166pp. 55154:313-55158:300.

9008280087 App 3A, "Design Assessment Rept," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 744pp. 55158:301-55160:313.

9008280096 Chapter 4, "Reactor," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 149pp. 55160:314-55161:096.

9008280107 Chapter 5, "RCS & Connected Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 367pp. 55161:097-55162:105.

9008280115 Chapter 6, "ESF," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 602pp. 55162:106-55163:349.

9008280119 App 6A, "Subcompartment Differential Pressure Considerations," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 44pp. 55163:350-55164:033.

9008280129 Chapter 7, "Instrumentation & Control Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 1,265pp. 55164:034-55168:027.

9008280135 Chapter 8, "Electric Power," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 251pp. 55168:028-55168:274.

9008280136 Chapter 9, "Auxiliary Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 1,600pp. 55168:275-55171:164.

9008280138 App 9A, "Fire Protection Evaluation Rept," to updated FSAR for Limerick Generating Station Units 1 & 2.
Philadelphia Electric Co. 90/08/24. 800pp. 55171:165-55173:032.

114 DOCKETED ITEMS

- 9008280143** Chapter 10, "Steam & Power Conversion Sys.," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 202pp. 55173:033-55173:229.
- 9008280147** Chapter 11, "Radwaste Mgt.," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 261pp. 55173:230-55174:132.
- 9008280149** Chapter 12, "Radiation Protection," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 800pp. 55174:133-55175:145.
- 9008280154** Chapter 13, "Conduct of Operations," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 121pp. 55175:146-55175:262.
- 9008280156** Chapter 14, "Initial Test Program," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 169pp. 55175:263-55176:062.
- 9008280159** Chapter 15, "Accident Analyses," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 529pp. 55176:063-55177:195.
- 9008280162** Chapter 16, "Tech Specs," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 3pp. 55177:231-55177:233.
- 9008280166** Chapter 17, "QA," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 88pp. 55177:234-55177:321.
- 9008280241** App 15A, "Continuous Control Rod Withdrawal Transient Analysis," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 14pp. 55177:196-55177:209.
- 9008280242** App 15B, "Reload Evaluations," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 20pp. 55177:210-55177:230.
- 9008280245** App 17.2.I, "10CFR50 App B Criterion Matrix," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 4pp. 55177:322-55177:325.
- 9008280247** App 17.2.II, "PECO Application of Industry Stds & NRC Reg Guides," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 13pp. 55177:326-55177:338.

P. Operating license stage documents & correspondence

- 9007270119** Provides status of unresolved control room human engineering discrepancy (HED) mode re suppression pool low level & drywell high temp alarms.HED reprioritized to Priority 4.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. Document Control Branch (Document Control Desk). 7pp. 54723:354-54723:360.
- 9007310286** Forwards response to NRC regulatory effectiveness review rept for plant.Response withheld per 10CFR73.21.
LEITCH,G.M. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54757:353-54757:353.
- 9008030176** Forwards Amends 41 & 7 to Licenses NPF-39 & NPF-85, respectively & safety evaluation.Amend revise Tech Specs to remove operability requirements for APRMs in operational Condition 5.
CLARK,R.J. Project Directorate I-2. 90/07/30. HUNGER,G.A. Philadelphia Electric Co. 2pp. 54842:292-54842:329.
- 9008030178** Amends 41 & 7 to Licenses NPF-39 & NPF-85, respectively, revising Tech Specs to remove operability requirements for APRMs in operational Condition 5.
BUTLER,W.R. Project Directorate I-2. 90/07/30. 30pp. 54842:294-54842:323.
- 9008030181** Safety evaluation supporting Amends 41 & 7 to Licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 6pp. 54842:324-54842:329.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008130187** Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V licensees establishment of engineering managers forum.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. SMITH,D.M. Philadelphia Electric Co. 4pp. 54954:305-54954:308.
- 9008160012** Provides plans for ultimate disposition of recirculation inlet nozzle to safe end weld indication.Alternative corrective actions to disposition nozzle to safe end weld indication include repair by weld overlay w/o monitoring.
HUNGER,G.A. Philadelphia Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 7pp. 54992:140-54992:146.
- 9008280189** Forwards Amend 42 to License NPF-39 & safety evaluation. Amend revises Tech Specs to add new isolation valves on each common CRD header to table of primary containment isolation valves that must be operable.
CLARK,R.J. Project Directorate I-2. 90/08/16. HUNGER,G.A. Philadelphia Electric Co. 3pp. 55040:323-55040:343.
- 9008280191** Amend 42 to License NPF-39, revising Tech Specs to add new isolation valves on each common CRD header to table of primary containment isolation valves that must be operable.
BUTLER,W.R. Project Directorate I-2. 90/08/16. 8pp. 55040:326-55040:333.
- 9008280193** Safety evaluation supporting Amend 42 to License NPF-39.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/16. 10pp. 55040:334-55040:343.

Q. Inspection reports, IE Bulletins & correspondence

- 9008100296** Forwards facility written exam comments for NRC Insp Repts 50-352/90-10 & 50-353/90-11.Written exam for reactor operator & senior reactor operator considered comprehensive & thorough.
LEITCH,G.M. Philadelphia Electric Co. 90/07/25. MARTIN,T.T. Region 1 (Post 820201). 13pp. 54935:032-54935:044.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9008100052** Forwards Radiological Safety Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13.No violations noted.Weakness observed in maint of station health physics procedures.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/03. SMITH,D.M. Philadelphia Electric Co. 3pp. 54943:001-54943:009.
- 9008100053** Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13.No violations noted.Major areas inspected:radiological control program,including organization & staffing,training & qualification of personnel & applied health physics.
CHAWAGA,D., PASCIAK,W. Region 1 (Post 820201). 90/08/03. 6pp. 54943:004-54943:009.
- 9008100204** Forwards Safety Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701 & notice of violation.Inspectors continued to note problems w/procedure compliance & in technical adequacy & implementation of procedures.
BLOUGH,A.R. Region 1 (Post 820201). 90/08/03. SMITH,D.M. Philadelphia Electric Co. 3pp. 54943:221-54943:246.
- 9008100207** Notice of violation from insp on 900522-0701.Violations noted:licensee used generically expanded differential pressure ranges for safety-related pumps w/o appropriate technical justification.
* Region 1 (Post 820201). 90/08/03. 2pp. 54943:224-54943:225.
- 9008100210** Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701. Violations noted:Major areas inspected:plant operations, radiation protection,surveillance & maint,emergency preparedness,security,engineering & technical support.
DOERFLEIN,L.T. Region 1 (Post 820201). 90/08/03. 21pp. 54943:226-54943:246.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008130157** Responds to NRC 900706 ltr re violations noted in Insp Repts 50-352/90-15 & 50-353/90-14.Corrective actions:personnel counseled on importance of procedure compliance & operations manual revised.
LEITCH,G.M. Philadelphia Electric Co. 90/08/08. Document Control Branch (Document Control Desk). 9pp. 54956:190-54956:198.
- 9008130276** Responds to NRC 900703 ltr re unresolved items noted in Insp Repts 50-352/90-80 & 50-353/90-80.Plant-specific technical guideline has been revised to ref contingency numbers rather than transient response implementation plan procedures.
LEITCH,G.M. Philadelphia Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 11pp. 54956:280-54956:290.
- 9008150267** Forwards revised response to violations noted in Insp Repts 50-352/90-13 & 50-353/90-13.Corrective actions:ltr issued to all plant personnel providing instructions on proper use & handling of controlled documents in controlled locations.
LEITCH,G.M. Philadelphia Electric Co. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:235-54971:242.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160092 Forwards monthly operating repts for Jul 1990 for Limerick Units 1 & 2 & Rev 1 to June 1990 rept.
LEITCH,G.M. Philadelphia Electric Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54973:001-54973:016.

-9008160105 Monthly operating repts for Jul 1990 for Limerick Generating Station Units 1 & 2.
MECK,K. Philadelphia Electric Co. 90/07/31. 9pp. 54973:002-54973:011.

-9008160108 Rev 1 to monthly operating repts for June 1990 for Limerick Generating Station Units 1 & 2.
MECK,K. Philadelphia Electric Co. 90/06/30. 5pp. 54973:012-54973:016.

S. Reportable occurrences, LERs & related correspondence

9008100262 LER 90-014-00: on 900705, group III primary containment & reactor vessel isolation control sys isolation signal occurred, initiating RWCU sys isolation. Causes included high outside air temp. Normal ventilation restored. W/900806 ltr.
MADSEN,G.J., MCCORMICK,M.J. Philadelphia Electric Co. 90/08/06. 5pp. 54952:354-54952:358.

V. Operator Examinations

9008100296 Forwards facility written exam comments for NRC Insp Repts 50-352/90-10 & 50-353/90-11. Written exam for reactor operator & senior reactor operator considered comprehensive & thorough.
LEITCH,G.M. Philadelphia Electric Co. 90/07/25. MARTIN,T.T. Region 1 (Post 820201). 13pp. 54935:032-54935:044.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

9007270121 Discusses submittal of 1990 emergency exercise preparedness scenario pending approval of 900516 exemption request. If exemption request approved, date of limited participation annual emergency exercise will be changed to wk of 901119.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. Document Control Branch (Document Control Desk). 2pp. 54734:359-54734:360.

9007310035 Responds to NRC 900720 request for addl info re util 900516 request for exemption from full participation during 1990 onsite/offsite emergency exercise. NRC Region I & FEMA support Feb 1991 exercise, per 900718 telcon.
HUNGER,G.A. Philadelphia Electric Co. 90/07/24. Document Control Branch (Document Control Desk). 4pp. 54802:349-54802:352.

9008080316 Advises that FEMA grants exemption from 10CFR50 App E for biennial full participation onsite/offsite exercise.
KWIATKOWSKI,D. Federal Emergency Management Agency. 90/07/30. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 54903:358-54903:359.

9008100052 Forwards Radiological Safety Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13. No violations noted. Weakness observed in maint of station health physics procedures.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/03. SMITH,D.M. Philadelphia Electric Co. 3pp. 54943:001-54943:009.

-9008100053 Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13. No violations noted. Major areas inspected: radiological control program, including organization & staffing, training & qualification of personnel & applied health physics.
CHAWAGA,D. Region 1 (Post 820201). 90/08/03. 6pp. 54943:004-54943:009.

9008100204 Forwards Safety Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701 & notice of violation. Inspectors continued to note problems w/procedure compliance & in technical adequacy & implementation of procedures.
BLOUGH,A.R. Region 1 (Post 820201). 90/08/03. SMITH,D.M. Philadelphia Electric Co. 3pp. 54943:221-54943:246.

-9008100210 Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701. Violations noted. Major areas inspected: plant operations, radiation protection, surveillance & maint, emergency preparedness, security, engineering & technical support.
DOERFLEIN,L.T. Region 1 (Post 820201). 90/08/03. 21pp. 54943:226-54943:246.

9008130251 Forwards correction to Rev 10 to EPIP EP-234, "Obtaining Containment Gas Samples from Containment Leak Detector During Emergencies."
HUNGER,G.A. Philadelphia Electric Co. 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54954:286-54954:292.

-9008130253 Rev 10 to EPIP EP-234, App A, "Diagram of Gas Sampling Apparatus."
* Philadelphia Electric Co. 90/08/09. 5pp. 54954:288-54954:292.

9008230154 Forwards environ assessment & finding of no significant impact re 900516 request for exemption from 10CFR50, App E, Section IV.F.3 to perform biennial full participation onsite/offsite emergency preparedness exercise during 1990.
CLARK,R.J. Project Directorate I-2. 90/08/16. HUNGER,G.A. Philadelphia Electric Co. 3pp. 55020:001-55020:006.

-9008230156 Environ assessment & finding of no significant impact re 900516 request for exemption from 10CFR50, App E, Section IV.F.3. Proposed exemption would extend time for conducting onsite/offsite emergency preparedness exercise to Feb 1991.
BUTLER,W.R. Project Directorate I-2. 90/08/16. 3pp. 55020:004-55020:006.

9008280047 Forwards Rev 0 to updated FSAR for Limerick Generating Station, Units 1 & 2, Vols 1-19. W/one oversize encl. Proprietary Vol 7A (App 3B) withheld (ref 10CFR2.790).
HELWIG,D.R. Philadelphia Electric Co. 90/08/24. Document Control Branch (Document Control Desk). 8pp. 55151:001-55177:338.

-9008280138 App 9A, "Fire Protection Evaluation Rept," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 800pp. 55171:165-55173:032.

H. General correspondence

9007310007 Submits change of addresses for correspondence re util nuclear operations.
HUNGER,G.A. Philadelphia Electric Co. 90/07/20. NRC - No Detailed Affiliation Given. 2pp. 54770:021-54770:022.

9008130285 Advises of change of address for correspondence re util operations. All incoming correspondence must be directed to one of listed addresses.
HUNGER,G.A. Philadelphia Electric Co. 90/08/09. NRC - No Detailed Affiliation Given. 2pp. 54956:264-54956:265.

I. Financial Information

9008020035 Forwards decommissioning repts & certification of financial assurance for plants.
HUNGER,G.A. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54831:128-54831:250.

-9008020103 "Decommissioning Rept of Philadelphia Electric Co."
RIMERMAN,M.W. Philadelphia Electric Co. 90/07/20. 23pp. 54831:228-54831:250.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008280047 Forwards Rev 0 to updated FSAR for Limerick Generating Station, Units 1 & 2, Vols 1-19. W/one oversize encl. Proprietary Vol 7A (App 3B) withheld (ref 10CFR2.790).
HELWIG,D.R. Philadelphia Electric Co. 90/08/24. Document Control Branch (Document Control Desk). 8pp. 55151:001-55177:338.

-9008280054 Vol 1, updated FSAR for Limerick Generating Station, Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 12,099pp. 55151:009-55151:013.

-9008280060 Chapter 1, "Introduction & General Description of Plant," to Limerick Generating Station Units 1 & 2 updated FSAR.
* Philadelphia Electric Co. 90/08/24. 700pp. 55151:014-55152:282.

-9008280069 Chapter 2, "Site Characteristics," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 1,600pp. 55152:283-55154:312.

-9008280077 Chapter 3, "Design of Structures, Components, Equipment & Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 2,166pp. 55154:313-55158:300.

-9008280087 App 3A, "Design Assessment Rept," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 744pp. 55158:301-55160:313.

-9008280098 Chapter 4, "Reactor," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 149pp. 55160:314-55161:096.

-9008280107 Chapter 5, "RCS & Connected Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 367pp. 55161:097-55162:105.

-9008280115 Chapter 6, "ESF," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 602pp. 55162:106-55163:349.

-9008280119 App 6A, "Subcompartment Differential Pressure Considerations," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 44pp. 55163:350-55164:033.

-9008280129 Chapter 7, "Instrumentation & Control Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 1,265pp. 55164:034-55168:027.

-9008280135 Chapter 8, "Electric Power," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 251pp. 55168:028-55168:274.

-9008280136 Chapter 9, "Auxiliary Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 1,600pp. 55168:275-55171:164.

-9008280138 App 9A, "Fire Protection Evaluation Rept," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 800pp. 55171:165-55173:032.

-9008280143 Chapter 10, "Steam & Power Conversion Sys," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 202pp. 55173:033-55173:229.

-9008280147 Chapter 11, "Radwaste Mgt," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 261pp. 55173:230-55174:132.

-9008280149 Chapter 12, "Radiation Protection," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 800pp. 55174:133-55175:145.

116 DOCKETED ITEMS

- 9008280154 Chapter 13, "Conduct of Operations," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 121pp. 55175:146-55175:262.
- 9008280156 Chapter 14, "Initial Test Program," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 169pp. 55175:263-55176:062.
- 9008280159 Chapter 15, "Accident Analyses," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 529pp. 55176:063-55177:195.
- 9008280162 Chapter 16, "Tech Specs," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 3pp. 55177:231-55177:233.
- 9008280166 Chapter 17, "QA," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 88pp. 55177:234-55177:321.
- 9008280241 App 15A, "Continuous Control Rod Withdrawal Transient Analysis," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 14pp. 55177:196-55177:209.
- 9008280242 App 15B, "Reload Evaluations," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 20pp. 55177:210-55177:230.
- 9008280245 App 17.2.I, "10CFR50 App B Criterion Matrix," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 4pp. 55177:322-55177:325.
- 9008280247 App 17.2.II, "PECO Application of Industry Stds & NRC Reg Guides," to updated FSAR for Limerick Generating Station Units 1 & 2.
* Philadelphia Electric Co. 90/08/24. 13pp. 55177:326-55177:338.
- P. Operating license stage documents & correspondence**
- 9007270119 Provides status of unresolved control room human engineering discrepancy (HED) mods re suppression pool low level & drywell high temp alarms. HED reprioritized to Priority 4.
HUNGER, G.A. Philadelphia Electric Co. 90/07/20. Document Control Branch (Document Control Desk). 7pp. 54723:354-54723:360.
- 9007310286 Forwards response to NRC regulatory effectiveness review rpt for plant. Response withheld per 10CFR73.21.
LEITCH, G.M. Philadelphia Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54757:353-54757:353.
- 9008030176 Forwards Amends 41 & 7 to Licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends revise Tech Specs to remove operability requirements for APRMs in operational Condition 5.
CLARK, R.J. Project Directorate I-2. 90/07/30. HUNGER, G.A. Philadelphia Electric Co. 2pp. 54842:292-54842:329.
- 9008030178 Amends 41 & 7 to Licenses NPF-39 & NPF-85, respectively, revising Tech Specs to remove operability requirements for APRMs in operational Condition 5.
BUTLER, W.R. Project Directorate I-2. 90/07/30. 30pp. 54842:294-54842:323.
- 9008030181 Safety evaluation supporting Amends 41 & 7 to Licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 6pp. 54842:324-54842:329.
- 9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008130187 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V licensee establishment of engineering managers forum.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. SMITH, D.M. Philadelphia Electric Co. 4pp. 54954:305-54954:308.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9008100296 Forwards facility written exam comments for NRC Insp Repts 50-352/90-10 & 50-353/90-11. Written exam for reactor operator & senior reactor operator considered comprehensive & thorough.
LEITCH, G.M. Philadelphia Electric Co. 90/07/25. MARTIN, T.T. Region 1 (Post 820201). 13pp. 54935:032-54935:044.
- 9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9008100052 Forwards Radiological Safety Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13. No violations noted. Weakness observed in maint of station health physics procedures.
BELLAMY, R.R. Region 1 (Post 820201). 90/08/03. SMITH, D.M. Philadelphia Electric Co. 3pp. 54943:001-54943:008.
- 9008100053 Insp Repts 50-352/90-19 & 50-353/90-18 on 900709-13. No violations noted. Major areas inspected: radiological control program, including organization & staffing, training & qualification of personnel & applied health physics.
CHAWAGADA, D., PASCIAK, W. Region 1 (Post 820201). 90/08/03. 6pp. 54943:004-54943:009.
- 9008100204 Forwards Safety Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701 & notice of violation. Inspectors continued to note problems w/ procedure compliance & in technical adequacy & implementation of procedures.
BLOUGH, A.R. Region 1 (Post 820201). 90/08/03. SMITH, D.M. Philadelphia Electric Co. 3pp. 54943:221-54943:246.
- 9008100210 Insp Repts 50-352/90-17 & 50-353/90-16 on 900522-0701. Violations noted. Major areas inspected: plant operations, radiation protection, surveillance & maint, emergency preparedness, security, engineering & technical support.
DOERFLEIN, L.T. Region 1 (Post 820201). 90/08/03. 21pp. 54943:226-54943:246.
- 9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008130157 Responds to NRC 900706 ltr re violations noted in Insp Repts 50-352/90-15 & 50-353/90-14. Corrective actions: personnel counseled on importance of procedure compliance & operations manual revised.
LEITCH, G.M. Philadelphia Electric Co. 90/08/08. Document Control Branch (Document Control Desk). 9pp. 54958:190-54958:198.
- 9008130276 Responds to NRC 900703 ltr re unresolved items noted in Insp Repts 50-352/90-80 & 50-353/90-80. Plant-specific technical guideline has been revised to ref contingency numbers rather than transient response implementation plan procedures.
LEITCH, G.M. Philadelphia Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 11pp. 54956:280-54956:290.
- 9008150267 Forwards revised response to violations noted in Insp Repts 50-352/90-13 & 50-353/90-13. Corrective actions: ltr issued to all plant personnel providing instructions on proper use & handling of controlled documents in controlled locations.
LEITCH, G.M. Philadelphia Electric Co. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:235-54971:242.
- 9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.
- 9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.
- R. Periodic operating reports & related correspondence**
- 9008160092 Forwards monthly operating repts for Jul 1990 for Limerick Units 1 & 2 & Rev 1 to June 1990 rpt.
LEITCH, G.M. Philadelphia Electric Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54973:001-54973:016.
- 9008160105 Monthly operating repts for Jul 1990 for Limerick Generating Station Units 1 & 2.
MECK, K. Philadelphia Electric Co. 90/07/31. 9pp. 54973:002-54973:011.
- 9008160108 Rev 1 to monthly operating repts for June 1990 for Limerick Generating Station Units 1 & 2.
MECK, K. Philadelphia Electric Co. 90/06/30. 5pp. 54973:012-54973:016.
- S. Reportable occurrences, LERs & related correspondence**
- 9008160192 LER 90-011-00: on 900713, positive differential pressure condition between reactor end secondary containment & outside atmosphere occurred, resulting in blow-out panel actuation. Caused by severed air supply line. W/900814 ltr.
MADSEN, G.J., MCCORMICK, M.J. Philadelphia Electric Co. 90/08/13. 7pp. 54974:331-54974:337.
- 9008160188 LER 90-012-00: on 900715, reactor scram occurred due to main turbine trip on low main condenser vacuum due to failed pipe. Caused by insufficient pipe support resulting in vibration induced metal fatigue. Pipe replaced. W/900814 ltr.
MADSEN, G.J., MCCORMICK, M.J. Philadelphia Electric Co. 90/08/14. 5pp. 54974:326-54974:330.
- V. Operator Examinations**
- 9008100296 Forwards facility written exam comments for NRC Insp Repts 50-352/90-10 & 50-353/90-11. Written exam for reactor operator & senior reactor operator considered comprehensive & thorough.
LEITCH, G.M. Philadelphia Electric Co. 90/07/25. MARTIN, T.T. Region 1 (Post 820201). 13pp. 54935:032-54935:044.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008020198 Revised event classification guide including Rev 8 to table of contents.
FAWCETT,D. Public Service Electric & Gas Co. of New Jersey. 90/07/11. 102pp. 54840:247-54840:348.

9008100068 Forwards Safety Insp Repts 50-272/90-18,50-311/90-18 & 50-354/90-12 on 900625-29.No violations or deficiencies noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/02. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54943:340-54943:351.

9008100072 Insp Repts 50-272/90-18,50-311/90-18 & 50-354/90-12 on 900625-29.No violations,deviations or unresolved items noted.Major areas inspected:licensee emergency preparedness program.
AMATO,C.G. Region 1 (Post 820201). 90/08/01. 9pp. 54943:343-54943:351.

I. Financial Information

9007310281 Forwards rept & certification of financial assurance for decommissioning for plants,per 10CFR50.75.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 90/07/24. Document Control Branch (Document Control Desk). 250pp. 54795:177-54796:102.

9007270077 Forwards decommissioning repts for Hope Creek,Peach Bottom & Salem nuclear generating stations.
JENNINGS,L.F. Atlantic City Electric Co. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54759:105-54760:003.

9007270081 "Hope Creek Nuclear Generating Station Decommissioning Rept."
* Atlantic City Electric Co. 90/07/26. 53pp. 54759:157-54759:208.

P. Operating license stage documents & correspondence

9008030270 Forwards listing of station blackout major audit items resolution scope,per station blackout schedule commitment.
CRIMMINS,T.M. Public Service Electric & Gas Co. of New Jersey. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54832:045-54832:047.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130195 Discusses licensee engineering initiatives.Util encouraged to initiate similar initiative.Cooperative effort would promote efficiency & enhance effectiveness of nuclear power plant engineering activities.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 54951:290-54951:293.

9008090261 Grants temporary waiver of compliance from Tech Spec 6.3.1 re staff qualifications,per util 900717 request.Waiver applies only to general manager for operations position & subj to temporary replacement.
WESSMAN,R.H. Assistant Director for Region 1 Reactors. 90/08/07. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 54934:107-54934:110.

9008230195 Forwards details of allegations re activities & requests results of investigation by 900820.Results should not contain privacy,safeguards or proprietary info.Encl withheld (ref 10CFR2.790).
HEHL,C.W. Region 1 (Post 820201). 90/08/10. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 55016:036-55016:037.

9008150149 Advises that request for relief from ASME Code requirements for svc water piping,granted until next scheduled outage per 10CFR50.55a(g)(6)(i) & guidance of Generic Ltr 90-05.
BUTLER,W.R. Project Directorate I-2. 90/08/13. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54972:235-54972:239.

9008150152 Safety evaluation granting relief until next scheduled outage exceeding 30 days & no later than next scheduled refueling outage.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/13. 2pp. 54972:238-54972:239.

Q. Inspection reports, IE Bulletins & correspondence

9008080077 Forwards Radiological Controls Insp Rept 50-354/90-15 on 900625-29.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/23. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54908:079-54908:086.

9008080081 Insp Rept 50-354/90-15 on 900625-29.No violations noted. Major areas inspected:organization & staffing,training & qualifications of personnel,procedures,audits & assessments, external & internal exposure controls.
NIMITZ,R.L. Region 1 (Post 820201). 90/07/19. 6pp. 54908:081-54908:086.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070293 Forwards Insp Repts 50-272/90-17,50-311/90-17 & 50-354/90-11 on 900611-15.No violations noted.
DURR,J.P. Region 1 (Post 820201). 90/07/31. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54902:236-54902:250.

9008070296 Insp Repts 50-272/90-17,50-311/90-17 & 50-354/90-11 on 900611-15.No violations noted.Major areas inspected:review of licensee engineering organization,staffing,communications,QA & training & mgt support.
CHEUNG,L.S., MATHEW,R.K., RANGARAO,G. Region 1 (Post 820201). 90/07/25. 13pp. 54902:238-54902:250.

9008100121 Forwards Safety Insp Rept 50-354/90-13 on 900618-22.No violations noted.
HODGES,M.W. Region 1 (Post 820201). 90/08/01. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 54943:040-54943:046.

9008100125 Insp Rept 50-354/90-13 on 900618-22.No violations noted. Major areas inspected:svc water intake structure & licensee actions on previous insp findings re svc water pipe leak examined.
MCBREARTY,R.A., TERAQ,D. Region 1 (Post 820201). 90/07/26. 5pp. 54943:042-54943:046.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100068 Forwards Safety Insp Repts 50-272/90-18,50-311/90-18 & 50-354/90-12 on 900625-29.No violations or deficiencies noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/02. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 54943:340-54943:351.

9008100072 Insp Repts 50-272/90-18,50-311/90-18 & 50-354/90-12 on 900625-29.No violations,deviations or unresolved items noted.Major areas inspected:licensee emergency preparedness program.
AMATO,C.G., LAZARUS,W.J. Region 1 (Post 820201). 90/08/01. 9pp. 54943:343-54943:351.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008060160 Forwards "NPDES Discharge Monitoring Rept for June 1990."
HAGAN,J. Public Service Electric & Gas Co. of New Jersey. 90/07/20. CORPORALE,G. New Jersey, State of. 6pp. 54877:162-54877:179.

9008100010 "NPDES Discharge Monitoring Rept for June 1990."
HAGAN,J. Public Service Electric & Gas Co. of New Jersey. 90/07/30. 12pp. 54877:168-54877:179.

9008170024 Monthly operating rept for Jul 1990 for Hope Creek Generating Station,Unit 1.W/900810 ltr.
ZAPOLSKI,M., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 90/07/31. 14pp. 54982:033-54982:046.

S. Reportable occurrences, LERs & related correspondence

9008060067 LER 90-010-00:on 900628,ESF actuation/RWCU isolation on high differential flow signal occurred due to procedural inadequacies & personnel error.Caused by open drain path upstream of discharge valve.Isolation reset.W/900727 ltr.
COWLES,R., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 90/07/27. 8pp. 54904:099-54904:106.

9008090096 LER 90-011-00:on 900703,determined that control room B emergency filtration (CREF) sys had been run on CREF Train A.Caused by personnel error.Nuclear shift supervisors involved counseled.W/900731 ltr.
COWLES,R., HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 90/07/31. 5pp. 54904:353-54904:357.

118 DOCKETED ITEMS

V. Operator Examinations

- 9008090043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing test exam schedule. Svc list encl.
* P.F. CHW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edition Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008090047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
* P.F. CHW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edition Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 90-356 UNIV. OF ILLINOIS RESEARCH REACTOR

V. Operator Examinations

- 9008020199 Forwards revised, "Univ of Illinois Nuclear Reactor Lab Operator Requalification Program," adding list of items in 10CFR55.41 & 10CFR55.43.
* P.F. CHW, J.G. Associate Director for Projects (Post 870411). 90/07/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54828:146-54828:155.
- 9008020201 Revised "Univ of Illinois Nuclear Reactor Lab Operator Requalification Program."
* Illinois, Univ. of, Urbana, IL. 90/07/11. 9pp. 54828:147-54828:155.
- 9008090177 Forwards revised operator requalification program for Illinois advanced TRIGA & LOPRA reactors.
* P.F. CHW, J.G. Associate Director for Projects (Post 870411). 90/07/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54854:103-54854:112.
- 9008090180 "Univ of Illinois Nuclear Reactor Lab Operator Requalification Program."
* Illinois, Univ. of, Urbana, IL. 90/07/26. 9pp. 54854:104-54854:112.

DOCKET 90-381 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9008090342 Forwards preexam & post-exam security agreement.
* MILLER, D. Affiliation Not Assigned. 90/07/06. ROYACK, M.J. Region 5 (Post 820201). 17pp. 54914:266-54914:282.
- 9008010252 Rev 2.03 to "San Onofre Nuclear Generating Station Manual of Emergency Events." W/00709 ltr.
* Southern California Edison Co. 90/07/09. 7pp. 54797:074-54797:080.
- 9008030062 Forwards Jul 1990 edition of emergency response telephone directory for insertion in notebooks of nuclear emergency response team. W/DH Grimsley 900801 release memo. W/o encl.
* PLAPPERT, R.D. Southern California Edison Co. 90/07/16. Region 5 (Post 820201). 2pp. 54842:344-54842:345.
- 9008270002 Forwards Insp Repts 50-206/90-25, 50-361/90-25 & 50-362/90-25 on 900723-27. No violations or deviations noted.
* RICHARDS, S.A. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 55035:108-55035:125.
- 9008270004 Insp Repts 50-206/90-25, 50-361/90-25 & 50-362/90-25 on 900603-0714. No violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
* CALDWELL, C.W., CONSTABLE, G.L. Region 5 (Post 820201). 90/08/06. 16pp. 55038:110-55038:125.
- 9008270163 Forwards Insp Repts 50-206/90-30, 50-361/90-30 & 50-362/90-30 on 900723-27. No deficiencies or violations noted.
* ROBERTS, J. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 55035:229-55035:236.
- 9008270166 Insp Repts 50-206/90-30, 50-361/90-30 & 50-362/90-30 on 900723-27. No violations noted. Major areas inspected: emergency preparedness program, including onsite followup of written repts of nonroutine events at plants & open items.
* PRIEDERGAST, K. Region 5 (Post 820201). 90/08/10. 6pp. 55035:231-55035:236.

I. Financial information

- 9007270162 Forwards certification repts constituting financial assurance certification & oath of affirmation required by NRC regulation 10CFR50.75(b) & draft trust & investment agreement as required by 10CFR50.75(e).
* AMENT, D.L. Anaheim, CA. 90/07/24. Document Control Branch (Document Control Desk). 18pp. 54738:012-54738:029.
- 9008010103 Forwards rept assuring availability of funds for decommissioning of plant.
* AMENT, D.L. Anaheim, CA. 90/07/24. KOKAJKO, L.E. NRC - No Detailed Affiliation Given. 18pp. 54956:230-54956:247.
- 9008100084 Forwards rept assuring availability of funds for decommissioning facilities.
* AMENT, D.L. Anaheim, CA. 90/07/24. MARTIN, J.B. Region 5 (Post 820201). 18pp. 54956:029-54956:046.
- 9007270169 Forwards info re plan to assure that funds will be available to decommission share plant, per 10CFR50.33(k)(2), including certificate of financial assurance & oath of affirmation.
* THOMAS, B.G. Riverside, CA. 90/07/26. Document Control Branch (Document Control Desk). 18pp. 54738:004-54738:022.

P. Operating license stage documents & correspondence

- 9008010124 Requests approval for use of tube plugs fabricated from Ni-Cr-Fe UNS N-06690 mat in steam generators. Alternative use of Alloy 690 for tube plugs requested as result of mat corrosion considerations.
* NANDY, F.R. Southern California Edison Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54805:255-54805:256.

- 9008090290 Notification of contract execution, Task Order 12, to "Technical Assistance in Support of NRC Licensing Activities." Contractor: Viking Sys Intl.
* MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN D-17620. 90/07/24. BAJWA, S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMAS, B. NRC - No Detailed Affiliation Given. 1p. 54921:233-54921:238.

- 9008090300 Ltr contract awarding Task Order 12, "San Onofre Intake Structure Evaluation" to "Technical Assistance in Support of NRC Licensing Activities."
* HAGAN, T. Contract Administration Branch (890205-900602). FIN D-17620. 90/07/20. SALUJA, J. Viking Systems International. 5pp. 54921:234-54921:238.

- 9007270186 Requests approval for use of tube plugs fabricated from nickel-chromium-iron UNS N-06690 mat (Alloy 690) in steam generators.
* NANDY, F.R. Southern California Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 2pp. 54734:085-54734:086.

- 9007300123 Provides editorial change to Tech Spec Bases B 3/4.7.1.6, "Atmospheric Dump Valves," per Amends 89 & 79 to Licenses NPF-10 & NPF-15, respectively.
* KOKAJKO, L.E. Project Directorate V. 90/07/25. RAY, H.B. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 2pp. 54762:256-54762:259.

- 9007300127 Corrected Tech Spec pages to Amends 89 & 79 to Licenses NPF-10 & NPF-15, respectively, providing editorial change to Bases B 3/4.7.1.6, "Atmospheric Dump Valves."
* Southern California Edison Co. 90/07/25. 2pp. 54762:258-54762:259.

- 9007310016 Provides addl justification & clarification re Change Notice 37 to Amend 12 to Topical Rept SCE-1-A, "QA Program," per NRC 900626 request. Evaluations to improve engineering quality concluded that in-line reviews not worthwhile.
* RAY, H.B. Southern California Edison Co. 90/07/26. ZIMMERMAN, R. Region 5 (Post 820201). 3pp. 54787:308-54787:310.

- 9008020185 Approves 900724 request to use Alloy 690 as alternative to Alloy 600 in steam generator tube plugs, per 10CFR50.55a(a).
* LARKINS, J.T. Project Directorate V. 90/07/27. RAY, H.B. Southern California Edison Co. 2pp. 54826:034-54826:035.

- 9008020192 Informs of util decision to provide Seismic Catetory 1 source of makeup water to component cooling water surge tanks.
* NANDY, F.R. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54826:038-54826:040.

- 9008060395 Forwards Amend 13 to Topical Rept SCE-1-A, "QA Program."
* ROSENBLUM, R.M. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54881:348-54881:086.

- 9008060397 Amend 13 to "QA Program."
* Southern California Edison Co. 90/07/30. 98pp. 54881:349-54881:086.

- 9008060049 Discusses review of possibility of accelerating schedule for performing & submitting results of individual plant exams for Units 1, 2 & 3. Util believes that submittal schedule for Unit 1 can be accelerated to 920102.
* NANDY, F.R. Southern California Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54877:131-54877:132.

- 9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
* PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edition Co. of New York, Inc. 34pp. 55002:013-55002:049.

- 9008100061 Forwards corrected pages to Bases 3/4.7.1.6, "Atmospheric Dump Valves," issued on 900725, adding words inadvertently omitted.
* KOKAJKO, L.E. Project Directorate V. 90/08/03. RAY, H.B. Southern California Edison Co. 2pp. 54951:139-54951:142.

- 9008100153 Corrected Amends 89 & 79 to Licenses NPF-10 & NPF-15 respectively, adding inadvertently omitted words to Bases 3/4.7.1.6.
* NRC - No Detailed Affiliation Given. 90/08/03. 2pp. 54951:141-54951:142.

- 9008140191 Draft application for amends to Licenses NPF-10 & NPF-15, revising Section 5.0, "Design Features," of Tech Specs. Formal review of license amend within util not performed & changes probable.
* NANDY, F.R. Southern California Edison Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54970:219-54970:238.

- 9008140193 Proposed Tech Spec Section 5.0, "Design Features."
* Southern California Edison Co. 90/08/03. 18pp. 54970:221-54970:238.

- 9008130178 Advises that on 900713, new land use located w/calculated dose greater than value currently calculated. New location results in annual dose increase of 27% for Units 2 & 3 & 39% increase for Unit 1.
* ROSENBLUM, R.M. Southern California Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54956:199-54956:199.

- 9008130180 Forwards environ assessment & finding of no significant impact re 900705 request for exemption from 10CFR70.24.
* KOKAJKO, L.E. Project Directorate V. 90/08/09. RAY, H.B. Southern California Edison Co. 2pp. 54956:102-54956:106.

- 9008130183 Environ assessment & finding of no significant impact re proposed exemption from 10CFR70.24 that would allow irradiated or unirradiated fuel assemblies to be handled & stored in facilities fuel handling bldg.
* LARKINS, J.T. Project Directorate V. 90/08/09. 3pp. 54956:104-54956:106.

- 9008140213 Advises that 900726 response to request for addl info re Change Notice 37 to SCE-1-A provided acceptable justification to request for deletion of specified in-line review of QA requirements. Changes acceptable.
* ZIMMERMAN, R.P. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 3pp. 54964:086-54964:088.

- 9008160145 Forwards rev to previously submitted draft license amend to Tech Spec Section 2.0, "Safety Limits," for info & review. Draft amend prepared under guidelines of Tech Spec improvement project.
* NANDY, F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 54979:071-54979:073.

—9008160156 Proposed Tech Specs re safety limits.
* Southern California Edison Co. 90/08/14. 2pp. 54979:072-54979:073.

9008220045 Forwards monthly operating repts for Jul 1990 for San Onofre Units 2 & 3, revised Unit 2 monthly operating rept for June 1990 & Rev 22 to ODCM.
NANDY,F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55004:175-55005:026.

—9008220054 Rev 22 to ODCM.
* Southern California Edison Co. 90/08/02. 197pp. 55004:193-55005:028.

9008280182 Forwards exemption from requirements of 10CFR70.24, "Criticality Accident Requirements" per 900705 request. Exemption allows storage of irradiated or unirradiated fuel assemblies in plant w/o two criticality monitoring sys.
LARKINS,J.T. Project Directorate V. 90/08/20. RAY,H.B. Southern California Edison Co. 2pp. 55041:229-55041:238.

—9008280185 Exemption from requirements of 10CFR70.24, "Criticality Accident Requirements." Exemption allows handling & storage of irradiated or unirradiated fuel assemblies at station w/o having two criticality monitoring sys.
LARKINS,J.T. Project Directorate V. 90/08/09. Southern California Edison Co. 5pp. 55041:231-55041:238.

Q. Inspection reports, IE Bulletins & correspondence

9008080352 Forwards Insp Repts 50-206/90-26,50-361/90-26 & 50-362/90-26 on 900625-29.No violations noted.Weaknesses re implementation of internal exposure control program noted.
YUHAS,G.P. Region 5 (Post 820201). 90/07/23. RAY,H.B. Southern California Edison Co. 2pp. 54907:078-54907:089.

—9008080355 Insp Repts 50-206/90-26,50-361/90-26 & 50-362/90-26 on 900625-29.No violations noted.Major areas inspected:followup items,occupational exposure,control of radioactive mats & contamination surveys & monitoring.
COBLENTZ,L., GARCIA,E., CILLIS,M. Region 5 (Post 820201). 90/07/23. 10pp. 54907:080-54907:089.

9007310097 Advises that adequate bases not provided to conclude that pressurized surge line meets all appropriate code limits for 40-yr plant life,per util 900308 response to Item 1.b of NRC Bulletin 88-011.W/evaluation of C-E Owners Group CEN-387-P.
KOKAJKO,L.E. Project Directorate V. 90/07/25. RAY,H.B. Southern California Edison Co. COTTON,C.D. San Diego Gas & Electric Co. 3pp. 54803:222-54803:234.

—9008060400 Partially withheld topical rept evaluation of CEN-387-P, "Pressurizer Surge Line Flow Stratification Evaluation." Rept considered inadequate to justify continued operation for 40-yr plant life.
* NRC - No Detailed Affiliation Given. 90/07/25. 10pp. 54803:225-54803:234.

9008090378 Ack receipt of 900625 ltr advising of steps taken to correct violations noted in Insp Repts 50-206/90-10,50-361/90-10 & 50-362/90-10.Identification of new info provided addl useful info on recent check valve activities at facility.
KIRSCH,D.F. Region 5 (Post 820201). 90/07/26. RAY,H.B. Southern California Edison Co. 2pp. 54933:338-54933:356.

—9008090383 Responds to NRC 900518 ltr forwarding Insp Repts 50-206/90-10,50-361/90-10 & 50-362/90-10.Results of review of awareness & response to industry check valve concerns & evaluation of need to establish dedicated program provided.
RAY,H.B. Southern California Edison Co. 90/06/25. KIRSCH,D.F. Region 5 (Post 820201). 17pp. 54933:340-54933:356.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310207 Responds to NRC 900629 ltr re violations noted during special safety sys functional insp on 891030-1130.Corrective action:util will review & revise operating & calibr procedures by 901031.
RAY,H.B. Southern California Edison Co. 90/07/27. Document Control Branch (Document Control Desk). 5pp. 54796:254-54796:258.

9008070030 Responds to NRC 900518 ltr re violations noted in Insp Repts 50-206/90-10,50-361/90-10 & 50-362/90-10.Corrective action: computer-based mgt sys will be developed to permit incoming revised info to be matched w/documents requiring review.
RAY,H.B. Southern California Edison Co. 90/07/31. Region 5 (Post 820201). 3pp. 54897:146-54897:148.

9008160189 Forwards Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3.Fifteen of 19 candidates passed exam.
RICHARDS,S. Region 5 (Post 820201). 90/08/01. MORGAN,H.E. Southern California Edison Co. 3pp. 54968:095-54968:340.

—9008160190 Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3.Exam results:15 of 19 candidates passed exam.
ROYACK,M.J., MILLER,L.F. Region 5 (Post 820201). 90/07/27. 210pp. 54968:099-54968:340.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008060044 Provides supplemental response to NRC Bulletin 88-002 re stress corrosion cracking of Anchor/Darling Model S350W check valves.No Anchor/Darling valves used at units in safety-related applications,per design review.
NANDY,F.R. Southern California Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54865:019-54865:020.

9008160131 Forwards Insp Repts 50-206/90-16,50-361/90-16 & 50-362/90-16 on 900521-0615 & 0616-0720.Violations noted.HB Ray 900716 ltr discussing findings of Insp Repts 90-14,90-15 & preliminary findings of Insp 90-16 also discussed.
KIRSCH,D.F. Region 5 (Post 820201). 90/08/03. RAY,H.B. Southern California Edison Co. 4pp. 54990:096-54990:131.

—9008160132 Notice of violation from insp on 900521-0615.Violation noted:design changes made to replace Marotta hydraulic dump valves w/heavier PM EnerTech dump valves w/o calculations to determine operability during design basis seismic event.
KIRSCH,D.F. Region 5 (Post 820201). 90/08/03. 8pp. 54990:100-54990:107.

—9008160134 Insp Repts 50-206/90-16,50-361/90-16 & 50-362/90-16 on 900521-0702.Violations noted.Major areas inspected:licensee design,engineering & associated quality verification activities.
HUEY,F.R. Region 5 (Post 820201). 90/08/02. 24pp. 54990:108-54990:131.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGARD,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008270002 Forwards Insp Repts 50-206/90-25,50-361/90-25 & 50-362/90-25 on 900603-0714.No violations or deviations noted.
RICHARDS,S.A. Region 5 (Post 820201). 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 55035:108-55035:125.

—9008270004 Insp Repts 50-206/90-25,50-361/90-25 & 50-362/90-25 on 900603-0714.No violations noted.Major areas inspected: operational safety verification,radiological protection, security & evaluation of plant trips & events.
CALDWELL,C.W., HON,A.L., TOWNSEND,C.D. Region 5 (Post 820201). 90/08/06. 16pp. 55035:110-55035:125.

9008270163 Forwards Insp Repts 50-206/90-30,50-361/90-30 & 50-362/90-30 on 900723-27.No deficiencies or violations noted.
ROBERTS,J. Region 5 (Post 820201). 90/08/10. RAY,H.B. Southern California Edison Co. 2pp. 55035:229-55035:236.

—9008270166 Insp Repts 50-206/90-30,50-361/90-30 & 50-362/90-30 on 900723-27.No violations noted.Major areas inspected: emergency preparedness program,including onsite followup of written repts of nonroutine events at plants & open items.
PRENDERGAST,K., ROBERTS,J. Region 5 (Post 820201). 90/08/10. 6pp. 55035:231-55035:236.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230074 Advises that 900802 response to NRC Bulletin 88-002, "Stress Corrosion Cracking of High Hardness Type 410 Stainless Steel Internal Preloaded Bolting in Anchor/Darling Model S350W Swing Check Valves or Valves of Similar Design," acceptable.
KOKAJKO,L.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 2pp. 55019:205-55019:206.

9008230076 Advises that 900717 response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount," served as basis for closing issue on Unit 1.Results of evaluation of Units 2 & 3 will be subj of future ltr.
TATUM,J.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. 2pp. 55019:190-55019:191.

9008270191 Responds to NRC 900803 ltr re violations noted in Insp Repts 50-361/90-16 & 50-362/90-16.Reply to notice of violation not required due to sufficient info provided in 900716 ltr,per 900807 discussion w/R Huey.
NANDY,F.R. Southern California Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55032:117-55032:117.

9008240075 Responds to NRC Bulletin 88-010 re nonconforming molded-case circuit breakers (MCCBs).Affected MCCBs purchased for use in safety-related applications,including MCCBs used w/motor controllers.Outage rept encl,per 890330 ltr.
ROSENBLUM,R.M. Southern California Edison Co. 90/08/21. Document Control Branch (Document Control Desk). 2pp. 55030:032-55030:040.

—9008240076 "NRC Bulletin 88-010 Outage Rept for San Onofre Generating Station Unit 3,Cycle 5,Molded-Case Circuit Breakers."
* Southern California Edison Co. 90/08/31. 7pp. 55030:034-55030:040.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

120 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

- 9008220045** Forwards monthly operating repts for Jul 1990 for San Onofre Units 2 & 3, revised Unit 2 monthly operating rept for June 1990 & Rev 22 to ODCM. NANDY, F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55004:175-55005:028.
- 9008220047** Monthly operating repts for Jul 1990 for San Onofre. SARETTE, T.M. Southern California Edison Co. 90/07/31. 12pp. 55004:177-55004:188.
- 9008220049** Revised Unit 2 monthly operating rept for Jul 1990 for San Onofre Nuclear Generating Station, Units 2 & 3. SARETTE, T.M. Southern California Edison Co. 90/06/30. 4pp. 55004:189-55004:192.
- 9008220054** Rev 22 to ODCM. Southern California Edison Co. 90/08/02. 197pp. 55004:193-55005:028.

S. Reportable occurrences, LERs & related correspondence

- 9008020169** LER 90-006-00: on 900626, fuel handling isolation sys Train B spuriously actuated during monitor return to svc. Caused by momentary loss of power during switch manipulation. Radiation monitor operating instructions enhanced. W/900724 ltr. MORGAN, H.E. Southern California Edison Co. 90/07/24. 6pp. 54831:013-54831:018.
- 9008010008** RC: followup rept for Tech Spec fire-rated assemblies found inoperable during routine surveillances in June 1990. Compensatory fire watches established. Supporting info encl. NANDY, F.R. Southern California Edison Co. 90/07/25. MARTIN, J.B. Region 5 (Post 820201). 4pp. 54791:063-54791:066.
- 9008020086** LER 90-007-00: on 900626, safety injection tank T-008 became inoperable when nitrogen cover pressure increased to 669 psia. Caused by leakage of borated water through fill & drain valve. Valve will be repaired during outage. W/900725 ltr. MORGAN, H.E. Southern California Edison Co. 90/07/25. 6pp. 54792:154-54792:159.
- 9008060072** RC: during June 1990, two closure mechanism & three latching mechanism failures identified in Unit 1 & 20 latching mechanism & nine closure mechanism failures identified in Units 2 & 3. Compensatory fire watches established. NANDY, F.R. Southern California Edison Co. 90/07/25. MARTIN, J.B. Region 5 (Post 820201). 4pp. 54876:341-54876:344.
- 9008020195** Special rept on 900620, reactor coolant pump strong motion accelerator inoperable following performance of routine monthly surveillance test. Cause undetermined. Troubleshooting & repair efforts performed. NANDY, F.R. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54826:081-54826:081.
- 9008100037** PNO-V-90-035: on 900804, fire discovered in noncontaminated laundry room in Units 2 & 3 shared radwaste bldg. Caused by overheated clothing dryer. No radiological release resulted from fire & no safety-related equipment affected. HON, A., CONSTABLE, L. Region 5 (Post 820201). 90/08/06. 1p. 54944:001-54944:001.
- 9008240098** LER 90-008-00: 900715, determined that main steam safety valve 3PSV8412 outside of Tech Spec limits. Caused by calibr performed w/o lagging installed on valves. Procedures revised. W/900814 ltr. KRIEGER, R.W., MORGAN, H.E. Southern California Edison Co. 90/08/14. 7pp. 55012:236-55012:243.

V. Operator Examinations

- 9008080342** Forwards preexam & post-exam security agreement. MILLER, D. Affiliation Not Assigned. 90/07/06. ROYACK, M.J. Region 5 (Post 820201). 17pp. 54914:266-54914:282.
- 9007300003** Requests util provide listed ref matis for reactor & senior reactor operator licensing exams on 901023-25. KIRSCH, D.F. Region 5 (Post 820201). 90/07/24. MORGAN, H.E. Southern California Edison Co. 11pp. 54740:327-54740:337.
- 9008160189** Forwards Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Fifteen of 19 candidates passed exam. RICHARDS, S. Region 5 (Post 820201). 90/08/01. MORGAN, H.E. Southern California Edison Co. 3pp. 54968:095-54968:340.
- 9008160190** Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Exam results: 15 of 19 candidates passed exam. ROYACK, M.J., MILLER, L.F. Region 5 (Post 820201). 90/07/27. 210pp. 54968:099-54968:340.
- 9008080043** Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008080047** Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

- 9008080342** Forwards preexam & post-exam security agreement. MILLER, D. Affiliation Not Assigned. 90/07/06. ROYACK, M.J. Region 5 (Post 820201). 17pp. 54914:266-54914:282.
- 9008010252** Rev 2.03 to "San Onofre Nuclear Generating Station Manual of Emergency Events." W/900709 ltr. Southern California Edison Co. 90/07/09. 7pp. 54797:074-54797:080.

9008030062 Forwards Jul 1990 edition of emergency response telephone directory for insertion in notebooks of nuclear emergency response team. W/DH Grimsley 900801 release memo. W/o encl. PLAPPERT, R.D. Southern California Edison Co. 90/07/16. Region 5 (Post 820201). 2pp. 54842:344-54842:345.

9008270002 Forwards Insp Repts 50-206/90-25, 50-361/90-25 & 50-362/90-25 on 900603-0714. No violations or deviations noted. RICHARDS, S.A. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 55035:108-55035:125.

-9008270004 Insp Repts 50-206/90-25, 50-361/90-25 & 50-362/90-25 on 900603-0714. No violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events. CALDWELL, C.W. Region 5 (Post 820201). 90/08/06. 16pp. 55035:110-55035:125.

9008270163 Forwards Insp Repts 50-206/90-30, 50-361/90-30 & 50-362/90-30 on 900723-27. No deficiencies or violations noted. ROBERTS, J. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 55035:229-55035:236.

-9008270166 Insp Repts 50-206/90-30, 50-361/90-30 & 50-362/90-30 on 900723-27. No violations noted. Major areas inspected: emergency preparedness program, including onsite followup of written repts of nonroutine events at plants & open items. PRENDERGAST, K. Region 5 (Post 820201). 90/08/10. 6pp. 55035:231-55035:236.

I. Financial information

9007270162 Forwards certification repts constituting financial assurance certification & oath of affirmation required by NRC regulation 10CFR50.75(b) & draft trust & investment mgt agreement as required by 10CFR50.75(e). AMENT, D.L. Anaheim, CA. 90/07/24. Document Control Branch (Document Control Desk). 18pp. 54738:012-54738:029.

9008010103 Forwards rept assuring availability of funds for decommissioning of plant. AMENT, D.L. Anaheim, CA. 90/07/24. KOKAJKO, L.E. NRC - No Detailed Affiliation Given. 18pp. 54806:230-54806:247.

9008100064 Forwards rept assuring availability of funds for decommissioning facilities. AMENT, D.L. Anaheim, CA. 90/07/24. MARTIN, J.B. Region 5 (Post 820201). 18pp. 54954:029-54954:046.

9007270159 Forwards info re plan to assure that funds will be available to decommission share of plant, per 10CFR50.33(k)(2), including certificate of financial assurance & oath of affirmation. THOMAS, B.G. Riverside, CA. 90/07/26. Document Control Branch (Document Control Desk). 19pp. 54739:004-54739:022.

P. Operating license stage documents & correspondence

9007270012 Provides notification of completion of installation of backup nitrogen sys isolation check valves & test connections at facility. NANDY, F.R. Southern California Edison Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54734:283-54734:284.

9008090290 Notification of contract execution, Task Order 12, to "Technical Assistance in Support of NRC Licensing Activities." Contractor: Viking Sys Intl. MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN D-17620. 90/07/24. BAJWA, S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54921:233-54921:238.

-9008090300 Ltr contract awarding Task Order 12, "San Onofre Intake Structure Evaluation" to "Technical Assistance in Support of NRC Licensing Activities." HAGAN, T. Contract Administration Branch (890205-900602). FIN D-17620. 90/07/20. SALUJA, J. Viking Systems International. 5pp. 54921:234-54921:238.

9007300123 Provides editorial change to Tech Spec Bases B 3/4.7.1.6, "Atmospheric Dump Valves," per Amends 89 & 79 to Licenses NPF-10 & NPF-15, respectively. KOKAJKO, L.E. Project Directorate V. 90/07/25. RAY, H.B. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 2pp. 54762:256-54762:259.

-9007300127 Corrected Tech Spec pages to Amends 89 & 79 to Licenses NPF-10 & NPF-15, respectively, providing editorial change to Bases B 3/4.7.1.6, "Atmospheric Dump Valves." Southern California Edison Co. 90/07/25. 2pp. 54762:258-54762:259.

9007310018 Provides addl justification & clarification re Change Notice 37 to Amend 12 to Topical Rept SCE-1-A, "QA Program," per NRC 900626 request. Evaluations to improve engineering quality concluded that in-line reviews not worthwhile. RAY, H.B. Southern California Edison Co. 90/07/26. ZIMMERMAN, R. Region 5 (Post 820201). 3pp. 54787:308-54787:310.

9008020192 Informs of util decision to provide Seismic Catetory 1 source of makeup water to component cooling water surge tanks. NANDY, F.R. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54826:038-54826:040.

9008060395 Forwards Amend 13 to Topical Rept SCE-1-A, "QA Program." ROSENBLUM, R.M. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54881:348-54882:086.

-9008060397 Amend 13 to "QA Program." Southern California Edison Co. 90/07/30. 98pp. 54881:349-54882:086.

9008060049 Discusses review of possibility of accelerating schedule for performing & submitting results of individual plant exams for Units 1, 2 & 3. Util believes that submital schedule for Unit 1 can be accelerated to 920102. NANDY, F.R. Southern California Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54877:131-54877:132.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100081 Forwards corrected pages to Bases 3/4.7.1.6, "Atmospheric Dump Valves," issued on 900725, adding words inadvertently omitted.
KOKAJKO, L.E. Project Directorate V. 90/08/03. RAY, H.B. Southern California Edison Co. 2pp. 54951:139-54951:142.

9008100153 Corrected Amends 89 & 79 to Licenses NPF-10 & NPF-15 respectively, adding inadvertently omitted words to Bases 3/4.7.1.6.
* NRC - No Detailed Affiliation Given. 90/08/03. 2pp. 54951:141-54951:142.

9008140191 Draft application for amends to Licenses NPF-10 & NPF-15, revising Section 5.0, "Design Features," of Tech Specs. Formal review of license amend within unit not performed & changes probable.
NANDY, F.R. Southern California Edison Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54970:219-54970:238.

9008140193 Proposed Tech Spec Section 5.0, "Design Features."
* Southern California Edison Co. 90/08/03. 18pp. 54970:221-54970:238.

9008130178 Advises that on 900713, new land use located w/calculated dose greater than value currently calculated. New location results in annual dose increase of 27% for Units 2 & 3 & 39% increase for Unit 1.
ROSENBLUM, R.M. Southern California Edison Co. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54956:199-54956:199.

9008130180 Forwards environ assessment & finding of no significant impact re 900705 request for exemption from 10CFR70.24.
KOKAJKO, L.E. Project Directorate V. 90/08/09. RAY, H.B. Southern California Edison Co. 2pp. 54956:102-54956:106.

9008130183 Environ assessment & finding of no significant impact re proposed exemption from 10CFR70.24 that would allow irradiated or unirradiated fuel assemblies to be handled & stored in facilities fuel handling bldg.
LARKINS, J.T. Project Directorate V. 90/08/09. 3pp. 54956:104-54956:106.

9008140213 Advises that 900726 response to request for addl info re Change Notice 37 to SCE-1-A provided acceptable justification to support deletion of specified in-line review of QA requirements. Changes acceptable.
ZIMMERMAN, R.P. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 3pp. 54964:086-54964:086.

9008160145 Forwards rev to previously submitted draft license amend to Tech Spec Section 2.0, "Safety Limits," for info & review. Draft amend prepared under guidelines of Tech Spec improvement project.
NANDY, F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 54979:071-54979:073.

9008160158 Proposed Tech Specs re safety limits.
* Southern California Edison Co. 90/08/14. 2pp. 54979:072-54979:073.

9008220045 Forwards monthly operating repts for Jul 1990 for San Onofre Units 2 & 3, revised Unit 2 monthly operating rept for June 1990 & Rev 22 to ODCM.
NANDY, F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55004:175-55004:028.

9008220054 Rev 22 to ODCM.
* Southern California Edison Co. 90/08/02. 197pp. 55004:183-55004:028.

9008280182 Forwards exemption from requirements of 10CFR70.24, "Criticality Accident Requirements," per 900705 request. Exemption allows storage of irradiated or unirradiated fuel assemblies in plant w/o two criticality monitoring sys.
LARKINS, J.T. Project Directorate V. 90/08/20. RAY, H.B. Southern California Edison Co. 2pp. 55041:229-55041:238.

9008280185 Exemption from requirements of 10CFR70.24, "Criticality Accident Requirements." Exemption allows handling & storage of irradiated or unirradiated fuel assemblies at station w/o having two criticality monitoring sys.
LARKINS, J.T. Project Directorate V. 90/08/09. Southern California Edison Co. 5pp. 55041:231-55041:238.

Q. Inspection reports, IE Bulletins & correspondence

9008080352 Forwards Insp Repts 50-206/90-26, 50-361/90-26 & 50-362/90-26 on 900625-29. No violations noted. Weaknesses re implementation of internal exposure control program noted.
YUHAS, G.P. Region 5 (Post 820201). 90/07/23. RAY, H.B. Southern California Edison Co. 2pp. 54907:078-54907:089.

9008080355 Insp Repts 50-206/90-26, 50-361/90-26 & 50-362/90-26 on 900625-29. No violations noted. Major areas inspected: followup items, occupational exposure, control of radioactive mats & contamination surveys & monitoring.
COBLENTZ, L., GARCIA, E., CILLIS, M. Region 5 (Post 820201). 90/07/23. 10pp. 54907:080-54907:089.

9007310097 Advises that adequate bases not provided to conclude that pressurized surge line meets all appropriate code limits for 40-yr plant life, per unit 900308 response to Item 1.b of NRC Bulletin 88-011. W/evaluation of C-E Owners Group CEN-387-P.
KOKAJKO, L.E. Project Directorate V. 90/07/25. RAY, H.B. Southern California Edison Co. COTTON, C.D. San Diego Gas & Electric Co. 3pp. 54803:222-54803:234.

9008080400 Partially withheld topical rept evaluation of CEN-387-P, "Pressurizer Surge Line Flow Stratification Evaluation." Rept considered inadequate to justify continued operation for 40-yr plant life.
* NRC - No Detailed Affiliation Given. 90/07/25. 10pp. 54803:225-54803:234.

9008090378 Ack receipt of 900825 ltr advising of steps taken to correct violations noted in Insp Repts 50-206/90-10, 50-361/90-10 & 50-362/90-10. Identification of new info provided addl useful info on recent check valve activities at facility.
KIRSCH, D.F. Region 5 (Post 820201). 90/07/26. RAY, H.B. Southern California Edison Co. 2pp. 54933:338-54933:356.

9008090383 Responds to NRC 900518 ltr forwarding Insp Repts 50-206/90-10, 50-361/90-10 & 50-362/90-10. Results of review of awareness & response to industry check valve concerns & evaluation of need to establish dedicated program provided.
RAY, H.B. Southern California Edison Co. 90/06/25. KIRSCH, D.F. Region 5 (Post 820201). 17pp. 54933:340-54933:356.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310207 Responds to NRC 900629 ltr re violations noted during special safety sys functional insp on 891030-1130. Corrective action: util will review & revise operating & calibr procedures by 901031.
RAY, H.B. Southern California Edison Co. 90/07/27. Document Control Branch (Document Control Desk). 5pp. 54796:254-54796:258.

9008070030 Responds to NRC 900518 ltr re violations noted in Insp Repts 50-206/90-10, 50-361/90-10 & 50-362/90-10. Corrective action: computer-based mgt sys will be developed to permit incoming revised info to be matched w/documents requiring review.
RAY, H.B. Southern California Edison Co. 90/07/31. Region 5 (Post 820201). 3pp. 54897:146-54897:148.

9008160189 Forwards Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Fifteen of 19 candidates passed exam.
RICHARDS, S. Region 5 (Post 820201). 90/08/01. MORGAN, H.E. Southern California Edison Co. 3pp. 54968:095-54968:340.

9008160190 Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Exam results: 15 of 19 candidates passed exam.
ROYACK, M.J. Region 5 (Post 820201). 90/07/27. 210pp. 54968:099-54968:340.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008060044 Provides supplemental response to NRC Bulletin 89-002 re stress corrosion cracking of Anchor/Darling Model S350W check valves. No Anchor/Darling valves used at units in safety-related applications, per design review.
NANDY, F.R. Southern California Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54865:019-54865:020.

9008160131 Forwards Insp Repts 50-206/90-16, 50-361/90-16 & 50-362/90-16 on 900521-0615 & 0616-0720. Violations noted. HB Ray 900716 ltr discussing findings of Insp Repts 90-14, 90-15 & preliminary findings of Insp 90-16 also discussed.
KIRSCH, D.F. Region 5 (Post 820201). 90/08/03. RAY, H.B. Southern California Edison Co. 4pp. 54990:096-54990:131.

9008160132 Notice of violation from insp on 900521-0615. Violation noted: design changes made to replace Marotta hydraulic dump valves w/heavier PM Enertech dump valves w/o calculations to determine operability during design basis seismic event.
KIRSCH, D.F. Region 5 (Post 820201). 90/08/03. 8pp. 54990:100-54990:107.

9008160134 Insp Repts 50-206/90-16, 50-361/90-16 & 50-362/90-16 on 900521-0702. Violations noted. Major areas inspected: licensee design, engineering & associated quality verification activities.
HUEY, F.R. Region 5 (Post 820201). 90/08/02. 24pp. 54990:108-54990:131.

9007310185 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowave Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 80pp. 54952:085-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008270002 Forwards Insp Repts 50-206/90-25, 50-361/90-25 & 50-362/90-25 on 900603-0714. No violations or deviations noted.
RICHARDS, S.A. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 55035:108-55035:125.

9008270004 Insp Repts 50-206/90-25, 50-361/90-25 & 50-362/90-25 on 900603-0714. No violations noted. Major areas inspected: operational safety verification, radiological protection, security & evaluation of plant trips & events.
CALDWELL, C.W., HON, A.L., TOWNSEND, C.D. Region 5 (Post 820201). 90/08/06. 16pp. 55035:110-55035:125.

9008270163 Forwards Insp Repts 50-206/90-30, 50-361/90-30 & 50-362/90-30 on 900723-27. No deficiencies or violations noted.
ROBERTS, J. Region 5 (Post 820201). 90/08/10. RAY, H.B. Southern California Edison Co. 2pp. 55035:229-55035:236.

9008270168 Insp Repts 50-206/90-30, 50-361/90-30 & 50-362/90-30 on 900723-27. No violations noted. Major areas inspected: emergency preparedness program, including onsite followup of written repts of nonroutine events at plants & open items.
PRENDERGAST, K., ROBERTS, J. Region 5 (Post 820201). 90/08/10. 6pp. 55035:231-55035:236.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

122 DOCKETED ITEMS

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230074 Advises that 900802 response to NRC Bulletin 89-002, "Stress Corrosion Cracking of High Hardness Type 410 Stainless Steel Internal Preloaded Bolting in Anchor/Darling Model S350W Swing Check Valves or Valves of Similar Design," acceptable.
KOKAJKO,L.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 2pp. 55019:205-55019:206.

9008230076 Advises that 900717 response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount," served as basis for closing issue on Unit 1. Results of evaluation of Units 2 & 3 will be sub of future ltr.
TATUM,J.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. 2pp. 55019:190-55019:191.

9008270191 Responds to NRC 900803 ltr re violations noted in Insp Repts 50-361/90-16 & 50-362/90-16. Reply to notice of violation not required due to sufficient info provided in 900716 ltr, per 900807 discussion w/R Huey.
NANDY,F.R. Southern California Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55032:117-55032:117.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220045 Forwards monthly operating repts for Jul 1990 for San Onofre Units 2 & 3, revised Unit 2 monthly operating rept for June 1990 & Rev 22 to ODCM.
NANDY,F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55004:175-55005:026.

-9008220047 Monthly operating repts for Jul 1990 for San Onofre.
SARETTE,T.M. Southern California Edison Co. 90/07/31. 12pp. 55004:177-55004:188.

-9008220049 Revised Unit 2 monthly operating rept for Jul 1990 for San Onofre Nuclear Generating Station, Units 2 & 3.
SARETTE,T.M. Southern California Edison Co. 90/06/30. 4pp. 55004:189-55004:192.

S. Reportable occurrences, LERs & related correspondence

9008010008 RC: followup rept for Tech Spec fire-rated assemblies found inoperable during routine surveillances in June 1990. Compensatory fire watches established. Supporting info encl.
NANDY,F.R. Southern California Edison Co. 90/07/25. MARTIN,J.B. Region 5 (Post 820201). 4pp. 54791:063-54791:066.

9008060072 RC: during June 1990, two closure mechanism & three latching mechanism failures identified in Unit 1 & 20 latching mechanism & nine closure mechanism failures identified in Units 2 & 3. Compensatory fire watches established.
NANDY,F.R. Southern California Edison Co. 90/07/25. MARTIN,J.B. Region 5 (Post 820201). 4pp. 54876:341-54876:344.

9008060358 LER 90-008-00: on 900629, during review of pipe stresses determined that stresses could exceed those allowed by Section III of ASME Code under severe accident conditions. Caused by personnel error. Mode initiated. W/900730 ltr.
MORGAN,H.E. Southern California Edison Co. 90/07/30. 5pp. 54904:204-54904:208.

9008100037 PNC-V-90-035: on 900804, fire discovered in noncontaminated laundry room in Units 2 & 3 shared radwaste bldg. Caused by overheated clothing dryer. No radiological release resulted from fire & no safety-related equipment affected.
HON,A., CONSTABLE,L. Region 5 (Post 820201). 90/08/06. 1p. 54944:001-54944:001.

V. Operator Examinations

9008080342 Forwards preexam & post-exam security agreement.
MILLER,D. Affiliation Not Assigned. 90/07/06. ROYACK,M.J. Region 5 (Post 820201). 17pp. 54914:266-54914:282.

9007300003 Requests util provide listed ref matts for reactor & senior reactor operator licensing exams on 901023-25.
KIRSCH,D.F. Region 5 (Post 820201). 90/07/24. MORGAN,H.E. Southern California Edison Co. 11pp. 54740:327-54740:337.

9008160189 Forwards Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Fifteen of 19 candidates passed exam.
RICHARDS,S. Region 5 (Post 820201). 90/08/01. MORGAN,H.E. Southern California Edison Co. 3pp. 54968:095-54968:340.

-9008160190 Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Exam results: 15 of 19 candidates passed exam.
ROYACK,M.J., MILLER,L.F. Region 5 (Post 820201). 90/07/27. 210pp. 54968:099-54968:340.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080297 Rev 18 to EPIP FNP-0-EIP-27.W/900802 ltr.
HUDSPETH,J.B. Alabama Power Co. 90/08/02. 4pp. 54931:090-54931:094.

9008130134 Forwards Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13 & notice of violation. Notice of violation withheld (ref 10CFR2.790 & 73.21).
CLINE,W.E. Region 2 (Post 820201). 90/08/03. HAIRSTON,W.G. Alabama Power Co. 3pp. 54958:080-54958:083.

-9008130135 Partially withheld Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13. Violations noted. Major areas inspected: physical barriers-protected area, assessment aids & access control- packages. Details withheld (ref 10CFR2.790(d) & 73.21).
STANSBERRY,W.W. Region 2 (Post 820201). 90/07/30. 1p. 54958:083-54958:083.

9008210168 Rev 18 to EPIP FNP-0-EIP-0027, "Activation of Emergency Operations Facility." W/900814 ltr.
HUDSPETH,J.B. Alabama Power Co. 90/08/14. 14pp. 55003:036-55003:049.

9008230020 Rev 2 to Administrative Procedure FNP-0-EIP-9.3, "Personal Computer - Automated Dose Assessment Method." W/900817 ltr.
HUDSPETH,J.B. Alabama Power Co. 90/08/17. 104pp. 55018:168-55018:271.

9008280295 Revised EIPs, including Rev 5 to FNP-0-EIP-17, Rev 8 to FNP-0-EIP-3, Rev 9 to FNP-0-EIP-19 & Rev 32 to FNP-0-EIP-26. W/900822 ltr.
HUDSPETH,J.B. Alabama Power Co. 90/08/22. 75pp. 55041:011-55041:087.

P. Operating license stage documents & correspondence

9008150138 Application for amends to Licenses NPF-2 & NPF-8, changing Tech Specs re EOL moderator temp coefficients. Encl proprietary rept WCAP-11953 & nonproprietary rept WCAP-11954 justifies changes. Rept withheld (ref 10CFR2.790).
HAIRSTON,W.G. Alabama Power Co. 90/07/13. Document Control Branch (Document Control Desk). 2pp. 54978:044-54978:128.

-9008150139 Proposed Tech Specs concerning EOL moderator temp coefficient.
* Alabama Power Co. 90/07/13. 11pp. 54978:046-54978:056.

-9008150142 Requests that proprietary WCAP-11953, "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for Joseph M Farley Nuclear Plant Units 1 & 2," be withheld per 10CFR2.790.
WIESEMANN,R.A. Westinghouse Electric Corp. 89/01/09. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 54978:057-54978:069.

-9008150143 "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for JM Farley Nuclear Plant Units 1 & 2."
ANKNEY,R.D., OSBORNE,M.P. Westinghouse Electric Corp. WCAP-11954. 88/12/31. 60pp. 54978:070-54978:128.

9008020222 Repts unsatisfactory performance testing of sample of urine. On 900702, lab reported sample as negative.
HAIRSTON,W.G. Alabama Power Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54825:337-54825:341.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008150028 Advises that rept entitled, "Steam Generator Tube Laser Welded Sleeve-ing," will be withheld per 10CFR9.5(4) w/ listed exceptions.
HOFFMAN,S.T. Project Directorate II-1. 90/08/09. JOHNSON,W.J. Westinghouse Electric Corp. 3pp. 54972:027-54972:029.

9008150096 Requests addl info re SPDs, per NUREG-0737, Suppl 1.
HOFFMAN,S.T. Project Directorate II-1. 90/08/10. HAIRSTON,W.G. Alabama Power Co. 4pp. 54972:053-54972:056.

Q. Inspection reports, IE Bulletins & correspondence

9007270122 Forwards Insp Repts 50-348/90-17 & 50-364/90-17 on 900618-22. No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 90/07/13. HAIRSTON,W.G. Alabama Power Co. 3pp. 54727:295-54727:306.

-9007270126 Insp Repts 50-348/90-17 & 50-364/90-17 on 900618-22. No violations or deviations noted. Major areas inspected: radiological liquid & gaseous effluent processing & releases & radiological environ monitoring programs.
MARSTON,R.R., DECKER,T.R. Region 2 (Post 820201). 90/07/10. 9pp. 54727:298-54727:306.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008210002 Forwards Insp Repts 50-348/90-21 & 50-364/90-21 on 900709-13. No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/07/31. HAIRSTON,W.G. Alabama Power Co. 3pp. 55003:304-55003:312.

-9008210003 Insp Repts 50-348/90-21 & 50-364/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: areas of local leak rate testing & review of previous insp findings. Five open items re leak rate testing closed.
WHITENER,H.L., BELISLE,G.A. Region 2 (Post 820201). 90/07/30. 6pp. 55003:307-55003:312.

122 DOCKETED ITEMS

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230074 Advises that 900802 response to NRC Bulletin 89-002, "Stress Corrosion Cracking of High Hardness Type 410 Stainless Steel Internal Preloaded Bolting in Anchor/Darling Model S350W Swing Check Valves or Valves of Similar Design," acceptable. KOKAJKO,L.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 2pp. 55019:205-55019:206.

9008230076 Advises that 900717 response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount," served as basis for closing issue on Unit 1. Results of evaluation of Units 2 & 3 will be sub of future ltr. TATUM,J.E. Project Directorate V. 90/08/16. RAY,H.B. Southern California Edison Co. 2pp. 55019:190-55019:191.

9008270191 Responds to NRC 900803 ltr re violations noted in Insp Repts 50-361/90-16 & 50-362/90-16. Reply to notice of violation not required due to sufficient info provided in 900716 ltr, per 900807 discussion w/R Huey. NADY,F.R. Southern California Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55032:117-55032:117.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220045 Forwards monthly operating repts for Jul 1990 for San Onofre Units 2 & 3, revised Unit 2 monthly operating rpt for June 1990 & Rev 22 to ODCM. NADY,F.R. Southern California Edison Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55004:175-55005:028.

-9008220047 Monthly operating repts for Jul 1990 for San Onofre. SARETTE,T.M. Southern California Edison Co. 90/07/31. 12pp. 55004:177-55004:188.

-9008220049 Revised Unit 2 monthly operating rpt for Jul 1990 for San Onofre Nuclear Generating Station, Units 2 & 3. SARETTE,T.M. Southern California Edison Co. 90/06/30. 4pp. 55004:189-55004:192.

S. Reportable occurrences, LERs & related correspondence

9008010008 RO: followup rpt for Tech Spec fire-rated assemblies found inoperable during routine surveillances in June 1990. Compensatory fire watches established. Supporting info encl. NADY,F.R. Southern California Edison Co. 90/07/25. MARTIN,J.B. Region 5 (Post 820201). 4pp. 54791:063-54791:066.

9008060072 RO: during June 1990, two closure mechanism & three latching mechanism failures identified in Unit 1 & 20 latching mechanism & nine closure mechanism failures identified in Units 2 & 3. Compensatory fire watches established. NADY,F.R. Southern California Edison Co. 90/07/25. MARTIN,J.B. Region 5 (Post 820201). 4pp. 54876:341-54876:344.

9008060358 LER 90-008-00: on 900629, during review of pipe stresses determined that stresses could exceed those allowed by Section III of ASME Code under severe accident conditions. Caused by personnel error. Mods initiated. W/900730 ltr. MORGAN,H.E. Southern California Edison Co. 90/07/30. 5pp. 54904:204-54904:208.

9008100037 PNO-V-90-035: on 900804, fire discovered in noncontaminated laundry room in Units 2 & 3 shared radwaste bldg. Caused by overheated clothing dryer. No radiological release resulted from fire & no safety-related equipment affected. HON,A. CONSTABLE,L. Region 5 (Post 820201). 90/08/06. 1p. 54944:001-54944:001.

V. Operator Examinations

9008060342 Forwards preexam & post-exam security agreement. MILLER,D. Affiliation Not Assigned. 90/07/06. ROYACK,M.J. Region 5 (Post 820201). 17pp. 54914:266-54914:282.

9007300003 Requests util provide listed ref matls for reactor & senior reactor operator licensing exams on 901023-25. KIRSCH,D.F. Region 5 (Post 820201). 90/07/24. MORGAN,H.E. Southern California Edison Co. 11pp. 54740:327-54740:337.

9008160189 Forwards Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Fifteen of 19 candidates passed exam. RICHARDS,S. Region 5 (Post 820201). 90/08/01. MORGAN,H.E. Southern California Edison Co. 3pp. 54968:095-54968:340.

-9008160190 Initial Licensing Exam Rept 50-361/OL-90-02 on 900618-29 for Units 2 & 3. Exam results: 15 of 19 candidates passed exam. ROYACK,M.J., MILLER,L.F. Region 5 (Post 820201). 90/07/27. 210pp. 54968:099-54968:340.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080297 Rev 18 to EPIP FNP-0-EIP-27.W/900802 ltr. HUDSPETH,J.B. Alabama Power Co. 90/08/02. 4pp. 54931:090-54931:094.

9008130134 Forwards Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13 & notice of violation. Notice of violation withheld (ref 10CFR2.790 & 73.21). CLINE,W.E. Region 2 (Post 820201). 90/08/03. HAIRSTON,W.G. Alabama Power Co. 3pp. 54958:080-54958:083.

-9008130135 Partially withheld Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13. Violations noted. Major areas inspected: physical barriers-protected area, assessment aids & access control- packages. Details withheld (ref 10CFR2.790(d) & 73.21). STANSBERRY,W.W. Region 2 (Post 820201). 90/07/30. 1p. 54958:083-54958:083.

9008210168 Rev 18 to EPIP FNP-0-EIP-0027, "Activation of Emergency Operations Facility." W/900814 ltr. HUDSPETH,J.B. Alabama Power Co. 90/08/14. 14pp. 55003:036-55003:049.

9008230020 Rev 2 to Administrative Procedure FNP-0-EIP-9.3, "Personal Computer - Automated Dose Assessment Method." W/900817 ltr. HUDSPETH,J.B. Alabama Power Co. 90/08/17. 104pp. 55018:168-55018:271.

9008280295 Revised EIPs, including Rev 5 to FNP-0-EIP-17, Rev 8 to FNP-0-EIP-3, Rev 9 to FNP-0-EIP-19 & Rev 32 to FNP-0-EIP-26. W/900822 ltr. HUDSPETH,J.B. Alabama Power Co. 90/08/22. 75pp. 55041:011-55041:087.

P. Operating license stage documents & correspondence

9008150138 Application for amends to Licenses NPF-2 & NPF-8, changing Tech Specs re EOL moderator temp coefficients. Encl proprietary rept WCAP-11953 & nonproprietary rept WCAP-11954 justifies changes. Rept withheld (ref 10CFR2.790). HAIRSTON,W.G. Alabama Power Co. 90/07/13. Document Control Branch (Document Control Desk). 2pp. 54978:044-54978:128.

-9008150139 Proposed Tech Specs concerning EOL moderator temp coefficient. * Alabama Power Co. 90/07/13. 11pp. 54978:046-54978:056.

-9008150142 Requests that proprietary WCAP-11953, "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for Joseph M Farley Nuclear Plant Units 1 & 2," be withheld per 10CFR2.790. WISEMANN,R.A. Westinghouse Electric Corp. 89/01/09. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 54978:057-54978:069.

-9008150143 "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for JM Farley Nuclear Plant Units 1 & 2." ANKNEY,R.D., OSBORNE,M.P. Westinghouse Electric Corp. WCAP-11954. 88/12/31. 60pp. 54978:070-54978:128.

9008020222 Repts unsatisfactory performance testing of sample of urine. On 900702, lab reported sample as negative. HAIRSTON,W.G. Alabama Power Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54825:337-54825:341.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008150028 Advises that rept entitled, "Steam Generator Tube Laser Welded Sleeve-ing," will be withheld per 10CFR9.5(4) w/ listed exceptions. HOFFMAN,S.T. Project Directorate II-1. 90/08/09. JOHNSON,W.J. Westinghouse Electric Corp. 3pp. 54972:027-54972:029.

9008150096 Requests addl info re SPDS, per NUREG-0737, Suppl 1. HOFFMAN,S.T. Project Directorate II-1. 90/08/10. HAIRSTON,W.G. Alabama Power Co. 4pp. 54972:053-54972:056.

Q. Inspection reports, IE Bulletins & correspondence

9007270122 Forwards Insp Repts 50-348/90-17 & 50-364/90-17 on 900618-22. No violations or deviations noted. COLLINS,D.M. Region 2 (Post 820201). 90/07/13. HAIRSTON,W.G. Alabama Power Co. 3pp. 54727:295-54727:306.

-9007270126 Insp Repts 50-348/90-17 & 50-364/90-17 on 900618-22. No violations or deviations noted. Major areas inspected: radiological liquid & gaseous effluent processing & releases & radiological environ monitoring programs. MARSTON,R.R., DECKER,T.R. Region 2 (Post 820201). 90/07/10. 9pp. 54727:298-54727:306.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008210002 Forwards Insp Repts 50-348/90-21 & 50-364/90-21 on 900709-13. No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 90/07/31. HAIRSTON,W.G. Alabama Power Co. 3pp. 55003:304-55003:312.

-9008210003 Insp Repts 50-348/90-21 & 50-364/90-21 on 900709-13. No violations or deviations noted. Major areas inspected: areas of local leak rate testing & review of previous insp findings. Five open items re leak rate testing closed. WHITENER,H.L., BELISLE,G.A. Region 2 (Post 820201). 90/07/30. 6pp. 55003:307-55003:312.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 83pp. 54961:043-54961:136.

9008130134 Forwards Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13 & notice of violation. Notice of violation withheld (ref 10CFR2.790(d) & 73.21).
CLINE,W.E. Region 2 (Post 820201). 90/08/03. HAIRSTON,W.G. Alabama Power Co. 3pp. 54958:080-54958:083.

-9008130135 Partially withheld Insp Repts 50-348/90-19 & 50-364/90-19 on 900711-13. Violations noted. Major areas inspected: physical barriers-protected area, assessment aids & access control- packages. Details withheld (ref 10CFR2.790(d) & 73.21).
STANSBERRY,W.W., MCGUIRE,D.R. Region 2 (Post 820201). 90/07/30. 1p. 54958:083-54958:083.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008170229 Forwards Rev 1 to FNP-2-M-068, "Ten-Yr Inservice Insp Program for ASME Code Class 1,2 & 3 Components," per 891207 & 900412 responses to NRC request for addl info.
HAIRSTON,W.G. Alabama Power Co. 90/08/15. Document Control Branch (Document Control Desk). 2pp. 54994:183-54994:258.

-9008170234 Rev 1 to FNP-2-M-068, "Ten-Yr Inservice Insp Program for ASME Code Class 1,2 & 3 Components."
* Alabama Power Co. 90/08/15. 75pp. 54994:185-54994:258.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008220175 EN-88-066A: on 900821, notice of proposed imposition of civil penalty in amount of \$450,000 issued to licensee. Action based on violations of environ qualification requirements of 10CFR50.49.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 90/08/21. 1p. 55015:115-55015:115.

9008270001 Forwards order imposing civil monetary penalty, issued on 900821, for FR publication & personal use. W/o encl.
BAKER,E.T. Ofc of Enforcement (Post 870413). 90/08/22. LESAR,M.T. Regulatory Publications Branch. 1p. 55037:022-55037:022.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170017 Monthly operating rept for Jul 1990 for JM Farley Nuclear Plant, Unit 2. W/ 900814 tr.
MOREY,D.N., HAIRSTON,W.G. Alabama Power Co. 90/07/31. 5pp. 54981:356-54981:360.

S. Reportable occurrences, LERs & related correspondence

9008060058 Special Rept 90-007: on 900713, radiation monitor inoperable for more than 7 days, per Tech Spec 3.3.3.1 requirements. Caused by erroneous indication. Monitor scheduled to be repaired during next outage of sufficient duration.
HAIRSTON,W.G. Alabama Power Co. 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54877:071-54877:072.

9008080151 LER 90-002-00: on 900711, discovered that hourly fire watch patrols for Door 2318 not performed, per Tech Spec 3.7.12 requirements. Caused by personnel error. Fire watch re-established. W/900806 tr.
MOREY,D.N., HAIRSTON,W.G. Alabama Power Co. 90/08/06. 5pp. 54904:325-54904:329.

9008170137 Revised Special Rept 90-006: on 900615, Radiation Monitor R-60C declared inoperable due to erroneous indication. Rept corrects 900702 submittal incorrectly referenced as R-60A as being inoperable. Tech Spec action statement met.
HAIRSTON,W.G. Alabama Power Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54983:069-54983:070.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9007270188 Forwards Rev 8 to "FSAR" & Rev 5 to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program." Repts reflect changes through 900122.
HAIRSTON,W.G. Georgia Power Co. 90/07/16. Document Control Branch (Document Control Desk). 5pp. 54808:001-54814:353.

-9007270194 "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program."
* Georgia Power Co. 90/07/31. 900pp. 54811:056-54814:353.

9007300036 Revised emergency implementing procedures, including Rev 2 to 73EP-EIP-062-OS, 73EP-EIP-063-OS & 73EP-EIP-064-OS. W/900720 tr.
HAIRSTON,W.G. Georgia Power Co. 90/07/20. 39pp. 54746:075-54746:113.

9008100038 Rev 3 to 73EP-EIP-073-OS, "Offsite Emergency Notifications." W/900806 tr.
HAIRSTON,W.G. Georgia Power Co. 90/08/06. 17pp. 54942:310-54942:326.

I. Financial Information

9007300102 Forwards nuclear decommissioning funding plan for plant, per 10CFR50.75(b) & 33(k). Reasonable assurance that NRC prescribed min funding will be available to decommission each unit on current expiration date exists.
DAHLBERG,A.W. Georgia Power Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54763:001-54763:252.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9007270188 Forwards Rev 8 to "FSAR" & Rev 5 to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis & Fire Protection Program." Repts reflect changes through 900122.
HAIRSTON,W.G. Georgia Power Co. 90/07/16. Document Control Branch (Document Control Desk). 5pp. 54808:001-54814:353.

-9007270192 Rev 8 to "FSAR."
* Georgia Power Co. 90/07/31. 1,300pp. 54808:007-54811:055.

P. Operating license stage documents & correspondence

9007270027 Forwards "Seismic Margin Assessment Edwin I Hatch Nuclear Plant," Vols 1-3.
HAIRSTON,W.G. Georgia Power Co. 90/07/20. Document Control Branch (Document Control Desk). 11pp. 54724:001-54727:168.

-9007270028 "Seismic Margin Assessment Edwin I Hatch Nuclear Plant," Vols 1-3.
* Georgia Power Co. 90/07/20. 750pp. 54724:012-54727:168.

9008020130 Forwards final response to Generic Ltr 88-14, "Instrument Air Supply Sys Problems Affecting Safety-Related Equipment." Actions required by generic ltr completed.
HAIRSTON,W.G. Georgia Power Co. 90/07/27. Document Control Branch (Document Control Desk). 6pp. 54820:009-54820:014.

9008020149 Discusses guidance for reporting of events under requirements of 10CFR50.73 at plant, per 900525 request. Authors ofc aware that BWR Owners Group intends to pursue 10CFR50.73 interpretation issue w/NRC.
LAINAS,G.C. Assistant Director for Region II Reactors. 90/07/31. REYES, L.A. Region 2 (Post 820201). 1p. 54826:277-54826:280.

-9008020150 Provides summary of licensee position, Region II position & results of review re reporting of events under requirements of 10CFR50.73 at plant. Actuation of ESF logic w/o component operation also reportable, unless equipment removed from svc.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/12. LAINAS,G.C. Assistant Director for Region II Reactors. 3pp. 54826:278-54826:280.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008070261 Advises that 900727 response to Generic Ltr 88-14 re instrument air supply sys problems affecting safety-related equipment, acceptable.
CROCKER,L.P. Project Directorate II-3. 90/08/03. HAIRSTON,W.G. Georgia Power Co. 2pp. 54902:201-54902:202.

9008100065 Discusses util response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve (MOV) Testing & Surveillance." Recommends that licensees test MOVs in situ under design basis conditions.
CROCKER,L.P. Project Directorate II-3. 90/08/08. HAIRSTON,W.G. Georgia Power Co. 3pp. 54951:174-54951:176.

9008280306 Application for amendments to Licenses DPR-57 & NPF-5, making editorial revs to Tech Specs & ETS.
HAIRSTON,W.G. Georgia Power Co. 90/08/20. Document Control Branch (Document Control Desk). 10pp. 55045:323-55045:342.

-9008280308 Proposed Tech Specs, making editorial revs to Tech Specs & ETS.
* Georgia Power Co. 90/08/20. 10pp. 55045:333-55045:342.

124 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

- 9007270118 Forwards Insp Repts 50-321/90-14 & 50-366/90-14 on 900512-0622.No violations or deviations noted.
HERDT,A.R. Region 2 (Post 820201). 90/07/13. HAIRSTON,W.G. Georgia Power Co. 3pp. 54735:094-54735:109.
- 9007270120 Insp Repts 50-321/90-14 & 50-366/90-14 on 900512-0622.No specific strengths or weaknesses of licensee programs noted. Major areas inspected:operational safety verification,maint observation,surveillance testing observation & events.
MUSSER,R.A., MOORE,L.R., BROCKMAN,K.E. Region 2 (Post 820201). 90/07/12. 13pp. 54735:097-54735:109.
- 9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:082.
- 9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310185 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:085-54952:185.
- 9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008280100 Forwards revised "El Hatch Nuclear Plant,Units 1 & 2 Inservice Insp Program Second 10-Yr Interval," for review & approval.Program will be implemented while awaiting SER.
HAIRSTON,W.G. Georgia Power Co. 90/08/20. Document Control Branch (Document Control Desk). 2pp. 55039:001-55039:343.
- 9008280101 "El Hatch Nuclear Plant,Units 1 & 2 Inservice Insp Program Second 10-Yr Interval."
* Georgia Power Co. 90/08/01. 160pp. 55039:003-55039:343.
- 9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.
- 9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

- 9008140052 Monthly operating repts for Jul 1990 for Hatch Units 1 & 2. W/900808 ltr.
BEARD,R.M., HAIRSTON,W.G. Georgia Power Co. 90/07/31. 12pp. 54861:282-54861:293.

S. Reportable occurrences, LERs & related correspondence

- 9008100041 LER 90-005-00: on 900719,determined that component failure caused HPCI inoperability.Auxiliary oil pump would not operate because of open circuit in motor armature.Oil pump motor replaced.W/900806 ltr.
TIPPS,S.B., HAIRSTON,W.G. Georgia Power Co. 90/08/06. 6pp. 54952:296-54952:301.
- 9008170154 LER 90-002-01: on 900114,RWCU experienced partial primary containment isolation sys isolation involving outboard isolation valve.Caused by component failure & less than adequate mounting of relay.Relay replaced.W/900813 ltr.
TIPPS,S.B., HAIRSTON,W.G. Georgia Power Co. 90/08/13. 8pp. 54979:317-54979:324.

V. Operator Examinations

- 9007300099 Forwards correction of typo in 900531 submittal of certification for operator licensing simulator facility. On worksheet 00-01,Exception 8,ANSI spec ref corrected to 3.2.1.
HAIRSTON,W.G. Georgia Power Co. 90/07/20. Document Control Branch (Document Control Desk). 9pp. 54756:085-54756:093.
- 9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:188.

- 9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9008140056 Rev 6 to EPIP 1903.011, "Emergency Response/Notifications."
* Arkansas Power & Light Co. 90/03/30. 5pp. 54961:255-54961:259.
- 9008280263 Rev 4 to EPIP 1903.014, "Emergency Communications."
* Arkansas Power & Light Co. 90/04/17. 21pp. 55046:003-55046:023.
- 9008280258 Rev 3 to EPIP 1905.004, "Emergency Operations Facility Radiological Controls."
* Arkansas Power & Light Co. 90/04/23. 18pp. 55038:298-55038:315.
- 9008060042 Rev 10 to EPIP 1903.051, "Turnover of Responsibility."
* Arkansas Power & Light Co. 90/07/17. 2pp. 54877:067-54877:068.
- 9008060073 Revised EPIPs,including Rev 0 to 1903.064 & Rev 0 to 1903.065 & deletion of Rev 6 to 1903.063.
* Arkansas Power & Light Co. 90/07/17. 62pp. 54856:184-54856:245.
- 9008060075 Revised EPIPs,including Rev 18 to 1903.030 & Rev 9 to 1903.033 & deletion of Rev 10 to 1903.013.
* Arkansas Power & Light Co. 90/07/17. 34pp. 54864:009-54864:042.
- 9008060105 Revised EPIPs,including Rev 11 to 1903.001,Rev 13 to 1903.002 & Rev 11 to 1903.003.
* Arkansas Power & Light Co. 90/07/17. 49pp. 54853:302-54853:350.
- 9008060113 Revised EPIPs,including Rev 0 to 1903.066,Rev 0 to 1903.067 & Rev 3 to 1903.078.
* Arkansas Power & Light Co. 90/07/17. 86pp. 54856:025-54856:110.
- 9008060122 Revised EPIPs,consisting of Rev 27 to 1903.10, "Emergency Action Level Classification" & notice of deletion of Rev 10 to 1903.51, "Turnover of Responsibility."
* Arkansas Power & Light Co. 90/07/17. 129pp. 54851:247-54852:015.
- 9008010244 Rev 5 to EPIP 1904.005, "Atmospheric Stability Class Determination."
* Arkansas Power & Light Co. 90/07/23. 11pp. 54905:263-54905:273.
- 9008010248 Rev 3 to EPIP 1905.032, "Use of ND-60 Multi-Channel Analyzer."
* Arkansas Power & Light Co. 90/07/23. 23pp. 54796:332-54796:354.
- 9008060286 Revised EPIP - emergency radiation protection,including Rev 6 to 1905.001,Rev 10 to 1905.002 & Rev 4 to 1905.003.
* Arkansas Power & Light Co. 90/07/23. 64pp. 54876:028-54876:083.
- 9008060131 Rev 3 to EPIP - Emergency Radiation Protection 1905.031, "Airborne I-131 Determination Using RM-14/HP-210."
* Arkansas Power & Light Co. 90/07/26. 7pp. 54876:277-54876:283.
- 9008010076 Submits followup response to items from 1990 Radiological Emergency Preparedness Exercise Insp Repts 50-313/90-08 & 50-368/90-08.
EWING,E.C. Entergy Operations, Inc. 90/07/27. Document Control Branch (Document Control Desk). 10pp. 54830:196-54830:205.
- 9007310003 Rev 10 to "Arkansas Nuclear One Emergency Plan." W/900727 ltr.
FISCARO,J.J. Arkansas Power & Light Co. 90/07/30. 147pp. 54787:057-54787:262.
- 9008060048 Rev 10 to EPIP - Offsite Dose Projections Procedure 1904.007, "Protective Action Recommendations."
* Arkansas Power & Light Co. 90/07/30. 14pp. 54889:333-54889:346.
- 9008060080 Revised EPIPs,including Rev 5 to 1903.054, "Requests for Addl Personnel," Rev 2 to 1903.053, "Logistical Support" & Rev 4 to 1903.055, "Security for Util Offsite Facilities."
* Arkansas Power & Light Co. 90/07/30. 22pp. 54856:312-54856:333.
- 9008060085 Revised EPIPs,including Rev 5 to 1903.034 & 1903.040 & Rev 3 to 1903.035.
* Arkansas Power & Light Co. 90/07/30. 50pp. 54876:177-54876:226.
- 9008060196 Revised EPIPs,consisting of Rev 10 to 1904.001,Rev 18 to 1904.002 & Rev 8 to 1904.004.
* Arkansas Power & Light Co. 90/07/30. 125pp. 54853:141-54853:301.
- 9008060203 Revised EPIPs,consisting of Rev 11 to 1903.004,Rev 6 to 1903.011 & notice of deletion of Rev 3 to 1903.012.
* Arkansas Power & Light Co. 90/07/30. 65pp. 54865:021-54865:085.
- 9008060212 Revised EPIPs,including Rev 24 to 1903.060,Rev 19 to 1903.061 & Rev 8 to 1903.062.
* Arkansas Power & Light Co. 90/07/30. 120pp. 54856:336-54857:096.
- 9008060220 Revised EPIPs,including Rev 16 to 1903.042,Rev 15 to 1903.043 & deletion of Rev 18 to 1903.050.
* Arkansas Power & Light Co. 90/07/30. 20pp. 54890:004-54890:023.
- 9008070248 Forwards update to status of remaining open items on security perimeter improvement project,per Insp Repts 50-313/87-31 & 50-368/87-31.Encl withheld (ref 10CFR2.790).
EWING,E.C. Entergy Operations, Inc. 90/07/31. BEACH,A.B. Region 4 (Post 820201). 2pp. 54898:200-54898:201.

126 DOCKETED ITEMS

- 9008080227** Forwards steam generator tubing inservice insp rept 2R7 refueling outage.No tubes plugged.Apologizes for delay in submitting info.
FISICARO,J.J. Entergy Operations, Inc. 90/08/02. Document Control Branch (Document Control Desk). 7pp. 54903:320-54903:326.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008090146** Forwards safety evaluation accepting licensee fire barrier penetration seal program & commitment to complete 100% review of all Tech Spec fire penetration seals by 911231.
ALEXION,T.W., POSLUSNY,C. Project Directorate IV-1 (Post 900603). 90/08/07. CARNS,N.S. Arkansas Power & Light Co. 3pp. 54931:249-54931:255.
- 9008090147** Safety evaluation accepting licensee fire barrier penetration seal program & commitment to complete 100% review of all Tech Spec fire penetration seals by 911231.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. 4pp. 54931:252-54931:255.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008130225** Responds to recommendations from Insp Repts 50-313/90-04 & 50-368/90-04 on 900202 that reporting format for semiannual radioactive effluent release repts be revised to comply w/ Reg Guide 1.21,Rev 1.
EWING,E.C. Entergy Operations, Inc. 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54956:295-54956:296.
- 9008130264** Ack receipt of 900611 & 0731 ltr re steps taken to correct violations noted in Insp Repts 50-313/90-04 & 50-368/90-04.
COLLINS,S.J. Region 4 (Post 820201). 90/08/09. CARNS,N.S. Entergy Operations, Inc. 3pp. 54951:245-54951:264.
- 9008160001** Forwards Insp Repts 50-313/90-16 & 50-368/90-16 on 900618-29.No violations or deviations noted.Two unresolved items noted.
COLLINS,S.J. Region 4 (Post 820201). 90/08/09. CARNS,N.S. Entergy Corp. 4pp. 54992:147-54992:181.
- 9008160002** Insp Repts 50-313/90-16 & 50-368/90-16 on 900618-29.No violations or deviations noted.Two unresolved items noted. Major areas inspected:licensee activities re selected diagnostic evaluation team & maint insp findings.
CUMMINS,J.E., GAGLIARDO,J.E. Region 4 (Post 820201). 90/08/06. 31pp. 54992:151-54992:181.
- 9008150280** Forwards Insp Repts 50-313/90-19 & 50-368/90-19 on 900601- 0715 & notice of violation.Util should respond to failure to adequately implement surveillance test required by Tech Specs.
COLLINS,S.J. Region 4 (Post 820201). 90/08/10. CARNS,N.S. Entergy Operations, Inc. 4pp. 54966:074-54966:096.
- 9008150282** Notice of violation from insp on 900601-0715.Violations noted:failure to adequately perform Tech Spec surveillance & to properly document condition adverse to quality.
* Region 4 (Post 820201). 90/08/10. 2pp. 54966:078-54966:079.
- 9008150283** Insp Repts 50-313/90-19 & 50-368/90-19 on 900601-0715. Violations noted.Major areas inspected:onsite followup of events,operational safety verification,surveillance,maint & design changes.
WESTERMAN,T.F. Region 4 (Post 820201). 90/08/07. 17pp. 54966:080-54966:096.
- 9008160123** Forwards Insp Repts 50-313/90-21 & 50-368/90-21 on 900716-20.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 90/08/13. CARNS,N.S. Entergy Operations, Inc. 3pp. 54989:175-54989:193.
- 9008160128** Insp Repts 50-313/90-21 & 50-368/90-21 on 900716-20.No violations or deviations noted.Major areas inspected: licensee corrective action program,quality verification function & internal audit program.
ELLERSHAW,L.E., BARNES,I. Region 4 (Post 820201). 90/08/08. 15pp. 54989:178-54989:193.
- 9008160165** Forwards Insp Repts 50-313/90-26 & 50-368/90-26 on 900730-0803.No violations or deviations noted.Rept does not include specific insp followup for any diagnostic evaluation team findings.
COLLINS,S.J. Region 4 (Post 820201). 90/08/13. CARNS,N.S. Entergy Operations, Inc. 3pp. 54978:202-54978:210.
- 9008160166** Insp Repts 50-313/90-26 & 50-368/90-26 on 900730-0803.No violations or deviations noted.Major areas inspected: procurement,receipt,storage & handling of equipment & mats.
GILBERT,L.D., BARNES,I. Region 4 (Post 820201). 90/08/13. 6pp. 54978:205-54978:210.
- 9008200071** Requests addl time to respond to NRC 900607 request for info re second 10-yr interval of inservice insp program. Response will be submitted no later than 901031.
FISICARO,J.J. Entergy Operations, Inc. 90/08/13. Document Control Branch (Document Control Desk). 3pp. 54991:272-54991:274.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008280228** Ack receipt of 900727 ltr informing NRC of corrective measures taken & proposed to address concerns identified during 1990 Radiological Emergency Insp Repts 50-313/90-08 & 50-368/90-08.
COLLINS,S.J. Region 4 (Post 820201). 90/08/21. CARNS,N.S. Entergy Operations, Inc. 3pp. 55045:345-55045:357.
- 9008280253** Forwards summary of 900718 meeting re exercise weaknesses noted in Insp Repts 50-313/90-08 & 50-368/90-08.
COLLINS,S.J. Region 4 (Post 820201). 90/08/21. CARNS,N.S. Entergy Operations, Inc. 3pp. 55044:160-55044:189.
- 9008280254** Summary of 900718 meeting w/Entergy Operations,Inc in Arlington,TX to discuss exercise weaknesses identified in Insp Repts 50-313/90-08 & 50-368/90-08.
TERC,N.M. Region 4 (Post 820201). 90/08/20. Region 4 (Post 820201). 26pp. 55044:163-55044:189.
- 9008280317** Ack receipt of 900731 ltr advising NRC of current status of security perimeter improvements,per Insp Repts 50-313/87-31 & 50-368/87-31.Implementation of Design Change DCP 90-2001 for perimeter lighting will be monitored for adequacy later.
COLLINS,S.J. Region 4 (Post 820201). 90/08/21. CARNS,N.S. Entergy Operations, Inc. 3pp. 55041:329-55041:332.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

- 9008010050** "Annual 10CFR50.59 Rept for 1989." W/900723 ltr.
FISICARO,J.J. Entergy Operations, Inc. 89/12/31. 18pp. 54791:022-54791:039.
- 9008210105** Monthly operating rept for Jul 1990 for Arkansas Nuclear One - Unit 2.W/900815 ltr.
WHITT,M.S., FISICARO,J.J. Arkansas Power & Light Co. 90/07/31. 7pp. 55000:047-55000:053.

S. Reportable occurrences, LERs & related correspondence

- 9007310161** LER 90-014-00:on 900626,reactor trip occurred from approx 30% rated thermal power on low departure from nucleate boiling ratio.Caused by erroneous indication received by control element assembly calculator 1.W/900727 ltr.
MILLAR,D., EWING,E.C. Arkansas Power & Light Co. 90/07/27. 4pp. 54792:001-54792:004.
- 9008030132** LER 90-015-00:on 900628,channel functional tests for logarithmic power level nuclear instrumentation found to be inadequate.Caused by personnel error re plant procedure development.Plant startup procedure revised.W/900730 ltr.
MILLAR,D., EWING,E.C. Arkansas Power & Light Co. 90/07/30. 6pp. 54831:059-54831:064.
- 9008080230** Voluntary Rept 50-368/90-V01-00:revises completion date for commitment date in voluntary rept from 900801 to 900831 re inadvertent starting of emergency diesel generator while attempting to air roll engine during maint.
EWING,E.C. Entergy Operations, Inc. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54908:060-54908:061.
- 9008080234** Voluntary Rept 50-368/90-V02-00 re result of postulating failure of check valve in LPSI sys not previously postulated.Caused by higher differential pressure not considered.Valve mfg consulted.
EWING,E.C. Entergy Operations, Inc. 90/08/03. Document Control Branch (Document Control Desk). 5pp. 54916:193-54916:197.
- 9008210086** LER 90-016-00:on 900715,incorrect leads lifted & actual undervoltage condition occurred.Caused by personnel error & unacceptable work practice.Personnel counseled & instructions provided to technicians.W/900815 ltr.
MILLAR,D., EWING,E.C. Entergy Operations, Inc. 90/08/15. 6pp. 54988:340-54988:345.
- 9008200077** LER 90-017-00:on 900718,void discovered in grout sealed Tech Spec fire barrier penetration.Caused by personnel error. Individual counseled & seal will be re-stored to operable status by 901001.W/900817 ltr.
MILLAR,D., EWING,E.C. Entergy Operations, Inc. 90/08/17. 5pp. 54988:329-54988:333.

V. Operator Examinations

- 9008060181** Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021, "Operator Licensing Examiner Stds." List of attendees encl.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. CARNS,N.S. Entergy Corp. 22pp. 54854:113-54854:133.
- 9008080043** Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008080047** Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007260247 Ack receipt of 900522 & 0621 ltrs forwarding objectives & scenario package for emergency preparedness exercise scheduled for wk of 900813. COLLINS,D.M. Region 2 (Post 820201). 90/07/03. TUCKER,H.B. Duke Power Co. 3pp. 54732:321-54732:323.

9008030340 Forwards public version of Change 0 to RP/0/A/5700/10 & Rev 25 to Section 18.2 of radiation protection manual.W/ DH Grimsley 900730 release memo. TUCKER,H.B. Duke Power Co. 90/07/23. Document Control Branch (Document Control Desk). 3pp. 54829:076-54829:129.

-9008030344 Public version of Change 0 to RP/0/A/5700/10 & Rev 25 to Section 18.2 of radiation protection manual. GILBERT,G.D. Duke Power Co. 90/07/07. 51pp. 54829:079-54829:129.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC,per 900702 ltr re violations concerning implementation of security programs at plants. TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008170046 Revised crisis mgt plan implementing procedures,including Rev 7 to EDA-3 & Rev 4 to EDA-4.W/900813 ltr. TUCKER,H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures,including Rev 36 to CMIP-1,Rev 32 to CMIP-4,Rev 36 to CMIP-5,Rev 41 to CMIP-6,Rev 40 to CMIP-7,Rev 27 to CMIP-8 & Rev 35 to CMIP-9.W/DH Grimsley 900821 release memo. TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55031:276.

-9008240141 Public version of revised crisis mgt implementing procedures,including Rev 36 to CMIP-1,Rev 32 to CMIP-4,Rev 36 to CMIP-5,Rev 41 to CMIP-6,Rev 40 to CMIP-7,Rev 27 to CMIP-8,Rev 35 to CMIP-9 & Rev 7 to CMIP-11. * Duke Power Co. 90/08/14. 400pp. 55030:217-55031:276.

I. Financial information

9007270039 Forwards info in form of rept on decommissioning financial assurance certification for unit,including "Duke Power Co Master Decommissioning Trust Agreement for..." & util calculation of min assurance amount,per 10CFR50.75. HAUSER,D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54738:121-54738:122.

9008230066 Forwards 1989 annual repts for Duke Power Co,North Carolina Municipal Power Agency 1,North Carolina Electric Membership Cooperative,Piedmont Municipal Power Agency & Saluda River Electric Cooperative. TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

-9008230068 "North Carolina Municipal Power Agency 1,Annual Rept For 1989." BOBO,J.T. North Carolina Municipal Power Agencies. 89/12/31. 32pp. 55023:080-55023:112.

J. Insurance & indemnity information

9008060337 Forwards Endorsement 105 to Policy NF-226. O'CONNOR,D.J. Marsh & McLennan, Inc. 90/08/02. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54915:001-54915:002.

P. Operating license stage documents & correspondence

9007310056 "McGuire Nuclear Station Unit 1 Reactor Containment Bldg Integrated Leak Rate Test Conducted 900429-0502." W/900725 ltr. SUSLUK,W.M., NAZAR,M.K., TUCKER,H.B. Duke Power Co. 90/07/25. 120pp. 54786:263-54787:024.

9008020236 Forwards response to 900327 request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire." TUCKER,H. Duke Power Co. 90/07/25. Document Control Branch (Document Control Desk). 49pp. 54826:092-54826:140.

9008020102 Forwards environ assessment & finding of no significant impact re 871015 application & 871022 suppl for amends to OLs for plant.Amends would revise Tech Specs re auxiliary bldg filtered ventilation exhaust sys.W/c encl. HOOD,D.S. Project Directorate II-3. 90/07/26. TUCKER,H.B. Duke Power Co. 3pp. 54828:174-54828:176.

9008060364 Forwards flow diagram of control area ventilation sys, MC-1578-1,Rev 20. * Duke Power Co. 90/07/26. NRC - No Detailed Affiliation Given. 2pp. 54930:228-54930:229.

9008070040 Forwards safety evaluation of large break LOCA event reanalysis per 10CFR50.46 re peak clad temp increases. TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54902:198-54902:200.

9008100248 Provides final response to NUREG-0737,Item II.D.1, "Performance Testing of Safety Relief Valves." Util will change seal configuration for existing valves to seal on steam medium & install continuous drain for loop piping. TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54935:045-54935:046.

9008080221 Requests addl info re DPC-NE-2004, "Core Thermal-Hydraulic Methodology Using VIPRE-01 for McGuire & Catawba." Requests response expeditiously. HOOD,D.S. Project Directorate II-3. 90/08/02. TUCKER,H.B. Duke Power Co. 7pp. 54931:135-54931:141.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000. TUCKER,H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008130171 Forwards response to request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire." TUCKER,H.B. Duke Power Co. 90/08/08. Document Control Branch (Document Control Desk). 41pp. 54958:290-54958:330.

9008150103 Forwards safety evaluation supporting util 890213 Relief Request 89-01 re ASME Code Section XI hydrostatic testing requirements. MATTHEWS,D.B. Project Directorate II-3. 90/08/09. TUCKER,H.B. Duke Power Co. 2pp. 54972:047-54972:052.

-9008150104 Safety evaluation approving Relief Request 89-01 re ASME Code test requirements for nuclear svc water sys. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 4pp. 54972:049-54972:052.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101. MATTHEWS,D.B. Project Directorate II-3. 90/08/15. TUCKER,H.B. Duke Power Co. 4pp. 54995:268-54995:271.

9008230144 Forwards environ assessment & finding of no significant impact re 900220 request for exemption from requirements of 10CFR50,App J re schedule for performing third containment integrated leak rate test. HOOD,D.S. Project Directorate II-3. 90/08/15. TUCKER,H.B. Duke Power Co. 2pp. 55020:118-55020:123.

-9008230147 Environ assessment & finding of no significant impact re 900220 request for exemption from requirements of 10CFR50. Exemption would grant relief from App J,Section III.D.1(a) re containment integrated leak rate tests. MATTHEWS,D.B. Project Directorate II-3. 90/08/15. 4pp. 55020:120-55020:123.

Q. Inspection reports, IE Bulletins & correspondence

9008080090 Confirms arrangements for 900731 enforcement conference in Region II ofc to discuss util recent problems re inoperability of both Unit 1 emergency diesel generators for approx 26 h. REYES,L.A. Region 2 (Post 820201). 90/07/24. TUCKER,H.B. Duke Power Co. 3pp. 54913:358-54913:360.

9008080269 Forwards Insp Repts 50-369/90-11 & 50-370/90-11 on 900522-0625 & notice of violation.Util requested to include in response,any mgt actions to be taken to prevent subj event from recurring. REYES,L.A. Region 2 (Post 820201). 90/07/24. TUCKER,H.B. Duke Power Co. 3pp. 54914:245-54914:265.

-9008080273 Notice of violation from insp on 900522-0625.Violations noted:both units operated w/two of four control room ventilation (VC) sys intakes closed from 900525-0603 & failure to report inoperable VC trains in required time. REYES,L.A. Region 2 (Post 820201). 90/07/24. 3pp. 54914:248-54914:250.

-9008080276 Insp Repts 50-369/90-11 & 50-370/90-11 on 900522-0625. Violations noted.Major areas inspected:plant operations safety verification,surveillance testing,maint activities, facility mods & follow up of events repts. VAN DOORN,P.K., COOPER,T., NINH,S. Region 2 (Post 820201). 90/07/24. 15pp. 54914:251-54914:265.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008210181 Ack receipt of 900716 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/90-09 & 50-370/90-09. HERDT,A.R. Region 2 (Post 820201). 90/07/30. TUCKER,H.B. Duke Power Co. 2pp. 55000:082-55000:083.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC,per 900702 ltr re violations concerning implementation of security programs at plants. TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008070175 Forwards Rev 0 to "Inservice Insp Rept Unit 1 McGuire 1990 Refueling Outage 6." TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 1p. 54890:273-54891:204.

-9008070179 Rev 0 to "Inservice Insp Rept Unit 1 McGuire 1990 Refueling Outage 6." * Duke Power Co. 90/07/19. 250pp. 54890:274-54891:204.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008200144 Discusses 900731 enforcement conference re 900626 event at facility involving inoperability of both emergency generators.List of attendees & supporting info encl. REYES,L.A. Region 2 (Post 820201). 90/08/03. TUCKER,H.B. Duke Power Co. 18pp. 54995:316-54995:333.

128 DOCKETED ITEMS

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008170006 Confirms that planned corrective actions listed in Paragraph 3 of Insp Repts 50-369/90-10 & 50-370/90-10, appropriately described.
TUCKER,H.B. Duke Power Co. 90/08/07. Document Control Branch (Document Control Desk). 1p. 54983:187-54983:187.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160094 Forwards safety evaluation & Technical Evaluation Rept SAIC-88/1943 supporting inservice insp program for first 10-yr interval.
HOOD,D.S. Project Directorate II-3. 90/08/09. TUCKER,H.B. Duke Power Co. 3pp. 54990:017-54990:095.

-9008160096 SER accepting first 10-yr interval inservice insp program for facilities.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 3pp. 54990:020-54990:022.

-8911160160 SAIC-88/1943, "Technical Evaluation Rept, First Interval Inservice Insp Program, McGuire Nuclear Station Units 1 & 2."
* Science Applications International Corp. (formerly Science Applications, Inc.). FIN D-1311. SAIC-88/1943. 89/10/31. NRC - No Detailed Affiliation Given. 73pp. 54990:023-54990:095.

9008180187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mig by Rosemount." No suspect lot transmitters installed in reactor protection sys, ESFAS or ATWS applications at facility.
TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008270108 Forwards Insp Repts 50-369/90-13 & 50-370/90-13 on 900625-0725 & notice of violation. Violations identified by licensee being cited.
HERDT,A.R. Region 2 (Post 820201). 90/08/10. TUCKER,H.B. Duke Power Co. 3pp. 55035:267-55035:284.

-9008270111 Notice of violation from insp on 900625-0725. Violation noted: fuel handling ventilation exhaust sys inoperable on 900710 & control rod moved in storage pool.
HERDT,A.R. Region 2 (Post 820201). 90/08/10. 2pp. 55035:270-55035:271.

-9008270115 Insp Repts 50-369/90-13 & 50-370/90-13 on 900625-0725. Violations noted. Major areas inspected: plant operations safety verification, surveillance testing, maint activities, facility mod, plant insp findings & followup of event rept.
VAN DOORN,P.K., COOPER,T., NINH,S. Region 2 (Post 820201). 90/08/07. 13pp. 55035:272-55035:284.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages.
TUCKER,H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008240149 Discusses Insp Repts 50-369/90-14 & 50-370/90-14 on 900626-0705 & forwards notice of violation. Violation involves administrative procedures re timely logging of event in Tech Spec action item logbook.
EBNETER,S.D. Region 2 (Post 820201). 90/08/16. TUCKER,H.B. Duke Power Co. 4pp. 55029:151-55029:156.

-9008240151 Notice of violation from insp on 900626-0705. Violation noted: licensee logged diesel generator 1A inoperable upon failure of diesel generator to meet quantitative acceptance criteria.
EBNETER,S.D. Region 2 (Post 820201). 90/08/16. 2pp. 55029:155-55029:156.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170228 Forwards monthly operating repts for Jul 1990 for McGuire Nuclear Station Units 1 & 2 & revised rept for June 1990.
TUCKER,H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54991:101-54991:112.

-9008170230 Monthly operating repts for Jul 1990 for McGuire Nuclear Station Units 1 & 2.
WILLIAMS,R., MOSER,S.W. Duke Power Co. 90/07/31. 10pp. 54991:102-54991:111.

-9008170233 Revised monthly operating repts for June 1990 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 90/06/30. 1p. 54991:112-54991:112.

S. Reportable occurrences, LERs & related correspondence

9008060100 LER 89-010-01: on 890515, main feedwater & auxiliary feedwater isolation valves determined to be potentially inoperable. Caused by mfg deficiency. Emergency procedures changed. W/900802 ltr.
SIPE,A., MCCONNELL,T.L. Duke Power Co. 89/06/14. 8pp. 54904:107-54904:114.

9008060117 LER 90-012-01: on 900522, loose matl discovered in unit upper containment, resulting in surveillance requirement of Tech Spec not being met. Caused by failure to follow procedure. Personnel retrained. W/900720 ltr.
SIPE,A., MCCONNELL,T.L. Duke Power Co. 90/06/21. 8pp. 54904:119-54904:126.

9007310217 LER 90-017-00: on 900626, determined that both emergency diesel generators inoperable due to equipment failure. Caused by inadequate work control & mgt interface. Personnel completed Procedure PT/1/A/4350/02A.W/900726 ltr.
SIPE,A., MCCONNELL,T.L. Duke Power Co. 90/07/26. 13pp. 54792:012-54792:024.

9008130303 LER 90-018-00: on 900710, after dummy control rod assembly moved to another fuel assembly, fuel pool ventilation sys found inoperable. Caused by mgt deficiencies because of inadequate work control & group interface. W/900809 ltr.
SIPE,A., MCCONNELL,T.L. Duke Power Co. 90/08/09. 8pp. 54953:068-54953:075.

9008130292 LER 90-019-00: on 900601, radiation monitor for contaminated parts warehouse ventilation sys inadvertently deleted from checklist. Caused by personnel error. Daily surveillance items procedure revised by addition of subj monitor. W/900810 ltr.
SIPE,A., MCCONNELL,T.L. Duke Power Co. 90/08/10. 10pp. 54953:105-54953:114.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9007260247 Ack receipt of 900522 & 0621 ltrs forwarding objectives & scenario package for emergency preparedness exercise scheduled for wk of 900813.
COLLINS,D.M. Region 2 (Post 820201). 90/07/03. TUCKER,H.B. Duke Power Co. 3pp. 54732:321-54732:323.

9008030340 Forwards public version of Change 0 to RP/0/A/5700/10 & Rev 25 to Section 18.2 of radiation protection manual. W/ DH Grimsley 900730 release memo.
TUCKER,H.B. Duke Power Co. 90/07/23. Document Control Branch (Document Control Desk). 3pp. 54829:076-54829:129.

-9008030344 Public version of Change 0 to RP/0/A/5700/10 & Rev 25 to Section 18.2 of radiation protection manual.
GILBERT,G.D. Duke Power Co. 90/07/07. 51pp. 54829:079-54829:129.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008170046 Revised crisis mgt plan implementing procedures, including Rev 7 to EDA-3 & Rev 4 to EDA-4.W/900813 ltr.
TUCKER,H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8 & Rev 35 to CMIP-9.W/DH Grimsley 900821 release memo.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55030:276.

-9008240141 Public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8, Rev 35 to CMIP-9 & Rev 7 to CMIP-11.
* Duke Power Co. 90/08/14. 400pp. 55030:217-55030:276.

I. Financial Information

9007270043 Certifies that util will undertake funding accumulating necessary funds to cover estimated costs of decommissioning Unit 2, per 10CFR50.75. Info, including "Duke Power Co Master Decommissioning Trust Agreement for..." encl.
HAUSER,D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54738:283-54738:284.

9008230066 Forwards 1989 annual repts for Duke Power Co, North Carolina Municipal Power Agency 1, North Carolina Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

-9008230068 "North Carolina Municipal Power Agency 1, Annual Rept For 1989."
BOBO,J.T. North Carolina Municipal Power Agencies. 89/12/31. 32pp. 55023:060-55023:112.

J. Insurance & Indemnity information

9008060337 Forwards Endorsement 105 to Policy NF-226.
O'CONNOR,D.J. Marsh & McLennan, Inc. 90/08/02. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54915:001-54915:002.

P. Operating license stage documents & correspondence

9008020236 Forwards response to 900327 request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire."
TUCKER,H.B. Duke Power Co. 90/07/25. Document Control Branch (Document Control Desk). 49pp. 54826:092-54826:140.

9008020102 Forwards environ assessment & finding of no significant impact re 871015 application & 871022 suppl for amends to OLS for plant. Amends would revise Tech Specs re auxiliary bldg filtered ventilation exhaust sys. W/o encl.
HOOD,D.S. Project Directorate II-3. 90/07/26. TUCKER,H.B. Duke Power Co. 3pp. 54828:174-54828:176.

9008060364 Forwards flow diagram of control area ventilation sys, MC-1578-1, Rev 20.
* Duke Power Co. 90/07/26. NRC - No Detailed Affiliation Given. 2pp. 54930:228-54930:229.

9008070040 Forwards safety evaluation of large break LOCA event reanalysis per 10CFR50.46 re peak clad temp increases.
TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54902:198-54902:200.

9008100248 Provides final response to NUREG-0737, Item II.D.1, "Performance Testing of Safety Relief Valves." Util will change seal configuration for existing valves to seal on steam medium & install continuous drain for loop piping.
TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54935:045-54935:046.

9008080221 Requests addl info re DPC-NE-2004, "Core Thermal-Hydraulic Methodology Using VIPRE-01 for McGuire & Catawba." Requests response expeditiously.
HOOD,D.S. Project Directorate II-3. 90/08/02. TUCKER,H.B. Duke Power Co. 7pp. 54931:135-54931:141.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000.
TUCKER,H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008130171 Forwards response to request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire."
TUCKER,H.B. Duke Power Co. 90/08/08. Document Control Branch (Document Control Desk). 41pp. 54958:290-54958:330.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101.
MATTHEWS,D.B. Project Directorate II-3. 90/08/15. TUCKER,H.B. Duke Power Co. 4pp. 54995:268-54995:271.

Q. Inspection reports, IE Bulletins & correspondence

9008080090 Confirms arrangements for 900731 enforcement conference in Region II ofc to discuss util recent problems re inoperability of both Unit 1 emergency diesel generators for approx 26 h.
REYES,L.A. Region 2 (Post 820201). 90/07/24. TUCKER,H.B. Duke Power Co. 3pp. 54913:358-54913:360.

9008080269 Forwards Insp Repts 50-369/90-11 & 50-370/90-11 on 900522-0625 & notice of violation. Util requested to include in response, any mgt actions to be taken to prevent subj event from recurring.
REYES,L.A. Region 2 (Post 820201). 90/07/24. TUCKER,H.B. Duke Power Co. 3pp. 54914:245-54914:265.

-9008080273 Notice of violation from insp on 900522-0625. Violations noted: both units operated w/ two of four control room ventilation (VC) sys intakes closed from 900525-0603 & failure to report inoperable VC trains in required time.
REYES,L.A. Region 2 (Post 820201). 90/07/24. 3pp. 54914:248-54914:250.

-9008080276 Insp Repts 50-369/90-11 & 50-370/90-11 on 900522-0625. Violations noted. Major areas inspected: plant operations safety verification, surveillance testing, maint activities, facility mods & follow up of events repts.
VAN DOORN,P.K., COOPER,T., NINH,S. Region 2 (Post 820201). 90/07/24. 15pp. 54914:251-54914:265.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008210181 Ack receipt of 900716 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/90-09 & 50-370/90-09.
HERDT,A.R. Region 2 (Post 820201). 90/07/30. TUCKER,H.B. Duke Power Co. 2pp. 55000:082-55000:083.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008200144 Discusses 900731 enforcement conference re 900626 event at facility involving inoperability of both emergency generators. List of attendees & supporting info encl.
REYES,L.A. Region 2 (Post 820201). 90/08/03. TUCKER,H.B. Duke Power Co. 18pp. 54995:316-54995:333.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008170006 Confirms that planned corrective actions listed in Paragraph 3 of Insp Repts 50-369/90-10 & 50-370/90-10, appropriately described.
TUCKER,H.B. Duke Power Co. 90/08/07. Document Control Branch (Document Control Desk). 1p. 54983:187-54983:187.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160094 Forwards safety evaluation & Technical Evaluation Rept SAIC-88/1943 supporting inservice insp program for first 10-yr interval.
HOOD,D.S. Project Directorate II-3. 90/08/09. TUCKER,H.B. Duke Power Co. 3pp. 54990:017-54990:095.

-9008160096 SER accepting first 10-yr interval inservice insp program for facilities.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/09. 3pp. 54990:020-54990:022.

-8911160160 SAIC-88/1943, "Technical Evaluation Rept, First Interval Inservice Insp Program, McGuire Nuclear Station Units 1 & 2."
* Science Applications International Corp. (formerly Science Applications, Inc.). FIN D-1311. SAIC-88/1943. 89/10/31. NRC - No Detailed Affiliation Given. 73pp. 54990:023-54990:095.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect lot transmitters installed in reactor protection sys. ESFAS or ATWS applications at facility.
TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008270108 Forwards Insp Repts 50-369/90-13 & 50-370/90-13 on 900625-0725 & notice of violation. Violations identified by licensee being cited.
HERDT,A.R. Region 2 (Post 820201). 90/08/10. TUCKER,H.B. Duke Power Co. 3pp. 55035:267-55035:284.

-9008270115 Insp Repts 50-369/90-13 & 50-370/90-13 on 900625-0725. Violations noted. Major areas inspected: plant operations safety verification, surveillance testing, maint activities, facility mod, plant insp findings & followup of event repts.
VAN DOORN,P.K., COOPER,T., NINH,S. Region 2 (Post 820201). 90/08/07. 13pp. 55035:272-55035:284.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages.
TUCKER,H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008240149 Discusses Insp Repts 50-369/90-14 & 50-370/90-14 on 900626-0705 & forwards notice of violation. Violation involves administrative procedures re timely logging of event in Tech Spec action item logbook.
EBNIETER,S.D. Region 2 (Post 820201). 90/08/16. TUCKER,H.B. Duke Power Co. 4pp. 55029:151-55029:156.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:414.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170228 Forwards monthly operating repts for Jul 1990 for McGuire Nuclear Station Units 1 & 2 & revised rept for June 1990.
TUCKER,H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54991:101-54991:112.

-9008170230 Monthly operating repts for Jul 1990 for McGuire Nuclear Station Units 1 & 2.
WILLIAMS,R.A., MOSER,S.W. Duke Power Co. 90/07/31. 10pp. 54991:102-54991:111.

-9008170233 Revised monthly operating repts for June 1990 for McGuire Nuclear Station Units 1 & 2.
* Duke Power Co. 90/06/30. 1p. 54991:112-54991:112.

130 DOCKETED ITEMS

V. Operator Examinations

- 9008080043** Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008080047** Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9008210149** Revised procedures,including Rev 18 to LZF-1310-1, "Notifications," & Rev 35 to LZF-1320-1, "Augmentation of Plant Staffing."
* Commonwealth Edison Co. 90/05/30. 55pp. 54998:301-54998:355.
- 9008080325** Updated table of contents for GSEP environs group EPIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.
- 9008090325** Forwards Safety Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717.No violations noted.
GREENMAN,E.G. Region 3 (Post 820201). 90/07/31. REED,C. Commonwealth Edison Co. 2pp. 54932:301-54932:317.
- 9008090327** Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717. Major areas inspected:LERs followup,operational safety, ESF sys,maint,surveillance,training effectiveness & emergency preparedness.
HINDS,J.M. Region 3 (Post 820201). 90/07/30. 15pp. 54932:303-54932:317.
- 9008130005** Revised plant procedures manual,including Rev 10 to LZF-1170-1,Rev 1 to LZF-1170-2 & LZF-1360-5 & Rev 3 to LZF-1360-4 & LZF-1370-1 & deleting LZF-1360-1.
* Commonwealth Edison Co. 90/08/01. 32pp. 54957:191-54957:222.
- 9008140032** Forwards Rev 34 to security plan.Rev details addl gate position for security testing & maint.Rev withheld (ref 10CFR73.21).
KOVACH,T.J. Commonwealth Edison Co. 90/08/06. Document Control Branch (Document Control Desk). 1p. 54955:198-54955:198.
- 9008230017** Revised EPIPs,including Rev 12 to ED-9A,Rev 12 to ED-9B, Rev 12 to ED-11,Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON,I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.
- 9008230123** Advises that 900806 Rev 34 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
GREGER,L.R. Region 3 (Post 820201). 90/08/14. KOVACH,T.J. Commonwealth Edison Co. 2pp. 55010:327-55010:328.

I. Financial Information

- 9007300029** Forwards financial info re decommissioning of plants.
MORGAN,W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

- 9007300034** Forwards supplemental response to Generic Ltr 90-04, "Status of Licensee Implementation of Generic Safety Issues Resolved W/Imposition of Requirements or Corrective Actions."
MORGAN,W.E. Commonwealth Edison Co. 90/07/24. Document Control Branch (Document Control Desk). 4pp. 54756:031-54756:034.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008280246** Submits supplemental response to Generic Ltr 88-14 re design & verification of instrument air sys.Mfg purchase specs & vendor manuals reviewed for air quality requirements.
TAYLOR,D. Commonwealth Edison Co. 90/08/21. Document Control Branch (Document Control Desk). 4pp. 55044:210-55044:213.

Q. Inspection reports, IE Bulletins & correspondence

- 9008010193** Responds to NRC 900516 ltr re violations noted in Insp Repts 50-373/90-06 & 50-374/90-06.Corrective actions:perimeter zone repairs commenced on schedule & completely functional & out of compensatory measures on 900614.
MORGAN,W.E. Commonwealth Edison Co. 90/06/26. DAVIS,A.B. Region 3 (Post 820201). 1p. 54805:249-54805:249.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008090060** Responds to NRC 900628 ltr re violations noted in Insp Repts 50-373/90-13 & 50-374/90-14.Corrective actions:LRP-1250-3 revised to include addl requirement for extremity monitoring.
KOVACH,T.J. Commonwealth Edison Co. 90/07/27. DAVIS,A.B. Region 3 (Post 820201). 3pp. 54922:233-54922:235.
- 9008090325** Forwards Safety Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717.No violations noted.
GREENMAN,E.G. Region 3 (Post 820201). 90/07/31. REED,C. Commonwealth Edison Co. 2pp. 54932:301-54932:317.

- 9008090327** Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717. Major areas inspected:LERs followup,operational safety, ESF sys,maint,surveillance,training effectiveness & emergency preparedness.
HINDS,J.M. Region 3 (Post 820201). 90/07/30. 15pp. 54932:303-54932:317.

- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

- 9008230173** Confirms 900821 meeting in Glen Ellyn,IL to discuss findings in Insp Repts 50-373/90-08 & 50-374/90-09.Util should include status of radwaste tank room repair & cleaning project addressed in Insp Repts 50-373/90-13 & 50-374/90-14.
GREENMAN,E.G. Region 3 (Post 820201). 90/08/16. REED,C. Commonwealth Edison Co. 2pp. 55020:352-55020:353.

- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

- 9008160086** Monthly operating repts for Jul 1990 for LaSalle County Nuclear Power Station Units 1 & 2.W/900810 ltr.
THUNSTEDT,J.W., DIEDERICH,G.J. Commonwealth Edison Co. 90/07/31. 24pp. 54976:313-54976:336.

S. Reportable occurrences, LERs & related correspondence

- 9008010023** LER 90-010-00:on 900626,reactor scram occurred during Limited Procedure LLP-90-027 & limit Switch SVOS-2 toggled to open position.Caused by closing of stop valves & loose mounting bolts,respectively.Bolts tightened.W/900726 ltr.
TOKARZ,J.J., DIEDERICH,G.J. Commonwealth Edison Co. 90/07/26. 8pp. 54792:069-54792:076.

V. Operator Examinations

- 9008010062** Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville,IL.Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. REED,C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.
- 9008080035** Forwards master BWR/PWR generic fundamentals exam section w/answer key.W/o encls.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.
- 9008100220** Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.
- 9008080043** Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.
- 9008080047** Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

9008210149 Revised procedures, including Rev 18 to LZF-1310-1, "Notifications," & Rev 35 to LZF-1320-1, "Augmentation of Plant Staffing."
* Commonwealth Edison Co. 90/05/30. 55pp. 54998:301-54998:355.

9008080325 Updated table of contents for GSEP environs group EPIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008090325 Forwards Safety Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717. No violations noted.
GREENMAN, E.G. Region 3 (Post 820201). 90/07/31. REED, C. Commonwealth Edison Co. 2pp. 54932:301-54932:317.

-9008090327 Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717. Major areas inspected: LERs followup, operational safety, ESF sys, maint, surveillance, training effectiveness & emergency preparedness.
HINDS, J.M. Region 3 (Post 820201). 90/07/30. 15pp. 54932:303-54932:317.

9008130005 Revised plant procedures manual, including Rev 10 to LZF-1170-1, Rev 1 to LZF-1170-2 & LZF-1360-5 & Rev 3 to LZF-1360-4 & LZF-1370-1 & deleting LZF-1360-1.
* Commonwealth Edison Co. 90/08/01. 32pp. 54957:191-54957:222.

9008140032 Forwards Rev 34 to security plan. Rev details addl gate position for security testing & maint. Rev withheld (ref 10CFR73.21).
KOVACH, T.J. Commonwealth Edison Co. 90/08/06. Document Control Branch (Document Control Desk). 1p. 54955:198-54955:198.

9008230017 Revised EPIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON, I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

9008230123 Advises that 900806 Rev 34 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
GREGER, L.R. Region 3 (Post 820201). 90/08/14. KOVACH, T.J. Commonwealth Edison Co. 2pp. 55010:327-55010:328.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9007300034 Forwards supplemental response to Generic Ltr 90-04, "Status of Licensee Implementation of Generic Safety Issues Resolved W/Imposition of Requirements or Corrective Actions."
MORGAN, W.E. Commonwealth Edison Co. 90/07/24. Document Control Branch (Document Control Desk). 4pp. 54756:031-54756:034.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008280246 Submits supplemental response to Generic Ltr 88-14 re design & verification of instrument air sys. Mfg purchase specs & vendor manuals reviewed for air quality requirements.
TAYLOR, D. Commonwealth Edison Co. 90/08/21. Document Control Branch (Document Control Desk). 4pp. 55044:210-55044:213.

Q. Inspection reports, IE Bulletins & correspondence

9008010193 Responds to NRC 900516 ltr re violations noted in Insp Repts 50-373/90-06 & 50-374/90-06. Corrective actions: perimeter zone repairs commenced on schedule & completely functional & out of compensatory measures on 900614.
MORGAN, W.E. Commonwealth Edison Co. 90/06/26. DAVIS, A.B. Region 3 (Post 820201). 1p. 54805:249-54805:249.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008090060 Responds to NRC 900628 ltr re violations noted in Insp Repts 50-373/90-13 & 50-374/90-14. Corrective actions: LRP-1250-3 revised to include addl requirement for extremity monitoring.
KOVACH, T.J. Commonwealth Edison Co. 90/07/27. DAVIS, A.B. Region 3 (Post 820201). 3pp. 54922:233-54922:235.

9008090325 Forwards Safety Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717. No violations noted.
GREENMAN, E.G. Region 3 (Post 820201). 90/07/31. REED, C. Commonwealth Edison Co. 2pp. 54932:301-54932:317.

-9008090327 Insp Repts 50-373/90-14 & 50-374/90-15 on 900603-0717. Major areas inspected: LERs followup, operational safety, ESF sys, maint, surveillance, training effectiveness & emergency preparedness.
HINDS, J.M. Region 3 (Post 820201). 90/07/30. 15pp. 54932:303-54932:317.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230173 Confirms 900821 meeting in Glen Ellyn, IL to discuss findings in Insp Repts 50-373/90-08 & 50-374/90-09. Util should include status of radwaste tank room repair & cleaning project addressed in Insp Repts 50-373/90-13 & 50-374/90-14.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/16. REED, C. Commonwealth Edison Co. 2pp. 55020:352-55020:353.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160086 Monthly operating repts for Jul 1990 for LaSalle County Nuclear Power Station Units 1 & 2. W/900810 ltr.
THUNSTEDT, J.W., DIEDERICH, G.J. Commonwealth Edison Co. 90/07/31. 24pp. 54976:313-54976:336.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encls.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3**F. Security, medical, emergency & fire protection plans**

9008080361 Forwards revised objectives for emergency preparedness exercise scheduled for 901024.
BURSKI, R.F. Entergy Operations, Inc. 90/08/03. Document Control Branch (Document Control Desk). 8pp. 54908:040-54908:047.

9008130032 Forwards rev to emergency plan & QA program, consisting of chart indicating changes to util organization.
BURSKI, R.F. Entergy Operations, Inc. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54957:223-54957:225.

9008140119 Notification of 900912 meeting w/util in Rockville, MD to discuss proposed security changes to vital areas & to personnel access.
WIGGINTON, D. Project Directorate IV-1 (Post 900603). 90/08/10. QUAY, T.R. Project Directorate IV-1 (Post 900603). 2pp. 54964:122-54964:123.

9008280044 Ack receipt of 900720 & 0803 ltrs re objectives & guidelines for annual emergency preparedness exercise. Objectives appear reasonable. Exercise scenario & associated mats should be submitted at least 60 days prior to exercise for NRC review.
COLLINS, S.J. Associate Director for Projects (Post 870411). 90/08/16. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 55041:324-55041:328.

132 DOCKETED ITEMS

9008230219 Forwards booklet entitled, "Safety Info - Plans to Help You During Emergencies," recently distributed to general public.
BURSKI,R.F. Entergy Operations, Inc. 90/08/17. Document Control Branch (Document Control Desk). 9pp. 55020:354-55021:018.

M. Antitrust correspondence

9007300144 Responds to 900125 ltr re NRC 891214 license amend granting transfer of operational control of plants.NRC will not initiate antitrust review to consider imposing add'l license conditions.
DUDLEY,R.F. Project Directorate IV-1 (Post 900603). 90/07/27. WILSON,Z.D. Affiliation Not Assigned. 3pp. 54746:195-54748:197.

P. Operating license stage documents & correspondence

9008010176 Application for amend to License NPF-38,consisting of Tech Spec Change Request NPF-38-108,revising Tech Spec 4.5.2 re ECSS subsystem,Modes 1,2 & 3,per Generic Ltr 88-17.
BARKHURST,R.P. Entergy Operations, Inc. 90/07/25. Document Control Branch (Document Control Desk). 12pp. 54806:214-54806:229.

-9008010177 Proposed Tech Spec 4.5.2 re ECSS subsystems,Modes 1,2 & 3.
* Entergy Operations, Inc. 90/07/25. 4pp. 54806:226-54806:229.

9008010179 Application for amend to License NPF-38,consisting of Tech Spec Change Request NPF-38-110,reducing number of diesel generator starts.
BARKHURST,R.P. Entergy Operations, Inc. 90/07/25. Document Control Branch (Document Control Desk). 7pp. 54793:291-54793:304.

-9008010180 Proposed Tech Specs re alternate methods to reduce number of diesel generator starts at facility.
* Entergy Operations, Inc. 90/07/25. 7pp. 54793:298-54793:304.

9008010183 Application for amend to License NPF-38,consisting of Tech Spec Change Request NPF-38-109,revising Tech Spec Section 6, "Administrative Controls," to re-define six positions.
BARKHURST,R.P. Entergy Operations, Inc. 90/07/25. Document Control Branch (Document Control Desk). 4pp. 54797:114-54797:142.

-9008010184 Proposed Tech Specs revising Section 6, "Administrative Controls." Rev redefines six positions ref in section including, "Vice President - Nuclear," "Senior Vice President - Nuclear Operations," & "Plant Manager."
* Entergy Operations, Inc. 90/07/25. 25pp. 54797:118-54797:142.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130032 Forwards rev to emergency plan & QA program,consisting of chart indicating changes to util organization.
BURSKI,R.F. Entergy Operations, Inc. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54957:223-54957:225.

9008280341 Forwards Errata to Amend 62 to License NPF-38,consisting of revised bases page re time intervals for surveillance requirements,per 900717 application & Generic Ltr 89-14.
QUAY,T.R. Project Directorate IV-1 (Post 900603). 90/08/22. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 55041:334-55041:337.

-9008280350 Errata to Amend 62 to License NPF-38,revising bases page re specified time intervals for surveillance requirements.
* Project Directorate IV-1 (Post 900603). 90/08/22. 2pp. 55041:337-55041:337.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310102 Ack receipt of 900523 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-382/90-02.
COLLINS,S.J. Region 4 (Post 820201). 90/07/27. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 54802:355-54802:358.

9008030100 Forwards Insp Rept 50-382/90-11 on 900625-29.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 90/07/30. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 54873:096-54873:106.

-9008030101 Insp Rept 50-382/90-11 on 900625-29.No violations or deviations noted.Major areas inspected:radioactive mat'l transportation program.Licensee implemented effective program & personnel highly qualified & motivated.
BAER,R.E., MURRAY,B. Region 4 (Post 820201). 90/07/29. 8pp. 54873:099-54873:106.

-9008060314 Forwards Insp Rept 50-382/90-15 on 900601-0715 & notice of violation.Two violations viewed as indication of potential weakness in programmatic controls for establishing proper retest following mod.
COLLINS,S.J. Region 4 (Post 820201). 90/08/01. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 54864:043-54864:060.

-9008060317 Notice of violation from insp on 900601-0715.Violations noted:retest failed to demonstrate that all valves affected by mod would perform satisfactorily in svc.
* Region 4 (Post 820201). 90/08/01. 2pp. 54864:047-54864:048.

-9008060318 Insp Rept 50-382/90-15 on 900601-0715.Violations noted.Major areas inspected:plant status,onsite followup of events, monthly maint observation,monthly surveillance observation, operational safety verification & LER followup.
WESTERMAN,T.F. Region 4 (Post 820201). 90/07/27. 12pp. 54864:049-54864:060.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008160217 Advises that although adequate info provided to justify continued plant operation until plant completes final rept per schedule delineated by NRC Bulletin 88-11,adequate bases not provided for 40-yr plant life.
Project Directorate IV-1 (Post 900603). 90/08/15. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 54979:025-54979:038.

9008160028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230113 Forwards Rev 4 to "10-Yr Inservice Insp Program First Interval 1985-1995."
BURSKI,R.F. Entergy Operations, Inc. 90/08/16. Document Control Branch (Document Control Desk). 5pp. 55010:331-55011:350.

-9008230115 Rev 4 to "10-Yr Inservice Insp Program First Interval 1985-1995."
FOXPALE,C.E. Louisiana Power & Light Co. 90/08/13. 400pp. 55010:337-55011:350.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220095 Monthly operating rept for Jul 1990 for Waterford Unit 3. W/900815 ltr.
CENTOLANZI,P., BURSKI,R.F. Louisiana Power & Light Co. 90/07/31. 7pp. 55001:215-55001:221.

9008090109 Forwards "Waterford Steam Electric Station Unit 3 Basemat Monitoring Program Special Rept 3." Rept documents continued integrity of basemat as verified by program from time of inception of monitoring in 1985 through Mar 1990.
BURSKI,R.F. Entergy Operations, Inc. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54931:299-54931:351.

-9008090113 "Waterford Steam Electric Station Unit 3 Basemat Monitoring Program Special Rept 3."
BURKE,J. Entergy Operations, Inc. 90/06/30. 51pp. 54931:302-54931:351.

S. Reportable occurrences, LERs & related correspondence

9008060351 LER 90-008-00:on 900703,Tech Spec 3.0.3 entered due to svcs chill water trains being declared inoperable.Caused by reduction of chill water loads following dropped control element assembly.Event discussed w/personnel.W/900801 ltr.
STARKEY,R.S., MCGAHA,J.R. Entergy Corp. 90/08/01. 4pp. 54904:200-54904:203.

9008070098 LER 90-009-00:on 900606,missed monthly & quarterly composite analysis occurred due to personnel error.Technician failed to store sample in proper location & sample subsequently discarded.Procedure for samples developed.W/900801 ltr.
LABONTE,W.T., MCGAHA,J.R. Entergy Corp. 90/08/01. 5pp. 54831:123-54831:127.

9008080323 LER 90-010-00:on 900709,inconsistencies discovered in pump & valve in-service test program.Caused by inadequate review of ASME Section XI in-service test requirements.Rev to in-service test plan being submitted.W/900806 ltr.
DAVIS,G.M., MCGAHA,J.R. Entergy Operations, Inc. 90/08/06. 5pp. 54904:282-54904:286.

9008230217 LER 90-011-00:on 900721,ESF control room ventilation actuations occurred due to equipment malfunction.Cause under investigation.Insp of radiation monitor performed.W/900820 ltr.
SMITH,T.H., MCGAHA,J.R. Entergy Operations, Inc. 90/08/20. 6pp. 55024:001-55024:006.

V. Operator Examinations

9008060143 Summarizes 900724 meeting w/util in Region IV ofc to discuss changes to operator licensing program & recently issued rev to NUREG-1021.List of attendees,slides & agenda encl.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. BARKHURST,R.P. Entergy Operations, Inc. 22pp. 54864:183-54864:204.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing nati exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008060237 Responds to violations noted in Insp Repts 50-387/90-80 & 50-388/90-80. Corrective actions:util conducted operator training on how to implement EOPs if suppression chamber pressure not available.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/03. GALLO,R.M. Region 1 (Post 820201). 6pp. 54856:178-54856:183.

9008140202 Rev 14 to emergency plan.W/900808 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/08. BUTLER,W.R. Project Directorate I-2. 19pp. 54962:059-54962:077.

J. Insurance & Indemnity Information

9008010126 Forwards Endorsements 12 & 13 to NELIA Certificate N-84, Endorsements 10 & 11 to NELIA Certificate N-96, Endorsements 12 & 13 to MAELU Certificate M-84 & Endorsements 10 & 11 to MAELU Certificate M-96.
KEISER,H.W. Pennsylvania Power & Light Co. 90/07/25. SALTZMAN,J. NRC - No Detailed Affiliation Given. 29pp. 54805:069-54805:097.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008060139 Rev 41 to updated FSAR for Susquehanna Steam Electric Station, Units 1 & 2.W/900713 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 89/05/31. BUTLER,W.R. Project Directorate I-2. 800pp. 54892:048-54894:086.

P. Operating license stage documents & correspondence

9008060095 Forwards safety evaluation re util 900607 request for approval to install mod to diesel generators. Overall safety function of diesel generators not compromised provided that qualified equipment is in place by end of 1990.
THADANI,M.C. Project Directorate I-2. 90/07/26. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 54857:097-54857:100.

-9008060103 Safety evaluation re util 900607 request for approval to install mod to diesel generators to correct combustion air temp. Safety function of diesel generator power sys not compromised & proposed mod acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. 2pp. 54857:099-54857:100.

9008010108 Requests waiver of compliance from Tech Spec 3.8.1.1, Action b re ac sources operating, due to failure of fuel oil surveillance on E diesel generator.
KEISER,H.W. Pennsylvania Power & Light Co. 90/07/27. MARTIN,T.T. Region 1 (Post 820201). 4pp. 54788:330-54788:333.

9008060006 Forwards proposed Amends 134 & 84 to Licenses NPF-14 & NPF-22, respectively, revising Tech Spec 4.5.1.e by requiring that LOCA/false LOCA testing be performed every 18 months.
KEISER,H.W. Pennsylvania Power & Light Co. 90/07/27. BUTLER,W.R. Project Directorate I-2. 3pp. 54877:143-54877:150.

-9008060007 Application for Amends 134 & 84 to Licenses NPF-14 & NPF-22, respectively, revising Tech Spec 4.5.1.e by requiring that LOCA/false LOCA testing be performed every 18 months.
KEISER,H.W. Pennsylvania Power & Light Co. 90/07/27. 2pp. 54877:146-54877:147.

-9008060008 Proposed Tech Specs requiring that testing of LOCA/false LOCA be performed every 18 months.
* Pennsylvania Power & Light Co. 90/07/27. 3pp. 54877:148-54877:150.

9008070116 Grants regional waiver of compliance re emergency diesel generator (DG) fuel storage sys for DG E per 900727 request. Reasons noted. Provisions listed, including fuel oil supply replacement needed within 24 h extension.
HEHL,C.W. Region 1 (Post 820201). 90/07/27. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 54903:051-54903:058.

9008060226 Forwards application for proposed Amends 133 & 83 to Licenses NPF-14 & NPF-22, respectively, closing out License Conditions 2.C (26) & 2.C (9) re surveillance of control blade.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/02. BUTLER,W.R. Project Directorate I-2. 3pp. 54876:297-54876:307.

-9008060230 Application for proposed Amends 133 & 83 to Licenses NPF-14 & NPF-22, respectively closing License Conditions 2.C (26) & 2.C (9) re surveillance of control blade.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/02. 2pp. 54876:300-54876:301.

-9008060231 Proposed Tech Specs, designating closure of license conditions re surveillance of control blades.
* Pennsylvania Power & Light Co. 90/08/02. 2pp. 54876:302-54876:307.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008160180 Notification of 900810 Mgt Meeting 90-98 w/util in King of Prussia, PA to discuss environ qualification issues.
KAUFMAN,P.D. Region 1 (Post 820201). 90/08/03. Region 1 (Post 820201). 2pp. 54978:359-54978:360.

9008130189 Discusses licensee engineering initiatives. Encourages initiation of initiatives similar to Region V establishment of engineering managers forum to share experiences.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 54956:083-54956:086.

9008100258 Provides clarification to one proposed Tech Spec change submitted under 900316 ltr. Testing not required to be performed if absence of common cause for diesel generator inoperability can be established for diesel generators.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/07. BUTLER,W.R. Project Directorate I-2. 2pp. 54934:360-54934:361.

9008130267 Forwards Topical Rept PL-NF-90-001, "Application of Reactor Analysis Methods for BWR Design & Analysis."
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/08. BUTLER,W.R. Project Directorate I-2. 2pp. 54938:237-54939:137.

-9008130272 "Application of Reactor Analysis Methods for BWR Design & Analysis."
KULICK,J.M. Pennsylvania Power & Light Co. PL-NF-90-001. 90/08/01. 256pp. 54938:239-54939:137.

9008150133 Reviews Allegation RI-89-A-0072 re adjustment of molded-case circuit breakers at facilities. NRC will review circumstances surrounding molded-case circuit breaker adjustments to assure handling as facility mods subj to 10CFR50.59.
RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 90/08/13. MARTIN,T.T. Region 1 (Post 820201). 5pp. 54976:279-54976:283.

9008150199 Advises that Topical Rept ANF-90-018(P), Rev 1, "Susquehanna Unit 1 8 x 8 Extended Burnup Design Rept" will be withheld from public disclosure (ref 10CFR2.790), per 900702 request & listed vendor reasons.
THADANI,M.C. Project Directorate I-2. 90/08/13. KEISER,H.W. Pennsylvania Power & Light Co. 10pp. 54966:060-54966:069.

9008230131 Forwards notice of consideration of issuance of amends to Licenses NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing. Amend extends allowable limiting condition for operation outage times from 3 to 7 days.
THADANI,M.C. Project Directorate I-2. 90/08/14. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 55010:287-55010:298.

-9008230133 Notice of consideration of issuance of amend to License NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing. Amend extends allowable limiting condition for operation outage time from 3 to 7 days.
BUTLER,W.R. Project Directorate I-2. 90/08/14. 9pp. 55010:290-55010:298.

9008160067 Notification of 900821 meeting w/util in Rockville, MD to discuss util presentation on follow-on activities on emergency diesel generators upgrade.
THADANI,M.C. Project Directorate I-2. 90/08/15. MURLEY,T., MIRAGLIA,F. NRC - No Detailed Affiliation Given. RUSSELL,W. Associate Director for Inspection & Technical Assessment (Post 870411). 4pp. 54990:013-54990:016.

9008230205 Forwards util 891117 request to change Tech Spec requirements re scram accumulator check valves to eliminate potential of plant shutdown if accumulator check valves fail leakage tests while in Mode 1.
THADANI,M.C. Project Directorate I-2. 90/08/15. KEISER,H.W. Pennsylvania Power & Light Co. 16pp. 55016:160-55016:192.

-5502270116 Approves priority ranking schedule for resolving & completing Generic Issue 98, "CRD Accumulator Valve Leakage." Prioritization evaluation encl & will be included in NUREG-0933.
DENTON,H.R. Office of Nuclear Reactor Regulation (800428-851124). 85/02/19. BERNERO,R.M. Division of Systems Integration (811005-851124). 1p. 55016:192-55016:192.

9008270034 Submits proposed action plan to resolve jet impingement questions, per 861017 ltr.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/17. BUTLER,W.R. Project Directorate I-2. 4pp. 55037:059-55037:062.

9008240181 Advises that 900427 request for approval to use ASME Code Cases 1516-1 & 1567 re welding of seats in valves & testing lots of carbon low-alloy steel covered electrodes, acceptable. Safety evaluation encl.
BUTLER,W.R. Project Directorate I-2. 90/08/21. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 55027:106-55027:110.

-9008240182 Safety evaluation accepting request for use of ASME Code Cases 1516-1 & 1567, "Welding of Seats in Valves for Section III Application" & "Testing Lots of Carbon & Low-Alloy Steel Covered Electrodes" respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/21. 2pp. 55027:109-55027:110.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008060237 Responds to violations noted in Insp Repts 50-387/90-80 & 50-388/90-80. Corrective actions:util conducted operator training on how to implement EOPs if suppression chamber pressure not available.
KEISER,H.W. Pennsylvania Power & Light Co. 90/08/03. GALLO,R.M. Region 1 (Post 820201). 6pp. 54856:178-54856:183.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

134 DOCKETED ITEMS

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008020246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200096 Ack receipt of 900720 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-387/90-11 & 50-388/90-11.
GALLO, R.M. Region 1 (Post 820201). 90/08/15. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 54956:141-54956:145.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 81pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007310214 "NPDES Discharge Monitoring Rept for June 1990." W/900718 ltr & monthly facility rept.
FIELDS, J.S. Pennsylvania Power & Light Co. 90/06/30. WILKES, J.J. Pennsylvania, Commonwealth of. 12pp. 54757:318-54757:329.

9008210166 Monthly operating repts for Jul 1990 for Susquehanna Steam Electric Station. W/900815 ltr.
YOUNG, K.A., KEISER, H.W. Pennsylvania Power & Light Co. 90/07/31. 10pp. 55000:137-55000:146.

9008160185 Forwards semiannual fitness-for-duty performance rept covering period 900103-900630.
KEISER, H.W. Pennsylvania Power & Light Co. 90/08/14. BUTLER, W.R. Project Directorate I-2. 5pp. 54992:341-54992:345.

S. Reportable occurrences, LERs & related correspondence

9008090421 LER 90-023-01: on 881108, openings found through fire rated barriers between diesel generator bays A & C & C & B & D. Cause not determined, though const personnel error involved. Hourly fire watch w/operable detection implemented. W/900806 ltr.
DAVIS, S.E., STANLEY, H.G. Pennsylvania Power & Light Co. 90/08/06. 4pp. 54905:015-54905:018.

9008170044 LER 90-014-00: on 900712, determined that discrepancy existed between FSAR-required & actual diesel fuel inventory. Caused by inadequate analysis. Setpoint change for storage tank min levels implemented. W/900813 ltr.
WEHRY, R.R., STANLEY, H.G. Pennsylvania Power & Light Co. 90/08/13. 5pp. 54974:350-54974:354.

9008170135 Forwards three analyses of shutdown events evaluated by Accident Sequence Precursor Program.
NOVAK, T.M. Division of Safety Programs (Post 870413). 90/08/15. THADANI, A.C. Division of Systems Technology (Post 890827). 1p. 54981:035-54981:060.

-9008170144 Accident sequence precursor program event analysis "Loss of Reactor Protection Sys Bus B Causes Loss of Shutdown Cooling."
* Office for Analysis & Evaluation of Operational Data, Director. 90/02/03. 6pp. 54981:055-54981:060.

9008270022 LER 90-013-00: on 900720, determined that postulated single failure of 125 V dc battery channel could place plant in condition outside design basis. Risk analysis performed on scenarios presented for each unit. W/900817 ltr.
WEHRY, R.R., STANLEY, H.G. Pennsylvania Power & Light Co. 90/08/17. 13pp. 55024:050-55024:062.

V. Operator Examinations

9008060339 Informs that VF Bogetti no longer requires senior reactor operator license, per 10CFR50.74.
KEISER, H.W. Pennsylvania Power & Light Co. 90/08/01. GALLO, R.M. Region 1 (Post 820201). 1p. 54876:312-54876:312.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008060237 Responds to violations noted in Insp Repts 50-387/90-80 & 50-388/90-80. Corrective actions: util conducted operator training on how to implement EOPs if suppression chamber pressure not available.
KEISER, H.W. Pennsylvania Power & Light Co. 90/08/03. GALLO, R.M. Region 1 (Post 820201). 6pp. 54856:178-54856:183.

9008140202 Rev 14 to emergency plan. W/900808 ltr.
KEISER, H.W. Pennsylvania Power & Light Co. 90/08/08. BUTLER, W.R. Project Directorate I-2. 19pp. 54962:059-54962:077.

J. Insurance & Indemnity Information

9008010126 Forwards Endorsements 12 & 13 to NELIA Certificate N-84, Endorsements 10 & 11 to NELIA Certificate N-96, Endorsements 12 & 13 to MAELU Certificate M-84 & Endorsements 10 & 11 to MAELU Certificate M-96.
KEISER, H.W. Pennsylvania Power & Light Co. 90/07/25. SALTZMAN, J. NRC - No Detailed Affiliation Given. 29pp. 54805:069-54805:097.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008060139 Rev 41 to updated FSAR for Susquehanna Steam Electric Station, Units 1 & 2. W/900713 ltr.
KEISER, H.W. Pennsylvania Power & Light Co. 89/05/31. BUTLER, W.R. Project Directorate I-2. 800pp. 54892:048-54894:086.

P. Operating license stage documents & correspondence

9008060095 Forwards safety evaluation re util 900607 request for approval to install mod to diesel generators. Overall safety function of diesel generators not compromised provided that qualified equipment is in place by end of 1990.
THADANI, M.C. Project Directorate I-2. 90/07/26. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 54857:097-54857:100.

-9008060103 Safety evaluation re util 900607 request for approval to install mod to diesel generators to correct combustion air temp. Safety function of diesel generator power sys not compromised & proposed mod acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. 2pp. 54857:099-54857:100.

9008010108 Requests waiver of compliance from Tech Spec 3.8.1.1, Action b re ac sources operating, due to failure of fuel oil surveillance on E diesel generator.
KEISER, H.W. Pennsylvania Power & Light Co. 90/07/27. MARTIN, T.T. Region 1 (Post 820201). 4pp. 54788:330-54788:333.

9008060006 Forwards proposed Amends 134 & 84 to Licenses NPF-14 & NPF-22, respectively, revising Tech Spec 4.5.1.e by requiring that LOCA/false LOCA testing be performed every 18 months.
KEISER, H.W. Pennsylvania Power & Light Co. 90/07/27. BUTLER, W.R. Project Directorate I-2. 3pp. 54877:143-54877:150.

-9008060007 Application for Amends 134 & 84 to Licenses NPF-14 & NPF-22, respectively, revising Tech Spec 4.5.1.e by requiring that LOCA/false LOCA testing be performed every 18 months.
KEISER, H.W. Pennsylvania Power & Light Co. 90/07/27. 2pp. 54877:146-54877:147.

-9008060008 Proposed Tech Specs requiring that testing of LOCA/false LOCA be performed every 18 months.
* Pennsylvania Power & Light Co. 90/07/27. 3pp. 54877:148-54877:150.

9008070116 Grants regional waiver of compliance re emergency diesel generator (DG) fuel storage sys for DG E, per 900727 request. Reasons noted. Provisions listed, including fuel oil supply replacement needed within 24 h extension.
HEHL, C.W. Region 1 (Post 820201). 90/07/27. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 54903:051-54903:058.

9008060226 Forwards application for proposed Amends 133 & 83 to Licenses NPF-14 & NPF-22, respectively, closing out License Conditions 2.C (26) & 2.C (9) re surveillance of control blade.
KEISER, H.W. Pennsylvania Power & Light Co. 90/08/02. BUTLER, W.R. Project Directorate I-2. 3pp. 54876:297-54876:307.

-9008060230 Application for proposed Amends 133 & 83 to Licenses NPF-14 & NPF-22, respectively closing License Conditions 2.C (26) & 2.C (9) re surveillance of control blade.
KEISER, H.W. Pennsylvania Power & Light Co. 90/08/02. 2pp. 54876:300-54876:301.

-9008060231 Proposed Tech Specs, designating closure of license conditions re surveillance of control blades.
* Pennsylvania Power & Light Co. 90/08/02. 2pp. 54876:302-54876:307.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008160180 Notification of 900810 Mgt Meeting 90-98 w/util in King of Prussia, PA to discuss environ qualification issues.
KAUFMAN, P.D. Region 1 (Post 820201). 90/08/03. Region 1 (Post 820201). 2pp. 54978:359-54978:360.

9008130189 Discusses licensee engineering initiatives. Encourages initiation of initiatives similar to Region V establishment of engineering managers forum to share experiences.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 54956:083-54956:086.

9008100258 Provides clarification to one proposed Tech Spec change submitted under 900316 ltr. Testing not required to be performed if absence of common cause for diesel generator inoperability can be established for diesel generators. KEISER, H.W. Pennsylvania Power & Light Co. 90/08/07. BUTLER, W.R. Project Directorate I-2. 2pp. 54934:360-54934:361.

9008130267 Forwards Topical Rept PL-NF-90-001, "Application of Reactor Analysis Methods for BWR Design & Analysis." KEISER, H.W. Pennsylvania Power & Light Co. 90/08/08. BUTLER, W.R. Project Directorate I-2. 2pp. 54938:237-54939:137.

-9008130272 "Application of Reactor Analysis Methods for BWR Design & Analysis." KULICK, J.M. Pennsylvania Power & Light Co. PL-NF-90-001. 90/08/01. 256pp. 54938:239-54939:137.

9008150133 Reviews Allegation RI-89-A-0072 re adjustment of molded-case circuit breakers at facilities. NRC will review circumstances surrounding molded-case circuit breaker adjustments to assure handling as facility mods subj to 10CFR50.59. RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 90/08/13. MARTIN, T.T. Region 1 (Post 820201). 5pp. 54976:279-54976:283.

9008230131 Forwards notice of consideration of issuance of amendments to Licenses NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing. Amend extends allowable limiting condition for operation outage times from 3 to 7 days. THADANI, M.C. Project Directorate I-2. 90/08/14. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 55010:287-55010:298.

-9008230133 Notice of consideration of issuance of amend to License NPF-14 & NPF-22 & proposed NSHC determination & opportunity for hearing. Amends extend allowable limiting condition for operation outage time from 3 to 7 days. BUTLER, W.R. Project Directorate I-2. 90/08/14. 5pp. 55010:290-55010:298.

9008160067 Notification of 900821 meeting w/util in Rockville, MD to discuss util presentation on follow-on activities on emergency diesel generators upgrade. THADANI, M.C. Project Directorate I-2. 90/08/15. MURLEY, T., MIRAGLIA, F. NRC - No Detailed Affiliation Given. RUSSELL, W. Associate Director for Inspection & Technical Assessment (Post 870411). 4pp. 54990:013-54990:016.

9008230205 Forwards util 891117 request to change Tech Spec requirements re scram accumulator check valves to eliminate potential of plant shutdown if accumulator check valves fail leakage tests while in Mode 1. THADANI, M.C. Project Directorate I-2. 90/08/15. KEISER, H.W. Pennsylvania Power & Light Co. 16pp. 55016:160-55016:192.

9008270034 Submits proposed action plan to resolve jet impingement questions, per 861017 ltr. KEISER, H.W. Pennsylvania Power & Light Co. 90/08/17. BUTLER, W.R. Project Directorate I-2. 4pp. 55037:059-55037:062.

9008240181 Advises that 900427 request for approval to use ASME Code Cases 1516-1 & 1567 re welding of seats in valves & testing lots of carbon low-alloy steel covered electrodes, acceptable. Safety evaluation encl. BUTLER, W.R. Project Directorate I-2. 90/08/21. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 55027:106-55027:110.

-9008240182 Safety evaluation accepting request for use of ASME Code Cases 1516-1 & 1567, "Welding of Seats in Valves for Section III Application" & "Testing Lots of Carbon & Low-Alloy Steel Covered Electrodes" respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/21. 2pp. 55027:109-55027:110.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 81pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008060237 Responds to violations noted in Insp Repts 50-387/90-80 & 50-388/90-80. Corrective actions: util conducted operator training on how to implement EOPs if suppression chamber pressure not available. KEISER, H.W. Pennsylvania Power & Light Co. 90/08/03. GALLO, R.M. Region 1 (Post 820201). 6pp. 54856:178-54856:183.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200096 Ack receipt of 900720 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-387/90-11 & 50-388/90-11. GALLO, R.M. Region 1 (Post 820201). 90/08/15. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 54996:141-54996:145.

9008100026 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007310214 "NPDES Discharge Monitoring Rept for June 1990." W/900718 ltr & monthly facility rept. FIELDS, J.S. Pennsylvania Power & Light Co. 90/06/30. WILKES, J.J. Pennsylvania, Commonwealth of. 12pp. 54757:318-54757:329.

9008210166 Monthly operating repts for Jul 1990 for Susquehanna Steam Electric Station. W/900815 ltr. YOUNG, K.A., KEISER, H.W. Pennsylvania Power & Light Co. 90/07/31. 10pp. 55000:137-55000:146.

9008180185 Forwards semiannual fitness-for-duty performance rept covering period 900103-900630. KEISER, H.W. Pennsylvania Power & Light Co. 90/08/14. BUTLER, W.R. Project Directorate I-2. 5pp. 54992:341-54992:345.

S. Reportable occurrences, LERs & related correspondence

9008090419 LER 90-007-00: on 900705, ESF actuations occurred due to reactor protection sys electrical protection assembly breaker spurious trip. Cause being investigated. Analysis of station events being conducted. W/900806 ltr. RUSANOWSKY, P.P., STANLEY, H.G. Pennsylvania Power & Light Co. 90/08/06. 4pp. 54905:011-54905:014.

V. Operator Examinations

9008060339 Informs that VF Bogetti no longer requires senior reactor operator license, per 10CFR50.74. KEISER, H.W. Pennsylvania Power & Light Co. 90/08/01. GALLO, R.M. Region 1 (Post 820201). 1p. 54876:312-54876:312.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9007310082 Rev 45 to EPIP 3100023E, "Onsite Emergency Organization & Call Directory." W/900725 ltr. SAGER, D.A. Florida Power & Light Co. 90/07/25. 25pp. 54787:032-54787:056.

P. Operating license stage documents & correspondence

9008010106 Submits addl info re implementation of programmed enhancements per Generic Ltr 88-17, "Loss of DHR." All mods for Unit 1 completed & operational. Mods for Unit 2 schedule for upcoming refueling outage. SAGER, D.A. Florida Power & Light Co. 90/07/25. Document Control Branch (Document Control Desk). 1p. 54806:266-54806:266.

9008010204 Forwards rept detailing investigative analysis of unsatisfactory blind specimen results, identification of causes & corrective actions taken by lab to prevent recurrence, per unsatisfactory performance testing. BOHLKE, W.H. Florida Power & Light Co. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:289-54805:291.

9008070262 Summary of 900711 meeting w/util in Rockville, MD re PRA. List of attendees & viewpoints encl. EDISON, G.E. Project Directorate II-2. 90/07/31. Project Directorate II-2. 17pp. 54930:244-54930:260.

9008070382 Forwards Amend 46 to License NPF-16 & safety evaluation. Amend incorporates revised pressure/temp limits & results of revised low temp overpressure protection analysis into Tech Specs of facility for up to 15 EFPPs. NORRIS, J.A. Project Directorate II-2. 90/08/01. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 54902:096-54902:132.

-9008070383 Amend 46 to License DPR-67, incorporating revised pressure/ temp limits & results of revised low temp overpressure protection analysis into facility Tech Specs for up to 15 EFPPs. BERKOW, H.N. Project Directorate II-2. 90/08/01. 28pp. 54902:100-54902:127.

-9008070388 Safety evaluation supporting Amend 46 to License NPF-16. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 5pp. 54902:128-54902:132.

136 DOCKETED ITEMS

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008220218 Application for amend to License NPF-16, revising Independent Safety Engineering Group reporting & administrative requirements.
BOHLKE, W.H. Florida Power & Light Co. 90/08/16. Document Control Branch (Document Control Desk). 2pp. 55015:137-55015:148.

-9008220219 Proposed Tech Specs revising Independent Safety Engineering Group reporting & administrative requirements.
* Florida Power & Light Co. 90/08/16. 10pp. 55015:139-55015:148.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008130154 Forwards Insp Repts 50-335/90-17 & 50-389/90-17 on 900716-20. No violations or deviations noted.
JULIAN, C.A. Region 2 (Post 820201). 90/07/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 54951:276-54951:285.

-9008130155 Insp Repts 50-335/90-17 & 50-389/90-17 on 900716-20. No violations or deviations noted. Major areas inspected: reactor pump failure, control element assembly exam, matl condition & actions on previous insp findings.
KLEINSORGE, W.P., BLAKE, J.J. Region 2 (Post 820201). 90/07/25. 7pp. 54951:279-54951:285.

9008210077 Ack receipt of 900709 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-335/90-13 & 50-389/90-13.
SINKULE, M.V. Region 2 (Post 820201). 90/07/27. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 55004:039-55004:040.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008200145 Ack receipt of 900720 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-335/90-09 & 50-389/90-09.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/07. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 54991:201-54991:202.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54983:236-54983:324.

9008240111 Forwards Insp Repts 50-335/90-16 & 50-389/90-16 on 900612-0723. Violations not cited.
SINKULE, M.V. Region 2 (Post 820201). 90/08/16. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 55029:229-55029:257.

-9008240113 Insp Repts 50-335/90-16 & 50-389/90-16 on 900612-0723. Noncited violations noted. Major areas inspected: plant operations review, maint observations, surveillance observations & review of nonroutine events.
ELROD, S.A., SCOTT, M.A., CPLENJAK, R.V. Region 2 (Post 820201). 90/08/13. 24pp. 55029:232-55029:257.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008210157 Monthly operating repts for Jul 1990 for St Lucie Units 1 & 2. W/900813 ltr.
HOLT, J.W., SAGER, D.A. Florida Power & Light Co. 90/07/31. 9pp. 55000:084-55000:092.

9008200052 Forwards fitness-for-duty program performance data for Jan-June 1990.
BOHLKE, W.H. Florida Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 7pp. 54991:340-54991:346.

9008280277 Forwards corrected monthly operating repts for Jul 1990 for St Lucie Units 1 & 2 & summary of operating experience.
SAGER, D.A. Florida Power & Light Co. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55041:007-55041:010.

-9008280280 Corrected monthly operating rept for Jul 1990 for St Lucie Units 1 & 2.
HOLT, J.W. Florida Power & Light Co. 90/07/31. 3pp. 55041:008-55041:010.

S. Reportable occurrences, LERs & related correspondence

9008130309 LER 90-002-00: on 900713, discovered that 480-volt ac emergency bus degraded voltage relays specified to be set below min voltage allowed by Tech Specs. Caused by design error. New setpoints developed. W/900807 ltr.
WEEKS, J.W., SAGER, D.A. Florida Power & Light Co. 90/08/07. 4pp. 54953:080-54953:083.

9008230243 NPDES noncompliance notification: on 900616, main condenser chlorinated twice for 220 minutes exceeding permit limit. Procedure modified to allow only chemistry personnel to alter or move signs indicating order of chlorination.
SAGER, D.A. Florida Power & Light Co. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 55015:355-55015:357.

9008240144 LER 90-003-00: 900726, determined that main steam line radiation monitor returned to svc following power supply replacement w/o performing required Tech Spec surveillance. Caused by personnel error. Personnel counseled. W/900816 ltr.
NEELY, L.W., SAGER, D.A. Florida Power & Light Co. 90/08/16. 4pp. 55012:244-55012:247.

V. Operator Examinations

9008270229 Forwards ref matl requirements for requalification program evaluation scheduled for wks of 901029 & 1105. Items listed in encl should be furnished by 900829.
PEEBLES, T.A. Region 2 (Post 820201). 90/07/16. GOLDBERG, J.H. Florida Power & Light Co. 8pp. 55031:353-55031:361.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9007260149 Forwards Rev 3 to "Watts Bar Nuclear Plant Q-List Corrective Action Program Plan," for info. Editorial changes, corrections & approach changes discussed.
WALLACE, E.G. Tennessee Valley Authority. 90/07/20. Document Control Branch (Document Control Desk). 3pp. 54733:033-54733:046.

-9007260150 Rev 3 to "Watts Bar Nuclear Plant Q-List Corrective Action Program Plan."
* Tennessee Valley Authority. 90/04/19. 11pp. 54733:036-54733:046.

9007300159 Ack receipt of 890223 & 900712 ltrs responding to Generic Ltr 88-14 re instrument air safety sys problems at plant.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/26. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 54745:356-54745:358.

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/differing views expressed by employees in licensee nuclear power program.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

-9007310072 Forwards review of util current practices & procedures for dealing w/differing views expressed by employees in licensee Nuclear Power Program.
RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020133 Forwards Rev 1 to TVA welding project final rept, initially submitted on 890825, reflecting rev of existing specs.
WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008020255 Forwards description of sys testing to be performed under prestart test corrective action program plan, per 890517 ltr.
WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 189pp. 54819:151-54819:338.

9008020194 Forwards Rev 2 to corrective action program plan for cable issues. Rev provides clarification required re results of TVA sidewall bearing pressure worst-case conduit configuration evaluation for facility. Cables in conduit will be replaced.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54820:313-54820:317.

9008020239 Forwards proposed updates to FSAR Section 3.11 re equipment qualification programs at plant. Proposed revs will be submitted in subsequent FSAR amend.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 15pp. 54820:063-54820:077.

9008030071 Forwards Rev 3 to "Watts Bar Nuclear Plant Replacement Items Program (Piece Parts) Corrective Action Program Plan." Plan revised to reinstate quality release program & includes seismically sensitive electrically active QA devices.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54842:179-54842:198.

—9008030087 Rev 3 to "Watts Bar Nuclear Plant Replacement Items Program (Piece Parts) Corrective Action Program Plan."
* Tennessee Valley Authority. 90/07/31. 18pp. 54842:181-54842:198.

9008030074 Forwards proposed revs to FSAR Sections 3.2.2.5, 3.2.2.1, 3.9.3.4.2(c)(5), 3.10.1.6.2.4.4 & 9.2.7 & Tables 3.2-2a & 3.2-6 re welding corrective action program plan.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 20pp. 54842:159-54842:178.

9008030118 Forwards Rev 3 to "Watts Bar Nuclear Plant Design Baseline & Verification Program (DBVP) Corrective Action Program Plan."
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54851:135-54851:173.

—9008030122 Rev 3 to "Watts Bar Nuclear Plant Design Baseline & Verification Program (DBVP) Corrective Action Program Plan."
STEVENS, R.J., MAULDIN, G.W., CHOWE, S.W. Tennessee Valley Authority. 90/07/20. 31pp. 54851:138-54851:173.

9008030156 Forwards restatement of NRC concerns in SER for facility nuclear performance plan Vol 4 & associated TVA response.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 4pp. 54873:122-54873:125.

9008030163 Provides clarification of applicable plant mode in response to NUREG-1232, Vol 4 requirement. Hot standby is safe shutdown condition for steam line break.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54851:244-54851:246.

9008030281 Forwards updates to FSAR sections re hanger & analysis update program corrective action program plan for large bore piping.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 47pp. 54832:273-54832:339.

9008060015 Provides proposed revs to FSAR Sections 7.1.2.2, 7.2.1.1.5, 7.2.2.3.3 & Figure 7.2-3 re instrument lines corrective action program plan. Changes delete unnecessary detail info from FSAR.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 8pp. 54877:116-54877:123.

9008060023 Notifies NRC of completion of heat code traceability corrective action program, per 890921, 900209 & 0731 ltrs. Submittal contains no new commitments.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54864:064-54864:065.

9008060027 Provides proposed updates to FSAR Section 3.2.2.5 re plant heat code traceability program.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54842:357-54842:361.

9008060086 Provides updates to FSAR Sections 8.1.5.2, 8.1.5.3, 8.2.1.6, 8.3.1.4.1 & 8.3.1.4.3 re cable issues & electrical issue plans. Proposed revs will be submitted in subsequent FSAR amend.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 10pp. 54876:146-54876:155.

9008060161 Forwards Rev 2 to "Welding Corrective Action Program Plan" & Rev 1 to "TVA Welding Project Watts Bar Nuclear Plant, Phase I Rept."
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54877:079-54877:086.

—9008060163 Rev 2 to "Welding Corrective Action Program Plan."
* Tennessee Valley Authority. 90/07/31. 3pp. 54877:081-54877:083.

—9008060164 Rev 1 to "TVA Welding Project Watts Bar Nuclear Plant, Phase I Rept."
* Tennessee Valley Authority. 90/07/31. 3pp. 54877:084-54877:086.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080046 Forwards tentative agenda for DCRDR & SPDS site audit on 900821-23. Audit will be performed by G West of NRC & JD Bor, consultant.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/03. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54919:206-54919:209.

9008210039 Confirms 900720 telcon re mgt meeting to be conducted at site on 900816 to discuss general status, communication plans & other items of mutual interest. Proposed agenda encl.
WILSON, B.A. Region 2 (Post 820201). 90/08/07. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55004:101-55004:104.

9008240067 Notification of significant meeting on 900810 w/util at plant site to discuss general status & communication plans.
BARR, K.P. Region 2 (Post 820201). 90/08/07. Region 2 (Post 820201). 2pp. 55023:305-55023:306.

9008100109 Discusses util response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" & concludes that util provided assurance that program will be in place dealing boric acid leakage.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/08. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54943:174-54943:175.

9008140076 Forwards safety evaluation accepting util 831107 response to Generic Ltr 83-28, Item 1.1, "Post-Trip Review" re required actions on generic implications of Salem ATWS events. Implementation date of Jul 1985 noted in 900628 discussed.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54964:124-54964:131.

—9008140079 Safety evaluation of util 831107 info re Generic Ltr 83-28, Item 1.1, concluding that applicant post-trip review program & procedures acceptable.
* NRC - No Detailed Affiliation Given. 90/08/13. 6pp. 54964:126-54964:131.

9008150217 Forwards request for addl info re Reg Guide 1.47, "Bypass & Inoperable Indication for Nuclear Power Plant Safety Sys." per Gridley 870129 ltr to Youngblood.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54971:243-54971:246.

9008150233 Comments on applicant 840530 request for waiver from certain proposed Tech Spec requirements re natural circulation testing.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/13. GIARDINA, R.J. Technical Specifications Branch. 1p. 54976:284-54976:288.

—8508080024 Forwards SER re exemptions to Tech Specs necessary for performance of low power natural circulation testing. Proposed exemptions acceptable.
RUBENSTEIN, L.S. Assistant Director for Core & Plant Systems. 85/07/26. NOVAK, T.M. Assistant Director for Licensing. 4pp. 54976:285-54976:288.

9008150286 Provides info that clarifies organizational Topical Rept TVA-NPOD89, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues.
CORTLAND, P. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 10pp. 54981:347-54981:355.

9008230170 Forwards list of comments & requests for addl info re Rev 3 of Q-List corrective action program, per 900720 ltr. Util should provide response no later than 45 days of receipt of ltr.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/16. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 55020:125-55020:128.

9008230178 Forwards draft safety evaluation re requirements for inadequate core cooling instrumentation, per NUREG-0737, Item II.F.2, "Clarification of TMI Action Plan Requirements."
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/16. KINGSLEY, O.D. Tennessee Valley Authority. 10pp. 55020:156-55020:165.

9008230140 Summary of 900802 meeting w/util to discuss scope & status of six corrective action programs re civil structure issues. List of attendees & TVA presentation handouts available in Central Files.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/17. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 6pp. 55020:007-55020:012.

9008230185 Confirms commitment that meteorological & environ monitoring program will remain operational & full environ monitoring position will be resumed, per NRC 900606 ltr.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55020:108-55020:110.

9008300089 Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response.
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/24. ZIGROSSI, N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.

F. Security, medical, emergency & fire protection plans

9008070239 Forwards revs to physical security plan. Rev withheld (ref 10CFR73.21).
WALLACE, E.G. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54902:214-54902:215.

9008230185 Confirms commitment that meteorological & environ monitoring program will remain operational & full environ monitoring position will be resumed, per NRC 900606 ltr.
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 55020:108-55020:110.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008080152 Forwards affidavit certifying svc of Amend 63 to FSAR on 900802 on listed individuals.
MEDFORD, M.O. Tennessee Valley Authority. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54919:279-54919:280.

9008210136 Amend 64 to FSAR for Watts Bar Nuclear Plant. W/900816 ltr.
WALLACE, E.G. Tennessee Valley Authority. 90/08/16. 450pp. 54996:248-54996:284.

Q. Inspection reports, IE Bulletins & correspondence

9007270031 Provides supplemental response to 900514 response to NRC 900412 notice of violation & proposed imposition of civil penalty in amount of \$240,000. Encl withheld.
KINGSLEY, O.D. Tennessee Valley Authority. 90/07/20. Ofc of Enforcement (Post 870413). 6pp. 54723:348-54723:353.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030140 Forwards supplemental response to violation noted in Insp Rept 50-390/89-200. Corrective action: inadequate welds will be repaired & tested, per ASME Section XI repair & replacement program by Apr 1991.
MEDFORD, M.O. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54841:213-54841:217.

138 DOCKETED ITEMS

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008270208 Forwards Insp Repts 50-390/90-13 & 50-391/90-13 on 900514-18. Violations noted but not cited.
WILSON,B.A. Region 2 (Post 820201). 90/08/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55032:252-55032:272.

-9008270210 Insp Repts 50-390/90-13 & 50-391/90-13 on 900514-18. Violations noted but not cited. Major areas inspected: layup procedures, implementation of preventive maintenance activities, QC & chemistry control.
LIVERMORE,H.H., BARR,K.P. Region 2 (Post 820201). 90/07/30. 18pp. 55032:255-55032:272.

9008270195 Forwards Insp Repts 50-390/90-14 & 50-391/90-14 on 900519-0618 & notice of violation.
WILSON,B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55029:291-55029:313.

-9008270198 Notice of violation from insp on 900519-0618. Violations noted: test director not designated as required & test log containing documentation of test data & test deficiencies not maintained.
WILSON,B.A. Region 2 (Post 820201). 90/08/03. 2pp. 55029:294-55029:295.

-9008270200 Insp Repts 50-390/90-14 & 50-391/90-14 on 900519-0618. Violations noted. Major areas inspected: surveillance operation, monthly maintenance observation, prestart test program review & review of corrective action program.
BRANCH,M.W., BURRIS,S.P., HUMPHREY,P.G. Region 2 (Post 820201). 90/08/03. 18pp. 55029:296-55029:313.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090118 Responds to violations & deviations noted in Insp Repts 50-390/90-09 & 50-391/90-09. Corrective actions: Condition Adverse to Quality Rept WBP900114 & AI-8.19 issued to address problem w/ updating control room drawings.
MEDFORD,M.O. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 10pp. 54921:216-54921:225.

9008090142 Responds to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to Reactor Coolant Sys." Util will implement program to prevent thermal stratification as required by Item 3 before initial criticality.
MEDFORD,M.O. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54921:187-54921:189.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200112 Forwards Insp Repts 50-390/90-17 & 50-391/90-17 on 900618-0720. No violations or deviations noted.
WILSON,B.A. Region 2 (Post 820201). 90/08/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 54993:276-54993:288.

-9008200113 Insp Repts 50-390/90-17 & 50-391/90-17 on 900618-0720. No violations or deviations noted. Major areas inspected: reviews of action on previous findings, surveillance observations, review of prestart test program & Part 21 rept review.
BRANCH,M.W., BURRIS,S.P., BARR,K.P. Region 2 (Post 820201). 90/08/14. 10pp. 54993:279-54993:288.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:264-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

S. Reportable occurrences, LERs & related correspondence

9008030102 Interim deficiency rept re safety-related conduit supports. Util expects to submit final 10CFR50.55(e) rept by 900831.
MEDFORD,M.O. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54832:105-54832:107.

9008030172 Interim deficiency rept re inadequate qualification for cable supports & fittings. Initially reported on 890622. Util reviewing civil/seismic issues which may influence resolution of deficiency. Final rept provided by 900831.
MEDFORD,M.O. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54876:025-54876:027.

9008200076 Revised final deficiency rept for Unit 1 re instrument branch lines not seismically qualified. Initially reported on 850903. Final rept reported on 851003. Reevaluation will be performed for instrument lines within scope of rept.
WALLACE,E.G. Tennessee Valley Authority. 90/08/14. Document Control Branch (Document Control Desk). 4pp. 54996:108-54996:111.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9007260149 Forwards Rev 3 to "Watts Bar Nuclear Plant Q-List Corrective Action Program Plan," for info. Editorial changes, corrections & approach changes discussed.
WALLACE,E.G. Tennessee Valley Authority. 90/07/20. Document Control Branch (Document Control Desk). 3pp. 54733:033-54733:046.

-9007260150 Rev 3 to "Watts Bar Nuclear Plant Q-List Corrective Action Program Plan."
* Tennessee Valley Authority. 90/04/19. 11pp. 54733:036-54733:046.

9007300159 Ack receipt of 890223 & 900712 ltrs responding to Generic Ltr 88-14 re instrument air safety sys problems at plant.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/07/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 54745:356-54745:358.

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/ differing views expressed by employees in licensee nuclear power program.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON,M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

-9007310072 Forwards review of util current practices & procedures for dealing w/ differing views expressed by employees in licensee Nuclear Power Program.
RUNYON,M. Tennessee Valley Authority. 90/07/13. CARR,K.M. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020133 Forwards Rev 1 to TVA welding project final rept, initially submitted on 890825, reflecting rev of existing specs.
WALLACE,E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008020239 Forwards proposed updates to FSAR Section 3.11 re equipment qualification programs at plant. Proposed revs will be submitted in subsequent FSAR amend.
WALLACE,E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 15pp. 54820:063-54820:077.

9008030118 Forwards Rev 3 to "Watts Bar Nuclear Plant Design Baseline & Verification Program (DBVP) Corrective Action Program Plan."
WALLACE,E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54851:135-54851:173.

-9008030122 Rev 3 to "Watts Bar Nuclear Plant Design Baseline & Verification Program (DBVP) Corrective Action Program Plan."
STEVENS,R.J., MAULDIN,G.W., CROWE,S.W. Tennessee Valley Authority. 90/07/20. 31pp. 54851:138-54851:173.

9008060027 Provides proposed updates to FSAR Section 3.2.2.5 re plant heat code traceability program.
WALLACE,E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54842:357-54842:361.

9008060161 Forwards Rev 2 to "Welding Corrective Action Program Plan" & Rev 1 to "TVA Welding Project Watts Bar Nuclear Plant, Phase I Rept."
WALLACE,E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54877:079-54877:086.

-9008060164 Rev 1 to "TVA Welding Project Watts Bar Nuclear Plant, Phase I Rept."
* Tennessee Valley Authority. 90/07/31. 3pp. 54877:084-54877:086.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request.
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080046 Forwards tentative agenda for DCRDR & SPDS site audit on 900821-23. Audit will be performed by G West of NRC & JD Bor, consultant.
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54919:206-54919:209.

9008210039 Confirms 900720 telcon re mgt meeting to be conducted at site on 900816 to discuss general status, communication plans & other items of mutual interest. Proposed agenda encl.
WILSON,B.A. Region 2 (Post 820201). 90/08/07. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 55004:101-55004:104.

9008240067 Notification of significant meeting on 900810 w/util at plant site to discuss general status & communication plans. BARR,K.P. Region 2 (Post 820201). 90/08/07. Region 2 (Post 820201). 2pp. 55023:305-55023:306.

9008100109 Discusses util response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" & concludes that util provided assurance that program will be in place dealing boric acid leakage. TAM,P.S. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/08. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 54943:174-54943:175.

9008140076 Forwards safety evaluation accepting util 831107 response to Generic Ltr 83-28, Item 1.1, "Post-Trip Review" re required actions on generic implications of Salem ATWS events. Implementation date of Jul 1985 noted in 900628 discussed. TAM,P.S. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 54964:124-54964:131.

-9008140079 Safety evaluation of util 831107 info re Generic Ltr 83-28, Item 1.1, concluding that applicant post-trip review program & procedures acceptable. * NRC - No Detailed Affiliation Given. 90/08/13. 6pp. 54964:126-54964:131.

9008150217 Forwards request for addl info re Reg Guide 1.47, "Bypass & Inoperable Indication for Nuclear Power Plant Safety Sys." per Gridley 870129 ltr to Youngblood. TAM,P.S. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/13. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 54971:243-54971:246.

9008150285 Provides info that clarifies organizational Topical Rept TVA-NP089, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev. WALLACE,E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues. CORTLAND,P. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/15. HEBDON,F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 10pp. 54981:347-54981:355.

9008230178 Forwards draft safety evaluation re requirements for inadequate core cooling instrumentation, per NUREG-0737, Item II.F.2, "Clarification of TMI Action Plan Requirements." TAM,P.S. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/16. KINGSLEY,O.D. Tennessee Valley Authority. 10pp. 55020:156-55020:165.

9008230185 Confirms commitment that meteorological & environ monitoring program will remain operational & full environ monitoring position will be resumed, per NRC 900606 ltr. TAM,P.S. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55020:108-55020:110.

9008300089 Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response. HEBDON,F.J. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/24. ZIGROSSI,N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.

F. Security, medical, emergency & fire protection plans

9008070239 Forwards revs to physical security plan. Rev withheld (ref 10CFR73.21). WALLACE,E.G. Tennessee Valley Authority. 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54902:214-54902:215.

9008230185 Confirms commitment that meteorological & environ monitoring program will remain operational & full environ monitoring position will be resumed, per NRC 900606 ltr. TAM,P.S. Project Directorate II-4 ●formerly TVA Project Directorate● (Post 900603). 90/08/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55020:108-55020:110.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008080152 Forwards affidavit certifying svc of Amend 63 to FSAR on 900802 on listed individuals. MEDFORD,M.O. Tennessee Valley Authority. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54919:279-54919:280.

9008210136 Amend 64 to FSAR for Watts Bar Nuclear Plant, W/900816 ltr. WALLACE,E.G. Tennessee Valley Authority. 90/08/16. 450pp. 54996:248-54996:284.

Q. Inspection reports, IE Bulletins & correspondence

9007270031 Provides supplemental response to 900514 response to NRC 900412 notice of violation & proposed imposition of civil penalty in amount of \$240,000. Encl withheld. KINGSLEY,O.D. Tennessee Valley Authority. 90/07/20. Ofc of Enforcement (Post 870413). 6pp. 54723:348-54723:353.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008270208 Forwards Insp Repts 50-390/90-13 & 50-391/90-13 on 900514-18. Violations noted but not cited. WILSON,B.A. Region 2 (Post 820201). 90/08/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55032:252-55032:272.

-9008270210 Insp Repts 50-390/90-13 & 50-391/90-13 on 900514-18. Violations noted but not cited. Major areas inspected: layout procedures, implementation of preventive maint activities, QC & chemistry control. LIVERMORE,H.H., BARR,K.P. Region 2 (Post 820201). 90/07/30. 18pp. 55032:255-55032:272.

9008270195 Forwards Insp Repts 50-390/90-14 & 50-391/90-14 on 900519-0618 & notice of violation. WILSON,B.A. Region 2 (Post 820201). 90/08/03. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 55029:291-55029:313.

-9008270198 Notice of violation from insp on 900519-0618. Violations noted: test director not designated as required & test log containing documentation of test data & test deficiencies not maintained. WILSON,B.A. Region 2 (Post 820201). 90/08/03. 2pp. 55029:294-55029:295.

-9008270200 Insp Repts 50-390/90-14 & 50-391/90-14 on 900519-0618. Violations noted. Major areas inspected: surveillance operation, monthly maint observation, prestart test program review & review of corrective action program. BRANCH,M.W., BURRIS,S.P., HUMPHREY,P.G. Region 2 (Post 820201). 90/08/03. 18pp. 55029:296-55029:313.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090118 Responds to violations & deviations noted in Insp Repts 50-390/90-09 & 50-391/90-09. Corrective actions: Condition Adverse to Quality Rept WBP900114 & AI-8.19 issued to address problem w/ updating control room drawings. MEDFORD,M.O. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 10pp. 54921:216-54921:225.

9008090142 Responds to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to Reactor Coolant Sys." Util will implement program to prevent thermal stratification as required by Item 3 before initial criticality. MEDFORD,M.O. Tennessee Valley Authority. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54921:216-54921:189.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008200112 Forwards Insp Repts 50-390/90-17 & 50-391/90-17 on 900618-0720. No violations or deviations noted. WILSON,B.A. Region 2 (Post 820201). 90/08/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 54993:276-54993:288.

-9008200113 Insp Repts 50-390/90-17 & 50-391/90-17 on 900618-0720. No violations or deviations noted. Major areas inspected: reviews of action on previous findings, surveillance observations, review of prestart test program & Part 21 rept review. BRANCH,M.W., BURRIS,S.P., BARR,K.P. Region 2 (Post 820201). 90/08/14. 10pp. 54993:279-54993:288.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:414.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

S. Reportable occurrences, LERs & related correspondence

9008030102 Interim deficiency rept re safety-related conduit supports. Util expects to submit final 10CFR50.55(e) rept by 900831. MEDFORD,M.O. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54832:105-54832:107.

9008030172 Interim deficiency rept re inadequate qualification for cable supports & fittings. Initially reported on 890622. Util reviewing civil/seismic issues which may influence resolution of deficiency. Final rept provided by 900831. MEDFORD,M.O. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54876:025-54876:027.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

140 DOCKETED ITEMS

9008060047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270067 Forwards Insp Rept 50-395/90-19 on 900611-15. Violations noted.
COLLINS, D.M. Region 2 (Post 820201). 90/07/06. BRADHAM, O.S. South Carolina Electric & Gas Co. 3pp. 54735:124-54735:136.

-9007270070 Insp Rept 50-395/90-19 on 900611-15. Noncited violation noted. Major areas inspected: emergency preparedness to determine if licensee program being maintained in state of operational readiness for responding to emergencies.
GOODEN, A., RANKIN, W.H. Region 2 (Post 820201). 90/07/03. 10pp. 54735:127-54735:136.

9007310226 Forwards Amend 28 to physical security plan. Amend withheld (ref 10CFR73.21).
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/07/20. Document Control Branch (Document Control Desk). 1p. 54757:072-54757:072.

9008070072 Responds to NRC request for further justification re relocating emergency operations facility to corporate headquarters.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/01. HAYES, J.J. Document Control Branch (Document Control Desk). 2pp. 54930:327-54930:328.

9008100268 Revised EIPs, including Rev 14 to EPP-016 & Rev 1 to EPP-023.W/
900808 ltr.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/08. 51pp. 54934:279-54934:330.

9008150265 Advises that 900720 Amend 28 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CLINE, W.E. Region 2 (Post 820201). 90/08/13. BRADHAM, O.S. South Carolina Electric & Gas Co. 2pp. 54966:142-54966:143.

I. Financial information

9008020077 Forwards "Decommissioning Trust Agreement Between South Carolina Electric & Gas Co & Citizens & Southern Trust Co (South Carolina), Natl Assoc."
BRADHAM, O.S. South Carolina Electric & Gas Co. EDWARDS, T.G. South Carolina Public Service Authority (Santee Cooper). 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54826:281-54827:056.

-9008020078 "Decommissioning Trust Agreement Between South Carolina Electric & Gas Co & Citizens & Southern Trust Co (South Carolina), Natl Assoc."
* South Carolina Electric & Gas Co. 90/07/26. 89pp. 54826:290-54827:056.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008010074 Amend 6 to updated FSAR for Virgil C Summer Nuclear Station. W/900727 ltr.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/31. 900pp. 54885:095-54888:178.

P. Operating license stage documents & correspondence

9008030088 Provides notification that all actions re Generic Ltr 88-14, "Instrument Air Supply Sys Problems Affecting Safety-Related Equipment," completed.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54841:243-54841:244.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090201 Forwards safety evaluation re capability of plant to meet requirements of Branch Technical Position RSB 5-1, "Design Requirements of RHR Sys."
HAYES, J.J. Project Directorate II-1. 90/08/06. BRADHAM, O.S. South Carolina Electric & Gas Co. 2pp. 54922:029-54922:036.

-9008090203 Safety evaluation re capability of plant to meet requirements of Branch Technical Position RSB 5-1, "Design Requirements of RHR Sys." Design satisfies License Condition 4.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 6pp. 54922:031-54922:036.

9008200065 Forwards mods to 900516 Tech Spec change request re pressurizer code safety valve setpoint tolerance & Mode 3 exception, per 900713 telcon. Changes do not affect technical intent of 900516 submittal nor alter safety evaluation.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54996:123-54996:126.

-9008200068 Mod to 900516 Tech Specs Pages 3/4 4-7 & 3/4 4-8 re pressurizer code safety valve setpoint tolerance & Mode 3 exception.
* South Carolina Electric & Gas Co. 90/08/13. 2pp. 54996:125-54996:126.

9008170258 Forwards monthly operating rept for Jul 1990 & Rev 13 to ODCM for Virgil C Summer Nuclear Station. Rev implements changes necessary to permit removal of radiological effluent specs from Tech Specs as recommended by Generic Ltr 89-01.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54982:047-54982:247.

-9008170263 "ODCM for Virgil C Summer Nuclear Station."
BLUE, L.A. South Carolina Electric & Gas Co. 90/06/29. 187pp. 54982:056-54982:247.

Q. Inspection reports, IE Bulletins & correspondence

9007270067 Forwards Insp Rept 50-395/90-19 on 900611-15. Violations noted.
COLLINS, D.M. Region 2 (Post 820201). 90/07/06. BRADHAM, O.S. South Carolina Electric & Gas Co. 3pp. 54735:124-54735:136.

-9007270070 Insp Rept 50-395/90-19 on 900611-15. Noncited violation noted. Major areas inspected: emergency preparedness to determine if licensee program being maintained in state of operational readiness for responding to emergencies.
GOODEN, A., RANKIN, W.H. Region 2 (Post 820201). 90/07/03. 10pp. 54735:127-54735:136.

9008080215 Ack receipt of 900711 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-395/90-15. Implementation of corrective actions will be examined during future insps.
VERRELLI, D.M. Region 2 (Post 820201). 90/07/19. BRADHAM, O.S. South Carolina Electric & Gas Co. 2pp. 54903:269-54903:270.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008230007 Ack receipt of SALP Rept 50-395/90-11 & forwards comments on rept.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/07/30. EBNETER, S.D. Region 2 (Post 820201). 3pp. 55012:294-55012:296.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140490 Responds to violations noted in Insp Rept 50-395/90-18. Corrective action: personnel counseled on procedural compliance & importance of independent verification in maintaining proper sys alignment.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 54961:265-54961:267.

9008230001 Forwards final SALP Rept 50-395/90-11 & errata to initial SALP rept covering Jan 1989 to Apr 1990.
EBNETER, S.D. Region 2 (Post 820201). 90/08/13. BRADHAM, O.S. South Carolina Electric & Gas Co. 6pp. 55014:305-55014:339.

-9008230002 Errata to SALP Rept 50-395/90-11 for Jan 1989 - Apr 1990.
* NRC - No Detailed Affiliation Given. 90/08/13. 4pp. 55014:310-55014:313.

-9008230003 Final SALP Rept 50-395/90-11 for Jan 1989 - Apr 1990.
* Region 2 (Post 820201). 90/08/13. 26pp. 55014:314-55014:339.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008280307 Forwards Insp Rept 50-395/90-21 on 900701-31 & notice of violation.
VERRELLI, D.M. Region 2 (Post 820201). 90/08/15. BRADHAM, O.S. South Carolina Electric & Gas Co. 2pp. 55042:023-55042:034.

-9008280311 Notice of violation from insp on 900701-31. Violation noted: adequate corrective action not taken for 900220 & 0610 violations for mispositioned valves to preclude 900716 valve mispositioning.
VERRELLI, D.M. Region 2 (Post 820201). 90/08/14. 2pp. 55042:025-55042:026.

-9008280314 Insp Rept 50-395/90-21 on 900701-31. Violation noted. Major areas inspected: monthly surveillance observations, monthly maint observation, operational safety verification & onsite followup written repts of nonroutine events at facilities.
MODENOS, L.P., CANTRELL, F.S. Region 2 (Post 820201). 90/08/09. 8pp. 55042:027-55042:034.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280351 Discusses NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Decision on future insp frequency &/or sys mods should be deferred until internal components could be inspected.
BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/22. Document Control Branch (Document Control Desk). 2pp. 55044:196-55044:197.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9006170258 Forwards monthly operating rept for Jul 1990 & Rev 13 to ODCM for Virgil C Summer Nuclear Station. Rev implements changes necessary to permit removal of radiological effluent specs from Tech Specs as recommended by Generic Ltr 89-01. BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54982:047-54982:247.

-9006170260 Monthly operating rept for Jul 1990 for Virgil C Summer Nuclear Station. HALTIWANGER, J. South Carolina Electric & Gas Co. 90/07/31. 8pp. 54982:048-54982:055.

-9006170263 "ODCM for Virgil C Summer Nuclear Station." BLUE, L.A. South Carolina Electric & Gas Co. 90/06/29. 187pp. 54982:056-54982:247.

9008220162 Forwards first semiannual fitness-for-duty rept from 900103- 0630. Util pleased w/program, however, concerned about incorrect test results for blind performance specimens received from Roche Labs. BRADHAM, O.S. South Carolina Electric & Gas Co. 90/08/16. Document Control Branch (Document Control Desk). 7pp. 55006:059-55006:065.

S. Reportable occurrences, LERs & related correspondence

9008270201 Forwards AEOD Technical Review Rept AEOD/T90-11, "Effect of High Energy Line Breaks on Chilled Water Sys at Nuclear Power Plants." Licensees have taken corrective actions to address problem. No further AEOD action warranted. PADOVAN, L.M. Reactor Operations Analysis Branch. 90/08/14. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 1p. 55035:254-55035:257.

-9008270203 Technical Review Rept AEOD/T90-11, "Effect of High Energy Line Breaks on Chilled Water Sys at Nuclear Power Plants." PADOVAN, L. Office for Analysis & Evaluation of Operational Data, Director. 90/08/13. 3pp. 55035:255-55035:257.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR**P. Operating license stage documents & correspondence**

9007260268 Application for amend to License R-123, requesting NRC approval of amend to Tech Spec 6.2.3.(6). Proposed wording removes possible ambiguity present in current Tech Spec which could be erroneously interpreted. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 90/07/20. ADAMS, A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 1p. 54722:258-54722:258.

9008080311 Application for amend to License R-123, changing Tech Spec 6.2.3.(6) re audits of reactor operations. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 90/07/20. ADAMS, A. NRC - No Detailed Affiliation Given. 1p. 54922:028-54922:028.

9008220126 Advises that NRC resident inspectors M Lesser & J Kahle have been assigned to facility to become familiar w/operations. EBNETER, S.D. Region 2 (Post 820201). 90/07/20. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 3pp. 55006:282-55006:284.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9008020148 Forwards FEMA 900705 memo & rept re plant offsite activities during 900403 emergency preparedness remedial drill. Util should coordinate w/offsite authorities to ensure corrective actions taken to resolve areas. ROBERTS, J.P. Region 5 (Post 820201). 90/07/27. SORENSEN, G.C. Washington Public Power Supply System. 1p. 54828:162-54828:162.

9008060060 Advises that installation of detector check valve in fire protection underground piping sys complete, per 890911 ltr. Sys monitors for underground sys leakage over entire fire protection sys. SORENSEN, G.C. Washington Public Power Supply System. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54864:004-54864:004.

9008080217 Revised EIPs, including Rev 11 to 13.4.1, Rev 6 to 13.11.9, Rev 9 to 13.11.14, Rev 12 to 13.14.2 & Rev 12 to 13.14.7. BAKER, J.M. Washington Public Power Supply System. 90/08/02. 97pp. 54906:300-54907:046.

9008070254 Forwards Safeguards Insp Rept 50-397/90-19 on 900723-27. One licensee-identified violation re removal of keycard from protected area & another re failure to search vehicle cargo compartment reviewed. Rept withheld (ref 10CFR73.21). ROBERTS, J.P. Region 5 (Post 820201). 90/08/03. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 54879:277-54879:278.

I. Financial Information

9007310026 Provides decommissioning financial assurance certification rept for plant. Licensee accumulating funds in external sinking fund, per 10CFR50.75(e). SORENSEN, G.C. Washington Public Power Supply System. 90/07/26. Document Control Branch (Document Control Desk). 14pp. 54795:161-54795:174.

P. Operating license stage documents & correspondence

9008010163 Notification of 900726 meeting w/util in Region V ofc to discuss issues re facility restart & to receive briefing on status of certain licensee initiatives. RICHARDS, S.A. Region 5 (Post 820201). 90/07/24. Region 5 (Post 820201). 2pp. 54806:256-54806:257.

9008060064 Forwards justification for continued operation re emergency Diesel Generator 2 shorted turns. Justification concludes that diesel generator capable of supporting present operability requirements of Tech Specs. SORENSEN, G.C. Washington Public Power Supply System. 90/07/27. Document Control Branch (Document Control Desk). 12pp. 54855:348-54855:359.

9008080290 Forwards Amend 88 to License NPF-21 & safety evaluation. Amend revises Tech Spec Surveillance Requirements 4.0.3 & 4.0.4 by replacing existing requirements w/new surveillance requirements recommended by Generic Ltr 87-09. SAMWORTH, R.B. Project Directorate V. 90/08/01. SORENSEN, G.C. Washington Public Power Supply System. 3pp. 54919:218-54919:235.

-9008080292 Amend 88 to License NPF-21, revising Tech Spec Surveillance Requirements 4.0.3 & 4.0.4 by replacing existing requirements w/new surveillance requirements recommended by Generic Ltr 87-09. LARKINS, J.T. Project Directorate V. 90/08/01. 11pp. 54919:221-54919:231.

-9008080294 Safety evaluation supporting Amend 88 to License NPF-21. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 4pp. 54919:232-54919:235.

9008060168 Application for amend to License NPF-21, implementing Generic Ltr 88-16, "Removal of Cycle-Specific Parameter Limits from Tech Specs." Amend revises Tech Specs 1.0.3/4.2.1, 3/4.2.3, 3/4.2.4, 3/4.4.1, B3/4.2.1, B3/4.2.3 & 6.9. SORENSEN, G.C. Washington Public Power Supply System. 90/08/02. Document Control Branch (Document Control Desk). 5pp. 54864:227-54864:287.

-9008060171 Proposed Tech Specs, revising Sections 1.0.3/4.2.1, 3/4.2.3, 3/4.2.3/4.4.1, B3/4.2.1, B3/4.2.3 & 6.9 by implementing Generic Ltr 88-16, "Removal of Cycle-Specific Parameter Limits From Tech Specs." * Washington Public Power Supply System. 90/08/02. 56pp. 54864:232-54864:287.

9008070082 Submits justification for continued operation w/emergency diesel generator 2 shorted turns. SORENSEN, G.C. Washington Public Power Supply System. 90/08/02. Document Control Branch (Document Control Desk). 1p. 54903:064-54903:064.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130209 Provides engineering evaluation re loss of signal from containment monitoring sys. Concludes that unauthorized work activity by craftsman isolated. SORENSEN, G.C. Washington Public Power Supply System. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54956:165-54956:166.

9008150150 Forwards Amend 89 to License NPF-21 & safety evaluation. Amend revises notation in Table 4.3.7.12-1, "Radioactive Gaseous Effluent Monitoring Instrumentation Surveillance Requirements." ENG, P.L. Project Directorate V. 90/08/03. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 54972:017-54972:026.

-9008150154 Amend 89 to License NPF-21, revising notation in Table 4.3.7.12-1, "Radioactive Gaseous Effluent Monitoring Instrumentation Surveillance Requirements." LARKINS, J.T. Project Directorate V. 90/08/03. 5pp. 54972:019-54972:023.

-9008150156 Safety evaluation supporting Amend 89 to License NPF-21. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/03. 3pp. 54972:024-54972:026.

9008230092 Concurs w/conclusion that proposed mineral withdrawal from reactor sites most improbable & DOE controls adequate. LARKINS, J.T. Project Directorate V. 90/08/15. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 55011:357-55011:358.

Q. Inspection reports, IE Bulletins & correspondence

9007270001 Forwards Insp Rept 50-397/90-14 on 900514-0617. Violations re inadequate grounding practices & failure to follow std electrical practices noted. RICHARDS, S.A. Region 5 (Post 820201). 90/07/11. SORENSEN, G.C. Washington Public Power Supply System. 4pp. 54734:253-54734:269.

-9007270002 Insp Rept 50-397/90-14 on 900514-0617. Violations noted, but not cited. Major areas inspected: control room operations, licensee actions on previous insp findings, ESF status, surveillance program, maint program & LERs. JOHNSON, P.H. Region 5 (Post 820201). 90/07/11. 13pp. 54734:257-54734:269.

9007300064 Discusses util 900529 response to violations noted in Insp Rept 50-397/90-09. No further response required based on measures taken to improve previous procedural guidance & field training given to operators. ZIMMERMAN, R.P. Region 5 (Post 820201). 90/07/23. SORENSEN, G.C. Washington Public Power Supply System. 7pp. 54740:253-54740:263.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070077 Ack receipt of 900706 response to violations noted in Insp Rept 50-397/90-10. RICHARDS, S.A. Region 5 (Post 820201). 90/07/30. SORENSEN, G.C. Washington Public Power Supply System. 1p. 54942:001-54942:004.

142 DOCKETED ITEMS

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008070254 Forwards Safeguards Insp Rept 50-397/90-19 on 900723-27. One licensee-identified violation re removal of keyclad from protected area & another re failure to search vehicle cargo compartment reviewed. Rept withheld (ref 10CFR73.21).
ROBERTS,J.P. Region 5 (Post 820201). 90/08/03. SORESEN,G.C. Washington Public Power Supply System. 2pp. 54879:277-54879:278.

9008160137 Forwards Insp Rept 50-397/90-18 on 900709-13. No violations noted.
YUHAS,G.P. Region 5 (Post 820201). 90/08/03. SORESEN,G.C. Washington Public Power Supply System. 3pp. 54981:024-54981:034.

-9008160140 Insp Rept 50-397/90-18 on 900709-13. No violations noted. Major areas inspected: LER, radiation protection during current plant outage, training & plant process water quality over preceding operating cycle.
TENBROOK,W.K., GARCIA,E.M., YUHAS,G.P. Region 5 (Post 820201). 90/08/03. 8pp. 54981:027-54981:034.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008130106 Establishes SALP review board for facility for period of June 1989 - Aug 1990. Region V. Ofc of Investigations director requested to provide summary of major investigative activities involving plant & results.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/08/07. SCARANO,R., KIRSCH,D. Region 5 (Post 820201). LARKINS,J. Project Directorate V. 22pp. 54957:141-54957:161.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008270007 Forwards Maint Team Insp Rept 50-397/90-05 on 900521-0615. Overall maint program satisfactory. Violation noted but not cited.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/08/09. MAZUR,D.W. Washington Public Power Supply System. 6pp. 55035:327-55035:046.

-9008270010 Insp Rept 50-397/90-05 on 900521-25 & 0604-15. Violation noted but not cited. Major areas inspected: maint program & implementation of related activities.
TOTH,A.D., HUEY,R. Region 5 (Post 820201). 90/08/01. 75pp. 55035:333-55035:046.

9008140495 Provides info re final assessment of causes & corrective actions associated w/recent 25 kV iso-phase bus electrical fault incident, per request in cover ltr to Insp Rept 50-397/90-14. Plant Procedure 10.25.141 will be revised.
BOUCHEY,G.D. Washington Public Power Supply System. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 54964:092-54964:094.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170005 Monthly operating rept for Jul 1990 for Washington Nuclear Plant 2.W/900808 ltr.
HUTCHISON,L.B., BAKER,J.W. Washington Public Power Supply System. 90/07/31. 4pp. 54981:087-54981:090.

S. Reportable occurrences, LERs & related correspondence

9008100024 LER 89-010-01: on 890501, experienced momentary loss of 120-volt ac power to bus & on 890503, bus suffered sustained loss of 120-volt ac power. Caused by nameplate falling into reactor protection sys bus A supply circuitry. W/900723 ltr.
DAVISON,W.S., BAKER,J.W. Washington Public Power Supply System. 89/12/05. 6pp. 54952:290-54952:295.

9008080204 LER 90-014-00: on 900703, HPCS sys pump suction switchover from condensate storage tanks to suppression pool occurred due to suppression pool high water level condition. Caused by procedural inadequacy. Procedures modified. W/900802 ltr.
ARBUCKLE,J.D., BAKER,J.W. Washington Public Power Supply System. 90/08/02. 7pp. 54904:266-54904:272.

9008160148 LER 90-012-01: on 900527, failure of diesel generator slip ring end bearing resulted in fire in bearing area. Caused by mfg error, design deficiency & personnel error. Emergency operating procedures used to deal w/fire. W/900809 ltr.
DAVISON,W.S., BAKER,J.W. Washington Public Power Supply System. 90/08/09. 13pp. 54974:303-54974:315.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing nail exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080076 Forwards "Shearon Harris Nuclear Power Plant Exercise on 890914." KWIAKOWSKI,D. Federal Emergency Management Agency. 90/07/09. CONGEL,F.J. Radiation Protection Branch. 2pp. 54908:099-54908:140.

-9008080082 "Shearon Harris Nuclear Power Plant Exercise on 890914."
* Federal Emergency Management Agency. 90/01/02. 40pp. 54908:101-54908:140.

9008020007 Revs to plant emergency procedures, including Rev 2 to PEP-216, Rev 6 to PEP-301, Rev 4 to PEP-203, Rev 5 to PEP-201, Change 1 to Rev 9 to PEP-102, Change 2 to Rev 3 to PEP-381 & Change 1 to Rev 7 to PEP-204. W/900724 ltr.
RICHEY,R.B. Carolina Power & Light Co. 90/07/24. 84pp. 54825:243-54825:326.

9008080007 Forwards FEMA final exercise rept of 890914 plant emergency exercise. No deficiencies noted. W/o rept.
COLLINS,D.M. Region 2 (Post 820201). 90/07/27. EURY,L.W. Carolina Power & Light Co. 2pp. 54908:048-54908:049.

9008080039 Confirms 900806 mgt meeting w/util in Atlanta, GA to discuss emergency preparedness issues.
REYES,L.A. Region 2 (Post 820201). 90/07/27. EURY,L.W. Carolina Power & Light Co. 3pp. 54905:265-54905:267.

9008200102 Notification of 900806 mgt meeting w/util in Atlanta, GA to discuss facility corporate emergency preparedness issues.
VERRELLI,D.M. Region 2 (Post 820201). 90/07/27. Region 2 (Post 820201). 2pp. 54996:127-54996:128.

9008020226 Forwards Rev 5 to security plan. Rev withheld (ref 10CFR73.21).
RICHEY,R.B. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 2pp. 54820:289-54820:290.

9008030185 Forwards "Plan for Shearon Harris Nuclear Power Plant Emergency Exercise - 900919," per NRC request. W/o encl.
LOFLIN,L.I. Carolina Power & Light Co. 90/07/31. Document Control Branch (Document Control Desk). 1p. 54876:017-54876:017.

9008240252 Forwards "Shearon Harris Nuclear Power Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
PETERSON,G.C. Federal Emergency Management Agency. 90/08/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 55033:007-55033:283.

-9008240253 "Shearon Harris Nuclear Power Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
* Federal Emergency Management Agency. 90/04/23. 300pp. 55033:008-55033:283.

9008130284 Advises that 900730 Rev 5 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CLINE,W.E. Region 2 (Post 820201). 90/08/09. EURY,L.W. Carolina Power & Light Co. 2pp. 54963:276-54963:277.

I. Financial Information

9007310163 Forwards, "CP&L Master Decommissioning Trust Agreement for..." providing decommissioning financial assurance certification for facility, per 10CFR50.75.
CUTTER,A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54768:176-54768:223.

-9007310165 "CP&L Master Decommissioning Trust Agreement for: Brunswick Steam Electric Plant (BSEP) Unit 1, BSEP Unit 2, Shearon Harris Nuclear Power Plant, HB Robinson Steam Electric Plant Unit 2."
* Carolina Power & Light Co. 90/07/19. 44pp. 54768:180-54768:223.

9008010102 Forwards "CP&L Decommissioning Financial Assurance Certification Rept for Shearon Harris Nuclear Power Plant."
CUTTER,A.B. Carolina Power & Light Co. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54806:166-54806:213.

M. Antitrust correspondence

9008020177 Advises of NRC closure of file re informal complaint against CP&L by North Carolina Eastern Municipal Power Agency dtd 890505, due to agency withdrawal of complaint.
BECKER,R.A. Project Directorate II-1. 90/07/25. AVERY,G.A. Cadwalader, Wickersham & Taft. 2pp. 54826:009-54826:010.

9008020180 Advises that NRC closing file re informal complaint against Carolina Power & Light by North Carolina Eastern Municipal Power Agency, per 900612 ltr.
BECKER,R.A. Project Directorate II-1. 90/07/25. NEWALL,G.J. Spiegel & McDiarmid. 2pp. 54826:032-54826:033.

P. Operating license stage documents & correspondence

9008060305 Confirms 900730 electronic transfer for fourth quarterly installment payments of NRC FY90 annual fees per 10CFR171 for listed plants. LOFLIN,L.I. Carolina Power & Light Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54876:314-54876:314.

9008060091 Forwards Amend 20 to License NPF-63 & safety evaluation. Amend clarifies requirements of Item 6.a & Action Statement 23 of Tech Spec Table 3.3-3 "ESFAS Instrumentation." BECKER,R.A. Project Directorate II-1. 90/07/31. EURY,L.W. Carolina Power & Light Co. 2pp. 54864:090-54864:099.

9008060092 Amend 20 to License NPF-63,clarifying requirements of Item 6.a & Action Statement 23 of Tech Spec Table 3.3-3, "ESFAS Instrumentation." ADENSAM,E.G. Project Directorate II-1. 90/07/31. 5pp. 54864:092-54864:096.

9008060093 Safety evaluation supporting Amend 20 to License NPF-63. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 3pp. 54917:297-54917:304.

9008080211 Forwards safety evaluation accepting seismic design of flexible vertical tanks. BECKER,R.A. Project Directorate II-1. 90/07/31. EURY,L.W. Carolina Power & Light Co. 2pp. 54917:295-54917:304.

9008080214 Safety evaluation re seismic design of flexible vertical tanks.Tanks acceptable. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 8pp. 54917:297-54917:304.

9008130051 Forwards NRC response to Westinghouse Owners Group on PASS TMI Item II.B.3,for info. BECKER,R.A. Project Directorate II-1. 90/08/02. EURY,L.W. Carolina Power & Light Co. 11pp. 54956:071-54956:081.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090101 Forwards addl info re operator action times assumed in steam generator tube rupture analyses for plant,per 900712 telcon. LOFLIN,L.I. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54921:214-54921:215.

9008150278 Informs that action committed to in response to Generic Ltr 88-14, "Instrument Air Supply Sys," completed. CUTTER,A.B. Carolina Power & Light Co. 90/08/10. Document Control Branch (Document Control Desk). 1p. 54972:059-54972:059.

9008220146 Notification of 900824 meeting w/util in Raleigh,NC to discuss licensing process & submittals. LE,N. Project Directorate II-1. 90/08/17. ADENSAM,E.G. Project Directorate II-1. 3pp. 55000:274-55000:276.

Q. Inspection reports, IE Bulletins & correspondence

9008060110 Summary of 900612 meeting w/util in Rockville,MD re recent pilot electrical distribution sys functional insp of plant. List of attendees encl. BECKER,R.A. Project Directorate II-1. 90/07/26. Project Directorate II-1. 7pp. 54876:252-54876:258.

9008080291 Ack receipt of 900706 ltr commenting on electrical distribution sys functional insp rept findings discussed in Insp Rept 50-400/90-200 issued on 900427.NRC evaluating addl info to determine if any enforcement action appropriate. JULIAN,C.A. Region 2 (Post 820201). 90/07/26. EURY,L.W. Carolina Power & Light Co. 2pp. 54914:359-54914:360.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230095 Confirms that check electronically transferred to NRC on 900815 for payment of NRC insp costs,per 10CFR170. LOFLIN,L.I. Carolina Power & Light Co. 90/08/17. Document Control Branch (Document Control Desk). 2pp. 55016:144-55016:145.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170019 Monthly operating rept for Jul 1990 for Harris Nuclear Power Plant,Unit 1.W/900813 ltr. HALE,M.W., RICHEY,R.B. Carolina Power & Light Co. 90/07/31. 6pp. 54991:024-54991:029.

S. Reportable occurrences, LERs & related correspondence

9008060343 LER 90-017-00:on 900620,several attempts to start Train 1B-SB of essential svcs chilled water failed.Caused by mispositioned root isolation valve.Position of valve corrected & vendor valves tagged.W/900731 ltr. SCHWABENBAUER, RICHEY,R.B. Carolina Power & Light Co. 90/07/31. 2pp. 54904:194-54904:195.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR**I. Financial Information**

9007270209 Submits info re decommissioning reactors,per 10CFR50.33 & 50.75 & NRC rule entitled, "General Requirements for Decommissioning Nuclear Facilities." SANDQUIST,G.M., GEHMLICH,D.K., PERSHING,D.W. Utah, Univ. of, Salt Lake City, UT. 90/07/17. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54980:333-54980:334.

9008090025 Forwards 900717 ltr assuring financial responsibility to provide adequate funds for decommissioning reactors. BENNION,J.S. Utah, Univ. of, Salt Lake City, UT. 90/07/25. MENDONCA,M.M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir.(891001-900602). 1p. 54921:088-54921:090.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR**I. Financial Information**

9007270111 Forwards decommissioning fund rept for plant. BERG,W.L. Dairyland Power Cooperative. 90/07/25. Document Control Branch (Document Control Desk). 42pp. 54792:284-54792:325.

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

144 DOCKETED ITEMS

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Qualification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008090391 Revised EIPs, including Rev 10 to S-EPP-3, Rev 12 to S-EPP-5, Rev 1 to S-EPP-10, Rev 9 to S-EPP-16, Rev 4 to S-EPP-25. W/ 900727 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 90/07/27. 300pp. 54932:001-54932:300.

9008070050 Forwards Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712 & notice of violation. Corrective actions did not identify addl blue mark-up controlled components which were out of position & subsequently discovered by inspector.
COWGILL,C.J. Region 1 (Post 820201). 90/07/31. BURKHARDT,L. Niagara Mohawk Power Corp. 3pp. 54915:079-54915:102.

-9008070053 Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712. Violations noted. Major areas inspected: plant operations, surveillance & maint, emergency preparedness, security, engineering & technical support & safety assessment.
MEYER,G.W. Region 1 (Post 820201). 90/07/26. 20pp. 54915:083-54915:102.

9008090395 Forwards final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990. Change to Category 2 rating given in initial SALP rept not warranted. List of attendees, 900507 & 0702 ltr encl.
MARTIN,T.T. Region 1 (Post 820201). 90/08/01. ENDRIES,J. Niagara Mohawk Power Corp. 5pp. 54934:035-54934:106.

-9008090406 Final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990.
* Region 1 (Post 820201). 90/08/01. 64pp. 54934:040-54934:106.

H. General correspondence

9008280279 Notices of recent organizational changes within util nuclear div, effective 900701.
BURKHARDT,L. Niagara Mohawk Power Corp. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55041:089-55041:089.

P. Operating license stage documents & correspondence

9008030106 Forwards specific corrective actions & closure plan re potential nonconforming conditions in certain piping stress calculations.
TERRY,C.D. Niagara Mohawk Power Corp. 90/07/27. Document Control Branch (Document Control Desk). 12pp. 54851:201-54851:212.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008070330 Partial response to FOIA request for info re facility. App A documents available in PDR.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/03. PERSON,J.C. Newman & Holtzinger. 2pp. 54844:183-54844:184.

9008130192 Discusses licensee engineering initiatives. Encourages initiation of initiative similar to Region V licensee establishment of engineering managers forum.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. MANGAN,C. Niagara Mohawk Power Corp. 4pp. 54951:269-54951:272.

9008090205 Advises that facility satisfactorily meets SPDS requirements of Generic Ltr 89-06 & Suppl 1 of NUREG-0737, per util 890711 ltr.
MARTIN,R.E. Project Directorate I-1. 90/08/08. BURKHARDT,L. Niagara Mohawk Power Corp. 3pp. 54922:001-54922:003.

9008230145 Forwards safety evaluation accepting util 880726, 891101 & 1214 responses to Generic Ltr 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping." Response to unresolved items requested within 60 days. W/technical rept.
MARTIN,R.E. Project Directorate I-1. 90/08/17. BURKHARDT,L. Niagara Mohawk Power Corp. 2pp. 55020:311-55020:351.

-9008230146 Safety evaluation accepting util responses to Generic Ltr 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping." Licensee requested to resubmit response to insp plans as discussed.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/17. 6pp. 55020:313-55020:319.

-9008230172 Final revised "Technical Evaluation Rept on Response From Niagara Mohawk Power Corp. to Generic Ltr 88-01 re Nine Mile Point, Unit 2."
BATES,R.C., LAKNER,A. Viking Systems International. NRC-03-87-028. 90/03/31. NRC - No Detailed Affiliation Given. 32pp. 55020:320-55020:351.

9008230240 Forwards Amend 21 to License NPF-69 & safety evaluation. Amend revises Tech Spec Sections 3/4.3.6 & 3/4.3.7, 3/4.9.2 & 3/4.9.10.
MARTIN,R.E. Project Directorate I-1. 90/08/17. BURKHARDT,L. Niagara Mohawk Power Corp. 2pp. 55014:263-55014:288.

-9008230241 Amend 21 to License NPF-69, revising Tech Spec Sections 3/4.3.6, 3/4.3.7, 3/4.9.2 & 3/4.9.10.
CAPRA,R.A. Project Directorate I-1. 90/08/17. 17pp. 55014:265-55014:281.

-9008230242 Safety evaluation supporting Amend 21 to License NPF-69.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/17. 7pp. 55014:282-55014:288.

9008280278 Discusses status of completion of Generic Safety Issue 75, Item 2.2.2 re vendor interface for safety-related components.
TERRY,C.D. Niagara Mohawk Power Corp. 90/08/21. Document Control Branch (Document Control Desk). 1p. 55044:214-55044:214.

Q. Inspection reports, IE Bulletins & correspondence

9008070328 FOIA request for listed documents re facility, including summary of 810126 meeting on QA reorganization, status ins, enforcement conference & investigation repts & stated SALPs.
PERSON,J.C. Newman & Holtzinger. 90/06/13. ROBINSON,L. Division of Freedom of Information & Publications Services (Post 890205). 10pp. 54844:173-54844:182.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070050 Forwards Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712 & notice of violation. Corrective actions did not identify addl blue mark-up controlled components which were out of position & subsequently discovered by inspector.
COWGILL,C.J. Region 1 (Post 820201). 90/07/31. BURKHARDT,L. Niagara Mohawk Power Corp. 3pp. 54915:079-54915:102.

-9008070053 Insp Repts 50-220/90-06 & 50-410/90-06 on 900531-0712. Violations noted. Major areas inspected: plant operations, surveillance & maint, emergency preparedness, security, engineering & technical support & safety assessment.
MEYER,G.W. Region 1 (Post 820201). 90/07/26. 20pp. 54915:083-54915:102.

9008090395 Forwards final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990. Change to Category 2 rating given in initial SALP rept not warranted. List of attendees, 900507 & 0702 ltr encl.
MARTIN,T.T. Region 1 (Post 820201). 90/08/01. ENDRIES,J. Niagara Mohawk Power Corp. 5pp. 54934:035-54934:106.

-9008090406 Final SALP Repts 50-220/89-99 & 50-410/89-99 for Mar 1989 - Feb 1990.
* Region 1 (Post 820201). 90/08/01. 64pp. 54934:040-54934:106.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008210095 Forwards response to regulatory effectiveness review on 900604-08. Response withheld (ref 10CFR73.21).
BERATTA,J.P. Niagara Mohawk Power Corp. 90/08/15. Document Control Branch (Document Control Desk). 1p. 55000:130-55000:130.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230145 Forwards safety evaluation accepting until 880728,891101 & 1214 responses to Generic Ltr 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping." Response to unresolved items requested within 60 days.W/technical rept.
MARTIN,R.E. Project Directorate I-1. 90/08/17. BURKHARDT,L. Niagara Mohawk Power Corp. 2pp. 55020:311-55020:351.

9008230146 Safety evaluation accepting until responses to Generic Ltr 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping." Licensee requested to resubmit response to insp plans as discussed.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/17. 6pp. 55020:313-55020:319.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220121 Monthly operating rept for Jul 1990 for Nine Mile Point, Unit 2.W/900814 ltr.
SAUNDERSON,R., FIRLIT,J.F. Niagara Mohawk Power Corp. 90/07/31. 5pp. 55001:182-55001:186.

9008130213 Forwards monthly NPDES discharge monitoring rept for Jan- June 1990.Violations noted.
FIRLIT,J.F. Niagara Mohawk Power Corp. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54958:221-54958:237.

9008130215 Discharge monitoring rept for Jan 1990.
* Niagara Mohawk Power Corp. 90/01/31. 2pp. 54958:223-54958:224.

9008130216 Discharge monitoring rept for Feb 1990.
* Niagara Mohawk Power Corp. 90/02/28. 4pp. 54958:225-54958:228.

9008130217 Discharge monitoring rept for Mar 1990.
* Niagara Mohawk Power Corp. 90/03/31. 3pp. 54958:229-54958:231.

9008130218 Discharge monitoring rept for Apr 1990.
* Niagara Mohawk Power Corp. 90/04/30. 2pp. 54958:232-54958:233.

9008130219 Discharge monitoring rept for May 1990.
* Niagara Mohawk Power Corp. 90/05/31. 2pp. 54958:234-54958:235.

9008130220 Discharge monitoring rept for June 1990.
* Niagara Mohawk Power Corp. 90/06/30. 2pp. 54958:236-54958:237.

S. Reportable occurrences, LERs & related correspondence

9008230207 Special rept on 900802,RHR HX svc water radiation monitor out of svc for more than 72 h.On 900801,svc water sample pump rotor & two bearings found out of tolerance.Event on 900801 was cause of 900802 event.
FIRLIT,J.F. Niagara Mohawk Power Corp. 90/08/15. Document Control Branch (Document Control Desk). 2pp. 55019:328-55019:329.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008070099 Forwards Safety Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622 & notice of deviation.
WENZINGER,E.C. Region 1 (Post 820201). 90/07/24. SIEBER,J.D. Duquesne Light Co. 2pp. 54915:059-54915:078.

9008160024 Forwards Security Insp Repts 50-334/90-17 & 50-412/90-17 on 900716-20.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/09. SIEBER,J.D. Duquesne Light Co. 2pp. 54992:235-54992:243.

9008160027 Physical Security Insp Repts 50-334/90-17 & 50-412/90-17.No violations noted.Major areas inspected:mgt support,security program plans,audits,protected & vital area physical barriers,detection & assessment aids,packages & vehicles.
SMITH,G.C. Region 1 (Post 820201). 90/08/08. 7pp. 54992:237-54992:243.

J. Insurance & Indemnity Information

9008060337 Forwards Endorsement 105 to Policy NF-226.
O'CONNOR,D.J. Marsh & McLennan, Inc. 90/08/02. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54915:001-54915:002.

P. Operating license stage documents & correspondence

9008020174 Forwards notice of consideration of issuance of amend to License NPF-73 & proposed NSHC determination & opportunity for hearing.Notice regards amend deleting Surveillance Requirement 4.9.3.1.d from Tech Specs.
DE AGAZIO,A. Project Directorate I-4. 90/07/24. SIEBER,J.D. Duquesne Light Co. 2pp. 54826:011-54826:019.

9008020175 Notice of consideration of issuance of amend to License NPF-73 & proposed NSHC determination & opportunity for hearing.Amend regards deletion of Surveillance Requirement 4.9.3.1.d from Tech Specs.
DE AGAZIO,A.W. Project Directorate I-4. 90/07/24. 7pp. 54826:013-54826:019.

9008060059 Forwards revised methodology for achieving alternate ac for plant,per 900720 telcon.
SIEBER,J.D. Duquesne Light Co. 90/07/27. Document Control Branch (Document Control Desk). 8pp. 54877:088-54877:095.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008130198 Discusses licensee engineering initiatives.Encourages initiation of initiative similar to Region V establishment of engineering managers forum.
MARTIN,T.T. Region 1 (Post 820201). 90/08/06. SIEBER,J.D. Duquesne Light Co. 4pp. 54956:089-54956:092.

Q. Inspection reports, IE Bulletins & correspondence

9008070099 Forwards Safety Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622 & notice of deviation.
WENZINGER,E.C. Region 1 (Post 820201). 90/07/24. SIEBER,J.D. Duquesne Light Co. 2pp. 54915:059-54915:078.

9008070101 Notice of deviation from insp on 900505-0622.Violation noted:failure to ensure that procedural controls to assure flange would be removed during power operation existed on or before 900622.
* Region 1 (Post 820201). 90/07/24. 2pp. 54915:061-54915:062.

9008070103 Insp Repts 50-334/90-12 & 50-412/90-12 on 900505-0622. Violations noted.Major areas inspected:plant operations, radiological protection,surveillance & maint,emergency preparedness,security & engineering & technical support.
RULAND,W. Region 1 (Post 820201). 90/07/24. 16pp. 54915:063-54915:078.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008070081 Responds to NRC Bulletin 90-001.Items 1 through 5 of requested actions for operating reactors completed.
SIEBER,J.D. Duquesne Light Co. 90/07/31. Document Control Branch (Document Control Desk). 5pp. 54930:322-54930:326.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160024 Forwards Security Insp Repts 50-334/90-17 & 50-412/90-17 on 900716-20.No violations noted.
BELLAMY,R.R. Region 1 (Post 820201). 90/08/09. SIEBER,J.D. Duquesne Light Co. 2pp. 54992:235-54992:243.

9008160027 Physical Security Insp Repts 50-334/90-17 & 50-412/90-17.No violations noted.Major areas inspected:mgt support,security program plans,audits,protected & vital area physical barriers,detection & assessment aids,packages & vehicles.
SMITH,G.C., DELLA RATTIA,A., KEIMIG,R.R. Region 1 (Post 820201). 90/08/08. 7pp. 54992:237-54992:243.

9008170015 Forwards Requalification Program Evaluation Rept 50-412/90-11(OL-RQ) administered on 900529-0607.Program assigned overall rating of satisfactory.
GALLON,R.M. Region 1 (Post 820201). 90/08/10. SIEBER,J.D. Duquesne Light Co. 2pp. 54992:001-54992:032.

146 DOCKETED ITEMS

—9008170020 Requalification Program Evaluation Rept 50-412/90-11OL-RQ on 900529-0607. Evaluation results: 15 of 16 operators passed all portions of exam & 3 of 4 crews evaluated as satisfactory.
SILK,D.M., ESELGROTH,P. Region 1 (Post 820201). 90/08/09. 29pp. 54982:003-54982:032.

9008060246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170016 Monthly operating repts for Jul 1990 for Beaver Valley Power Station, Units 1 & 2. W/900809 ltr.
WINGER,M.A., SIEBER,J.D. Duquesne Light Co. 90/07/31. 9pp. 54991:051-54991:059.

S. Reportable occurrences, LERs & related correspondence

9008060114 LER 90-008-00: on 900702, reactor trip occurred, resulting from turbine/generator trip. Caused by personnel error which resulted in protection relay actuation. Event reviewed w/ personnel & design mod being reviewed. W/900801 ltr.
NOONAN,T.P. Duquesne Light Co. 90/08/01. 7pp. 54904:170-54904:176.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008170015 Forwards Requalification Program Evaluation Rept 50-412/90-11(OL-RQ) administered on 900529-0607. Program assigned overall rating of satisfactory.
GALLO,R.M. Region 1 (Post 820201). 90/08/10. SIEBER,J.D. Duquesne Light Co. 2pp. 54982:001-54982:032.

—9008170020 Requalification Program Evaluation Rept 50-412/90-11OL-RQ on 900529-0607. Evaluation results: 15 of 16 operators passed all portions of exam & 3 of 4 crews evaluated as satisfactory.
SILK,D.M., ESELGROTH,P. Region 1 (Post 820201). 90/08/09. 29pp. 54982:003-54982:032.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

E. NRC Safety Evaluation Report (SER), suppl & correspondence

9007310158 Reviews emergency response capability & conformance to Rev 2 to Reg Guide 1.97, per SSER 5 (NUREG-0954).
JABBOUR,K.M. Division of Reactor Projects - I/II (Post 870411). 90/07/27. TUCKER,H.B. Duke Power Co. 2pp. 54769:300-54769:301.

F. Security, medical, emergency & fire protection plans

9007310158 Reviews emergency response capability & conformance to Rev 2 to Reg Guide 1.97, per SSER 5 (NUREG-0954).
JABBOUR,K.M. Division of Reactor Projects - I/II (Post 870411). 90/07/27. TUCKER,H.B. Duke Power Co. 2pp. 54769:300-54769:301.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008160208 Forwards public version of Rev 26 to Station Directive 3.8.4, "Onsite Emergency Organization."
TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54972:328-54972:356.

—9008160210 Rev 26 to Station Directive 3.8.4, "Onsite Emergency Organization."
OWEN,T.B. Duke Power Co. 90/08/01. 25pp. 54972:331-54972:356.

9008170046 Revised crisis mgt plan implementing procedures, including Rev 7 to EDA-3 & Rev 4 to EDA-4. W/900813 ltr.
TUCKER,H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8 & Rev 35 to CMIP-9. W/DH Grimsley 900821 release memo.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55031:276.

—9008240141 Public version of revised crisis mgt implementing procedures, including Rev 36 to CMIP-1, Rev 32 to CMIP-4, Rev 36 to CMIP-5, Rev 41 to CMIP-6, Rev 40 to CMIP-7, Rev 27 to CMIP-8, Rev 35 to CMIP-9 & Rev 7 to CMIP-11.
* Duke Power Co. 90/08/14. 400pp. 55030:217-55031:276.

I. Financial Information

9008060150 Forwards decommissioning financial assurance certification rept for Duke Power Co., co-owner of Catawba Nuclear Station Units 1 & 2.
HAUSER,D.L. Duke Power Co. 90/07/27. Document Control Branch (Document Control Desk). 9pp. 54858:158-54858:223.

—9008060151 "Restated Operating & Fuel Agreement."
* Duke Power Co. 82/06/21. 54pp. 54858:167-54858:223.

9008230066 Forwards 1989 annual repts for Duke Power Co., North Carolina Municipal Power Agency 1, North Carolina Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

—9008230068 "North Carolina Municipal Power Agency 1, Annual Rept For 1989."
BOBO,J.T. North Carolina Municipal Power Agencies. 89/12/31. 32pp. 55023:080-55023:112.

—9008230070 "North Carolina Electric Membership Cooperative, Annual Rept For 1989."
KELLER,W. North Carolina Electric Membership Corp. 89/12/31. 27pp. 55023:113-55023:141.

—9008230072 "Piedmont Municipal Power Agency & Saluda River Electric Cooperative, Annual Rept For 1989."
SMOAK,C.F. Piedmont Municipal Power Agency. 89/12/31. 104pp. 55023:142-55023:250.

P. Operating license stage documents & correspondence

9008020061 Forwards request for addl info re util 900315 submittal of general relief request for pumps in inservice testing program. Addl info re certain areas that deviate from OM-6, identified in encl, required to complete NRC review.
JABBOUR,K.N. Project Directorate II-3. 90/07/23. TUCKER,H.B. Duke Power Co. 3pp. 54820:355-54820:357.

9008020236 Forwards response to 900327 request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire."
TUCKER,H. Duke Power Co. 90/07/25. Document Control Branch (Document Control Desk). 49pp. 54826:092-54826:140.

9008080221 Requests addl info re DPC-NE-2004, "Core Thermal-Hydraulic Methodology Using VIPRE-01 for McGuire & Catawba." Requests response expeditiously.
HOOD,D.S. Project Directorate II-3. 90/08/02. TUCKER,H.B. Duke Power Co. 7pp. 54931:135-54931:141.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000.
TUCKER,H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008130171 Forwards response to request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire."
TUCKER,H.B. Duke Power Co. 90/08/08. Document Control Branch (Document Control Desk). 41pp. 54958:290-54958:330.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101.
MATTHEWS,D.B. Project Directorate II-3. 90/08/15. TUCKER,H.B. Duke Power Co. 4pp. 54995:268-54995:271.

9008240201 Forwards Amends 77 & 71 to Licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends change Tech Specs by revising administrative control requirements for safety review group.
JABBOUR,K.N. Project Directorate II-3. 90/08/20. TUCKER,H.B. Duke Power Co. 2pp. 55029:258-55029:268.

—9008240202 Amends 77 & 71 to Licenses NPF-35 & NPF-52, respectively, changing Tech Specs by revising administrative control requirements for safety review group.
MATTHEWS,D.B. Project Directorate II-3. 90/08/20. 7pp. 55029:260-55029:266.

—9008240203 Safety evaluation supporting Amends 77 & 71 to Licenses NPF-35 & NPF-52, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/20. 2pp. 55029:267-55029:268.

9008280363 Clarifies info submitted in 871207 & 880808 ltrs re steam generator tube rupture analysis demonstration runs. Demonstration runs met plant-specific requirements in Section D to NRC SER on WCAP-10698.
TUCKER,H.B. Duke Power Co. 90/08/20. Document Control Branch (Document Control Desk). 16pp. 55044:226-55044:241.

9008280365 Responds to NRC request for addl info re general relief request for pump vibration submitted 900315. Relief request changed to insure data taken over range that encompasses all main potential noise contributors.
TUCKER,H.B. Duke Power Co. 90/08/22. Document Control Branch (Document Control Desk). 11pp. 55044:242-55044:252.

Q. Inspection reports, IE Bulletins & correspondence

9008160087 Advises that commitment to revise Maint Mgt Procedure 1.12 to include functional verification requirements & to develop retest manual to address retest requirements for any maint performed on components completed on 900614. TUCKER,H.B. Duke Power Co. 90/07/07. Document Control Branch (Document Control Desk). 1p. 54978:225-54978:225.

9007270033 Forwards Insp Repts 50-413/90-16 & 50-414/90-16 on 900611-15. Violations noted but not cited. JULIAN,C.A. Region 2 (Post 820201). 90/07/13. TUCKER,H.B. Duke Power Co. 3pp. 54738:086-54738:104.

9007270035 Insp Repts 50-413/90-16 & 50-414/90-16 on 900611-15. Violations noted but not cited. Major areas inspected: conformance to Reg Guide 1.97 & instrumentation for light water-cooled nuclear power plants during accidents. MERRIWEATHER,N., MILLER,M., HUNT,M.D. Region 2 (Post 820201). 90/07/09. 16pp. 54738:089-54738:104.

9008130132 Forwards Insp Repts 50-413/90-18 & 50-414/90-18 on 900625-29. No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 90/07/13. TUCKER,H.B. Duke Power Co. 3pp. 54957:306-54957:322.

9008130133 Insp Repts 50-413/90-18 & 50-414/90-18 on 900625-29. No violations noted. Major areas inspected: inservice insp & maint, including plan for outage, reviews of NDE procedures & independent exam of verifications. NEWSOME,R.W., ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 90/07/11. 14pp. 54957:309-54957:322.

9008020125 Advises that commitment re Procedure IP/O/A/3190/01, per violation in Insp Repts 50-413/90-06 & 50-414/90-06, completed on 900619. TUCKER,H.B. Duke Power Co. 90/07/17. Document Control Branch (Document Control Desk). 1p. 54805:331-54805:331.

9007260169 Forwards summary of enforcement conference on 900712 re Unit 1 inadvertent diversion of higher pressure reactor coolant water to refueling water storage tank on 900611, per Insp Repts 50-413/90-17 & 50-414/90-17. Handouts also encl. REYES,L.A. Region 2 (Post 820201). 90/07/18. TUCKER,H.B. Duke Power Co. 23pp. 54732:298-54732:320.

9008080071 Forwards Insp Repts 50-413/90-15 & 50-414/90-15 on 900527-0623 & notice of violation. Violations, refs pertinent to requirements & elements to be included in response presented in encl notice of violation. HERDT,A.R. Region 2 (Post 820201). 90/07/20. TUCKER,H.B. Duke Power Co. 3pp. 54919:114-54919:130.

9008080073 Notice of violation from insp on 900527-0623. Violation noted: solenoids on 3 pilot valves associated w/Unit 2 high pressure fire protection sys installed backwards during const. HERDT,A.R. Region 2 (Post 820201). 90/07/20. 2pp. 54919:117-54919:118.

9008080079 Insp Repts 50-413/90-15 & 50-414/90-15 on 900527-0623. Violation noted. One noncited violation noted. Major areas inspected: review of plant operations, surveillance observation & maint observation. ORDERS,W.T., HOPKINS,P.C., ZEILER,J. Region 2 (Post 820201). 90/07/19. 12pp. 54919:119-54919:130.

9008080258 Discusses Insp Repts 50-413/90-17 & 50-414/90-17 on 900611-19 & forwards notice of violation. Insp included review of actions re 900611 inadvertent transfer of reactor coolant water to refueling water storage tank at Unit 1. EBNETER,S.D. Region 2 (Post 820201). 90/07/23. TUCKER,H.B. Duke Power Co. 4pp. 54919:282-54919:287.

9008080259 Notice of violation from insp on 900611-19. Violation noted: control room operator failure to verify that manual valve closed resulting in inadvertent diversion of reactor coolant to refueling water storage tank. EBNETER,S.D. Region 2 (Post 820201). 90/07/23. 2pp. 54919:286-54919:287.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310124 Forwards safety evaluation accepting actions taken to resolve NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes." JABBOUR,K.N. Project Directorate II-3. 90/07/27. TUCKER,H.B. Duke Power Co. 2pp. 54769:315-54769:318.

9007310126 Safety evaluation accepting actions taken to resolve NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generators Tubes." * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/27. 2pp. 54769:317-54769:318.

9008210004 Forwards Insp Repts 50-413/90-22 & 50-414/90-22 on 900709-13. No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 90/07/31. TUCKER,H.B. Duke Power Co. 3pp. 55003:313-55003:319.

9008210005 Insp Repts 50-413/90-22 & 50-414/90-22 on 900709-13. No violations or deviations noted. Major areas inspected: records review of maint activities following 5-yr insp of emergency diesel generator 2A & review of test procedures. TAYLOR,P.A., BELISLE,G.A. Region 2 (Post 820201). 90/07/30. 4pp. 55003:316-55003:319.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants. TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008060244 Advises of completion of 900330 commitment re standing work request for insp of air flow monitors & dampers, per violations noted in Insp Rept 50-413/90-03 & 50-414/90-03. TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 1p. 54864:100-54864:100.

9008200154 Ack receipt of 900719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/90-11 & 50-414/90-11. HERDT,A.R. Region 2 (Post 820201). 90/08/01. TUCKER,H.B. Duke Power Co. 3pp. 54996:058-54996:060.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect lot transmitters installed in reactor protection sys, ESFAS or ATWS applications at facility. TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008170126 Submits revised response to violations noted in Insp Rept 50-413/90-08. Procedure to verify test inputs modified to verify dummy input signal to channel RTD circuit. TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 1p. 54991:100-54991:100.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages. TUCKER,H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280373 Responds to violation noted in Insp Repts 50-413/90-17 & 50-414/90-17. Corrective actions: review will be conducted to determine category of infrequently run procedures needing addl verification controls. TUCKER,H.B. Duke Power Co. 90/08/22. Document Control Branch (Document Control Desk). 7pp. 55044:219-55044:225.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Qualification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170236 Forwards monthly operating rept for Jul 1990 for Catawba Nuclear Station Units 1 & 2 & revised rept for June 1990. TUCKER,H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54983:117-54983:128.

9008170237 Monthly operating repts for Jul 1990 for Catawba Nuclear Station Units 1 & 2. WILLIAMS,R.A., MOSER,S.W. Duke Power Co. 90/07/31. 10pp. 54983:118-54983:127.

9008170239 Revised monthly operating status rept for June 1990 for Catawba Nuclear Power Station. * Duke Power Co. 90/06/30. 1p. 54983:128-54983:128.

S. Reportable occurrences, LERs & related correspondence

9007310215 LER 90-026-00: on 900628, circuit breaker found not padlocked as specified in Tech Spec. Caused by inappropriate action due to failure to follow procedure. Valve breaker padlocked & QA personnel reviewed procedures. W/900719 ltr. HARTZELL,C.L., OWEN,T.B. Duke Power Co. 90/07/26. 7pp. 54792:005-54792:011.

9008130174 LER 90-006-00: on 900711, determined that instrumentation & electrical EMF-43B high radiation setpoint above Tech Spec setpoint value. Caused by inappropriate action. Review conducted of how setpoint changes controlled. W/900810 ltr. HARTZELL,C.L., OWEN,T.B. Duke Power Co. 90/08/09. 6pp. 54953:037-54953:042.

V. Operator Examinations

9008060043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

148 DOCKETED ITEMS

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

E. NRC Safety Evaluation Report (SER), supplis & correspondence

9007310158 Reviews emergency response capability & conformance to Rev 2 to Reg Guide 1.97,per SSER 5 (NUREG-0954).
JABBOUR,K.M. Division of Reactor Projects - I/II (Post 870411). 90/07/27. TUCKER,H.B. Duke Power Co. 2pp. 54769:300-54769:301.

F. Security, medical, emergency & fire protection plans

9007310158 Reviews emergency response capability & conformance to Rev 2 to Reg Guide 1.97,per SSER 5 (NUREG-0954).
JABBOUR,K.M. Division of Reactor Projects - I/II (Post 870411). 90/07/27. TUCKER,H.B. Duke Power Co. 2pp. 54769:300-54769:301.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC,per 900702 ltr re violations concerning implementation of security programs at plants.
TUCKER,H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008160208 Forwards public version of Rev 26 to Station Directive 3.8.4, "Onsite Emergency Organization."
TUCKER,H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54972:328-54972:356.

9008160210 Rev 26 to Station Directive 3.8.4, "Onsite Emergency Organization."
OWEN,T.B. Duke Power Co. 90/08/01. 25pp. 54972:331-54972:356.

9008170046 Revised crisis mgt plan implementing procedures,including Rev 7 to EDA-3 & Rev 4 to EDA-4.W/900813 ltr.
TUCKER,H.B. Duke Power Co. 90/08/13. 58pp. 54983:129-54983:186.

9008240137 Forwards public version of revised crisis mgt implementing procedures,including Rev 36 to CMIP-1,Rev 32 to CMIP-4,Rev 36 to CMIP-5,Rev 41 to CMIP-6,Rev 40 to CMIP-7,Rev 27 to CMIP-8 & Rev 35 to CMIP-9.W/DH Grimsley 900821 release memo.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55030:214-55031:276.

9008240141 Public version of revised crisis mgt implementing procedures,including Rev 36 to CMIP-1,Rev 32 to CMIP-4,Rev 36 to CMIP-5,Rev 41 to CMIP-6,Rev 40 to CMIP-7,Rev 27 to CMIP-8,Rev 35 to CMIP-9 & Rev 7 to CMIP-11.
* Duke Power Co. 90/08/14. 400pp. 55030:217-55031:276.

I. Financial Information

9008060150 Forwards decommissioning financial assurance certification rept for Duke Power Co.co-owner of Catawba Nuclear Station Units 1 & 2.
HAUSER,D.L. Duke Power Co. 90/07/27. Document Control Branch (Document Control Desk). 9pp. 54858:158-54858:223.

9008060151 "Restated Operating & Fuel Agreement."
* Duke Power Co. 82/06/21. 54pp. 54858:167-54858:223.

9008230066 Forwards 1989 annual repts for Duke Power Co,North Carolina Municipal Power Agency 1,North Carolina Electric Membership Cooperative,Piedmont Municipal Power Agency & Saluda River Electric Cooperative.
TUCKER,H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

9008230068 "North Carolina Municipal Power Agency 1,Annual Rept For 1989."
BOBO,J.T. North Carolina Municipal Power Agencies. 89/12/31. 32pp. 55023:080-55023:112.

9008230070 "North Carolina Electric Membership Cooperative,Annual Rept For 1989."
KELLER,W. North Carolina Electric Membership Corp. 89/12/31. 27pp. 55023:113-55023:141.

9008230072 "Piedmont Municipal Power Agency & Saluda River Electric Cooperative,Annual Rept For 1989."
SMOAK,C.F. Piedmont Municipal Power Agency. 89/12/31. 104pp. 55023:142-55023:250.

P. Operating license stage documents & correspondence

9008020061 Forwards request for addl info re util 900315 submittal of general relief request for pumps in inservice testing program.Addl info re certain areas that deviate from OM-6, identified in encl,required to complete NRC review.
JABBOUR,K.N. Project Directorate II-3. 90/07/23. TUCKER,H.B. Duke Power Co. 3pp. 54820:355-54820:357.

9008020236 Forwards response to 900327 request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire."
TUCKER,H. Duke Power Co. 90/07/25. Document Control Branch (Document Control Desk). 49pp. 54826:092-54826:140.

9008080221 Requests addl info re DPC-NE-2004, "Core Thermal-Hydraulic Methodology Using VIPRE-01 for McGuire & Catawba." Requests response expeditiously.
HOOD,D.S. Project Directorate II-3. 90/08/02. TUCKER,H.B. Duke Power Co. 7pp. 54931:135-54931:141.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000.
TUCKER,H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.

9008210122 "Fifteenth Quarterly Update to Startup Rept,Catawba Unit 2, Cycle 1." W/ 900815 ltr.
TUCKER,H.B. Duke Power Co. 90/08/07. 2pp. 55003:283-55003:284.

9008170032 Forwards Rev 0 to "Catawba Unit 2 Cycle 4 Core Operating Limits Rept," per Tech Spec 6.9.1.9.
TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 1p. 54991:060-54991:076.

9008170033 Rev 0 to "Catawba Unit 2 Cycle 4 Core Operating Limits Rept."
RANDES,J., CLARK,R.H. Duke Power Co. CNNE-1553.05-00-0009. 90/08/31. 17pp. 54991:061-54991:076.

9008170068 Reviews util 891228 response to Generic Ltr 89-10 re safety-related motor-operated valve (MOV) testing & surveillance. Informs that MOV program description need not be on site until 910101.
MATTHEWS,D.B. Project Directorate II-3. 90/08/15. TUCKER,H.B. Duke Power Co. 4pp. 54995:268-54995:271.

9008240201 Forwards Amends 77 & 71 to Licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends change Tech Specs by revising administrative control requirements for safety review group.
JABBOUR,K.N. Project Directorate II-3. 90/08/20. TUCKER,H.B. Duke Power Co. 2pp. 55029:258-55029:268.

9008240202 Amends 77 & 71 to Licenses NPF-35 & NPF-52,respectively, changing Tech Specs by revising administrative control requirements for safety review group.
MATTHEWS,D.B. Project Directorate II-3. 90/08/20. 7pp. 55029:260-55029:266.

9008240203 Safety evaluation supporting Amends 77 & 71 to Licenses NPF-35 & NPF-52,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/20. 2pp. 55029:267-55029:268.

9008280363 Clarifies info submitted in 871207 & 880808 ltrs re steam generator tube rupture analysis demonstration runs. Demonstration runs met plant-specific requirements in Section D to NRC SER on WCAP-10698.
TUCKER,H.B. Duke Power Co. 90/08/20. Document Control Branch (Document Control Desk). 16pp. 55044:226-55044:241.

9008280365 Responds to NRC request for addl info re general relief request for pump vibration submitted 900315.Relief request changed to insure data taken over range that encompasses all main potential noise contributors.
TUCKER,H.B. Duke Power Co. 90/08/22. Document Control Branch (Document Control Desk). 11pp. 55044:242-55044:252.

Q. Inspection reports, IE Bulletins & correspondence

9008160087 Advises that commitment to revise Maint Mgt Procedure 1.12 to include functional verification requirements & to develop retest manual to address retest requirements for any maint performed on components completed on 900614.
TUCKER,H.B. Duke Power Co. 90/07/07. Document Control Branch (Document Control Desk). 1p. 54978:225-54978:225.

9007270033 Forwards Insp Repts 50-413/90-16 & 50-414/90-16 on 900611-15.Violations noted but not cited.
JULIAN,C.A. Region 2 (Post 820201). 90/07/13. TUCKER,H.B. Duke Power Co. 3pp. 54738:086-54738:104.

9007270035 Insp Repts 50-413/90-16 & 50-414/90-16 on 900611-15. Violations noted but not cited.Major areas inspected: conformance to Reg Guide 1.97 & instrumentation for light water-cooled nuclear power plants during accidents.
MERRIWEATHER,N., MILLER,M., HUNT,M.D. Region 2 (Post 820201). 90/07/09. 16pp. 54738:089-54738:104.

9008130132 Forwards Insp Repts 50-413/90-18 & 50-414/90-18 on 900625-29.No violations or deviations noted.
JULIAN,C.A. Region 2 (Post 820201). 90/07/13. TUCKER,H.B. Duke Power Co. 3pp. 54957:306-54957:322.

9008130133 Insp Repts 50-413/90-18 & 50-414/90-18 on 900625-29.No violations noted.Major areas inspected:inservice insp & maint,including plan for outage,reviews of NDE procedures & independent exam of verifications.
NEWSOME,R.W., ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 90/07/11. 14pp. 54957:309-54957:322.

9008020125 Advises that commitment re Procedure IP/O/A/3190/01,per violation in Insp Repts 50-413/90-06 & 50-414/90-06, completed on 900619.
TUCKER,H.B. Duke Power Co. 90/07/17. Document Control Branch (Document Control Desk). 1p. 54805:331-54805:331.

9007260169 Forwards summary of enforcement conference on 900712 re Unit 1 inadvertent diversion of higher pressure reactor coolant water to refueling water storage tank on 900611,per Insp Repts 50-413/90-17 & 50-414/90-17.Handouts also encl.
REYES,L.A. Region 2 (Post 820201). 90/07/18. TUCKER,H.B. Duke Power Co. 23pp. 54732:298-54732:320.

9008080071 Forwards Insp Repts 50-413/90-15 & 50-414/90-15 on 900527-0623 & notice of violation.Violations,refs pertinent to requirements & elements to be included in response presented in encl notice of violation.
HERDT,A.R. Region 2 (Post 820201). 90/07/20. TUCKER,H.B. Duke Power Co. 3pp. 54919:114-54919:130.

9008080073 Notice of violation from insp on 900527-0623.Violation noted:solenoids on 3 pilot valves associated w/Unit 2 high pressure fire protection sys installed backwards during const.
HERDT,A.R. Region 2 (Post 820201). 90/07/20. 2pp. 54919:117-54919:118.

9008080079 Insp Repts 50-413/90-15 & 50-414/90-15 on 900527-0623. Violation noted. One noncritical violation noted. Major areas inspected: review of plant operations, surveillance observation & maint observation. ORDERS, W.T., HOPKINS, P.C., ZEILER, J. Region 2 (Post 820201). 90/07/19. 12pp. 54919:119-54919:130.

9008080258 Discusses Insp Repts 50-413/90-17 & 50-414/90-17 on 900611-19 & forwards notice of violation. Insp included review of actions re 900611 inadvertent transfer of reactor coolant water to refueling water storage tank at Unit 1. EBNETER, S.D. Region 2 (Post 820201). 90/07/23. TUCKER, H.B. Duke Power Co. 4pp. 54919:282-54919:287.

9007310218 Forwards end-of-cycle 3 steam generator insp rept. Nineteen tubes removed from svc by plugging w/rolled mechanical plug. TUCKER, H.B. Duke Power Co. 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54757:357-54757:358.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007310124 Forwards safety evaluation accepting actions taken to resolve NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes." JABBOUR, K.N. Project Directorate II-3. 90/07/27. TUCKER, H.B. Duke Power Co. 2pp. 54769:315-54769:318.

9008210004 Forwards Insp Repts 50-413/90-22 & 50-414/90-22 on 900709-13. No violations or deviations noted. JULIAN, C.A. Region 2 (Post 820201). 90/07/31. TUCKER, H.B. Duke Power Co. 3pp. 55003:313-55003:319.

9008210005 Insp Repts 50-413/90-22 & 50-414/90-22 on 900709-13. No violations or deviations noted. Major areas inspected: records review of maint activities following 5-yr insp of emergency diesel generator 2A & review of test procedures. TAYLOR, P.A., BELISLE, G.A. Region 2 (Post 820201). 90/07/30. 4pp. 55003:316-55003:319.

9008030328 Forwards \$50,000 in payment of civil monetary penalty issued by NRC, per 900702 ltr re violations concerning implementation of security programs at plants. TUCKER, H.B. Duke Power Co. 90/08/01. Ofc of Enforcement (Post 870413). 1p. 54841:008-54841:008.

9008060244 Advises of completion of 900330 commitment re standing work request for insp of air flow monitors & dampers, per violations noted in Insp Rept 50-413/90-03 & 50-414/90-03. TUCKER, H.B. Duke Power Co. 90/08/01. Document Control Branch (Document Control Desk). 1p. 54864:100-54864:100.

9008200154 Ack receipt of 900719 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/90-11 & 50-414/90-11. HERDT, A.R. Region 2 (Post 820201). 90/08/01. TUCKER, H.B. Duke Power Co. 3pp. 54996:058-54996:060.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowave Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect lot transmitters installed in reactor protection sys, ESFAS or ATWS applications at facility. TUCKER, H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008230093 Responds to NRC Bulletin 88-010, Suppl 1 re nonconforming molded case circuit breakers. All requirements fulfilled upon completion of refueling outages. TUCKER, H.B. Duke Power Co. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 55012:324-55012:325.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280373 Responds to violation noted in Insp Repts 50-413/90-17 & 50-414/90-17. Corrective actions: review will be conducted to determine category of infrequently run procedures needing addl verification controls. TUCKER, H.B. Duke Power Co. 90/08/22. Document Control Branch (Document Control Desk). 7pp. 55044:219-55044:225.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170236 Forwards monthly operating rept for Jul 1990 for Catawba Nuclear Station Units 1 & 2 & revised rept for June 1990. TUCKER, H.B. Duke Power Co. 90/08/15. Document Control Branch (Document Control Desk). 1p. 54983:117-54983:128.

9008170237 Monthly operating repts for Jul 1990 for Catawba Nuclear Station Units 1 & 2. WILLIAMS, R.A., MOSER, S.W. Duke Power Co. 90/07/31. 10pp. 54983:118-54983:127.

9008170239 Revised monthly operating status rept for June 1990 for Catawba Nuclear Power Station. * Duke Power Co. 90/06/30. 1p. 54983:128-54983:128.

S. Reportable occurrences, LERs & related correspondence

9008060330 LER 90-010-00 on 900619, control room received loss of containment sample flow alarm from radiation monitors. Caused by personnel error & lack of clear procedure guidance. Personnel counseled. W/900802 ltr. HARTZELL, C.L., OWEN, T.B. Duke Power Co. 90/07/31. 7pp. 54904:187-54904:193.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007310233 Revised EIPs, including Rev 9 to 10-S-01-7, Rev 6 to 10-S-01-24 & Rev 20 to 10-S-01-6/W/900725 ltr. COTTLE, W.T. Entergy Operations, Inc. 90/07/25. 45pp. 54757:073-54757:117.

9008070314 Advises that 900717 Rev 17 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2 (Post 820201). 90/07/31. COTTLE, W.T. Entergy Operations, Inc. 3pp. 54902:221-54902:223.

9008090105 Revised EIPs, including Rev 9 to 10-S-01-11 & Rev 5 to 10-S-01-27/W/900807 ltr. HURLEY, J., COTTLE, W.T. Entergy Operations, Inc. 90/08/07. 28pp. 54922:037-54922:064.

9008210145 Informs that annual emergency preparedness exercise for facility scheduled for wk of 910826. COTTLE, W.T. Entergy Operations, Inc. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55000:205-55000:206.

9008280257 Summary of 900615 meeting w/licensee at site to discuss licensing activities. List of attendees, meeting agenda, handout & licensee comments on draft safety evaluation of fire protection program encl. KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/17. Project Directorate IV-1 (Post 900603). 56pp. 55041:241-55041:296.

I. Financial information

9007310119 Forwards certification of reasonable assurance that funds will be available for payment of cost to decommissioning. COTTLE, W.T. Entergy Operations, Inc. 90/07/24. Document Control Branch (Document Control Desk). 61pp. 54756:307-54757:007.

J. Insurance & indemnity information

9008010089 Forwards executed Amend 4 to Indemnity Agreement B-72, per NRC 891214 request. COTTER, W.T. Entergy Operations, Inc. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54797:086-54797:088.

9008070300 Forwards Endorsement 68 to NELIA Policy NF-257, Endorsement 47 to MAELU Policy MF-106 & revised Endorsement 35 to MAELU Policy MF-106. COTTLE, W.T. Entergy Operations, Inc. 90/08/02. Document Control Branch (Document Control Desk). 4pp. 54902:263-54902:266.

M. Antitrust correspondence

9007300144 Responds to 900125 ltr re NRC 891214 license amend granting transfer of operational control of plants. NRC will not initiate antitrust review to consider imposing addl license conditions. DUDLEY, R.F. Project Directorate IV-1 (Post 900603). 90/07/27. WILSON, Z.D. Affiliation Not Assigned. 3pp. 54746:195-54746:197.

150 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080329 Forwards environ assessment & finding of no significant impact re changes to Tech Specs 3.0 & 4.0.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/03. COTTLE, W.T. Entergy Operations, Inc. 3pp. 54914:351-54914:358.

-9008080331 Environ assessment & finding of no significant impact re amend to License NPF-29 to change Tech Specs 3.0 & 4.0, per Generic Ltr 87-09.
QUAY, T.R. Project Directorate IV-1 (Post 900603). 90/08/03. 5pp. 54914:354-54914:358.

9008090244 Application for amend to License NPF-29, revising 900427 & 0705 applications re changes to Tech Spec due to addition of alternate DHR & addressing NRC concerns re manual realignment of LPCI emergency core cooling subsystems.
COTTLE, W.T. Entergy Operations, Inc. 90/08/06. Document Control Branch (Document Control Desk). 28pp. 54933:141-54933:194.

-9008090245 Proposed Tech Specs re alternate DHR & LPCI manual realignment.
* Entergy Operations, Inc. 90/08/06. 25pp. 54933:169-54933:194.

9008220116 Advises that Rev 9 to Operational QA Manual, GGNS-TOP-1A, acceptable, per 900611 ltr.
PEEBLES, T.A. Region 2 (Post 820201). 90/08/06. COTTLE, W.T. Entergy Operations, Inc. 3pp. 55001:202-55001:204.

9008200050 Application for amend to License NPF-29, reflecting position title change of "Vice President, Nuclear Operations" to "Vice President, Operations."
COTTLE, W.T. Entergy Operations, Inc. 90/08/08. Document Control Branch (Document Control Desk). 6pp. 54991:316-54991:334.

-9008200067 Proposed Tech Specs reflecting position title change of "Vice President, Nuclear Operations" to "Vice President, Operations."
* Entergy Operations, Inc. 90/08/08. 12pp. 54991:322-54991:334.

9008210169 Forwards supplemental info re 900705 application for amend to License NPF-29, revising Tech Specs due to addition of alternate DHR sys.
COTTLE, W.T. Entergy Operations, Inc. 90/08/08. Document Control Branch (Document Control Desk). 16pp. 55000:151-55000:169.

-9008210172 Proposed Tech Spec 3/4.9.11.2 re addition of alternate DHR sys.
* Entergy Operations, Inc. 90/08/08. 3pp. 55000:167-55000:169.

9008140110 Forwards generic SER re Mark III containment hydrogen control, transmitted to Hydrogen Control Owners Group by 900806 ltr. Final analysis of facility combustible gas control sys, addressing key elements, requested by 910301.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/10. COTTLE, W.T. Entergy Operations, Inc. 3pp. 54965:064-54965:131.

-9008140112 Advises that HGN-112-NP, "Generic Hydrogen Control Info for BWR-6 Mark III Containments" acceptable for ref in licensee analyses of hydrogen control sys for BWR Mark III containments to extent delineated in encl safety evaluation.
THADANI, A.C. Division of Systems Technology (Post 890827). 90/08/06. LANGLEY, J.R. Hydrogen Control Owners Group. 2pp. 54965:067-54965:068.

-9008140115 Generic SER re Mark III containment hydrogen control, concluding that HGN-112-NP, "Generic Hydrogen Control Info for BWR-6 Mark III Containments" provides acceptable basis for technical resolution of degraded core hydrogen issue.
* NRC - No Detailed Affiliation Given. 90/08/06. 61pp. 54965:069-54965:131.

9008140469 Application for amend to License NPF-29, deleting ambiguous paragraph in bases for Tech Spec 3.0.3. Rev does not detract from bases nor alter technical content of 900406 application.
COTTLE, W.T. Entergy Operations, Inc. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 54961:239-54961:242.

-9008140480 Proposed Tech Specs deleting ambiguous paragraph in bases for Tech Spec 3.0.3.
* Entergy Operations, Inc. 90/08/10. 1p. 54961:242-54961:242.

9008150012 Application for amend to License NPF-29, changing Tech Spec 3/4.8.2 re dc sources & adding note to Tech Spec Table 4.8.2.1-1 re battery surveillance requirements.
COTTLE, W.T. Entergy Operations, Inc. 90/08/10. Document Control Branch (Document Control Desk). 7pp. 54981:010-54981:019.

-9008150013 Proposed Tech Specs re battery surveillance requirements & dc sources.
* Entergy Operations, Inc. 90/08/10. 3pp. 54981:017-54981:019.

9008170057 Forwards Amend 69 to License NPF-29, safety evaluation & notice of issuance of amend. Amend changes Tech Specs 3.0 & 4.0 per Generic Ltr 87-09 re applicability of limiting conditions for operation & surveillance requirements.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/14. COTTLE, W.T. System Energy Resources, Inc. 5pp. 54994:259-54994:347.

-9008170060 Amend 69 to License NPF-29, changing Tech Specs 3.0 & 4.0 re applicability of limiting conditions for operation per Generic Ltr 87-09.
QUAY, T.R. Project Directorate IV-1 (Post 900603). 90/08/14. 74pp. 54994:264-54994:337.

-9008170064 Safety evaluation supporting Amend 69 to License NPF-29.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/14. 7pp. 54994:338-54994:344.

-9008170067 Notice of issuance of Amend 69 to License NPF-29, revising Tech Specs 3.0 & 4.0 re applicability of limiting conditions for operation & surveillance requirements, per Generic Ltr 87-09.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/14. 3pp. 54994:345-54994:347.

9008170241 Application for Proposed Amend PCOL-90/90, Rev 1 to License NPF-29, addressing changes to Cycle 5 reload analyses as result of NRC comments on treatment of TIP asymmetry uncertainty w/CASMO/MICROBURN based licensing methodology.
COTTLE, W.T. Entergy Operations, Inc. 90/08/15. Document Control Branch (Document Control Desk). 3pp. 54981:118-54981:123.

-9008170244 Proposed Tech Specs re changes made to Cycle 5 reload analyses, per NRC comments on treatment of TIP asymmetry uncertainty w/new CASMO/MICROBURN based licensing methodology.
* Entergy Operations, Inc. 90/08/15. 120pp. 54981:121-54981:323.

9008200116 Discusses util 891221 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve (MOV) Testing & Surveillance." Recommends that testing of MOVs in-situ be performed under design basis conditions.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/15. COTTLE, W.T. Entergy Operations, Inc. 4pp. 54995:302-54995:305.

9008170073 Summary of 900416-17 meetings w/Entergy Operations, Inc at plant re bldg settlement monitoring.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/16. Project Directorate IV-1 (Post 900603). 50pp. 54992:007-54992:056.

9008170095 Summary of 900611, 12 & 13 meetings re development of improved BWR-6 plant Tech Specs based on improved BWR-6 STS. List of attendees & meeting agenda encl.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/16. Project Directorate IV-1 (Post 900603). 5pp. 54991:077-54991:081.

9008200257 Summary of 900615 meeting w/ licensee at site to discuss licensing activities. List of attendees, meeting agenda, handout & licensee comments on draft safety evaluation of fire protection program encl.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/17. Project Directorate IV-1 (Post 900603). 56pp. 55041:241-55041:296.

9008240051 Forwards request for addl info re settlement of Category 1 structures. Response should be submitted by 901130.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). 90/08/21. COTTLE, W.T. Entergy Operations, Inc. 5pp. 55029:058-55029:062.

Q. Inspection reports, IE Bulletins & correspondence

9007270022 Ack receipt of 900629 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-416/90-08.
VERRELLI, D.M. Region 2 (Post 820201). 90/07/12. COTTLE, W.T. Entergy Operations, Inc. 3pp. 54734:334-54734:336.

9008100112 Forwards Insp Rept 50-416/90-12 on 900616-0720. No violations or deviations noted.
VERRELLI, D.M. Region 2 (Post 820201). 90/07/25. COTTLE, W.T. Entergy Operations, Inc. 2pp. 54943:111-54943:121.

-9008100113 Insp Rept 50-416/90-12 on 900616-0720. No violations noted. Major areas inspected: operational safety verification, main observation, surveillance observation, licensee self assessment capability & action on previous insp findings.
CHRISTENSEN, H., MATHIS, J.L., CANTRELL, F.S. Region 2 (Post 820201). 90/07/25. 9pp. 54943:113-54943:121.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:049-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280157 Forwards Insp Rept 50-416/90-13 on 900709-13. Violations noted but not cited.
COLLINS, D.M. Region 2 (Post 820201). 90/08/20. COTTLE, W.T. Entergy Operations, Inc. 3pp. 55046:024-55046:035.

-9008280161 Insp Rept 50-416/90-13 on 900709-13. Violation noted but not cited. Major areas inspected: radiation protection program in areas of internal & external exposure controls, ALARA, control of radioactive mats & outage planning.
HUGHEY, C.A., POTTER, J.P. Region 2 (Post 820201). 90/08/16. 9pp. 55046:027-55046:035.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008190089 Monthly operating rept for May 1990 for Grand Gulf Nuclear Station, Unit 1.W/900614 ltr. ZINKE,G.A., COTTLE,W.T. Entergy Operations, Inc. 90/05/31. 4pp. 54792:269-54792:272.

9008170240 Monthly operating rept for Jul 1990 for Grand Gulf Nuclear Station Unit 1.W/900815 ltr. ZINKE,G.A., COTTLE,W.T. Entergy Operations, Inc. 90/07/31. 4pp. 54983:099-54983:102.

S. Reportable occurrences, LERs & related correspondence

9008080122 Special rept on 900627, fire detection instrumentation declared inoperable & firewatch established as required by Tech Spec 3.3.7.9. Detectors restored to svc. COTTLE,W.T. Entergy Operations, Inc. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54919:133-54919:134.

9008090175 LER 90-010-00: on 900706, error discovered in evaluation used to demonstrate adequacy of svc water flow to HPCS pump room cooler. Matis nonconformance rept generated to document discrepancy. W/900803 ltr. RUFFIN,R., COTTLE,W.T. Entergy Operations, Inc. 90/08/03. 5pp. 54905:006-54905:010.

9008280382 LER 90-013-00: on 900725, instrument cable from B detector disconnected rather than C detector while performing maint on monitoring sys. Caused by personnel error. Personnel counseled on methods for self verification. W/900823 ltr. RUFFIN,R., COTTLE,W.T. Entergy Operations, Inc. 90/08/23. 5pp. 55056:067-55056:071.

9008280383 LER 90-011-00: on 900724, reactor tripped on high reactor water level w/ reactor power in process of being reduced in attempt to control turbine pump B oscillations. Caused by malfunction of controller. Controller calibr. W/900823 ltr. SUMMERS,J., COTTLE,W.T. Entergy Operations, Inc. 90/08/23. 4pp. 55056:072-55056:075.

V. Operator Examinations

9008070303 Notifies that CD Bland no longer employed by util, effective 900719. COTTLE,W.T. Entergy Operations, Inc. 90/08/02. EBNETER,S.D. Region 2 (Post 820201). 2pp. 54902:219-54902:220.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

M. Antitrust correspondence

9007300144 Responds to 900125 ltr re NRC 891214 license amend granting transfer of operational control of plants. NRC will not initiate antitrust review to consider imposing addl license conditions. DUDLEY,R.F. Project Directorate IV-1 (Post 900603). 90/07/27. WILSON,Z.D. Affiliation Not Assigned. 3pp. 54746:185-54746:197.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008010011 Forwards summary of environ protection program re const of unit for 6-months ending 900630, per Exhibit 2-A in Subsection 3.E.1 of CPPR-119. COTTLE,W.T. Entergy Operations, Inc. 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54805:281-54805:283.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9008020248 Forwards Rev 13 to physical security plan. Rev withheld (ref 10CFR73.21(b) & 2.790(a)). MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54820:293-54820:293.

9008080316 Advises that FEMA grants exemption from 10CFR50 App E for biennial full-participation onsite/offsite exercise. KWIATKOWSKI,D. Federal Emergency Management Agency. 90/07/30. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 54903:358-54903:359.

9008090029 Application for amend to License NPF-49, revising Tech Specs to provide clarity w/ regards to actions to be taken when CO2 fire suppression sys taken out of svc. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54922:013-54922:022.

9008090032 Proposed Tech Specs re fire protection CO2 sys. * Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/31. 8pp. 54922:015-54922:022.

9008070216 Responds to NRC 900718 request for addl info re util 900418 request for schedular exemption from 10CFR50, App E, Section IV.F.3 to allow Dec 1990 full participation exercise to be exchanged w/ Oct 1991 partial participation exercise. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54898:173-54898:180.

9008100194 Forwards Insp Rept 50-423/90-80 on 900416-25. Weaknesses identified. GALLO,R.M. Region 1 (Post 820201). 90/08/07. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54934:149-54934:180.

9008100196 Insp Rept 50-423/90-80 on 900416-25. No violations noted. Major areas inspected: development of sufficient procedures in appropriate areas to cover broad spectrum of accidents & equipment failures. BISSETT,P.H., ESELGROTH,P.W. Region 1 (Post 820201). 90/08/02. 29pp. 54934:151-54934:180.

9008200093 Notifies NRC that utils volunteer to participate in emergency response data sys project for all four nuclear units, per Generic Ltr 89-15 & NUREG-1394. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54994:358-54994:359.

9008230012 Rev 99 to emergency plan implementing forms index, including listing of cancelled procedures. SCACE,S.E. Northeast Utilities. 90/08/15. 16pp. 55016:210-55016:225.

152 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 9007270107** Application for amend to License NPF-49, revising Tech Spec re supplementary leak collection & release sys flow requirements for surveillances modified to flow rate of 7600 cfm to 9800 cfm rather than 9500 cfm 10%.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities).
MROCZKA, E.J. Northeast Utilities. 90/07/02. Document Control Branch (Document Control Desk). 7pp. 54738:350-54738:359.
- 9007270108** Proposed Tech Specs revs to supplementary leak collection & release sys.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/02. 3pp. 54738:357-54738:359.
- 9007310185** Forwards response to request for addl info re electrical power sys, per 900328 amend request.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities).
MROCZKA, E.J. Northeast Utilities. 90/07/24. Document Control Branch (Document Control Desk). 8pp. 54757:330-54757:338.
- 9007310186** Proposed Tech Specs re electrical power sys.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/24. 1p. 54757:338-54757:338.
- 9008060238** Revised corporate organization for nuclear incidents procedures, consisting of Rev 16 to 1.01, Rev 33 to 1.02, Rev 11 to 4.01 & 4.10, Rev 0 to 7.01 & Rev 20 to 10.01.
* Northeast Utilities Service Co. (subs. of Northeast Utilities). 90/07/31. 94pp. 54864:288-54865:018.
- 9008090028** Application for amend to License NPF-49, revising Tech Specs to provide clarity w/regards to actions to be taken when CO2 fire suppression sys taken out of svc.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities).
MROCZKA, E.J. Northeast Utilities. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54922:013-54922:022.
- 9008090032** Proposed Tech Specs re fire protection CO2 sys.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 90/07/31. 8pp. 54922:015-54922:022.
- 9008070271** Forwards FR notice of consideration of issuance of amend to License NPF-49 & proposed NSHC determination & opportunity for hearing. Amend changes Tech Spec 3/4.6.6.1, "Supplemental Leak Collective & Release Sys."
JAFFE, D.H. Project Directorate I-4. 90/08/01. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 2pp. 54897:012-54897:022.
- 9008070273** Notice of consideration of issuance of amend to License NPF-49 & proposed NSHC determination & opportunity for hearing. Amend changes Tech Spec 3/4.6.6.1, "Supplemental Leak Collective & Release Sys."
JAFFE, D.H. Project Directorate I-4. 90/08/01. 9pp. 54897:014-54897:022.
- 9008070287** Summary of 900628 meeting w/util in Berlin, CT re licensing issues associated w/facilities, including generic ltrs.
JAFFE, D.H. Project Directorate I-4. 90/08/01. Project Directorate I-4. 76pp. 54902:275-54903:018.
- 9007310052** Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008090158** Forwards notice of consideration of issuance of amend to License NPF-49 & opportunity for hearing on 900328 request to revise Tech Specs 3/4.8.1, "AC Sources" & 3/4.8.2, "DC Sources."
JAFFE, D.H. Project Directorate I-4. 90/08/06. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 2pp. 54922:004-54922:010.
- 9008090161** Notice of consideration of issuance of amend to License NPF-49 & opportunity for hearing. Amend changes Tech Specs 3/4.8.1, "AC Sources" & 3/4.8.2, "DC Sources."
STOLZ, J.F. Project Directorate I-4. 90/08/06. 5pp. 54922:006-54922:010.
- 9008130190** Discusses licensee engineering initiatives. Other power reactor licenses in Region 1 encouraged to start similar initiative to provide for sharing of info & experiences involving engineering & solutions of problems common to all.
MARTIN, T.T. Region 1 (Post 820201). 90/08/06. OPEKA, J.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 54957:302-54957:305.
- 9008130052** Requests addl info re license amend application under Generic Ltr 87-09 for facility. Affirms that remedial measures prescribed for affected action statements consistent w/updated SAR & supporting safety analysis.
JAFFE, D.H. Project Directorate I-4. 90/08/09. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 3pp. 54957:258-54957:260.
- 9008270149** Forwards semiannual fitness-for-duty performance data, per 10CFR26.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 90/08/17. Document Control Branch (Document Control Desk). 19pp. 55031:280-55031:298.
- 9008270196** Forwards safety evaluation accepting plant design & proposed method for dealing w/station blackout. Schedule for implementation of required hardware & procedure mods should be provided within 30 days. W/contractor Rept SAIC-89/1151.
JAFFE, D.H. Project Directorate I-4. 90/08/20. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 4pp. 55034:246-55034:287.
- 9008270197** Safety evaluation accepting plant design & proposed method for dealing w/station blackout. Addl analyses & confirmations described in recommendations provided need to be completed. Schedule for implementation of hardware should be submitted.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/20. 8pp. 55034:250-55034:258.
- 900830198** "Technical Evaluation Rept Millstone Nuclear Power Station Unit 3 Station Blackout Evaluation," final rept.
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. SAIC-89/1151. 90/07/18. NRC - No Detailed Affiliation Given. 29pp. 55034:259-55034:287.

Q. Inspection reports, IE Bulletins & correspondence

- 9008070115** Forwards Safety Insp Repts 50-245/90-13, 50-336/90-13 & 50-423/90-11 on 900609-13. No violations or deviations noted.
BELLAMY, R.R. Region 1 (Post 820201). 90/07/25. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54905:200-54905:208.
- 9008070117** Insp Repts 50-245/90-13, 50-336/90-13 & 50-423/90-11 on 900609-13. No violations or deviations noted. Major areas inspected: radiological environ monitoring program, including mgt controls, audits & surveillance procedures.
PELLUSO, L., JANG, J.C., BORES, R.J. Region 1 (Post 820201). 90/07/24. 7pp. 54905:202-54905:208.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008060376** Responds to NRC 900703 ltr re violations noted in Insp Rept 50-423/90-08. Corrective action: operators directly involved w/event removed from licensed duties & counseled by operations manager on causes of event.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities).
MROCZKA, E.J. Northeast Utilities. 90/07/31. MARTIN, T.T. Region 1 (Post 820201). 8pp. 54889:325-54889:332.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008100161** Forwards review of Westinghouse Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification," per NRC Bulletin 88-011.
STOLZ, J.F. Project Directorate I-4. 90/08/06. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 3pp. 54943:323-54943:333.
- 9008100162** Review of Westinghouse WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification."
* NRC - No Detailed Affiliation Given. 90/08/06. 8pp. 54943:326-54943:333.
- 9008100194** Forwards Insp Rept 50-423/90-80 on 900416-25. Weaknesses identified.
GALLO, R.M. Region 1 (Post 820201). 90/08/07. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54934:149-54934:180.
- 9008100196** Insp Rept 50-423/90-80 on 900416-25. No violations noted. Major areas inspected: development of sufficient procedures in appropriate areas to cover broad spectrum of accidents & equipment failures.
BISSETT, P.H., ESELGROTH, P.W. Region 1 (Post 820201). 90/08/02. 29pp. 54934:151-54934:180.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008200078** Forwards Insp Rept 50-423/90-12 on 900723-27. No violations noted. Compliance w/order to implement Reg Guide 1.97 inspected.
DURR, J.P. Region 1 (Post 820201). 90/08/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54993:205-54993:212.
- 9008200080** Insp Rept 50-423/90-12 on 900723-27. No violations noted. Major areas inspected: implementation of post-accident monitoring instrumentation, per Reg Guide 1.97, Rev 2.
PAOLINO, R., GRECA, A.D., KAY, L. Region 1 (Post 820201). 90/08/13. 6pp. 54993:207-54993:212.
- 9008220205** Requests relief from ASME boiler & pressure vessel code Section XI requirements re mods to Pipe 3SWP-006-050-03. Results of insps & required repairs will determine schedule for future insps.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities).
MROCZKA, E.J. Northeast Utilities. 90/08/15. Document Control Branch (Document Control Desk). 5pp. 55006:029-55006:033.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140040 Monthly operating rept for Jul 1990 for Millstone Nuclear Power Station, Unit 3. W/900809 ltr.
ELMS, A.L., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/07/31. 5pp. 54970:239-54970:243.

9008070354 Forwards draft "Effluent & Waste Disposal Annual Rept for 1988," per BNL 900531 request for comments.
MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKZKA, E.J. Northeast Utilities. 90/08/02. TICHLER, J.L. Battelle Memorial Institute, Pacific Northwest Laboratory. 2pp. 54897:213-54897:260.

-9008070357 Draft "Effluent & Waste Disposal Annual Rept for 1988."
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/12/31. 45pp. 54897:215-54897:260.

S. Reportable occurrences, LERs & related correspondence

9007250027 LER 90-022-00: on 900618, discovered that hourly fire watch patrol had not been established in Battery 4 inverter room. Caused by procedural deficiency. Hourly fire watch established. Procedures revised. W/900716 ltr.
FREEMAN, P.A., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/07/16. 4pp. 54680:204-54680:207.

9008020062 LER 90-026-00: on 900625, Train B containment hydrogen monitor failed calibr surveillance. Caused by inadequate engineering interface between facilities design organization. Caution tags placed on main control board indicators. W/900725 ltr.
CONWAY, R.D., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/07/25. 4pp. 54815:240-54815:243.

9008240187 LER 90-018-01: on 900601, discovered that hourly fire watch patrol not properly established in ESF sump area after associated fire assemblies declared inoperable. Caused by personnel miscommunication. Personnel counseled. W/900813 ltr.
FREEMAN, P.A., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/08/13. 5pp. 55024:030-55024:034.

9008240193 LER 90-013-01: on 900416, manual reactor trip occurred due to imminent loss of condenser vacuum. Caused by inadequate administrative guidance. Personnel instructed to closely monitor trash rack water levels. W/900813 ltr.
HULME, N.D., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/08/13. 4pp. 55024:035-55024:038.

V. Operator Examinations

9008160124 Notification of change in SL Jackson status effective 900701, due to permanent reassignment within unit.
SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/07/23. Document Control Branch (Document Control Desk). 1p. 54992:346-54992:346.

9008130295 Notification of change in senior operator status. Util determined that need to maintain senior OL of LS Allen no longer exists. Determination effective 900719.
SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 90/08/07. Document Control Branch (Document Control Desk). 1p. 54956:300-54956:300.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

9008080041 Forwards Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited.
HERDT, A.R. Region 2 (Post 820201). 90/07/23. HAIRSTON, W.G. Georgia Power Co. 3pp. 54907:047-54907:070.

-9008080044 Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited. Major areas inspected: plant operations, radiological controls, maint, surveillance, quality programs, security & administrative controls.
ROGGE, J.F., AIELLO, R.F., STARKEY, R.D. Region 2 (Post 820201). 90/07/18. 21pp. 54907:050-54907:070.

9007270127 Revised EIPs, including Rev 8 to 91001-C, Rev 16 to 91002-C & Rev 7 to 91102-C. W/900724 ltr.
HAIRSTON, W.G. Georgia Power Co. 90/07/24. 44pp. 54734:001-54734:044.

9008080004 Forwards Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. Violations noted but not cited.
STOHR, J.P. Region 2 (Post 820201). 90/07/26. HAIRSTON, W.G. Georgia Power Co. 3pp. 54908:087-54908:098.

-9008080005 Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. No violations noted. Major areas inspected: radiological emergency response plan & implementing procedures, emergency facilities, equipment, instrumentation & supplies.
TESTA, E.D., RANKIN, W.H. Region 2 (Post 820201). 90/07/26. 9pp. 54908:090-54908:098.

9008020267 Responds to violation & proposed imposition of civil penalty in Insp Repts 50-424/90-11 & 50-425/90-11. Corrective action: complete audit of contents of safeguards info container performed & unassigned safeguards info dispositioned.
HAIRSTON, W.G. Georgia Power Co. 90/07/27. Ofc of Enforcement (Post 870413). 5pp. 54831:257-54831:261.

9008140333 Rev 8 to EIP 91601-C, "Emergency Preparedness Training." W/900810 ltr.
HAIRSTON, W.G. Georgia Power Co. 90/08/10. 15pp. 54964:057-54964:071.

G. Adjudicatory correspondence

9008070231 Forwards petition to intervene on behalf of Georgians Against Nuclear Energy. Petition filed in response to notice of consideration of issuance of amend to Licenses NPF-68 & NPF-81, revising Tech Specs.
CHILK, S.J. Office of the Secretary of the Commission. #390 10681. 90/07/27. COTTER, B.P. Atomic Safety and Licensing Board Panel. 1p. 54824:169-54824:173.

-9008070379 Petition for Georgians Against Nuclear Energy to intervene in Georgia Power Co request for amend to Licenses NPF-68 & NPF-81. * Util should acquire temp switch that works.
CARROL, G. Georgians Against Nuclear Energy. #390 10681. 90/07/23. JULIAN, E. Docketing & Services Branch. 4pp. 54824:170-54824:173.

9008070178 Establishment of ASLB. * Board, comprising of C Bechhoefer, JH Carpenter & EA Luebke, established to rule on petitions for leave to intervene &/or requests for hearing & to preside over hearing. W/Certificate of Svc. Served on 900802.
LAZO, R.M. Atomic Safety and Licensing Board Panel. #390 10686. 90/08/01. 3pp. 54824:040-54824:042.

9008150228 Util answer to 900723 petition of Georgians Against Nuclear Energy for leave to intervene in license amend proceeding. * Petition should be denied. W/Certificate of Svc & svc list.
DOMBY, A.H., LAMBERSKI, J. Georgia Power Co. DOMBY, A.H. Troutman, Sanders, Lockman & Ashmore. #390 10715. 90/08/07. Atomic Safety and Licensing Board Panel. 23pp. 54927:319-54927:341.

9008150176 NRC Staff response in opposition to Georgians Against Nuclear Energy petition for leave to intervene. * Petition does not identify real injury which could be incurred by petitioner & should be denied. W/Certificate of Svc.
BARTH, C.A. Assistant General Counsel for Hearings & Enforcement. #390 10718. 90/08/13. Atomic Safety and Licensing Board Panel. 10pp. 54927:300-54927:309.

9008240147 Memorandum & order (intervention petition). * Requests that util clarify why vague footnote added to Tech Specs rather than deleting phrase "high jacket water temps." Certificate of Svc encl. Served on 900816.
BECHHOEFER, C. Atomic Safety and Licensing Board Panel. #390 10735. 90/08/16. Office of the General Counsel (Post 860701). 9pp. 54995:143-54995:151.

9008240086 Notice of prehearing conference. * Notice hereby given that prehearing conference in proceeding scheduled for 900919, per Licensing Board 900816 memorandum & order. Served on 900817. W/Certificate of Svc.
BECHHOEFER, C. Atomic Safety and Licensing Board Panel. #390 10744. 90/08/17. 3pp. 54995:060-54995:062.

I. Financial Information

9007300100 Forwards nuclear decommissioning funding plan for plant. Info provides assurance that NRC prescribed min funding will be available to decommission facilities.
DAHLBERG, A.W. Georgia Power Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54739:043-54739:290.

P. Operating license stage documents & correspondence

9007310080 Forwards info re status of Pen Branch fault investigation. Investigations conducted so far still indicate that Pen Branch fault not capable.
HAIRSTON, W.G. Georgia Power Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54803:248-54803:250.

9008070130 Forwards Amends 32 & 12 to Licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends remove limits associated w/reactor physics that are fuel cycle specific & placed in separate core operating limits rept.
REED, T.A. Project Directorate II-3. 90/07/30. HAIRSTON, W.G. Georgia Power Co. 2pp. 54898:105-54898:162.

-9008070131 Amends 32 & 12 to Licenses NPF-68 & NPF-81, respectively, removing limits associated w/reactor physics that are fuel cycle specific & placed in separate core operating limits rept.
MATTHEWS, D.B. Project Directorate II-3. 90/07/30. 51pp. 54898:107-54898:157.

-9008070133 Safety evaluation supporting Amends 32 & 12 to Licenses NPF-68 & NPF-81, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 5pp. 54898:158-54898:162.

9008020149 Discusses guidance for reporting of events under requirements of 10CFR50.73 at plant, per 900525 request. Authors ofc aware that BWR Owners Group intends to pursue 10CFR50.73 interpretation issue w/NRC.
LAINAS, G.C. Assistant Director for Region II Reactors. 90/07/31. REYES, L.A. Region 2 (Post 820201). 1p. 54826:277-54826:280.

-9008020150 Provides summary of licensee position, Region II position & results of review re reporting of events under requirements of 10CFR50.73 at plant. Actuation of ESF logic w/o component operation also reportable, unless equipment removed from svc.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/12. LAINAS, G.C. Assistant Director for Region II Reactors. 3pp. 54826:278-54826:280.

9008080308 Forwards Amends 33 & 13 to Licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends revise Tech Spec 4.0.2, per Generic Ltr 89-14.
REED, T.A. Project Directorate II-3. 90/07/31. HAIRSTON, W.G. Georgia Power Co. 3pp. 54931:120-54931:134.

-9008080312 Amends 33 & 13 to Licenses NPF-68 & NPF-81, respectively, revising Tech Spec 4.0.2.
MATTHEWS, D.B. Project Directorate II-3. 90/07/31. 9pp. 54931:122-54931:130.

154 DOCKETED ITEMS

9008080315 Safety evaluation supporting Amends 33 & 13 to Licenses NPF-68 & NPF-81, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 3pp. 54931:131-54931:134.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100092 Forwards safety evaluation accepting implementation of DCRDR program, per NUREG-0737 & NUREG-0800.
REED, T.A. Project Directorate II-3. 90/08/08. HAIRSTON, W.G. Georgia Power Co. 6pp. 54943:289-54943:294.

9008200164 Submits rept re results of leakage exams conducted during Spring 1990 refueling outage, per TMI Item III.D.1.1. None of identified leakage considered excessive. Work orders issued in effort to reduce leakage to level as low practical.
HAIRSTON, W.G. Georgia Power Co. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54995:294-54995:295.

9008220014 Application for amends to Licenses NPF-68 & NPF-81, revising Tech Spec Tables 2.2-1, 3.3-1 & 4.3-1 re reactor trip sys instrumentation requirements to delete negative flux rate trip function for both facilities.
HAIRSTON, W.G. Georgia Power Co. 90/08/14. Document Control Branch (Document Control Desk). 9pp. 55005:106-55005:123.

9008220017 Proposed Tech Specs change re deletion of negative flux rate trip.
* Georgia Power Co. 90/08/14. 9pp. 55005:115-55005:123.

9008280299 Application for amends to Licenses NPF-68 & NPF-81, revising Tech Spec 4.0.3 to permit 24 h to complete inadequately missed surveillance.
HAIRSTON, W.G. Georgia Power Co. 90/08/20. Document Control Branch (Document Control Desk). 6pp. 55041:297-55041:309.

9008280300 Proposed Tech Spec 4.0.3, permitting 24 h to complete inadequately missed surveillance.
* Georgia Power Co. 90/08/20. 7pp. 55041:303-55041:309.

Q. Inspection reports, IE Bulletins & correspondence

9007270078 Forwards Insp Repts 50-424/90-14 & 50-425/90-14 on 900611-15. No violations or deviations noted.
COLLINS, D.M. Region 2 (Post 820201). 90/07/06. HAIRSTON, W.G. Georgia Power Co. 3pp. 54735:078-54735:093.

9007270083 Insp Repts 50-424/90-14 & 50-425/90-14 on 900611-15. No violations or deviations noted. Major areas inspected: radiological effluents, environ monitoring, plant chemistry & post-accident sampling sys.
ADAMOVIK, S.S., DECKER, T.R. Region 2 (Post 820201). 90/07/02. 13pp. 54735:081-54735:093.

9008080036 Ack receipt of 900712 response to violations noted in Insp Repts 50-424/90-10 & 50-425/90-10.
HERDT, A.R. Region 2 (Post 820201). 90/07/23. HAIRSTON, W.G. Georgia Power Co. 3pp. 54916:185-54916:187.

9008080041 Forwards Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited.
HERDT, A.R. Region 2 (Post 820201). 90/07/23. HAIRSTON, W.G. Georgia Power Co. 3pp. 54907:047-54907:070.

9008080044 Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited. Major areas inspected: plant operations, radiological controls, maintenance, quality programs, security & administrative controls.
ROGGE, J.F., AIELLO, R.F., STARKY, R.D. Region 2 (Post 820201). 90/07/18. 21pp. 54907:050-54907:070.

9008080004 Forwards Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. Violations noted but not cited.
STOHR, J.P. Region 2 (Post 820201). 90/07/26. HAIRSTON, W.G. Georgia Power Co. 3pp. 54908:087-54908:098.

9008080005 Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. No violations noted. Major areas inspected: radiological emergency response plan & implementing procedures, emergency facilities, equipment, instrumentation & supplies.
TESTA, E.D., RANKIN, W.H. Region 2 (Post 820201). 90/07/26. 9pp. 54908:090-54908:098.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020267 Responds to violation & proposed imposition of civil penalty in Insp Repts 50-424/90-11 & 50-425/90-11. Corrective action: complete audit of contents of safeguards info container performed & unassigned safeguards info dispositioned.
HAIRSTON, W.G. Georgia Power Co. 90/07/27. Ofc of Enforcement (Post 870413). 5pp. 54831:257-54831:261.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008200115 Ack receipt of 900712 response to Insp Repts 50-424/90-08 & 50-425/90-08. Written statement describing corrective actions needed within 30 days.
MERSCHOFF, E.W. Region 2 (Post 820201). 90/08/02. HAIRSTON, W.G. Georgia Power Co. 4pp. 54991:197-54991:200.

9008090041 Responds to NRC 900612 request for comments & suggestions on draft risk-based insp guide. Util conducting individual plant exam & will withhold comment on risk-based insp guide until completion.
HAIRSTON, W.G. Georgia Power Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54942:161-54942:162.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140307 Monthly operating repts for Jul 1990 for Vogtle Units 1 & 2. W/900809 ltr.
WILLIAMS, J.C., HAIRSTON, W.G. Georgia Power Co. 90/07/31. 13pp. 54964:139-54964:151.

S. Reportable occurrences, LERs & related correspondence

9008270039 Confirms completion of commitment in Confirmation of Action Ltr 50-424/90-01 re site area emergency event.
EBNETER, S.D. Region 2 (Post 820201). 90/07/20. HAIRSTON, W.G. Georgia Power Co. 4pp. 55037:120-55037:123.

9008100035 Special Rept 1-90-05: on 900711, valid diesel generator failures occurred. Caused by initial mfg process. Starting air valves on each of four diesel generators tested & polished to provide adequate clearance between pistons & caps.
HAIRSTON, W.G. Georgia Power Co. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54953:356-54953:358.

9008130097 LER 90-015-00: on 900712, calibr requirements not applied to computer points used for obtaining final feedwater temp input valves. Caused by cognitive personnel error. Precision heat balance procedure to be revised. W/900808 ltr.
ODOM, R.M., HAIRSTON, W.G. Georgia Power Co. 90/08/08. 4pp. 54953:011-54953:014.

9008170135 Forwards three analyses of shutdown events evaluated by Accident Sequence Precursor Program.
NOVAK, T.M. Division of Safety Programs (Post 870413). 90/08/15. THADANI, A.C. Division of Systems Technology (Post 890827). 1p. 54981:035-54981:060.

9008170140 Accident sequence precursor program event analysis 424/PNO-IIT-90-02A, "LOOP Diesel Generator Failure & 36 Min Interruption of SDC During Mid-Loop Operation."
* Office for Analysis & Evaluation of Operational Data, Director. 90/04/05. 10pp. 54981:036-54981:045.

9008280290 LER 90-016-00: on 900723, determined that failed 4,160/480-volt non-1E transformer led to main feed pump trip & reactor trip. Caused by internal fault in 1NB01 transformer. Failed transformer replaced. W/900821 ltr.
ODOM, R.M., HAIRSTON, W.G. Georgia Power Co. 90/08/21. 4pp. 55056:059-55056:062.

U. Congressional/Executive Correspondence

9008160019 Forwards NUREG-0090, Vol 13, No 1, "Rept to Congress on AOs: Jan-Mar 1990." Ten AOs noted for reporting period. One involved loss of vital ac power & subsequent temp increase in RCS at unit during shutdown.
CARR, K.M. Commissioners (Post 750119). 90/08/03. FOLEY, T.S. House of Rep. QUAYLE, J.D. Senate, President of the Senate. 44pp. 54992:195-54992:234.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080041 Forwards Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited. HERDT, A.R. Region 2 (Post 820201). 90/07/23. HAIRSTON, W.G. Georgia Power Co. 3pp. 54907:047-54907:070.

9008080044 Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited. Major areas inspected: plant operations, radiological controls, maint, surveillance, quality programs, security & administrative controls. ROGGE, J.F., TROCINE, L., BURNETT, P. Region 2 (Post 820201). 90/07/18. 21pp. 54907:050-54907:070.

9007270127 Revised EIPs, including Rev 8 to 91001-C, Rev 16 to 91002-C & Rev 7 to 91102-C. W/900724 ltr. HAIRSTON, W.G. Georgia Power Co. 90/07/24. 44pp. 54734:001-54734:044.

9008080004 Forwards Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. Violations noted but not cited. STOHR, J.P. Region 2 (Post 820201). 90/07/26. HAIRSTON, W.G. Georgia Power Co. 3pp. 54908:087-54908:098.

9008080005 Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. No violations noted. Major areas inspected: radiological emergency response plan & implementing procedures, emergency facilities, equipment, instrumentation & supplies. TESTA, E.D. Region 2 (Post 820201). 90/07/26. 9pp. 54908:090-54908:098.

9008020267 Responds to violation & proposed imposition of civil penalty in Insp Repts 50-424/90-11 & 50-425/90-11. Corrective action: complete audit of contents of safeguards info container performed & unassigned safeguards info dispositioned. HAIRSTON, W.G. Georgia Power Co. 90/07/27. Ofc of Enforcement (Post 870413). 5pp. 54831:257-54831:261.

9008140333 Rev 8 to EIP 91601-C, "Emergency Preparedness Training." W/900810 ltr. HAIRSTON, W.G. Georgia Power Co. 90/08/10. 15pp. 54964:057-54964:071.

G. Adjudicatory correspondence

9008070231 Forwards petition to intervene on behalf of Georgians Against Nuclear Energy. Petition filed in response to notice of consideration of issuance of amend to Licenses NPF-68 & NPF-81, revising Tech Specs. CHILK, S.J. Office of the Secretary of the Commission. #390 10681. 90/07/27. COTTER, B.P. Atomic Safety and Licensing Board Panel. 1p. 54824:169-54824:173.

9008070379 Petition for Georgians Against Nuclear Energy to intervene in Georgia Power Co request for amend to Licenses NPF-68 & NPF-81. "Util should acquire temp switch that works." CARROLL, G. Georgians Against Nuclear Energy. #390 10681. 90/07/23. JULIAN, E. Docketing & Services Branch. 4pp. 54824:170-54824:173.

9008070178 Establishment of ASLB. Board, comprising of C Bechhoefer, JH Carpenter & EA Luebke, established to rule on petitions for leave to intervene &/or requests for hearing & to preside over hearing. W/Certificate of Svc. Served on 900802. LAZO, R.M. Atomic Safety and Licensing Board Panel. #390 10686. 90/08/01. 3pp. 54824:040-54824:042.

9008150228 Util answer to 900723 petition of Georgians Against Nuclear Energy for leave to intervene in license amend proceeding. "Petition should be denied. W/Certificate of Svc & svc list. DOMBY, A.H., LAMBERSKI, J. Georgia Power Co. DOMBY, A.H. Troutman, Sanders, Lockerman & Ashmore. #390 10715. 90/08/07. Atomic Safety and Licensing Board Panel. 23pp. 54927:319-54927:341.

9008150176 NRC Staff response in opposition to Georgians Against Nuclear Energy petition for leave to intervene. "Petition does not identify real injury which could be incurred by petitioner & should be denied. W/Certificate of Svc. BARTH, C.A. Assistant General Counsel for Hearings & Enforcement. #390 10718. 90/08/13. Atomic Safety and Licensing Board Panel. 10pp. 54927:300-54927:309.

9008240147 Memorandum & order (intervention petition). "Requests that util clarify why vague footnote added to Tech Specs rather than deleting phrase 'high jacket water temps.'" Certificate of Svc encl. Served on 900816. BECHHOEFER, C. Atomic Safety and Licensing Board Panel. #390 10735. 90/08/16. Office of the General Counsel (Post 860701). 9pp. 54995:143-54995:151.

9008240086 Notice of prehearing conference. "Notice hereby given that prehearing conference in proceeding scheduled for 900919, per Licensing Board 900816 memorandum & order. Served on 900817. W/Certificate of Svc. BECHHOEFER, C. Atomic Safety and Licensing Board Panel. #390 10744. 90/08/17. 3pp. 54995:060-54995:062.

I. Financial information

9007300100 Forwards nuclear decommissioning funding plan for plant. Info provides assurance that NRC prescribed min funding will be available to decommission facilities. DAHLBERG, A.W. Georgia Power Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54739:043-54739:290.

P. Operating license stage documents & correspondence

9007270117 Submits summary of snubber types & sample plans for functional testing to be performed during Sept 1990 outage. HAIRSTON, W.G. Georgia Power Co. 90/07/23. Document Control Branch (Document Control Desk). 2pp. 54727:307-54727:308.

9007310080 Forwards info re status of Pen Branch fault investigation. Investigations conducted so far still indicate that Pen Branch fault not capable. HAIRSTON, W.G. Georgia Power Co. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54803:248-54803:250.

9008070130 Forwards Amends 32 & 12 to Licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends remove limits associated w/reactor physics that are fuel cycle specific & placed in separate core operating limits rept. REED, T.A. Project Directorate II-3. 90/07/30. HAIRSTON, W.G. Georgia Power Co. 2pp. 54898:105-54898:162.

9008070131 Amends 32 & 12 to Licenses NPF-68 & NPF-81, respectively, removing limits associated w/reactor physics that are fuel cycle specific & placed in separate core operating limits rept. MATTHEWS, D.B. Project Directorate II-3. 90/07/30. 51pp. 54898:107-54898:157.

9008070133 Safety evaluation supporting Amends 32 & 12 to Licenses NPF-68 & NPF-81, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 5pp. 54898:158-54898:162.

9008020149 Discusses guidance for reporting of events under requirements of 10CFR50.73 at plant, per 900525 request. Authors ofc aware that BWR Owners Group intends to pursue 10CFR50.73 interpretation issue w/NRC. LAINAS, G.C. Assistant Director for Region II Reactors. 90/07/31. REYES, L.A. Region 2 (Post 820201). 1p. 54826:277-54826:280.

9008020150 Provides summary of licensee position, Region II position & results of review re reporting of events under requirements of 10CFR50.73 at plant. Actuation of ESF logic w/o component operation also reportable, unless equipment removed from svc. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/12. LAINAS, G.C. Assistant Director for Region II Reactors. 3pp. 54826:278-54826:280.

9008080308 Forwards Amends 33 & 13 to Licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends revise Tech Spec 4.0.2, per Generic Ltr 89-14. REED, T.A. Project Directorate II-3. 90/07/31. HAIRSTON, W.G. Georgia Power Co. 3pp. 54931:120-54931:134.

9008080312 Amends 33 & 13 to Licenses NPF-68 & NPF-81, respectively, revising Tech Spec 4.0.2. MATTHEWS, D.B. Project Directorate II-3. 90/07/31. 9pp. 54931:122-54931:130.

9008080315 Safety evaluation supporting Amends 33 & 13 to Licenses NPF-68 & NPF-81, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 3pp. 54931:131-54931:134.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100092 Forwards safety evaluation accepting implementation of DCRDR program, per NUREG-0737 & NUREG-0800. REED, T.A. Project Directorate II-3. 90/08/08. HAIRSTON, W.G. Georgia Power Co. 6pp. 54943:289-54943:294.

9008200157 "Fourth Suppl to Summary Rept of Startup Test Program." W/900814 ltr. HAIRSTON, W.G. Georgia Power Co. 90/08/14. 2pp. 54995:334-54995:335.

9008220014 Application for amends to Licenses NPF-68 & NPF-81, revising Tech Spec Tables 2.2-1, 3.3-1 & 4.3-1 re reactor trip sys instrumentation requirements to delete negative flux rate trip function for both facilities. HAIRSTON, W.G. Georgia Power Co. 90/08/14. Document Control Branch (Document Control Desk). 9pp. 55005:106-55005:123.

9008220017 Proposed Tech Specs change re deletion of negative flux rate trip. * Georgia Power Co. 90/08/14. 9pp. 55005:115-55005:123.

9008280299 Application for amends to Licenses NPF-68 & NPF-81, revising Tech Spec 4.0.3 to permit 24 h to complete inadequately missed surveillance. HAIRSTON, W.G. Georgia Power Co. 90/08/20. Document Control Branch (Document Control Desk). 6pp. 55041:297-55041:309.

9008280300 Proposed Tech Spec 4.0.3, permitting 24 h to complete inadequately missed surveillance. * Georgia Power Co. 90/08/20. 7pp. 55041:303-55041:309.

Q. Inspection reports, IE Bulletins & correspondence

9007270078 Forwards Insp Repts 50-424/90-14 & 50-425/90-14 on 900611-15. No violations or deviations noted. COLLINS, D.M. Region 2 (Post 820201). 90/07/06. HAIRSTON, W.G. Georgia Power Co. 3pp. 54735:078-54735:093.

9007270083 Insp Repts 50-424/90-14 & 50-425/90-14 on 900611-15. No violations or deviations noted. Major areas inspected: radiological effluents, environ monitoring, plant chemistry & post-accident sampling sys. ADAMOVIK, S.S., DECKER, T.R. Region 2 (Post 820201). 90/07/02. 13pp. 54735:081-54735:093.

9008080036 Ack receipt of 900712 response to violations noted in Insp Repts 50-424/90-10 & 50-425/90-10. HERDT, A.R. Region 2 (Post 820201). 90/07/23. HAIRSTON, W.G. Georgia Power Co. 3pp. 54916:185-54916:187.

9008080041 Forwards Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited. HERDT, A.R. Region 2 (Post 820201). 90/07/23. HAIRSTON, W.G. Georgia Power Co. 3pp. 54907:047-54907:070.

9008080044 Insp Repts 50-424/90-13 & 50-425/90-13 on 900519-0629. Violations noted but not cited. Major areas inspected: plant operations, radiological controls, maint, surveillance, quality programs, security & administrative controls. ROGGE, J.F., AIELLO, R.F., STARKEY, R.D. Region 2 (Post 820201). 90/07/18. 21pp. 54907:050-54907:070.

156 DOCKETED ITEMS

9008080004 Forwards Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. Violations noted but not cited. STOHR, J.P. Region 2 (Post 820201). 90/07/26. HAIRSTON, W.G. Georgia Power Co. 3pp. 54908:087-54908:098.

9008080005 Insp Repts 50-424/90-16 & 50-425/90-16 on 900709-13. No violations noted. Major areas inspected: radiological emergency response plan & implementing procedures, emergency facilities, equipment, instrumentation & supplies. TESTA, E.D., RANKIN, W.H. Region 2 (Post 820201). 90/07/26. 9pp. 54908:090-54908:098.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008020267 Responds to violation & proposed imposition of civil penalty in Insp Repts 50-424/90-11 & 50-425/90-11. Corrective action: complete audit of contents of safeguards info container performed & unassigned safeguards info dispositioned. HAIRSTON, W.G. Georgia Power Co. 90/07/27. Ofc of Enforcement (Post 870413). 5pp. 54831:257-54831:261.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008200115 Ack receipt of 900712 response to Insp Repts 50-424/90-08 & 50-425/90-08. Written statement describing corrective actions needed within 30 days. MERSCHOFF, E.W. Region 2 (Post 820201). 90/08/02. HAIRSTON, W.G. Georgia Power Co. 4pp. 54991:197-54991:200.

9008090041 Responds to NRC 900612 request for comments & suggestions on draft risk-based insp guide. Util conducting individual plant exam & will withhold comment on risk-based insp guide until completion. HAIRSTON, W.G. Georgia Power Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54942:161-54942:162.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140307 Monthly operating repts for Jul 1990 for Vogtle Units 1 & 2. W/900809 ltr. WILLIAMS, J.C., HAIRSTON, W.G. Georgia Power Co. 90/07/31. 13pp. 54964:139-54964:151.

S. Reportable occurrences, LERs & related correspondence

9008020151 LER 90-008-00: on 900628, indication received in control room that MSIV 2HV-3026A was closing. Caused by failure of C-ring which seals connection of non-pump side manifold assembly to boss on actuator cylinder. O-ring replaced. W/900727 ltr. ODOM, R.M., HAIRSTON, W.G. Georgia Power Co. 90/07/27. 5pp. 54792:160-54792:164.

9008060053 LER 90-009-00: on 900630, manual reactor trip initiated due to delays in synchronization to grid. Caused by cognitive personnel error by shift superintendent. Personnel counseled & operating procedure revised. W/900730 ltr. ODOM, R.M., HAIRSTON, W.G. Georgia Power Co. 90/07/30. 6pp. 54904:093-54904:098.

9008060162 LER 90-010-00: on 900702, observed that Unit 2 process & effluent radiation monitoring sys computer screen displayed active limiting condition for operation against 2RE-2562C. Caused by personnel error. Personnel counseled. W/900802 ltr. ODOM, R.M., HAIRSTON, W.G. Georgia Power Co. 90/08/02. 5pp. 54904:133-54904:137.

9008100035 Special Rept 1-90-05: on 900711, valid diesel generator failures occurred. Caused by initial mfg process. Starting air valves on each of four diesel generators tested & polished to provide adequate clearance between pistons & caps. HAIRSTON, W.G. Georgia Power Co. 90/08/07. Document Control Branch (Document Control Desk). 3pp. 54953:356-54953:358.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.

PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9007310068 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/differing views expressed by employees in licensee nuclear power program.

MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

9007310072 Forwards review of util current practices & procedures for dealing w/differing views expressed by employees in licensee Nuclear Power Program. RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020133 Forwards Rev 1 to TVA welding project final rpt, initially submitted on 8/9/82, reflecting rev of existing specs. WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008150286 Provides info that clarifies organizational Topical Rept TVA-NPOD89, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev. WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008300089 Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/24. ZIGROSSI, N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.

P. Operating license stage documents & correspondence

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues. CORTLAND, P. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 10pp. 54981:347-54981:355.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA. MCCUBBIN, S. Contract Administration Branch (890205-900602). 90/07/19. SPESARD, R.L. Division of Operational Assessment (Post 870413). 1p. 55006:342-55006:343.

9008220134 Mod 20, revising contract to purchase addl training aids, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." LAYMON, J.S. Tennessee Valley Authority. FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9007310066 Expresses thanks for transmitting results of review re util current practices & procedures for dealing w/ differing views expressed by employees in licensee nuclear power program.

MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. RUNYON, M. Tennessee Valley Authority. 7pp. 54769:329-54769:354.

9007310072 Forwards review of util current practices & procedures for dealing w/ differing views expressed by employees in licensee Nuclear Power Program. RUNYON, M. Tennessee Valley Authority. 90/07/13. CARR, K.M. Commissioners (Post 750119). 19pp. 54769:336-54769:354.

9008020133 Forwards Rev 1 to TVA welding project final rpt, initially submitted on 8/9/82, reflecting rev of existing specs. WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54820:294-54820:296.

9008080306 Provides authorization for use of ASME Code Case N-461 prior to generic approval by NRC, per util 900404 request. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/02. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54931:224-54931:227.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008150286 Provides info that clarifies organizational Topical Rept TVA-NPOD89, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev. WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.

9008300089 Ack receipt of audit of TVA employee concern program dtd 900815 & NRR audit response. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/24. ZIGROSSI, N.A. Tennessee Valley Authority. 2pp. 55069:306-55069:307.

P. Operating license stage documents & correspondence

9008170072 Trip rept of 900801-03 visit to plant sites to review status of employee concerns & administrative licensing issues. CORTLAND, P. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 90/08/15. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 10pp. 54981:347-54981:355.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

158 DOCKETED ITEMS

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA.
MCCUBBIN, S. Contract Administration Branch (890205-900602). 90/07/19.
SPESSARD, R.L. Division of Operational Assessment (Post 870413). 1p. 55006:342-55006:343.

-9008220134 Mod 20, revising contract to purchase addl training aids, to "Use to TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators."
LAYMON, J.S. Tennessee Valley Authority. FIN B-87170. 90/07/19. 1p. 55006:343-55006:343.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008010115 Recommends that util wait until generic effort on NUMARC proposal completed re emergency action level scheme before initiating changes.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. LYSTER, M.D. Cleveland Electric Illuminating Co. 2pp. 54806:258-54806:260.

G. Adjudicatory correspondence

9008010116 Memorandum & order (denying staff & licensee motions for reconsideration). * Licensee & NRC motions for reconsideration denied & OCRE admitted as party. W/Certificate of Svc. Served on 900723. Reserved on 900726.
SHON, F.J., KLINE, J.R., FRYE, J.H. Atomic Safety and Licensing Board Panel. #390 10657. 90/07/23. Office of the General Counsel (Post 860701). 18pp. 54722:130-54722:147.

9008070128 Requests addition of listed name to svc list for plant proceeding. W/Certificate of Svc. Served on 900726.
MCDOW, J. Atomic Safety and Licensing Board Panel. #390 10665. 90/07/24.
JULIAN, E.L. Docketing & Services Branch. 2pp. 54824:025-54824:026.

9008150201 Licensee motion for mod of ASLB hearing schedule. * Licensees respectfully submit that Board adopt proposed schedule for discovery & date for hearing. W/Certificate of Svc.
SILBERG, J.E. Cleveland Electric Illuminating Co. SILBERG, J.E. Shaw, Pittman, Potts & Trowbridge. #390 10698. 90/08/01. Atomic Safety and Licensing Board Panel. 4pp. 54927:357-54927:360.

9008150200 Memorandum & order. * Grants motion for mod of hearing schedule adopted in 900723 memorandum & order. New schedule as indicated. Served on 900807. W/Certificate of Svc.
FRYE, J.H. Atomic Safety and Licensing Board Panel. #390 10702. 90/08/07. Cleveland Electric Illuminating Co. 3pp. 54929:060-54929:062.

9008150153 Interrogatories & request for production of documents. * Requests that util answer interrogatories & request for production of documents no later than 900831. Certificate of Svc encl. Related correspondence.
HIATT, S.L. Ohio Citizens for Responsible Energy. #390 10720. 90/08/08. Cleveland Electric Illuminating Co. 7pp. 54927:203-54927:209.

I. Financial information

9007270109 Forwards decommissioning repts on financial assurance for plant.
LYSTER, M.D. Centor Energy. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54728:001-54728:198.

P. Operating license stage documents & correspondence

9008270248 Forwards Amend 30 to License NPF-58 & safety evaluation. Amend modifies limiting conditions for operation to allow entry into operational condition under certain circumstances when action statements would allow continued operation.
COLBURN, T.G. Project Directorate III-3. 90/05/24. LYSTER, M.D. Cleveland Electric Illuminating Co. 3pp. 55035:153-55035:224.

-9008270249 Amend 30 to License NPF-58, modifying limiting condition for operation to allow entry into operational condition under certain circumstances when compliance w/action statements allow continued operation for unlimited period of time.
HANNON, J.M. Project Directorate III-3. 90/05/24. 60pp. 55035:156-55035:218.

-9008270251 Safety evaluation supporting Amend 30 to License NPF-58.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/05/24. 5pp. 55035:219-55035:224.

9007310074 Provides estimate duration schedule re installation of post-LOCA neutron monitoring sys. Util will evaluate effect of resolution on schedule & confirm or revise installation date as needed, when appeal & criteria questions resolved.
LYSTER, M.D. Centor Energy. 90/07/27. Document Control Branch (Document Control Desk). 4pp. 54803:237-54803:240.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9008070025 Forwards Rev 0 to "Inservice Exam Program." Program serves as 10-yr rev to inservice insp program plan.
LYSTER, M.D. Centor Energy. 90/07/24. Document Control Branch (Document Control Desk). 3pp. 54899:001-54901:146.

-9008070029 Rev 0 to "Inservice Exam Program."
* Cleveland Electric Illuminating Co. 90/05/30. 400pp. 54899:004-54901:146.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008060257 Forwards Safety Insp Rept 50-440/90-15 on 900709-13. No violations noted.
RING, M.A. Region 3 (Post 820201). 90/08/01. LYSTER, M.D. Cleveland Electric Illuminating Co. 2pp. 54864:132-54864:141.

-9008060261 Safety Insp Rept 50-440/90-15 on 900709-13. No violations, deviations or other items noted. Major areas inspected: licensee actions on previous insp items & actions taken in response to IE Bulletin 85-003 & Generic Ltr 89-10.
HUBER, M.P., DANIELSON, D.H. Region 3 (Post 820201). 90/08/01. 8pp. 54864:134-54864:141.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090314 Forwards Safety Insp Rept 50-440/90-17 on 900709-13. No violations noted. Mobile lab located at site during insp to perform independent measurements of radioactivity.
GREGER, L.R. Region 3 (Post 820201). 90/08/02. LYSTER, M.D. Cleveland Electric Illuminating Co. 2pp. 54942:144-54942:156.

-9008090318 Insp Rept 50-440/90-17 on 900709-13 & 25. No violations noted. Major areas inspected: confirmatory measurements & radiological environ monitoring programs including audits & appraisals, changes in organization & equipment.
HOUSE, J.E., JANUSKA, A.G., SCHUMACHER, M.C. Region 3 (Post 820201). 90/08/01. 11pp. 54942:146-54942:156.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008140161 Forwards Safety Insp Rept 50-440/90-16 on 900709-13. No violations identified.
GREGER, L.R. Region 3 (Post 820201). 90/08/08. LYSTER, M.D. Cleveland Electric Illuminating Co. 2pp. 54962:099-54962:108.

-9008140162 Insp Rept 50-440/90-16 on 900709-13. No violations noted. Major areas inspected: operational radiation protection & radwaste programs including audits & appraisals, changes in organization & outage planning & preparation.
KUNOWSKI, M.A., JANUSKA, A.G., SCHUMACHER, M.C. Region 3 (Post 820201). 90/08/08. 8pp. 54962:101-54962:108.

9008130265 Responds to NRC 900613 request for addl info re inservice insp relief requests. Util revised Relief Requests PT-001 & PT-003 to provide more detailed info & has withdrawn Relief Request IR-017. Revised relief requests & summary encl.
LYSTER, M.D. Centor Energy. 90/08/10. Document Control Branch (Document Control Desk). 23pp. 54944:063-54944:085.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270030 Forwards Safety Insp Rept 50-440/90-14 on 900611-0730 & notice of violation.
KNOP, R.C. Region 3 (Post 820201). 90/08/16. LYSTER, M. Cleveland Electric Illuminating Co. 2pp. 55034:354-55034:028.

-9008270032 Notice of violation from insp on 900611-0730. Violation noted: licensee failed to take prompt action to repair safety-related screenwash pump.
KNOP, R.C. Region 3 (Post 820201). 90/08/16. 1p. 55034:356-55034:356.

-9008270033 Insp Rept 50-440/90-14 on 900611-0730. Violations noted. Major areas inspected: LER followup, monthly surveillance observation, operational safety verification, onsite followup of events & plant status meeting. LANKSBURY, R.D. Region 3 (Post 820201). 90/08/16. 33pp. 55034:357-55035:028.

9008220190 Proposes date of 901207 to provide updated status & schedules, per 900604 request for addl info on disposition of Bulletin 88-005 product forms other than pipe fittings & flanges received at plant. Lyster, M.D. Centenor Energy. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55006:044-55006:046.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170227 Monthly operating rept for Jul 1990 for Perry Nuclear Power Plant, Unit 1. W/900815 ltr. HEGRAT, H.L., Lyster, M.D. Centenor Energy. 90/07/31. 6pp. 54990:355-54990:360.

S. Reportable occurrences, LERs & related correspondence

9008090080 LER 90-016-00 on 900710, condensate storage tank level low actuation instrumentation failure resulted in HPCS shift. Caused by component failure. Rosemount master trip unit replaced. W/900806 ltr. HEGRAT, H.L., Lyster, M.D. Centenor Energy. 90/08/06. 4pp. 54904:349-54904:352.

9008130167 LER 90-005-01 on 900405, HPCS declared inoperable due to fuel oil sediment exceeding Tech Spec limits. Caused by fuel oil & storage tank degradation, due to contaminant in biocide additive. Contaminated biocide additive removed. W/900810 ltr. HEGRAT, H.L., Lyster, M.D. Centenor Energy. 90/08/10. 4pp. 54953:022-54953:025.

9008130226 Special rept on 900724, sys meteorological monitoring instrumentation declared inoperable. Caused by faulty lightning arresters attached to resistance temp devices. Faulty arresters replaced. Lyster, M.D. Centenor Energy. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54956:297-54956:298.

9008270133 Special rept on 900807, radiological effluent monitoring instrumentation inoperable for 72 h. Caused by default setpoints. New microcomputer chips installed in all post-accident radiation monitors. Lyster, M.D. Centenor Energy. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55037:143-55037:145.

V. Operator Examinations

9008010029 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829. Requests preliminary list of questions/issues by 900815. MILLER, H.J. Region 3 (Post 820201). 90/07/25. Lyster, M.D. Cleveland Electric Illuminating Co. 2pp. 54788:340-54788:341.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encls. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

I. Financial Information

9007270109 Forwards decommissioning repts on financial assurance for plant. Lyster, M.D. Centenor Energy. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54728:001-54728:198.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270026 Forwards Rev 11 to physical security plan. Rev withheld (ref 10CFR73.21). FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 90/07/20. Document Control Branch (Document Control Desk). 2pp. 54733:149-54733:150.

9007310290 Forwards Rev 5 to facility security training & qualification plan. Rev withheld (ref 10CFR73.21). FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54757:351-54757:352.

9008070047 Advises that 891121 Rev 8 & 900119 Rev 9 to physical security plan meet 10CFR50.54(p) provisions & acceptable. BELLAMY, R.R. Region 1 (Post 820201). 90/07/31. HARRISON, R.J. Public Service Co. of New Hampshire. 4pp. 54930:329-54930:332.

9008150140 Forwards FJ Congel 900803 ltr to D Kwiatkowski of FEMA re MC Sinclair 900720 ltr, served on parties to proceeding. REIS, E.J. Deputy General Counsel for Licensing & Regulation (Post 890423). #390 10706. 90/08/06. SMITH, I.W. Atomic Safety and Licensing Board Panel. 2pp. 54927:198-54927:199.

9008210008 Forwards revised evacuation time estimates incorporating vehicles hidden from aerial observation, per ALAB-932 & ASLB Memorandum & Order LBP-90-20. Revised estimates will be incorporated into radiological emergency response plan. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 90/08/15. Document Control Branch (Document Control Desk). 5pp. 55003:221-55003:225.

9008200083 Forwards Safety Insp Rept 50-443/90-15 on 900625-0729 & notice of violation. Self-assessment team rept on power ascension testing demonstrated ability to be self-critical & results corresponded well w/NRC assessments of performance. JOHNSON, J.R. Region 1 (Post 820201). 90/08/16. BROWN, E.A. Public Service Co. of New Hampshire. 7pp. 54996:204-54996:227.

-9008200086 Insp Rept 50-443/90-15 on 900625-0729. Violations noted. Major areas inspected: operations, radiological controls, maint/ surveillance, emergency preparedness, security, engineering/ technical support & safety assessment/ quality verification. MCCABE, E.C. Region 1 (Post 820201). 90/08/15. 16pp. 54996:212-54996:227.

160 DOCKETED ITEMS

G. Adjudicatory correspondence

9008070129 NRC Staff response to ASLAB memorandum & order of 900717.* Advises that NRC maintains earlier position that school host facility at Holy Cross College will not be staffed by American Red Cross.W/Certificate of Svc.
CHAN,E.I. Assistant General Counsel for Hearings & Enforcement. #390 10666. 90/07/25. Atomic Safety and Licensing Appeal Panel. 12pp. 54824:013-54824:024.

9008070157 Forwards 900720 ltr from MC Sinclair to IW Smith & 900727 response to MC Sinclair,for svc upon parties.Served on 900730.
SMITH,I.W. Atomic Safety and Licensing Board Panel. #390 10671. 90/07/27. Atomic Safety and Licensing Board Panel. 1p. 54824:210-54824:217.

-9008070181 Advises that comment on issues in adjudication within NRC not appropriate except in published decisions & opinions on matters properly before ASLB.
SMITH,I.W. Atomic Safety and Licensing Board Panel. 90/07/27. SINCLAIR,M.C. Graystone Emergency Management Associates. 1p. 54824:211-54824:211.

-9008070199 Requests IW Smith views on offsite emergency response planning issues.W/Certificate of Svc.
SINCLAIR,M.C. Graystone Emergency Management Associates. 90/07/20. SMITH,I.W. Atomic Safety and Licensing Board Panel. 6pp. 54824:212-54824:217.

9008070210 Requests temporary addition of MC Sinclair to svc list in subj proceeding.Related correspondence.
MORAN,D.M. Atomic Safety and Licensing Board Panel. #390 10675. 90/07/27. Docketing & Services Branch. 1p. 54824:175-54824:175.

9008150131 Advises that Director's Decision DD-90-4 nonresponsive & noncompliant w/provisions of 10CFR2.206 & noncompliant w/ ASLAB memorandum & order of 900123 for stated reasons.
PIERCE-BJORKLUN Affiliation Not Assigned. #390 10689. 90/07/30. Atomic Safety and Licensing Appeal Panel. 9pp. 54927:184-54927:192.

9008070253 Advises of error in 900321 brief submitted upon review of LBP-89-32.American Red Cross not relied upon to provide staffing at Holy Cross College School Host facility under SPMC.
REIS,E.J. Office of the General Counsel (Post 860701). #390 10682. 90/07/31. MOORE,T.S., BOLLWERK,G.P., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 54824:209-54824:209.

9008070260 Intervenor's opposition to licensee motion for summary disposition re "advanced life support patient issue." Motion should be denied based on matl facts in dispute re number of patients & location.W/Certificate of Svc.
SHANNON,J.M., TRAFICANTE,J. Massachusetts, Commonwealth of. #390 10688. 90/07/31. Atomic Safety and Licensing Board Panel. 12pp. 54859:029-54859:057.

-9008070279 Affidavit of RL Goble re preparation of advanced life support patients for evacuation.
GOBLE,R.L. Clark Univ., Worcester, MA. 90/07/31. 5pp. 54859:042-54859:046.

-9008070289 Affidavit of A DesRosiers re evacuation of advanced life support patients.
DESROSIERS,A. Anna Jaques Hosp., Newburyport, MA. 90/07/31. 5pp. 54859:047-54859:051.

-9008070292 Affidavit of B Cohen re evacuation of advanced life support patients.
COHEN,B. Amesbury Hosp., Amesbury, MA. 90/07/31. 3pp. 54859:052-54859:054.

-9008070295 Affidavit of SJ Plodzik re evacuation of advanced life support patients.
PLODZIK,S.J. Portsmouth Regional Hosp., Portsmouth, NH. 90/07/31. 3pp. 54859:055-54859:057.

9008150181 Order.* Advises that date which concludes Commission review time for ALAB-924 postponed to be consistent w/most current date on which Commission may review any decision issued by ASLAB.W/Certificate of Svc.Served on 900802.
CHILK,S.J. Office of the Secretary of the Commission. #390 10694. 90/08/01. Office of the General Counsel (Post 860701). 4pp. 54929:039-54929:042.

9008150164 Advises that ASLAB cannot accept P Pierce-Bjorklund 900730 submission,seeking to appeal 900709 Director's Decision DD-90-4.W/Certificate of Svc.Served on 900803.
TOMPKINS,B.A. Atomic Safety and Licensing Board Panel. #390 10692. 90/08/02. PIERCE-BJORKLUN Affiliation Not Assigned. 5pp. 54927:210-54927:214.

9008150183 Corrects error in 900321 brief submitted upon review of LBP-89-32.Staff 900713 & 25 filings indicate that American Red Cross not relied upon to provide staffing at school host facility.
REIS,E.J. Deputy General Counsel for Licensing & Regulation (Post 890423). #390 10700. 90/08/02. BOLLWERK,G.P., ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 54929:063-54929:063.

9008150140 Forwards FJ Congel 900803 ltr to D Kwiatkowski of FEMA re MC Sinclair 900720 ltr,served on parties to proceeding.
REIS,E.J. Deputy General Counsel for Licensing & Regulation (Post 890423). #390 10706. 90/08/06. SMITH,I.W. Atomic Safety and Licensing Board Panel. 2pp. 54927:198-54927:199.

9008150179 Intervenor's motion for extension within which to file response.* One-day extension requested to file responses to ASLAB 900622 & 0717 orders based on listed reasons.
TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. #390 10709. 90/08/07. Atomic Safety and Licensing Appeal Panel. 2pp. 54929:001-54929:016.

-9008150198 Response of intervenors to Appeal Board memoranda & orders of 900622 & 0717.* Matter should be remanded to licensing board since no evidence to establish assurance that care for school children at Holy Cross adequate.W/Certificate of Svc.
TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. 90/08/07. Atomic Safety and Licensing Appeal Panel. 14pp. 54929:003-54929:016.

9008150205 NRC Staff response to intervenor motion for extension within which to file response.* Grants one-day extension to respond to ASLAB 900622 & 0717 orders.Certificate of Svc encl.
CHAN,E.I. Assistant General Counsel for Hearings & Enforcement. #390 10711. 90/08/07. Atomic Safety and Licensing Appeal Panel. 4pp. 54928:357-54928:360.

9008150210 Memorandum.* Infers that hypothesis of Ofc of Inspector General investigation into circumstances re issuance of 891109 partial initial decision did not authorize issuance of OL.W/Certificate of Svc.Served on 900807.
SMITH,I.W. Atomic Safety and Licensing Board Panel. #390 10703. 90/08/07. 2pp. 54927:342-54927:356.

-9008150216 Expresses concern re propriety of J Glenn 891204 request for inquiry into plant licensing proceeding.Certificate of Svc encl.
COTTER,B.P. Atomic Safety and Licensing Board Panel. 90/01/30. WILLIAMS,D. Office of Inspector General (Post 890417). 13pp. 54927:344-54927:356.

9008150223 Intervenor emergency motion to reopen record on adequacy of staffing of State of NH offsite emergency response plan & for immediate shutdown.* Commission should reopen record on adequacy of staffing.
TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. #390 10708. 90/08/07. Commissioners (Post 750119). 8pp. 54928:317-54928:340.

-9008150230 Affidavit of MC Sinclair.* Affidavit re offsite radiological emergency response planning for State of NH & SPMC.
SINCLAIR,M.C. Graystone Emergency Management Associates. 90/08/06. 7pp. 54928:325-54928:340.

9008150256 Intervenor's motion for extension within which to file response.* One-day extension requested to file response to ASLAB 900622 & 0717 orders based on listed reasons.Granted for ASLAB on 900810.W/Certificate of Svc.Served on 900810.
TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. #390 10714. 90/08/07. Atomic Safety and Licensing Board Panel. 4pp. 54928:353-54928:356.

9008240184 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-90-04 expired.Commission declined review & decision became final action on 900803.W/Certificate of Svc.Served on 900814.
CHILK,S.J. Office of the Secretary of the Commission. #390 10723. 90/08/14. PIERCE-BJORKLUN Affiliation Not Assigned. 4pp. 54995:178-54995:181.

9008240090 Licensee response to intervenors emergency motion to reopen record on adequacy of staffing of New Hampshire radiological emergency plan.* Motion should be denied.W/Certificate of Svc.
DIGNAN,T.G., TROUT,J.P. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #390 10740. 90/08/16. NRC - No Detailed Affiliation Given. 10pp. 54995:063-54995:072.

9008240097 Affidavit of GL Iverson re adequate staffing at New Hampshire radiological emergency plan in event of radiological emergency at Seabrook.W/Certificate of Svc.
IVERSON,G.L. Public Service Co. of New Hampshire. #390 10740. 90/08/16. 10pp. 54995:073-54995:082.

9008240069 Decision.* Advises that ASLB determination in LBP-89-17,that applicant emergency warning sys for State of MA portion of plant EPZ in compliance w/requirements & NUREG-0654 guidance affirmed.W/Certificate of Svc.Served on 900820.
TOMPKINS,B.A. Atomic Safety and Licensing Appeal Panel. #390 10747. 90/08/20. 33pp. 54995:021-54995:053.

9008240174 Decision.* Advises that 891109 motion denied in LBP-90-01 due to intervenors failure to demonstrate that repudiation of WCGY ltr of agreement puts accomplishment of regulatory objective in peril.W/Certificate of Svc.Served on 900820.
TOMPKINS,B.A. Atomic Safety and Licensing Appeal Panel. #390 10748. 90/08/20. 16pp. 54995:160-54995:175.

9008270141 Forwards addl info re topics discussed on 900816 concerning licensees response to intervenors emergency motion to reopen record on adequacy of staffing of New Hampshire radiological emergency response plan & immediate shutdown.
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Dignan,T.G. #390 10756. 90/08/21. CARR,K.M., REMICK,F.J., ROGERS,K.C. Commissioners (Post 750119). 1p. 55006:269-55006:271.

-9008270148 Affidavit of GL Iverson re position of governor media ctr representative.Twenty-second initial vacancy was New Hampshire Public Utils Commission lead engineer.
IVERSON,G.L. Public Service Co. of New Hampshire. IVERSON,G.L. New Hampshire, State of. 90/08/21. 2pp. 55006:270-55006:271.

9008270152 Advises that time for Commission to review decision ALAB-934 expired.Commission declined review.Decision became final agency action on 900820.W/Certificate of Svc.Served on 900821.
CHILK,S.J. Office of the Secretary of the Commission. #390 10752. 90/08/21. Atomic Safety and Licensing Board Panel. 4pp. 55006:272-55006:275.

9008270088 NRC Staff response to intervenors emergency motion to reopen record on adequacy of staffing of New Hampshire radiological emergency response plan & for immediate shutdown.* Motion to reopen & for immediate shutdown of plant should be denied.
TURK,S.E. Assistant General Counsel for Hearings & Enforcement. #390 10758. 90/08/22. Commissioners (Post 750119). 10pp. 55006:203-55006:223.

-9008270113 Affidavit of JC Dolan re adequacy of staffing for implementation of New Hampshire radiological emergency response plan for plant.
DOLAN,J.C. Federal Emergency Management Agency. 90/08/21. 5pp. 55006:213-55006:217.

-9008270118 Affidavit of RW Donovan re staffing adequacy for implementation of New Hampshire radiological emergency response plan for plant.W/Certificate of Svc.
DONOVAN,R.W. Federal Emergency Management Agency. 90/08/22. 5pp. 55006:218-55006:223.

H. General correspondence

9006220235 Forwards response to questions raised in 900226 & 0325 ltrs re plant first 10-yr interval inservice insp program plan.
RICHARDSON,J.E. Division of Engineering Technology (Post 890827). 90/05/31. LEIDERMAN,S.M. Affiliation Not Assigned. 10pp. 54868:319-54868:328.

9008150025 Forwards responses to H Myers 900614 & 19 requests re plant welds. RATHBUN,D.K. Congressional Affairs. 90/07/05. UDALL,M.K. House of Rep., Interior & Insular Affairs. 3pp. 54944:163-54944:165.

9008140158 Forwards response to H Myers 900625 & 0703 requests re plant welds. RATHBUN,D.K. Congressional Affairs. 90/07/16. UDALL,M.K. House of Rep., Interior & Insular Affairs. 5pp. 54944:091-54944:095.

9008140173 Forwards responses to H Myers 900614,19 & 26 requests re plant welds. RATHBUN,D.K. Congressional Affairs. 90/07/16. UDALL,M.K. House of Rep., Interior & Insular Affairs. 9pp. 54944:144-54944:152.

I. Financial Information

9007300118 Forwards Amend 2 to License NPF-86 & safety evaluation. Amend allows United Illuminating Co to enter into arrangement for sale & leaseback of portion of financial interest in facility to certain equity investors. NERSES,V. Project Directorate I-3. 90/07/26. BROWN,E.A. Public Service Co. of New Hampshire. 6pp. 54762:244-54762:255.

—**9007300120** Amend 2 to License NPF-86,allowing United Illuminating Co to enter into arrangement for sale & leaseback of portion of financial interest in facility to certain equity investors. NERSES,V. Project Directorate I-3. 90/07/26. 2pp. 54762:250-54762:251.

—**9007300122** Safety evaluation supporting Amend 2 to License NPF-86. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. 4pp. 54762:252-54762:255.

P. Operating license stage documents & correspondence

9007300118 Forwards Amend 2 to License NPF-86 & safety evaluation. Amend allows United Illuminating Co to enter into arrangement for sale & leaseback of portion of financial interest in facility to certain equity investors. NERSES,V. Project Directorate I-3. 90/07/26. BROWN,E.A. Public Service Co. of New Hampshire. 6pp. 54762:244-54762:255.

—**9007300120** Amend 2 to License NPF-86,allowing United Illuminating Co to enter into arrangement for sale & leaseback of portion of financial interest in facility to certain equity investors. NERSES,V. Project Directorate I-3. 90/07/26. 2pp. 54762:250-54762:251.

—**9007300122** Safety evaluation supporting Amend 2 to License NPF-86. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/26. 4pp. 54762:252-54762:255.

9008030019 Confirms that util completed installation & testing of facility ATWS mitigation sys,per 890706 commitment. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/07/26. Document Control Branch (Document Control Desk). 1p. 54832:109-54832:109.

9008020240 Advises that Amend 2 to License DPR-86 should have been issued as Amend 1.No changes to amend necessitated by correction. LEEDS,E.J. Project Directorate I-3. 90/07/30. BROWN,E.A. Public Service Co. of New Hampshire. 5pp. 54825:356-54825:360.

9008140491 WELDING AND NONDESTRUCTIVE EXAMINATION ISSUES AT SEABROOK NUCLEAR STATION.An Independent Review Team Report. SPESSARD,R.L., COLEY,J., CROWLEY,W. Ofc of the Executive Director for Operations. NUREG-1425. 90/07/31. 200pp. 54925:282-54926:325.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090066 Forwards Rev 1 to inservice testing program for pumps & valves,adding cold shutdown justification. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/08/03. Document Control Branch (Document Control Desk). 15pp. 54951:229-54951:244.

9008080180 Forwards NUREG-1425, "Welding & NDE Issues at Seabrook Nuclear Station." Review performed in late Mar through mid Jul 1990 in response to concerns raised by Congressional Committee & J Wampler re quality of Pullman-Higgins pipe. SNIEZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. BROWN,E.A. Public Service Co. of New Hampshire. 350pp. 54915:103-54916:152.

9008100222 Discusses licensee engineering initiatives.Licensee has undertaken positive initiatives in engineering area, including design basis document updates,safety sys functional insps & other engineering program improvements. MARTIN,T.T. Region 1 (Post 820201). 90/08/06. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 9pp. 54954:277-54954:285.

9008130230 Provides comments on util 900102 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." NRC does not take any position on acceptability of util station gauge methodology. LEEDS,E.J. Project Directorate I-3. 90/08/10. BROWN,E.A. Public Service Co. of New Hampshire. 7pp. 54956:225-54956:231.

9008160051 Advises that util 900320 response to Generic Ltr 89-19, "Request for Action re Resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants," per 10CFR50.54(f) complete. NERSES,V. Project Directorate I-3. 90/08/14. BROWN,E.A. Public Service Co. of New Hampshire. 4pp. 54990:274-54990:277.

9008220200 Informs of closing on United Illuminating Co sale & leaseback transaction on 900809,per Amend 1 to license. Transaction conforms to description in amend application,dtl 900423,as supplemented by 900426 & 0606 ltrs. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 55006:015-55006:016.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 83pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008100222 Discusses licensee engineering initiatives.Licensee has undertaken positive initiatives in engineering area, including design basis document updates,safety sys functional insps & other engineering program improvements. MARTIN,T.T. Region 1 (Post 820201). 90/08/06. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 9pp. 54954:277-54954:285.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020038 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200083 Forwards Safety Insp Rept 50-443/90-15 on 900625-0729 & notice of violation.Self-assessment team rept on power ascension testing demonstrated ability to be self-critical & results corresponded well w/NRC assessments of performance. JOHNSON,J.R. Region 1 (Post 820201). 90/08/16. BROWN,E.A. Public Service Co. of New Hampshire. 7pp. 54996:204-54996:227.

—**9008200085** Notice of violation from insp on 900625-0729.Violation noted:circuit breakers feeding power distribution panels found to have been in SHUT position for 78 n during Mode 1 operation. * Region 1 (Post 820201). 90/08/16. 1p. 54996:211-54996:211.

—**9008200086** Insp Rept 50-443/90-15 on 900625-0729.Violations noted:Major areas inspected:operations,radiochemical controls,maint/ surveillance,emergency preparedness,security,engineering/ technical support & safety assessment/quality verification. MCCABE,E.C. Region 1 (Post 820201). 90/08/15. 16pp. 54996:212-54996:227.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008200073 Monthly operating rept for Jul 1990 for Seabrook Unit 1.W/ 900813 ltr. NARDONE,P., FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/07/31. 9pp. 54991:348-54991:356.

S. Reportable occurrences, LERs & related correspondence

9008010249 LER 90-017-00:on 900630,discovered that requirements of Tech Spec 6.11, "High Radiation Area," not met.Caused by personnel error.Operator counseled re consequences of event & need for increased attention to detail.W/900727 ltr. BELANGER,R.R., FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/07/27. 5pp. 54792:077-54792:081.

9008090069 LER 90-018-00:on 900705,reactor trip w/turbine trip occurred.Caused by control closure of electrohydraulic control oil pressure switches satisfying two out of three logic.Pressure switches relocated.W/900803 ltr. BELANGER,R.R., FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/08/03. 5pp. 54904:337-54904:341.

9008240018 LER 90-019-00:on 900721,discovered that time limitation of Tech Spec 3.8.4.1 exceeded by nearly 7 h.Caused by personnel failure to follow procedures.Root cause analysis & enhancement sys evaluation initiated.W/900817 ltr. BELANGER,R.R., FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 90/08/17. 5pp. 55012:222-55012:226.

162 DOCKETED ITEMS

V. Operator Examinations

9008100017 Notices of change in listed licensed operator position. MR Breault will continue to maintain senior operator license in new position until 900917. DRAWBRIDGE,B.L. Public Service Co. of New Hampshire. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54943:247-54943:248.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9008140491 WELDING AND NONDESTRUCTIVE EXAMINATION ISSUES AT SEABROOK NUCLEAR STATION.An Independent Review Team Report. SPESSARD,R.L., COLEY,J., CROWLEY,W. Ofc of the Executive Director for Operations. NUREG-1425. 90/07/31. 200pp. 54925:282-54925:325.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:019-55002:049.

9008080180 Forwards NUREG-1425, "Welding & NDE Issues at Seabrook Nuclear Station." Review performed in late Mar through mid Jul 1990 in response to concerns raised by Congressional Committee & J Wampler re quality of Pullman-Higgins pipe. SNIJEZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. BROWN,E.A. Public Service Co. of New Hampshire. 350pp. 54915:103-54915:152.

F. Security, medical, emergency & fire protection plans

9008150140 Forwards FJ Congel 900803 ltr to D Kwiatkowski of FEMA re MC Sinclair 900720 ltr.served on parties to proceeding. REIS,E.J. Deputy General Counsel for Licensing & Regulation (Post 890423). #390 10706. 90/08/06. SMITH,I.W. Atomic Safety and Licensing Board Panel. 2pp. 54927:198-54927:199.

G. Adjudicatory correspondence

9008070129 NRC Staff response to ASLAB memorandum & order of 900717.* Advises that NRC maintains earlier position that school host facility at Holy Cross College will not be staffed by American Red Cross.W/Certificate of Svc. CHAN,E.I. Assistant General Counsel for Hearings & Enforcement. #390 10666. 90/07/25. Atomic Safety and Licensing Appeal Panel. 12pp. 54824:013-54824:024.

9008070157 Forwards 900720 ltr from MC Sinclair to IW Smith & 900727 response to MC Sinclair,for svc upon parties.Served on 900730. SMITH,I.W. Atomic Safety and Licensing Board Panel. #390 10671. 90/07/27. Atomic Safety and Licensing Board Panel. 1p. 54824:210-54824:217.

-9008070181 Advises that comment on issues in adjudication within NRC not appropriate except in published decisions & opinions on matters properly before ASLB. SMITH,I.W. Atomic Safety and Licensing Board Panel. 90/07/27. SINCLAIR,M.C. Graystone Emergency Management Associates. 1p. 54824:211-54824:211.

-9008070199 Requests IW Smith views on offsite emergency response planning issues.W/Certificate of Svc. SINCLAIR,M.C. Graystone Emergency Management Associates. 90/07/20. SMITH,I.W. Atomic Safety and Licensing Board Panel. 6pp. 54824:212-54824:217.

9008070210 Requests temporary addition of MC Sinclair to svc list in subj proceeding.Related correspondence. MORAN,D.M. Atomic Safety and Licensing Board Panel. #390 10675. 90/07/27. Docketing & Services Branch. 1p. 54824:175-54824:175.

9008150131 Advises that Director's Decision DD-90-4 nonresponsive & noncompliant w/provisions of 10CFR2.206 & noncompliant w/ ASLAB memorandum & order of 900123 for stated reasons. PIERCE-BJORKLUN Affiliation Not Assigned. #390 10689. 90/07/30. Atomic Safety and Licensing Appeal Panel. 9pp. 54927:184-54927:192.

9008070253 Advises of error in 900321 brief submitted upon review of LBP-89-32.American Red Cross not relied upon to provide staffing at Holy Cross College School Host facility under SPMC. REIS,E.J. Ofc of the General Counsel (Post 860701). #390 10682. 90/07/31. MOORE,T.S., BOLLWERK,G.P., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 54824:209-54824:209.

9008070260 Intervenor's opposition to licensee motion for summary disposition re "advanced life support patient issue." Motion should be denied based on mat facts in dispute re number of patients & location.W/Certificate of Svc. SHANNON,J.M., TRAFICANTE,J. Massachusetts, Commonwealth of. #390 10688. 90/07/31. Atomic Safety and Licensing Board Panel. 12pp. 54859:029-54859:057.

-9008070279 Affidavit of RL Goble re preparation of advanced life support patients for evacuation. GOBLE,R.L. Clark Univ., Worcester, MA. 90/07/31. 5pp. 54859:042-54859:046.

-9008070289 Affidavit of A DesRosiers re evacuation of advanced life support patients. DESROSIERS,A. Anna Jaques Hosp., Newburyport, MA. 90/07/31. 5pp. 54859:047-54859:051.

-9008070292 Affidavit of B Cohen re evacuation of advanced life support patients. COHEN,B. Amesbury Hosp., Amesbury, MA. 90/07/31. 3pp. 54859:052-54859:054.

-9008070295 Affidavit of SJ Plodzick re evacuation of advanced life support patients. PLODZIK,S.J. Portsmouth Regional Hosp., Portsmouth, NH. 90/07/31. 3pp. 54859:055-54859:057.

9008150181 Order.* Advises that date which concludes Commission review time for ALAB-924 postponed to be consistent w/most current date on which Commission may review any decision issued by ASLAB.W/Certificate of Svc.Served on 900802. CHILK,S.J. Office of the Secretary of the Commission. #390 10694. 90/08/01. Office of the General Counsel (Post 860701). 4pp. 54929:039-54929:042.

9008150184 Advises that ASLAB cannot accept P Pierce-Bjorklund 900730 submission,seeking to appeal 900709 Director's Decision DD-90-4.W/Certificate of Svc.Served on 900803. TOMPKINS,B.A. Atomic Safety and Licensing Board Panel. #390 10692. 90/08/02. PIERCE-BJORKLUN Affiliation Not Assigned. 5pp. 54927:210-54927:214.

9008150183 Corrects error in 900321 brief submitted upon review of LBP-89-32.Staff 900713 & 25 filings indicate that American Red Cross not relied upon to provide staffing at school host facility. REIS,E.J. Deputy General Counsel for Licensing & Regulation (Post 890423). #390 10700. 90/08/02. BOLLWERK,G.P., ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 54929:063-54929:063.

9008150140 Forwards FJ Congel 900803 ltr to D Kwiatkowski of FEMA re MC Sinclair 900720 ltr.served on parties to proceeding. REIS,E.J. Deputy General Counsel for Licensing & Regulation (Post 890423). #390 10706. 90/08/06. SMITH,I.W. Atomic Safety and Licensing Board Panel. 2pp. 54927:198-54927:199.

9008150179 Intervenor's motion for extension within which to file response.* One-day extension requested to file responses to ASLAB 900622 & 0717 orders based on listed reasons. TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. #390 10709. 90/08/07. Atomic Safety and Licensing Appeal Panel. 2pp. 54929:001-54929:016.

-9008150198 Response of intervenors to Appeal Board memoranda & orders of 900622 & 0717.* Matter should be remanded to licensing board since no evidence to establish assurance that care for school children at Holy Cross adequate.W/Certificate of Svc. TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. 90/08/07. Atomic Safety and Licensing Appeal Panel. 14pp. 54929:003-54929:016.

9008150205 NRC Staff response to intervenor motion for extension within which to file response.* Grants one-day extension to respond to ASLAB 900622 & 0717 orders.Certificate of Svc encl. CHAN,E.I. Assistant General Counsel for Hearings & Enforcement. #390 10711. 90/08/07. Atomic Safety and Licensing Appeal Panel. 4pp. 54928:357-54928:360.

9008150210 Memorandum.* Infers that hypothesis of Ofc of Inspector General investigation into circumstances re issuance of 891109 partial initial decision did not authorize issuance of OL.W/Certificate of Svc.Served on 900807. SMITH,I.W. Atomic Safety and Licensing Board Panel. #390 10703. 90/08/07. 2pp. 54927:342-54927:356.

-9008150216 Expresses concern re propriety of J Glenn 891204 request for inquiry into plant licensing proceeding.Certificate of Svc encl. COTTER,B.P. Atomic Safety and Licensing Board Panel. 90/01/30. WILLIAMS,D. Office of Inspector General (Post 890417). 13pp. 54927:344-54927:356.

9008150223 Intervenor emergency motion to reopen record on adequacy of staffing of State of NH offsite emergency response plan & for immediate shutdown.* Commission should reopen record on adequacy of staffing. TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. #390 10708. 90/08/07. Commissioners (Post 750119). 8pp. 54928:317-54928:340.

-9008150230 Affidavit of MC Sinclair.* Affidavit re offsite radiological emergency response planning for State of NH & SPMC. SINCLAIR,M.C. Graystone Emergency Management Associates. 90/08/06. 7pp. 54928:325-54928:340.

9008150256 Intervenor's motion for extension within which to file response.* One-day extension requested to file response to ASLAB 900622 & 0717 orders based on listed reasons.Granted for ASLAB on 900810.W/Certificate of Svc.Served on 900810. TRAFICANTE,J. Massachusetts, Commonwealth of. CURRAN,D. New England Coalition on Nuclear Pollution. BACKUS,R. Seacoast Anti-Pollution League. #390 10714. 90/08/07. Atomic Safety and Licensing Board Panel. 4pp. 54928:353-54928:356.

9008240184 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-90-04 expired.Commission declined review & decision became final action on 900803.W/Certificate of Svc.Served on 900814. CHILK,S.J. Office of the Secretary of the Commission. #390 10723. 90/08/14. PIERCE-BJORKLUN Affiliation Not Assigned. 4pp. 54995:178-54995:181.

9008240090 Licensee response to intervenors emergency motion to reopen record on adequacy of staffing of New Hampshire radiological emergency plan.* Motion should be denied.W/Certificate of Svc. DIGNAN,T.G., TROUT,J.P. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #390 10740. 90/08/16. NRC - No Detailed Affiliation Given. 10pp. 54995:063-54995:072.

9008240097 Affidavit of GL Iverson re adequate staffing at New Hampshire radiological emergency plan in event of radiological emergency at Seabrook.W/Certificate of Svc. IVERSON,G.L. Public Service Co. of New Hampshire. #390 10740. 90/08/16. 10pp. 54995:073-54995:082.

9008240069 Decision.* Advises that ASLB determination in LBP-89-17,that applicant emergency warning sys for State of MA portion of plant EPZ in compliance w/requirements & NUREG-0654 guidance affirmed.W/Certificate of Svc.Served on 900820. TOMPKINS,B.A. Atomic Safety and Licensing Appeal Panel. #390 10747. 90/08/20. 33pp. 54995:021-54995:053.

9008240174 Decision.* Advises that 891109 motion denied in LBP-90-01 due to intervenors failure to demonstrate that repudiation of WCGY ltr of agreement puts accomplishment of regulatory objective in peril.W/Certificate of Svc.Served on 900820. TOMPKINS,B.A. Atomic Safety and Licensing Appeal Panel. #390 10748. 90/08/20. 16pp. 54995:160-54995:175.

9008270141 Forwards addl info re topics discussed on 900816 concerning licensees response to intervenors emergency motion to reopen record on adequacy of staffing of New Hampshire radiological emergency response plan & immediate shutdown. DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Dignan,T.G. #390 10756. 90/08/21. CARR,K.M., REMICK,F.J., ROGERS,K.C. Commissioners (Post 750119). 1p. 55006:269-55006:271.

—**9008270148** Affidavit of GL Iverson re position of governor media ctr representative.Twenty-second initial vacancy was New Hampshire Public Utils Commission lead engineer. IVERSON,G.L. Public Service Co. of New Hampshire. IVERSON,G.L. New Hampshire, State of. 90/08/21. 2pp. 55006:270-55006:271.

9008270152 Advises that time for Commission to review decision ALAB-934 expired.Commission declined review.Decision became final agency action on 900820.W/Certificate of Svc.Served on 900821. CHILK,S.J. Office of the Secretary of the Commission. #390 10752. 90/08/21. Atomic Safety and Licensing Board Panel. 4pp. 55006:272-55006:275.

9008270088 NRC Staff response to intervenors emergency motion to reopen record on adequacy of staffing of New Hampshire radiological emergency response plan & for immediate shutdown.* Motion to reopen & for immediate shutdown of plant should be denied. TURK,S.E. Assistant General Counsel for Hearings & Enforcement. #390 10758. 90/08/22. Commissioners (Post 750119). 10pp. 55006:203-55006:223.

—**9008270113** Affidavit of JC Dolan re adequacy of staffing for implementation of New Hampshire radiological emergency response plan for plant. DOLAN,J.C. Federal Emergency Management Agency. 90/08/21. 5pp. 55006:213-55006:217.

—**9008270118** Affidavit of RW Donovan re staffing adequacy for implementation of New Hampshire radiological emergency response plan for plant.W/Certificate of Svc. DONOVAN,R.W. Federal Emergency Management Agency. 90/08/22. 5pp. 55006:218-55006:223.

H. General correspondence

9008150025 Forwards responses to H Myers 900614 & 19 requests re plant welds. RATHBUN,D.K. Congressional Affairs. 90/07/05. UDALL,M.K. House of Rep., Interior & Insular Affairs. 3pp. 54944:163-54944:165.

9008140158 Forwards response to H Myers 900625 & 0703 requests re plant welds. RATHBUN,D.K. Congressional Affairs. 90/07/16. UDALL,M.K. House of Rep., Interior & Insular Affairs. 5pp. 54944:091-54944:095.

9008140173 Forwards responses to H Myers 900614,19 & 26 requests re plant welds. RATHBUN,D.K. Congressional Affairs. 90/07/16. UDALL,M.K. House of Rep., Interior & Insular Affairs. 9pp. 54944:144-54944:152.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008060173 Advises that alternate access point to protected area of plant will be expanded to permit more efficient processing of personnel,mats & vehicles & improve protected area access & egress during maint activities of next 3 months. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/23. Document Control Branch (Document Control Desk). 3pp. 54876:308-54876:310.

9007310225 Revised emergency plan procedures,including Procedure Change Notice EPP-304-R10-2 to Rev 10 to EPP-304 & Procedure Change Notice EPP-900-R1-3 to Rev 1 to EPP-900.W/900724 ltr. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/24. 17pp. 54769:265-54769:281.

9008020251 Advises that 900601 Rev 7 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Portions of plan administrative in nature & do not reduce plan effectiveness. COLLINS,S.J. Region 4 (Post 820201). 90/07/26. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 54826:225-54826:229.

9008070201 Revised emergency plan procedures,including Procedure Change Notice EPP-205-R6-3 to Rev 6 to EPP-205,Rev 8 to EPP-305, Procedure Change Notice EPP-901-R1-1 to Rev 1 to EPP-901,Rev 1 to EPP-904 & Revs 15 & 16 to form index.W/900801 ltr. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/01. 54pp. 54897:025-54897:078.

9008100019 Forwards Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27.Unresolved item identified.Inspector determined that key emergency response personnel not always proficient in some duties. COLLINS,S.J. Region 4 (Post 820201). 90/08/06. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54954:078-54954:093.

—**9008100021** Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27.No violations noted.Major areas inspected:operational status of emergency preparedness program including implementing procedures,changes to emergency facilities & equipment. TERC,N.M., POWERS,D.A. Region 4 (Post 820201). 90/08/02. 12pp. 54954:082-54954:093.

I. Financial Information

9007270161 Forwards decommissioning financial assurance certification rept.Util certifies that financial assurance for decommissioning of Unit 1 will be provided in stated amount, adjusted annually using escalation factor. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/26. Document Control Branch (Document Control Desk). 25pp. 54735:337-54735:361.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008030138 Amend 79 to Comanche Peak Steam Electric Station updated FSAR.W/900731 ltr. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/31. 700pp. 54894:087-54896:288.

P. Operating license stage documents & correspondence

9008030127 Grants temporary waiver of compliance from Tech Specs 3.3.2 & 3.6.2.1 re containment spray sys in order to repair & test containment pressure transmitter 1-PT-0934 w/unit in hot standby. COLLINS,S.J. Region 4 (Post 820201). 90/07/25. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 54832:129-54832:134.

—**9008030128** Requests regional waiver of compliance for containment pressure transmitter 1-PT-934 during coming outage. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/24. MARTIN,R.D. Region 4 (Post 820201). 3pp. 54832:132-54832:134.

9008010135 Submits info re replacement of Borg-Warner/Intl Pump,Inc check valve swing arms,per 900409 ltr.Swing arms in ASME Code Class 2 check valves will be replaced during first refueling outage. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/27. Document Control Branch (Document Control Desk). 2pp. 54840:245-54840:246.

9008060026 Forwards detailed descriptions of changes in Amend 79 to FSAR for Comanche Peak Steam Electric Station. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/31. Document Control Branch (Document Control Desk). 64pp. 54858:236-54858:299.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

164 DOCKETED ITEMS

G. Inspection reports, IE Bulletins & correspondence

- 9008030057** Advises that NRC draft document re concerns associated w/ util 891229 response to Insp Repts 50-445/89-60 & 50-446/89-60 being placed in PDR. Opinions in draft do not constitute final agency position.
GRIMES, C.I. Project Directorate IV-2 (Post 900603). 90/07/11. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54841:239-54841:242.
- 9008010010** Cancels Insp Repts 50-445/90-25 & 50-446/90-25.
COLLINS, S.J. Region 1 (Post 820201). 90/07/24. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 54791:040-54791:041.
- 9008010088** Notifies that NRC Insp 50-445/90-21 & 50-446/90-21 have been cancelled.
COLLINS, S.J. Region 4 (Post 820201). 90/07/25. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 54788:305-54788:306.
- 9007230358** NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008010127** Forwards Performance Assessment Repts 50-445/90-20 & 50-446/90-02 on 900529-0615. Startup test program conducted in safe & prof manner & facility operation could proceed above 50% power.
COLLINS, S.J. Region 4 (Post 820201). 90/07/27. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 54797:144-54797:176.
- 9008010129** Insp Repts 50-445/90-20 & 50-446/90-02 on 900529-0615. No violations noted. Major areas inspected: performance of startup & testing activities involving Unit 1 prior to proceeding above 50% power. No Insp of Unit 2 conducted.
WIEBE, J.S. Region 4 (Post 820201). 90/07/23. 30pp. 54797:147-54797:176.
- 9008070016** Responds to NRC 900629 ltr re violations noted in Insp Repts 50-445/90-19 & 50-446/90-19. Corrective action: specific activity within Tech Spec limits. No further corrective action required.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/30. Document Control Branch (Document Control Desk). 6pp. 54897:152-54897:157.
- 9007270021** NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9008010023** Forwards Insp Repts 50-445/90-22 & 50-446/90-22 on 900606-0703 & notice of violation. Written response requested based on specifics contained in notice.
COLLINS, S.J. Region 4 (Post 820201). 90/08/03. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54954:118-54954:145.
- 9008010025** Notice of violation from insp on 900606-0703. Violations noted: Procedure OPT-467A inadequate, work crew opened Unit 2 reactor coolant pump seal water return filter instead of correct filter & deficiency not promptly identified.
* Region 4 (Post 820201). 90/08/03. 2pp. 54954:122-54954:123.
- 9008010026** Insp Repts 50-445/90-22 & 50-446/90-22 on 900606-0703. Violations noted. Major areas inspected: plant status, operational safety verification, startup test results review, QA for startup test & onsite followup of events.
CHAMBERLAIN, D. Region 4 (Post 820201). 90/08/03. 22pp. 54954:124-54954:145.
- 9007310195** NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008010019** Forwards Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27. Unresolved item identified. Inspector determined that key emergency response personnel not always proficient in some duties.
COLLINS, S.J. Region 4 (Post 820201). 90/08/06. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54954:078-54954:093.
- 9008010021** Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27. No violations noted. Major areas inspected: operational status of emergency preparedness program including implementing procedures, changes to emergency facilities & equipment.
TERC, N.M., POWERS, D.A. Region 4 (Post 820201). 90/08/02. 12pp. 54954:082-54954:093.
- 9008090400** Advises that NRC Insp 50-445/90-32 & 50-446/90-32 canceled. No insp rpt will be issued for rpt number.
COLLINS, S.J. Region 4 (Post 820201). 90/08/07. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 54942:257-54942:258.
- 9008020034** NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036** NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008170036** Forwards addendum to "Unit 1 Preservice Insp (PSI) Summary Rept." providing remaining info & editorial corrections re PSI & addressing exams & tests of Code Class 1 & 2 sys as stipulated in PSI plan.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/13. Document Control Branch (Document Control Desk). 3pp. 54993:067-54993:134.
- 9008170041** Addendum to "Unit 1 Preservice Insp Summary Rept."
* TU Electric (formerly Texas Utilities Generating Co.). 90/08/13. 66pp. 54993:069-54993:134.
- 9008060246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008230122** Ack receipt of 900730 response to violations noted in Insp Repts 50-445/90-19 & 50-446/90-19.
COLLINS, S.J. Region 4 (Post 820201). 90/08/15. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 55018:133-55018:140.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008270008** Forwards Insp Repts 50-445/90-17 & 50-446/90-17 on 900625-29. No violations or deviations noted.
COLLINS, S.J. Region 4 (Post 820201). 90/08/16. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 55031:329-55031:340.
- 9008270009** Insp Repts 50-445/90-17 & 50-446/90-17 on 900625-29. No violations noted. Major areas inspected: liquid, gaseous & solid radwaste sys & water chemistry & radiochemistry programs.
NICHOLAS, J.B., MURRAY, B. Region 4 (Post 820201). 90/08/14. 9pp. 55031:332-55031:340.
- 9008270185** Responds to NRC 890927 ltr re violations noted in Insp Repts 50-445/89-57 & 50-446/89-57. Corrective actions: storage facilities for instrumentation & control work packages improved to provide acceptable protection for documents.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/20. Document Control Branch (Document Control Desk). 4pp. 55032:001-55032:005.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

- 9008240080** Monthly operating rept for Comanche Peak Steam Electric Station for Jul 1990. W/900815 ltr.
BUSCHBAUM, D.E., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 90/07/31. 5pp. 55023:284-55023:288.

- 9008130304** Forwards First Half 1990 fitness-for-duty program performance data, per 10CFR26.71(d). Point of contact for personnel random testing program results & confirmed positive tests summary & mgt summary included in data.
CAHILL, W.J., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 90/08/09. Document Control Branch (Document Control Desk). 4pp. 54956:266-54956:269.

S. Reportable occurrences, LERs & related correspondence

- 9007310106** PNO-IV-90-026: on 900726, inadvertent safety injection occurred due to main steam line pressure low safety injection actuation signal. Unit in hot standby & licensee restoring from injection. State of TX informed.
HOWELL, A.T. Region 4 (Post 820201). 90/07/26. 2pp. 54770:033-54770:034.
- 9007310122** PNO-IV-90-026A: updates preliminary notification re inadvertent safety injection on 900726. Initiation of all danger tag clearances suspended until licensee task team determines cause of event.
HOWELL, A. Region 4 (Post 820201). 90/07/27. 2pp. 54840:069-54840:070.
- 9008030199** RO: on 900726, ESF actuation signal occurred which resulted in initiation of safety injection. Cause indeterminate. Plant restored to stable condition.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/27. Document Control Branch (Document Control Desk). 3pp. 54842:330-54842:332.
- 9008060002** RO: on 900730, ESFAS occurred which resulted in initiation of safety injection followed by lo-lo steam generator level reactor trip signal. Caused by potential problem w/ emergency lighting. Actions to prevent recurrence will be determined.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54877:151-54877:152.
- 9008060014** Notification of 900802 meeting at plant site re 900726 & 30 safety injection events & power plateau startup testing. Discussions will include personnel & equipment response to events. MSIV design features & corrective actions.
CHAMBERLAIN, D. Region 4 (Post 820201). 90/07/31. Region 4 (Post 820201). 2pp. 54864:066-54864:067.
- 9008070173** PNO-IV-90-027: on 900730, safety injection actuation occurred as result of main steam line press low safety injection actuation signal. Caused by rate compensation feature of actuation circuitry. Situation being reviewed by licensee.
CHAMBERLAIN, D. Region 4 (Post 820201). 90/07/31. 2pp. 54902:217-54902:218.
- 9008230119** Responds to info request made during 900802 meeting re inadvertent safety injections on 900726 & 30 & results of 100% power plateau testing.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/04. MARTIN, R.D. Region 4 (Post 820201). 16pp. 55014:340-55014:360.
- 9008150279** Summary of Operating Reactors Events Meeting 90-20 on 900808.
KADAMBI, N.P. Events Assessment Branch. 90/08/09. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 22pp. 54972:062-54972:083.
- 9008160152** Forwards summary of 900802 meeting re safety injection events which occurred on 900726 & 30 at facility & results of 100% power plateau startup testing. Discussions of personnel & equipment response to events also discussed.
COLLINS, S.J. Region 4 (Post 820201). 90/08/13. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 54992:250-54992:254.

9008170108 Interim Deficiency Rept CP-86-41 re evaluation of effect of small break LOCA during Mode 4 operation. Initially reported on 880528. Conservative analysis completed & demonstrates present ECCS design adequate. Next rept expected by 910613.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54993:322-54993:323.

V. Operator Examinations

9008200034 Forwards generic fundamentals exam section of written operator licensing exam administered on 900606. Requests that training dept forward results & answer sheets to examinees.
COLLINS, S.J. Region 4 (Post 820201). 90/07/19. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 41pp. 54991:275-54991:315.

9008060154 Summarizes 900724 meeting w/util in Region IV of re changes to operator licensing program & rev to NUREG-1021, "Operator Licensing Examiner Stds." List of attendees encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 22pp. 54853:351-54854:012.

9008060038 Advises that written & operating licensing exams scheduled for wk of 901126. Licensee should furnish ref matl listed in Encl 1 by 900904.
COLLINS, S.J. Region 4 (Post 820201). 90/07/30. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 12pp. 54876:095-54876:106.

9008060156 Provides status of exam activity & revised completion schedule for portion of exam. Util deferred preoperational testing of facility spent fuel pool cooling & clean-up sys until prior to first off loading of spent fuel.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54854:044-54854:045.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008160017 Forwards, "Comanche Peak Steam Electric Station Unit 1 Control Room Simulator 10CFR55 Certification Initial Rept."
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 54973:017-54973:357.

-9008160018 "Comanche Peak Steam Electric Station Unit 1 Control Room Simulator 10CFR55 Certification Initial Rept."
* TU Electric (formerly Texas Utilities Generating Co.). 90/08/03. 375pp. 54973:020-54973:357.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

A. Application/construction stage documents & correspondence

9008030275 Forwards summary of 900717 meeting in Region IV of re const restart for Unit 2. List of attendees & viewgraphs also encl.
COLLINS, S.J. Region 4 (Post 820201). 90/07/27. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 67pp. 54828:326-54829:049.

9008060026 Forwards detailed descriptions of changes in Amend 79 to FSAR for Comanche Peak Steam Electric Station.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/31. Document Control Branch (Document Control Desk). 64pp. 54858:236-54858:299.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

F. Security, medical, emergency & fire protection plans

9008060173 Advises that alternate access point to protected area of plant will be expanded to permit more efficient processing of personnel, matls & vehicles & improve protected area access & egress during maint activities of next 3 months.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/23. Document Control Branch (Document Control Desk). 3pp. 54876:308-54876:310.

9007310225 Revised emergency plan procedures, including Procedure Change Notice EPP-304-R10-2 to Rev 10 to EPP-304 & Procedure Change Notice EPP-900-R1-3 to Rev 1 to EPP-900.W/900724 ltr.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/24. 17pp. 54769:265-54769:281.

9008020251 Advises that 900601 Rev 7 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Portions of plan administrative in nature & do not reduce plan effectiveness.
COLLINS, S.J. Region 4 (Post 820201). 90/07/26. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 54826:225-54826:229.

9008070201 Revised emergency plan procedures, including Procedure Change Notice EPP-205-R6-3 to Rev 6 to EPP-205, Rev 8 to EPP-305, Procedure Change Notice EPP-901-R1-1 to Rev 1 to EPP-901, Rev 1 to EPP-904 & Revs 15 & 16 to form index.W/900801 ltr.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/01. 54pp. 54897:025-54897:078.

9008100019 Forwards Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27. Unresolved item identified. Inspector determined that key emergency response personnel not always proficient in some duties.
COLLINS, S.J. Region 4 (Post 820201). 90/08/06. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54954:078-54954:093.

-9008100021 Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27. No violations noted. Major areas inspected: operational status of emergency preparedness program including implementing procedures, changes to emergency facilities & equipment.
TERC, N.M. Region 4 (Post 820201). 90/08/02. 12pp. 54954:082-54954:093.

I. Financial Information

9007270161 Forwards decommissioning financial assurance certification rept. Util certifies that financial assurance for decommissioning of Unit 1 will be provided in stated amount, adjusted annually using escalation factor.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/26. Document Control Branch (Document Control Desk). 25pp. 54735:337-54735:361.

K. Utility Final Safety Analysis Report (FSAR) & amends

9008030138 Amend 79 to Comanche Peak Steam Electric Station updated FSAR.W/900731 ltr.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/31. 700pp. 54894:087-54896:288.

Q. Inspection reports, IE Bulletins & correspondence

9008030057 Advises that NRC draft document re concerns associated w/ util 891229 response to Insp Repts 50-445/89-60 & 50-446/89-60 being placed in PDR. Opinions in draft do not constitute final agency position.
GRIMES, C.I. Project Directorate IV-2 (Post 900603). 90/07/11. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54841:239-54841:242.

9008010010 Cancels Insp Repts 50-445/90-25 & 50-446/90-25.
COLLINS, S.J. Region 1 (Post 820201). 90/07/24. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 54791:040-54791:041.

9008010088 Notifies that NRC Insp 50-445/90-21 & 50-446/90-21 have been cancelled.
COLLINS, S.J. Region 4 (Post 820201). 90/07/25. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 54788:305-54788:306.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008010127 Forwards Performance Assessment Repts 50-445/90-20 & 50-446/90-02 on 900529-0615. Startup test program conducted in safe & prof manner & facility operation could proceed above 50% power.
COLLINS, S.J. Region 4 (Post 820201). 90/07/27. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 54797:144-54797:176.

-9008010129 Insp Repts 50-445/90-20 & 50-446/90-02 on 900529-0615. No violations noted. Major areas inspected: performance of startup & testing activities involving Unit 1 prior to proceeding above 50% power. No insp of Unit 2 conducted.
WIEBE, J.S. Region 4 (Post 820201). 90/07/23. 30pp. 54797:147-54797:176.

9008070016 Responds to NRC 900629 ltr re violations noted in Insp Repts 50-445/90-19 & 50-446/90-19. Corrective action: specific activity within Tech Spec limits. No further corrective action required.
CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/07/30. Document Control Branch (Document Control Desk). 6pp. 54897:152-54897:157.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100023 Forwards Insp Repts 50-445/90-22 & 50-446/90-22 on 900606-0703 & notice of violation. Written response requested based on specifics contained in notice.
COLLINS, S.J. Region 4 (Post 820201). 90/08/03. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54954:118-54954:145.

-9008100025 Notice of violation from insp on 900606-0703. Violations noted: Procedure OPT-467A inadequate, work crew opened Unit 2 reactor coolant pump seal water return filter instead of correct filter & deficiency not promptly identified.
* Region 4 (Post 820201). 90/08/03. 2pp. 54954:122-54954:123.

-9008100026 Insp Repts 50-445/90-22 & 50-446/90-22 on 900606-0703. Violations noted. Major areas inspected: plant status, operational safety verification, startup test results review, QA for startup test & onsite followup of events.
CHAMBERLAIN, D. Region 4 (Post 820201). 90/08/03. 22pp. 54954:124-54954:145.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008100019 Forwards Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27. Unresolved item identified. Inspector determined that key emergency response personnel not always proficient in some duties.
COLLINS, S.J. Region 4 (Post 820201). 90/08/06. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 54954:078-54954:093.

-9008100021 Insp Repts 50-445/90-16 & 50-446/90-16 on 900423-27. No violations noted. Major areas inspected: operational status of emergency preparedness program including implementing procedures, changes to emergency facilities & equipment.
TERC, N.M., POWERS, D.A. Region 4 (Post 820201). 90/08/02. 12pp. 54954:082-54954:093.

9008090400 Advises that NRC Insp 50-445/90-32 & 50-446/90-32 canceled. No insp rept will be issued for rept number.
COLLINS, S.J. Region 4 (Post 820201). 90/08/07. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 54942:257-54942:258.

166 DOCKETED ITEMS

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230122 Ack receipt of 900730 response to violations noted in Insp Repts 50-445/90-19 & 50-446/90-19.
COLLINS,S.J. Region 4 (Post 820201). 90/08/15. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 55018:133-55018:140.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008270008 Forwards Insp Repts 50-445/90-17 & 50-446/90-17 on 900625-29.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 90/08/16. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 3pp. 55031:329-55031:340.

-9008270009 Insp Repts 50-445/90-17 & 50-446/90-17 on 900625-29.No violations noted.Major areas inspected:liquid,gaseous & solid radwaste sys & water chemistry & radiochemistry programs.
NICHOLAS,J.B., MURRAY,B. Region 4 (Post 820201). 90/08/14. 9pp. 55031:332-55031:340.

9008270185 Responds to NRC 890927 ltr re violations noted in Insp Repts 50-445/89-57 & 50-446/89-57.Corrective actions:storage facilities for instrumentation & control work packages improved to provide acceptable protection for documents.
CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/20. Document Control Branch (Document Control Desk). 4pp. 55032:001-55032:005.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008130304 Forwards First Half 1990 fitness-for-duty program performance data,per 10CFR26.71(d).Point of contact for personnel,random testing program results & confirmed positive tests summary & mgt summary included in data.
CAHILL,W.J., WOODLAN,D.R. TU Electric (formerly Texas Utilities Generating Co.). 90/08/09. Document Control Branch (Document Control Desk). 4pp. 54956:266-54956:269.

S. Reportable occurrences, LERs & related correspondence

9008230119 Responds to info request made during 900802 meeting re inadvertent safety injections on 900726 & 30 & results of 100% power plateau testing.
CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/04. MARTIN,R.D. Region 4 (Post 820201). 16pp. 55014:340-55014:360.

9008130177 Interim deficiency rept re adequacy of ventilation sys in vicinity of MSIVs.Initially reported on 900708.Deficiency being evaluated in relation to design of facility.Next rept will be submitted by 901008.
CAHILL,W.J., WALKER,R.D. TU Electric (formerly Texas Utilities Generating Co.). 90/08/08. Document Control Branch (Document Control Desk). 1p. 54958:250-54958:250.

9008130293 Supplemental Deficiency Rept CP-83-18 re containment bldg cooling.Initially reported on 830926.Temps in return ducts that exhaust air from neutron detector well will be measured during hot functional testing.
CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/09. Document Control Branch (Document Control Desk). 2pp. 54951:308-54951:309.

9008160152 Forwards summary of 900802 meeting re safety injection events which occurred on 900726 & 30 at facility & results of 100% power plateau startup testing.Discussions of personnel & equipment response to events also discussed.
COLLINS,S.J. Region 4 (Post 820201). 90/08/13. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 54992:250-54992:254.

9008170108 Interim Deficiency Rept CP-86-41 re evaluation of effect of small break LOCA during Mode 4 operation.Initially reported on 860528.Conservative analysis completed & demonstrates present ECCS design adequate.Next rept expected by 910813.
CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54993:322-54993:323.

V. Operator Examinations

9008060154 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021, "Operator Licensing Examiner Sids." List of attendees encl.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 22pp. 54853:351-54854:012.

9008060038 Advises that written & operating licensing exams scheduled for wk of 901126.Licensee should furnish ref matl listed in Encl 1 by 900904.
COLLINS,S.J. Region 4 (Post 820201). 90/07/30. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 12pp. 54876:095-54876:106.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008070308 EIPs including Rev 5 to BZP 310-2 & Rev 3 to BZP 380-19.
* Commonwealth Edison Co. 90/07/24. 12pp. 54902:251-54902:262.

9008090162 Forwards SERs of responses & associated Science Application Intl Corp 900614 Technical Evaluation Rept SAIC-89/1640 re station blackout.Revised response addressing areas of nonconformance should be submitted within 60 days.
SANDS,S.P. Project Directorate III-2. 90/08/06. KOVACH,T.J. Commonwealth Edison Co. 5pp. 54942:019-54942:107.

-9008090166 Safety evaluation denying licensee response to station blackout rule.Staff recommends that licensee reevaluate areas of concern identified in SER.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 10pp. 54942:024-54942:033.

-9008090171 Safety evaluation denying licensee response to station blackout rule.Staff recommends that licensee reevaluate areas of concern identified in SER.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 9pp. 54942:065-54942:073.

-9006270317 "Technical Evaluation Rept,Braidwood Station Units 1 & 2 Station Blackout Evaluation."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. SAIC-90/1043. 90/06/14. NRC - No Detailed Affiliation Given. 31pp. 54942:034-54942:064.

-9004130250 "Technical Evaluation Rept Byron Station Units 1 & 2 Station Blackout Evaluation."
* Science Applications International Corp. (formerly Science Applications, Inc.). FIN D-1311. SAIC-89/1640. 90/04/03. NRC - No Detailed Affiliation Given. 29pp. 54942:074-54942:107.

9008230017 Revised EIPs,including Rev 12 to ED-9A,Rev 12 to ED-9B, Rev 12 to ED-11,Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON,I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN,W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008020162 Rev 0.A to Chapter 11 of plant ODCM.
* Commonwealth Edison Co. 90/07/16. 15pp. 54820:318-54820:332.

9008010096 Notices that plants current outage plannings will not include removal of snubbers.Removal of snubbers scheduled for future outages.Completion of review by NRC by 900801 no longer necessary.
HUNSADER,S.C. Commonwealth Edison Co. 90/07/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:284-54805:284.

9008010099 Notices that replacement of 13 snubbers w/8 seismic stops on reactor coolant bypass line being deferred until later outage,per RL Cloud Assoc nonlinear piping analyses.
HUNSADER,S.C. Commonwealth Edison Co. 90/07/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:288-54805:288.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008220216 Application for amends to Licenses NPF-37 & NPF-66,revising Tech Specs 3.7.4 & 3.7.5 re essential svc water cooling sys.
SCHUSTER,T.K. Commonwealth Edison Co. 90/08/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 55001:001-55001:025.

-9008220217 Proposed Tech Specs re changes to essential svc water cooling sys.
* Commonwealth Edison Co. 90/08/16. 17pp. 55001:009-55001:025.

Q. Inspection reports, IE Bulletins & correspondence

9008010131 Forwards Final SALP Repts 50-454/90-01 & 50-455/90-01 for Nov 1989 - Mar 1990.
DAVIS,A.B. Region 3 (Post 820201). 90/07/20. REED,C. Commonwealth Edison Co. 2pp. 54790:183-54790:191.

9008010138 Final SALP Rept 50-454/90-01 & 50-455/90-01 for Nov 1989 - Mar 1990. * Region 3 (Post 820201). 90/07/20. 6pp. 54790:185-54790:191.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 89pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160200 Forwards Enforcement Conference Repts 50-454/90-19 & 50-455/90-18 on 900802 re violations noted in Insp Repts 50-454/87-27,50-455/87-28 & Ofc of Investigations Rept 3-87-019. MILLER,H.J. Region 3 (Post 820201). 90/08/10. REED,C. Commonwealth Edison Co. 2pp. 54992:094-54992:134.

9008160202 Enforcement Conference Repts 50-454/90-19 & 50-455/90-18 on 900802. Major areas discussed: failure to ensure operability of emergency diesel generators at plant upon discovery of nonseismically-qualified switches in trip circuitry. RING,M.A. Region 3 (Post 820201). 90/08/10. 38pp. 54992:096-54992:134.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008240172 Submits supplemental response to NRC Bulletin 88-008, Suppls 1 & 2. Surveillance testing revealed no leakage, therefore charging pump to cold leg outage injection lines would not be subjected to excessive thermal stresses. TAYLOR,D.L. Commonwealth Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 7pp. 55027:193-55027:199.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170266 Forwards monthly operating repts for Jul 1990 for Byron Units 1 & 2 & corrected monthly operating rept for June 1990 for Unit 2. PLENIEWICZ,R. Commonwealth Edison Co. 90/08/10. Document Control Branch (Document Control Desk). 1p. 54993:052-54993:066.

9008170269 Corrected monthly operating data rept for June 1990 for Byron Nuclear Power Station Unit 2. ORRIS,K. Commonwealth Edison Co. 90/06/30. 1p. 54993:053-54993:053.

9008170270 Monthly operating repts for Jul 1990 for Byron Nuclear Power Station Units 1 & 2. ORRIS,K. Commonwealth Edison Co. 90/07/31. 13pp. 54993:054-54993:066.

S. Reportable occurrences, LERs & related correspondence

9008030023 LER 90-008-00: on 900627, containment air temp exceeded Tech Spec limit resulting in plant shutdown. Caused by unavailability of containment chilled water units. Tube leak on containment chiller repaired. W/900727 ltr. PASSMORE,K., PLENIEWICZ,R. Commonwealth Edison Co. 90/07/27. 6pp. 54831:019-54831:024.

9008160153 LER 90-009-00: on 900714, Tech Spec requirement for 12 h sample frequency inoperable monitor exceeded. Caused by miscommunication & personnel error. Revised procedures regard limiting condition for operation requirement. W/900807 ltr. BARRETT,S., PLENIEWICZ,R. Commonwealth Edison Co. 90/08/07. 5pp. 54974:316-54974:320.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/ issues should be submitted to E Rau by 900815. MILLER,H.J. Region 3 (Post 820201). 90/07/25. REED,C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o encl. WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008220173 Advises that operator & senior operator licensing exams scheduled for wk of 901203. Preliminary license applications should be submitted at least 30 days before first exam dates in order to review training & experience of candidates. WRIGHT,G.C. Region 3 (Post 820201). 90/08/14. REED,C. Commonwealth Edison Co. 11pp. 55015:174-55015:184.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EPIPs. * Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008070308 EPIPs including Rev 5 to BZP 310-2 & Rev 3 to BZP 380-19. * Commonwealth Edison Co. 90/07/24. 12pp. 54902:251-54902:262.

9008090162 Forwards SERs of responses & associated Science Application Intl Corp 900814 Technical Evaluation Rept SAIC-89/1640 re station blackout. Revised response addressing areas of nonconformance should be submitted within 60 days. SANDS,S.P. Project Directorate III-2. 90/08/06. KOVACH,T.J. Commonwealth Edison Co. 5pp. 54942:019-54942:107.

9008090171 Safety evaluation denying licensee response to station blackout rule. Staff recommends that licensee reevaluate areas of concern identified in SER. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 9pp. 54942:065-54942:073.

9004130250 "Technical Evaluation Rept Byron Station Units 1 & 2 Station Blackout Evaluation." * Science Applications International Corp. (formerly Science Applications, Inc.). FIN D-1311. SAIC-89/1640. 90/04/03. NRC - No Detailed Affiliation Given. 29pp. 54942:074-54942:107.

9008230017 Revised EPIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13. JOHNSON,I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants. MORGAN,W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008020162 Rev O.A to Chapter 11 of plant ODCM. * Commonwealth Edison Co. 90/07/16. 15pp. 54820:318-54820:332.

9008010096 Notifies that plants current outage plannings will not include removal of snubbers. Removal of snubbers scheduled for future outages. Completion of review by NRC by 900801 no longer necessary. HUNSADER,S.C. Commonwealth Edison Co. 90/07/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:284-54805:284.

9008010099 Notifies that replacement of 13 snubbers w/8 seismic stops on reactor coolant bypass line being deferred until later outage, per RL Cloud Assoc nonlinear piping analyses. HUNSADER,S.C. Commonwealth Edison Co. 90/07/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:288-54805:288.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008220216 Application for amends to Licenses NPF-37 & NPF-66, revising Tech Specs 3.7.4 & 3.7.5 re essential svc water cooling sys. SCHUSTER,T.K. Commonwealth Edison Co. 90/08/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 55001:001-55001:025.

9008220217 Proposed Tech Specs re changes to essential svc water cooling sys. * Commonwealth Edison Co. 90/08/16. 17pp. 55001:009-55001:025.

168 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9008010131 Forwards Final SALP Repts 50-454/90-01 & 50-455/90-01 for Nov 1989 - Mar 1990.
DAVIS,A.B. Region 3 (Post 820201). 90/07/20. REED,C. Commonwealth Edison Co. 2pp. 54790:183-54790:191.

—**9008010138** Final SALP Rept 50-454/90-01 & 50-455/90-01 for Nov 1989 - Mar 1990.
* Region 3 (Post 820201). 90/07/20. 6pp. 54790:185-54790:191.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160200 Forwards Enforcement Conference Repts 50-454/90-19 & 50-455/90-18 on 900802 re violations noted in Insp Repts 50-454/87-27, 50-455/87-28 & Ofc of Investigations Rept 3-87-019.
MILLER,H.J. Region 3 (Post 820201). 90/08/10. REED,C. Commonwealth Edison Co. 2pp. 54992:094-54992:134.

—**9008160202** Enforcement Conference Repts 50-454/90-19 & 50-455/90-18 on 900802. Major areas discussed: failure to ensure operability of emergency diesel generators at plant upon discovery of nonseismically-qualified switches in trip circuitry.
HING,M.A. Region 3 (Post 820201). 90/08/10. 38pp. 54992:096-54992:134.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008240172 Submits supplemental response to NRC Bulletin 88-008, Suppls 1 & 2. Surveillance testing revealed no leakage, therefore charging pump to cold leg outage injection lines would not be subjected to excessive thermal stresses.
TAYLOR,D.L. Commonwealth Edison Co. 90/08/16. Document Control Branch (Document Control Desk). 7pp. 55027:193-55027:199.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008170266 Forwards monthly operating repts for Jul 1990 for Byron Units 1 & 2 & corrected monthly operating rept for June 1990 for Unit 2.
PLENIEWICZ,R. Commonwealth Edison Co. 90/08/10. Document Control Branch (Document Control Desk). 1p. 54993:052-54993:066.

—**9008170269** Corrected monthly operating data rept for June 1990 for Byron Nuclear Power Station Unit 2.
ORRIS,K. Commonwealth Edison Co. 90/06/30. 1p. 54993:053-54993:053.

—**9008170270** Monthly operating repts for Jul 1990 for Byron Nuclear Power Station Units 1 & 2.
ORRIS,K. Commonwealth Edison Co. 90/07/31. 13pp. 54993:054-54993:066.

S. Reportable occurrences, LERs & related correspondence

9008160156 LER 90-002-00: on 900714, unexpected feedwater isolation signal from reactor trip breaker generated. Specific cause of event not identified. Cell switch replaced & breaker reinstalled. W/900806 ltr.
BRINDLE,D., PLENIEWICZ,R. Commonwealth Edison Co. 90/08/09. 5pp. 54974:321-54974:325.

9008260167 LER 90-003-00: on 900717, feedwater isolation occurred due to inability to control level in D-5 steam generators at low power levels. Caused by hi-hi narrow range level on steam generator 2A. Signal reset & sys realigned. W/900816 ltr.
O'NEILL,P., PLENIEWICZ,R. Commonwealth Edison Co. 90/08/15. 5pp. 55056:050-55056:054.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/ issues should be submitted to E Rau by 900815.
MILLER,H.J. Region 3 (Post 820201). 90/07/25. REED,C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008080035 Forwards master BWR/PWR generic fundamentals exam section w/answer key. W/o ends.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/01. Consumers Power Co. 1p. 54919:047-54919:047.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

9008220173 Advises that operator & senior operator licensing exams scheduled for wk of 901203. Preliminary license applications should be submitted at least 30 days before first exam dates in order to review training & experience of candidates.
WRIGHT,G.C. Region 3 (Post 820201). 90/08/14. REED,C. Commonwealth Edison Co. 11pp. 55015:174-55015:184.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EPIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008010134 Forwards Safeguards Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27. No violations noted.
GREGER,L.R. Region 3 (Post 820201). 90/07/24. REED,C. Commonwealth Edison Co. 2pp. 54791:045-54791:048.

—**9008010136** Partially withheld Physical Security Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area physical barriers, detection & assessment aids & packages & vehicles.
CHRISTOFFER,G., MAEDA,T.J., CREED,J.R. Region 3 (Post 820201). 90/07/25. 2pp. 54791:047-54791:048.

9008150193 Rev 1 to BwPZ 500-12, "Assembly Area Supplies Inventory (Primary Responsibility - GSEP Coordinator)."
* Commonwealth Edison Co. 90/07/31. 6pp. 54971:286-54971:291.

9008090162 Forwards SERs of responses & associated Science Application Intl Corp 900614 Technical Evaluation Rept SAIC-89/1640 re station blackout. Revised response addressing areas of nonconformance should be submitted within 60 days.
SANDS,S.P. Project Directorate III-2. 90/08/06. KOVACH,T.J. Commonwealth Edison Co. 5pp. 54942:019-54942:107.

—**9008090166** Safety evaluation denying licensee response to station blackout rule. Staff recommends that licensee reevaluate areas of concern identified in SER.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 10pp. 54942:024-54942:033.

—**9006270317** "Technical Evaluation Rept, Braidwood Station Units 1 & 2 Station Blackout Evaluation."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. SAIC-90/1043. 90/06/14. NRC - No Detailed Affiliation Given. 31pp. 54942:034-54942:064.

9008230017 Revised EPIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON,I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN,W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

P. Operating license stage documents & correspondence

9008010096 Notifies that plants current outage plannings will not include removal of snubbers. Removal of snubbers scheduled for future outages. Completion of review by NRC by 900801 no longer necessary.
HUNSADER,S.C. Commonwealth Edison Co. 90/07/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:284-54805:284.

9008010099 Notifies that replacement of 13 snubbers w/8 seismic stops on reactor coolant bypass line being deferred until later outage, per RL Cloud Assoc nonlinear piping analyses.
HUNSADER,S.C. Commonwealth Edison Co. 90/07/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:288-54805:288.

9008080050 Discusses potential safety issues contained in deposition transcripts provided by utility attorneys re concerns identified by former employee including quality of welds at facility, welder certifications, N-5 data packages & related matters.
DAVIS, A.B. Region 3 (Post 820201). 90/07/31. REED, C. Commonwealth Edison Co. 2pp. 54908:034-54908:035.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090207 Forwards SER & SAIC-87/3034 re plant DCRDR. Confirmatory Issue A(10) closed.
SANDS, S.P. Project Directorate III-2. 90/08/06. KOVACH, T.J. Commonwealth Edison Co. 10pp. 54921:239-54921:306.

Q. Inspection reports, IE Bulletins & correspondence

9008030109 Responds to NRC 900517 ltr re violations noted in Insp Repts 50-456/90-10 & 50-457/90-11. Corrective action: valve 2CS021b returned & locked in throttle position & Out of Svc Form BwAP 330-1T4 modified.
KOVACH, T.J. Commonwealth Edison Co. 90/06/15. DAVIS, A.B. Region 3 (Post 820201). 5pp. 54842:199-54842:203.

9008010134 Forwards Safeguards Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27. No violations noted.
GREGER, L.R. Region 3 (Post 820201). 90/07/24. REED, C. Commonwealth Edison Co. 2pp. 54791:045-54791:048.

-9008010136 Partially withheld Physical Security Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area physical barriers, detection & assessment aids & packages & vehicles.
CHRISTOFFER, G., MADEDA, T.J., CREED, J.R. Region 3 (Post 820201). 90/07/25. 2pp. 54791:047-54791:048.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008130188 Provides supplemental response to NRC Bulletin 88-008, Suppls 1 & 2. Surveillance testing performed revealed no leakage, therefore, charging pump to cold leg injection lines would not be subjected to excessive thermal stresses.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/07. Document Control Branch (Document Control Desk). 7pp. 54958:070-54958:076.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230039 Forwards response to NRC 900521 request for addl info re plant inservice insp program.
HUNSADER, S.C. Commonwealth Edison Co. 90/08/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 45pp. 55012:248-55012:292.

9008280302 Responds to NRC 900718 ltr re violations noted in Insp Repts 50-456/90-12 & 50-457/90-15. Corrective actions: Procedure BwGP 100-3 being revised to include step placing containment isolation valves out-of-svc after exceeding 20% power.
KOVACH, T.J. Commonwealth Edison Co. 90/08/15. DAVIS, A.B. Region 3 (Post 820201). 5pp. 55041:319-55041:323.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008230214 "Radioactive Effluent Rept for Jan-June 1990 for Braidwood Nuclear Power Station." W/900814 ltr.
KOFRON, K.L. Commonwealth Edison Co. 90/06/30. DAVIS, B. Region 3 (Post 820201). 78pp. 55020:176-55020:310.

9008140365 Monthly operating repts for Jul 1990 for Braidwood Nuclear Power Station Units 1 & 2. W/900810 ltr.
DUNDEK, K.M., KOFRON, K.L. Commonwealth Edison Co. 90/07/31. 27pp. 54964:095-54964:121.

S. Reportable occurrences, LERs & related correspondence

9008130280 LER 90-010-00: on 900711, Control Room Chiller OA failed to trip from control switch. Breaker found to be mechanically binding causing breaker to remain closed when given trip signal. Breaker sent for mfg failure analysis. W/900810 ltr.
KON, M., KOFRON, K.L. Commonwealth Edison Co. 90/08/06. 5pp. 54953:089-54953:093.

9008090054 PNO-III-90-055: on 900801, unit shut down to repair check valve 1A essential svc water pump. Caused by failure of pump discharge check valve to seat. Check valve will be replaced.
FARBER, M., SHAFER, W. Region 3 (Post 820201). 90/08/08. 1p. 54942:262-54942:262.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9008080325 Updated table of contents for GSEP environs group EIPs.
* Commonwealth Edison Co. 90/06/15. 3pp. 54919:143-54919:145.

9008010134 Forwards Safeguards Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27. No violations noted.
GREGER, L.R. Region 3 (Post 820201). 90/07/24. REED, C. Commonwealth Edison Co. 2pp. 54791:045-54791:048.

-9008010136 Partially withheld Physical Security Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area physical barriers, detection & assessment aids & packages & vehicles.
CHRISTOFFER, G. Region 3 (Post 820201). 90/07/25. 2pp. 54791:047-54791:048.

9008150193 Rev 1 to BwZP 500-12, "Assembly Area Supplies Inventory (Primary Responsibility - GSEP Coordinator)."
* Commonwealth Edison Co. 90/07/31. 6pp. 54971:286-54971:291.

9008090162 Forwards SERs of responses & associated Science Application Intl Corp 900614 Technical Evaluation Rept SAIC-89/1640 re station blackout. Revised response addressing areas of nonconformance should be submitted within 60 days.
SANDS, S.P. Project Directorate III-2. 90/08/06. KOVACH, T.J. Commonwealth Edison Co. 5pp. 54942:019-54942:107.

-9008090166 Safety evaluation denying licensee response to station blackout rule. Staff recommends that licensee reevaluate areas of concern identified in SER.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 10pp. 54942:024-54942:033.

-9008270317 "Technical Evaluation Rept, Braidwood Station Units 1 & 2 Station Blackout Evaluation."
* Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-029. SAIC-90/1043. 90/06/14. NRC - No Detailed Affiliation Given. 31pp. 54942:034-54942:064.

9008230017 Revised EIPs, including Rev 12 to ED-9A, Rev 12 to ED-9B, Rev 12 to ED-11, Rev 8 to ED-12 & Rev 10 to ED-13.
JOHNSON, I.M. Commonwealth Edison Co. 90/08/07. 79pp. 55021:119-55021:197.

I. Financial Information

9007300029 Forwards financial info re decommissioning of plants.
MORGAN, W.E. Commonwealth Edison Co. 90/07/25. Document Control Branch (Document Control Desk). 200pp. 54740:001-54740:200.

170 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9008010096 Notifies that plants current outage plannings will not include removal of snubbers. Removal of snubbers scheduled for future outages. Completion of review by NRC by 900801 no longer necessary.
HUNSADER, S.C. Commonwealth Edison Co. 90/07/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:284-54805:284.

9008010099 Notifies that replacement of 13 snubbers w/8 seismic stops on reactor coolant bypass line being deferred until later outage, per RL Cloud Assoc nonlinear piping analyses.
HUNSADER, S.C. Commonwealth Edison Co. 90/07/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54805:288-54805:288.

9008080050 Discusses potential safety issues contained in deposition transcripts provided by util attys re concerns identified by former employee including quality of welds at facility, welder certifications, N-5 data packages & related matters.
DAVIS, A.B. Region 3 (Post 820201). 90/07/31. REED, C. Commonwealth Edison Co. 2pp. 54908:034-54908:035.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090207 Forwards SER & SAIC-87/3034 re plant DCRDR. Confirmatory Issue A(10) closed.
SANDS, S.P. Project Directorate III-2. 90/08/06. KOVACH, T.J. Commonwealth Edison Co. 10pp. 54921:239-54921:306.

Q. Inspection reports, IE Bulletins & correspondence

9008030109 Responds to NRC 900517 ltr re violations noted in Insp Repts 50-456/90-10 & 50-457/90-11. Corrective action: valve 2CS021b returned & locked in throttle position & Out of Svc Form BWAP 330-1T4 modified.
KOVACH, T.J. Commonwealth Edison Co. 90/06/15. DAVIS, A.B. Region 3 (Post 820201). 5pp. 54842:199-54842:203.

9008010134 Forwards Safeguards Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27. No violations noted.
GREGER, L.R. Region 3 (Post 820201). 90/07/24. REED, C. Commonwealth Edison Co. 2pp. 54791:045-54791:048.

-9008010136 Partially withheld Physical Security Insp Repts 50-456/90-15 & 50-457/90-18 on 900621-27 (ref 10CFR73.21). No violations noted. Major areas inspected: protected & vital area physical barriers, detection & assessment aids & packages & vehicles.
CHRISTOFFER, G., MAEDA, T.J., CREED, J.R. Region 3 (Post 820201). 90/07/25. 2pp. 54791:047-54791:048.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008060402 Responds to NRC Bulletin 88-009 requesting that addressees establish & implement insp program to periodically confirm in-core neutron power reactors. All timble tubes used at plant inspected & 18 recorded evidence of degradation.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/02. Document Control Branch (Document Control Desk). 3pp. 54876:326-54876:328.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008130188 Provides supplemental response to NRC Bulletin 88-008, Suppls 1 & 2. Surveillance testing performed revealed no leakage, therefore, charging pump to cold leg injection lines would not be subjected to excessive thermal stresses.
TAYLOR, D.L. Commonwealth Edison Co. 90/08/07. Document Control Branch (Document Control Desk). 7pp. 54958:070-54958:076.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230039 Forwards response to NRC 900521 request for addl info re plant inservice insp program.
HUNSADER, S.C. Commonwealth Edison Co. 90/08/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 45pp. 55012:248-55012:292.

9008280302 Responds to NRC 900718 ltr re violations noted in Insp Repts 50-456/90-12 & 50-457/90-15. Corrective actions: Procedure BWGP 100-3 being revised to include step placing containment isolation valves out-of-svc after exceeding 20% power.
KOVACH, T.J. Commonwealth Edison Co. 90/08/15. DAVIS, A.B. Region 3 (Post 820201). 5pp. 55041:319-55041:323.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008230214 "Radioactive Effluent Rept for Jan-June 1990 for Braidwood Nuclear Power Station." W/900814 ltr.
KOFFRON, K.L. Commonwealth Edison Co. 90/06/30. DAVIS, B. Region 3 (Post 820201). 78pp. 55020:176-55020:310.

9008140365 Monthly operating repts for Jul 1990 for Braidwood Nuclear Power Station Units 1 & 2. W/900810 ltr.
DUNDEK, K.M., KOFFRON, K.L. Commonwealth Edison Co. 90/07/31. 27pp. 54964:095-54964:121.

V. Operator Examinations

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/ issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008060285 Responds to NRC 900509 ltr re exercise weaknesses noted in Insp Rept 50-458/90-06. Corrective actions: computer clock synchronized to correct time & logic changed for making location addresses in retransmission of messages.
ODELL, W.H. Gulf States Utilities Co. 90/08/01. Document Control Branch (Document Control Desk). 5pp. 54876:272-54876:276.

9008230018 Revised EIPs, including Rev 11 to EIP-2-006, Rev 5 to EIP-1-009 & Rev 5 to EIP-2-027. W/900815 ltr.
DEDDENS, J.C. Gulf States Utilities Co. 90/08/15. 45pp. 55012:331-55013:014.

I. Financial Information

9008010113 Forwards "Decommissioning Trust Agreement for River Bend Unit 1" & "Nuclear Decommissioning Trust Fund Agreement Between Cajun Electric Power Cooperative, Inc & Hibernia Natl Bank."
DEDDENS, J.C. Gulf States Utilities Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54790:192-54790:297.

-9008010114 "Decommissioning Trust Agreement For River Bend Unit 1."
* Gulf States Utilities Co. 89/03/15. 55pp. 54790:198-54790:252.

-9008010117 "Nuclear Decommissioning Trust Fund Agreement Between Cajun Electric Power Cooperative, Inc & Hibernia Natl Bank."
* Cajun Electric Power Cooperative, Inc. 88/12/02. 49pp. 54790:253-54790:297.

P. Operating license stage documents & correspondence

9008030054 Forwards Amend 44 to License NPF-47, safety evaluation & notice of issuance. Amend raises 95 F limiting condition for operation on suppression pool temp to 100 F.
ABBATE, C.M. Project Directorate IV-2 (Post 900603). 90/07/30. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 54841:220-54841:238.

-9008030056 Amend 44 to License NPF-47, raising 95 degrees F limiting condition for operation on suppression pool temp to 100 degrees F.
GRIMES, C.I. Project Directorate IV-2 (Post 900603). 90/07/30. 7pp. 54841:222-54841:230.

- 9008030058 Safety evaluation supporting Amend 44 to License NPF-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 6pp. 54841:231-54841:236.
- 9008030060 Notice of issuance of Amend 44 to License NPF-47. Amend revised Tech Specs to increase operating suppression pool temp limit from 95 F to 100 F. ABBATE, C. Project Directorate IV (891001-900602). 90/07/30. 2pp. 54841:237-54841:238.
- 9008060327 Forwards schedule for submittal of repts re reactor physics methods & reactor transient analysis methods rept, per 900712 meeting. ODELL, W.H. Gulf States Utilities Co. 90/07/30. Document Control Branch (Document Control Desk). 3pp. 54889:322-54889:324.
- 9008080198 Forwards Amend 45 to License NPF-47 & safety evaluation. Amend revises min temp vs reactor pressure curves in Tech Spec 3/4.4.6 & associated bases. ABBATE, C.M. Project Directorate IV-2 (Post 900603). 90/08/01. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 54917:305-54917:320.
- 9008080203 Amend 45 to License NPF-47, revising min temp vs reactor pressure curves in Tech Spec 3/4.4.6 & associated bases. GRIMES, C.I. Project Directorate IV-2 (Post 900603). 90/08/01. 10pp. 54917:307-54917:311.
- 9008080206 Safety evaluation supporting Amend 45 to License NPF-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/01. 4pp. 54917:312-54917:320.
- 9008090172 Ack withdrawal of proposed amend to License NPF-47, allowing one loop of RHR to be used for ECCS & for shutdown cooling. Util resubmittal of proposed amend following completion of generic study recommended. ABBATE, C.M. Project Directorate IV-2 (Post 900603). 90/08/02. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 54931:243-54931:244.
- 9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.
- 9008090148 Discusses until 891220 response to Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance. Util schedule for completing Phase I of motor-operated valve program in four refueling outages acceptable. ABBATE, C.M. Project Directorate IV-2 (Post 900603). 90/08/03. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 54921:310-54921:312.
- 9008130035 Application for amend to License NPF-47, removing Spec 3/4.7.4 re snubbers, to eliminate requirements to inservice testing program. ODELL, W.H. Gulf States Utilities Co. 90/08/03. Document Control Branch (Document Control Desk). 7pp. 54957:238-54957:252.
- 9008130038 Proposed Tech Specs removing Spec 3/4.7.4 re snubbers, to eliminate redundant requirements to inservice testing program.
* Gulf States Utilities Co. 90/08/03. 8pp. 54957:245-54957:252.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.
- 9008060297 Forwards Insp Rept 50-458/90-16 on 900709-19 & notice of deviation. Unresolved item re calibr of meters used to monitor status of electrical power sources also identified. COLLINS, S.J. Region 4 (Post 820201). 90/07/30. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 54856:003-54856:024.
- 9008060298 Notice of deviation from insp on 900709-19. Deviation noted: instrument displays on control panels did not contain specific common designation & hydrogen monitoring instrumentation not being calibrated on higher scale.
* Region 4 (Post 820201). 90/07/30. 2pp. 54856:006-54856:007.
- 9008060300 Insp Rept 50-458/90-16 on 900709-19. Deviations noted. Major areas inspected: implementation of commitments made re post-accident monitoring instrumentation guidance in Reg Guide 1.97. PAULK, C.J., WAGNER, P.C., CWALINA, G. Region 4 (Post 820201). 90/07/24. 17pp. 54856:008-54856:024.
- 9008060285 Responds to NRC 900509 ltr re exercise weaknesses noted in Insp Rept 50-458/90-06. Corrective actions: computer clock synchronized to correct time & logic changed for making location addresses in retransmission of messages. ODELL, W.H. Gulf States Utilities Co. 90/08/01. Document Control Branch (Document Control Desk). 5pp. 54876:272-54876:276.
- 9008070281 Forwards Electrical Distribution Sys Functional Insp Rept 50-458/90-200 on 900521-0622 & notice of violation. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 90/08/01. DEDDENS, J.C. Gulf States Utilities Co. 4pp. 54902:156-54902:187.
- 9008070282 Electrical Distribution Sys Functional Insp Rept 50-458/90-200 on 900521-0622. No violations noted. Major areas inspected: design & implementation of plant electrical distribution sys & adequacy of engineering support. GAUTAM, A.S., KONKLIN, J.E., LANNING, W.D. Special Inspection Branch. 90/07/26. 28pp. 54902:160-54902:187.
- 9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.
- 9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.
- 9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.
- 9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.
- 9008160010 Forwards Insp Rept 50-458/90-19 on 900723-27 & 30. No violations or deviations noted. COLLINS, S.J. Region 4 (Post 820201). 90/08/09. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 54992:185-54992:194.
- 9008160011 Insp Rept 50-458/90-19 on 900723-27 & 30. No violations or deviations noted. Major areas inspected: surveillance procedures & records. BUNDY, H.F., SEIDLE, W.C. Region 4 (Post 820201). 90/08/07. 7pp. 54992:188-54992:194.
- 9008200041 Discusses Insp Rept 50-458/89-200 on 891023-27 & 1113-17 & forwards notice of violation. COLLINS, S.J. Region 4 (Post 820201). 90/08/09. DEDDENS, J.C. Gulf States Utilities Co. 5pp. 54995:286-54995:290.
- 9008200044 Notice of violation from insp on 891023-27 & 1113-17. Violations noted: nuclear licensing failed to take actions necessary to assure timely response for 76 examples of regulatory correspondence classified response required.
* Region 4 (Post 820201). 90/08/09. 2pp. 54995:288-54995:290.
- 9008160138 Forwards Insp Rept 50-458/90-18 on 900617-0721. No violations or deviations noted. COLLINS, S.J. Region 4 (Post 820201). 90/08/13. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 54984:117-54984:130.
- 9008160139 Insp Rept 50-458/90-18 on 900617-0721. No violations or deviations noted. Major areas inspected: followup of events, operational safety verification, maint observation & surveillance observation. CONSTABLE, G.L. Region 4 (Post 820201). 90/08/09. 11pp. 54984:120-54984:130.
- 9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008150122 Forwards branch input for SALP, based on 900521-0622 electrical distribution sys functional insp. LANNING, W.D. Special Inspection Branch. 90/08/14. GODY, A.T. Performance & Quality Evaluation Branch (Post 890101). 4pp. 54972:013-54972:016.
- 9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008270019 Discusses Insp Rept 50-458/90-200 on 900521-0622 & forwards notice of violation. COLLINS, S.J. Region 4 (Post 820201). 90/08/17. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 55037:115-55037:119.
- 9008270020 Notice of violation from insp on 900521-0622. Violation noted: failure to verify or to check adequacy of design.
* Region 4 (Post 820201). 90/08/17. 2pp. 55037:118-55037:119.
- 9008280231 Ack receipt of 900801 ltr informing NRC of steps taken to correct weaknesses noted in Insp Rept 50-458/90-06. COLLINS, S.J. Region 4 (Post 820201). 90/08/21. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 55039:359-55039:360.
- 9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.
- 9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.
- R. Periodic operating reports & related correspondence**
- 9008210176 Monthly operating rept for Jul 1990 for River Bend Station Unit 1.W/ 900815 ltr. BORNEMAN, K.R., DEDDENS, J.C. Gulf States Utilities Co. 90/07/31. 5pp. 55000:170-55000:174.
- 9008130222 Forwards semiannual rept on fitness-for-duty program performance data for 900103-0630, per 10CFR26.71(d). No weaknesses in program identified. ODELL, W.H. Gulf States Utilities Co. 90/08/10. Document Control Branch (Document Control Desk). 4pp. 54956:291-54956:294.
- S. Reportable occurrences, LERs & related correspondence**
- 9008080328 Part 21 rept re Topaz inverter, rated 125-volt dc to 115 volt ac. Info provided for review. GUNTRUM, B.C. Cooper Industries, Inc. 90/06/29. Southern California Edison Co. 5pp. 54919:135-54919:136.
- 9007270158 Revised special rept on 891208, invalid failure of Div II diesel generator occurred during monthly Surveillance Test Procedure STP-309-0202. Caused by loose cutoff switches. Breaker replaced & preventive maint procedure revised. ODELL, W.H. Gulf States Utilities Co. 90/07/20. Document Control Branch (Document Control Desk). 3pp. 54738:005-54738:007.

172 DOCKETED ITEMS

9008010247 Special rept on 900626-0722,diesel generator control room temp in excess of limits of Tech Spec 3.7.8 for greater than 8 h.Operability of safety-related equipment not affected by elevated temps.Capacitors periodically replaced.
ODELL,W.H. Gulf States Utilities Co. 90/07/25. Document Control Branch (Document Control Desk). 3pp. 54793:312-54793:314.

9008060246 LER 89-010-03:on 890318,unsealed penetration discovered in control bldg fire wall & on 900320,four conduits lacking internal seals.Hourly fire watch patrols established. W/900731 ltr.
ENGLAND,L.A., ODELL,W.H. Gulf States Utilities Co. 90/07/31. 5pp. 54904:177-54904:181.

9008090386 LER 90-011-01:on 900326,faulted condition on transformer 1NJS-X1A resulted in trip of circuit breaker ACB-016 on switchgear 1NJS-SWGR1A.Caused by random failure of transformer.Transformer replaced.W/900803 ltr.
ENGLAND,L.A., ODELL,W.H. Gulf States Utilities Co. 90/08/03. 4pp. 54904:358-54904:361.

V. Operator Examinations

9008200027 Forwards generic fundamentals exam section of written operator licensing exam administered on 900606.Requests that training dept forward results & answer sheet to examinee.
COLLINS,S.J. Region 4 (Post 820201). 90/07/19. DEDDENS,J.C. Gulf States Utilities Co. 42pp. 54991:209-54991:250.

9008060165 Summarizes 900724 meeting w/util in Region IV of re changes to operator licensing program & recently issued rev to NUREG-1021, "Operator Licensing Examiner Stds." Attendees list & viewgraphs encl.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. DEDDENS,J.C. Gulf States Utilities Co. 22pp. 54864:105-54864:126.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

G. Adjudicatory correspondence

9008240106 Notice of reconstitution of Board.* PB Bloch will serve as chairman & GO Bright & DR Schink,as members.W/Certificate of Svc.Served on 900817.
COTTER,B.P. Atomic Safety and Licensing Board Panel. #390 10741. 90/08/16. 3pp. 54995:091-54995:093.

P. Operating license stage documents & correspondence

9008230092 Concurs w/conclusion that proposed mineral withdrawal from reactor sites most improbable & DOE controls adequate.
LARKINS,J.T. Project Directorate V. 90/08/15. SORENSEN,G.C. Washington Public Power Supply System. 2pp. 55011:357-55011:358.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9008010121 Recommends that util wait until generic effort on NUMARC proposal completed before pursuing rev to emergency action level scheme.
GREGER,L.R. Region 3 (Post 820201). 90/07/20. PERRY,J.S. Illinois Power Co. 2pp. 54791:056-54791:058.

9008020182 Forwards Amend 41 to License NPF-62,safety evaluation & notice of withdrawal.Amend deletes License Condition 2.C.(6) which required certain senior reactor operators w/hot operating experience on each shift.
HICKMAN,J.B. Project Directorate III-3. 90/07/30. SPANGENBERG,F. Illinois Power Co. 2pp. 54820:305-54820:312.

-9008020191 Notice of withdrawal of application for amend to License NPF-62, revising License Condition 2.E re security plan requirements.
SAMWORTH,R.S. Project Directorate III-3. 90/07/30. 2pp. 54820:311-54820:312.

9008090169 Forwards Safety Insp Rept 50-461/90-15 on 900723-27.No violations noted.Exercise weakness identified & will require corrective action.
GREGER,L.R. Region 3 (Post 820201). 90/08/03. PERRY,J.S. Illinois Power Co. 3pp. 54922:236-54922:262.

-9008090170 Insp Rept 50-461/90-15 on 900723-27.No violations noted. Major areas inspected:annual emergency preparedness exercise involving followup on licensee actions on previously identified items.
PLOSKE,T., FOSTER,J., SNELL,W. Region 3 (Post 820201). 90/08/03. 24pp. 54922:239-54922:262.

9008130055 Forwards response to violations noted in Insp Rept 50-461/90-10.Re-sponse withheld (ref 10CFR73.21(c)(2)).
SPANGENBERG,F. Illinois Power Co. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54956:126-54956:126.

I. Financial Information

9007270206 Forwards decommissioning funds rept.
SPANGENBERG,F. Illinois Power Co. 90/07/19. Document Control Branch (Document Control Desk). 87pp. 54734:166-54734:252.

J. Insurance & Indemnity Information

9008060322 Forwards Endorsements 51 & 32 to NELIA Policy NF-261 & MAELU Policy MF-121,respectively.
TURNER,C.L. Affiliation Not Assigned. 90/07/30. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 54876:338-54876:340.

P. Operating license stage documents & correspondence

9008020197 Confirms 900709 telcon re incorrect pressure drops across cooling coils w/ cleanable return bends.Vendor position that American Air Filter work &/or data will not result in repetition of subj problem w/other customers or users.
FRANKLIN,B. American Air Filter Co. 90/07/23. BRACH,W. Vendor Inspection Branch. 3pp. 54820:060-54820:062.

9008020182 Forwards Amend 41 to License NPF-62,safety evaluation & notice of withdrawal.Amend deletes License Condition 2.C.(6) which required certain senior reactor operators w/hot operating experience on each shift.
HICKMAN,J.B. Project Directorate III-3. 90/07/30. SPANGENBERG,F. Illinois Power Co. 2pp. 54820:305-54820:312.

-9008020184 Amend 41 to License NPF-62,deleting License Condition 2.C.(6) which required certain senior reactor operators w/ hot operating experience on each shift.
HANNON,J.N. Project Directorate III-3. 90/07/30. 2pp. 54820:307-54820:308.

-9008020190 Safety evaluation supporting Amend 41 to License NPF-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 2pp. 54820:309-54820:310.

-9008020191 Notice of withdrawal of application for amend to License NPF-62, revising License Condition 2.E re security plan requirements.
SAMWORTH,R.S. Project Directorate III-3. 90/07/30. 2pp. 54820:311-54820:312.

9008060108 Forwards notice of consideration of issuance of amend to License NPF-62 & proposed NSHC determination & opportunity for hearing on 900611 request to revise required test frequency for diesel generator.
HICKMAN,J.B. Project Directorate III-3. 90/08/01. SPANGENBERG,F. Illinois Power Co. 1p. 54856:303-54856:311.

-9008060112 Notice of consideration of issuance of amend to License NPF-62 & proposed NSHC determination & opportunity for hearing on 900611 request to revise required test frequency for diesel generators & method of reporting test results.
HANNON,J.M. Project Directorate III-3. 90/08/01. 8pp. 54856:304-54856:311.

9008070307 Forwards Amend 42 to License NPF-62 & safety evaluation. Amend incorporates startup test program data into Tech Specs.
HICKMAN,J.B. Project Directorate III-3. 90/08/02. SPANGENBERG,F. Illinois Power Co. 2pp. 54902:133-54902:155.

-9008070309 Amend 42 to License NPF-62,incorporating startup test program data in Tech Specs.
HANNON,J.N. Project Directorate III-3. 90/08/02. 17pp. 54902:135-54902:151.

-9008070310 Safety evaluation supporting Amend 42 to License NPF-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/02. 4pp. 54902:152-54902:155.

9008130212 Provides addl info re proposed amend to plant Tech Spec 3/4.8.1.1, "AC Sources - Operating," per 900711 ltr.Amend will allow testing frequency of diesel generator to be returned to monthly.
PERRY,J.S. Illinois Power Co. 90/08/02. Document Control Branch (Document Control Desk). 5pp. 54954:300-54954:304.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090007 Forwards Amend 43 to License NPF-62 & safety evaluation. Amend revises surveillance requirements to Tech Spec 4.9.6.1.
HICKMAN,J.B. Project Directorate III-3. 90/08/03. SPANGENBERG,F. Illinois Power Co. 2pp. 54921:075-54921:085.

-9008090008 Amend 43 to License NPF-62, revising surveillance requirements to Tech Spec 4.9.6.1.
HANNON,J.N. Project Directorate III-3. 90/08/03. 7pp. 54921:077-54921:083.

-9008090011 Safety evaluation supporting Amend 43 to License NPF-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/03. 2pp. 54921:084-54921:085.

9008090138 Forwards environ assessment & finding of no significant impact re util 880205 request for changes to Tech Specs isolation requirements for containment monitoring & process sampling sys.
HICKMAN,J.B. Project Directorate III-3. 90/08/06. SPANGENBERG,F. Illinois Power Co. 2pp. 54921:352-54921:357.

-9008090143 Environ assessment & finding of no significant impact re util 880205 request for changes to Tech Specs isolation requirements for containment monitoring & process sampling sys.
HANNON,J.N. Project Directorate III-3. 90/08/06. 4pp. 54921:354-54921:357.

9008280276 Comments on util 891229 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve (MOV) Testing & Surveillance." Addl discussion of plans for periodic verifications of proper MOV program description requested.
HICKMAN,J.B. Project Directorate III-3. 90/08/08. SPANGENBERG,F. Illinois Power Co. 3pp. 55055:008-55055:010.

9008220163 Forwards reissued NPDES Permit IL0036919.
SPANGENBERG,F. Illinois Power Co. 90/08/10. Document Control Branch (Document Control Desk). 1p. 55000:267-55000:273.

-9008220165 Reissued NPDES Permit IL0036919, issued to Clinton Nuclear Power Station.
MCSWIGGIN,T.G. Illinois, State of. 90/07/25. 6pp. 55000:268-55000:273.

9008270282 Forwards generic SER re Mark III containment hydrogen control, based on review of Mark III Containment Hydrogen Control Owners Group submittal of Typical Rept HGN-112-NP. Util should provide final analysis by 910301.
HICKMAN,J.B. Project Directorate III-3. 90/08/20. SPANGENBERG,F. Illinois Power Co. 3pp. 55036:278-55037:002.

-9008270284 Generic SER re Mark III containment hydrogen control. Hydrogen injection rate strongly influenced by background gas concentrations.
THADANI,A.C. Hydrogen Control Owners Group. 90/08/20. 63pp. 55036:283-55037:002.

Q. Inspection reports, IE Bulletins & correspondence

9007300008 EN-90-072: on 900725, notice of proposed imposition of civil penalty in amount of \$25,000 will be issued to licensee based on violation re multiple control rod withdrawals during startup.
TROSKOSKI,W., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 90/07/20. 1p. 54756:187-54756:187.

9007310249 Forwards corrected forwarding ltr for Requalification Exam Rept 50-461/OL-90-03, including results of addl senior reactor operators w/passing grade in exam.
WRIGHT,G.C. Region 3 (Post 820201). 90/07/25. PERRY,J.S. Illinois Power Co. 2pp. 54757:067-54757:071.

-9007310251 Corrected forwarding ltr for Requalification Exam Rept 50-461/OL-90-03, including addl senior reactor w/passing grade in exam.
WRIGHT,G.C. Region 3 (Post 820201). 90/07/25. PERRY,J.S. Illinois Power Co. 1p. 54757:069-54757:069.

-9007310280 Corrected Exam Rept 50-461/OL-90-03 on 900604-08. Exam results: eight senior reactor operators, four reactor operators & two crews passed exam.
RAU,J., JORDAN,M.J. Region 3 (Post 820201). 90/07/24. 2pp. 54757:070-54757:071.

9008010149 Forwards Safety Insp Rept 50-461/90-11 on 900512-0703. Violations noted. NRC wants to encourage & support licensee initiatives for self-identification & correction of problems, therefore, notice of violation will not be issued.
KNOP,R.C. Region 3 (Post 820201). 90/07/25. PERRY,J.S. Illinois Power Co. 3pp. 54790:063-54790:090.

-9008010150 Safety Insp Rept 50-461/90-11 on 900512-0703. Violations noted. Major areas inspected: licensee action on previous insp findings, operational safety, event followup, radiological controls, maint/surveillance, LERs, TMI items & meetings.
SHYMLUCK,M.B. Region 3 (Post 820201). 90/07/25. 25pp. 54790:066-54790:090.

9008020098 Forwards notice of violation & proposed imposition of civil penalty in amount of \$25,000 re 900411 control rod event.
DAVIS,A.B. Region 3 (Post 820201). 90/07/25. PERRY,J.S. Illinois Power Co. 5pp. 54820:015-54820:040.

-9008020100 Notice of violation & proposed imposition of civil penalty in amount of \$25,000. Violation noted: on 900411, reactor in operational Condition 1 at thermal power greater than low power setpoint.
DAVIS,A.B. Region 3 (Post 820201). 90/07/25. 3pp. 54820:020-54820:040.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008090169 Forwards Safety Insp Rept 50-461/90-15 on 900723-27. No violations noted. Exercise weakness identified & will require corrective action.
GREGER,L.R. Region 3 (Post 820201). 90/08/03. PERRY,J.S. Illinois Power Co. 3pp. 54922:236-54922:262.

-9008090170 Insp Rept 50-461/90-15 on 900723-27. No violations noted. Major areas inspected: annual emergency preparedness exercise involving followup on licensee actions on previously identified items.
PLOSKE,T., FOSTER,J., SNELL,W. Region 3 (Post 820201). 90/08/03. 24pp. 54922:239-54922:262.

9008130055 Forwards response to violations noted in Insp Rept 50-461/90-10. Response withheld (ref 10CFR73.21(c)(2)).
SPANGENBERG,F. Illinois Power Co. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54956:126-54956:126.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008280276 Comments on util 891229 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve (MOV) Testing & Surveillance." Addl discussion of plans for periodic verifications of proper MOV program description requested.
HICKMAN,J.B. Project Directorate III-3. 90/08/08. SPANGENBERG,F. Illinois Power Co. 3pp. 55055:008-55055:010.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9007270113 Forwards revised pages to semiannual radioactive effluent release repts for Jul-Dec 1988, Jan-June 1989 & Jul-Dec 1989.
SPANGENBERG,F. Illinois Power Co. 90/07/19. Document Control Branch (Document Control Desk). 1p. 54734:270-54734:282.

-9007270114 Revised pages to "Semiannual Radioactive Effluent Release Rept for Jul-Dec 1988."
* Illinois Power Co. 88/12/31. 5pp. 54734:271-54734:275.

-9007270115 Revised pages to "Semiannual Radioactive Effluent Release Repts for Jan-June 1989."
* Illinois Power Co. 89/06/30. 4pp. 54734:276-54734:279.

-9007270116 Revised pages to "Semiannual Radioactive Effluent Release Repts for Jul-Dec 1989."
* Illinois Power Co. 89/12/31. 3pp. 54734:280-54734:282.

9008210128 Monthly operating rept for Jul 1990 for Clinton Power Station, Unit 1.W/900813 ltr.
SPANGENBERG,F. Illinois Power Co. 90/07/31. 5pp. 55000:069-55000:073.

S. Reportable occurrences, LERs & related correspondence

9008020278 Requests approval of position re accounting of two valid diesel generator failures at plant on 900515. Util does not believe that event should count for purpose of determining test frequency due to nature of failures. Justification encl.
PERRY,J.S. Illinois Power Co. 90/07/19. DAVIS,A.B. Region 3 (Post 820201). 10pp. 54826:082-54826:091.

9008030144 LER 90-010-01: on 900508, emergency diesel generators declared inoperable due to joints in shutdown svc water sys piping for HXs not having required tie-roads installed. Caused by installation error. Stress analysis performed. W/900724 ltr.
HOLTZSCHER,D.L., SPANGENBERG,F. Illinois Power Co. 90/07/24. 9pp. 54831:065-54831:073.

9008140018 LER 90-013-00: on 900709, main generator overvoltage/hertz protector relay 59/81-1 actuated, then main turbine generator tripped. Cause cannot be determined. Relays recalibr & setpoints of sample of relays verified. W/900803 ltr.
YOCUM,P.D., SPANGENBERG,F. Illinois Power Co. 90/08/03. 6pp. 54953:213-54953:218.

9008140194 LER 90-014-00: on 900712, determined that Tech Spec Surveillance 4.8.1.1.a not performed within 1 h after diesel generator declared inoperable. Cause by operator error. No specific corrective action required. W/900807 ltr.
YOCUM,P.D., SPANGENBERG,F. Illinois Power Co. 90/08/07. 5pp. 54953:208-54953:212.

V. Operator Examinations

9007310249 Forwards corrected forwarding ltr for Requalification Exam Rept 50-461, OL-90-03, including results of addl senior reactor operators w/passing grade in exam.
WRIGHT,G.C. Region 3 (Post 820201). 90/07/25. PERRY,J.S. Illinois Power Co. 2pp. 54757:067-54757:071.

-9007310251 Corrected forwarding ltr for Requalification Exam Rept 50-461/OL-90-03, including addl senior reactor w/passing grade in exam.
WRIGHT,G.C. Region 3 (Post 820201). 90/07/25. PERRY,J.S. Illinois Power Co. 1p. 54757:069-54757:069.

174 DOCKETED ITEMS

—9007310280 Corrected Exam Rept 50-461/OL-90-03 on 900604-08. Exam results: eight senior reactor operators, four reactor operators & two crews passed exam. RAU, E., JORDAN, M.J. Region 3 (Post 820201). 90/07/24. 2pp. 54757:070-54757:071.

9008010052 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829. Requests preliminary list of questions/issues by 900815. MILLER, H.J. Region 3 (Post 820201). 90/07/25. PERRY, J.S. Illinois Power Co. 2pp. 54788:338-54788:339.

9008020182 Forwards Amend 41 to License NPF-62, safety evaluation & notice of withdrawal. Amend deletes License Condition 2.C.(6) which required certain senior reactor operators w/hot operating experience on each shift. HICKMAN, J.B. Project Directorate III-3. 90/07/30. SPANGENBERG, F. Illinois Power Co. 2pp. 54820:305-54820:312.

—9008020184 Amend 41 to License NPF-62, deleting License Condition 2.C.(6) which required certain senior reactor operators w/hot operating experience on each shift. HANNON, J.N. Project Directorate III-3. 90/07/30. 2pp. 54820:307-54820:308.

—9008020190 Safety evaluation supporting Amend 41 to License NPF-62. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/30. 2pp. 54820:309-54820:310.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9008010021 Responds to NRC 900626 ltr re violations noted in Insp Rept 50-482/90-24. Corrective action: all dose personnel receiving retraining within normal 7-wk training cycle which began on 900723 & Emergency Procedure EPP 01-7.3 will be revised. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54980:276-54980:279.

9008160155 Forwards Insp Rept 50-482/90-23 on 900507-11 & 0629-0703 & notice of violation. No response to violation required due to corrective action implemented prior to inspectors departure. COLLINS, S.J. Region 4 (Post 820201). 90/08/13. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp. 54978:213-54978:219.

—9008160157 Notice of violation from insp on 900507-11 & 0629-0703. Violation noted: inadequately adjusted detection aids sys. * Region 4 (Post 820201). 90/08/13. 1p. 54978:217-54978:217.

—9008160160 Partially withheld Physical Security Insp Rept 50-482/90-23 on 900507-11 & 0629-0703 (ref 10CFR73.21). Violation noted. Major areas inspected: followup on previous insp findings, mgt support, security program plan & audits & alarm stations. CALDWELL, R.A., POWERS, D.A. Region 4 (Post 820201). 90/07/25. 2pp. 54978:218-54978:219.

9008160164 Ack receipt of 900628 ltr transmitting scenario for upcoming annual exercise. NRC understands that until taking actions to resolve concerns expressed in FEMA 900727 memo. COLLINS, S.J. Region 4 (Post 820201). 90/08/14. RHODES, F.T. Wolf Creek Nuclear Operating Corp. 3pp. 54978:252-54978:254.

I. Financial Information

9007270205 Summary of 900724 meeting w/Kansas City Power & Light Co (KCPL) re KCPL 900723 announcement of tender offer for all outstanding shares of Kansas Gas & Electric Co common stock. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/07/25. Associate Director for Projects (Post 870411). 2pp. 54733:335-54733:343.

9007310005 Forwards trust agreement re financial assurance for decommissioning of facility. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 90/07/26. Document Control Branch (Document Control Desk). 62pp. 54793:108-54793:169.

9008230203 Ack 900808 visit to Region IV & info re status of actions on recent Kansas City Power & Light Co offer to purchase Kansas Gas & Electric Co. Until assurance that offer to purchase will have no effect on safety operations of importance to NRC. MARTIN, R.D. Region 4 (Post 820201). 90/08/14. EVANS, J.M. Kansas City Power & Light. 7pp. 55020:166-55020:172.

P. Operating license stage documents & correspondence

9008020207 Requests addl info re steam generator tube rupture operator action times for plant. Response requested within 30 days of receipt of ltr. PICKETT, D.V. Project Directorate IV-2 (Post 900603). 90/07/24. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 54826:029-54826:031.

9008030044 Discusses util 891226 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." PICKETT, D.V. Project Directorate IV-2 (Post 900603). 90/07/31. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 54841:218-54841:219.

9008070058 Forwards inadvertently omitted index of proposed Tech Spec from 900522 ltr re RCS. RHODES, F.T. Wolf Creek Nuclear Operating Corp. 90/08/01. Document Control Branch (Document Control Desk). 3pp. 54942:007-54942:011.

—9008070060 Proposed Tech Specs re limiting conditions for operation & surveillance requirements of RCS. * Wolf Creek Nuclear Operating Corp. 90/08/01. 2pp. 54942:010-54942:011.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

Q. Inspection reports, IE Bulletins & correspondence

9008010021 Responds to NRC 900626 ltr re violations noted in Insp Rept 50-482/90-24. Corrective action: all dose personnel receiving retraining within normal 7-wk training cycle which began on 900723 & Emergency Procedure EPP 01-7.3 will be revised. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 90/07/26. Document Control Branch (Document Control Desk). 4pp. 54980:276-54980:279.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008030044 Discusses util 891226 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." PICKETT, D.V. Project Directorate IV-2 (Post 900603). 90/07/31. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 54841:218-54841:219.

9008060295 Forwards Insp Rept 50-482/90-26 on 900601-30 & notice of violation. Violation re failure to update info into updated FSAR noted but not cited. COLLINS, S.J. Region 4 (Post 820201). 90/07/31. COLLINS, S.J. Wolf Creek Nuclear Operating Corp. 4pp. 54843:042-54843:061.

—9008060299 Notice of violation from insp on 900601-30. Violations noted: corrective action specified in LER 90-004 not appropriate to reduce probability of similar events occurring in future & strip charts did not reflect real time. * Region 4 (Post 820201). 90/07/31. 2pp. 54843:046-54843:047.

—9008060301 Insp Rept 50-482/90-26 on 900601-30. Violations noted. Major areas inspected: plant status, operational safety verification, monthly surveillance observation, monthly maintenance observation & plant startup from refueling. WIEBE, J.S. Region 4 (Post 820201). 90/07/30. 14pp. 54843:048-54843:061.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090410 Ack receipt of 900726 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-482/90-24. Responses to training violation & unresolved item re min protective action recommendations responsive to insp rept concerns. COLLINS, S.J. Region 4 (Post 820201). 90/08/06. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 54942:108-54942:110.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008130259 Responds to Insp Rept 50-482/90-08 re effectiveness of techniques used to detect erosion/corrosion degradation. Existing erosion-corrosion program effective in identifying wall as nonrelevant volumetric anomalies. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 90/08/09. Document Control Branch (Document Control Desk). 4pp. 54957:185-54957:188.

9008160072 Forwards "Wolf Creek Generating Station Inservice Insp Rept," for fourth refueling outage, Period 2, Interval 1. Nonconforming conditions requiring repair/replacement of supports identified during routine maint activities. BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 90/08/10. Document Control Branch (Document Control Desk). 2pp. 54977:082-54977:144.

—9008160074 "Wolf Creek Generating Station Inservice Insp Rept," for fourth refueling outage, Period 2, Interval 1. * Wolf Creek Nuclear Operating Corp. 90/08/31. 61pp. 54977:084-54977:144.

9008160155 Forwards Insp Rept 50-482/90-23 on 900507-11 & 0629-0703 & notice of violation. No response to violation required due to corrective action implemented prior to inspectors departure. COLLINS, S.J. Region 4 (Post 820201). 90/08/13. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp. 54978:213-54978:219.

9008160157 Notice of violation from insp on 900507-11 & 0629-0703. Violation noted: inadequately adjusted detection aids sys.
* Region 4 (Post 820201). 90/08/13. 1p. 54978:217-54978:217.

9008160160 Partially withheld Physical Security Insp Rept 50-482/90-23 on 900507-11 & 0629-0703 (ref 10CFR73.21). Violation noted. Major areas inspected: followup on previous insp findings, mgt support, security program plan & audits & alarm stations. CALDWELL, R.A., POWERS, D.A. Region 4 (Post 820201). 90/07/25. 2pp. 54978:218-54978:219.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008220119 Monthly operating rept for Jul 1990 for Wolf Creek Nuclear Generating Station. W/900815 ltr.
WILLIAMS, M.G., BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 90/07/31. 7pp. 55001:187-55001:193.

V. Operator Examinations

9008070111 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program. Meeting agenda, attendance list & viewgraphs encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 22pp. 54905:030-54905:050.

9008060036 Advises that requalification program evaluation scheduled at plant site during wks of 901022 & 29. Util requested to furnish approved items listed in Encl 1. Failure to supply ref matl may result in postponement of exam.
COLLINS, S.J. Region 4 (Post 820201). 90/07/30. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 11pp. 54876:113-54876:123.

9008030048 Advises that NRC Form 474, "Simulation Facility Certification," submitted on 900110, complete & requires no further info. Simulation facility acceptable for purposes of 10CFR55.31(a)(4) based on certification of facility.
PICKETT, D.V. Project Directorate IV-2 (Post 900603). 90/07/31. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 54842:351-54842:352.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008130006 Rev 13 to radiological emergency response plan.
* Union Electric Co. 90/03/31. 350pp. 54937:058-54938:081.

9008010111 Recommends that util wait until generic effort on NUMARC proposal completed re emergency action level scheme in response to 890302 request. Request not consistent w/guidance in NUREG-0654/FEMA REP-1, App 1.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. SCHNELL, D.F. Union Electric Co. 2pp. 54805:252-54805:254.

9008020263 Advises that 900621 Rev 13 to radiological emergency response plan acceptable. Rev includes clarifications to emergency action levels & changes to position titles & responsibilities in plant organization.
GREGER, L.R. Region 3 (Post 820201). 90/07/23. SCHNELL, D.F. Union Electric Co. 2pp. 54826:255-54826:256.

H. General correspondence

9008210198 Comment on petition for rulemaking PRM-50-55 re revs to FSAR. Revs should be driven by circumstances rather than by arbitrary time schedule.
SCHNELL, D.F. Union Electric Co. 90/07/06. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 54984:296-54984:299.

P. Operating license stage documents & correspondence

9008140023 Rev 4 to T210.0002/D157, "Delegation of Authority."
* Union Electric Co. 90/02/06. 5pp. 54961:260-54961:264.

9008020064 Requests util to inform NRC of significant changes in estimated completion schedule, per util response to Generic Ltr 88-17, "Loss of BHR." Response to generic ltr acceptable.
GODY, A.T. Project Directorate III-3. 90/07/25. SCHNELL, D.F. Union Electric Co. 3pp. 54825:214-54825:216.

9008020243 Forwards Amend 55 to License NPF-30 & safety evaluation. Amend modifies limiting condition for operation to address flowpath requirements of motor-driven & steam turbine-driven auxiliary feedwater pumps.
GODY, A.T. Project Directorate III-3. 90/07/27. SCHNELL, D.F. Union Electric Co. 2pp. 54826:056-54826:067.

9008020247 Amend 55 to License NPF-30, modifying limiting condition for operation to address flowpath requirements of motor-driven & steam turbine-driven auxiliary feedwater pumps.
HANNON, J.N. Project Directorate III-3. 90/07/27. 6pp. 54826:058-54826:063.

9008020252 Safety evaluation supporting Amend 55 to License NPF-30.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/27. 4pp. 54826:064-54826:067.

9008060303 Forwards Rev 6 to Indexing Instruction T210.0002/Q101, "Qualification/Certification Documentation" & Rev 6 to T210.002/R353, "Required Reading/Personnel Form 2."
* Union Electric Co. 90/07/27. NRC - No Detailed Affiliation Given. 1p. 54865:086-54865:131.

9008060309 Rev 6 to T210.0002/Q101, "Qualification/Certification Documentation."
* Union Electric Co. 90/07/23. 29pp. 54865:087-54865:115.

9008060312 Rev 6 to T210.0002/R353, "Required Reading/Personnel Form 2."
* Union Electric Co. 90/07/23. 16pp. 54865:116-54865:131.

9008090336 Ack receipt of 900604 changes to QA program description.
WRIGHT, G.C. Region 3 (Post 820201). 90/08/02. SCHNELL, D.F. Union Electric Co. 1p. 54953:313-54953:313.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008080224 Forwards safety evaluation re util 860108 steam generator tube rupture analysis.
GODY, A.T. Project Directorate III-3. 90/08/06. SCHNELL, D.F. Union Electric Co. 2pp. 54919:260-54919:269.

9008080225 Safety evaluation re util 860108 submittal of steam generator tube rupture analysis. NRC does not concur w/ conclusion reached as to no steam generator overfill during design basis steam generator tube rupture accident.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. 8pp. 54919:262-54919:269.

9008230194 Provides comments on 891228 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." NRC accepts request to submit only changes to commitments significant in nature.
GODY, A.T. Project Directorate III-3. 90/08/06. SCHNELL, D.F. Union Electric Co. 3pp. 55018:144-55018:146.

9008130288 Advises of implementation of Amend 55, rev to Tech Spec 3/4.7.1.2 re auxiliary feedwater sys, effective 900807.
PASSWATER, A.C. Union Electric Co. 90/08/07. Document Control Branch (Document Control Desk). 2pp. 54956:302-54956:303.

9008230186 Forwards comments on draft programmatic agreement re implementation of cultural resource mgt plan for plant. NRR proposes that licensee be designated responsible for administration of program per 36CFR800.2 & 800.13.
ZWOLINSKI, J.A. Assistant Director for Region III Reactors (Post 891001). 90/08/08. KLIMA, D.L. Advisory Council on Historic Preservation. 4pp. 55019:335-55019:338.

9008220147 Confirms mgt meeting on 900828 in Region III ofc to discuss items of mutual interest, per 900718 discussion.
GREENMAN, E.G. Region 3 (Post 820201). 90/08/10. SCHNELL, D.F. Union Electric Co. 1p. 55015:153-55015:153.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008230194 Provides comments on 891228 response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." NRC accepts request to submit only changes to commitments significant in nature.
GODY, A.T. Project Directorate III-3. 90/08/06. SCHNELL, D.F. Union Electric Co. 3pp. 55018:144-55018:146.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

176 DOCKETED ITEMS

9008160163 Discusses resolution of variance requests from NUREG-0737, Item II.F.1, Attachments 1, 2 & 3. Ltr closes all NRR action & open items identified in Insp Repts 50-483/84-35, 50-483/85-04, 50-483/86-04 & 50-483/88-18. GODY, A.T. Project Directorate III-3. 90/08/08. SCHNELL, D.F. Union Electric Co. 4pp. 54992:265-54992:268.

9008060246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008140044 Monthly operating rept for Jul 1990 for Callaway Plant, Unit 1. W/900806 ltr. MCCANN, R.J., BLOSSER, J.D. Union Electric Co. 90/07/31. 6pp. 54961:355-54961:360.

S. Reportable occurrences, LERs & related correspondence

9008060291 LER 90-008-00: on 900705, ESF actuations occurred due to maint electrician inadvertently grounding valve limit switch contacts during adjustment. Caused by electrician failure to use insulated screwdriver. Personnel counseled. W/900803 ltr. BLOSSER, J.D. Union Electric Co. 90/08/03. 5pp. 54831:100-54831:105.

9008130205 Special Rept 90-01: on 900718, invalid failure of Diesel Generator A occurred. Caused by personnel error due to procedural inadequacy. Procedure revised to reflect loading requirements when paralleling diesel generator. BLOSSER, J.D. Union Electric Co. 90/08/10. Document Control Branch (Document Control Desk). 3pp. 54951:273-54951:275.

V. Operator Examinations

9008010035 Extends invitation to 900829 meeting in Naperville, IL to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds. Preliminary list of questions/issues to E Rau by 900815 requested. MILLER, H.J. Region 3 (Post 820201). 90/07/25. SCHNELL, D.F. Union Electric Co. 2pp. 54797:003-54797:004.

9008070324 Forwards Exam Form A w/answers & individual answer sheets from generic fundamentals written exam on 900606. WRIGHT, G.C. Region 3 (Post 820201). 90/08/01. Commonwealth Edison Co. 80pp. 54898:023-54898:102.

9008100220 Forwards sample registration ltr for 901010 generic fundamentals section of written operator licensing exam. Registration ltr listing names of candidates taking exam should be submitted to region 30 days prior to exam date. WRIGHT, G.C. Region 3 (Post 820201). 90/08/07. Consumers Power Co. 2pp. 54943:216-54943:217.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9008020204 Notification of 900808 meeting w/util in Rockville, MD to discuss safeguards issue at plant. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/07/30. GRIMES, C.I. Project Directorate IV-2 (Post 900603). 3pp. 54820:352-54820:354.

9008070012 Revised EIPs, including Field Change Request 90-1174 to Rev 8 to OEP01-ZA-0007 & Rev 2 to OEP02-ZA-0024-3. W/900802 ltr. MCBURNETT, M.A. Houston Lighting & Power Co. 90/08/02. 47pp. 54905:153-54905:199.

9008280226 Summarizes 900808 meeting re performance of physical security at plant. List of attendees encl. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/17. Project Directorate IV-2 (Post 900603). 3pp. 55040:219-55040:221.

9008280234 Forwards partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 & notice of violation. COLLINS, S.J. Region 4 (Post 820201). 90/08/20. HALL, D.P. Houston Lighting & Power Co. 4pp. 55053:001-55053:008.

9008280235 Notice of violation from insp on 900604-08. Violations noted: licensee designated vehicles (LDV) left outside overnight & during first quarter of CY90, two LDVs left in protected areas w/keys in ignition. * Region 4 (Post 820201). 90/08/20. 2pp. 55053:005-55053:006.

9008280236 Partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 (ref 10CFR73.21). One violation & unresolved item noted. Major areas inspected: physical security program, including mgt support & security program plans & vital area. EARNEST, A.B., POWERS, D.A. Region 4 (Post 820201). 90/08/13. 2pp. 55053:007-55053:008.

P. Operating license stage documents & correspondence

9008060098 Summary of 891128 & 29 meetings w/util, Sandia & SEA, Inc re plant probability & safety assessment. List of attendees & Sandia questions w/licensee answers encl. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/07/19. Project Directorate IV-2 (Post 900603). 73pp. 54852:016-54852:088.

9008030051 Summary of 900530-31 meeting w/Sandia Natl Labs & util re PRA review. Meeting attendees listed in Encl 1. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/07/27. Project Directorate IV-2 (Post 900603). 79pp. 54833:011-54833:089.

9008030078 Application for amends to Licenses NPF-76 & NPF-80, revising Tech Spec 6.5.2.2. VAUGHN, G.E. Houston Lighting & Power Co. 90/07/30. Document Control Branch (Document Control Desk). 7pp. 54833:001-54833:010.

9008030079 Proposed Tech Spec 6.5.2.2 re administrative controls. * Houston Lighting & Power Co. 90/07/30. 3pp. 54833:008-54833:010.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl. PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008090208 Advises that util response to Generic Ltr 88-06 re implementation of SPDS acceptable. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/03. HALL, D.P. Houston Lighting & Power Co. 2pp. 54931:239-54931:240.

9008090180 Forwards request for addl info based on review of probability safety assessment at plant. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/07. HALL, D.P. Houston Lighting & Power Co. 4pp. 54921:338-54921:341.

9008090188 Discusses licensee response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Justification for differences in program & generic ltr should be incorporated into program description. DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/08. HALL, D.P. Houston Lighting & Power Co. 2pp. 54922:151-54922:152.

Q. Inspection reports, IE Bulletins & correspondence

9007270185 Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Util identified one transmitter failure potentially related to failure mechanism. ROSEN, S.L. Houston Lighting & Power Co. 90/07/23. Document Control Branch (Document Control Desk). 8pp. 54734:045-54734:052.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090155 Final response to FOIA request for records. App L records encl & available in PDR. App M records partially & Apps N & O records completely withheld (ref FOIA Exemption 5). PHILIPS, J. Division of Freedom of Information & Publications Services (Post 890205). 90/08/06. GARDE, B.P. Robinson, Robinson, Peterson, Berk, Rudolph, Cross & Garde. 6pp. 54872:333-54872:350.

9008090156 Responds to 890417 supplemental request for documents re Kelly & Caldwell matters. FOX, M.J. Ofc of Personnel (Post 870413). 89/05/01. DRESSLAR, W.E. National Treasury Employees Union. 2pp. 54872:341-54872:342.

9008090159 Responds to 890421 supplemental request for info re Caldwell & Kelly adverse action. FOX, M.J. Ofc of Personnel (Post 870413). 89/05/09. DRESSLAR, W.E. National Treasury Employees Union. 3pp. 54872:343-54872:345.

9008090164 Advises that Natl Treasury Employees Union invokes arbitration in matter of 15 day suspension of J Kelly. TOBIAS, R.M. National Treasury Employees Union. 89/07/06. FOX, M. Ofc of Personnel (Post 870413). 3pp. 54872:346-54872:348.

9008090167 Responds to 890725 request for addl info re Kelly adverse action. FOX, M.J. Ofc of Personnel (Post 870413). 89/08/10. DRESSLAR, W.E. National Treasury Employees Union. 2pp. 54872:349-54872:350.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160135 Forwards Insp Repts 50-498/90-25 & 50-499/90-25 on 900723-27.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 90/08/13. HALL,D.P. Houston Lighting & Power Co. 3pp. 54984:098-54984:110.

-9008160136 Insp Repts 50-498/90-25 & 50-499/90-25 on 900723-27.No violations noted.Major areas inspected:licensee plant surveillance procedures & records.
SINGH,A., KELLEY,D.L., SEIDLE,W.C. Region 4 (Post 820201). 90/08/09. 10pp. 54984:101-54984:110.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280121 Forwards Insp Repts 50-498/90-24 & 50-499/90-24 on 900701-0801.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 90/08/17. HALL,D.P. Houston Lighting & Power Co. 3pp. 55040:194-55040:211.

-9008280127 Insp Repts 50-498/90-24 & 50-499/90-24 on 900701-0801.No violations noted.Major areas inspected:plant status,onsite followup of events at operating power reactors & licensee action on previous findings.
WIEBE,J. Region 4 (Post 820201). 90/08/17. 15pp. 55040:197-55040:211.

9008280234 Forwards partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 90/08/20. HALL,D.P. Houston Lighting & Power Co. 4pp. 55053:001-55053:008.

-9008280235 Notice of violation from insp on 900604-08.Violations noted: licensee designated vehicles (LDV) left outside overnight & during first quarter of CY90,two LDVs left in protected areas w/keys in ignition.
* Region 4 (Post 820201). 90/08/20. 2pp. 55053:005-55053:006.

-9008280236 Partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 (ref 10CFR73.21).One violation & unresolved item noted.Major areas inspected:physical security program, including mgt support & security program plans & vital area.
EARNST,A.B., POWERS,D.A. Region 4 (Post 820201). 90/08/13. 2pp. 55053:007-55053:008.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160082 Monthly operating repts for Jul 1990 for South Texas Project Electric Generating Station Units 1 & 2.W/900810 ltr.
KENT,A.P., MCBURNETT,M.A. Houston Lighting & Power Co. 90/07/31. 15pp. 54977:145-54977:159.

S. Reportable occurrences, LERs & related correspondence

9008070019 LER 90-016-00:on 900616,reactor trip initiated when 2 of 4 coincidence satisfied on over temp/delta temp.Caused by less than adequate attention to decreasing margin to over temp/ delta temp trip setpoint.Procedures revised.W/900802 ltr.
HEAD,S., VAUGHN,G.E. Houston Lighting & Power Co. 90/07/16. 5pp. 54904:216-54904:220.

9008130286 LER 90-015-00:on 900628,reactor trip occurred due to turbine trip caused by low electrohydraulic control sys fluid pressure.Caused by excessive vibration by oscillation in main turbine generator governor valve.W/900730 ltr.
HEAD,S., VAUGHN,G.E. Houston Lighting & Power Co. 90/07/30. 6pp. 54953:099-54953:104.

9008100230 LER 90-017-00:on 900706,determined that personnel failed to adequately perform Tech Spec required surveillance on reactor coolant pressure isolation valves.Caused by misinterpretation.Addl training provided.W/900806 ltr.
HEAD,S., KINSEY,W.H. Houston Lighting & Power Co. 90/08/06. 6pp. 54952:309-54952:314.

9008100242 LER 90-018-00:on 900707,main feedwater isolation valve declared inoperable which resulted in Tech Spec 3.0.3 being entered.Caused by failure of hydraulic fluid dump valves to open.Dump valves replaced & tested.W/900806 ltr.
HEAD,S., KINSEY,W.H. Houston Lighting & Power Co. 90/08/06. 6pp. 54952:324-54952:329.

9008100249 Special rept:on 900719,primary meteorological tower instruments declared inoperable.Caused by inconsistent indication resulting in entry into Tech Spec 3.3.3.4 action statement.Calibr sensor obtained & installed.
KINSEY,W.H. Houston Lighting & Power Co. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54934:357-54934:359.

9008130283 LER 90-019-00:on 900708,discovered that daily 24-h power range nuclear instrumentation channel calibr surveillance not performed.Caused by inadequate mgt controls.Control room logs revised.W/900807 ltr.
HEAD,S., KINSEY,W.H. Houston Lighting & Power Co. 90/08/07. 5pp. 54953:094-54953:098.

9008160204 Special rept:on 900711,nonvalid failure of Standby Diesel Generator 13 occurred.Caused by loose connections on terminal points on test mode trip circuitry.Connections tightened.
KINSEY,W.H. Houston Lighting & Power Co. 90/08/10. Document Control Branch (Document Control Desk). 4pp. 54972:317-54972:320.

9008240175 LER 90-020-00:on 900716,reactor trip occurred during performance of solid state protection sys surveillance test. Caused by malfunction in test switch.Test switch to be replaced prior to startup.W/900816 ltr.
HEAD,S., KINSEY,W.H. Houston Lighting & Power Co. 90/08/16. 6pp. 55024:011-55024:016.

V. Operator Examinations

9008240143 Forwards generic fundamentals exam section of written operator licensing exam administered on 900606.
COLLINS,S.J. Region 4 (Post 820201). 90/07/19. HALL,D.P. Houston Lighting & Power Co. 42pp. 55030:092-55030:133.

9008070074 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & recent rev to NUREG-1021, "Operator Licensing Examiner Sids." Viewgraphs encl.
CALLAN,L.J. Region 4 (Post 820201). 90/07/27. HALL,D.P. Houston Lighting & Power Co. 22pp. 54903:022-54903:043.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9008020204 Notification of 900808 meeting w/util in Rockville,MD to discuss safeguards issue at plant.
DICK,G.F. Project Directorate IV-2 (Post 900603). 90/07/30. GRIMES,C.I. Project Directorate IV-2 (Post 900603). 3pp. 54820:352-54820:354.

9008070012 Revised EPIPs,including Field Change Request 90-1174 to Rev 8 to OEPP01-ZA-0007 & Rev 2 to OEPP02-ZA-0024-3.W/900802 ltr.
MCBURNETT,M.A. Houston Lighting & Power Co. 90/08/02. 47pp. 54905:153-54905:199.

9008280226 Summarizes 900808 meeting re performance of physical security at plant.List of attendees encl.
DICK,G.F. Project Directorate IV-2 (Post 900603). 90/08/17. Project Directorate IV-2 (Post 900603). 3pp. 55040:219-55040:221.

9008280234 Forwards partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 90/08/20. HALL,D.P. Houston Lighting & Power Co. 4pp. 55053:001-55053:008.

-9008280235 Notice of violation from insp on 900604-08.Violations noted: licensee designated vehicles (LDV) left outside overnight & during first quarter of CY90,two LDVs left in protected areas w/keys in ignition.
* Region 4 (Post 820201). 90/08/20. 2pp. 55053:005-55053:006.

-9008280236 Partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 (ref 10CFR73.21).One violation & unresolved item noted.Major areas inspected:physical security program, including mgt support & security program plans & vital area.
EARNST,A.B. Region 4 (Post 820201). 90/08/13. 2pp. 55053:007-55053:008.

P. Operating license stage documents & correspondence

9008060098 Summary of 891128 & 29 meetings w/util,Sandia & SEA,Inc re plant probability & safety assessment.List of attendees & Sandia questions w/licensee answers encl.
DICK,G.F. Project Directorate IV-2 (Post 900603). 90/07/19. Project Directorate IV-2 (Post 900603). 73pp. 54852:016-54852:088.

9008030051 Summary of 900530-31 meeting w/Sandia Natl Labs & util re PRA review.Meeting attendees listed in Encl 1.
DICK,G.F. Project Directorate IV-2 (Post 900603). 90/07/27. Project Directorate IV-2 (Post 900603). 79pp. 54833:011-54833:089.

9008030078 Application for amendments to Licenses NPF-76 & NPF-80, revising Tech Spec 6.5.2.2.
VAUGHN,G.E. Houston Lighting & Power Co. 90/07/30. Document Control Branch (Document Control Desk). 7pp. 54833:001-54833:010.

-9008030079 Proposed Tech Spec 6.5.2.2 re administrative controls.
* Houston Lighting & Power Co. 90/07/30. 3pp. 54833:008-54833:010.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

178 DOCKETED ITEMS

9008090211 Advises that 900122 relief requests re pump & valve inservice test plan acceptable & that stroke time criteria need not be documented in plan itself, if included elsewhere in procedures. Any revs to plan should be provided to NRC.
DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/03. HALL, D.P. Houston Lighting & Power Co. 2pp. 54931:247-54931:248.

9008090180 Forwards request for addl info based on review of probability safety assessment at plant.
DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/07. HALL, D.P. Houston Lighting & Power Co. 4pp. 54921:338-54921:341.

9008090188 Discusses licensee response to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Justification for differences in program & generic ltr should be incorporated into program description.
DICK, G.F. Project Directorate IV-2 (Post 900603). 90/08/08. HALL, D.P. Houston Lighting & Power Co. 2pp. 54922:151-54922:152.

Q. Inspection reports, IE Bulletins & correspondence

9007270185 Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Util identified one transmitter failure potentially related to failure mechanism.
ROSEN, S.L. Houston Lighting & Power Co. 90/07/23. Document Control Branch (Document Control Desk). 8pp. 54734:045-54734:052.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008090155 Final response to FOIA request for records. App L records encl & available in PDR. App M records partially & Apps N & O records completely withheld (ref FOIA Exemption 5).
PHILIPS, J. Division of Freedom of Information & Publications Services (Post 890205). 90/08/06. GARDE, B.P. Robinson, Robinson, Peterson, Berk, Rudolph, Cross & Garde. 6pp. 54872:333-54872:350.

9008090158 Responds to 890417 supplemental request for documents re Kelly & Caldwell matters.
FOX, M.J. Ofc of Personnel (Post 870413). 89/05/01. DRESSLAR, W.E. National Treasury Employees Union. 2pp. 54872:341-54872:342.

9008090159 Responds to 890421 supplemental request for info re Caldwell & Kelly adverse action.
FOX, M.J. Ofc of Personnel (Post 870413). 89/05/09. DRESSLAR, W.E. National Treasury Employees Union. 3pp. 54872:343-54872:345.

9008090164 Advises that Natl Treasury Employees Union invokes arbitration in matter of 15 day suspension of J Kelly.
TOBIAS, R.M. National Treasury Employees Union. 89/07/06. FOX, M. Ofc of Personnel (Post 870413). 3pp. 54872:346-54872:348.

9008090167 Responds to 890725 request for addl info re Kelly adverse action.
FOX, M.J. Ofc of Personnel (Post 870413). 89/08/10. DRESSLAR, W.E. National Treasury Employees Union. 2pp. 54872:349-54872:350.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radiowaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008160135 Forwards Insp Repts 50-498/90-25 & 50-499/90-25 on 900723-27. No violations or deviations noted.
COLLINS, S.J. Region 4 (Post 820201). 90/08/13. HALL, D.P. Houston Lighting & Power Co. 3pp. 54984:098-54984:110.

9008160136 Insp Repts 50-498/90-25 & 50-499/90-25 on 900723-27. No violations noted. Major areas inspected: licensee plant surveillance procedures & records.
SINGH, A., KELLEY, D.L., SEIDLE, W.C. Region 4 (Post 820201). 90/08/09. 10pp. 54984:101-54984:110.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008280121 Forwards Insp Repts 50-498/90-24 & 50-499/90-24 on 900701-0801. No violations or deviations noted.
COLLINS, S.J. Region 4 (Post 820201). 90/08/17. HALL, D.P. Houston Lighting & Power Co. 3pp. 55040:194-55040:211.

9008280127 Insp Repts 50-498/90-24 & 50-499/90-24 on 900701-0801. No violations noted. Major areas inspected: plant status, onsite followup of events at operating power reactors & licensee action on previous findings.
WIEBE, J. Region 4 (Post 820201). 90/08/17. 15pp. 55040:197-55040:211.

9008280234 Forwards partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 & notice of violation.
COLLINS, S.J. Region 4 (Post 820201). 90/08/20. HALL, D.P. Houston Lighting & Power Co. 4pp. 55053:001-55053:008.

9008280235 Notice of violation from insp on 900604-08. Violations noted: licensee designated vehicles (LDV) left outside overnight & during first quarter of CY90, two LDVs left in protected areas w/keys in ignition.
* Region 4 (Post 820201). 90/08/20. 2pp. 55053:005-55053:006.

9008280236 Partially withheld Insp Repts 50-498/90-22 & 50-499/90-22 on 900604-08 (ref 10CFR73.21). One violation & unresolved item noted. Major areas inspected: physical security program, including mgt support & security program plans & vital area.
EARNEST, A.B., POWERS, D.A. Region 4 (Post 820201). 90/08/13. 2pp. 55053:007-55053:008.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160082 Monthly operating repts for Jul 1990 for South Texas Project Electric Generating Station Units 1 & 2. W/900810 ltr.
KENT, A.P., MCBURNETT, M.A. Houston Lighting & Power Co. 90/07/31. 15pp. 54977:145-54977:159.

S. Reportable occurrences, LERs & related correspondence

9007310210 Special rept on 900626, standby diesel generator 21 failed. Caused by setpoint drift in pressure regulator. Pressure regulator setpoint adjusted & defective K-1 relay replaced.
VAUGHN, G.E. Houston Lighting & Power Co. 90/07/26. Document Control Branch (Document Control Desk). 5pp. 54769:294-54769:298.

9008020294 Final response to FOIA request. App E records encl & available in PDR.
PHILIPS, J. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. GARDE, B.P. Hardy, Milutin & Johns. 2pp. 54797:177-54797:184.

9008020296 Package consisting of director highlights of unusual event due to required shutdown by Tech Spec 3.4.6.1 for pressure boundary leakage. Unit entered cold shutdown to make repairs. Estimated restart date is 900522.
* Region 4 (Post 820201). 90/05/09. 3pp. 54797:182-54797:184.

9008100249 Special rept on 900719, primary meteorological tower instruments declared inoperable. Caused by inconsistent indication resulting in entry into Tech Spec 3.3.3.4 action statement. Calibr sensor obtained & installed.
KINSEY, W.H. Houston Lighting & Power Co. 90/08/06. Document Control Branch (Document Control Desk). 3pp. 54934:357-54934:359.

9008100251 LER 90-011-00 on 900628, discovered that steam generator PORV 2D did not meet stroke time requirements & on 900705, shut down of unit commenced for maint outage. Caused by chemical breakdown of hydraulic fluid. W/900806 ltr.
HEAD, S.M., KINSEY, W.H. Houston Lighting & Power Co. 90/08/06. 6pp. 54952:348-54952:353.

9008170007 LER 90-012-00 on 900713, ESF actuation occurred due to failed open feedwater regulating valve. Caused by detached positioner feedback linkage arm. Training bulletin issued to reemphasize importance of tightening screws. W/900813 ltr.
HEAD, S.M., KINSEY, W.H. Houston Lighting & Power Co. 90/08/13. 5pp. 54974:338-54974:342.

V. Operator Examinations

9008240143 Forwards generic fundamentals exam section of written operator licensing exam administered on 900606.
COLLINS, S.J. Region 4 (Post 820201). 90/07/19. HALL, D.P. Houston Lighting & Power Co. 42pp. 55030:092-55030:133.

9008070074 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & recent rev to NUREG-1021, "Operator Licensing Examiner Stds." Viewgraphs encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. HALL, D.P. Houston Lighting & Power Co. 22pp. 54903:022-54903:043.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

9008090082 Forwards partial Vol 1 & Vols 4, 5, 6 & 7 of FSAR re potential subduction zones earthquakes in State of WA coastal area. W/o encls.
SORENSEN, G.C. Washington Public Power Supply System. 90/07/27. ADAMS, A. NRC - No Detailed Affiliation Given. 1p. 54922:065-54922:065.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

H. General correspondence

9008230105 Provides notice of changes in key personnel.
SORENSEN, G.C. Washington Public Power Supply System. 90/08/16. Document Control Branch (Document Control Desk). 1p. 55015:348-55015:348.

Q. Inspection reports, IE Bulletins & correspondence

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9007270014 Forwards Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations or deviations noted. Attention should be paid to Paragraph 3 of rept re problems w/ personnel accountability as described in emergency plan.
SCARANO, R. Region 5 (Post 820201). 90/07/12. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54734:337-54734:345.

9007270015 Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations noted. Major areas inspected: status of emergency preparedness program, followup on open items, emergency detection & classification.
PRENDERGAST, K. Region 5 (Post 820201). 90/07/11. 6pp. 54734:340-54734:345.

9007270037 Submits suppl to 900713 ltr & completes response to NRC request for justification for continued operation, based on questions re application of QA program to fire protection equipment.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/20. MARTIN, J.B. Region 5 (Post 820201). 88pp. 54733:047-54733:148.

9008070075 Ack receipt of 880808 & 900405 ltrs forwarding Amends 19 & 25 to security plan. Amends consistent w/ 10CFR50.54(p) & acceptable.
ROBERTS, J.P. Region 5 (Post 820201). 90/07/26. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54896:318-54896:320.

9008070312 Forwards revised security plan implementing procedures. Encl withheld (ref 10CFR2.790).
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. NORDERHAUG, L.R. Region 5 (Post 820201). 3pp. 54915:051-54915:053.

9008070318 Responds to violations noted in Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25 re safe shutdown emergency lighting. Corrective actions until upgraded quality classification of emergency lighting.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/01. MARTIN, J.B. Region 5 (Post 820201). 87pp. 54901:184-54901:273.

I. Financial Information

9008010152 Forwards certification of decommissioning financial assurances for plant, per 10CFR50.75(b) & 50.33(k)(2).
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/25. Document Control Branch (Document Control Desk). 450pp. 54794:001-54794:149.

P. Operating license stage documents & correspondence

9008030287 Forwards Amends 52,38 & 24 to Licenses NPF-41, NPF-51 & NPF-74, respectively & safety evaluation. Amends revise portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps.
PETERSON, S.R. Project Directorate V. 90/07/25. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54832:156-54832:220.

9008030289 Amends 52,38 & 24 to Licenses NPF-41, NPF-51 & NPF-74, respectively, revising portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps.
LARKINS, J.T. Project Directorate V. 90/07/25. 60pp. 54832:158-54832:214.

9008030290 Safety evaluation supporting Amends 52,38 & 24 to Licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 6pp. 54832:215-54832:220.

9008070065 Forwards status of corrective actions to min multiple control element assembly drop events at plant. Insp of insulation coils & replacement of defective coils for Units 1 & 2 completed.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/25. Document Control Branch (Document Control Desk). 3pp. 54905:211-54905:213.

9008070069 Forwards, "Conceptual Design for Palo Verde Nuclear Generating Station for Diverse Auxiliary Feedwater Actuation Sys (DAFAS)" for review. Schedule of implementation as indicated.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54905:069-54905:101.

9008070071 "Conceptual Design for Palo Verde Nuclear Generator Station for Diverse Auxiliary Feedwater Actuation Sys (DAFAS)."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. 30pp. 54905:072-54905:101.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW, J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100055 Forwards list of open items in SIMS for plant. Documented basis exists for closure of TMI related items at plant.
WONG, H.J. Region 5 (Post 820201). 90/08/06. RICHARDS, S.A. Region 5 (Post 820201). 25pp. 54942:327-54942:351.

9008200146 Provides update on status of Record 546 post-restart item, per 900412 ltr. Record will revise procedures for analyzing & disseminating incident investigation, operations & maint experience to appropriate dept.
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/09. MARTIN, J.B. Region 5 (Post 820201). 2pp. 54993:219-54993:220.

9008130057 Forwards corrected replacement Pages 3/4 4-28A, 3/4 4-29 & 3/4 4-29A to Amends 52,38 & 24 to Licenses NPF-41, NPF-51 & NPF-74, respectively, issued on 900725.
PETERSON, S.R. Project Directorate V. 90/08/10. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 11pp. 54958:239-54958:249.

9008130159 Corrected replacement Pages 3/4 4-28A, 3/4 4-29 & 3/4 4-29A to Amends 52,38 & 24 to Licenses NPF-41, NPF-51 & NPF-74, respectively.
* Project Directorate V. 90/08/10. 9pp. 54958:241-54958:249.

9008140207 Advises that proposed change to QA program description, contained in FSAR Section 2.3.3.3, acceptable.
ZIMMERMAN, R.P. Region 5 (Post 820201). 90/08/10. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54962:121-54962:122.

9008230096 Reviews until 900302 ltr providing evaluation of results of gas binding on charging pump operability.
PETERSON, S.R. Project Directorate V. 90/08/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 55023:256-55023:257.

Q. Inspection reports, IE Bulletins & correspondence

9007270014 Forwards Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations or deviations noted. Attention should be paid to Paragraph 3 of rept re problems w/ personnel accountability as described in emergency plan.
SCARANO, R. Region 5 (Post 820201). 90/07/12. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54734:337-54734:345.

9007270015 Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations noted. Major areas inspected: status of emergency preparedness program, followup on open items, emergency detection & classification.
PRENDERGAST, K., SCHUSTER, M.D. Region 5 (Post 820201). 90/07/11. 6pp. 54734:340-54734:345.

180 DOCKETED ITEMS

9008130162 Forwards Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/23. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54956:157-54956:164.

-9008130163 Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.Major areas inspected:requalification training program,focusing on impact of simulator upgrade project.
JOHNSTON,G., MILLER,L.F. Region 5 (Post 820201). 90/07/23. 5pp. 54956:160-54956:164.

9008100294 Forwards Insp Repts 50-528/90-33,50-529/90-33 & 50-530/90-33 on 900717-20.No violations noted.
YUHAS,G.P. Region 5 (Post 820201). 90/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54934:218-54934:225.

-9008100298 Insp Repts 50-528/90-33,50-529/90-33 & 50-530/90-33 on 900717-20.No violations noted.Major areas inspected:followup items,occupational exposure,radiation sys,water chemistry & radiological environ monitoring.
MILES,K., COBLENTZ,L., GILLIS,M. Region 5 (Post 820201). 90/07/26. 6pp. 54934:220-54934:225.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008010090 Responds to NRC ltr re violations noted in Insp Repts 50-528/90-20 & 50-530/90-20.Corrective action:individuals involved in miscommunication counseled re appropriate communication techniques.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/27. Document Control Branch (Document Control Desk). 16pp. 54805:233-54805:248.

9008100047 Forwards Insp Repts 50-528/90-26,50-529/90-26 & 50-530/90-26 on 900604-27.No violations or deviations noted.
KIRSCH,D.F. Region 5 (Post 820201). 90/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54954:265-54954:276.

-9008100049 Insp Repts 50-528/90-26,50-529/90-26 & 50-530/90-26 on 900604-27.No violations or deviations noted.Major areas inspected:previously identified items,motor-operated valves & check valves.
HUEY,F.R. Region 5 (Post 820201). 90/07/26. 9pp. 54954:268-54954:276.

9008070318 Responds to violations noted in Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25 re safe shutdown emergency lighting.Corrective actions:util upgraded quality classification of emergency lighting.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/01. MARTIN,J.B. Region 5 (Post 820201). 87pp. 54901:184-54901:273.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100292 Forwards Rev 1 to ABB Impell Rept 01-1658-1815, "Emergency Lighting Independent Review," per Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/03. MARTIN,J.B. Region 5 (Post 820201). 2pp. 54950:288-54951:138.

-9008100300 Rev 1 to "Emergency Lighting Independent Review."
* ABB Impell Corp. (formerly Impell Corp.). 01-1658-1815 R01. 90/07/31. 200pp. 54950:290-54951:138.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008100055 Forwards list of open items in SIMS for plant.Documented basis exists for closure of TMI related items at plant.
WONG,H.J. Region 5 (Post 820201). 90/08/06. RICHARDS,S.A. Region 5 (Post 820201). 25pp. 54942:327-54942:351.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008170029 Responds to NRC 900712 ltr re violations noted in Insp Rept 50-528/90-29.Corrective actions:new program implemented for employees escorting visitors inside protected area.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/10. Document Control Branch (Document Control Desk). 6pp. 54981:070-54981:075.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230188 Advises that adequate basis not provided for NRC to conclude that pressurizer surge line meets all appropriate code limits for 40-yr plant life,per 890306 & 900413 response to Bulletin 88-011.
PETERSON,S.R. Project Directorate V. 90/08/15. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 55019:339-55019:351.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230099 Forwards safety evaluation resolving concern re seismic adequacy of nylon cable ties used to support electrical cables in vertical cable trays,per safety sys function Insp Repts 50-528/88-01,50-529/88-01 & 50-530/88-01.
PETERSON,S.R. Project Directorate V. 90/08/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 55012:326-55012:330.

-9008230100 Safety evaluation accepting use of nylon cable ties to support electrical cables in vertical cable trays.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/16. 3pp. 55012:328-55012:330.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160090 Monthly operating repts for Jul 1990 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/900814 ltr.
PORTER,K.F., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. 16pp. 54972:301-54972:316.

V. Operator Examinations

9008130162 Forwards Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/23. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54956:157-54956:164.

-9008130163 Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.Major areas inspected:requalification training program,focusing on impact of simulator upgrade project.
JOHNSTON,G. Region 5 (Post 820201). 90/07/23. 5pp. 54956:160-54956:164.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9007270014 Forwards Insp Repts 50-528/90-24,50-529/90-24 & 50-530/90-24 on 900521-0614.No violations or deviations noted.Attention should be paid to Paragraph 3 of rept re problems w/ personnel accountability as described in emergency plan.
SCARANO,R. Region 5 (Post 820201). 90/07/12. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54734:337-54734:345.

-9007270015 Insp Repts 50-528/90-24,50-529/90-24 & 50-530/90-24 on 900521-0614.No violations noted.Major areas inspected: status of emergency preparedness program,followup on open items,emergency detection & classification.
PRENDERGAST,K. Region 5 (Post 820201). 90/07/11. 6pp. 54734:340-54734:345.

9007270037 Submits suppl to 900713 ltr & completes response to NRC request for justification for continued operation,based on questions re application of QA program to fire protection equipment.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/20. MARTIN,J.B. Region 5 (Post 820201). 98pp. 54733:047-54733:148.

9008070075 Ack receipt of 880808 & 900405 ltrs forwarding Amends 19 & 25 to security plan.Amends consistent w/10CFR50.54(p) & acceptable.
ROBERTS,J.P. Region 5 (Post 820201). 90/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54896:318-54896:320.

9008070312 Forwards revised security plan implementing procedures.Encl withheld (ref 10CFR2.790).
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. NORDEHAUG,L.R. Region 5 (Post 820201). 3pp. 54915:051-54915:053.

9008070318 Responds to violations noted in Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25 re safe shutdown emergency lighting.Corrective actions:util upgraded quality classification of emergency lighting.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/01. MARTIN,J.B. Region 5 (Post 820201). 87pp. 54901:184-54901:273.

I. Financial Information

9008010070 Forwards certification of decommissioning financial assurances.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/25. Document Control Branch (Document Control Desk). 250pp. 54787:311-54788:264.

P. Operating license stage documents & correspondence

9008030287 Forwards Amends 52,38 & 24 to Licenses NPF-41,NPF-51 & NPF-74, respectively & safety evaluation.Amendments revise portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps. PETERSON,S.R. Project Directorate V. 90/07/25. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54832:156-54832:220.

-9008030289 Amends 52,38 & 24 to Licenses NPF-41,NPF-51 & NPF-74, respectively, revising portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps. LARKINS,J.T. Project Directorate V. 90/07/25. 60pp. 54832:158-54832:214.

-9008030290 Safety evaluation supporting Amends 52,38 & 24 to Licenses Licenses NPF-41,NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 6pp. 54832:215-54832:220.

9008070065 Forwards status of corrective actions to min multiple control element assembly drop events at plant.Insp of insulation coils & replacement of defective coils for Units 1 & 2 completed. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/25. Document Control Branch (Document Control Desk). 3pp. 54905:211-54905:213.

9008070069 Forwards, "Conceptual Design for Palo Verde Nuclear Generating Station for Diverse Auxiliary Feedwater Actuation Sys (DAFAS)" for review.Schedule of implementation as indicated. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54905:069-54905:101.

-9008070071 "Conceptual Design for Palo Verde Nuclear Generator Station for Diverse Auxiliary Feedwater Actuation Sys (DAFAS)."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. 30pp. 54905:072-54905:101.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl. PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100055 Forwards list of open items in SIMS for plant.Documented basis exists for closure of TMI related items at plant. WONG,H.J. Region 5 (Post 820201). 90/08/06. RICHARDS,S.A. Region 5 (Post 820201). 25pp. 54942:327-54942:351.

9008200146 Provides update on status of Record 546 post-restart item, per 900412 ltr.Record will revise procedures for analyzing & disseminating incident investigation,operations & maint experience to appropriate dept. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/09. MARTIN,J.B. Region 5 (Post 820201). 2pp. 54993:219-54993:220.

9008130057 Forwards corrected replacement Pages 3/4 4-28A,3/4 4-29 & 3/4 4-29A to Amends 52,38 & 24 to Licenses NPF-41,NPF-51 NPF-74, respectively,issued on 900725. PETERSON,S.R. Project Directorate V. 90/08/10. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 11pp. 54958:239-54958:249.

-9008130159 Corrected replacement Pages 3/4 4-28A,3/4 4-29 & 3/4 4-29A to Amends 52,38 & 24 to Licenses NPF-41,NPF-51 & NPF-74, respectively.
* Project Directorate V. 90/08/10. 9pp. 54958:241-54958:249.

9008140207 Advises that proposed change to QA program description, contained in FSAR Section 2.3.3.3,acceptable. ZIMMERMAN,R.P. Region 5 (Post 820201). 90/08/10. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54962:121-54962:122.

9008230096 Reviews until 900302 ltr providing evaluation of results of gas binding on charging pump operability. PETERSON,S.R. Project Directorate V. 90/08/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 55023:256-55023:257.

Q. Inspection reports, IE Bulletins & correspondence

9007270014 Forwards Insp Repts 50-528/90-24,50-529/90-24 & 50-530/90-24 on 900521-0614.No violations or deviations noted.Attention should be paid to Paragraph 3 of rept re problems w/ personnel accountability as described in emergency plan. SCARANO,R. Region 5 (Post 820201). 90/07/12. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54734:337-54734:345.

-9007270015 Insp Repts 50-528/90-24,50-529/90-24 & 50-530/90-24 on 900521-0614.No violations noted.Major areas inspected: status of emergency preparedness program,followup on open items,emergency detection & classification. PRENDERGAST,K., SCHUSTER,M.D. Region 5 (Post 820201). 90/07/11. 6pp. 54734:340-54734:345.

9008130162 Forwards Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted. ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/23. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54956:157-54956:164.

-9008130163 Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.Major areas inspected:requalification training program,focusing on impact of simulator upgrade project. JOHNSTON,G., MILLER,L.F. Region 5 (Post 820201). 90/07/23. 5pp. 54956:160-54956:164.

9008100294 Forwards Insp Repts 50-528/90-33,50-529/90-33 & 50-530/90-33 on 900717-20.No violations noted. YUHAS,G.P. Region 5 (Post 820201). 90/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54934:218-54934:225.

-9008100298 Insp Repts 50-528/90-33,50-529/90-33 & 50-530/90-33 on 900717-20.No violations noted.Major areas inspected:followup items,occupational exposure,radwaste sys,water chemistry & radiological environ monitoring. MILES,K., COBLENTZ,L., CILLIS,M. Region 5 (Post 820201). 90/07/26. 6pp. 54934:220-54934:225.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008100047 Forwards Insp Repts 50-528/90-26,50-529/90-26 & 50-530/90-26 on 900804-27.No violations or deviations noted. KIRSCH,D.F. Region 5 (Post 820201). 90/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54954:265-54954:276.

-9008100049 Insp Repts 50-528/90-26,50-529/90-26 & 50-530/90-26 on 900604-27.No violations or deviations noted.Major areas inspected:previously identified items,motor-operated valves & check valves. HUEY,F.R. Region 5 (Post 820201). 90/07/26. 5pp. 54954:268-54954:276.

9008070318 Responds to violations noted in Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25 re safe shutdown emergency lighting.Corrective actions:until upgraded quality classification of emergency lighting. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/01. MARTIN,J.B. Region 5 (Post 820201). 87pp. 54901:184-54901:273.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100292 Forwards Rev 1 to ABB Impell Rept 01-1658-1815, "Emergency Lighting Independent Review," per Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/03. MARTIN,J.B. Region 5 (Post 820201). 2pp. 54950:288-54951:138.

-9008100300 Rev 1 to "Emergency Lighting Independent Review."
* ABB Impell Corp. (formerly Impell Corp.). 01-1658-1815 R01. 90/07/31. 200pp. 54950:290-54951:138.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008100055 Forwards list of open items in SIMS for plant.Documented basis exists for closure of TMI related items at plant. WONG,H.J. Region 5 (Post 820201). 90/08/06. RICHARDS,S.A. Region 5 (Post 820201). 25pp. 54942:327-54942:351.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230188 Advises that adequate basis not provided for NRC to conclude that pressurizer surge line meets all appropriate code limits for 40-yr plant life,per 890306 & 900413 response to Bulletin 88-011. PETERSON,S.R. Project Directorate V. 90/08/15. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 55019:339-55019:351.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230099 Forwards safety evaluation resolving concern re seismic adequacy of nylon cable ties used to support electrical cables in vertical cable trays,per safety sys function Insp Repts 50-528/88-01,50-529/88-01 & 50-530/88-01. PETERSON,S.R. Project Directorate V. 90/08/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 55012:326-55012:330.

-9008230100 Safety evaluation accepting use of nylon cable ties to support electrical cables in vertical cable trays.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/16. 3pp. 55012:328-55012:330.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

182 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9008160090 Monthly operating repts for Jul 1990 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/900814 ltr.
PORTER,K.F., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. 16pp. 54972:301-54972:316.

S. Reportable occurrences, LERs & related correspondence

9008010101 LER 90-007-00: on 900625, inadvertent control room ventilation isolation ESF actuation occurred. Cause indeterminate. Work repair document initiated to troubleshoot & repair test/ bypass pushbutton. W/900724 ltr.
BRADISH,T.R., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/24. 6pp. 54792:063-54792:068.

9008060141 LER 90-008-00: on 900704, discovered that RCS boron concentration not determined within frequency required, per Tech Spec 3.1.2.7 action requirements. Caused by personnel error. Personnel counseled. W/900728 ltr.
BRADISH,T.R., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/28. 6pp. 54904:127-54904:132.

9008130261 Special Rept 2-SR-89-009: on 891212, Channel A reactor vessel water level sys declared inoperable & 7-day limit exceeded on 891219. Modern found to have drifted out of tolerance. Channel A modern replaced & calibr.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/09. Document Control Branch (Document Control Desk). 3pp. 54978:004-54978:006.

9008130263 Special Rept 2-SR-89-010: on 891201, post-accident sampling sys inoperable for more than 7 days. Probably caused by leak booster pump seals. Replacement booster pump installed & clogged valve replaced.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/09. Document Control Branch (Document Control Desk). 3pp. 54957:170-54957:172.

9008240199 Special Rept 2-SR-90-005: on 900719, plant vent sys high range effluent monitor inoperable greater than 72 h. Caused by length of surveillance test procedure. Surveillance test successfully completed & radiation monitors returned to svc.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/16. Document Control Branch (Document Control Desk). 3pp. 55027:183-55027:185.

V. Operator Examinations

9008130162 Forwards Insp Repts 50-528/90-32, 50-529/90-32 & 50-530/90-32 on 900709-13. No violations or deviations noted.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/23. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54956:157-54956:164.

-9008130163 Insp Repts 50-528/90-32, 50-529/90-32 & 50-530/90-32 on 900709-13. No violations or deviations noted. Major areas inspected: requalification training program, focusing on impact of simulator upgrade project.
JOHNSTON,G. Region 5 (Post 820201). 90/07/23. 5pp. 54956:160-54956:164.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9007270014 Forwards Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations or deviations noted. Attention should be paid to Paragraph 3 of rept re problems w/ personnel accountability as described in emergency plan.
SCARANO,R. Region 5 (Post 820201). 90/07/12. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54734:337-54734:345.

-9007270015 Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations noted. Major areas inspected: status of emergency preparedness program, followup on open items, emergency detection & classification.
PRENDERGAST,K. Region 5 (Post 820201). 90/07/11. 6pp. 54734:340-54734:345.

9007270037 Submits suppl to 900713 ltr & completes response to NRC request for justification for continued operation, based on questions re application of QA program to fire protection equipment.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/20. MARTIN,J.B. Region 5 (Post 820201). 88pp. 54733:047-54733:148.

9008070075 Ack receipt of 880808 & 900405 ltrs forwarding Amends 19 & 25 to security plan. Amends consistent w/ 10CFR50.54(p) & acceptable.
ROBERTS,J.P. Region 5 (Post 820201). 90/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54896:318-54896:320.

9008070312 Forwards revised security plan implementing procedures. Encl withheld (ref 10CFR2.790).
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. NORDERHAUG,L.R. Region 5 (Post 820201). 3pp. 54915:051-54915:053.

9008070318 Responds to violations noted in Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25 re safe shutdown emergency lighting. Corrective actions: util upgraded quality classification of emergency lighting.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/01. MARTIN,J.B. Region 5 (Post 820201). 87pp. 54901:184-54901:273.

I. Financial information

9008020006 Forwards info constituting decommissioning financial assurance certification rept, per 10CFR50.33(k)(2) & 50.75(b).
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/25. Document Control Branch (Document Control Desk). 250pp. 54827:186-54828:141.

P. Operating license stage documents & correspondence

9008030287 Forwards Amends 52,38 & 24 to Licenses NPF-41,NPF-51 & NPF-74, respectively & safety evaluation. Amends revise portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps.
PETERSON,S.R. Project Directorate V. 90/07/25. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54832:156-54832:220.

-9008030289 Amends 52,38 & 24 to Licenses NPF-41,NPF-51 & NPF-74, respectively, revising portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps.
LARKINS,J.T. Project Directorate V. 90/07/25. 60pp. 54832:158-54832:214.

-9008030290 Safety evaluation supporting Amends 52,38 & 24 to Licenses Licenses NPF-41,NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/25. 6pp. 54832:215-54832:220.

9008070065 Forwards status of corrective actions to min multiple control element assembly drop events at plant. Insp of insulation coils & replacement of defective coils for Units 1 & 2 completed.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/25. Document Control Branch (Document Control Desk). 3pp. 54905:211-54905:213.

9008060097 Grants temporary waiver of compliance from Tech Spec 3.6.3 requirement re length of time to restore feedwater containment isolation valves to operable status after removal from svc for purpose of inspecting O-rings.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54877:032-54877:033.

9008070319 Requests temporary waiver of compliance from Limiting Condition for Operation 3.6.3 to allow corrective maint to be performed on main feedwater isolation valves by extending allowed outage time to 12 h instead of 4 h.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/27. MARTIN,J.B. Region 5 (Post 820201). 6pp. 54897:282-54897:287.

9008070069 Forwards, "Conceptual Design for Palo Verde Nuclear Generating Station for Diverse Auxiliary Feedwater Actuation Sys (DAFAS)" for review. Schedule of implementation as indicated.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54905:069-54905:101.

-9008070071 "Conceptual Design for Palo Verde Nuclear Generator Station for Diverse Auxiliary Feedwater Actuation Sys (DAFAS)."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. 30pp. 54905:072-54905:101.

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

9008100055 Forwards list of open items in SIMS for plant. Documented basis exists for closure of TMI related items at plant.
WONG,H.J. Region 5 (Post 820201). 90/08/06. RICHARDS,S.A. Region 5 (Post 820201). 25pp. 54942:327-54942:351.

9008200146 Provides update on status of Record 546 post-restart item, per 900412 ltr. Record will revise procedures for analyzing & disseminating incident investigation, operations & maint experience to appropriate dept.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/09. MARTIN,J.B. Region 5 (Post 820201). 2pp. 54993:219-54993:220.

9008130057 Forwards corrected replacement Pages 3/4 4-28A, 3/4 4-29 & 3/4 4-29A to Amends 52,38 & 24 to Licenses NPF-41,NPF-51 NPF-74, respectively, issued on 900725.
PETERSON,S.R. Project Directorate V. 90/08/10. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 11pp. 54958:239-54958:249.

-9008130159 Corrected replacement Pages 3/4 4-28A, 3/4 4-29 & 3/4 4-29A to Amends 52,38 & 24 to Licenses NPF-41,NPF-51 & NPF-74, respectively.
* Project Directorate V. 90/08/10. 9pp. 54958:241-54958:249.

9008140207 Advises that proposed change to QA program description, contained in FSAR Section 2.3.3.3, acceptable.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/08/10. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54962:121-54962:122.

9008230096 Reviews util 900302 ltr providing evaluation of results of gas binding on charging pump operability.
PETERSON,S.R. Project Directorate V. 90/08/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 55023:256-55023:257.

Q. Inspection reports, IE Bulletins & correspondence

9007270014 Forwards Insp Repts 50-528/90-24, 50-529/90-24 & 50-530/90-24 on 900521-0614. No violations or deviations noted. Attention should be paid to Paragraph 3 of rept re problems w/ personnel accountability as described in emergency plan.
SCARANO,R. Region 5 (Post 820201). 90/07/12. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54734:337-54734:345.

-9007270015 Insp Repts 50-528/90-24,50-529/90-24 & 50-530/90-24 on 900521-0614.No violations noted.Major areas inspected: status of emergency preparedness program,followup on open items,emergency detection & classification.
PRENDERGAST,K., SCHUSTER,M.D. Region 5 (Post 820201). 90/07/11. 6pp. 54734:340-54734:345.

9008130162 Forwards Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/23. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54956:157-54956:164.

-9008130163 Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.Major areas inspected:requalification training program,focusing on impact of simulator upgrade project.
JOHNSTON,G., MILLER,L.F. Region 5 (Post 820201). 90/07/23. 5pp. 54956:160-54956:164.

9008100294 Forwards Insp Repts 50-528/90-33,50-529/90-33 & 50-530/90-33 on 900717-20.No violations noted.
YUHAS,G.P. Region 5 (Post 820201). 90/07/26. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54934:218-54934:225.

-9008100298 Insp Repts 50-528/90-33,50-529/90-33 & 50-530/90-33 on 900717-20.No violations noted.Major areas inspected:followup items,occupational exposure,radwaste sys,water chemistry & radiological environ monitoring.
MILES,K., COBLENTZ,L., CILLIS,M. Region 5 (Post 820201). 90/07/26. 6pp. 54934:220-54934:225.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9008010090 Responds to NRC ltr re violations noted in Insp Repts 50-528/90-20 & 50-530/90-20.Corrective action:individuals involved in miscommunication counseled re appropriate communication techniques.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/27. Document Control Branch (Document Control Desk). 16pp. 54805:233-54805:248.

9008060097 Grants temporary waiver of compliance from Tech Spec 3.6.3 requirement re length of time to restore feedwater containment isolation valves to operable status after removal from svc for purpose of inspecting O-rings.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54877:032-54877:033.

9008100047 Forwards Insp Repts 50-528/90-26,50-529/90-26 & 50-530/90-26 on 900604-27.No violations or deviations noted.
KIRSCH,D.F. Region 5 (Post 820201). 90/07/27. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54954:265-54954:276.

-9008100049 Insp Repts 50-528/90-26,50-529/90-26 & 50-530/90-26 on 900604-27.No violations or deviations noted.Major areas inspected:previously identified items,motor-operated valves & check valves.
HUEY,F.R. Region 5 (Post 820201). 90/07/26. 9pp. 54954:268-54954:276.

9008070318 Responds to violations noted in Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25 re safe shutdown emergency lighting.Corrective actions:util upgraded quality classification of emergency lighting.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/01. MARTIN,J.B. Region 5 (Post 820201). 87pp. 54901:184-54901:273.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9008100292 Forwards Rev 1 to ABB Impell Rept 01-1658-1815, "Emergency Lighting Independent Review," per Insp Repts 50-528/90-25, 50-529/90-25 & 50-530/90-25.
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/08/03. MARTIN,J.B. Region 5 (Post 820201). 2pp. 54950:288-54950:138.

-9008100300 Rev 1 to "Emergency Lighting Independent Review."
* ABB Impell Corp. (formerly Impell Corp.). 01-1658-1815 R01. 90/07/31. 200pp. 54950:290-54951:138.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008100055 Forwards list of open items in SIMS for plant.L Documented basis exists for closure of TMI related items at plant.
WONG,H.J. Region 5 (Post 820201). 90/08/06. RICHARDS,S.A. Region 5 (Post 820201). 25pp. 54942:327-54942:351.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008060246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008230188 Advises that adequate basis not provided for NRC to conclude that pressurizer surge line meets all appropriate code limits for 40-yr plant life,per 890306 & 900413 response to Bulletin 88-011.
PETERSON,S.R. Project Directorate V. 90/08/15. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 55019:339-55019:351.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008230099 Forwards safety evaluation resolving concern re seismic adequacy of nylon cable ties used to support electrical cables in vertical cable trays,per safety sys function Insp Repts 50-528/88-01,50-529/88-01 & 50-530/88-01.
PETERSON,S.R. Project Directorate V. 90/08/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 55012:326-55012:330.

-9008230100 Safety evaluation accepting use of nylon cable ties to support electrical cables in vertical cable trays.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/16. 3pp. 55012:328-55012:330.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

R. Periodic operating reports & related correspondence

9008160090 Monthly operating repts for Jul 1990 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/900814 ltr.
PORTER,K.F., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 90/07/31. 16pp. 54972:301-54972:316.

V. Operator Examinations

9008130162 Forwards Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.
ZIMMERMAN,R.P. Region 5 (Post 820201). 90/07/23. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 54956:157-54956:164.

-9008130163 Insp Repts 50-528/90-32,50-529/90-32 & 50-530/90-32 on 900709-13.No violations or deviations noted.Major areas inspected:requalification training program,focusing on impact of simulator upgrade project.
JOHNSTON,G. Region 5 (Post 820201). 90/07/23. 5pp. 54956:160-54956:164.

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9007310052 Suppl 2 to Generic Ltr 89-10 to all licensees of operating nuclear power plants & holders of CPs for nuclear power plants re availability of program descriptions.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/03. Consolidated Edison Co. of New York, Inc. 34pp. 55002:013-55002:049.

V. Operator Examinations

9008080043 Generic Ltr 90-07 to all power reactor licensees & applicants for OL re operator licensing natl exam schedule. Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 58pp. 55012:143-55012:198.

9008080047 Generic Ltr 90-08 to all holders of OLs or CPs for nuclear power reactors re simulator exams.Svc list encl.
PARTLOW,J.G. Associate Director for Projects (Post 870411). 90/08/10. Consolidated Edison Co. of New York, Inc. 47pp. 55012:092-55012:142.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9008060258 Forwards Insp Rept 50-602/90-04 on 900718-19.No violations or deviations noted.Programs in areas of physical security, radiation protection & emergency preparedness found to be in proper state of readiness to support reactor operations.
BEACH,A.B. Region 4 (Post 820201). 90/08/03. WEHRING,B.W. Texas, Univ. of Austin, TX. 2pp. 54854:032-54854:043.

-9008060259 Insp Rept on 50-602/90-04 on 900718-19.Major areas inspected:preoperational insp of radiation protection, physical security & emergency preparedness programs.
MURRAY,B., BEACH,A.B. Region 4 (Post 820201). 90/08/02. 10pp. 54854:034-54854:043.

184 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9008010080 Forwards Insp Rept 50-602/90-03 on 900718-19. No violations or deviations noted.
BEACH, A.B. Region 4 (Post 820201). 90/07/25. WEHRING, B.W. Texas, Univ. of Austin, TX. 2pp. 54797:048-54797:053.

-9008010084 Insp Rept 50-602/90-03 on 900718-19. No violations noted. Major areas inspected: facility completion status & status of open items.
MURPHY, M.E., SEIDLE, W.C. Region 4 (Post 820201). 90/07/24. 4pp. 54797:050-54797:053.

9008060258 Forwards Insp Rept 50-602/90-04 on 900718-19. No violations or deviations noted. Programs in areas of physical security, radiation protection & emergency preparedness found to be in proper state of readiness to support reactor operations.
BEACH, A.B. Region 4 (Post 820201). 90/08/03. WEHRING, B.W. Texas, Univ. of Austin, TX. 2pp. 54854:032-54854:043.

-9008060259 Insp Rept on 50-602/90-04 on 900718-19. Major areas inspected: preoperational insp of radiation protection, physical security & emergency preparedness programs.
MURRAY, B., BEACH, A.B. Region 4 (Post 820201). 90/08/02. 10pp. 54854:034-54854:043.

DOCKET 50-603 ALCHEMIE FACILITY 1 - CPDF

G. Adjudicatory correspondence

9008010174 Memorandum & order (ruling on NRC Staff motion for summary disposition & dismissal of proceeding). * Grants NRC 900518 motion for summary disposition & dismissal of proceeding. W/Certificate of Svc. Served on 900725.
MARGULIES, M.B., PARIS, O.H., SHON, F.J. Atomic Safety and Licensing Board Panel. #390 10664. 90/07/24. Office of the General Counsel (Post 860701). 17pp. 54722:164-54722:180.

DOCKET 50-604 ALCHEMIE FACILITY 2 - OLIVER SPRINGS

G. Adjudicatory correspondence

9008010174 Memorandum & order (ruling on NRC Staff motion for summary disposition & dismissal of proceeding). * Grants NRC 900518 motion for summary disposition & dismissal of proceeding. W/Certificate of Svc. Served on 900725.
MARGULIES, M.B., PARIS, O.H., SHON, F.J. Atomic Safety and Licensing Board Panel. #390 10664. 90/07/24. Office of the General Counsel (Post 860701). 17pp. 54722:164-54722:180.

DOCKET STN-50-605 GE ADVANCED BWR DESIGN

A. Application/construction stage documents & correspondence

9008020005 Forwards request for addl info re GE application for certification of advanced BWR design.
SCALET, D.C. Standardization Project Directorate (Post 900603). 90/07/27. MARRIOTT, P.W. General Electric Co. 14pp. 54805:335-54805:348.

9008100086 Provides schedule for providing responses to Chapter 18 request for addl info. GE will provide 20% of responses re request for addl info by 900928.
MARRIOTT, P.W. General Electric Co. 90/08/08. Document Control Branch (Document Control Desk). 1p. 54953:359-54953:359.

9008130232 Forwards responses to discussion items from 900516-17 meetings, including drywell head failure, containment overpressure protection, source term & fire & seismic risk.
MARRIOTT, P.W. General Electric Co. 90/08/09. MILLER, C.L. NRC - No Detailed Affiliation Given. 12pp. 54956:311-54956:322.

9008230027 Forwards request for addl info re GE application for certification of advanced BWR design. Responses to Encl 1 requested by 900831 & responses to Encls 2 & 3 by 900928.
SCALET, D.C. Standardization Project Directorate (Post 900603). 90/08/15. MARRIOTT, P.W. General Electric Co. 26pp. 55015:314-55015:339.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTTELLE COLUMBUS DIV. (BATTTELLE MEMORIAL INSTITUTE),

9007270210 Forwards certification of financial assurance for decommissioning for License SNM-7. Full decommissioning funding plan will be submitted w/application for renewal of license.
TOY, H.L. Battelle Memorial Institute. 90/07/25. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 17pp. 54760:004-54760:046.

-9007270211 Provides irrevocable standby ltr of credit opened in favor of NRC for Licensee. Fund will be made available upon presentation of listed documents.
* Huntington National Bank. 90/07/27. NRC - No Detailed Affiliation Given. 3pp. 54760:021-54760:023.

-9007270212 Forwards request for exemption from requirements of 10CFR70.25(f)(4) & 10CFR30.35(f)(4).
SWANSON, D.T. Battelle Memorial Institute. 90/07/25. CHILK, S.J. Office of the Secretary of the Commission. 1p. 54760:024-54760:024.

-9008020268 Requests exemption from requirements of 10CFR70.25(f)(4) & 10CFR30.35(f)(4).
SWANSON, D.T. Battelle Memorial Institute. 90/07/25. 22pp. 54760:025-54760:046.

9008220029 Forwards "Finding of No Significant Impact & Environ Assessment," approved by DOE on 900614.
NEFF, J.C. Energy, Dept. of. 90/08/16. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 1p. 55006:345-55007:062.

-9008220035 "Finding of No Significant Impact & Environ Assessment."
BRUSH, P.N. Energy, Dept. of. 90/06/30. 78pp. 55006:346-55007:062.

DOCKET 70-0025 ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA

9007300139 Forwards "Rocketdyne Div Environ Monitoring & Facility Effluent Annual Rept De Soto & Santa Susana Field Lab Sites 1988."
TUTTLE, R.J. Rockwell International Corp. 89/12/08. JORDAN, E. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 54745:114-54745:115.

9008220156 Notifies that no recognized SNM inventory differences, NOLs or discards for month ending 900531 for RIS LAL & ZAZ, assigned to Rocketdyne Div of Rockwell Intl.
RUTHERFORD, P.D. Rockwell International Corp. 90/05/31. Office of Nuclear Material Safety & Safeguards, Director. 1p. 55015:152-55015:152.

9007310091 Requests exemption from specific requirements of 10CFR70.25 based on DOE commitment to provide funding for D&D of remaining contaminated facilities, namely sodium disposal facility & Bldgs 005 & 009.
RUTHERFORD, P.D. Rockwell International Corp. 90/07/24. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 2pp. 54802:353-54802:354.

9008020059 Forwards Amend 6 to License SNM-21, removing requirement to maintain radiological contingency plan & deleting Condition 24. SER also encl.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/07/30. RUTHERFORD, P.D. Rockwell International Corp. 1p. 54820:344-54820:350.

-9008020063 Amend 6 to License SNM-0021, revising license in entirety.
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/07/30. 3pp. 54820:345-54820:347.

-9008020065 SER supporting 900614 application for amend to License SNM-21, requesting exemption from emergency plan requirements of 10CFR70.22(i) & criticality alarm requirements of 10CFR70.24.
HORN, M. Fuel Cycle Safety Branch. 90/07/30. 2pp. 54820:348-54820:349.

-9008020066 Discusses categorical exclusion for 900614 amend request for exemption from requirement to maintain provisions of radiological contingency plan. Environ assessment or EIS unwarranted for proposed action.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/07/30. Fuel Cycle Safety Branch. 1p. 54820:350-54820:350.

9008090365 Ack receipt of 900717 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0025/90-01.
SCARANO, R.A. Region 5 (Post 820201). 90/08/03. GIBBS, D.C. Rockwell International.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9008170201 Advises of appointment of JJ Noon as manager of safeguards & security section, effective 900216.
TRENT, L.K. Babcock & Wilcox Co. 90/03/05. BURNETT, R. Division of Safeguards & Transportation (Post 870413). 2pp. 54983:001-54983:001.

9008170209 Requests exemption from performing 7-day item monitoring requirements for Category 1B items, per 10CFR74.55 & FMNCP in Section VI, Chapter 2 of License SNM-42.
OLSEN, A.F. Babcock & Wilcox Co. 90/05/21. KASUN, D.J. Division of Safeguards & Transportation (Post 870413). 3pp. 54982:335-54982:337.

9008200008 Forwards matl balance statement for Mar/Apr 1990 inventory period. Encl withheld.
SUWALA, M.C. Babcock & Wilcox Co. 90/06/08. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54996:149-54996:150.

9008200043 Forwards results of high enriched U plant inventory for 890609-900608. W/o encl.
HAERTJENS, B.L. Babcock & Wilcox Co. 90/06/11. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54996:136-54996:137.

9008200055 Forwards results of low enriched U plant inventory for 890609-900608. W/o encl.
HAERTJENS, B.L. Babcock & Wilcox Co. 90/06/11. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54996:138-54996:139.

9008170196 Provides addl info re request for exemption from 7-day item monitoring requirements for Category 1B, per 900614 ltr. Enhanced security measures to be implemented include securing appropriate motion detectors & door alarms.
OLSEN, A.F. Babcock & Wilcox Co. 90/07/02. KASUN, D.J. Division of Safeguards & Transportation (Post 870413). 3pp. 54993:328-54993:329.

9008170192 Forwards SNM physical inventory rept for site from 890619-900611. Rept withheld (ref 10CFR2.790(d)).
ALTO, R.A. Babcock & Wilcox Co. 90/07/10. EBNETER, S.D. Region 2 (Post 820201). 2pp. 54998:299-54998:300.

9008170208 Requests 10-day extension to 30-day time limit for completion & distribution of listed repts. Addl time requested to complete & rept receipt measurements, which will be delayed due to 1-wk plant shutdown, scheduled for 900723.
OLSEN, A.F. Babcock & Wilcox Co. 90/07/13. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54993:113-54993:114.

9008170226 Forwards Rev 1 to license renewal application dtd Jul 1989 in reply to 900613 ltr. Encl withheld.
OLSEN, A.F. Babcock & Wilcox Co. 90/07/13. HAUGHNEY, C.J. Medical, Academic & Commercial Use Safety Branch. 3pp. 54983:007-54983:009.

9008080219 PNO-II-90-038: on 900720, fire brigade member experienced severe heat cramps during emergency exercise. Caused by high temp & high humidity weather conditions. Individual transported to hosp & four others treated at site.
TROUP, G. Region 2 (Post 820201). 90/07/20. 1p. 54931:149-54931:149.

9007300135 Advises of issuance of temporary license condition to Safeguards Amend SG-2 of License SNM-42, per 900719 request.
KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/07/27. OLSEN, A.F. Babcock & Wilcox Co. 2pp. 54746:192-54746:193.

9008060099 Grants 900713 request for 10-day extension to 30-day time limit to complete & distribute DOE/NRC Form 741. Temporary license condition, effective immediately, to Safeguards Amend SG-2 to License SNM-42 being issued to read as stated.
KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/01. OLSEN, A.F. Babcock & Wilcox Co. 1p. 54884:005-54884:005.

9008090052 Forwards partially withheld Insp Rept 70-0027/90-204 on 900625-27. Violation noted.
KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/02. TETRAULT, R.E. Babcock & Wilcox Co. 2pp. 54922:215-54922:217.

9008090057 Partially withheld Insp Rept 70-0027/90-204 on 900625-27 (ref 10CFR2.790(d)). Major areas inspected: QA & accounting & followup items identified in previous insps.
WILLIAMS, M. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/02. 1p. 54922:217-54922:217.

9008200006 Forwards revs to safeguards physical security plan. Revs withheld (ref 10CFR9.17(a)(1)).
OLSEN, A.F. Babcock & Wilcox Co. 90/08/06. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54996:231-54996:232.

9008100195 Ack receipt of 900712 ltr re B&W continuing assurance to pay for eventual decommissioning of NRC licensed facilities.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/08/09. ECKERT, J.P. Babcock & Wilcox Co. 1p. 54954:108-54954:108.

9008200117 Forwards Insp Rept 70-0027/90-09 on 900416-0620 & notice of violation.
CLINE, W.E. Region 2 (Post 820201). 90/08/13. TETRAULT, R.E. Babcock & Wilcox Co. 2pp. 54993:180-54993:190.

9008200118 Notice of violation from insp on 900416-0620. Violation noted: six 1 gallon cans containing unknown quantity of SNM in clean out rags placed on AL-T1 table & in storage arrangement.
CLINE, W.E. Region 2 (Post 820201). 90/08/13. 3pp. 54993:182-54993:182.

9008200119 Insp Rept 70-0027/90-09 on 900416-0620. Violations noted. Major areas inspected: facility operations, nuclear criticality safety, matl control & accountability, radiation protection, physical protection & followup of events.
KAHLE, J.B., MCALPINE, E.J. Region 2 (Post 820201). 90/08/10. 6pp. 54993:183-54993:190.

9008220110 Informs that nuclear criticality safety assessment for facility will be conducted during wk of 900820.
CLINE, W.E. Region 2 (Post 820201). 90/08/13. TETRAULT, R.E. Babcock & Wilcox Co. 2pp. 55006:331-55006:332.

9008270041 Forwards Insp Rept 70-0027/90-14 on 900716-20 & notice of violation.
COLLINS, D.M. Region 2 (Post 820201). 90/08/15. TETRAULT, R.E. Babcock & Wilcox Co. 2pp. 55037:099-55037:114.

9008270044 Notice of violation from insp on 900716-20. Violation noted: several control copies of radiological contingency plan not properly updated.
COLLINS, D.M. Region 2 (Post 820201). 90/08/15. 2pp. 55037:101-55037:102.

9008270046 Insp Rept 70-0027/90-14 on 900716-20. Violations noted. Major areas inspected: emergency preparedness & radiological contingency planning.
GOODEN, A., FRANKIN, W. Region 2 (Post 820201). 90/08/14. 12pp. 55037:103-55037:114.

9008220093 Forwards revised application for amend to License SNM-42. Proposed revs include elimination of position of nuclear safety officer & incorporation of responsibilities into nuclear criticality safety function.
OLSEN, A.F. Babcock & Wilcox Co. 90/08/17. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 41pp. 55005:330-55006:009.

9008270120 Responds to 900629 request for approval to receive historical samples from GA Co at shipper values. Request granted. Temporary license condition issued to Safeguards Amend SG-2 to License SNM-42 to read as listed.
BURNETT, R.F. Division of Safeguards & Transportation (Post 870413). 90/08/21. OLSEN, A.F. Babcock & Wilcox Co. 1p. 55036:272-55036:272.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9008100274 Confirms 900727 telcon re upcoming emergency response exercise at facility. Emergency response exercise will be held on morning of 900906 w/afternoon critique session.
MALLET, B.S. Region 3 (Post 820201). 90/08/01. CONANT, J. Combustion Engineering, Inc. 13pp. 54942:296-54942:308.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9008070264 FOIA request for listed info re facility, including gamma-ray exposure rates at 1M above ground & vegetation samples.
TROZZI, V. Affiliation Not Assigned. 90/07/05. Office of Administration (Post 890205). 1p. 54844:185-54844:185.

9008020087 Forwards documents in support of financial assurance & decommissioning costs for facilities.
ECKERT, J.P. Babcock & Wilcox Co. 90/07/24. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 2pp. 54807:206-54807:251.

9008020089 Supports B&W use of financial test to demonstrate financial assurance as specified in 10CFR30.40 & 70.
LYNOTT, J.A. Babcock & Wilcox Co. 90/07/24. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 1p. 54807:208-54807:208.

9008020116 Forwards listed info in support of use of financial test to demonstrate financial assurance as specified in 10CFR30.40 & 70.
LYNOTT, J.A. Babcock & Wilcox Co. 90/07/24. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 42pp. 54807:209-54807:251.

9008060115 Application for amends to Licenses SNM-145 & SNM-414, changing stock ownership of B&W to B&W Investment Co. Fee paid.
HAERTJENS, B.L. Babcock & Wilcox Co. 90/08/02. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 4pp. 54856:299-54856:302.

9008070268 Final response to FOIA request for documents re facility. App A insp repts available in Apollo, PA LPDR.
PHILIPS, J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. TROZZI, V. Affiliation Not Assigned. 2pp. 54844:186-54844:187.

9008100195 Ack receipt of 900712 ltr re B&W continuing assurance to pay for eventual decommissioning of NRC licensed facilities.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/08/09. ECKERT, J.P. Babcock & Wilcox Co. 1p. 54954:108-54954:108.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9008170178 Application for amend to License SNM-124 as described in encl. Attachment withheld (ref 10CFR2.790(d)).
HENSLEY, K.D. Nuclear Fuel Services, Inc. 90/06/01. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54984:142-54984:143.

9008170215 Application for amend to License SNM-124 as outlined in attachment. Fee paid. Attachment withheld (ref 10CFR2.790(d)).
PAINE, D. Nuclear Fuel Services, Inc. 90/06/25. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 1p. 54983:062-54983:062.

9008210030 Notifies that SNM-124 License Condition 50 constitutes NFS decommissioning funding plan, per 900727 reporting date of 10CFR70.25.
PAINE, D. Nuclear Fuel Services, Inc. 90/07/02. HAUGHNEY, C. Fuel Cycle Safety Branch. 1p. 55003:056-55003:056.

9008170182 Confirms 900525 discussions re approved physical security plan. Applicable sections of Rev 20 incorporated into working plan as attachment.
PAINE, D. Nuclear Fuel Services, Inc. 90/07/05. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54983:060-54983:061.

9007260177 Confirms 900718 enforcement conference in Region II ofc to discuss insp findings & results of investigation concerning improper handling of U & transfer to waste collection tank.
STOHR, J.P. Region 2 (Post 820201). 90/07/10. JOHNSON, C.R. Nuclear Fuel Services, Inc. 2pp. 54732:324-54732:325.

9008240074 Notification of significant meeting on 900718 w/util in Atlanta, GA for enforcement conference to discuss circumstances involving improper handling of U & transfer to waste collection tank.
CLINE, W.E. Region 2 (Post 820201). 90/07/10. Region 2 (Post 820201). 2pp. 55030:209-55030:210.

186 DOCKETED ITEMS

9008170203 Forwards Rev 2 to physical safeguards plan. Info re package search requirements, deadly force issues & various other minor word changes & additions included in submittal. Rev withheld (ref 10CFR95).
PAINE, D. Nuclear Fuel Services, Inc. 90/07/13. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54982:338-54982:339.

9008200004 Forwards Rev 4 to FNMCP, Part 74, Section 4. Rev withheld (ref 10CFR9.17(a)(3)).
PAINE, D.P. Nuclear Fuel Services, Inc. 90/07/16. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54996:233-54996:234.

9008200003 Forwards response to violations noted in Insp Rept 70-0143/90-11. Response withheld.
PAINE, D. Nuclear Fuel Services, Inc. 90/07/17. Document Control Branch (Document Control Desk). 1p. 54995:301-54995:301.

9007270047 Ack receipt of 900702 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0143/90-11.
COLLINS, D.M. Region 2 (Post 820201). 90/07/20. JOHNSON, C.R. Nuclear Fuel Services, Inc. 1p. 54727:279-54727:279.

9008170213 Application for amend to License SNM-124 as outlined in attachment. Attachment withheld (ref 10CFR2.790(d)).
PAINE, D. Nuclear Fuel Services, Inc. 90/07/24. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 1p. 54991:147-54991:147.

9008080162 Forwards summary of 900718 enforcement conference re unauthorized transfer of matl to waste collection tank in Mar 1990, as noted in Insp Rept 70-0143/90-09. List of attendees & visual aids also encl.
STOHR, J.P. Region 2 (Post 820201). 90/07/25. JOHNSON, C.R. Nuclear Fuel Services, Inc. 18pp. 54903:335-54903:352.

9008170224 Forwards high enriched U matl balances for operating period 900501-0626. Encl withheld (ref 10CFR2.790(d)).
HENSLEY, K.D. Nuclear Fuel Services, Inc. 90/07/26. HAUGHNEY, C.J. Medical, Academic & Commercial Use Safety Branch. 1p. 54991:004-54991:004.

9008200159 Ack receipt of 900713 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0143/90-12. Implementation of corrective actions will be examined during future insps.
COLLINS, D.M. Region 2 (Post 820201). 90/07/26. JOHNSON, C.R. Nuclear Fuel Services, Inc. 1p. 54993:228-54993:228.

9008200127 Forwards Insp Rept 70-0143/90-15 on 900625-29. No violations or deviations noted.
CLINE, W.E. Region 2 (Post 820201). 90/07/30. JOHNSON, C.R. Nuclear Fuel Services, Inc. 2pp. 54996:061-54996:068.

-9008200129 Insp Rept 70-0143/90-15 on 900625-29. No violations or deviations noted. Major areas inspected: inspector followup items re fire prevention/protection activities identified during special safety assessment.
WISEMAN, G.R., MCALPINE, E. Region 2 (Post 820201). 90/07/31. 6pp. 54996:063-54996:068.

9008130320 Ack receipt of 900717 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0143/90-13. Insp Rept 70-0143/90-11 ref in licensee response in error & should be 70-0143/90-13.
CLINE, W.E. Region 2 (Post 820201). 90/07/31. JOHNSON, C.R. Nuclear Fuel Services, Inc. 1p. 54956:237-54956:237.

9008200073 Forwards schedules established by Nuclear Fuel Svcs. per 900731 telcon.
BIDINGER, G.H. Fuel Cycle Safety Branch. 90/08/01. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 1p. 54807:321-54807:321.

9008170186 Forwards schedule identifying anticipated dates of completion for security upgrade issues re dual fences, vehicle barriers & perimeter detection/assessment sys.
PAINE, D. Nuclear Fuel Services, Inc. 90/08/01. KASUN, D.J. Domestic SG & Regional Oversight Branch (Post 881218). 3pp. 54982:340-54982:342.

9008140519 Forwards transparencies used in decommissioning project meeting held in Erwin, TN on 900731. Info intended to serve as quarterly rept on status of decommissioning activities.
PAINE, D. Nuclear Fuel Services, Inc. 90/08/08. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 18pp. 54965:179-54965:196.

9008240205 Forwards Insp Rept 70-0143/90-16 on 900716-20 & 30-31. No violations or deviations noted.
COLLINS, D.M. Region 2 (Post 820201). 90/08/10. JOHNSON, C.R. Nuclear Fuel Services, Inc. 2pp. 55030:004-55030:017.

-9008240207 Insp Rept 70-0143/90-16 on 900716-20 & 30-31. No violations or deviations noted. Major areas inspected: radiological effluents, environ monitoring, solid waste burials & Pu facility & pond decommissioning.
ADAMOVITZ, S.S., DECKER, T.R. Region 2 (Post 820201). 90/08/09. 12pp. 55030:006-55030:017.

9008140149 Notification of 900828 meeting in Rockville, MD to discuss nuclear criticality safety program.
* Fuel Cycle Safety Branch. 90/08/13. Fuel Cycle Safety Branch. 1p. 54961:245-54961:245.

9008280329 Forwards Insp Rept 70-0143/90-19 on 900730-0802. No violation or deviation noted.
CLINE, W.E. Region 2 (Post 820201). 90/08/13. JOHNSON, C.R. Nuclear Fuel Services, Inc. 2pp. 55040:212-55040:218.

-9008280332 Insp Rept 70-0143/90-19 on 900730-0802. No violations noted. Major areas inspected: Pu decommissioning preparation & readiness & followup on previous problems w/ nuclear criticality monitoring sys.
TROUP, G.L., MCALPINE, E.J. Region 2 (Post 820201). 90/08/13. 5pp. 55040:214-55040:218.

9008220001 Forwards "NFS, Inc Financial Statements for 1989 & 1988 & Independent Auditors Rept." Rept withheld (ref 10CFR2.790).
FERGUSON, D.B. Nuclear Fuel Services, Inc. 90/08/14. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 2pp. 55054:228-55054:229.

9008210042 Forwards Amend 60 to License SNM-124, adding dates of 900430 & 0713 to Condition 9 & revising Conditions 14, 15, 19 & 30.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/08/16. MAXIN, A. Nuclear Fuel Services, Inc. 2pp. 54999:314-54999:337.

-9008210043 Amend 60 to License SNM-124 for Nuclear Fuel Svcs, Inc, authorizing use of 7,000 kg U enriched in U-235 isotope.
HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/16. 14pp. 54999:316-54999:329.

-9008210044 SER re revs to License Conditions 14, 15, 19, 30, 35 & 76 to reflect positions & depts within new organization.
PENNINGTON, W.S. Fuel Cycle Safety Branch. 90/08/16. 7pp. 54999:330-54999:338.

-9008210051 Discusses categorical exclusion for amend request dtd 900430 & suppl dtd 900731.
HAUGHNEY, C.J. Fuel Cycle Safety Branch. 90/08/16. Fuel Cycle Safety Branch. 1p. 54999:337-54999:337.

9008280305 Proposes change to permit to allow analysis of TOC to demonstrate compliance w/ general State of TN regulations.
PAINE, D. Nuclear Fuel Services, Inc. 90/08/22. WIGGINS, G.P. Tennessee, State of. 2pp. 55042:035-55042:036.

DOCKET 70-0270 MISSOURI, UNIV. OF, COLUMBIA, MO

9008140179 Responds to 900619 ltr re TRUMP S research project to be conducted at Univ of Missouri-Columbia. Proceeding concerning amends for Univ being conducted.
RATHBUN, D.K. Congressional Affairs. 90/07/11. VOLKMER, H.L. House of Rep. 1p. 54951:320-54951:321.

-9008140493 Requests final determination of appeal re TRUMP S research project to be conducted at Univ of Missouri-Columbia.
VOLKMER, H.L. House of Rep. 90/06/19. CARR, K.M. Commissioners (Post 750119). 1p. 54951:321-54951:321.

9008010145 Informs that experiments w/ depleted U expected to begin shortly & experiments w/ neptunium expected to begin between 900820 & 0904, per 900716 request. Certificate of Svc encl. Related correspondence.
AXELRAD, M. Missouri, Univ. of, Columbia, MO. AXELRAD, M. Newman & Holtzinger. #390 10658. 90/07/19. GREEN, L.C. Green, Hennings & Henry. 3pp. 54722:156-54722:158.

9008070134 Responds to 900627 & 29 memoranda & orders re hearing file served by NRC on 900621. NRC supports ASLB desire to expedite matter & will do so consistent w/ understanding of Commission intent in promulgating Subpart L regulations.
WOODHEAD, C.P. Assistant General Counsel for Hearings & Enforcement. #390 10674. 90/07/27. BLOCH, P.B. Atomic Safety and Licensing Board Panel. 2pp. 54824:006-54824:012.

-9008070145 Affidavit of WJ Adam. Affiant reviewed license amend requests & Amends 12 & 74 to Licenses SNM-247 & 24-00513-32, issued on 900319 & 0405, respectively. Prof qualifications encl.
ADAM, W.J. Missouri, Univ. of, Columbia, MO. ADAM, W.J. Region 3 (Post 820201). 90/07/26. 5pp. 54824:008-54824:012.

9008070228 Memorandum & order (completeness of hearing file). * NRC should comply w/ guidance re proper content of hearing file & new documents to be included in file should be served on parties. W/ Certificate of Svc. Served on 900731.
BLOCH, P.B. Atomic Safety and Licensing Board Panel. #390 10677. 90/07/30. Office of the General Counsel (Post 860701). 7pp. 54824:176-54824:182.

9008150226 Petitions for leave to intervene; requests for stay. * Petitioners request intervention in proceeding & issuance of stay w/ right to suppl stay request upon further info should stay not be ordered. W/ Certificate of Svc.
STACK, J., SMITH, R., SMITH, A. Affiliation Not Assigned. #390 10713. 90/08/04. Atomic Safety and Licensing Board Panel. 12pp. 54928:341-54928:352.

9008270070 Response of licensee to petition for leave to intervene; requests for stay. * Advises that since joint petitioners have not satisfied requirements of pertinent NRC regulations for issuance of stay, request should be denied.
AXELRAD, M. Missouri, Univ. of, Columbia, MO. AXELRAD, M. Newman & Holtzinger. #390 10759. 90/08/20. Atomic Safety and Licensing Board Panel. 38pp. 55006:149-55006:197.

-9008270078 Affidavit of JS Morris re 900806 petitions for leave to intervene; requests for stay.
MORRIS, J.S. Missouri, Univ. of, Columbia, MO. 90/08/17. 4pp. 55006:187-55006:190.

-9008270081 Licensee motion for adjustment in schedule. * Suggests that date be established by which both intervenor organizations & joint petitioners required to submit direct presentations & any supplemental requests for stay. W/ Certificate of Svc.
AXELRAD, M. Missouri, Univ. of, Columbia, MO. AXELRAD, M. Newman & Holtzinger. 90/08/20. Atomic Safety and Licensing Board Panel. 7pp. 55006:191-55006:197.

9008270099 Intervenor's application for temporary stay to preserve status quo. * Intervenor's pray for order temporarily staying effectiveness of 1990 license amends to enable presentation of renewed motion for stay. W/ Certificate of Svc.
GREEN, L.C. Missouri Coalition for the Environment. GREEN, L.C. Mid-Missouri Nuclear Weapons Freeze, Inc. GREEN, L.C. Physicians for Social Responsibility. #390 10762. 90/08/20. Atomic Safety and Licensing Board Panel. 34pp. 55006:224-55006:257.

9008270159 Memorandum & order (preliminary action on temporary stay request). * NRC shall be party to proceeding for limited purpose described in attached memo. Served on 900821. W/ Certificate of Svc.
BLOCH, P.B. Atomic Safety and Licensing Board Panel. #390 10751. 90/08/21. 6pp. 55006:276-55006:281.

9008270109 NRC Staff response to memorandum & order (preliminary action on temporary stay request). * No requirement in NRC regulations for HEPA filtration in connection w/ TRUMP-S work. W/ Certificate of Svc.
BORDENICK, B.M. Assistant General Counsel for Hearings & Enforcement. #390 10761. 90/08/22. Atomic Safety and Licensing Board Panel. 5pp. 55006:258-55006:262.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9008020087 Forwards documents in support of financial assurance & decommissioning costs for facilities.
ECKERT,J.P. Babcock & Wilcox Co. 90/07/24. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 2pp. 54807:206-54807:251.

-9008020089 Supports B&W use of financial test to demonstrate financial assurance as specified in 10CFR30.40 & 70.
LYNOTT,J.A. Babcock & Wilcox Co. 90/07/24. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 1p. 54807:208-54807:208.

-9008020116 Forwards listed info in support of use of financial test to demonstrate financial assurance as specified in 10CFR30.40 & 70.
LYNOTT,J.A. Babcock & Wilcox Co. 90/07/24. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 42pp. 54807:209-54807:251.

9008060115 Application for amends to Licenses SNM-145 & SNM-414, changing stock ownership of B&W to B&W Investment Co.Fee paid.
HAERTJENS,B.L. Babcock & Wilcox Co. 90/08/02. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 4pp. 54856:299-54856:302.

9008100195 Ack receipt of 900712 ltr re B&W continuing assurance to pay for eventual decommissioning of NRC licensed facilities.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/09. ECKERT,J.P. Babcock & Wilcox Co. 1p. 54954:108-54954:108.

DOCKET 70-0371 UNC, INC., UNCASVILLE, CT

9008170172 Advises that plans have been made & agreed to by DOE NR to have usable highly enriched U or unencapsulated fresh fuel offsite by 910101.
GREGG,R.J. United Nuclear Corp. 90/04/25. BURNETT,R.F. Division of Safeguards & Transportation (Post 870413). 2pp. 54981:102-54981:103.

9008170198 Requests exemption from requirement to conduct sampling study of % U on raw fuel,per 10CFR74.59e2.All % U assays on raw fuel received to Mar 1990 successfully completed & future % U assays on raw fuel not anticipated.
COLLOPY,T.J. United Nuclear Corp. 90/08/21. KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54991:002-54991:003.

9007310022 Forwards Nuclear Matl Control & Accounting Insp Rept 70-0371/90-203 on 900710-13.No violations or deviations noted.
KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/07/26. ANDREWS,R.B. United Nuclear Corp. 1p. 54796:103-54796:104.

-9007310024 Insp Rept 70-0371/90-203 on 900710-13.No violations or deviations noted.Details withheld (ref 10CFR2.790).
JACKSON,R.L., KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/07/26. 1p. 54796:104-54796:104.

9007310085 Forwards certificate of financial assurance,per 900413 meeting re decommissioning of facility.Licensee method of financial assurance involves US agreement to cover decommissioning costs.
GREGG,R.J. United Nuclear Corp. 90/07/27. HAUGHNEY,C. Fuel Cycle Safety Branch. 5pp. 54802:341-54802:345.

9008070161 Grants 900620 request for 3-month delay to complete review of nuclear matl control sys,per 10CFR70.59(h)(4).
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413). 90/08/02. COLLOPY,T.J. United Nuclear Corp. 1p. 54898:172-54898:172.

DOCKET 70-0398 COMMERCE, DEPT. OF, WASHINGTON, DC

9008200047 Requests that NRC withdraw draft physical security plan, submitted on 900523.
PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 90/07/16. GASKINS,C.E. Division of Reactor Inspection & Safeguards (Post 870411). 2pp. 54996:147-54996:148.

9008070092 Forwards Insp Rept 70-0398/90-02 on 900605-07.No violations identified.
BELLAMY,R.R. Region 1 (Post 820201). 90/07/25. PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 2pp. 54905:104-54905:109.

-9008070093 Insp Rept 70-0398/90-02 on 900605-07.No violations or deviations noted.Major areas inspected:licensed program, including operations & radiation protection.
AUSTIN,M.A., BORES,R.J. Region 1 (Post 820201). 90/07/24. 4pp. 54905:106-54905:109.

DOCKET 70-0622 ARMY, DEPT. OF, DOVER, NJ

9008020079 Discusses applicability of financial assurance requirements of 10CFR70.25 to License SNM-561,per 900430 statement of intent to show financial responsibility for decommissioning facility licensed under 10CFR30.40 & 70.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/07/25. CLUNE,M. Army, Dept. of, Armament Research & Development Command. 1p. 54828:177-54828:177.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9008010241 Submits Cintichem decommissioning rept/funding plan,which includes cost estimate for decommissioning facility, financial assurance mechanism & description of means of adjusting cost estimate & funding level periodically.
JOHNSON,M.D. Cintichem, Inc. 90/07/25. Document Control Branch (Document Control Desk). 17pp. 54788:265-54788:285.

-9008010254 Forwards 900622 check to cover facility decommissioning rept/funding plan submittal.
JOHNSON,M.D. Cintichem, Inc. 90/07/25. WEISS,D. Division of Accounting & Finance (Post 890205). 4pp. 54788:282-54788:285.

9008160114 Forwards Insp Repts 50-054/90-03 & 70-0687/90-05 on 900620-21.No violations noted.Original regulatory objectives of Confirmatory Action Ltr CAL-RI-90-05 being satisfied & appropriate operational controls in place.
KNAPP,M.R. Region 1 (Post 820201). 90/08/08. MCGOVERN,J.J. Cintichem, Inc. 3pp. 54978:313-54978:321.

-9008160116 Insp Repts 50-054/90-03 & 70-0687/90-05 on 900620-21.No violations noted.Major areas inspected:licensee corrective actions taken for previously identified items & status of licensee plan for decommissioning.
AUSTIN,M.A., JANG,J.C., BORES,R.J. Region 1 (Post 820201). 90/07/20. 6pp. 54978:316-54978:321.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9007300054 Forwards draft environ assessment for Westinghouse Waltz Mill site mobile compactor & dry waste storage amends for comment,per technical assistance requests.
COMFORT,G.C. Fuel Cycle Safety Branch. 90/07/20. KINNEMAN,J.D. Region 1 (Post 820201). 8pp. 54762:278-54762:285.

DOCKET 70-0712 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

9008150255 Informs of plan to ship contaminated soils from Cushing site to Barnwell Low Level Radwaste Facility.
STAUTER,J.C. Kerr-McGee Corp. 90/08/13. SJOBLUM,G. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54972:060-54972:061.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9008280289 Forwards revised "SVA Decommissioning Plan," in response to NRC 900724 request for addl info.Requested info appears on numerous pages of Sections 2,3 & 4.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/08/24. BINDER,G.H. Fuel Cycle Safety Branch. 4pp. 55038:041-55038:268.

-9008280298 Revised "SVA Decommissioning Plan."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/08/31. 260pp. 55038:045-55038:268.

9008200007 Forwards SNM physical inventory summary rept for period ending 900521.Encl withheld.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/06/14. KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54996:228-54996:230.

9008020080 Advises that addl info needed before final approval can be given to licensee 900330 decommissioning plan.Addl info in form of revised pages should be provided within 30 days of date of ltr.
BINDER,G.H. Fuel Cycle Safety Branch. 90/07/24. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 54828:163-54828:165.

9007270179 Forwards certification of financial assurance for decommissioning under License SNM-696.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/26. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54734:069-54734:084.

-9007270181 Provides confirmation of licensee financial assurance.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54734:071-54734:071.

-9007270182 Provides info to support licensee financial test to demonstrate financial assurance.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54734:072-54734:073.

-9007270184 Forwards info to support financial assurance for decommissioning activities.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 10pp. 54734:074-54734:084.

9007310101 Forwards decommissioning rept w/financial assurance for estimated cost for decommissioning research reactors,per 10CFR50.33.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/26. MENDONCA,M. Document Control Branch (Document Control Desk). 8pp. 54824:219-54824:240.

-9007310103 Supports company use of financial test to demonstrate financial assurance,per 10CFR50 & 70.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54824:227-54824:227.

-9007310105 Supports General Atomics use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70.General Atomics not required to file Form 10K w/US Securities & Exchange Commission for latest FY90.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54824:228-54824:229.

-9007310108 Forwards rept on agreed-upon procedures to demonstrate financial responsibility for decommissioning of facilities, per 10CFR50 & 70.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards,Director. 11pp. 54824:230-54824:240.

188 DOCKETED ITEMS

9008060104 Revises License Condition 2.1 of Safeguards Amend SG-1 to License SNM-696 to read as listed.
KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/01. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 54877:087-54877:087.

9008080064 Forwards Insp Rept 70-0734/90-201 on 900709-12.No violations or deviations noted.
KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/03. RADEMACHER,R.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 54906:263-54906:264.

-9008080069 Partially withheld Insp Rept 70-0734/90-201 on 900709-12 (ref 10CFR2.790).No violations or deviations noted.Major areas inspected:facility organization & mgt controls & facility operations & internal controls.
WILLIAMS,M., KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/03. 1p. 54906:264-54906:264.

9008100148 Forwards Amend 14 to License SNM-696 & SER.Amend incorporates revised radiological contingency plan & deletion of Condition 23.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/03. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 54943:134-54943:141.

-9008100149 Amend 14 to License SNM-696,incorporating revised contingency plan & Section 8.5 of application & deletes Condition 23.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/03. 4pp. 54943:135-54943:138.

-9008100154 SER supporting Amend 14 to License SNM-696 re radiological contingency plan.
HORN,M. Fuel Cycle Safety Branch. 90/08/03. 2pp. 54943:139-54943:140.

-9008100158 Discusses categorical exclusion for amend request dtd 890525 re radiological contingency plan.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/03. Fuel Cycle Safety Branch. 1p. 54943:141-54943:141.

9008270270 Forwards Insp Rept 70-0734/90-03 on 900716-20 & notice of violation.
PATE,R.J. Region 5 (Post 820201). 90/08/15. RADEMACHER,R.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 55036:048-55036:061.

-9008270273 Notice of violation from insp on 900716-20.Violation noted: no preventive maint.including verification or calibr of over-temp protection circuits had been performed on U/ zirconium fines burn furnace since 890313.
PATE,R.J. Region 5 (Post 820201). 90/08/15. 2pp. 55036:050-55036:051.

-9008270274 Insp Rept 70-0734/90-03 on 900716-20.Violation noted.Major areas inspected:radiation protection,emergency preparedness, maint/surveillance testing,transportation of radioactive matts,waste generator requirements & criticality safety.
HOOKER,C.A., PATE,R.J. Region 5 (Post 820201). 90/08/15. 10pp. 55036:052-55036:061.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9008060313 Ack receipt of 900712 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0754/90-01.
PATE,R.J. Region 5 (Post 820201). 90/07/31. DARMITZEL,R.W. General Electric Co. 1p. 54856:121-54856:123.

DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA

9008020087 Forwards documents in support of financial assurance & decommissioning costs for facilities.
ECKERT,J.P. Babcock & Wilcox Co. 90/07/24. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 2pp. 54807:206-54807:251.

-9008020089 Supports B&W use of financial test to demonstrate financial assurance as specified in 10CFR30.40 & 70.
LYNOTT,J.A. Babcock & Wilcox Co. 90/07/24. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 1p. 54807:208-54807:208.

-9008020116 Forwards listed info in support of use of financial test to demonstrate financial assurance as specified in 10CFR30.40 & 70.
LYNOTT,J.A. Babcock & Wilcox Co. 90/07/24. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 42pp. 54807:209-54807:251.

9008100137 Forwards Amend 10 to License SNM-778,indicating change in corporate ownership.SER also encl.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/06. BOYD,C.C. Babcock & Wilcox Co. 1p. 54951:143-54951:148.

-9008100139 Amend 10 to License SNM-778,indicating change in corporate ownership.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/06. 3pp. 54951:144-54951:146.

-9008100141 SER supporting Amend 10 to License SNM-778.
SOONG,S. Fuel Cycle Safety Branch. 90/08/06. 1p. 54951:147-54951:147.

-9008100143 Informs that environ assessment & environ impact statement not needed for proposed amend to License SNM-778.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/06. Fuel Cycle Safety Branch. 1p. 54951:148-54951:148.

9008100195 Ack receipt of 900712 ltr re B&W continuing assurance to pay for eventual decommissioning of NRC licensed facilities.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/09. ECKERT,J.P. Babcock & Wilcox Co. 1p. 54954:108-54954:108.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9008010245 Forwards air sampling results from soil excavation activities at Cimarron Facility U Plant yard,per request. Most soils excavated contained concentrations of U greater than Option 2 levels of branch technical position.
STAUTER,J.C. Cimarron Corp. 90/07/27. HURT,D. NRC - No Detailed Affiliation Given. 2pp. 54790:091-54790:092.

DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL

9007310149 Submits financial info & cost estimates re decommissioning for Univ of Florida SPERT facility.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 90/07/19. Document Control Branch (Document Control Desk). 2pp. 54796:150-54796:151.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9008170219 Forwards rev to FNMCP.Encl withheld (ref 10CFR2.790(d)).
NARDI,A.J. Westinghouse Electric Corp. 90/07/01. KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 1p. 54991:050-54991:050.

9008020047 Forwards Amend 17 to License SNM-1067,authorizing organizational changes,deleting Condition 30 & incorporating revised Section 4.2.4A, "Moderation Control." Safety evaluation also encl.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/07/26. VAUGHAN,R. Combustion Engineering, Inc. 1p. 54820:297-54820:304.

-9008020051 Amend 17 to License SNM-1067 for C-E, revising license in entirety.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/07/26. 4pp. 54820:298-54820:301.

-9008020053 SER supporting 900601 application for amend to License SNM-1067,authorizing organizational changes.
SOONG,S. Fuel Cycle Safety Branch. 90/07/26. 2pp. 54820:302-54820:303.

-9008020055 Discusses categorical exclusion for 900601 amend request to authorize change in organizational assignments & responsibilities.Environ assessment or EIS unwarranted for proposed action.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/07/26. Fuel Cycle Safety Branch. 1p. 54820:304-54820:304.

9008070123 Revises Amend SG-3 to License SNM-1067 re Chapters 1.0-8.0 of FNMCP dtd 871117,per util 900608 submittal of revs to FNMCP.
KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 90/08/01. CONANT,J.F. Combustion Engineering, Inc. 2pp. 54902:208-54902:209.

9008100097 Forwards Insp Rept 70-1100/90-06 on 900613-14.Insp performed to review addl info provided re violations in Insp Rept 70-1100/90-03.Two violations noted with drawn.
KNAPP,M.R. Region 1 (Post 820201). 90/08/01. WATERMAN,C.R. Combustion Engineering, Inc. 2pp. 54943:160-54943:168.

-9008100099 Insp Rept 70-1100/90-06 on 900613-14.Four violations remain as cited.Major areas inspected:review of 900511 response to violations noted in Insp Rept 70-1100/90-03.
AUSTIN,M.A., O'CONNELL,P.V., BORES,R.J. Region 1 (Post 820201). 90/07/31. 7pp. 54943:162-54943:168.

9008100290 Forwards request for withdrawal of 900213 amend request to License SNM-1067.
CONANT,J.F. Combustion Engineering, Inc. 90/08/08. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 2pp. 54951:196-54951:197.

9008100186 Forwards Amend 18 to License SNM-1067,authorizing mod of ventilation sys in nuclear fuel mfg facility & SER.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/09. VAUGHN,R. Combustion Engineering, Inc. 1p. 54954:070-54954:077.

-9008100188 Amend 18 to License SNM-1067 for C-E,authorizing mod of ventilation sys & Condition 9.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/09. 4pp. 54954:071-54954:074.

-9008100189 Safety evaluation accepting proposed mod to ventilation sys.
SOONG,S. Fuel Cycle Safety Branch. 90/08/09. 2pp. 54954:075-54954:076.

-9008100191 Discusses 900622 amend to License SNM-1067,authorizing mod to ventilation sys.No significant change in type or significant increase in amount of any effluents that may be released offsite exists.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/09. Fuel Cycle Safety Branch. 1p. 54954:077-54954:077.

9008240109 Ack receipt of 900424 ltr in response to violations noted in Insp Rept 70-1100/90-02.Unresolved item followed up w/responsible individual during insp on 900212-16.
KNAPP,M.R. Region 1 (Post 820201). 90/08/10. WATERMAN,C.R. Combustion Engineering, Inc. 2pp. 55028:180-55028:185.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9006070369 Submits 30-day incident rept re ammonium diuranate (ADU) clarifier tank pump explosion on 900429.Weak solution ammonium nitrate found concentrated in pump inadvertently left in operation.Startup of ADU operations initiated.
WINSLOW,T.P. General Electric Co. 90/05/29. Document Control Branch (Document Control Desk). 4pp. 54868:315-54868:318.

9008170167 Forwards request for change in FNMCP.Fee paid.Encl withheld (ref 10CFR2.790(d)).
WINSLOW,T.P. General Electric Co. 90/06/06. KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54983:058-54983:059.

9007300109 Advises that 900615 Rev 2 to Sections 3.3.2,3.3.3,3.4.2 & 3.4.4 of FNMC plan acceptable. Plan withheld (ref 10CFR2.790(d)). KASUN,D.J. Transportation Branch. 90/07/25. WINSLOW,T.P. General Electric Co. 1p. 54746:198-54746:198.

9008020293 Responds to request for specific exemptions from financial assurance instrument requirements of Parts 50 & 70 of amended decommissioning rule. GE needs to provide mechanism segregated from licensee corp assets. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/31. WOLF,B. General Electric Co. 4pp. 54805:314-54805:317.

9008130311 Revised application for amend to License SNM-1087, requesting permission to utilize U recovery from lagoon sludge project facility for conducting U recovery develop & processing. Encl withheld (ref 10CFR2.790). WINSLOW,T.P. General Electric Co. 90/08/02. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 7pp. 54963:278-54963:284.

9008230201 PNO-II-90-044 :on 900802, fire noticed in tube polisher located in fuel components operation bldg at facility. Welding spark ignited zirconium & caused fire. Fire isolated to single piece of equipment & did not spread. MCALPINE,E.J. Region 2 (Post 820201). 90/08/02. 2pp. 55016:130-55016:131.

9008090179 Submits rept of 900708 incident involving lightning damage to GE critically warning sys, per 10CFR20.403(b)(4). Criticality warning sys repaired & improved design configurations installed. WINSLOW,T.P. General Electric Co. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54932:353-54932:354.

9008270157 Advises that operational safety assessment will be conducted at GE Wilmington, NC plant on 900924-28. Radiological programs to be assessed include nuclear criticality controls, radiological contingency planning & radiation safety. CLINE,W.E. Region 2 (Post 820201). 90/08/06. BROWN,D.H. North Carolina, State of. 1p. 55032:139-55032:139.

9008270160 Advises that operational safety assessment will be conducted at GE Wilmington, NC plant on 900924-28. Radiological programs to be assessed include nuclear criticality controls, radiological contingency planning & radiation safety. CLINE,W.E. Region 2 (Post 820201). 90/08/06. WAKAMO,C. Environmental Protection Agency. 1p. 55032:140-55032:140.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC

9007270110 Forwards Insp Rept 70-1151/90-05 on 900604-08. Violations noted but not cited. CLINE,W.E. Region 2 (Post 820201). 90/07/12. KOGA,R.H. Westinghouse Electric Corp. 2pp. 54738:045-54738:055.

-9007270112 Insp Rept 70-1151/90-05 on 900604-08. No violations or deviations noted. Major areas inspected: mgt organization & controls, nuclear criticality safety, operations review, maint & surveillance testing & Part 21 reportable items. KASNICKI,D., MCALPINE,E.J. Region 2 (Post 820201). 90/07/12. 9pp. 54738:047-54738:055.

9008020291 Denies request for specific exemption from financial assurance instrument requirements of 10CFR30.40,50 & 70. Vendor needs to provide financial mechanism segregated from licensee corporation assets. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/31. STERN,T. Westinghouse Electric Corp. 4pp. 54830:206-54830:209.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9007270176 Forwards ltr of credit & standby trust agreement certifying financial assurance for decommissioning costs. IHDE,R.H. Babcock & Wilcox Co. 90/07/13. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 10pp. 54734:285-54734:294.

DOCKET 70-1203 SAN DIEGO STATE UNIV., SAN DIEGO, CA

9008020129 Ack receipt of 900710 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-1203/90-01. PATE,R.J. Region 5 (Post 820201). 90/07/25. ERICKSON,W.L. San Diego State Univ., San Diego, CA. 1p. 54805:323-54805:327.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9008080028 Forwards Insp Rept 70-1252/90-03 on 900703-04 & notice of violation. Violations, ref to pertinent requirements & elements to be included in util response described in encl notice of violation. CLINE,W.E. Region 2 (Post 820201). 90/07/24. Edlow International Co. 2pp. 54914:338-54914:347.

-9008080030 Notice of violation from insp on 900703-04. Violation noted: failure to notify NRC & State of NC of scheduled port of call of vessel transporting irradiated fuel. CLINE,W.E. Region 2 (Post 820201). 90/07/24. 2pp. 54914:340-54914:341.

-9008080034 Insp Rept 70-1252/90-03 on 900703-04. Violations noted. Major areas inspected: physical protection of shipment of irradiated fuel. TILLMAN,A., MCGUIRE,D.R. Region 2 (Post 820201). 90/07/19. 6pp. 54914:342-54914:347.

9007300012 Advises that port of Wilmington, NC added to approved ports listed in 900131 ltr for transient spent fuel shipments. Authorization for all five ports expire on 901231. MACDONALD,C.E. Transportation Branch. 90/07/26. RAVENSCROFT,N. Edlow International Co. 2pp. 54756:218-54756:220.

9008230206 Responds to violations noted in Insp Rept 70-1252/90-03 re shipment of irradiated fuel on vessel. Corrective actions: arrangements made w/ Mitsui & other carriers to advise of ports of call not otherwise published. RAVENSCROFT,N. Edlow International Co. 90/08/20. Document Control Branch (Document Control Desk). 3pp. 55019:330-55019:332.

DOCKET 70-1257 ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA

9008170217 Requests exception to some requirements for completing & submitting DOE/NRC Form 741 on certain waste mats. Reasons for request & proposed method of submittal described in encl attachments. Encl withheld (ref 10CFR2.790(d)). EDGAR,J.B. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 90/05/09. KASUN,D.J. Domestic SG & Regional Oversight Branch (Post 881218). 2pp. 54982:343-54982:344.

9008220020 "Gaseous Effluent Rept for Jan-June 1990." W/900720 ltr. MALODY,C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 90/06/30. 4pp. 55005:102-55005:105.

9008060101 Requests release of Room 157 of specialty fuels bldg for unrestricted use on or before 900901. Rept "Decommissioning Survey Rept Pu Storage Specialty Fuels Bldg Room 157" encl. Response requested by 900901. MALODY,C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 90/07/27. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 2pp. 54930:230-54930:243.

-9008060106 "Decommissioning Survey Rept, Pu Storage Specialty Fuels Bldg Room 157." W/hwc oversize drawings. * Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 90/06/30. 12pp. 54930:232-54930:243.

9008270219 Forwards Amend 8 to License SNM-1227 & safety evaluation re changes in corporate parent name & amending Condition 9 to include date of 900720. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. MALODY,C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 1p. 55031:316-55031:320.

-9008270223 Amend 8 to License SNM-1227 for Advanced Nuclear Fuels Corp, authorizing change in corporate parent name & amending Condition 9 to include date of 900720. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. 2pp. 55031:317-55031:318.

-9008270226 SER approving licensee requested changes to reflect new location of corporate ofcs & corporate parent name. PENNINGTON,W.S. Fuel Cycle Safety Branch. 90/08/22. 1p. 55031:319-55031:319.

-9008270228 Discusses categorical exclusion for 900720 amend request to License SNM-1227, reflecting new location of corporate ofcs & changing corporate parent name. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. Fuel Cycle Safety Branch. 1p. 55031:320-55031:320.

DOCKET 70-1308 GENERAL ELECTRIC CO., SAN JOSE, CA

9008280320 Application for Amend 8 to License SNM-2500, to reflect change in title identified in Section 6.4.1.d & Figure 9-2 of NEDO-21326D2 re organizational change. INGELS,T.E. General Electric Co. 90/08/17. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 55040:224-55040:224.

DOCKET 70-1359 IRT CORP., SAN DIEGO, CA

9007310064 Discusses shipment delay in reducing inventory, per 900724 application for license amend. CROSBIE,K.L. IRT Corp. 90/07/26. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 1p. 54769:248-54769:248.

DOCKET 70-1374 IDAHO STATE UNIV., POCA TELLO, ID

9008270180 Requests add info re 900620 statement of intent to evidence financial responsibility for decommissioning plant. Licensee may submit request to reduce quantity of authorized, unsealed mat to limit that does not require financial assurance. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. BOWEN,R.L. Idaho State Univ., Pocatello, ID. 2pp. 55032:120-55032:121.

DOCKET 70-1966 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9008100170 Forwards renewed License SNM-1526. License will expire on 950630. MACDONALD,C.E. Transportation Branch. 90/08/08. WALLACE,E.G. Tennessee Valley Authority. 1p. 54943:284-54943:286.

-9008100174 Renewed License SNM-1526 for TVA, authorizing 10,000 g U-235 in packages approved per 10CFR71. MACDONALD,C.E. Transportation Branch. 90/08/08. 2pp. 54943:285-54943:286.

DOCKET 70-2910 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9008080350 Application for amends to Licenses SNM-1861 & SNM-1873, revising Section 1.2.4, "Fire Protection," to delete exterior fire protection equipment identified. WALLACE,E.G. Tennessee Valley Authority. 90/08/01. Document Control Branch (Document Control Desk). 10pp. 54917:338-54917:347.

9008270187 Forwards Amend 9 for License SNM-1873, modifying fire protection program & revising Condition 9 to include date of 900801. SER also encl. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. WALLACE,E.G. Tennessee Valley Authority. 1p. 55031:309-55031:313.

-9008270194 SER approving amend to License SNM-1873 re fire protection program. DATTA,A. Fuel Cycle Safety Branch. 90/08/22. 2pp. 55031:311-55031:312.

9008270206 Forwards Amend 15 to License SNM-1861, modifying fire protection program. Condition 9 revised to include date of 900801. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. WALLACE,E.G. Tennessee Valley Authority. 1p. 55035:148-55035:152.

-9008270212 Amend 15 to License SNM-1861, modifying fire protection program. HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. 1p. 55035:149-55035:151.

190 DOCKETED ITEMS

—9008270215 Discusses categorical exclusion for 900801 amend to Licenses SNM-1871 & SNM-1873 to modify fire protection program.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. Fuel Cycle Safety Branch. 1p. 55035:152-55035:152.

DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9008080350 Application for amends to Licenses SNM-1861 & SNM-1873, revising Section 1.2.4, "Fire Protection," to delete exterior fire protection equipment identified.
WALLACE,E.G. Tennessee Valley Authority. 90/08/01. Document Control Branch (Document Control Desk). 10pp. 54917:338-54917:347.

9008270187 Forwards Amend 9 for License SNM-1873, modifying fire protection program & revising Condition 9 to include date of 900801. SER also encl.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. WALLACE,E.G. Tennessee Valley Authority. 1p. 55031:309-55031:313.

—9008270190 Amend 9 to License SNM-1873 for TVA, modifying fire protection program & revising Condition 9 to include date of 900810.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. 1p. 55031:310-55031:310.

—9008270194 SER approving amend to License SNM-1873 re fire protection program.
DATTA,A. Fuel Cycle Safety Branch. 90/08/22. 2pp. 55031:311-55031:312.

—9008270199 Discusses categorical exclusion for 900801 amend request.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/21. Fuel Cycle Safety Branch. 1p. 55031:313-55031:313.

9008270206 Forwards Amend 15 to License SNM-1861, modifying fire protection program. Condition 9 revised to include date of 900801.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. WALLACE,E.G. Tennessee Valley Authority. 1p. 55035:148-55035:152.

—9008270215 Discusses categorical exclusion for 900801 amend to Licenses SNM-1871 & SNM-1873 to modify fire protection program.
HAUGHNEY,C.J. Fuel Cycle Safety Branch. 90/08/22. Fuel Cycle Safety Branch. 1p. 55035:152-55035:152.

DOCKET 70-3020 NUCLEAR ASSURANCE CORP., NORCROSS, GA

9008240129 Advises that route to transport spent fuel from Lusby, MD to Alexandria Bay, NY, approved, per 900702 request.
MACDONALD,C.E. Transportation Branch. 90/08/17. VIEBROCK,J.M. Nuclear Assurance Corp. 12pp. 55028:244-55028:255.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0135 BABCOCK & WILCOX CO.

9008100144 Advises that QA program approval for radioactive matl package:0135 expires on 900930. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/08. SGARLATA,D. Babcock & Wilcox Co. 1p. 54943:218-54943:218.

DOCKET 71-0149 MIDWEST INSPECTION SERVICE

9007300053 Forwards QA program approval for radioactive matl packages: 0149, Rev 3.
MACDONALD,C.E. Transportation Branch. 90/07/26. PASCHEN,D. Midwest Inspection Service, Ltd. 1p. 54762:359-54762:360.

—9007300057 QA program approval for radioactive matl package:0149, Rev 3.
MACDONALD,C.E. Transportation Branch. 90/07/26. 1p. 54762:360-54762:360.

DOCKET 71-0170 GENERAL ELECTRIC CO.

9007300093 Application for renewal of QA program approval for radioactive matl package:0170, Rev 4. Renewal fee encl. Rev contains editorial & administrative changes which do not affect effectiveness of program.
CUNNINGHAM,G.E. General Electric Co. 90/07/19. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards, Director. 1p. 54763:294-54763:323.

—9007300094 Rev 4 to "QA Program for Shipping Packages for Radioactive Matl."
* General Electric Co. 90/07/31. 29pp. 54763:295-54763:323.

9007300097 Submits addl info re Insp Rept 71-0170/90-03, per 900629 request. SAR revised to include calculations for increased torus matl thickness.
CUNNINGHAM,G.E. General Electric Co. 90/07/25. MACDONALD,C.E. Transportation Branch. 4pp. 54756:100-54756:183.

—9008020257 Rev 0 to Section B, "Cask Ear Bolts," to radioactive products & svcs operating procedure, Chapter XVII re cask/fireside maint.
* General Electric Co. 80/10/29. 5pp. 54756:104-54756:133.

—9008020264 Rev 1 to Section Q, "Extended Waste Drum Leak Check," to radioactive products & svcs operating procedure, Chapter XVII re cask/fireside maint.
* General Electric Co. 81/04/23. 5pp. 54756:134-54756:138.

—9008020271 Rev 1 to "Procurement Spec for Model 1600 Extended Waste Drum."
SEASRS,R.G., HALL,T.C., TENORIO,J.I. General Electric Co. 22A9266 R02. 79/08/17. 8pp. 54756:139-54756:146.

—9008020276 Rev 0 to "Procedure QA Spec."
* General Electric Co. VNC-RP&S-01 R00. 89/05/10. 9pp. 54756:147-54756:155.

—9008020283 Rev 1 to Section T, "Equipment Calibr," to std operating procedure remote handling operations radioactive matls svcs, Chapter XVII re cask/fireside maint.
TENORIO,J.I. General Electric Co. 90/05/15. 12pp. 54756:156-54756:167.

—9008020290 Rev 5 to Section S, "Personnel Training," to radioactive matls svcs remote handling operations std operating procedure, Chapter I re administration.
TENORIO,J.I. General Electric Co. 87/03/31. 16pp. 54756:168-54756:183.

DOCKET 71-0185 FBF, INC.

9007300045 Forwards QA program approval for radioactive matl package: 0185, Rev 3. QA implementation procedures manual not required w/application & not reviewed.
MACDONALD,C.E. Transportation Branch. 90/07/26. STRINGFIELD,H. FBF, Inc. 1p. 54746:073-54746:074.

—9007300047 QA program approval for radioactive matl package:0185, Rev 3.
MACDONALD,C.E. Transportation Branch. 90/07/26. 1p. 54746:074-54746:074.

DOCKET 71-0192 PACIFIC NUCLEAR SYSTEMS, INC.

9007310282 Forwards Nuclear Packaging, Inc. procedures & insp instructions re thickness for matls on TRUPACT-II.
CANNON,V.K. Pacific Nuclear Systems, Inc. 90/07/26. JANKOVICH,J. Division of Safeguards & Transportation (Post 870413). 1p. 54824:241-54824:291.

—9007310283 Rev 1 to QI-6.2, "Insp of Temporary Attachments."
CONNOR,V.K. Pacific Nuclear Systems, Inc. 90/07/26. 2pp. 54824:242-54824:243.

—9007310285 Rev 1 to QI-11.5, "Ultrasonic Thickness Gauge Calibr."
CONNOR,V.K. Pacific Nuclear Systems, Inc. 90/06/01. 4pp. 54824:244-54824:247.

—9007310287 Rev 1 to QI-11.6, "Ultrasonic Thickness Insp."
CONNOR,V.K. Pacific Nuclear Systems, Inc. 90/07/23. 5pp. 54824:248-54824:252.

—9007310292 "Pacific Nuclear Sys Receipt Insp of Domed & Flanged Heads for use in TRUPACT II Fabrication."
RODGERS,D.E. Pacific Nuclear Systems, Inc. 90/06/01. 31pp. 54824:253-54824:283.

—9007310294 "Pacific Nuclear Sys Receipt Insp Requirements for Plate Matl to be used at TRUPACT Assembly Facility."
RODGERS,D.E. Pacific Nuclear Systems, Inc. 90/07/26. 8pp. 54824:284-54824:291.

DOCKET 71-0259 WESTINGHOUSE ELECTRIC CORP.

9008280325 Application for renewal of QA program approval for radioactive matl package:0259. Fee paid.
NARDI,A.J. Westinghouse Electric Corp. 90/08/10. MACDONALD,C.E. Transportation Branch. 1p. 55042:124-55042:124.

DOCKET 71-0315 RADIOGRAPHY INSPECTION, INC.

9008100151 Advises that QA program approval for radioactive matl package:0315 expired on 900630. General licenses of Subpart C of 10CFR71 & registration under provisions of 10CFR71.12, terminated.
MACDONALD,C.E. Transportation Branch. 90/08/08. MCBRIDE,O. Radiography Inspection, Inc. 1p. 54943:220-54943:220.

DOCKET 71-0361 MODEL: PAT-1, ENERGY, DEPT. OF

9008220057 Forwards drawing changes for Pu air transportable package Model PAT-1, NUREG-0361, SAR to assure conformity between NRC documentation for PAT-1 & configuration of test units used to certify PAT-1 packaging design. W/45 oversize drawings.
HOHNSTREITER,G. Sandia National Laboratories. 90/07/27. MCDONALD,C. Transportation Branch. 1p. 55000:257-55000:258.

9008140198 Forwards Certificate of Compliance 0361, Rev 4 for PAT-1 shipping package, per 900727 request & approval record.
MACDONALD,C.E. Transportation Branch. 90/08/10. HOHNSTREITER,G. Sandia National Laboratories. 1p. 54965:144-54965:149.

—9008140201 Certificate of Compliance 0361, Rev 4, for Model PAT-1. Approval record encl.
MACDONALD,C.E. Transportation Branch. 90/08/10. 5pp. 54965:145-54965:149.

DOCKET 71-0387 MASSACHUSETTS MATERIALS RESEARCH, INC.

9008100176 Advises that QA program approval for radioactive matl package:0387 expires on 900930. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/08. NICKLE,W.C. Massachusetts Materials Research, Inc. 1p. 54954:113-54954:113.

DOCKET 71-0390 COMMERCE, DEPT. OF

9008100140 Advises that QA program approval for radioactive matl package:0390 expires on 900930. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/08. SLABACK,L. National Institute of Standards & Technology (formerly National Bureau of Standards). 1p. 54944:041-54944:041.

DOCKET 71-0504 TU ELECTRIC CO.

9008270084 Requests registration as user of radioactive matl packages: 0504, 6574, 6601, 9081, 9086, 9094, 9096, 9079, 9151, 9168, 9222 & 9224.
CAHILL,W.J., WALKER,R.D. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-0535 TEXAS, UNIV. OF

9008200036 Application for renewal of QA program approval for radioactive matl package:0535.Approval of expiration date of 911231 requested.
BAUER,T.L. Texas, Univ. of, Austin, TX. 90/08/15. MACDONALD,C. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54996:151-54996:162.

-9008200039 "QA Plan."

* Texas, Univ. of, Austin, TX. 90/08/15. 11pp. 54996:152-54996:162.

DOCKET 71-0552 OLD DOMINION FABRICATORS

9008100177 Advises that QA program approval for radioactive matl package:0552 expires on 900930.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/08. MARTIN,R.W. Old Dominion Fabricators. 1p. 54954:261-54954:261.

9008280313 Application for renewal of QA program approval for radioactive matl package:0552,expiring on 900930.Fee paid.
MARTIN,R.M. Old Dominion Fabricators. 90/08/21. MACDONALD,C.E. Transportation Branch. 1p. 55038:360-55038:360.

DOCKET 71-0657 N.V. ENTERPRISES

9008010059 Advises of change of address for QA program for radioactive matl package:0657,Rev 0.
COX,N.A. N.V. Enterprises. 90/07/27. MACDONALD,C.E. Transportation Branch. 1p. 54788:360-54788:360.

DOCKET 71-0692 T&K INSPECTION

9008200178 Forwards QA program satisfying 10CFR71.12(b) requirements for industrial radiography.Informs of new licensee name.
KAIN,K. T&K Inspection. 90/08/08. GORDON,L. NRC - No Detailed Affiliation Given. 3pp. 54995:291-54995:293.

DOCKET 71-0702 GREGORY ENTERPRISES, INC.

9008220174 Requests addl info listed in encl re 900706 request for approval of QA program description for fabrication of NRC licensed shipping containers.
MACDONALD,C.E. Transportation Branch. 90/08/16. GREGORY,L. Gregory Enterprises, Inc. 4pp. 55015:155-55015:158.

DOCKET 71-0704 DIAMOND ENGINEERING & TESTING, INC.

9008100159 Forwards "QA Program," for packing & shipment of radioactive matls.
DIAMOND,R.K. Diamond Engineering & Testing, Inc. 90/08/03. GORDON,L. Transportation Branch. 1p. 54944:043-54944:062.

-9008100164 "QA Program."

* Diamond Engineering & Testing, Inc. 90/08/03. 18pp. 54944:044-54944:062.

DOCKET 71-0705 APPLIED TECHNICAL SERVICES, INC.

9008200143 "10CFR71 QA Program for Industrial Radiography Licensees."
* Applied Technical Services, Inc. 90/08/20. 3pp. 55027:102-55027:104.

DOCKET 71-0708 WESTINGHOUSE ELECTRIC CORP.

9008220189 Application for QA program approval for radioactive matl package.Fee paid.
NARDI,A.J. Westinghouse Electric Corp. 90/08/10. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 55010:217-55010:273.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9008280291 Application for rev to Certificate of Compliance 4986 for shipping package,identifying new provision for GE 8 x 8 fuel assembly which will allow shipment of assemblies under specified control conditions.Encl withheld (ref 10CFR2.790).
WINSLOW,T.P. General Electric Co. 90/08/24. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 7pp. 55055:001-55055:007.

DOCKET 71-5088 MODEL: D34710-1, D34710-2, BABCOCK & WILCOX CO.

9008090197 Advises that Certificate of Compliance 5088 for Models D34710-1 & D34710-2 packages expires on 901031.Renewal should be submitted at least 30 days prior to expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/06. OLSEN,A.F. Babcock & Wilcox Co. 1p. 54931:355-54931:355.

DOCKET 71-5797 MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF

9008090213 Advises that Certificate of Compliance 5797 for Models Inner & Outer HFIR unirradiated fuel element expires on 901031. Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/06. LEONARD,J.F. Energy, Dept. of. 1p. 54931:241-54931:241.

DOCKET 71-5805 MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.

9008060370 Requests registration as user of Model CNS-3-55 radioactive matls shipping cask.
HARDER,L. Toledo Edison Co. 90/08/01. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54876:315-54876:315.

9008130271 Notification of registration as user of Certificate of Compliance 5805,in response to 900801 request.
MACDONALD,C.E. Transportation Branch. 90/08/10. HARDER,L. Toledo Edison Co. 1p. 54944:086-54944:086.

DOCKET 71-5830 MODEL: SNAP 21, NAVY, DEPT. OF

9008130273 Ack receipt of 900608 application for renewal of Certificate of Compliance 5830 for Model SNAP-21.Certificate of compliance will not be deemed to have expired until application has finally been determined.
MACDONALD,C.E. Transportation Branch. 90/08/08. MENDENHALL Navy, Dept. of, Naval Sea Systems Command. 1p. 54944:090-54944:090.

DOCKET 71-5862 MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS

9007310058 Application for renewal of Certificate of Compliance 5862 for Model Sentinel-100F packaging.
VOGT,J.F. Teledyne Energy Systems. 90/07/26. MACDONALD,C.E. NRC - No Detailed Affiliation Given. 1p. 54770:001-54770:001.

DOCKET 71-5957 MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY

9008100136 Forwards addl info re amend to BMI-1 shipping package Certificate of Compliance 5957,per 900706 request.
MEYER,W.A. Missouri, Univ. of, Columbia, MO. 90/08/08. MACDONALD,C.E. Transportation Branch. 29pp. 54943:011-54943:039.

DOCKET 71-5971 MODEL: 200, GENERAL ELECTRIC CO.

9008070176 Forwards request for addl info re renewal of Certificate of Compliance 5971 for Model IPO-200 package.
WHITE,B. Transportation Branch. 90/07/12. LEE,H. Transportation Branch. 2pp. 54898:170-54898:171.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9007300085 Forwards application for renewal of Certificate of Compliance 6294 for Model UNC-2901 shipping container. Sections 7 & 8 of application upgraded.
CONANT,J.F. Combustion Engineering, Inc. 90/07/27. MACDONALD,C.E. Transportation Branch. 2pp. 54792:326-54793:033.

-9007300087 Application for renewal of Certificate of Compliance 6294 for Model UNC-2901.W/five oversize drawings.
* Combustion Engineering, Inc. 90/07/27. 71pp. 54792:328-54793:033.

9008080072 Forwards Certificate of Compliance 6294,Rev 14,for Model UNC-2901 shipping package.
MACDONALD,C.E. Transportation Branch. 90/08/03. CONANT,J.F. Combustion Engineering, Inc. 1p. 54919:210-54919:214.

-9008080075 Certificate of Compliance 6294,Rev 14,for Model UNC-2901 shipping package.Approval record encl.
MACDONALD,C.E. Transportation Branch. 90/08/03. 4pp. 54919:211-54919:214.

9008170182 Application for rev to Certificate of Compliance 6294 for Model UNC-2901.
WINSLOW,T.P. General Electric Co. 90/08/14. MACDONALD,C.E. Division of Safeguards & Transportation (Post 870413). 9pp. 54984:133-54984:141.

DOCKET 71-6574 MODEL: HN-200, WESTINGHOUSE HITTMAN NUCLEAR, INC.

9008270084 Requests registration as user of radioactive matl packages:
0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224.
CAHILL,W.J., WALKER,R.D. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-6581 MODEL: 51032-1 & 1A, EXXON NUCLEAR CO., INC.

9008060083 Informs that licensee plans to submit renewal application for Certificate of Compliance 6581 for Model 51032-1 shipping container by 901001.
EDGAR,J.B. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 90/07/31. MACDONALD,C.E. Division of Safeguards & Transportation (Post 870413). 1p. 54877:103-54877:103.

DOCKET 71-6601 MODEL: CNS 8-120, CHEM-NUCLEAR SYSTEMS, INC.

9008020298 Requests registration as user of Model CNS 8-120A radioactive matl shipping cask.
COVINGTON,W.T. Newport News Shipbuilding & Dry Dock Co. 90/07/28. MACDONALD,C.E. Transportation Branch. 1p. 54805:312-54805:312.

9008270084 Requests registration as user of radioactive matl packages:
0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224.
CAHILL,W.J., WALKER,R.D. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9008100151 Advises that QA program approval for radioactive matl package:0315 expired on 900630.General licenses of Subpart C of 10CFR71 & registration under provisions of 10CFR71.12, terminated.
MACDONALD,C.E. Transportation Branch. 90/08/08. MCBRIDE,O. Radiography Inspection, Inc. 1p. 54943:220-54943:220.

192 DOCKETED ITEMS

9008170210 Requests registration as user of Models Gamma C-10 & Pipeliner Model 1 under Certificate of Compliance 6717.
CORNELISON,R.L. Applied Technical Services, Inc. 90/08/17. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 54984:175-54984:176.

DOCKET 71-6722 MODEL: BS-33-180, TENNESSEE VALLEY AUTHORITY

9008070186 Advises that Certificate of Compliance 6722 for Model BS-33-180 expires on 901031.
MACDONALD,C.E. Transportation Branch. 90/08/03. GRIDLEY,R.L. Tennessee Valley Authority. 1p. 54891:209-54891:209.

DOCKET 71-9001 MODEL: IF-300, PACIFIC NUCLEAR SYSTEMS, INC.

9007310133 Application for amend to Certificate of Compliance 9001,Rev 23 for Model IF-300 shipping cask channelled BWR fuel basket. Rev 0 to 420-11.0106, "SAR for IF-300 Shipping Cask Channelled BWR Fuel Basket," encl.
WHEADON,W.C. Pacific Nuclear Systems, Inc. 90/07/26. MACDONALD,C.E. Transportation Branch. 3pp. 54816:001-54817:323.

—**9007310145** Rev 0 to "SAR for IF-300 Shipping Cask Channelled BWR Fuel Basket."
* Pacific Nuclear Systems, Inc. 420-11.0106 R00. 90/07/31. 600pp. 54816:004-54817:323.

9008270117 Notices of registration as user of Certificate of Compliance 9001 for Model IF-300,per 900514 request.
MACDONALD,C.E. Transportation Branch. 90/08/21. GERBER,C. Niagara Mohawk Power Corp. 1p. 55036:147-55036:147.

DOCKET 71-9006 MODEL: AI 500 SU, AMERSHAM CORP.

9008210010 Requests registration as user of Models 500-SU,520 & 650 under Certificates of Compliance 9006,9007 & 9032.
MCBRYDE,S.K. S.K. McBryde, Inc. 90/08/17. MACDONALD,C.E. Transportation Branch. 1p. 55010:202-55010:209.

—**9008210013** Rev 0 to Procedure RSP-002, "QA Program."
BUCHANAN,J.E. S.K. McBryde, Inc. 90/08/13. 7pp. 55010:203-55010:209.

DOCKET 71-9007 MODEL: 520, TECH/OPS, INC.

9008210010 Requests registration as user of Models 500-SU,520 & 650 under Certificates of Compliance 9006,9007 & 9032.
MCBRYDE,S.K. S.K. McBryde, Inc. 90/08/17. MACDONALD,C.E. Transportation Branch. 1p. 55010:202-55010:209.

—**9008210013** Rev 0 to Procedure RSP-002, "QA Program."
BUCHANAN,J.E. S.K. McBryde, Inc. 90/08/13. 7pp. 55010:203-55010:209.

DOCKET 71-9030 MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY

9008090215 Advises that Certificate of Compliance 9030 for Models MW-3000,Sentinel-3 & Sentinel-8 expires on 901031.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified.
MACDONALD,C.E. Transportation Branch. 90/08/06. VOGT,J. Teledyne Energy Systems. 1p. 54931:242-54931:242.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9008200183 Requests registration as user of Models 650 & 660 for Certificates of Compliance 9032 & 9033.
LEIST,S.M. Carondelet Foundry Co. 90/08/15. MACDONALD,C.E. Transportation Branch. 1p. 55010:201-55010:201.

9008220073 Application for QA program approval of radioactive matl packages:9032 & 9033 for Models 650 & 660,respectively.
LEIST,S.M. Carondelet Foundry Co. 90/08/15. Division of Safeguards & Transportation (Post 870413). 1p. 55010:210-55010:214.

—**9008220076** "Carondelet Foundry QA Program."
* Carondelet Foundry Co. 90/08/15. 4pp. 55010:211-55010:214.

9008170204 Requests registration as user of Model 650 under Certificate of Compliance 9032.
CORNELISON,R.L. Applied Technical Services, Inc. 90/08/17. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54993:001-54993:001.

9008210010 Requests registration as user of Models 500-SU,520 & 650 under Certificates of Compliance 9006,9007 & 9032.
MCBRYDE,S.K. S.K. McBryde, Inc. 90/08/17. MACDONALD,C.E. Transportation Branch. 1p. 55010:202-55010:209.

—**9008210013** Rev 0 to Procedure RSP-002, "QA Program."
BUCHANAN,J.E. S.K. McBryde, Inc. 90/08/13. 7pp. 55010:203-55010:209.

DOCKET 71-9033 MODEL: 660 & 660E, AMERSHAM CORP.

9008010122 Requests registration as user of Models 660 & 660E.
CAMERON,M.C. Quality Testing & Inspection. 90/07/25. MACDONALD,C.E. Transportation Branch. 1p. 54840:071-54840:071.

9008090216 Notification of registration as user of Certificate of Compliance 9033,in response to 900725 request.
MACDONALD,C.E. Transportation Branch. 90/08/06. CAMERON,M.C. Quality Testing & Inspection. 1p. 54931:352-54931:352.

9008200183 Requests registration as user of Models 650 & 660 for Certificates of Compliance 9032 & 9033.
LEIST,S.M. Carondelet Foundry Co. 90/08/15. MACDONALD,C.E. Transportation Branch. 1p. 55010:201-55010:201.

9008220073 Application for QA program approval of radioactive matl packages:9032 & 9033 for Models 650 & 660,respectively.
LEIST,S.M. Carondelet Foundry Co. 90/08/15. Division of Safeguards & Transportation (Post 870413). 1p. 55010:210-55010:214.

—**9008220076** "Carondelet Foundry QA Program."
* Carondelet Foundry Co. 90/08/15. 4pp. 55010:211-55010:214.

9008170206 Requests registration as user of Model 660 under Certificate of Compliance 9033.
CORNELISON,R.L. Applied Technical Services, Inc. 90/08/17. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54984:173-54984:173.

9008270124 Submits addl info per request re Docket 71-9033.Drawing 66025 revised to show listed corrections,including size,type & location of spot welds on bottom plate.Model 660 mfg per Drawing 66025,Rev C & consisted of stainless steel shell.
ROUGHAN,C.M. Amersham Corp. 90/08/23. MACDONALD,C. Transportation Branch. 51pp. 55032:055-55032:105.

DOCKET 71-9035 MODEL: 680 & 680E, TECH/OPS, INC.

9008170197 Requests registration as user of Model 680 under Certificate of Compliance 9035.
CORNELISON,R.L. Applied Technical Services, Inc. 90/08/17. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54990:346-54990:346.

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9008070182 Advises that Certificate of Compliance 9036 for Model C-1 package not deemed expired until application finally determined in response to 900713 application.
MACDONALD,C.E. Transportation Branch. 90/08/03. DICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. 54891:230-54891:230.

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9008170202 Requests registration as user of Model 616 under Certificate of Compliance 9039.
CORNELISON,R.L. Applied Technical Services, Inc. 90/08/17. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54984:174-54984:174.

DOCKET 71-9053 MODEL: 683, TECH/OPS, INC.

9007300098 Requests info identified in encl within 60 days,per 900531 application for renewal of Certificate of Compliance 9053 for Model 683.
MACDONALD,C.E. Transportation Branch. 90/07/25. GRAZIADEI,J. Amersham Corp. 2pp. 54756:098-54756:099.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.

9007300079 Application for amend to Certificate of Compliance 9056, Rev 6 for Model SPEC 2-T.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 90/07/27. MACDONALD,C.E. Transportation Branch. 1p. 54739:359-54739:361.

9008100151 Advises that QA program approval for radioactive matl package:0315 expired on 900630.General licenses of Subpart C of 10CFR71 & registration under provisions of 10CFR71.12, terminated.
MACDONALD,C.E. Transportation Branch. 90/08/08. MCBRYDE,O. Radiography Inspection, Inc. 1p. 54943:220-54943:220.

9008200177 Forwards Rev 7 to Certificate of Compliance 9056 for Model SPEC 2-T package,per 900727 application.
MACDONALD,C.E. Transportation Branch. 90/08/14. DICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. 54996:117-54996:120.

—**9008200179** Certificate of Compliance 9056,Rev 7,for Model SPEC 2-T.
MACDONALD,C.E. Transportation Branch. 90/08/14. 3pp. 54996:118-54996:120.

DOCKET 71-9057 MODEL: FPD-100, GA TECHNOLOGIES, INC.

9008270094 Application for renewal of QA program approval for radioactive matl package:Model FPD-100.Fee paid.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/08/16. MACDONALD,C. Transportation Branch. 4pp. 55031:305-55031:308.

DOCKET 71-9073 MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.

9008200042 Requests registration as user of Models LN-142 & NUPAC 10-142.
LYSTER,M.D. Centerior Energy. 90/08/16. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54996:140-54996:140.

DOCKET 71-9079 MODEL: NUPAC 14D-2.0, HN-100 SERIES 2 & 2A, NUCLEAR

9008010231 Requests registration as user of Model NUPAC 14D-2.0 for radioactive matl shipping cask under Certificate of Compliance USA/9079/A.
BOWSER,R.J. Energy, Dept. of. 90/07/26. MACDONALD,C.E. Transportation Branch. 1p. 54793:318-54793:318.

9008090217 Notification of registration as user of Certificate of Compliance 9079,in response to 900726 request.
MACDONALD,C.E. Transportation Branch. 90/08/06. LEONARD,J.F. Energy, Dept. of. 1p. 54921:186-54921:186.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9086 MODEL: HN-100 SERIES 1, WESTINGHOUSE HITTMAN NUCLEAR,

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9094 MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

9008270114 Application for renewal of Certificate of Compliance 9094 for Model CNS 14-195H,Rev 1 to SAR encl.Fee paid. WITT,C.R. Chem-Nuclear Systems, Inc. 90/08/23. MACDONALD,C.E. Transportation Branch. 2pp. 55032:356-55033:006.

-9008270116 Rev 1 to "SAR for Chem-Nuclear Sys,Inc Model CNS 14-195H, Certificate of Compliance 9094,Type A Radwaste Shipping Container." * Chem-Nuclear Systems, Inc. 90/08/31. 10pp. 55032:358-55033:006.

DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

9008270107 Application for renewal of Certificate of Compliance 9096 for Model 14-195H.Fee paid. WITT,C.R. Chem-Nuclear Systems, Inc. 90/08/23. MACDONALD,C.E. Transportation Branch. 1p. 55035:245-55035:245.

DOCKET 71-9135 MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,

9008170207 Requests registration as user of Model Gamma Century S under Certificate of Compliance 9135. CORNELISON,R.L. Applied Technical Services, Inc. 90/08/17. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54983:115-54983:115.

DOCKET 71-9151 MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY

9008150239 Forwards Rev 13 to Certificate of Compliance 9151 for Models HN-100 Series 3,CNS 14-170 Series III & LN 14-170 Series 1. MACDONALD,C.E. Transportation Branch. 90/08/10. ROY,B. Scientific Ecology Group, Inc. 1p. 54966:108-54966:120.

-9008150240 Certificate of Compliance 9151,Rev 13,for Model HN-100 Series 3,CNS 14-170 Series III,LN 14-170 Series 1 & NES-1 shipping packages. MACDONALD,C.E. Transportation Branch. 90/08/10. 12pp. 54966:109-54966:120.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9160 MODEL: 20-VS & 40-VS, AMERSHAM CORP.

9008090071 Responds to NRC 900711 ltr re licensee request for renewal of Certificate of Compliance 9160 for Models 20-VS & 40-VS. Amersham unable to submit consolidated application,therefore accepts that certificate of compliance will be terminated. BAKER,B.W. Amersham Corp. 90/08/03. MACDONALD,C.E. Transportation Branch. 1p. 54922:023-54922:023.

DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9181 MODEL: PAS-2, NUCLEAR PACKAGING, INC.

9008200173 Forwards Rev 5 to Certificate of Compliance 9181 for Models PAS-2 & PAS-2A packages. MACDONALD,C.E. Transportation Branch. 90/08/14. TEMUS,C.J. Nuclear Packaging, Inc. 1p. 54991:203-54991:207.

-9008200174 Certificate of Compliance 9181,Rev 5,for Models PAS-2 & PAS-2A. MACDONALD,C.E. Transportation Branch. 90/08/14. 4pp. 54991:204-54991:207.

DOCKET 71-9192 MODEL: AP-300, ANEFCO, INC.

9008070192 Advises that Certificate of Compliance 9192 for Model AP-300 expires on 901031.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be so notified. MACDONALD,C.E. Transportation Branch. 90/08/01. MURPHY,J.D. Anefco, Inc. 1p. 54879:258-54879:258.

DOCKET 71-9204 MODEL: CNS 10-160B, CHEM-NUCLEAR SYSTEMS, INC.

9008200184 Requests addl info re 860616 application requesting Certificate of Compliance for Model CNS 10-160B.Response requested within 30 days from date of ltr. MACDONALD,C.E. Transportation Branch. 90/08/15. PAQUIN,P.L. Chem-Nuclear Systems, Inc. 2pp. 54995:299-54995:300.

DOCKET 71-9208 MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.

9008200042 Requests registration as user of Models LN-142 & NUPAC 10-142. LYSTER,M.D. Centor Energy. 90/08/16. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards,Director. 1p. 54996:140-54996:140.

DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF

9007300071 Responds to 900509 ltr re need for crush test & TRUPACT-II certification.IAEA adopting & proposing for inclusion in NRC regulations,addition of dynamic crush test for Type B packages. MACDONALD,C.E. Transportation Branch. 90/07/26. RESNIKOFF,M. Radioactive Waste Management Associates. 17pp. 54756:189-54756:217.

-9007300074 Requests review of need for crush tests for deformable container such as TRUPACT-II.Comments on final supplemental EIS,waste isolation pilot plant encl. RESNIKOFF,M. Radioactive Waste Management Associates. 90/05/09. MACDONALD,C. Office of Nuclear Material Safety & Safeguards,Director. 12pp. 54756:206-54756:217.

9007310282 Forwards Nuclear Packaging,Inc procedures & insp instructions re thick-ness for matls on TRUPACT-II. CANNON,V.K. Pacific Nuclear Systems, Inc. 90/07/26. JANKOVICH,J. Division of Safeguards & Transportation (Post 870413). 1p. 54824:241-54824:291.

-9007310283 Rev 1 to QI-6.2, "Insp of Temporary Attachments." CONNER,V.K. Pacific Nuclear Systems, Inc. 90/07/06. 2pp. 54824:242-54824:243.

-9007310285 Rev 1 to QI-11.5, "Ultrasonic Thickness Gauge Calibr." CONNOR,V.K. Pacific Nuclear Systems, Inc. 90/06/01. 4pp. 54824:244-54824:247.

-9007310287 Rev 1 to QI-11.6, "Ultrasonic Thickness Insp." CONNOR,V.K. Pacific Nuclear Systems, Inc. 90/07/23. 5pp. 54824:246-54824:252.

-9007310292 "Pacific Nuclear Sys Receipt Insp of Domed & Flanged Heads for use in TRUPACT II Fabrication." RODGERS,D.E. Pacific Nuclear Systems, Inc. 90/06/01. 31pp. 54824:253-54824:283.

-9007310294 "Pacific Nuclear Sys Receipt Insp Requirements for Plate Matl to be used at TRUPACT Assembly Facility." RODGERS,D.E. Pacific Nuclear Systems, Inc. 90/07/26. 8pp. 54824:284-54824:291.

9008230023 Requests addl info listed in encl re 900418 request for amend to Certificate of Compliance 9218. MACDONALD,C.E. Transportation Branch. 90/08/16. PORTER,S. Nuclear Packaging, Inc. 2pp. 55023:251-55023:252.

9008270164 Forwards Rev 8 to TRUPACT-II shipping package application for Certificate of Compliance 9218 & revised pages to SAR,in response to NRC 900816 & 24 re-quests for addl info. PORTER,S.A. Pacific Nuclear Systems, Inc. 90/08/24. MACDONALD,C.E. Transporta-tion Branch. 7pp. 55032:305-55032:341.

-9008270167 Rev 8 to TRUPACT-II SAR. * Pacific Nuclear Systems, Inc. 90/08/31. 30pp. 55032:312-55032:341.

DOCKET 71-9222 MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9224 MODEL: HN-190-2, WESTINGHOUSE HITTMAN NUCLEAR, INC.

9008270084 Requests registration as user of radioactive matl packages: 0504,6574,6601,9081,9086,9094,9096,9079,9151,9168,9222 & 9224. CAHILL,W.J. TU Electric (formerly Texas Utilities Generating Co.). 90/08/23. MACDONALD,C.E. Transportation Branch. 3pp. 55035:135-55035:137.

DOCKET 71-9236 MODEL: NUPAC 10/140MB, NUCLEAR PACKAGING, INC.

9008030228 Informs that Nuclear Packaging will respond to NRC 900621 request for addl info on or before 901231. PORTER,S.A. Pacific Nuclear Systems, Inc. 90/07/30. MACDONALD,C.E. Transporta-tion Branch. 1p. 54832:108-54832:108.

194 DOCKETED ITEMS

DOCKET 71-9238 MODEL: PATHFINDER, NORTHERN STATES POWER CO.

9008220010 Forwards updated pages to "Pathfinder Decommissioning: Application for Type A Container - Reactor Vessel."
PARKER, T.W. Northern States Power Co. 90/08/20. MACDONALD, C.E. Transportation Branch. 1p. 55005:317-55005:325.

-9008220013 Application for amend to Certificate of Compliance 9238, consisting of updated pages to "Pathfinder Decommissioning: Application For Type A Container - Reactor Vessel."
* Northern States Power Co. 90/08/20. 9pp. 55005:318-55005:326.

DOCKET 71-9788 MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF

9007300137 Forwards Rev 3 to Certificate of Compliance 9788 for Model S5W reactor compartment shipping package.
MACDONALD, C.E. Transportation Branch. 90/07/25. ENGEL, W.P. Energy, Dept. of. 1p. 54746:060-54746:065.

-9007300138 Certificate of Compliance 9788, Rev 3, for Model S5W reactor compartment.
MACDONALD, C.E. Transportation Branch. 90/07/25. 5pp. 54746:061-54746:065.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308

9008280320 Application for Amend 8 to License SNM-2500, to reflect change in title identified in Section 6.4.1.d & Figure 9-2 of NEDO-21326D2 re organizational change.
INGELS, T.E. General Electric Co. 90/08/17. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 55040:224-55040:224.

DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO., 50-280 & 50-281

9008010238 Advises that util submitted decommissioning funding plan & financial assurance info w/ISFSI license application.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/07/26. Document Control Branch (Document Control Desk). 2pp. 54793:325-54793:326.

DOCKET 72-0004 DUKE POWER CO., 50-269, 50-270 & 50-287

9008170222 Application for amend to License SNM-2503, obtaining NRC approval of proposed Rev 3 to ISFSI physical security plan. Rev 3 to plant ISFSI security program encl. Ends withheld.
TUCKER, H.B. Duke Power Co. 90/06/29. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54990:347-54990:352.

9008180075 Forwards decommissioning funding plan for util ISFSI at plant. Submittal reflects util intent to undertake funding to accumulate necessary funds to cover estimated costs of decommissioning ISFSI at plant.
HAUSER, D.L. Duke Power Co. 90/07/24. Document Control Branch (Document Control Desk). 2pp. 54978:148-54978:201.

9008230066 Forwards 1989 annual repts for Duke Power Co., North Carolina Municipal Power Agency 1, North Carolina Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative.
TUCKER, H.B. Duke Power Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 55023:031-55023:250.

DOCKET 72-0006 CAROLINA POWER & LIGHT CO., 50-324 & 50-325

9008090152 Responds to NRC 900404 comments re Brunswick Steam Electric Plant ISFSI matls license application dtd 900427.
LOFLIN, L.I. Carolina Power & Light Co. 90/08/03. Document Control Branch (Document Control Desk). 10pp. 54921:153-54921:162.

DOCKET 72-0008 BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318

9007300059 Forwards comments on SAR for Calvert Cliffs ISFSI.
STURZ, F. Fuel Cycle Safety Branch. 90/07/23. CREEL, G.C. Baltimore Gas & Electric Co. 39pp. 54745:075-54745:113.

9007310152 Forwards "Decommissioning Plan for Calvert Cliffs ISFSI."
CREEL, G.C. Baltimore Gas & Electric Co. 90/07/26. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 54803:036-54803:117.

-9007310155 "Decommissioning Plan for Calvert Cliffs ISFSI."
* Baltimore Gas & Electric Co. 90/07/26. 78pp. 54803:038-54803:117.

9008090348 Advises that listed documents marked proprietary will be withheld from public disclosure, per 900323 request & 10CFR2.790(b)(5).
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/03. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54933:206-54933:207.

9008150293 Advises that documents marked proprietary will be withheld from public disclosure, per 900426 & 0629 ltrs & 10CFR2.790(b)(5).
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/10. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 54971:250-54971:251.

DOCKET 72-0009 PUBLIC SERVICE CO. OF COLORADO, 50-267

9008200002 Forwards security plan for proposed ISFSI for NRC review, per 900622 & 0412 ltrs. Plan withheld (ref: 10CFR73.21).
CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/20. GASKINS, C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 54996:235-54996:237.

9007300119 Forwards addl info in support of 900622 SAR for ISFSI. Proprietary SAR withheld (ref: 10CFR2.790).
CRAWFORD, A.C. Public Service Co. of Colorado. 90/07/23. ROBERTS, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 18pp. 54756:221-54756:238.

9008100325 Advises of review of SAR & environ repts & forwards agenda for 900828 meeting & site tour on ISFSI.
STURZ, F.C. Fuel Cycle Safety Branch. 90/08/09. CRAWFORD, A.C. Public Service Co. of Colorado. 3pp. 54935:059-54935:061.

9008100327 Forwards request for addl info based on review of Chapter 6 of license application, Section XI of SAR & related info on QA.
STURZ, F.C. Fuel Cycle Safety Branch. 90/08/09. CRAWFORD, A.C. Public Service Co. of Colorado. 5pp. 54935:067-54935:071.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9008010171 Advise that Commission has no objections to proposed First Quarter 1990 AO Rept to Congress, SECY-90-213.
CHILK, J. Office of the Secretary of the Commission. 90/07/09. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 54793:308-54793:308.

9008010208 Staff requirements memo re SECY-90-169 on modified enforcement policy for hot particle exposures & rev to incorporate recommendations made to NCRP Rept 102.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/09. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 54796:323-54796:326.

-9008010215 Discusses SECY-90-169 re modified enforcement policy for hot particle exposures & rev to incorporate recommendations made in NCRP Rept 106. Approves proposed mod based on understanding that listed issues be addressed in rulemaking.
ROGERS, K.C. Commissioners (Post 750119). 90/05/18. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54796:325-54796:326.

9008060070 Final response to FOIA request. App C records encl & available in PDR. App D records withheld in entirety (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. SNYDER, P.M. Snyder, P.M. 4pp. 54837:034-54837:040.

-9008060082 Forwards draft staff requirements memos for 900117 meeting re briefing on governors certification of low level waste sites.
CHILK, S.J. Office of the Secretary of the Commission. 90/01/24. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 4pp. 54837:059-54837:062.

9008060356 Staff requirements memo advising that Commission approved appointment of Kintner & Woods to Nuclear Safety Research Review Committee.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/17. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 54876:250-54876:250.

9008060389 Staff requirements memo re SECY-90-192 on individual plant exam for severe accident vulnerabilities due to external events. Commission has agreed to listed items re proposed issuance of suppl to Generic Ltr 88-20.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/17. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 54865:132-54865:133.

9008070045 Revised transcript of 900627 periodic briefing in Rockville, MD re operating reactors & fuel facilities. Pp 1-40. W/supporting documents.
* Commissioners (Post 750119). 90/06/27. 53pp. 54897:079-54897:131.

9008080032 Staff requirements memo re briefing on development of radiation protection stds on 900801 in Rockville, MD.
CHILK, S.J. Office of the Secretary of the Commission. M900801. 90/08/06. Office of the Secretary of the Commission. 1p. 54917:335-54917:335.

9008140135 Staff requirements memo re Commission agreement (w/Carr, Rogers & Remick approving & Curtiss disapproving) w/staff recommendation to deny GE request for specific exemptions under 10CFR50 & 70 re SECY-90-217.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 3pp. 54965:262-54965:264.

9008140164 Staff requirements memo re SECY-90-238 "Joint Coordinating Committee for Civilian Nuclear Reactor Safety Working Group 7 Funding." Commission offers no objections to proposed funding of working group activities.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/27. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 54955:197-54955:197.

9008140166 Staff requirements memo re SECY-89-370, "Modified Policy for Hot Particle Exposures." Commission disapproves publication of proposed mod of enforcement policy for hot particles.
CHILK, S.J. Office of the Secretary of the Commission. M900308. 90/03/08. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 54961:354-54961:354.

9008140215 Transcript of 900801 briefing in Rockville, MD on development of radiation protection stds. Pp 1-94. Supplemental info encl.
* Commissioners (Post 750119). 90/08/01. 160pp. 54955:208-54956:044.

9008220107 Staff requirements memo re SECY-90-215, "Transmittal of Final Rept of Special Review Panel on Differing Prof Views/ Opinions." Commission offers no objections to proposed implementation of special review panel recommendations.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/31. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 55015:106-55015:106.

9008220108 Staff requirements memo re SECY-90-229, "NRC Review of 'NORDIC' Consultative Rept on High Level Waste Disposal."
CHILK, S.J. Office of the Secretary of the Commission. 90/07/30. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 1p. 55001:207-55001:207.

9008220111 Staff requirements memo re SECY-90-233, "Proposed Retransfer of Pu from France to Switzerland." Commissioners approved NRC position.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/30. SHEA, J.R. International Programs. 3pp. 55006:328-55006:330.

9008270011 Transcript of 900816 affirmation/discussion & vote in Rockville, MD. Pp 1-5.
* Commissioners (Post 750119). 90/08/16. 9pp. 55035:126-55035:134.

9008270015 Transcript of 900816 meeting in Rockville, MD re collegial discussion of items of Commissioner interest. Pp 1-79.
* Commissioners (Post 750119). 90/08/16. 84pp. 55036:064-55036:146.

9008290072 Staff requirements memo re affirmation/discussion & vote on 900816 in Rockville, MD.
CHILK, S.J. Office of the Secretary of the Commission. M900816B. 90/08/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. PARLER, W.C. Office of the General Counsel (Post 860701). 150pp. 55061:015-55061:157.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9008010043 Submits potential questions re QA in high level waste program.
STEINDLER, M.J. Advisory Committee on Nuclear Waste. HLWR. 90/07/12. ABRAMS, C. Advisory Committee on Nuclear Waste. 2pp. 54770:067-54770:068.

9008030017 Transcript of 22nd ACNW meeting on 900731 in Bethesda, MD. Pp 225-300. Supporting documentation encl.
* Advisory Committee on Nuclear Waste. 90/07/31. 98pp. 54851:010-54851:111.

9008030018 Transcript of 22nd ACNW meeting on 900730 in Bethesda, MD. Pp 1-224. Supporting info encl.
* Advisory Committee on Nuclear Waste. 90/07/30. 264pp. 54841:253-54842:158.

9008100173 Summarizes ACNW 22nd meeting on 900730-31 to review plans for de-commissioning plant, per 891018 ltr.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 90/08/03. CARR, K.M. Commissioners (Post 750119). 3pp. 54963:018-54963:020.

9008130126 Discusses NRC approach for dealing w/uncertainties in implementing EPA high level waste std. NRC approach inadequate. Comments encl.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 90/08/03. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 54957:080-54957:082.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9007270034 Forwards NRC response to ACRS 900424 comments on elements of severe accident research program. Cautions about excessive expectations for severe accident scaling methodology.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/04. MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 17pp. 54727:316-54727:332.

9008010159 Forwards RE Alexander 900503 ltr discussed during 362nd ACRS meeting re coherence in regulatory process, per request.
FRALEY, R.F. ACRS - Advisory Committee on Reactor Safeguards. 90/07/06. CARR, ROGERS, CURTISS Commissioners (Post 750119). 1p. 54797:108-54797:113.

-9007250143 Expresses concern re improper conduct of NRC inspectors during regional health physics insp program. Safety discipline at many plants could be improved by expanding procedures to include mgt directives not in requirements.
ALEXANDER, R.E. Health Physics Society. 90/05/03. MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 54797:109-54797:111.

-9008010161 Requests specific examples to support 900503 claim re improper conduct of NRC inspectors in area of radiation protection at nuclear plants. Investigation of previous claim summarized in draft NUREG-1395.
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 90/07/26. ALEXANDER, R.E. Affiliation Not Assigned. 2pp. 54797:112-54797:113.

9008060166 Summarizes ACRS 362nd meeting on 900607-09 re proposed rule to implement emergency response data sys. Generic Issue 84 re C-E plants w/o power-operated relief valves & draft study on source term update & decoupling siting from design.
MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 90/07/06. CARR, K.M. Commissioners (Post 750119). 7pp. 54864:142-54864:148.

9008060170 Summarizes ACRS 363rd meeting on 900712-13 re reactor safeguards. Future activities for ACRS 364th meeting on 900809-11 re EPRI requirements for advanced LWRs & proposed resolution of Generic Issue B-56 also discussed.
MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 90/07/31. CARR, K.M. Commissioners (Post 750119). 6pp. 54864:214-54864:219.

9008060184 Forwards comments on Theofanous Mark I liner failure probability rept, discussed at 900321 meeting. Author disturbed about lack of focus of presentations & inadequate knowledge of managers about research being discussed.
CORRADINI, M.L. Wisconsin, Univ. of, Madison, WI. 90/03/22. KERR, E. Michigan, Univ. of, Ann Arbor, MI. 3pp. 54877:153-54877:155.

9008060186 Comments on items discussed at ACRS Subcommittee meeting on 900404 re containment functions. Functions of containment have been identified & listed, based on outline provided.
CORRADINI, M.L. Wisconsin, Univ. of, Madison, WI. 90/04/16. WARD, D. Affiliation Not Assigned. 2pp. 54864:061-54864:062.

9008060188 Comments on NUREG/CR-5423 re Mark I liner failure. NUREG-5423 elucidates difficulty in using probabilistic analysis to examine phenomena whose behavior only understood in speculative sense. Sensitivity analysis should be emphasized.
BENDER, M. Querytech Associates. 90/05/15. KERR, W. Wisconsin, Univ. of, Madison, WI. 3pp. 54864:152-54864:154.

9008060191 Comments on ACRS Pressure Vessel & Matls Subcommittee 900524 meeting re Section XI App A fracture toughness curve. Need for upper shelf properties not directly associated w/App XI insps.
BENDER, M. Querytech Associates. 90/05/27. SHEWMON, P. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 54877:125-54877:128.

9008060193 Forwards "Severe Accident Commentary re Accident Mgt Strategies & Info Needs."
BENDER, M. Querytech Associates. 90/06/03. HOUSTON, D. ACRS - Advisory Committee on Reactor Safeguards. 5pp. 54864:207-54864:211.

9008060195 Comments on Severe Accident Partners meeting on 900430-0502. SASM viewed solely as technique to help properly define important research topics & proper approaches to research, but not issue resolution.
CORRADINI, M.L. Wisconsin, Univ. of, Madison, WI. 90/06/04. KERR, W. Michigan, Univ. of, Ann Arbor, MI. 2pp. 54876:231-54876:232.

196 NONDOCKETED ITEMS

9008060198 Expresses appreciation for discussion at 900524 meeting in West Palm Beach & ack receipt of NUREG/CR-5493. Author clarifies "not for retention" handout plot of data from surveillance program.
ETHERINGTON, H. Affiliation Not Assigned. 90/06/04. CORWIN, W.R. Oak Ridge National Laboratory. 2pp. 54876:229-54876:230.

9008060204 Forwards rept on progress of SBLOC CSAU technical program group which met on 900226 in Idaho Falls.
SCHROCK, V.E. California, Univ. of, Berkeley, CA. ACRS. 90/06/04. CATTON, I. ACRS - Advisory Committee on Reactor Safeguards. 37pp. 54856:141-54856:177.

9008060207 Submits supplemental discussion re pressure vessel integrity per meeting in West Palm Beach. NUMARC Rept 90-04, "Pressure Water Reactor Vessel License Renewal Rept" is good summary of issues that have arisen over past 30 yrs.
BENDER, M. Querytech Associates. 90/06/26. SHEWMON, P. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 54856:001-54856:002.

9008060209 Submits consultants rept from ACRS Thermal Hydraulic Subcommittee 900614 meeting re accident mgt.
SULLIVAN, L.H. Los Alamos National Laboratory. N-6-90-845. 90/07/12. CATTON, I. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 54864:068-54864:071.

9008060215 Comments on Thermal Hydraulic Phenomena Subcommittee meeting on 900614 in Bethesda, MD re calculational capabilities.
PLESSET, M.S. ACRS - Advisory Committee on Reactor Safeguards. 90/06/26. BECHNERT, P. ACRS - Advisory Committee on Reactor Safeguards. 1p. 54876:235-54876:235.

9008070258 Forwards list of requests made during ACRS 362nd meeting on 900607-09 re siting of nuclear power plants & emergency response data sys.
FRALEY, R.F. ACRS - Advisory Committee on Reactor Safeguards. 90/07/06. TAYLOR, J.M. Ofc of the Executive Director for Operations. 7pp. 54898:163-54898:169.

9008070313 Transcript of ACRS Subcommittee on Human Factors 900731 meeting in Bethesda, MD. Pp 1-238. Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 90/07/31. 309pp. 54859:058-54860:006.

9008130234 Transcript of ACRS AC/DC Power Sys Reliability Subcommittee 900808 meeting in Bethesda, MD. Pp 1-105. Viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. 90/08/08. 133pp. 54939:138-54939:270.

9008130235 Transcript of ACRS Improved LWRs Subcommittee 900808 meeting in Bethesda, MD. Pp 1-136. Viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. 90/08/08. 155pp. 54938:082-54938:236.

9008160110 Transcript of ACRS 364th meeting in Bethesda, MD. Pp 287-501. Related info encl.
* ACRS - Advisory Committee on Reactor Safeguards. 90/08/10. 272pp. 54966:144-54967:057.

9008160117 Transcript of ACRS 364th general meeting in Bethesda, MD on 900809. Pp 1-286. Related info encl.
* ACRS - Advisory Committee on Reactor Safeguards. 90/08/09. 397pp. 54967:058-54968:094.

9008170062 Forwards JM Taylor 900427 memo to Commission on NRC response to ACRS conclusions re evolutionary LWR certification issues to be added to PDR.
SHEA, P. NRC - No Detailed Affiliation Given. 90/07/25. LANHAM, M. NRC - No Detailed Affiliation Given. 1p. 54981:061-54981:069.

-9005100241 Forwards staff response to ACRS conclusions re evolutionary LWR certification issues.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/04/27. CARR, K.M. Commissioners (Post 750119). 8pp. 70273:026-70273:047.

9008200010 Summarizes ACRS 364th meeting on 900809-11 re level of detail required for design certification under 10CFR52.
MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 90/08/14. CARR, K.M. Commissioners (Post 750119). 3pp. 54991:335-54991:337.

9008200012 Summarizes ACRS 364th meeting on 900809-11 re proposed resolution of GSI B-56, "Diesel Generator Reliability."
MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 90/08/14. CARR, K.M. Commissioners (Post 750119). 3pp. 54993:213-54993:215.

9008210009 Summarizes ACRS 364th meeting on 900809-11 re Commission program of research concerning organizational factors.
MICHELSON, C. ACRS - Advisory Committee on Reactor Safeguards. 90/08/16. CARR, K.M. Commissioners (Post 750119). 3pp. 55000:027-55000:029.

ADVCM NRC ADVISORY COMMITTEE

9006260078 SECY-90-219 Requests Commission approval for proposed members of Nuclear Safety Research Review Committee.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/20. 8pp. 54957:001-54957:008.

9008010043 Submits potential questions re QA in high level waste program.
STEINDLER, M.J. Advisory Committee on Nuclear Waste. HLWR. 90/07/12. ABRAMS, C. Advisory Committee on Nuclear Waste. 2pp. 54770:067-54770:068.

9008030017 Transcript of 22nd ACNW meeting on 900731 in Bethesda, MD. Pp 225-300. Supporting documentation encl.
* Advisory Committee on Nuclear Waste. 90/07/31. 98pp. 54851:010-54851:111.

9008030018 Transcript of 22nd ACNW meeting on 900730 in Bethesda, MD. Pp 1-224. Supporting info encl.
* Advisory Committee on Nuclear Waste. 90/07/30. 264pp. 54841:253-54842:158.

9008090119 Forwards certified minutes of Special Committee to Review Severe Accident Risks Rept meeting on 900613-14.
BARTLETT, C.B. NRC - No Detailed Affiliation Given. 90/08/03. HOYLE, J.C. Advisory Committee on Nuclear Waste. 1p. 54919:301-54921:046.

-9008090122 Forwards transcript of 900613-14 meeting in Gaithersburg, MD re special committee to review severe accident risk rept, peer review for NUREG-1150 fourth formal meeting.
WEEKS, J.R. Brookhaven National Laboratory. 90/07/25. BARTLETT, C.B. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 54919:302-54919:302.

-9008090124 Transcript of 900613-14 meeting in Gaithersburg, MD re special committee to review severe accident risk rept, peer review for NUREG-1150 fourth formal meeting. Pp 1-274.
* Brookhaven National Laboratory. 90/06/13. 274pp. 54919:303-54920:216.

-9008090126 Transcript of 900614 meeting in Gaithersburg, MD re special committee to review severe accident risk rept, peer review committee for NUREG-1150 fourth formal meeting. Pp 1-189.
* Brookhaven National Laboratory. 90/06/14. 189pp. 54920:217-54921:046.

9008100173 Summarizes ACNW 22nd meeting on 900730-31 to review plans for de-commissioning plant, per 891018 ltr.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 90/08/03. CARR, K.M. Commissioners (Post 750119). 3pp. 54963:018-54963:020.

9008130126 Discusses NRC approach for dealing w/uncertainties in implementing EPA high level waste std. NRC approach inadequate. Comments encl.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 90/08/03. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 54957:080-54957:082.

9008150191 Forwards listed documents re proposed rev of interim topical guidelines for LSS, including draft reg guide topical guidelines for LSS. Draft reg guide should be reviewed for discussion during Oct meeting.
HOYLE, J.C. Licensing Support System Advisory Review Panel (LSSARP). 90/08/07. CERNY, B. Energy, Dept. of. 4pp. 54966:070-54966:073.

9008150258 Forwards transcript of 900607 LSS Advisory Review Panel meeting in Bethesda, MD.
HOYLE, J.C. Licensing Support System Advisory Review Panel (LSSARP). 90/08/07. CERNY, B. Energy, Dept. of. 6pp. 54965:279-54966:059.

-9008150262 Transcript of 900607 LSS Advisory Review Panel meeting in Bethesda, MD. Pp 1-88. Supporting documentation encl.
* Licensing Support System Advisory Review Panel (LSSARP). 90/06/07. 135pp. 54965:285-54966:059.

9008170174 Forwards 900813 ltr to DOE re proposal to defer LSS development.
HOYLE, J.C. Licensing Support System Advisory Review Panel (LSSARP). 90/08/13. CERNY, B. Energy, Dept. of. 4pp. 54981:110-54981:117.

-9008170175 Responds to 900720 ltr re LSS development schedule concerning decision to stop work on LSS in FY91 & FY92.
DONNELLY, L.J. Office of Licensing Support System Administrator (Post 890301). 90/08/13. BARTLETT, J.W. Energy, Dept. of. 4pp. 54981:114-54981:117.

COMMISSION NRC COMMISSIONERS

9006210459 Notation vote approving w/comments re SECY-90-139, "Response to Westinghouse on Design Certification for AP600."
CURTISS, Commissioners (Post 750119). 90/04/25. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 54871:152-54871:156.

9007180302 Ack receipt of 900615 ltr re position taken by Low Level Radwaste Forum on need for uniform manifest for low level radwaste transport. Agrees to advantages of uniform manifest & personally supports concept.
CARR, K.M. Commissioners (Post 750119). 90/07/16. GRIEPPENTROG, J. Afton Associates, Inc. 1p. 54737:320-54737:322.

-9007270174 Advises of 900426 low level radwaste forum unanimous endorsement of development & implementation by NRC of uniform manifest for low level radwaste transport.
GRIEPPENTROG, J. Afton Associates, Inc. 90/06/15. CARR, K. Commissioners (Post 750119). 2pp. 54737:321-54737:322.

9007270142 Provides info certifying procurement contracts as only federal benefits associated w/NRC activities under Anti-Drug Abuse Act of 1988.
CARR, K.M. Commissioners (Post 750119). 90/07/18. BENNETT, W.J. President of U.S. & Executive Offices. 1p. 54727:333-54727:344.

-9007270143 Requests certification re federal benefits denied under Anti-Drug Abuse Act of 1988 & advises that procedure for notifying applicants of cause for denial of benefits be developed.
BENNETT, W.J. President of U.S. & Executive Offices. 90/06/28. CARR, K. Commissioners (Post 750119). 11pp. 54727:334-54727:344.

9007270146 Discusses Congressional inquiry on below regulatory issue.
ROGERS, K.C. Commissioners (Post 750119). 90/07/03. NRC - No Detailed Affiliation Given. 6pp. 54727:252-54727:266.

9007270164 Responds to 900519 ltr re relationship of mgt & organization effectiveness to nuclear power plant safety performance. Appreciates observations re NRC diagnostic evaluation & special team insp repts.
CARR, K.M. Commissioners (Post 750119). 90/07/16. WAGNER, R. Affiliation Not Assigned. 5pp. 54739:034-54739:040.

-9007270166 Comments in support of NRC diagnostic & insp repts.
WAGNER, R. Affiliation Not Assigned. 90/05/19. CARR, K.M. Commissioners (Post 750119). 2pp. 54739:039-54739:040.

9007270169 Responds to 900605 ltr expressing opposition to proposed closure of U Recovery Field Ofc in Denver, CO. Although ofc will remain open, decision may need to be reconsidered at future time as budget & workload considerations warrant.
CARR, K.M. Commissioners (Post 750119). 90/07/20. WALLOP, M. Senate. 1p. 54733:327-54733:328.

- 9007270171 Expresses opposition to proposed closure of Denver U Recovery Field ofc as part of reorganization of NRC.Closing ofc will create delays in processing licenses & loss of continuity w/experienced personnel now staffing ofc. WALLOP,M. Senate. 90/06/05. CARR,K.M. Commissioners (Post 750119). 1p. 54733:328-54733:328.
- 9007270175 Responds to 900703 ltr expressing opposition to proposed closure of NRC U Recovery Field Ofc in Denver,CO.Although ofc will remain open,decision may need to be reconsidered at future time as budget & workload considerations warrant. CARR,K.M. Commissioners (Post 750119). 90/07/20. SIMPSON,A.K. Senate. 1p. 54733:326-54733:326.
- 9007270178 Expresses total opposition to proposal to close Denver U Recovery Field ofc as part of reorganization of NRC.Urges that NRC carefully consider any decisions re closure of ofc. SIMPSON,A.K. Senate. 90/07/03. CARR,K.M. Commissioners (Post 750119). 1p. 54733:326-54733:326.
- 9007270180 Responds to 900621 ltr expressing opposition to proposed closure of U Recovery Field Ofc in Denver,CO.Commission considered such proposal in late June 1990 but decided not to initiate action at present time. CARR,K.M. Commissioners (Post 750119). 90/07/20. SULLIVAN,M. Wyoming, State of. 1p. 54739:029-54739:030.
- 9007270183 Expresses opposition to proposed closure of U Recovery Field Ofc in Denver,CO due to NRC reorganization.Industry struggling & does not need to have licensing work made more difficult.Ofc should be maintained as is. SULLIVAN,M. Wyoming, State of. 90/06/21. CARR,K. Commissioners (Post 750119). 1p. 54739:030-54739:030.
- 9007270187 Responds to 900706 ltr expressing opposition to proposed closure of U Recovery Field Ofc.Commission will not initiate such action. CARR,K.M. Commissioners (Post 750119). 90/07/20. CARRUTHERS,G. New Mexico, State of. 1p. 54739:031-54739:033.
- 9007270189 Expresses concerns re NRC proposal to close Denver U recovery field ofc & relocate certain licensing & insp functions of that ofc. CARRUTHERS,G. New Mexico, State of. 90/07/06. CARR,K. Commissioners (Post 750119). 2pp. 54739:032-54739:033.
- 9007270191 Responds to 900710 ltr expressing opposition to proposed closure of U recovery field ofc in Denver.Commission decided not to initiate such action. CARR,K.M. Commissioners (Post 750119). 90/07/20. LARSON,R.G. Uranium Resources, Inc. 1p. 54739:041-54739:042.
- 9007270193 Expresses concern w/Commissioners proposal to breakup U recovery field ofc in Dec 1990. LARSON,R.G. Uranium Resources, Inc. 90/07/10. CARR,K.M. Commissioners (Post 750119). 1p. 54739:042-54739:042.
- 9007270195 Responds to 900710 ltr expressing opposition to proposed closure of U Recovery Field Ofc in Denver,CO.Ofc will remain open but NRC may need to reconsider decision made in late June 1990 at some future time as budget & workload warrants. CARR,K.M. Commissioners (Post 750119). 90/07/20. GRANDEY,G.W. American Mining Congress. 1p. 54739:001-54739:003.
- 9007270196 Expresses strong objections to removal or dismantling of U Recovery Field Ofc in Denver,CO.Urges Commission not to close ofc given stringent nature of controls governing operations final closure & associated costs. GRANDEY,G.W. American Mining Congress. 90/07/10. CARR,K.M. Commissioners (Post 750119). 2pp. 54739:002-54739:003.
- 9007270197 Forwards response to 900710 questions re below regulatory concern policy as background for 900726 subcommittee hearing.Below regulatory concern policy provides basis for consistent exemption decisions. CARR,K.M. Commissioners (Post 750119). 90/07/20. MILLER,G. House of Rep., Interior & Insular Affairs. 26pp. 55002:107-55002:107.
- 9007270198 Requests info re matters to be addressed at 900726 hearing before Subcommittee on Energy & Environ.Listed info should be provided no later than 900720. MILLER,G. House of Rep., Interior & Insular Affairs. 90/07/10. CARR,K. Commissioners (Post 750119). 4pp. 54738:082-54738:085.
- 9008140130 KM Carr response to G Miller Subcommittee on Energy & Environ Question 1 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 2pp. 55002:108-55002:109.
- 9008140133 KM Carr response to G Miller Subcommittee on Energy & Environ Question 2 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:110-55002:110.
- 9008140137 KM Carr response to G Miller Subcommittee on Energy & Environ Question 3 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:111-55002:111.
- 9008140138 KM Carr response to G Miller Subcommittee on Energy & Environ Question 4 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:112-55002:112.
- 9008140139 KM Carr response to G Miller Subcommittee on Energy & Environ Question 5 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:113-55002:113.
- 9008140142 KM Carr response to G Miller Subcommittee on Energy & Environ Question 6 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:114-55002:114.
- 9008140143 KM Carr response to G Miller Subcommittee on Energy & Environ Question 7 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:115-55002:115.
- 9008140144 KM Carr response to G Miller Subcommittee on Energy & Environ Question 8 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:116-55002:116.
- 9008140146 KM Carr response to G Miller Subcommittee on Energy & Environ Question 9 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:117-55002:117.
- 9008140147 KM Carr response to G Miller Subcommittee on Energy & Environ Questions 10 & 11 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 4pp. 55002:118-55002:121.
- 9008140148 KM Carr response to G Miller Subcommittee on Energy & Environ Question 12 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 1p. 55002:122-55002:122.
- 9008140150 KM Carr response to G Miller Subcommittee on Energy & Environ Question 13 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 2pp. 55002:123-55002:124.
- 9008140152 KM Carr response to G Miller Subcommittee on Energy & Environ Question 14 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 6pp. 55002:125-55002:130.
- 9008140155 KM Carr response to G Miller Subcommittee on Energy & Environ Question 15 for 900726 hearing. CARR,K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER,G. House of Rep., Interior & Insular Affairs. 2pp. 55002:131-55002:136.
- 9007270199 Forwards NRC Ofc of Inspector General semiannual rept for Oct 1989 - Mar 1990.Senate Committee on Governmental Affairs suggested that NRC chairman expand comments to address in Section 5b of Inspector General Act. CURTISS,J.R. Commissioners (Post 750119). 90/07/11. GRAHAM,B. Senate, Environment & Public Works. JOHNSTON,J.B. Senate, Appropriations. BEVILL,T. House of Rep., Appropriations. 2pp. 54739:023-54739:028.
- 9007270201 Forwards NRC Ofc of Inspector General semiannual rept for 891001-900331.Staff suggested that NRC chairman expand comments to address matters specified in Section 5b of Inspector General Act. CURTISS,J.R. Commissioners (Post 750119). 90/07/11. GLENN,J. Senate, Governmental Affairs. 4pp. 54739:025-54739:028.
- 9007270202 Responds to 900604 ltr re basis for Commission statement on long-term,onsite storage of low level waste beyond 900101.Commission will continue to follow progress of states in developing new low level waste disposal facilities. CARR,K.M. Commissioners (Post 750119). 90/07/20. MONACO,C. Cortlandt, NY. 2pp. 54738:008-54738:011.
- 9007270204 Comments on S.1630 & H.R.3030 re radionuclide emissions from NRC licensed facilities.Advises that waste of govt resources to compel agency to regulate emissions already regulated adequately by sister agency. CARR,K.M. Commissioners (Post 750119). 90/07/20. SIMPSON,A.K., BURDICK,Q.N., MITCHELL,G.J. Senate. 67pp. 54734:093-54734:165.
- 9007300037 Weekly info rept for wk ending 900720. BLAHA,J.L. Assistant for Operations (Post 890205). 90/07/26. 40pp. 54745:298-54745:337.
- 9008010020 Affirmation vote response sheet approving SECY-90-193, "Interim Final Rule to Amend 10CFR30 & 35," subj to editing as indicated on encls. ROGERS,K.C. Commissioners (Post 750119). 90/06/20. CHILK,S.J. Office of the Secretary of the Commission. 11pp. 54805:298-54805:308.
- 9008010217 Notation vote response sheet approving SECY-90-169 re modified enforcement policy for hot particle exposures to incorporate recommendations made to NCRP Rept 102,per encl comments. ROGERS,K.C. Commissioners (Post 750119). 90/06/25. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 54817:353-54817:354.
- 9008010221 Disapproved ballot w/comments re SECY-90-169 on modified enforcement policy for hot particle exposures. CURTISS,J.R. Commissioners (Post 750119). 90/06/29. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 54793:315-54793:316.
- 9008010222 Approved ballot w/comments re SECY-90-178 on final rule "Storage of Spent Nuclear Fuel in NRC Approved Storage Casks at Nuclear Power Reactor Sites" & conforming amends to 10CFR50 & 170. CURTISS,J.R. Commissioners (Post 750119). 90/05/30. CHILK,S.J. Office of the Secretary of the Commission. 7pp. 54793:331-54793:337.
- 9008010259 Responds to 900604 ltr requesting info on justification for Commission view described in staff 900503 ltr.Long-term storage should not be considered substitute for development of new disposal facility. CARR,K.M. Commissioners (Post 750119). IEIN-90-009. 90/07/20. MONACO,C. New York, State of. 6pp. 54791:072-54791:079.
- 9008010260 Voices strong opposition to NRC 900503 memo re storage of low level radwaste (SP-90-80).Author would appreciate receipt of any matts that provide technical or regulatory justification for policies stated in 900503 memo. MONACO,C.M. New York, State of. IEIN-90-009. 90/06/04. CARR,K. Commissioners (Post 750119). 2pp. 54791:078-54791:079.
- 9008020097 Approved ballot w/comments re SECY-90-193 on interim final rule to amend 10CFR30 & 35. CURTISS,J.R. Commissioners (Post 750119). 90/07/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54805:360-54805:360.

198 NONDOCKETED ITEMS

- 9008020187 Ack receipt of 900629 response to assessment of State of NE radiation control program. NRC will work w/Dept of Health & Dept of Environ Control to determine status of interrelated agreement. matis program in State of NE. CARR,K.M. Commissioners (Post 750119). 90/07/30. CARR,K.A. Nebraska, State of. 3pp. 54819:358-54819:360.
- 9008030150 Responds to 900508 ltr which forwarded concerns raised by Retire Nine Mile One group re roles of NRC & INPO. Restart of plant will not be permitted until Commission fully satisfied that plant can operate safely. ROGERS,K.C. Commissioners (Post 750119). 90/07/26. D'AMATO,A.M. Senate. WALSH,J.T. House of Rep. 4pp. 54957:083-54957:112.
- 9008030153 Responds to 900507 ltr forwarding concerns raised by Retire Nine Mile One re roles of NRC & INPO in evaluating safety of plant. Restart of plant will not be permitted until Commission fully satisfied that plant can operate safely. ROGERS,K.C. Commissioners (Post 750119). 90/07/26. HORTON,F. House of Rep. 2pp. 54957:087-54957:088.
- 9008030155 Forwards Retire Nine Mile One 900430 ltr expressing concern about role of INPO & NRC in plant operation for comments. HORTON,F. House of Rep. 90/05/07. ZECH,L. Commissioners (Post 750119). 3pp. 54957:089-54957:091.
- 9008030157 Requests response & addl info re points raised by encl Retire Nine Mile One 900430 ltr including role played by INPO in regulation of nuclear power plants. WALSH,J.T. House of Rep. 90/05/08. CARR,K.M. Commissioners (Post 750119). 3pp. 54957:092-54957:094.
- 9008030161 Requests findings & views on encl Retire Nine Mile One 900430 ltr raising concern about role played by INPO in regulation of nuclear power plants. D'AMATO,A.M. Senate. 90/05/08. NRC - No Detailed Affiliation Given. 3pp. 54957:095-54957:112.
- 9008030368 Responds to 900522 ltr expressing concern re NRC handling of proprietary documents & INPO repts. NRC reviews conducted to ensure that INPO repts do not contain any significant adverse safety info not previously revealed by insp program. CARR,K.M. Commissioners (Post 750119). 90/07/31. OCHS,R. Maryland Safe Energy Coalition. 7pp. 54980:348-54981:009.
- 9008030371 Protests secrecy which prevents citizens & ratepayers from informed participation in public policy re nuclear power. Authors of agreement w/R Nader that NRC must make INPO secret repts public knowledge. OCHS,R. Maryland Safe Energy Coalition. 90/05/22. CARR,K.M. Commissioners (Post 750119). 1p. 54981:009-54981:009.
- 9008060021 Weekly info rept for wk ending 900727. BLAHA,J.L. Assistant for Operations (Post 890205). 90/08/01. 47pp. 54889:275-54889:321.
- 9008060070 Final response to FOIA request. App C records end & available in PDR. App D records withheld in entirety (ref FOIA Exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. SNYDER,P.M. Snyder, P.M. 4pp. 54837:034-54837:062.
- 9008060074 Affirmation vote approving & partly disapproving SECY 89-17 re review of existing regulatory requirements for extended interim storage of low level radwaste. CARR,K.M. Commissioners (Post 750119). 89/05/26. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 54837:055-54837:056.
- 9008060077 Affirmation vote approving & disapproving in part SECY 89-177 re review of existing regulatory requirements for extended interim storage of low level radwaste. CURTISS,J.R. Commissioners (Post 750119). 89/06/26. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54837:057-54837:057.
- 9008060078 Advises that Commission has approved proposed development of guidance on extended interim storage of low level waste. CHILK,S.J. Office of the Secretary of the Commission. 89/07/06. STELLO,V. Ofc of the Executive Director for Operations. 1p. 54837:058-54837:058.
- 9008060082 Forwards draft staff requirements memos for 900117 meeting re briefing on governors certification of low level waste sites. CHILK,S.J. Office of the Secretary of the Commission. 90/01/24. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 4pp. 54837:059-54837:062.
- 9008060368 Notation vote approving/disapproving in part SECY-90-192 re individual plant exam for severe accident vulnerabilities due to external events. REMICK Commissioners (Post 750119). 90/06/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 54876:294-54876:295.
- 9008060383 Notation vote approving/disapproving in part on SECY-90-192 re individual plant exam for severe accident vulnerabilities due to external events. CURTISS,J.R. Commissioners (Post 750119). 90/06/25. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 54876:239-54876:240.
- 9008060391 Notation vote approving w/comments on SECY-90-192 re individual plant exam for severe accident vulnerabilities due to external events. ROGERS,K.C. Commissioners (Post 750119). 90/06/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54877:031-54877:031.
- 9008070013 SECY-90-244 Weekly info rept for wk ending 900706. BLAHA,J.L. Ofc of the Executive Director for Operations. 90/07/12. 39pp. 54897:174-54897:212.
- 9008070028 Approved ballot re SECY-90-219, "Additions to Nuclear Safety Research Review Committee." ROGERS,K.C. Commissioners (Post 750119). 90/06/25. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54897:136-54897:136.
- 9008070032 Approved ballot re SECY-90-219 concerning additions to Nuclear Safety Research Review Committee. CURTISS,J.R. Commissioners (Post 750119). 90/06/26. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54897:138-54897:138.
- 9008080303 Responds to 900705 ltr re interaction of NRC w/util to facilitate expeditious closure of plant. NRC continuing to work expeditiously on number of other requests from util. Prioritization schedule developed for pending applications. CARR,K.M. Commissioners (Post 750119). 90/08/03. FAZIO,V. House of Rep. 5pp. 54931:232-54931:238.
- 9008080305 Extends appreciation to NRC in support of activities necessary to expeditiously close Rancho Seco Nuclear Generating Station. FAZIO,V. House of Rep. 90/07/05. CARR,K.M. Commissioners (Post 750119). 2pp. 54931:237-54931:238.
- 9008090075 Weekly info rept for wk ending 900803. BLAHA,J.L. Assistant for Operations (Post 890205). 90/08/08. 37pp. 54922:106-54922:143.
- 9008140088 Responds to 900508 ltr re retire Nine Mile One concerns related to NRC & INPO in evaluating safety of facility. NRC will review licensee assessment of readiness for restart & results of preoperational test program before plant restart. ROGERS,K.C. Commissioners (Post 750119). 90/07/26. D'AMATO,A.M. Senate. 4pp. 54944:114-54944:143.
- 9008140126 Approved ballot re SECY-90-217 on GE request for specific exemptions under 10CFR50 & 70. CARR,K.M. Commissioners (Post 750119). 90/07/16. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54955:207-54955:207.
- 9008140128 Approved ballot re SECY-90-217 on GE request for specific exemptions under 10CFR50 & 70. ROGERS,K.C. Commissioners (Post 750119). 90/07/19. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54962:051-54962:051.
- 9008140131 Disapproved ballot w/comments re SECY-90-217 on GE request for specific exemptions under 10CFR50 & 70. CURTISS,J.R. Commissioners (Post 750119). 90/07/19. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 54962:001-54962:003.
- 9008140153 Approved ballot w/comments re SECY-89-370, "Modified Policy for Hot Particle Exposures." CURTISS Commissioners (Post 750119). 90/01/30. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 54961:243-54961:244.
- 9008140181 SECY-90-263 Weekly info rept for wk ending 900720. BLAHA,J.L. Assistant for Operations (Post 890205). 90/07/26. 40pp. 54955:157-54955:196.
- 9008150031 Notifies that Commission agreed to phase-out of ASLAP. Forwards staff requirements memo which provides background for & description of process by which panel will be abolished. ROGERS,K.C. Commissioners (Post 750119). CCS. 90/07/03. FOLEY,T.S. House of Rep. QUAYLE,J.D. Senate. 2pp. 54956:329-54956:336.
- 9008150185 Responds to 900709 ltr forwarding correspondence from BL Boxer & LE Panetta re seismic safety of plant. NRC will complete review of plant seismic reevaluation program & will document findings in SER. REMICK,F.J. Commissioners (Post 750119). 90/08/10. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 55059:330-55059:333.
- 9008150187 Forwards 900601 ltr from B Boxer & LE Panetta re seismic issues at plant. DINGELL,J.D. House of Rep., Energy & Commerce. 90/07/09. CARR,K.M. Commissioners (Post 750119). 3pp. 55059:331-55059:333.
- 9008150297 Ack receipt of 900706 ltr inviting NRC to become associate member of Committee on Earth Sciences (CES). Expresses appreciation for opportunity to participate in CES as associate member. CARR,K.M. Commissioners (Post 750119). 90/08/03. PECK,D.L. Interior, Dept. of, Geological Survey. 1p. 54972:001-54972:012.
- 9008150299 Extends invitation to NRC to join Committee on Earth Sciences as associate member. Requests info re representatives to full & subcommittees. PECK,D.L. Interior, Dept. of, Geological Survey. 90/07/06. CARR,K.M. Commissioners (Post 750119). 11pp. 54972:002-54972:012.
- 9008160019 Forwards NUREG-0090, Vol 13, No 1, "Rept to Congress on AOs: Jan-Mar 1990." Ten AOs noted for reporting period. One involved loss of vital ac power & subsequent temp increase in RCS at unit during shutdown. CARR,K.M. Commissioners (Post 750119). 90/08/03. FOLEY,T.S. House of Rep. QUAYLE,J.D. Senate, President of the Senate. 44pp. 54992:195-54992:234.
- 9008160171 Weekly info rept for wk ending 900810. BLAHA,J.L. Assistant for Operations (Post 890205). 90/08/15. 41pp. 54995:222-54995:262.
- 9008170163 Forwards NRC quarterly status rept on licensing schedules, covering Second Quarter CY90. REMICK,F.J. Commissioners (Post 750119). 90/08/09. BEVILL,T. House of Rep., Appropriations. 4pp. 55059:334-55059:337.
- 9008210011 Responds to 900713 ltr expressing concern re statement in NRC final reg guide, "Assuring Availability of Funds for Decommissioning Nuclear Reactors." NRC guideline correctly interprets Atomic Energy Act of 1954. CARR,K.M. Commissioners (Post 750119). 90/08/15. CRANE,P.M., FLIPPO,R.G., SCHULZE,R.T. House of Rep. 6pp. 55003:192-55003:199.
- 9008210012 Expresses concern w/NRC recommendation in Section 2.2.5 in NRC proposed final reg guide re decommissioning financial assurance for power reactor licensees. Urges that final version of guide accurately reflect congressional intent. CRANE,P.M., SCHULZE,R.T., FLIPPO,R.G. House of Rep. 90/07/10. CARR,K.M. Commissioners (Post 750119). 2pp. 55003:198-55003:199.
- 9008210016 Responds to 900626 ltr re statement in NRC final reg guide on assuring availability of funds for decommissioning. Funding regulations impose requirements concerning funds needed for safe removal of reactor from svc. CARR,K.M. Commissioners (Post 750119). 90/08/15. HANSEN,J.V. House of Rep. 2pp. 55000:033-55000:036.
- 9008210019 Expresses concern re NRC final reg guide on decommissioning financial assurance for power reactor licensees. Guideline not in keeping w/revs in Internal Revenue Code by Congress in 1984. HANSEN,J.V. House of Rep. 90/06/26. CARR,K.M. Commissioners (Post 750119). 2pp. 55000:035-55000:036.

9008210021 Responds to 900627 ltr re statement in NRC final reg guide on assuring availability of funds for decommissioning. Proposed rule modified to eliminate internal reserve as possible method of providing funds for decommissioning. CARR,K.M. Commissioners (Post 750119). 90/08/15. LENT,N.F. House of Rep. 2pp. 55000:226-55000:230.

-9008210022 Discusses NRC final reg guide re decommissioning financial assurance for power reactor licensees. Urges that reg guide be revised or clarified to recognize & accurately reflect congressional intent on matter. LENT,N.F. House of Rep. 90/06/27. CARR,K.M. Commissioners (Post 750119). 3pp. 55000:228-55000:230.

9008210023 Responds to 900718 ltr expressing concern re statement in NRC final reg guide on assuring availability of funds for decommissioning nuclear reactors. NRC believes that guideline correctly interprets Atomic Energy Act of 1954. CARR,K.M. Commissioners (Post 750119). 90/08/15. YOUNG,D. House of Rep. 2pp. 55000:252-55000:256.

-9008210025 Expresses concern re statement in NRC final reg guide concerning decommissioning financial assurance for power reactor licensees. Reg guide should be revised or clarified to accurately reflect congressional intent on matter. YOUNG,D. House of Rep. 90/07/18. CARR,K.M. Commissioners (Post 750119). 3pp. 55000:254-55000:256.

9008210028 Advises of nomination of PG Norry for GSA 1990 Excellence Administration Award. REMICK,F.J. Commissioners (Post 750119). 90/08/09. BAWDEN,C. General Services Administration. 6pp. 55000:220-55000:225.

9008210034 Responds to 900716 ltr re statement in NRC final reg guide on availability of funds for decommissioning. NRC guideline correctly interprets Atomic Energy Act of 1954. CARR,K.M. Commissioners (Post 750119). 90/08/15. MCGRATH,R.J. House of Rep. 2pp. 55003:226-55003:228.

-9008210035 Comments on pending issue re adequate funds exist to meet expenses of decommissioning nuclear power plants. Conflict developed between NRC guideline & intent of Congress in enacting two provisions of Internal Revenue Code. MCGRATH,R.J. House of Rep. 90/07/16. CARR,K.M. Commissioners (Post 750119). 1p. 55003:228-55003:228.

9008210036 Responds to 900718 ltr expressing concern re statement in NRC final reg guide on assuring availability of funds for decommissioning nuclear reactors. NRC believes that guideline correctly interprets Atomic Energy Act of 1954. CARR,K.M. Commissioners (Post 750119). 90/08/15. DONNELLY,B. House of Rep. 2pp. 55000:231-55000:234.

-9008210037 Expresses concern re statement in NRC final reg guide concerning decommissioning financial assurance for power reactor licensees. NRC should revise or clarify reg guide to conform w/ Congressional intent in enacting 1984 provisions. DONNELLY,B. House of Rep. 90/07/18. CARR,K.M. Commissioners (Post 750119). 2pp. 55000:233-55000:234.

9008210040 Responds to 900720 ltr re statement in NRC final reg guide on availability of funds for decommissioning. NRC correctly interprets Atomic Energy & Energy Reorganization Acts of 1954, as amended 1974 & decommissioning funding regulations. CARR,K.M. Commissioners (Post 750119). 90/08/15. CONTE,S.O. House of Rep. 2pp. 55003:030-55003:034.

-9008210041 Urges that reg guide re decommissioning financial assurance for power reactor licensees be revised or clarified to recognize & accurately reflect congressional intent on matter. CONTE,S.O. House of Rep. 90/07/20. CARR,K.M. Commissioners (Post 750119). 3pp. 55003:032-55003:034.

9008210049 Responds to 900627 ltr expressing concern re recently issued below regulatory concern policy statement. Policy will assist both federal & state authorities to focus limited radiation protection resources on risks of greater concern. REMICK,F.J. Commissioners (Post 750119). 90/08/09. KERREY,J.R., EXON,J.J. Senate. 4pp. 55000:119-55000:124.

-9008210052 Expresses concern re below regulatory concern rule. Decision to deregulate category of radwaste will pose difficulty to adequately oversee & control matls being sent to community landfills. KERREY,J.R., EXON,J.J. Senate. 90/06/27. CARR,K.M. Commissioners (Post 750119). 2pp. 55000:123-55000:124.

9008210054 Responds to 900619 request for info re NRC process for evaluating safety concerns raised by licensee employees, discriminatory employment practices & assertions made against NRC employees. REMICK,F.J. Commissioners (Post 750119). IEB-90-001. 90/08/10. REID,H. Senate. 3pp. 55004:106-55004:166.

-9008210058 Requests response to encl questions re NRC process for evaluating safety concerns raised by licensee employees & NRC perspective on adequacy of agency procedures & other controls that ensure vitality of insp process. REID,H. Senate. 90/06/19. CARR,K.M. Commissioners (Post 750119). 58pp. 55004:109-55004:166.

9008210065 Responds to 900601 ltr expressing opposition to NRC proposed deregulation of certain low level radwastes classification of "Below Regulatory Concern." NRC actions consistent w/ other Federal agencies. REMICK,F.J. Commissioners (Post 750119). 53FR49886. 90/08/10. SCHNEIDER,C. House of Rep. 11pp. 55004:068-55004:080.

-9008210066 Expresses strong opposition to NRC proposed deregulation of low level radwastes to "Below Regulatory Concern (BRC)." Urges Commission to forego any policies that would downgrade low level radwastes to BRC status. SCHNEIDER,C. House of Rep. 53FR49886. 90/06/01. CARR,K. Commissioners (Post 750119). 2pp. 55004:079-55004:080.

9008220105 Approved ballot re SECY-90-233, "Proposed Retransfer of Pu From France to Switzerland." CURTISS,J.R. Commissioners (Post 750119). 90/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 55005:165-55005:165.

9008220106 Approved ballot re SECY-90-233, "Proposed Retransfer of Pu From France to Switzerland." ROGERS,K.C. Commissioners (Post 750119). 90/07/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 55006:344-55006:344.

9008240136 Weekly info rept for wk ending 900817. BLAHA,J.L. Assistant for Operations (Post 890205). 90/08/22. 36pp. 55023:322-55023:357.

9008270082 SECY-90-267 Weekly info rept for wk ending 900727. BLAHA,J.L. Ofc of the Executive Director for Operations. 90/08/01. 47pp. 55018:086-55018:132.

9008280259 Nominates K Powell as NRC participant in Fall 1990 Loaned Executive Program, in response to 900709 ltr. CARR,K.M. Commissioners (Post 750119). 90/08/14. COOKE,D.O. Defense, Dept. of. 1p. 55041:224-55041:228.

-9008280260 Requests nomination of individual for loaned executive program for 1990. Program begins 900813 & ends 901214. Qualification requirements for nomination encl. COOKE,D.O. Defense, Dept. of. 90/07/09. CARR,K.M. Commissioners (Post 750119). 4pp. 55041:225-55041:228.

9008280261 Nominates JA Amenta for Fourth Awards for Achievement in Managing Info Technology. Amenta made outstanding contributions to development of NRC automated info network. Nomination statement encl. CARR,K.M. Commissioners (Post 750119). 90/08/15. DODSON,J. American Management Systems, Inc. 5pp. 55042:015-55042:022.

-9008280262 Requests nomination of individual for Fourth Awards for Achievement in Managing Info Technology. Awards provide special recognition to senior executives & pros who have made significant contributions to organizations. BAILEY,E.E., FOSSOTTI,C.O. American Management Systems, Inc. 90/05/07. CARR,K.M. Commissioners (Post 750119). 3pp. 55042:020-55042:022.

9008280264 Forwards NRC quarterly rept on nondisclosure of safeguards info, for quarter ending 900630, per provisions of Section 147 of Atomic Energy Act of 1954, as amended. CARR,K.M. Commissioners (Post 750119). 90/08/15. QUAYLE,J.D. Senate, President of the Senate. FOLEY,T.S. House of Rep., Speaker of the House. 5pp. 55045:318-55045:322.

9008280266 Nominates T Murley for Senior Executive Assoc/Prof Development League Distinguished Executive Svc Award. Nomination statement encl. CARR,K.M. Commissioners (Post 750119). 90/08/15. BONOSARQ,C.A. Senior Executives Association/Professional Development League. 9pp. 55045:295-55045:317.

-9008280268 Nominates KE Perkins for Senior Executives Assoc/Prof Development League Executive Achievement Award. Nomination statement encl. CARR,K.M. Commissioners (Post 750119). 90/08/15. BONOSARQ,C.A. Senior Executives Association/Professional Development League. 7pp. 55045:304-55045:310.

-9008280269 Announces sixth annual Executive Excellence Awards program. Nominations for categories of executive achievement & distinguished executive svc should be received by C.O.B. 900631. BONOSARQ,C.A. Senior Executives Association/Professional Development League. 90/05/30. CARR,K. Commissioners (Post 750119). 6pp. 55045:311-55045:317.

9008280271 Ack receipt of 900618 request for temporary assignment of J Peshel to Czechoslovak Atomic Energy Commission for 4 months to provide advice on high level nuclear waste repositories. Peshel available for 2-wk period as of 900831. CARR,K.M. Commissioners (Post 750119). 90/08/17. WAGNER,K. Czechoslovakia, Govt. of. 1p. 55045:263-55045:265.

-9008280272 Requests temporary assignment of J Peshel of NRC to Czechoslovak Atomic Energy Commission to provide advice on regulatory aspects of high level nuclear waste repositories. WAGNER,K. Czechoslovakia, Govt. of. 90/06/18. CARR,K.M. Commissioners (Post 750119). 2pp. 55045:264-55045:265.

9008280357 Responds to 900716 ltr re NRC actions on certification of advanced LWRs & support for DOE natl planning efforts related to nuclear energy. CARR,K.M. Commissioners (Post 750119). 90/08/17. YOUNG,W.H. Energy, Dept. of. 2pp. 55044:190-55044:195.

-9008280361 Discusses DOE reviews re prospective need dates for operation of new nuclear power plants. YOUNG,W.H. Energy, Dept. of. 90/07/16. CARR,K.M. Commissioners (Post 750119). 4pp. 55044:192-55044:195.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9008010107 Notification of contract execution, Mod 6, Task Order 4, to Contract: "NRC Sys Data Entry Task: Data Entry for General License Data Base." Contractor: SBA Subcontractor: Data Computer Corp of America. KNOX-DAVIN,E. Contract Administration Branch (890205-900602). FIN D-1920. NRC-39-89-133. 90/07/26. NORRY,P.G. Office of Information Resources Management (Post 890205). DOLLECK,A. NRC - No Detailed Affiliation Given. 1p. 54817:324-54817:324.

9008010148 Notification of contract execution, Mod 3, to "Development of Data Base of Validation of Flow Transport Models on Unsaturated Soils." Contractor: Arizona Board of Regents, Univ of Arizona. MEEHAN,B. Contract Administration Branch (890205-900602). NRC-04-90-058. 90/07/25. SHAO,L.C. Division of Engineering (Post 870413). CADY,R. NRC - No Detailed Affiliation Given. 1p. 54788:342-54788:344.

-9008010151 Mod 3, changing project officer, to "Development of Data Base of Validation of Flow Transport Models on Unsaturated Soils." * Arizona, Univ. of, Tucson, AZ. HAGAN,T.F. Division of Contracts & Property Management (Post 890205). NRC-04-90-058. 90/07/25. 2pp. 54788:343-54788:344.

200 NONDOCKETED ITEMS

- 9008020270** Notification of contract execution of Task Order 11 to "ADP Planning, Requirements Analyses & Preliminary Design Studies." Contractor: Applied Mgt Sys, Inc. KNOX-DAVIN, E. Contract Administration Branch (890205-900602). FIN D-1391-0. NRC-33-89-132. 90/06/29. NORRY, P.G. Office of Information Resources Management (Post 890205). DOLLECK, A. NRC - No Detailed Affiliation Given. 1p. 54820:276-54820:282.
- 9008020273** Ltr contract definitizes Task Order 11, "ADP Planning, Requirements Analyses & Preliminary Design Studies" under Contract NRC-33-89-132. BELL, S. Contract Administration Branch (890205-900602). FIN D-1391-0. NRC-33-89-132. 90/06/29. PERKINS, J. Applied Management Systems, Inc. 6pp. 54820:277-54820:282.
- 9008020275** Notification of contract execution, Mod 4, to "NRC Staff Practice & Procedure Digest." Contractor: Aspen Sys Corp. KNOX-DAVIN, E. Contract Administration Branch (890205-900602). FIN B-1588. NRC-18-89-346. 90/07/30. PARLER, W.C. Office of the General Counsel (Post 860701). BORDENICK, B. NRC - No Detailed Affiliation Given. 1p. 54830:215-54830:217.
- 9008020279** Mod 4, providing incremental funds, to "NRC Staff Practice & Procedure Digest." * Aspen Systems Corp. BELL, S. Contract Administration Branch (890205-900602). FIN B-1588. NRC-18-89-346. 90/07/30. 2pp. 54830:216-54830:217.
- 9008020282** Notification of contract execution, Mod 5, to "On-Call Svc for Setup, Installation & Relocation of Microcomputer Hardware." Contractor: SBA Subcontractor: JC Svcs. KNOX-DAVIN, E. Contract Administration Branch (890205-900602). FIN D-1405. NRC-39-89-163. 90/07/18. NORRY, P.G. Office of Information Resources Management (Post 890205). MCLEVEA, K. NRC - No Detailed Affiliation Given. 1p. 54830:210-54830:214.
- 9008020286** Mod 5, providing incremental funds, to "On-Call Svc for Setup, Installation & Relocation of Microcomputer Hardware." CRAWFORD, M.O. Small Business Administration. ROBINSON, A.M. J.C. Services. BELL, S. Contract Administration Branch (890205-900602). FIN D-1405. NRC-39-89-163. 90/07/18. 4pp. 54830:211-54830:214.
- 9008030031** Notification of contract execution, Mod 3, to "DOE to Serve as Board of Contract Appeals to Settle Disputes Arising Under Contracts Issued by NRC." Contractor: DOE. CRAMPTON, S.A. Contract Administration Branch (890205-900602). NRC-10-86-362. 90/07/30. COOPER, L.P. Management Support Staff (Post 890205). HALMAN, E.L. NRC - No Detailed Affiliation Given. 1p. 54832:110-54832:111.
- 9008030033** Mod 3, deobligating funds, to "DOE to Serve as Board of Contract Appeals to Settle Disputes Arising Under Contracts Issued by NRC." * Energy, Dept. of HAGEN, T.F. Division of Contracts & Property Management (Post 890205). NRC-10-86-362. 90/07/30. 1p. 54832:111-54832:111.
- 9008030036** Notification of cooperative agreement, Mod 5, to "Maint & Operation of LPDR." Contractor: State Library of Pennsylvania. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-356. 90/07/27. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 54851:128-54851:132.
- 9008030038** Mod 5, extending period of performance, providing incremental funding & revising statement of work, to "Maint & Operation of LPDR." * Pennsylvania, Commonwealth of. HAGEN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-24160. NRC-10-87-356. 90/07/27. 4pp. 54851:129-54851:132.
- 9008030042** Corrected notification of contract execution, Mod 2 to Task Order 1, to "Network Architecture." Contractor: SBA Subcontractor: I-Net, Inc. BOYD, D. Contract Administration Branch (890205-900602). FIN L-1469-0. NRC-33-89-166. 90/05/30. NORRY, P.G. Office of Information Resources Management (Post 890205). BADRIAN, J. NRC - No Detailed Affiliation Given. 1p. 54876:014-54876:014.
- 9008030139** Notification of cooperative agreement, Mod 4 to, "Maint & Operation of LPDR." CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-359. 90/07/24. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 54873:108-54873:112.
- 9008030143** Mod 4, correcting Mod 2 to Mod 3, extending period of performance, providing funding & revising statement of work, to "Maint & Operation of LPDR." HUBBS, D. North Carolina, Univ. of, Charlotte, NC. HAGEN, T.F. Division of Contracts & Property Management (880515-890204). FIN D-24160. NRC-10-87-359. 90/07/24. 4pp. 54873:109-54873:112.
- 9008030265** Notification of contract execution, Mod 2, to "Photographic Reproduction Svcs." Contractor: Photocraft, Inc. ANKER, B. Contract Administration Branch (890205-900602). FIN D-24000. NRC-10-89-157. 90/07/30. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). DEHN, D. NRC - No Detailed Affiliation Given. 1p. 54832:270-54832:272.
- 9008030269** Mod 2, providing funds & increasing ceiling amount to "Photographic Reproduction Svcs." * Photocraft Custom Lab, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-24000. NRC-10-89-157. 90/07/30. 2pp. 54832:271-54832:272.
- 9008060185** Notification of contract execution, Mod 1 to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities." Contractor: Sonalysts, Inc. HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. NRC-03-89-031. 90/07/23. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54864:087-54864:089.
- 9008060190** Ltr contract, Mod 1, increasing authorized work hours by 16 PSH & task order ceiling & obligated amounts, to Task Order 36, "Browns Ferry Initial Exam," to "Technical Assistance to Support Licensing Activities." HAGEN, T.F. Contract Administration Branch (890205-900602). FIN L-1289-0. NRC-03-89-031. 90/07/20. PETERSEN, L.R. Sonalysts, Inc. 2pp. 54864:088-54864:089.
- 9008060206** Notification of contract execution, Mod 12, to "On-call Maint for US NRC Microcomputers & Related Equipment." Contractor: Automation Mgt Consultants, Inc. KNOX-DAVIN, E. Contract Administration Branch (890205-900602). FIN B-8174. NRC-39-88-170. 90/07/31. KRUIZIC, P.G. Division of Computer & Telecommunications Services (Post 890205). MCLEVEA, K. NRC - No Detailed Affiliation Given. 1p. 54876:241-54876:249.
- 9008060217** Mod 12, updating list of equipment to be maintained, to "On-Call Maint for US NRC Microcomputers & Related Equipment." POSTELLE, P.N. Automation Management Consultants, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). FIN B-8174. NRC-39-88-170. 90/07/31. 8pp. 54876:242-54876:249.
- 9008070017** Notification of contract execution: Task Order 44, "North Anna Nuclear Power Plant Relicensing Exam" to "Technical Assistance to Support Licensing Activities." HUGHES, A. Contract Administration Branch (890205-900602). FIN L-12890. NRC-03-89-031. 90/07/23. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54902:210-54902:213.
- 9008070027** Ltr contract, definitizing Task Order 44, "North Anna Nuclear Power Plant Relicensing Exam" to "Technical Assistance to Support Licensing Activities." HAGEN, T.F. Contract Administration Branch (890205-900602). FIN L-12890. NRC-03-89-031. 90/07/23. PETERSEN, L.R. Sonalysts, Inc. 3pp. 54902:211-54902:213.
- 9008080096** Notification of contract execution, Mod 3, to Task Order 1, to "Network Architecture." Contractor: SBA Subcontractor: I-Net, Inc. BOYD, D. Contract Administration Branch (890205-900602). FIN L-1469-0. NRC-33-89-166. 90/08/02. NORRY, P.G. Office of Information Resources Management (Post 890205). BADRIAN, J. NRC - No Detailed Affiliation Given. 1p. 54917:360-54917:360.
- 9008080099** Ltr Contract NRC-33-89-166, Mod 3 to Task Order 1, providing incremental funding, to "Network Architecture." BELL, S. Contract Administration Branch (890205-900602). FIN L-1469-0. NRC-33-89-166. 90/08/02. SIMPSON, T. I-NET, Inc. 1p. 54917:360-54917:360.
- 9008090004** Notification of contract execution, Mod 1, to "Health Svcs for Region III Employees." Contractor: Health Awareness Ctr of Good Samaritan Hosp. MCCUBBIN, S. Contract Administration Branch (890205-900602). NRC-30-90-258. 90/07/26. LITTLE, J. Region 3 (Post 820201). PEARSON, T. NRC - No Detailed Affiliation Given. 1p. 54922:285-54922:286.
- 9008090005** Mod 1, changing of project officer, to "Health Svcs for Region III Employees." * Good Samaritan Hosp., Downers Grove, IL. HAGEN, T.F. Division of Contracts & Property Management (Post 890205). NRC-30-90-258. 90/07/26. 1p. 54922:286-54922:286.
- 9008090009** Corrected notification of cooperative agreement, Mod 5, to "Maint & Operation of LPDR." Contractor: Richland Public Library. PLEASANT, E.M. Contract Administration Branch (890205-900602). FIN D-24160. NRC-39-88-208. 90/06/12. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 54922:287-54922:288.
- 9008090012** Mod 5, extending period of performance & obligating funds & correcting Block 2 in original Mod 5 to read "Mod 4," to "Maint & Operation of LPDR." * Richland, W.A. HAGEN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-24160. NRC-39-88-208. 90/06/12. 1p. 54922:288-54922:288.
- 9008090046** Notification of contract execution, Mod 2, to "Customized Low Level Waste Data Base." Contractor: Util Data Inst, Inc. MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN L-1087-0. NRC-02-90-007. 90/07/26. FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post 870413). ROLES, G. NRC - No Detailed Affiliation Given. 1p. 54932:350-54932:352.
- 9008090051** Mod 2, increasing obligated & ceiling amounts & revising pricing schedule, to "Customized Low Level Waste Data Base." * Utility Data Institute, Inc. HAGEN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-1087-0. NRC-02-90-007. 90/07/26. 2pp. 54932:351-54932:352.
- 9008090070** Notification of contract execution, Mod 37, to "Computer Time- Sharing & Related Svcs." Contractor: NIH. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN B-1666-0. NRC-25-82-312. 90/08/02. MESSENGER, G.H. Division of Information Support Services (Post 890205). GROSMAN, L.H. NRC - No Detailed Affiliation Given. 1p. 54921:358-54921:360.
- 9008090076** Mod 37, providing funding for FY90 & changing project officer, to "Computer Timesharing & Related Svcs." * Health & Human Services, Dept. of, U.S. Public Health Service. BELL, S. Division of Contracts & Property Management (Post 890205). FIN B-1666-0. NRC-25-82-312. 90/08/02. 2pp. 54921:359-54921:360.
- 9008090081** Notification of contract execution, Mod 21, to "Commercial Facilities Mgt of One White Flint North." Contractor: Parsons Brinckerhoff Maint Svcs, Inc. PLEASANT, E.M. Contract Negotiation Branch-2. FIN D-2316. NRC-10-87-171. 90/08/03. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). ROLLINS, R. NRC - No Detailed Affiliation Given. 1p. 54921:102-54921:152.
- 9008090093** Mod 21, setting wage determinations, equipment inventory list, incremental funding & increasing ceiling, to "Commercial Facilities Mgt of One White Flint North." WILSON, J.R. Parsons Brinckerhoff Maintenance Services, Inc. * Contract Negotiation Branch-2. FIN D-2316. NRC-10-87-171. 90/08/03. 49pp. 54921:103-54921:152.
- 9008090091** Notification of grant execution: "Modulus Profiling of Oxidation for Cable Aging Research," awarded to Univ of Virginia. UMEL, D. Contract Negotiation Branch-2. FIN G-1601-0. NRC-04-90-103. 90/08/03. GUSTAF, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). FARMER, W. NRC - No Detailed Affiliation Given. 2pp. 54933:200-54933:205.
- 9008080396** Grant: "Modulus Profiling of Oxidation for Cable Aging Research," awarded to Univ of VA. JENNINGS, D. Virginia, Univ. of, Charlottesville, VA. FIN G-1601-0. NRC-04-90-103. 90/08/03. 4pp. 54933:202-54933:205.

9008090107 Notification of contract execution, Mod 9, to "Health Physics Technical Assistance." Contractor: Knox Consultants, Inc.
BOYD, D. Contract Administration Branch (890205-900602). FIN D-1743-0. NRC-04-87-080. 90/08/01. GUSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). ROECKLEIN, A., MCGUIRE, S. NRC - No Detailed Affiliation Given. 1p. 54931:356-54931:357.

-9008090112 Mod 9, providing incremental funding, to "Health Physics Technical Assistance."
* Knox Consultants, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-1743-0. NRC-04-87-080. 90/08/01. 1p. 54931:357-54931:357.

9008090132 Notification of contract execution, Mod 5, to "Data Entry Support Svcs for Region I." Contractor: SBA, Subcontractor: Wilson Hewitt & Assoc, Inc.
MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN L-1369-0. NRC-28-88-270. 90/06/21. MCOSCAR, J.J. Region 1 (Post 820201). MARTINSON, P. NRC - No Detailed Affiliation Given. 2pp. 54942:015-54942:018.

-9008090135 Mod 5, providing 2 wk no cost extension, to "Data Entry Support Svcs for Region I."
* Small Business Administration. WILSON, P. Wilson Hewitt & Associates, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-1369-0. NRC-28-88-270. 90/06/21. 3pp. 54942:016-54942:018.

9008090137 Notification of contract execution, Mod 8, to "Regulatory Process." Contractor: Regulatory Group.
BOYD, D. Contract Administration Branch (890205-900602). FIN D-2300-0. NRC-38-88-365. 90/08/02. GOLDMAN, P. Ofc of Personnel (Post 870413). ROE, M.L. NRC - No Detailed Affiliation Given. 1p. 54931:245-54931:246.

-9008090140 Mod 8, correcting ceiling amount of Mod 7, to "Regulatory Process."
* Regulatory Group, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-2300-0. NRC-38-88-365. 90/08/02. 1p. 54931:246-54931:246.

9008090144 Notification of contract execution, Mod 5, to "Network Architecture." Contractor: SBA, Subcontractor: I-Net, Inc.
BOYD, D. Contract Administration Branch (890205-900602). FIN L-1469-0. NRC-33-89-166. 90/08/02. NORRIS, P.G. Office of Information Resources Management (Post 890205). BADRIAN, J. NRC - No Detailed Affiliation Given. 1p. 54931:358-54931:360.

-9008090145 Mod 5, increasing contract ceiling & revising G&A rate for subcontract & other direct costs, to "Network Architecture."
* Small Business Administration. * I-NET, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). FIN L-1469-0. NRC-33-89-166. 90/08/02. 2pp. 54931:359-54931:360.

9008090281 Notification of contract execution, Mod 10, to "ITS End-User Support Svcs." Contractor: Automated Mgt Consultants, Inc.
FIELDS, J. Contract Administration Branch (890205-900602). NRC-39-88-230. 90/07/06. MESSENGER, G. Division of Information Support Services (Post 890205). SMITH, P. NRC - No Detailed Affiliation Given. 1p. 54931:353-54931:354.

-9008090288 Mod 10, extending period of performance at no addl cost to govt through 900723, to "ITS End-User Support Svcs."
POSTELLE, P.N. Automation Management Consultants, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). NRC-39-88-230. 90/07/06. 1p. 54931:354-54931:354.

9008090290 Notification of contract execution, Task Order 12, to "Technical Assistance in Support of NRC Licensing Activities." Contractor: Viking Sys Intl.
MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN D-17620. NRC-03-87-028. 90/07/24. BAJWA, S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMAS, B. NRC - No Detailed Affiliation Given. 1p. 54921:233-54921:238.

-9008090300 Ltr contract awarding Task Order 12, "San Onofre Intake Structure Evaluation" to "Technical Assistance in Support of NRC Licensing Activities."
HAGAN, T.F. Contract Administration Branch (890205-900602). FIN D-17620. NRC-03-87-028. 90/07/20. SALUJA, J. Viking Systems International. 5pp. 54921:234-54921:238.

9008100012 Notification of contract execution, Mod 4, to "Technical Support for NDE Van." Contractor: Thompson Engineering & Testing, Inc.
MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN D-8370-0. NRC-28-88-269. 90/04/30. JOHNSTON, W.V. Region 1 (Post 820201). STROSNIDER, J. NRC - No Detailed Affiliation Given. 1p. 54942:358-54942:360.

-9008100015 Mod 4, extending period of performance & providing incremental funds, to "Technical Support for NDE Van."
PAYNE, D.F. Thompson Engineering Testing, Inc. (formerly Vester J. Thompson, Jr., Inc.). HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-8370-0. NRC-28-88-269. 90/04/30. 2pp. 54942:359-54942:360.

9008130001 Notification of grant execution, Mod 5, to "NRC Historically Black Colleges & Univs (HBCU) Facility Research Participation Program." Contractor: Oak Ridge Assoc Univ.
BOYD, D. Contract Administration Branch (890205-900602). FIN D-1129-0. NRC-04-88-136. 90/08/06. GUSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). SHEPARD, R. NRC - No Detailed Affiliation Given. 1p. 54957:255-54957:257.

-9008130003 Ltr Contract NRC-04-88-136, Mod 5, providing no cost extension, changing project office & extending period of performance, to "Historically Black Colleges & Univs Facility Research Participation Program."
COUNTISS, W. Oak Ridge Associated Univs. FIN D-1129-0. NRC-04-88-136. 90/08/06. 2pp. 54957:256-54957:257.

9008130072 Notification of contract execution: "Purchase of Secure Telephone Units," awarded to Natl Security Agency.
CANTOR, C. Contract Negotiation Branch-1. FIN D-18839. NRC-33-90-194. 90/07/05. KRUIZIC, P.G. Division of Computer & Telecommunications Services (Post 890205). WILCOX, L. NRC - No Detailed Affiliation Given. 1p. 54956:065-54956:070.

-9008130076 Ltr Contract NRC-33-90-194, explaining interagency agreement for "Purchase of Secure Telephone Units."
WIGGINS, E.J. Division of Contracts & Property Management (Post 890205). FIN D-18839. NRC-33-90-194. 90/06/21. SAUNDERS, C. National Security Agency. 5pp. 54956:066-54956:070.

9008130323 Notification of contract execution, Mod 2 to Task Order 3, "Analysis of Safety Consideration re Soviet-Designed PWRs." Contractor: SBA, Subcontractor: Intl Technical Svcs, Inc.
BOYD, D. Contract Administration Branch (890205-900602). FIN L-1053-0. NRC-04-89-062. 90/07/27. GUSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). SEGE, G. NRC - No Detailed Affiliation Given. 1p. 54956:232-54956:236.

-9008130324 Ltr Contract NRC-04-89-062, Mod 2, revising statement of work under Task Order 3, to "Analysis of Safety Consideration re Soviet-Designed PWRs."
BELL, S. Division of Contracts & Property Management (Post 890205). FIN L-1053-0. NRC-04-89-062. 90/07/25. KOMORIYA, H. International Technical Services, Inc. 4pp. 54956:233-54956:236.

9008140182 Notification of contract execution, Task Order 6, "Evaluation of GPU Response to Integrated Plant Safety Assessment Rept for Oyster Creek," to "Nuclear Power Reactor Design Insp Svcs."
DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1528-0. NRC-03-90-031. 90/07/12. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 54971:207-54971:212.

-9008140184 Ltr contract NRC-03-90-031, Task Order 6, "Evaluation of GPU Response to Integrated Plant Safety Assessment Rept," to Nuclear Power Reactor Design Insp Svcs."
HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-1528-0. NRC-03-90-031. 90/07/10. SHIFLETT, D.R. AECL Technologies. 5pp. 54971:208-54971:212.

9008140185 Notification of contract execution, Mod 1 to Task Order 6, to "Nuclear Power Reactor Design Insp Svcs." Contractor: AECL Technologies.
DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1528-0. NRC-03-90-031. 90/07/31. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 54971:213-54971:216.

-9008140187 Ltr contract NRC-03-90-031, Mod 1 to Task Order 6, extending period of performance & increasing cost ceiling to allow for review of addl licensee responses, to "Nuclear Power Reactor Design Insp Svcs."
HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-1528-0. NRC-03-90-031. 90/07/30. SHIFLETT, D.R. AECL Technologies. 3pp. 54971:214-54971:216.

9008140209 Notification of contract execution, Task Order 52, "Subject Matter Expert Review & Edit of Questions for Generic Fundamentals Exam," awarded to Sonalysts, Inc.
HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. NRC-03-89-031. 90/08/06. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54956:325-54956:328.

-9008140210 Ltr contract NRC-03-89-031, Task Order 52, obligating funds, to "Subject Matter Expert Review & Edit of Questions for Generic Fundamentals Exam."
HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1289-0. NRC-03-89-031. 90/07/31. PETERSON, L.R. Sonalysts, Inc. 3pp. 54956:326-54956:328.

9008140212 Notification of contract execution, Task Order 51, "Monticello Nuclear Power Plant Initial Exam" to "Technical Assistance to Support Licensing Activities," awarded to Sonalysts, Inc.
HUGHES, A. Contract Administration Branch (890205-900602). FIN L-1289-0. NRC-03-89-031. 90/08/01. WEST, K.S. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 54956:265-54956:268.

-9008140214 Ltr contract NRC-03-89-031, Task Order 51, "Monticello Nuclear Power Plant Initial Exam," awarded to Sonalysts, Inc.
HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-1289-0. NRC-03-89-031. 90/07/28. PETERSEN, L.R. Sonalysts, Inc. 3pp. 54956:266-54956:268.

9008140260 Notification of contract execution, Task Order 7, to "Technical Assistance in Support of NRC Vendor Insp Program," awarded to Parameter, Inc.
DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1351. NRC-03-89-029. 90/08/01. OTWELL-GREENE Planning, Program & Management Support Branch (Post 870411). GRENIER, B.L. NRC - No Detailed Affiliation Given. 1p. 54962:123-54962:128.

-9008140266 Ltr contract NRC-03-89-029, Task Order 7, to "Technical Assistance in Support of NRC Vendor Insp Program."
HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1351. NRC-03-89-029. 90/07/28. LOFY, R.A. PARAMETER, Inc. 5pp. 54962:124-54962:128.

9008140293 Notification of contract execution: "Installation of Cable in Region V," awarded to Criticom, Inc.
HOPKINS, S. Division of Contracts & Property Management (Post 890205). FIN L-1024. NRC-32-90-282. 90/08/10. HAMILL, K. Region 5 (Post 820201). 1p. 54961:137-54961:207.

-9008140295 Contract: "Installation of Cabling in Region V," awarded to Criticom, Inc.
WINEGARD, R. Criticom, Inc. WIGGINS, E.J. Division of Contracts & Property Management (Post 890205). FIN L-1024. NRC-32-90-282. 90/08/10. 70pp. 54961:138-54961:207.

9008150009 Notification of contract execution, Mod 1, to "Career Counseling Svcs." Contractor: Career Counseling Svcs.
BOYD, D. Contract Administration Branch (890205-900602). FIN D-2300-0. NRC-38-90-322. 90/08/08. RATHBUN, P., RUBIN, H. NRC - No Detailed Affiliation Given. 1p. 54978:129-54978:131.

-9008150011 Mod 1, revising Section B.2 to addl 115 sets, increasing contract ceiling, providing incremental funding & changing contractor address, to "Career Counseling Svcs."
HASKELL, P.C. Career Counseling Services. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-2300-0. NRC-38-90-322. 90/08/08. 2pp. 54978:130-54978:131.

202 NONDOCKETED ITEMS

- 9008150050** Notification of contract execution, Mod 4, to "Maint & Operation of LPDR." Contractor: Ocean County Library. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-361. 90/08/09. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 54972:163-54972:165.
- 9008150054** Mod 4, providing addl funding & extending period of performance, to "Maint & Operation of LPDR." WUDZKI, J.J. New Jersey, State of. HAGAN, T.F. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-361. 90/08/09. 2pp. 54972:164-54972:165.
- 9008150264** Notification of cooperative agreement, Mod 3, to "Maint & Operation of LPDR." Contractor: James R Dickerson Library. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-39-89-173. 90/08/03. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 3pp. 54966:136-54966:138.
- 9008150266** Cooperative agreement Mod 3, exercising option to extend period of performance & providing funds, to "Maint & Operation of LPDR." DEACON, M.D. Nevada, Univ. of, Las Vegas, NV. FIN D-24160. NRC-39-89-173. 90/08/03. 2pp. 54966:137-54966:138.
- 9008150294** Notification of contract execution, Mod 7, to "ADP Sys Development & Maint Svcs." Contractor: Applied Mgt Sys, Inc. BOYD, D. Contract Administration Branch (890205-900602). NRC-33-89-132. 90/08/10. NORRY, P.G. Office of Information Resources Management (Post 890205). DOLLECK, A. NRC - No Detailed Affiliation Given. 1p. 54965:273-54965:274.
- 9008150298** Ltr contract NRC-33-89-132, Mod 7, increasing task order ceiling amount, to "ADP Sys Development & Maint Svcs." BELL, S. Division of Contracts & Property Management (Post 890205). NRC-33-89-132. 90/08/07. PERKINS, J. Applied Management Systems, Inc. 1p. 54965:274-54965:274.
- 9008170151** Notification of contract execution, Mod 1, to "Geophysical Data & Weather Svcs." Contractor: Accu-Weather, Inc. DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN B-8806-0. NRC-33-89-153. 90/08/10. NORRY, P.A. Office of Information Resources Management (Post 890205). CHENE, E. NRC - No Detailed Affiliation Given. 1p. 54981:099-54981:101.
- 9008170157** Mod 1, exercising first yr option & providing funds, to "Geophysical Data & Weather Svcs." * Accu-Weather, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN B-8806-0. NRC-33-89-153. 90/08/10. 2pp. 54981:100-54981:101.
- 9008220018** Notification of contract execution, Mod 3, to "Validation Studies for Assessing Unsaturated Flow & Transport Through Fractured Rock." Contractor: Univ of Arizona. MEEHAN, B. Division of Contracts & Property Management (Post 890205). FIN L-12820. NRC-04-90-051. 90/07/24. SHAO, L. Office of Nuclear Regulatory Research (Post 860720). NICHOLSON, T. NRC - No Detailed Affiliation Given. 1p. 55005:172-55005:183.
- 9008220021** Mod 3, increasing ceiling & adding incremental funding, to "Validation Studies for Assessing Unsaturated Flow & Transport Through Fractured Rock." WHEELER, J.T. Arizona, Univ. of, Tucson, AZ. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-12820. NRC-04-90-051. 90/07/24. 11pp. 55005:173-55005:183.
- 9008220025** Notification of contract execution, Task Order 5, to "Review of RETRAN Computer Codes & Confirmatory Licensing Calculations Associated W/ Safety Analyses." Contractor: Intl Technical Svcs, Inc. DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1318-0. NRC-03-90-027. 90/07/23. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55005:184-55005:189.
- 9008220031** Ltr Contract NRC-03-90-027, awarding Task Order 5, to "Review of RETRAN Computer Codes & Confirmatory Licensing Calculations Associated W/ Safety Analyses." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1318-0. NRC-03-90-027. 90/07/16. KOMORIYA, H. International Technical Services, Inc. 5pp. 55005:185-55005:189.
- 9008220034** Notification of contract execution, Task Order 5, to "Nuclear Power Reactor Design Insp Svcs." awarded to AECL Technologies. DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1528-0. NRC-03-90-031. 90/07/30. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55005:166-55005:171.
- 9008220037** Ltr Contract NRC-03-90-031, awarding Task Order 5, to "Nuclear Power Reactor Design Insp Svcs." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1528-0. NRC-03-90-031. 90/07/23. SHIFLETT, D.R. Atomic Energy of Canada, Ltd. 5pp. 55005:167-55005:171.
- 9008220042** Notification of contract execution, Task Order 4, to "Nuclear Power Reactor Design Insp Svcs." awarded to AECL Technologies. DUBOSE, B.J. Division of Contracts & Property Management (Post 890205). FIN L-1528-0. NRC-03-90-031. 90/07/31. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55006:319-55006:326.
- 9008220044** Ltr Contractor NRC-03-90-031, awarding Task Order 4, to "Nuclear Power Reactor Design Insp Svcs." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1528-0. NRC-03-90-031. 90/07/25. SHIFLETT, D.R. Atomic Energy of Canada, Ltd. 5pp. 55006:320-55006:326.
- 9008220046** Notification of contract execution, Task Order 7, "Electrical Distribution Sys Functional Insp - Trojan," to "Nuclear Power Reactor Operations, Mods & Maint Insp Svcs." awarded to Parameter, Inc. DUBOSE, B.J. Division of Contracts & Property Management (Post 890205). FIN L-1343. NRC-03-89-027. 90/07/26. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55015:107-55015:114.
- 9008220048** Ltr Contract NRC-03-89-027, awarding Task Order 7, "Electrical Distribution Sys Functional Insp - Trojan," to "Nuclear Power Reactor Operations, Mods & Maint Insp Svcs." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1343. NRC-03-89-027. 90/07/23. LOFY, R.A. PARAMETER, Inc. 7pp. 55015:108-55015:114.
- 9008220050** Notification of contract execution, Task Order 6, "Configuration Control Insp - Fermi 2," to "Nuclear Power Reactor Operations, Mods & Maint Insp Svcs." DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1343. NRC-03-89-027. 90/07/23. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55015:218-55015:224.
- 9008220053** Ltr Contract NRC-03-89-027, awarding Task Order 6, "Configuration Control Insp - Fermi 2," to "Nuclear Power Reactor Operations, Mods & Maint Insp Svcs." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1343. NRC-03-89-027. 90/07/16. LOFY, R.A. PARAMETER, Inc. 7pp. 55015:219-55015:224.
- 9008220099** Notification of contract execution, Task Order 2, "Nuclear Power Reactor Design Insp Svcs." Contractor: AECL Technologies. DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1528-0. NRC-03-90-031. 90/06/25. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55001:208-55001:214.
- 9008220104** Ltr Contract NRC-03-90-031, Task Order 2, obligating funds, to "Nuclear Power Reactor Design Insp Svcs." HAGAN, T.F. Contract Administration Branch (890205-900602). FIN L-1528. NRC-03-90-031. 90/06/08. SHIFLETT, D.R. AECL Technologies. 6pp. 55001:209-55001:214.
- 9008220113** Notification of cooperative agreement, Mod 6, to "Maint & Operation of LPDR." Contractor: Wiscasset Public Library. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-348. 90/08/01. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55006:338-55006:340.
- 9008220114** Mod 6, extending period of performance & providing addl funds, to "Maint & Operation of LPDR." RIDGOUT, A.E. Wiscasset, ME. HAGAN, T.F. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-348. 90/08/01. 2pp. 55006:339-55006:340.
- 9008220115** Notification of contract execution, Mod 4, to "Ofc Moving Svcs." Contractor: SBA Subcontractor: Alliance Moving & Storage. ANKER, B. Contract Administration Branch (890205-900602). FIN D-23540. NRC-39-89-129. 90/08/08. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). HUBBELL, H. NRC - No Detailed Affiliation Given. 1p. 55001:205-55001:206.
- 9008220117** Mod 4, providing incremental funding, to "Ofc Moving Svcs." * Small Business Administration. * Alliance Moving & Storage, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-23540. NRC-39-89-129. 90/08/08. 1p. 55001:206-55001:206.
- 9008220123** Notification of contract execution, Mod 1, Task Order 13, to "PC Sys Support." Contractor: Applied Mgt Sys, Inc. BOYD, D. Contract Administration Branch (890205-900602). FIN D-1391-0. NRC-33-89-132. 90/08/08. NORRY, P.G. Office of Information Resources Management (Post 890205). DOLLECK, A. NRC - No Detailed Affiliation Given. 1p. 55006:336-55006:337.
- 9008220133** Ltr Contract NRC-33-89-132, Mod 1, Task Order 13, providing incremental funds, to "PC Sys Support." BELL, S. Contract Administration Branch 2 (Post 900603). FIN D-1391-0. NRC-33-89-132. 90/08/08. PERKINS, J. Applied Management Systems, Inc. 1p. 55006:337-55006:337.
- 9008220124** Notification of cooperative agreement, Mod 4, to "Maint & Operation of LPDR." awarded to Pennsylvania Public Library. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-339. 90/08/03. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55015:187-55015:189.
- 9008220125** Cooperative agreement, Mod 4, exercising option to extend period of performance & providing funding for FY90, to "Maint & Operation of LPDR." BLOCKSOM, R. Pennsville, NJ. NORTHERN, S.S. NRC - No Detailed Affiliation Given. FIN D-24160. NRC-10-87-339. 90/08/03. 2pp. 55015:188-55015:189.
- 9008220127** Notification of contract execution, Mod 22, to "Lease of Telecommunication Equipment." Contractor: AT&T. BOYD, D. Contract Administration Branch (890205-900602). NRC-33-87-238. 90/08/06. KRIZIC, P. Division of Computer & Telecommunications Services (Post 890205). RICKERT, H., BALDESI, T. NRC - No Detailed Affiliation Given. 1p. 55001:165-55001:168.
- 9008220128** Mod 22, adding requirements to Subsection C.1, Section F & Subsection G, to "Lease of Telecommunication Equipment." * AT&T. HAGAN, T. Division of Contracts & Property Management (880515-890204). NRC-33-87-238. 90/08/06. 3pp. 55001:166-55001:168.
- 9008220130** Notification of cooperative agreement, Mod 5, to "Maint & Operation of LPDR." awarded to Callaway County Public Library. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-349. 90/08/01. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55006:333-55006:335.

-9008220131 Mod 5, extending period of performance for 1 yr, to "Maint & Operation of LPDR." JUSTICE, L.H. Callaway County, MO. HAGAN, T.F. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-349. 90/08/01. 2pp. 55006:334-55006:335.

9008220132 Notification of contract execution, Mod 20, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." Contractor: TVA. MCCUBBIN, S. Contract Administration Branch (890205-900602). FIN B-87170. NRC-05-84-153. 90/07/19. SPESSARD, R.L. Division of Operational Assessment (Post 870413). MILLER, L. NRC - No Detailed Affiliation Given. 1p. 55006:342-55006:343.

-9008220134 Mod 20, revising contract to purchase addl training aids, to "Use of TVA Reactor Simulator Facilities at Chattanooga, TN for Training on Browns Ferry, Sequoyah & Bellefonte Simulators." LAYMON, J.S. Tennessee Valley Authority. BELL, S. Contract Administration Branch (890205-900602). FIN B-87170. NRC-05-84-153. 90/07/19. 1p. 55006:343-55006:343.

9008220137 Notification of contract execution, Mod 1, to "Consideration of Plant-Specific Characteristics in Estimates of Common Cause Failure Frequencies." Contractor: Univ of Maryland. BOYD, D. Contract Administration Branch (890205-900602). NRC-04-89-360. 90/08/08. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). RASMUSON, D. NRC - No Detailed Affiliation Given. 1p. 55001:164-55001:164.

9008220179 Notification of contract execution, Task Order 7, to "Nuclear Power Reactor Design Insp Svcs." Contractor: AECL Technologies. DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1528-0. NRC-03-90-031. 90/07/31. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55006:066-55006:073.

-9008220183 Ltr Contract NRC-03-90-031, awarding Task Order 7, to "Nuclear Power Reactor Design Insp Svcs." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1528-0. NRC-03-90-031. 90/07/25. SHIFLETT, D.R. AECL Technologies. 7pp. 55006:067-55006:073.

9008230210 Notification of contract execution, Mod 30, to "Technical Assistance in Developing & Implementing Programs & Procedures For Reactors Requiring Special Insp Programs." Contractor: Resource Technical Svcs, Inc. DUBOSE, B.J. Division of Contracts & Property Management (Post 890205). NRC-03-87-119. 90/08/13. WEST, K.S. Planning, Program & Management Support Branch (Post 870411). WALKER, W. NRC - No Detailed Affiliation Given. 1p. 55016:226-55016:228.

-9008230211 Mod 30, providing funding & increasing total contract ceiling amount, to "Technical Assistance in Developing & Implementing Programs & Procedures For Reactors Requiring Special Insp Programs." * Resource Technical Services, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). NRC-03-87-119. 90/08/13. 2pp. 55016:227-55016:228.

9008230223 Notification of grant execution, Mod 1, to "Modified Interfacial Drag & Heat Transfer for RELAP/Mod2 Reflood Calculations." Contractor: Texas Engineering Experiment Station. BOYD, D. Management Support Staff (Post 890205). FIN G-11730. NRC-04-89-363. 90/08/16. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). BESSETTE, D. NRC - No Detailed Affiliation Given. 1p. 55010:285-55010:286.

-9008230224 Mod 1, providing no cost extension to 910831, to "Modified Interfacial Drag & Heat Transfer for RELAP/Mod2 Reflood Calculations." * Texas A&M Univ. College Station, TX. BELL, S. NRC - No Detailed Affiliation Given. FIN G-11730. NRC-04-89-363. 90/08/16. 1p. 55010:286-55010:286.

9008230226 Notification of contract execution, Mod 21, to "Intl Piping Integrity Research Program." Contractor: Battelle Columbus Labs. FIELDS, J. Division of Contracts & Property Management (Post 890205). NRC-04-86-106. 90/07/10. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). MAYFIELD, M. NRC - No Detailed Affiliation Given. 1p. 55010:303-55010:310.

-9008230229 Mod 21, modifying statement of work & increasing contract ceiling, to "Intl Piping Integrity Research Program." JONES, W.E. Battelle Memorial Institute, Columbus Laboratories. BELL, S. Division of Contracts & Property Management (Post 890205). NRC-04-86-106. 90/07/10. 7pp. 55010:304-55010:310.

9008240021 Notification of contract execution, Mod 20, to "Intl Piping Integrity Research Program." Contractor: Battelle Columbus Lab. FIELDS, J. Contract Administration Branch (890205-900602). FIN D-16580. NRC-04-86-106. 90/07/06. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). MAYFIELD, M. NRC - No Detailed Affiliation Given. 1p. 55028:256-55028:261.

-9008240022 Mod 20, modifying contractors statement of work & increasing contract ceiling, to "Intl Piping Integrity Research Program." JONES, W.E. Battelle Memorial Institute, Columbus Laboratories. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-16580. NRC-04-86-106. 90/07/06. 5pp. 55028:257-55028:261.

9008240025 Notification of contract execution, Mod 2, to "Urine Specimen Collections - Nationwide." Contractor: Tracor Technology Resources, Inc. FIELDS, J. Contract Administration Branch (890205-900602). NRC-10-89-171. 90/05/16. COOPER, L. Office of Administration (Post 890205). DOPP, R.A. NRC - No Detailed Affiliation Given. 1p. 55030:041-55030:045.

-9008240027 Mod 2, revising hourly rates, mats & supplies cost, travel ceiling & adding line item for applicant onsite testing outside Washington, DC area, to "Urine Specimen Collections - Nationwide." NEJFELT, H. Tracor Technology Resources, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). NRC-10-89-171. 90/05/16. 4pp. 55030:042-55030:045.

9008240029 Notification of contract execution, Mod 23, to "ADP Sys Development." Contractor: Sys Automation Corp. FIELDS, J. Contract Administration Branch (890205-900602). FIN B-8166. NRC-33-87-224. 90/08/16. KRUIZIC, P. Division of Computer & Telecommunications Services (Post 890205). SCHNAPPER, J. NRC - No Detailed Affiliation Given. 1p. 55030:070-55030:072.

-9008240030 Mod 23, providing incremental funding, to "ADP Sys Development." CARSON, R. System Automation Corp. BELL, S. Division of Contracts & Property Management (Post 890205). FIN B-8166. NRC-33-87-224. 90/08/16. 2pp. 55030:071-55030:072.

9008240038 Notification of contract execution, Mod 12, to "Test Specimens from Damaged TMI-2 Reactor Bottom Head." Contractor: MPR Assocs, Inc. FIELDS, J. Contract Administration Branch 1 (Post 900603). NRC-04-88-086. 90/07/03. SHERON, B.W. Division of Systems Research (Post 880717). LANDRY, R. NRC - No Detailed Affiliation Given. 1p. 55030:073-55030:074.

-9008240039 Mod 12, providing no cost extension of period of performance, to "Test Specimens from Damaged TMI-2 Reactor Bottom Head." CHAPIN, D.M. MPR Associates, Inc. BELL, S. Division of Contracts & Property Management (Post 890205). NRC-04-88-086. 90/07/03. 1p. 55030:074-55030:074.

9008270137 Notification of contract execution, Task 1, "Response to Issues Raised on New Extraordinary Nuclear Occurrences Criteria," to "Rulemaking & Regulatory Analysis Support for Requirements Primarily..." awarded to A Cohen & Assocs, Inc. FIELDS, J. Contract Administration Branch (890205-900602). FIN L-1224-0. NRC-04-90-070. 90/07/03. MORRIS, W.M. Division of Regulatory Applications (Post 870413). FELD, S. NRC - No Detailed Affiliation Given. 1p. 55032:114-55032:116.

-9008270138 Ltr contract, Task 1, "Response to Issues Raised on New Extraordinary Nuclear Occurrences Criteria," to "Rulemaking & Regulatory Analysis Support for Requirements Primarily Involving Administration & Procedural Mods..." BELL, S. Contract Administration Branch 2 (Post 900603). FIN L-1224-0. NRC-04-90-070. 90/06/29. COHEN, S. S. Cohen & Associates, Inc. 2pp. 55032:115-55032:116.

9008270139 Notification of contract execution, Mod 1 to Task Order 2, "Rulemaking Support for Proposed Rule Concerning Emergency Response Data Sys," to "Rulemaking & Regulatory Analysis Support for..." Contractor: Science & Engineering Assoc, Inc. ANKER, B. Contract Administration Branch (890205-900602). FIN D-2512-0. NRC-04-89-051. 90/07/09. MORRIS, W. Division of Regulatory Applications (Post 870413). FELD, S. NRC - No Detailed Affiliation Given. 1p. 55036:062-55036:063.

-9008270142 Ltr contract, Mod 1, extending period of performance through 900331, to Task Order 2, "Rulemaking Support for Proposed Rule..." to "Rulemaking & Regulatory Analysis Support for Requirements Involving Physical Mod to NRC..." BELL, S. Contract Administration Branch 2 (Post 900603). FIN D-2512-0. NRC-04-89-051. 90/07/30. COLINA, I. Science & Engineering Associates, Inc. 1p. 55036:063-55036:063.

9008270145 Notification of contract execution, Task Order 4, "Review of Duke Power Co Use of VIPRE Code for Transient Application," to "Review of RETRAN Computer Codes & Confirmatory Licensing Calculations..." awarded to Intl Technical Svcs, Inc. DUBOSE, B.J. Contract Administration Branch (890205-900602). FIN L-1318-0. NRC-03-90-027. 90/07/09. OTWELL-GREENE Program Management, Policy Development & Analysis Staff (Post 870411). WALKER, W.C. NRC - No Detailed Affiliation Given. 1p. 55032:049-55032:054.

-9008270146 Ltr contract, Task Order 4, "Review of Duke Power Co Use of VIPRE Code for Transient Application," to "Review of RETRAN Computer Codes & Confirmatory Licensing Calculations Associated W/Safety Analyses." HAGAN, T.F. Contract Administration Branch 1 (Post 900603). FIN L-1318-0. NRC-03-90-027. 90/07/03. KOMORIYA, H. International Technical Services, Inc. 5pp. 55032:050-55032:054.

9008270147 Notification of cooperative agreement, Mod 5 to "Maint & Operation of LPDR." Contractor: Maude Preston Palenske Memorial Library. CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-2416-0. NRC-10-87-346. 90/08/02. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55031:350-55031:352.

-9008270150 Cooperative agreement, Mod 5, exercising option to extend period of performance & providing FY90 funds, to "Maint & Operation of LPDR." TROOST, B.G. Michigan, State of. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-2416-0. NRC-10-87-346. 90/08/02. 2pp. 55031:351-55031:352.

9008270154 Notification of contract execution, Mod 5, to "Maint & Operation of LPDR." Contractor: BF Jones Memorial Library. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN D-2416. NRC-10-87-353. 90/08/10. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55035:138-55035:140.

-9008270155 Mod 5, exercising option to extend period of performance, providing funds & correcting Mod 2 to read Mod 3, to "Maint & Operation of LPDR." COLOMBO, M.E. Aliquippa, PA. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-2416. NRC-10-87-353. 90/08/10. 2pp. 55035:139-55035:140.

9008270156 Notification of contract execution, Mod 1, to "Urine Specimen Testing." Contractor: PharmChem Labs, Inc. MEEHAN, B. Contract Administration Branch 1 (Post 900603). NRC-10-90-130. 90/07/30. BRADY, R. Division of Security (Post 890205). DOPP, R.A. NRC - No Detailed Affiliation Given. 1p. 55032:163-55032:166.

-9008270158 Mod 1, modifying contract to include support for Defence Nuclear Facilities Safety Board requirements for testing & analysis of urine specimens, to "Urine Specimen Testing." WHITNEY, J. PharmChem Laboratories, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). NRC-10-90-130. 90/07/30. 3pp. 55032:164-55032:166.

204 NONDOCKETED ITEMS

9008270162 Notification of cooperative agreement, Mod 5 to "Maint & Operation of LPDR." Contractor: Brooks Memorial Library. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN D-2416. NRC-10-87-350. 90/08/01. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55035:246-55035:248.

-9008270165 Mod 5, providing funding & extending period of performance, to "Maint & Operation of LPDR." MORRISON, M. Brattleboro, VT. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-2416. NRC-10-87-350. 90/08/01. 2pp. 55035:247-55035:248.

9008270169 Notification of cooperative agreement, Mod 6, to "Maint & Operation of LPDR." Contractor: Cedar Rapids Library. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN D-2416-0. NRC-10-87-351. 90/08/20. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 55032:106-55032:108.

-9008270171 Cooperative agreement, Mod 6, providing funds & extending period of performance, to "Maint & Operation of LPDR." ARMITAGE, T. Cedar Rapids, IA. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-2416-0. NRC-10-87-351. 90/08/20. 2pp. 55032:107-55032:108.

9008270178 Notification of cooperative agreement, Mod 4, to "Maint & Operation of LPDR." Contractor: Oconee County Library. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN D-2416. NRC-10-87-338. 90/08/15. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 55032:153-55032:155.

-9008270179 Mod 4, providing funds & extending period of performance, to "Maint & Operation of LPDR." CHANDLER, D.S. Walhalla, SC. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN D-2416. NRC-10-87-338. 90/08/15. 2pp. 55032:154-55032:155.

9008280281 Notification of contract execution, Mod 5, to "Electronic Publishing Sys." Contractor: Eastman Kodak Co. KNOX-DAVINE, E. Division of Contracts & Property Management (Post 890205). FIN D-2384. NRC-39-88-231. 90/08/23. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). BAGGETT, M.D. NRC - No Detailed Affiliation Given. 1p. 55046:001-55046:002.

-9008280288 Mod 5, changing project officer, to "Electronic Publishing Sys." * Eastman Kodak Co. BELL, S. Division of Contracts & Property Management (Post 890205). FIN D-2384. NRC-39-88-231. 90/08/23. 1p. 55046:002-55046:002.

9008280327 Notification of contract execution, Mod 1, to "Training Effectiveness Workshop." Contractor: DDL Omni Engineering Corp. MCCUBBIN, S. Division of Contracts & Property Management (Post 890205). FIN L-12320. NRC-04-90-049. 90/06/22. SHERON, B.W. Division of Systems Research (Post 880717). SCHOENFELD, I. NRC - No Detailed Affiliation Given. 1p. 55040:310-55040:312.

-9008280331 Mod 1, changing amount of time needed to submit draft rept, to "Training Effectiveness Workshop." DOOLIN, N.L. DDL Omni Engineering Corp. HAGAN, T.F. Division of Contracts & Property Management (Post 890205). FIN L-12320. NRC-04-90-049. 90/06/22. 2pp. 55040:311-55040:312.

9008280336 Notification of grant execution, Mod 4, to "Development of Radiation Protection Stds." Grantee: Intl Commission on Radiological Protection. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN D-1093-0. NRC-02-88-006. 90/08/21. BROWN, W.B. Program Management, Policy Development & Analysis Staff (Post 870413). CUNNINGHAM, R.E. NRC - No Detailed Affiliation Given. 1p. 55040:225-55040:226.

-9008280342 Mod 4, extending period of performance, to "Development of Radiation Protection Stds." SMITH, H. International Commission on Radiological Protection. HAGAN, T.F. Contract Negotiation Branch-1. FIN D-1093-0. NRC-02-88-006. 90/08/21. 1p. 55040:226-55040:226.

9008280374 Notification of contract execution, Mod 11, to "NUDOCS." Contractor: SBA Subcontractor: Statistica, Inc. FIELDS, J. Division of Contracts & Property Management (Post 890205). FIN D-18740. NRC-39-88-211. 90/06/14. MESSENGER, G. Division of Information Support Services (Post 890205). COLLINS, M. NRC - No Detailed Affiliation Given. 1p. 55040:354-55040:357.

-9008290029 Mod 11, providing incremental funds, to "NUDOCS." POST, H. Small Business Administration. SMITH, L.P. Statistica, Inc. BELL, S. Office of Administration (Post 890205). FIN D-18740. NRC-39-88-211. 90/06/14. 3pp. 55040:355-55040:357.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9008020294 Final response to FOIA request. App E records encl & available in PDR. PHILIPS, J. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. GARDE, B.P. Hardy, Millutin & Johns. 2pp. 54797:177-54797:184.

-9008020296 Package consisting of director highlights of unusual event due to required shutdown by Tech Spec 3.4.6.1 for pressure boundary leakage. Unit entered cold shutdown to make repairs. Estimated restart date is 900522. * Region 4 (Post 820201). 90/05/09. 3pp. 54797:182-54797:184.

9008060070 Final response to FOIA request. App C records encl & available in PDR. App D records withheld in entirety (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. SNYDER, P.M. Snyder, P.M. 4pp. 54837:034-54837:062.

-8906260123 SECY-89-177 Responds to Commissions direction contained in staff requirements memo for SECY-88-342 dtd 890208. Paper addresses regulatory issues associated w/extended interim storage of low level radwaste by matts, fuel cycle & reactor licensees. STELLO, V. Ofc of the Executive Director for Operations. 89/06/08. 16pp. 54837:041-54837:054.

-9008060074 Affirmation vote approving & partly disapproving SECY 89-17 re review of existing regulatory requirements for extended interim storage of low level radwaste. CARR, K.M. Commissioners (Post 750119). 89/06/28. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54837:055-54837:056.

-9008060077 Affirmation vote approving & disapproving in part SECY 89-177 re review of existing regulatory requirements for extended interim storage of low level radwaste. CURTISS, J.R. Commissioners (Post 750119). 89/06/28. CHILK, S.J. Office of the Secretary of the Commission. 1p. 54837:057-54837:057.

-9008060078 Advises that Commission has approved proposed development of guidance on extended interim storage of low level waste. CHILK, S.J. Office of the Secretary of the Commission. 89/07/06. STELLO, V. Ofc of the Executive Director for Operations. 1p. 54837:058-54837:058.

-9008060082 Forwards draft staff requirements memos for 900117 meeting re briefing on governors certification of low level waste sites. CHILK, S.J. Office of the Secretary of the Commission. 90/01/24. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 4pp. 54837:059-54837:062.

9008060167 FOIA request for documents re seismic reevaluation of DOE facility in Oak Ridge, TN & initiation or resumption of destructive testing of leaking &/or suspect WESF cesium capsules at facility. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 90/01/08. Energy, Dept. of. 2pp. 54837:153-54837:154.

9008060172 FOIA request for records re design of WESF cesium capsules, redesign of WESF capsules & analysis to determine incentive for improving capsule design. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 90/01/08. Energy, Dept. of. 2pp. 54837:155-54837:156.

9008060174 FOIA request for records re mfg, production, testing & QA of WESF cesium capsules. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 90/01/08. Energy, Dept. of. 2pp. 54837:157-54837:158.

9008060176 FOIA request for records re testing of WESF cesium capsules & related exams, studies &/or investigations. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 90/01/08. Energy, Dept. of. 2pp. 54837:159-54837:160.

9008060178 FOIA request for records re cleanup of facility of Radiation Sterilizers, Inc. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 90/01/18. Energy, Dept. of. 3pp. 54837:161-54837:163.

9008060182 Final response to FOIA request for records. App A records encl & available in PDR. PHILIPS, J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/01. LESSY, R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 2pp. 54837:164-54837:172.

-9008060187 Responds to requests from B Eichorst & E Tupin summarizing results of external dose rate & contamination surveys on exterior surface of thousands of product cartons shipped to listed states. No contamination found. GRACE, J.N. Region 2 (Post 820201). 88/06/21. TURNER, J. Food & Drug Administration. 2pp. 54837:166-54837:167.

-9008060192 Summarizes results of external dose rate & contamination surveys on exterior surface of thousands of product cartons shipped to localities in listed states. No contamination found. GRACE, J.N. Region 2 (Post 820201). 88/06/28. TURNER, J. Energy, Dept. of. 5pp. 54837:168-54837:172.

9008060200 FOIA request for records re enforcement conference between NRC & New Sequoyah Fuels Corp in Region IV ofc on 900315. DEER IN WATER Native Americans for a Clean Environment. 90/07/10. ROBINSON, L. Division of Freedom of Information & Publications Services (Post 890205). 1p. 54837:122-54837:123.

9008060202 Final response to FOIA request. Apps A & B records encl & available in PDR. PHILIPS, J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/01. DEER IN WATER Native Americans for a Clean Environment. 3pp. 54837:124-54837:152.

-9008060208 Press release re unusual event at facility on 900123 involving spillage of several thousand pounds of green salt. Spillage contained within operating bldg. Caused by failure of solenoid valve on storage bin. Cleanup commenced. * Region 4 (Post 820201). 90/01/24. 2pp. 54837:127-54837:152.

9008060219 Partial response to FOIA request. App H records encl & available in PDR. PHILIPS, J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/07/24. RICCIO, J.R. Nuclear Information & Resource Service. 2pp. 54837:099-54837:121.

-9008060222 Forwards proposed program for safeguards licensing of State of LA energy enrichment facility. BURNETT, R.F. Division of Safeguards & Transportation (Post 870413). 89/06/29. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 8pp. 54837:104-54837:112.

-9008060225 Discusses legal issues involved in licensing of U enrichment facility. MCGARRY, J.M. Bishop, Cook, Purcell & Reynolds. 90/01/11. FONNER, R.L. NRC - No Detailed Affiliation Given. 4pp. 54837:113-54837:116.

-9008060227 Forwards justification for team visit to three URENCO plants in Europe during wk of 900604. BURNETT, R.F. Division of Safeguards & Transportation (Post 870413). 90/04/03. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 54837:117-54837:121.

9008060234 FOIA request for 900525 memo on new interim program re security processing for NRC contractors requiring unescorted access to nuclear power plants & agreement reached on procedures.
HICKS,M.M. Utility Workers Union of America. 90/07/11. Division of Freedom of Information & Publications Services (Post 890205). 1p. 54837:090-54837:090.

9008060236 Final response to FOIA request.App A record encl & available in PDR.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/01. HICKS,M.M. Utility Workers Union of America. 2pp. 54837:091-54837:098.

-9006070201 Provides interim program guidance on requirements for unescorted access for NRC contractor personnel.Requirements that NRC contractor employees must meet in areas of fitness-for-duty,security & radiation protection encl.
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/05/25. MARTIN,T.T. Region 1 (Post 820201). EBNETER,S.D. Region 2 (Post 820201). DAVIS,A.B. Region 3 (Post 820201). 6pp. 54837:093-54837:098.

9008060248 Appeals denial of FOIA request for App F records.
CRAFT,R.M. CONOCO, Inc. (Continental Oil Co.). 90/06/25. CHILK,S.J. Office of the Secretary of the Commission. 1p. 54837:075-54837:080.

9008060251 Responds to appeal of denial of FOIA request for App F records.Requested records encl.
CHILK,S.J. Office of the Secretary of the Commission. 90/07/30. CRAFT,R.M. CONOCO, Inc. (Continental Oil Co.). 1p. 54837:081-54837:089.

-8806020197 Responds to 880314 request for views on role & function of maint in design of covers for reclamation of U mill tailings disposal areas under Atomic Energy Act of 1954,as amended & U Mill Tailings Radiation Control Act of 1978.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/05/24. KNAPP,M.R. Division of Low-Level Waste Management & Decommissioning (Post 870413). 5pp. 54837:082-54837:086.

-8810110085 Grants Agreement States legal authority to set alternate concentration limits for hazardous constituents in U mill tailings.
FONNER,R.L. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/09/20. LUBENAU,J. State, Local & Indian Tribe Programs (870413-900111). 2pp. 54837:087-54837:088.

-8812070092 Comments on State of TX draft changes to U tailings rules, per 881122 memo.W/SA Treby 880524 memo to MR Knapp.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/12/01. KAMMERER,C. State, Local & Indian Tribe Programs (870413-900111). 1p. 54837:089-54837:089.

-8806020197 Responds to 880314 request for views on role & function of maint in design of covers for reclamation of U mill tailings disposal areas under Atomic Energy Act of 1954,as amended & U Mill Tailings Radiation Control Act of 1978.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/05/24. KNAPP,M.R. Division of Low-Level Waste Management & Decommissioning (Post 870413). 5pp. 54837:082-54837:086.

-8810110085 Grants Agreement States legal authority to set alternate concentration limits for hazardous constituents in U mill tailings.
FONNER,R.L. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/09/20. LUBENAU,J. State, Local & Indian Tribe Programs (870413-900111). 2pp. 54837:087-54837:088.

-8812070092 Comments on State of TX draft changes to U tailings rules, per 881122 memo.W/SA Treby 880524 memo to MR Knapp.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/12/01. KAMMERER,C. State, Local & Indian Tribe Programs (870413-900111). 1p. 54837:089-54837:089.

9008060260 Partial response to FOIA request.App F records encl & available in PDR.App G record withheld in entirety (ref FOIA Exemption 5).
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. RICCIO,J.P. Nuclear Information & Resource Service. 4pp. 54837:063-54837:074.

-9008060262 Approves initiation of rulemaking to amend 10CFR74 to establish matl control & accounting requirements for commercial centrifuge enrichment plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/03/14. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 1p. 54837:074-54837:074.

9008060347 Partial response to FOIA request.App B records encl & available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. KIGHT,D. Brownstone Publishers, Inc. 2pp. 54837:173-54838:146.

-9008060349 "Current Status Rept Formerly Licensed Site Decontamination Program,Vols 1 & 2."
* Oak Ridge Associated Univs. FIN A-9093. 88/07/31. Division of Industrial & Medical Nuclear Safety (Post 870729). 329pp. 54837:176-54838:146.

9008070264 FOIA request for listed info re facility,including gamma-ray exposure rates at 1M above ground & vegetation samples.
TROZZI,V. Affiliation Not Assigned. 90/07/05. Office of Administration (Post 890205). 1p. 54844:185-54844:185.

9008070268 Final response to FOIA request for documents re facility.App A insp repts available in Appollo,PA LPDR.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. TROZZI,V. Affiliation Not Assigned. 2pp. 54844:186-54844:187.

9008070266 FOIA request for info re radwaste below regulatory concern issue.
GEORGES,C.J. CNN America, Inc. 90/07/10. GRIMSLEY,D. NRC - No Detailed Affiliation Given. 1p. 54844:132-54844:132.

9008070325 Final response to FOIA request for info re below regulatory concern.App A documents available in PDR.
PHILIPS,J. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. GEORGES,C.J. CNN America, Inc. 3pp. 54844:133-54844:135.

9008070328 FOIA request for listed documents re facility,including summary of 810126 meeting on QA reorganization,statement insp, enforcement conference & investigation repts & stated SALPs.
PERSON,J.C. Newman & Holtzinger. 90/06/13. ROBINSON,L. Division of Freedom of Information & Publications Services (Post 890205). 10pp. 54844:173-54844:182.

9008070330 Partial response to FOIA request for info re facility.App A documents available in PDR.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/03. PERSON,J.C. Newman & Holtzinger. 2pp. 54844:183-54844:184.

9008070333 FOIA request for purchase orders & invoices in stated area since Jan 1990 for carpeting svcs.
ESTRADA,J.A. Professional Carpet Service. 90/06/18. NRC - No Detailed Affiliation Given. 1p. 54844:155-54844:155.

9008070335 Final response to FOIA request re carpeting info.Forwards App A documents.App A documents will be available in PDR.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. ESTRADA,J. Professional Carpet Service. 2pp. 54844:156-54844:172.

-9008070336 Package of purchase orders & invoices for various carpeting svcs.
HOYLE,A. NRC - No Detailed Affiliation Given. 90/01/23. 15pp. 54844:158-54844:172.

9008070340 FOIA request for invoices from Sept 1989 - Apr 1990 re carpeting svcs.
STUCKEY,C.M. Family Carpet Service, Inc. 90/06/18. NRC - No Detailed Affiliation Given. 1p. 54844:136-54844:136.

9008070342 Final response to FOIA request re invoices.Forwards App A documents.Documents also available in PDR.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. STUCKEY,C. Family Carpet Service, Inc. 18pp. 54844:137-54844:154.

-9008070347 Package of invoices for various carpeting svcs.
* Family Carpet Service, Inc. 89/07/18. 18pp. 54844:139-54844:154.

9008090149 FOIA request for winning proposal for RFP RS-IRM-90-178, "Agency Upgrade of Technology for Ofc Sys (AUTOS)."
HANDY,L.B. TRESP Associates, Inc. 90/07/22. WIGGINS,E.J. Division of Contracts & Property Management (Post 890205). 1p. 54872:331-54872:331.

9008090151 Final response to FOIA request for records.No agency records subj to request located.
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/06. HANDY,L.B. TRESP Associates, Inc. 1p. 54872:332-54872:332.

9008090155 Final response to FOIA request for records.App L records encl & available in PDR.App M records partially & Apps N & O records completely withheld (ref FOIA Exemption 5).
PHILIPS,J. Division of Freedom of Information & Publications Services (Post 890205). 90/08/06. GARDE,B.P. Robinson, Robinson, Peterson, Berk, Rudolph, Cross & Garde. 6pp. 54872:333-54872:350.

-9008090156 Responds to 890417 supplemental request for documents re Kelly & Caldwell matters.
FOX,M.J. Ofc of Personnel (Post 870413). 89/05/01. DRESSLAR,W.E. National Treasury Employees Union. 2pp. 54872:341-54872:342.

-9008090159 Responds to 890421 supplemental request for info re Caldwell & Kelly adverse action.
FOX,M.J. Ofc of Personnel (Post 870413). 89/05/09. DRESSLAR,W.E. National Treasury Employees Union. 3pp. 54872:343-54872:345.

-9008090164 Advises that Natl Treasury Employees Union invokes arbitration in matter of 15 day suspension of J Kelly.
TOBIAS,R.M. National Treasury Employees Union. 89/07/06. FOX,M. Ofc of Personnel (Post 870413). 3pp. 54872:346-54872:348.

-9008090167 Responds to 890725 request for addl info re Kelly adverse action.
FOX,M.J. Ofc of Personnel (Post 870413). 89/08/10. DRESSLAR,W.E. National Treasury Employees Union. 2pp. 54872:349-54872:350.

9008090186 Final response to FOIA request.App I & J records encl & available in PDR.App J record partially withheld (ref FOIA Exemption 4).
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. RICCIO,J.R. Nuclear Information & Resource Service. 5pp. 54872:351-54873:094.

-9005110202 Forwards Louisiana Energy Svcs partnership agreement & affidavit stating reasons info to be withheld (ref 10CFR2.790(b)W/o stated agreement.Related info encl.
LEROY,P.G. Louisiana Energy Services. 90/05/01. HAUGHNEY,C. Fuel Cycle Safety Branch. 110pp. 54872:359-54873:094.

9008090218 Further response to appeal of denial of FOIA request for records re Peach Bottom Nuclear Power Plant.Previously withheld info will continue to be withheld (ref FOIA Exemptions 5,6 & 7).Appeal denied.
THOMPSON,H.L. Dep Exec Dir for Nuc Matis Safety,Safeguards & Operations Support (Post 890205). 90/08/06. HILL,T.C. Shaw, Pittman, Potts & Trowbridge. 5pp. 54872:192-54872:226.

9008090219 FOIA request for memos re status of rulemaking action,all new rulemaking action & proposed rulemaking action.
FELTON,J.M. Nuclear Licensing Reports. 90/07/13. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 54872:227-54872:227.

9008090220 Final response to FOIA request.App A records encl & available in PDR.
ROBINSON,L. Division of Freedom of Information & Publications Services (Post 890205). 90/08/06. FELTON,J.M. Nuclear Licensing Reports. 2pp. 54872:228-54872:330.

206 NONDOCKETED ITEMS

9008090221 Forwards RES regulatory agenda entries for Apr-June 1990. Related info also encl.
DIPALO,A.J. Regulation Development Branch. 90/07/10. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 890205). 63pp. 54872:230-54872:330.

9008140065 FOIA request for all exhibits or attachments to two Ofc of Investigations repts re issues involved in Apr 1989 enforcement conference w/Process Technology or Radiation Technology Inc.
JONES,B.W. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 90/07/17. GRIMSLEY,D.F. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 54912:283-54912:284.

9008140069 Partial response to FOIA request for records.Apps A & B records available in PDR.Apps A,B & releasable portions of App C records encl.App C records partially withheld (ref FOIA Exemptions 6 & 7).
PHILIPS,J.D. Division of Freedom of Information & Publications Services (Post 890205). 90/08/08. JONES,B.W. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 7pp. 54912:285-54913:316.

9002090344 Corrected Amend 26 to License 29-13613-02 for Process Technology of North Jersey,amending license in entirety. Related info encl.
DAVIS,J. Region 1 (Post 820201). 110027. 89/07/24. 200pp. 54912:292-54913:055.

9008140072 Transcript of investigative interview of J Singleton on 890621 in Rockaway,NJ.
SINGLETON,J. RTI, Inc. (formerly Radiation Technology, Inc.). 89/06/21. 59pp. 54913:056-54913:114.

9008140074 Transcript of investigative interview of PO Shapiro on 890621 in Rockaway,NJ.
SHAPIRO,P.O. RTI, Inc. (formerly Radiation Technology, Inc.). 89/06/21. 33pp. 54913:115-54913:147.

9008140097 Transcript of investigative interview of AA Varaklis on 890621 in Rockaway,NJ.
VARAKLIS,A.A. RTI, Inc. (formerly Radiation Technology, Inc.). 89/06/21. 32pp. 54913:148-54913:179.

9008140101 Transcript of investigative interview of J Russen on 890622 in Rockaway,NJ.
RUSSEN,J. RTI, Inc. (formerly Radiation Technology, Inc.). 89/06/22. 110pp. 54913:180-54913:289.

9008140106 Transcript of investigative interview of J Scandalios on 890622 in Rockaway,NJ.
SCANDALIOS,J. RTI, Inc. (formerly Radiation Technology, Inc.). 89/06/22. 15pp. 54913:290-54913:316.

GEN TEC IS GENERIC TECHNICAL ISSUES

8838140258 Summary of CRGR Meeting 167 held on 890809.Committee recommended against forwarding proposed amend to Commission on basis that safety benefit not demonstrated as necessary to ensure adequate protection,as staff claimed.
JORDAN,E.L. Committee to Review Generic Requirements. 89/08/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 73pp. 54869:026-54869:098.

9008020159 Requests CRGR review of combined packages re PORV & block valve reliability & add'l low temp overpressure protection for LWRs.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 89/07/11. JORDAN,E.L. Committee to Review Generic Requirements. 500pp. 54869:224-54871:091.

9008020166 Provides supplemental response to Generic Ltr 89-19 re request for action concerning resolution of Unresolved Safety Issue A-47.Plant procedures modified to provide operability verification of steam generator protection sys.
MROCKZKA,E.J. Connecticut Yankee Atomic Power Co. MROCKZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). GL-89-19. 90/07/26. Document Control Branch (Document Control Desk). 3pp. 54826:149-54826:151.

9008060166 Summarizes ACRS 362nd meeting on 900607-09 re proposed rule to implement emergency response data sys,Generic Issue 84 re C-E plants w/o power-operated relief valves & draft study on source term update & decoupling siting from design.
MICHELSON,C. ACRS - Advisory Committee on Reactor Safeguards. 90/07/06. CARR,K.M. Commissioners (Post 750119). 7pp. 54864:142-54864:148.

9008060170 Summarizes ACRS 363rd meeting on 900712-13 re reactor safeguards.Future activities for ACRS 364th meeting on 900809-11 re EPRI requirements for advanced LWRs & proposed resolution of Generic Issue B-56 also discussed.
MICHELSON,C. ACRS - Advisory Committee on Reactor Safeguards. 90/07/31. CARR,K.M. Commissioners (Post 750119). 6pp. 54864:214-54864:219.

9008080197 NUREG/CR-5556 REVIEW OF CURRENT LITERATURE RELATED TO GENERIC SAFETY ISSUE 15.
LIPINSKI,R.E., GARNER,R.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN L-1296. EGG-2598. 90/07/31. Division of Safety Issue Resolution (Post 880717). 28pp. 54881:320-54881:347.

9008090045 Informs that GP Simion of INEL will visit plant on 900807 & 08 to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
WIENS,L.A. Project Directorate II-3. 90/08/01. TUCKER,H.B. Duke Power Co. 2pp. 54922:024-54922:027.

9008090053 Discusses 900807 visit to site to gather info in support of resolution of Generic Safety Issue 106, "Piping & Use of Highly Combustible Gases in Vital Areas."
SIMION,G.P. EG&G Idaho, Inc. (subs. of EG&G, Inc.). 90/07/17. WIENS,L.A. NRC - No Detailed Affiliation Given. 2pp. 54922:026-54922:027.

9008090067 Forwards Rev 0 to task action plan for Generic Safety Issue 15, "Radiation Effects on Reactor Vessel Supports."
MINNERS,W. Division of Safety Issue Resolution (Post 880717). 90/01/16. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 3pp. 54869:100-54869:107.

9008090073 Rev 0 to Task Action Plan for Generic Safety Issue 15, "Radiation Effects on Reactor Vessel Supports."
JOHNSON,R.E., CHERNY,F.C., BAER,R.L. Division of Safety Issue Resolution (Post 880717). 89/08/30. 19pp. 54921:166-54921:185.

9008090079 Discusses availability to industry of INEL test results on Generic Issue 87 re motor-operated valves.
ROTHBERG,O. Engineering Issues Branch. 90/08/06. BAER,R.L. Engineering Issues Branch. 3pp. 54921:091-54921:093.

9008130098 Advises that encl ltr sample should be transmitted to licensees re Containment Hydrogen Control Owners Group Topical Rept HGN-112-NP.Licensees requested to submit final analysis of hydrogen control measures by 910301.
KINTNER,L.L. Project Directorate IV-1 (Post 900603). TAC 64818. 90/08/08. HANNON,J. Project Directorate III-3. 3pp. 54978:001-54978:003.

9008140466 NUREG-1339 RESOLUTION OF GENERIC SAFETY ISSUE 29:BOLTING DEGRADATION OR FAILURE IN NUCLEAR POWER PLANTS.
JOHNSON,R.E. Division of Safety Issue Resolution (Post 880717). 90/06/30. 23pp. 54927:158-54927:180.

9008150044 Provides info re RCS leak detection sys to detect leaks from primary piping sys to containment,per Generic Ltr 84-04 & USI A-2.
GATES,W.G. Omaha Public Power District. GL-84-04. 90/08/13. Document Control Branch (Document Control Desk). 2pp. 54972:161-54972:162.

9008160051 Advises that util 900320 response to Generic Ltr 89-19, "Request for Action re Resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants."" per 10CFR50.54(f) complete.
NERSSES,V. Project Directorate I-3. GL-89-19. 90/08/14. BROWN,E.A. Public Service Co. of New Hampshire. 4pp. 54990:274-54990:277.

9008200012 Summarizes ACRS 364th meeting on 900809-11 re proposed resolution of GSI B-56, "Diesel Generator Reliability."
MICHELSON,C. ACRS - Advisory Committee on Reactor Safeguards. 90/08/14. CARR,K.M. Commissioners (Post 750119). 3pp. 54993:213-54993:215.

9008230205 Forwards util 891117 request to change Tech Spec requirements re scram accumulator check valves to eliminate potential of plant shutdown if accumulator check valves fail leakage tests while in Mode 1.
THADANI,M.C. Project Directorate I-2. 90/08/15. KEISER,H.W. Pennsylvania Power & Light Co. 16pp. 55016:160-55016:191.

8502270116 Approves priority ranking schedule for resolving & completing Generic Issue 98, "CRD Accumulator Valve Leakage." Prioritization evaluation encl & will be included in NUREG-0833.
DENTON,H.R. Office of Nuclear Reactor Regulation (800428-851124). 85/02/19. BERNERO,R.M. Division of Systems Integration (811005-851124). 1p. 55016:192-55016:192.

9008240091 Provides revised response to Generic Ltr 89-19 re request for action concerning resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants" & notification of commitment completion.
WALLACE,E.G. Tennessee Valley Authority. GL-89-19. 90/08/17. Document Control Branch (Document Control Desk). 3pp. 55030:029-55030:031.

9008270174 Informs of closeout of Generic Ltr 89-19 re request for action concerning resolution of USI A-47, "Safety Implication of Control Sys in LWR Nuclear Power Plants."
BRINKMAN,D.S. Project Directorate I-1. GL-89-19. 90/08/20. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 55035:237-55035:238.

9008280278 Discusses status of completion of Generic Safety Issue 75, Item 2.2 re vendor interface for safety-related components.
TERRY,C.D. Niagara Mohawk Power Corp. NMP2L 1247. 90/08/21. Document Control Branch (Document Control Desk). 1p. 55044:214-55044:214.

I&E INSPECTION AND ENFORCEMENT

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007300004 EN-90-074:on 900725,notice of proposed imposition of civil penalty in amount of \$5,000 will be issued to licensee based on violations demonstrating lack of mgt oversight by radiation safety officer.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-90-106. 90/07/20. 1p. 54756:184-54756:184.

9007300006 EN-90-073:on 900725,notice of proposed imposition of civil penalty in amount of \$7,500 will be issued to licensee based on failure to have trained operators present on two occasions while treating patients w/high dose afterloader.
BAKER,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 90/07/20. 1p. 54756:188-54756:188.

9007300008 EN-90-072:on 900725,notice of proposed imposition of civil penalty in amount of \$25,000 will be issued to licensee based on violation re multiple control rod withdrawals during startup.
TROSKOSKI,W., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-90-100. 90/07/20. 1p. 54756:187-54756:187.

9007300009 EN-90-071:on 900724,notice of violation & proposed imposition of civil penalty in amount of \$10,000 will be issued to licensee.Action based on 24 violations including but not limited to failures to perform annual reviews.
BAKER,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-90-101. 90/07/19. 2pp. 54756:037-54756:038.

9007310106 PNO-IV-90-026: on 900726, inadvertent safety injection occurred due to main steam line pressure low safety injection actuation signal. Unit in hot standby & licensee restoring from injection. State of TX informed. HOWELL, A.T. Region 4 (Post 820201). 90/07/26. 2pp. 54770:033-54770:034.

9007310122 PNO-IV-90-026A: updates preliminary notification re inadvertent safety injection on 900726. Initiation of all danger tag clearances suspended until licensee task team determines cause of event. HOWELL, A. Region 4 (Post 820201). 90/07/27. 2pp. 54840:069-54840:070.

9007310128 Forwards biweekly listing of generic communications, including bulletins, info notices & generic ltrs. BERLINGER, C.H. Generic Communications Branch. 90/07/18. GREEN, W. Institute of Nuclear Power Operations. 4pp. 54796:259-54796:262.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008010041 PNO-V-90-033: on 900726, observed crack in charging pump suction header piping caused by boric acid crystals on elbow of pump. Licensee considers piping operable & to be repaired w/o plant shut down. Inspector monitoring plant. MORRILL, P., NARBUT, P. Region 5 (Post 820201). 90/07/27. 2pp. 54788:353-54788:354.

9008010223 Enforcement Notice 90-075: on 900730, proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee, based on failure to take appropriate action to resolve inattentiveness allegations re shift supervisor. LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-90-018. 90/07/27. 1p. 54824:292-54824:292.

9008020029 PNO-I-90-056: on 900722, potential design deficiency in main steam isolation sys noted. Units shut down until final analysis & appropriate corrective actions completed. JOHNSON, T., SWETLAND, P. Region 1 (Post 820201). 90/07/23. 3pp. 54805:328-54805:330.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). IEIN-84-72. 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

9008060345 PNO-II-90-054: on 900802, safety relief valve opened unexpectedly & remained open. Licensee evaluating event, which exceeded Tech Spec limit for reactor cooldown rate. Valve will be replaced & failed valve will be inspected. HINDS, J., SHAFER, W. Region 3 (Post 820201). 90/08/02. 1p. 54876:322-54876:322.

9008060366 PNO-I-90-060: on 900730, licensee informed region of accident involving transportation of radiopharm. Hazard to safety of public considered small due to busy highway limiting access to contamination. Commonwealth of MA informed. COURTEMANCHE, S., SHANBAKY, M. Region 1 (Post 820201). 90/07/30. 2pp. 54877:107-54877:108.

9008080374 PNO-I-90-059: on 900730, plant shut down due to excessive RCS leakage. Unit will repair plant electromechanical relief valves found to be leaking during startup. State of NY has been informed. MEYER, G., COOK, B. Region 1 (Post 820201). 90/07/30. 1p. 54876:317-54876:317.

9008080388 PNO-I-90-057: on 900727, restart authorized for facility. Unit agreed to perform self assessments of performance & inform NRC restart assessment panel of self assessment results. MEYER, G., COOK, B. Region 1 (Post 820201). CAL-88-17. 90/07/27. 1p. 54890:003-54890:003.

9008080393 PNO-I-90-058: on 900727, cooling water supply valve to offgas recombiner condenser failed & closed. Reactor power reduced & manual reactor scram initiated. Plant will remain shutdown pending completion of licensee post-event investigation. LYASH, J. Region 1 (Post 820201). 90/07/27. 2pp. 54889:353-54889:354.

9008070001 EN-90-076: on 900803, Commission order modifying License 35-23137-01 issued to Petro Data, Inc. Action based on investigation into activities of two employees. False info provided re info offered to Condrin Oil Co. BAKER, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-90-131. 90/08/03. 1p. 54915:054-54915:054.

9008070173 PNO-IV-90-027: on 900730, safety injection actuation occurred as result of main steam line press low safety injection actuation signal. Caused by rate compensation feature of actuation circuitry. Situation being reviewed by licensee. CHAMBERLAIN, D. Region 4 (Post 820201). 90/07/31. 2pp. 54902:217-54902:218.

9008080219 PNO-II-90-038: on 900720, fire brigade member experienced severe heat cramps during emergency exercise. Caused by high temp & high humidity weather conditions. Individual transported to hosp & four others treated at site. TROUP, G. Region 2 (Post 820201). 90/07/20. 1p. 54931:149-54931:149.

9008080246 NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.

9008090054 PNO-III-90-055: on 900801, unit shut down to repair check valve 1A essential svc water pump. Caused by failure of pump discharge check valve to seat. Check valve will be replaced. FARBER, M., SHAFER, W. Region 3 (Post 820201). 90/08/08. 1p. 54942:262-54942:262.

9008090102 Forwards biweekly listing of generic communications being considered or under development by NRC. BERLINGER, C.H. Generic Communications Branch. 90/08/08. GREEN, W. Institute of Nuclear Power Operations. 4pp. 55002:092-55002:095.

9008100028 NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.

9008100037 PNO-V-90-035: on 900804, fire discovered in noncontaminated laundry room in Units 2 & 3 shared radwaste bldg. Caused by overheated clothing dryer. No radiological release resulted from fire & no safety-related equipment affected. HONA, CONSTABLE, L. Region 5 (Post 820201). 90/08/06. 1p. 54944:001-54944:001.

9008100080 PNO-I-90-061: on 900806, plant operators manually scrambled reactor due to high vibration on main turbine bearing. Caused by blank flange left in oil supply line to bearing. Resident inspectors following licensee actions. TEMPS, R., COWGILL, C. Region 1 (Post 820201). 90/08/07. 1p. 54944:042-54944:042.

9008100085 PNO-II-90-040: on 900724, explosion occurred at depleted U facility. Licensee anticipated explosion & was able to evacuate workers & shut off ventilation fans. Investigation ongoing. WOODRUFF, R.L., TROJANOWSKI, R. Region 2 (Post 820201). 90/07/25. 2pp. 54934:185-54934:186.

9008100089 PNO-I-90-062: on 900806, containment unidentified leak rate exceeded Tech Spec limit. Caused by water introduction into drywell. Licensee began plant shutdown, vented drywell & evaluated plant conditions. RULAND, B. Region 1 (Post 820201). 90/08/07. 2pp. 54951:172-54951:173.

9008100090 PNO-II-90-039: on 900723, const worker fell & was injured & subsequently transported by helicopter to local hosp. Extent of injuries unknown. Injury occurred outside protected area at new main bldg under const. CRLENJAK, R.V. Region 2 (Post 820201). 90/07/23. 1p. 54934:189-54934:189.

9008100095 PNO-II-90-041: on 900726, medical technician noticed prime alert light on & blinking indicating source not completely in shielded position. Wholebody dose estimates for physicist & technician is 30 mrem & 190 mrem, respectively. CLINE, W.E. Region 2 (Post 820201). 90/07/30. 1p. 54943:212-54943:213.

9008100098 PNO-II-90-042: on 900727, 192 seeds found in patient hosp room. Licensee conducting investigation to determine how seeds could be placed on stand & gone undetected for 22 days. TROJANOWSKI, R., HOSEY, C.M. Region 2 (Post 820201). 90/07/30. 2pp. 54934:181-54934:182.

9008160079 PNO-I-90-063: on 900809, plant shutdown due to potential loss of three emergency diesel generators. Caused by blown control power fuse. Fuse replaced. ROSSBACH, L., COWGILL, C. Region 1 (Post 820201). 90/08/09. 2pp. 54978:211-54978:212.

9008160186 PNO-I-90-064: on 900810, observed electrical loading design & analyses inadequacies & post-maint testing deficiencies. Unit chartering independent team to oversee implementation of mod. Outage extended to allow replacement. ROGGE, J. Region 1 (Post 820201). 90/08/14. 1p. 54990:278-54990:278.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). IEIN-89-018. 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.

9008210001 PNO-II-90-045: on 900811, Troxler moisture density gauge discovered stolen from const trailer. Gauge contained 40 mCi Am-241 & 7.7 mCi Cs-137. Computers & survey instruments also stolen. State police notified. Investigation underway. MCALPINE, E.J. Region 2 (Post 820201). 90/08/13. 1p. 55000:037-55000:037.

9008220080 PNO-I-90-065: on 900814, licensee reported that licensed reactor operator tested positive for marijuana as result of random fitness for duty test. Operator unescorted site access suspended for 14 days. ALBERT, R., KEIMIG, R. Region 1 (Post 820201). 90/08/15. 1p. 55020:124-55020:124.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

9008220175 EN-89-066A: on 900821, notice of proposed imposition of civil penalty in amount of \$450,000 issued to licensee. Action based on violations of environ qualification requirements of 10CFR50.49. LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-89-040. 90/08/21. 1p. 55015:115-55015:115.

9008230047 EN-90-080: on 900820, notice of proposed imposition of civil penalty in amount of \$6,250 will be issued to licensee based on failure to hold radiation safety committee meetings & intent to deceive NRC into thinking meetings held. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-90-127. 90/08/15. 1p. 55019:204-55019:204.

9008230053 EN-90-077: on 900816, notice of proposed imposition of civil penalty in amount of \$125 will be issued to licensee based on failure to maintain constant control over moisture density gauge. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-90-123. 90/08/13. 1p. 55016:030-55016:030.

9008230055 EN-90-078: on 900816, notice of proposed imposition of civil penalty in amount of \$5,000 will be issued to licensee based on 15 violations demonstrating mgt oversight. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-90-120. 90/08/13. 1p. 55018:147-55018:147.

9008230053 EN-90-079: on 900816, notice of proposed imposition of civil penalty in amount of \$25,000 will be issued to licensee based on failure to take prompt corrective action re design error in penetration room ventilation sys. PEDERSEN, R.M., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-90-119. 90/08/13. 1p. 55016:031-55016:031.

9008230083 "Satin American Corp Formal Response to NRC Info Notice 89-045 & Suppls 1 & 2." * Satin American Corp. IEIN-89-045. 90/02/14. 387pp. 55013:018-55014:050.

208 NONDOCKETED ITEMS

9008230121 PNO-III-90-056: on 900814, discovered apparent falsified film images for diagnostic nuclear medicine procedures, performed by technician on 900719-27. Former patients being interviewed & technician will be interviewed on 900817.
SHEAR, G., MALLETT, B. Region 3 (Post 820201). 90/08/16. 1p. 55016:035-55016:035.

9008230201 PNO-II-90-044 : on 900802, fire noticed in tube polisher located in fuel components operation bldg at facility. Welding spark ignited zirconium & caused fire. Fire isolated to single piece of equipment & did not spread.
MCALPINE, E.J. Region 2 (Post 820201). 90/08/02. 2pp. 55016:130-55016:131.

9008230204 PNO-I-90-066: on 900816, notified of unplanned shutdown for greater than 48 h to repair letdown isolation valve LD-M-2. Licensee to repair LD-M-2 before coolant activity elevated. State of ME notified.
MCCABE, E. Region 1 (Post 820201). 90/08/16. 1p. 55015:349-55015:349.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

8909140258 Summary of CRGR Meeting 167 held on 890809. Committee recommended against forwarding proposed amend to Commission on basis that safety benefit not demonstrated as necessary to ensure adequate protection, as staff claimed.
JORDAN, E.L. Committee to Review Generic Requirements. 89/08/23. TAYLOR, J.M. Ofc of the Executive Director for Operations. 73pp. 54869:026-54869:098.

9008210029 SECY-90-213 Requests approval of final draft of Section 208 rept to Congress on AOs for Jan-Mar 1990. Upon approval & publication, ltrs to Speaker of House & President of Senate will be provided to Chairman for signature.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/15. 43pp. 54868:346-54869:025.

9007300019 Requests exemption from performing annual exercise of emergency plan, activation of alert & notification sys & distribution of public info brochures, per 10CFR50.12 requirements.
KEUTER, D.R. Sacramento Municipal Utility District. TAC 75520. 90/07/24. Document Control Branch (Document Control Desk). 6pp. 54740:338-54740:343.

9007310158 Reviews emergency response capability & conformance to Rev 2 to Reg Guide 1.97, per SSER 5 (NUREG-0954).
JABBOUR, K.M. Division of Reactor Projects - I/II (Post 870411). TAC 61069. 90/07/27. TUCKER, H.B. Duke Power Co. 2pp. 54769:300-54769:301.

9007310254 Extends invitation to attend review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. FAY, C.W. Wisconsin Electric Power Co. 2pp. 54796:267-54796:268.

9007310257 Extends invitation to attend review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Region III.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. EVERS, K.W. Wisconsin Public Service Corp. 2pp. 54803:262-54803:263.

9007310275 Extends invitation to review Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. ORSER, W.S. Detroit Edison Co. 2pp. 54770:035-54770:036.

9007310277 Extends invitation to review Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. ELIASON, L.R. Northern States Power Co. 1p. 54769:299-54769:299.

9007310278 Forwards corrected Pages B-41 & B-42 for App B of NUREG/CR-4753, Vol 6, "Evaluation & Compilation of DOE Waste Package Test Data."
HARRIS, J. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/07/30. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 5pp. 54757:008-54757:012.

9008010029 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829. Requests preliminary list of questions/issues by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. LYSER, M.D. Cleveland Electric Illuminating Co. 2pp. 54788:340-54788:341.

9008010035 Extends invitation to 900829 meeting in Naperville, IL to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds. Preliminary list of questions/issues to E Rau by 900815 requested.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. SCHNELL, D.F. Union Electric Co. 2pp. 54797:003-54797:004.

9008010039 Extends invitation to participate in 900829 meeting in Naperville, IL to review Rev 6 to NUREG-1021 re operator licensing examiner stds. Preliminary list of questions/issues to E Rau by 900815 requested.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. LIU, L. Iowa Electric Light & Power Co. 1p. 54805:250-54805:250.

9008010046 Extends invitation to participate in 900829 meeting in Naperville, IL, to review Rev 6 to NUREG-1021 re operator licensing examiner stds. Preliminary list of questions/issues to E Rau by 900815 requested.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 54805:251-54805:251.

9008010048 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829.
MILLER, H.J. Region 3 (Post 820201). 90/07/24. SHELTON, D.C. Toledo Edison Co. 1p. 54806:265-54806:265.

9008010052 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829. Requests preliminary list of questions/issues by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. PERRY, J.S. Illinois Power Co. 2pp. 54788:338-54788:339.

9008010056 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. HOFFMAN, D.P. Consumers Power Co. 2pp. 54805:279-54805:280.

9008010062 Extends invitation to participate in review of Rev 6 to NUREG-1021 re operator licensing examiner stds on 900829 in Naperville, IL. Preliminary list of question/issues should be submitted to E Rau by 900815.
MILLER, H.J. Region 3 (Post 820201). 90/07/25. REED, C. Commonwealth Edison Co. 2pp. 54791:043-54791:044.

9008010111 Recommends that util wait until generic effort on NUMARC proposal completed re emergency action level scheme in response to 890302 request. Request not consistent w/ guidance in NUREG-0654/FEMA REP-1, App 1.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. SCHNELL, D.F. Union Electric Co. 2pp. 54805:252-54805:254.

9008010119 Recommends that util wait until generic effort on NUMARC proposal completed before pursuing rev to emergency action level scheme.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. ORSER, W.S. Detroit Edison Co. 2pp. 54791:053-54791:055.

9008010121 Recommends that util wait until generic effort on NUMARC proposal completed before pursuing rev to emergency action level scheme.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. PERRY, J.S. Illinois Power Co. 2pp. 54791:056-54791:058.

9008010159 Forwards RE Alexander 900503 ltr discussed during 362nd ACRS meeting re coherence in regulatory process, per request.
FRALRY, R.F. ACRS - Advisory Committee on Reactor Safeguards. 90/07/06. CARR, ROGERS, CURTISS Commissioners (Post 750119). 1p. 54797:108-54797:113.

-9008010161 Requests specific examples to support 900503 claim re improper conduct of NRC inspectors in area of radiation protection at nuclear plants. Investigation of previous claim summarized in draft NUREG-1395.
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 90/07/26. ALEXANDER, R.E. Affiliation Not Assigned. 2pp. 54797:112-54797:113.

9008010171 Advise that Commission has no objections to proposed First Quarter 1990 AO Rept to Congress, SECY-90-213.
CHILK, J. Office of the Secretary of the Commission. 90/07/09. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 54793:308-54793:308.

9008010243 Provides status of commitments made to NRC by util in 900109 ltr re NUREG-0737, Item II.D.1, per 900628 telcon.
CRIMMINS, T.M. Public Service Electric & Gas Co. of New Jersey. NLR-N90140. 90/07/18. Document Control Branch (Document Control Desk). 3pp. 54805:260-54805:262.

9008030163 Provides clarification of applicable plant mode in response to NUREG-1232, Vol 4 requirement. Hot standby is safe shutdown condition for steam line break.
WALLACE, E.G. Tennessee Valley Authority. 90/07/31. Document Control Branch (Document Control Desk). 3pp. 54851:244-54851:246.

9008060068 Forwards proposed Rev 6 to IAP-2, "Classification of Emergency Conditions," per Insp Rept 50-333/90-15, Unresolved Item 89-11-03. Rev incorporates changes assuring that applicable initiating conditions, per NUREG-0654, addressed.
FERNANDEZ, W. New York Power Authority (formerly Power Authority of the State of New York). JAFP-90-0581. 90/07/30. Document Control Branch (Document Control Desk). 5pp. 54853:009-54853:140.

9008060087 Forwards safety evaluation accepting DCRDR program for plant, per Suppl 1 to NUREG-0737.
LO, R.H. Project Directorate II-1. TAC 56159. 90/07/27. EURY, L.W. Carolina Power & Light Co. 7pp. 54857:105-54857:111.

9008060143 Summarizes 900724 meeting w/util in Region IV ofc to discuss changes to operator licensing program & recently issued rev to NUREG-1021. List of attendees, slides & agenda encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. BARKHURST, R.P. Entergy Operations, Inc. 22pp. 54864:183-54864:204.

9008060148 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021. List of attendees, slides & agenda for meeting encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. TREVORS, G.A. Nebraska Public Power District. 21pp. 54876:156-54876:176.

9008060154 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021, "Operator Licensing Examiner Stds." List of attendees encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. CAHILL, W.J. TU Electric (formerly Texas Utilities Generating Co.). 22pp. 54853:351-54854:012.

9008060165 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & recently issued rev to NUREG-1021, "Operator Licensing Examiner Stds." Attendees list & viewpoints encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. DEDDENS, J.C. Gulf States Utilities Co. 22pp. 54864:105-54864:126.

9008060181 Summarizes 900724 meeting w/util in Region IV ofc re changes to operator licensing program & rev to NUREG-1021, "Operator Licensing Examiner Stds." List of attendees encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. CARNS, N.S. Entergy Corp. 22pp. 54854:113-54854:133.

9008060188 Comments on NUREG/CR-5423 re Mark I liner failure. NUREG-5423 elucidates difficulty in using probabilistic analysis to examine phenomena whose behavior only understood in speculative sense. Sensitivity analysis should be emphasized.
BENDER, M. Querytech Associates. 90/05/15. KERR, W. Wisconsin, Univ. of, Madison, WI. 3pp. 54864:152-54864:154.

9008060198 Expresses appreciation for discussion at 900524 meeting in West Palm Beach & ack receipt of NUREG/CR-5493. Author clarifies "not for retention" handout plot of data from surveillance program.
ETHERINGTON, H. Affiliation Not Assigned. 90/06/04. CORWIN, W.R. Oak Ridge National Laboratory. 2pp. 54876:229-54876:230.

- 9008060361** Summary of 900718 meeting in Rockville, MD w/Rogers & Assoc Engineering Corp re improvement of NRC regulatory guidance documents, including std format & content guide & SRP.
DUNKELMAN, M. Operations Branch. 90/07/30. BANGART, R., GREEVES, J. Division of Low-Level Waste Management & Decommissioning (Post 870413). AUSTIN, J. Regulatory Branch. 5pp. 54876:333-54876:337.
- 9008070074** Summarizes 900724 meeting w/util in Region IV of re changes to operator licensing program & recent rev to NUREG-1021, "Operator Licensing Examiner Stds." Viewgraphs encl.
CALLAN, L.J. Region 4 (Post 820201). 90/07/27. HALL, D.P. Houston Lighting & Power Co. 22pp. 54903:022-54903:043.
- 9008070321** NUREG-0020 V14 N03 LICENSED OPERATING REACTORS STATUS SUMMARY REPORT. Data As Of February 28, 1990. (Gray Book I)
HARTFIELD, R.A. Division of Computer & Telecommunications Services (Post 890205). 90/05/31. 550pp. 54860:231-54862:041.
- 9008070323** NUREG-1411 RESPONSE TO PUBLIC COMMENTS RESULTING FROM THE PUBLIC WORKSHOP ON NUCLEAR POWER PLANT LICENSE RENEWAL.
* Office of Nuclear Regulatory Research (Post 860720). 90/07/31. 75pp. 54845:348-54846:059.
- 9008070326** NUREG-1412 DRFT FC FOUNDATION FOR THE ADEQUACY OF THE LICENSING BASES. A Supplement To The Statement Of Considerations For The Proposed Rule On Nuclear Power Plant License Renewal (10 CFR Part 54). Draft Report For Comment.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/07/31. 110pp. 54860:125-54860:230.
- 9008070329** NUREG-1362 DRFT FC REGULATORY ANALYSIS FOR PROPOSED RULE ON NUCLEAR POWER PLANT LICENSE RENEWAL. Draft Report For Comment.
* Division of Safety Issue Resolution (Post 880717). 90/07/31. 250pp. 54862:042-54862:254.
- 9008070332** NUREG/CR-5519 V01 AGING OF CONTROL AND SERVICE AIR COMPRESSORS AND DRYERS USED IN NUCLEAR POWER PLANTS.
MOYERS, J.C. Oak Ridge National Laboratory. FIN B-0828. ORNL-6607. 90/07/31. Division of Engineering (Post 870413). 134pp. 54850:224-54850:352.
- 9008070334** NUREG/CR-5374 SUMMARY OF INADEQUATE CORE COOLING INSTRUMENTATION FOR UNITED STATES NUCLEAR POWER PLANTS.
ANDERSON, J.L., HAGEN, E.W., MORELOCK, T.C. Oak Ridge National Laboratory. FIN B-0779. ORNL/TM-11200. 90/07/31. Division of Systems Technology (Post 890827). 200pp. 54850:027-54850:223.
- 9008070338** NUREG/CR-5515 LIGHT WATER REACTOR PRESSURE ISOLATION VALVE PERFORMANCE TESTING.
NEELY, H.H., JEANMOUGIN, N.M., CORUGEDO, J.J. Energy Technology Engineering Center. FIN B-3050. ETEC 88-01. 90/07/31. Division of Engineering (Post 870413). 115pp. 54860:014-54860:124.
- 9008070346** NUREG-0933 S11 A PRIORITIZATION OF GENERIC SAFETY ISSUES.
EMRIT, R., RIGGS, R., MILSTEAD, W. Division of Regulatory Applications (Post 870413). 90/07/31. 270pp. 54862:255-54863:074.
- 9008070350** NUREG-0750 V31 N05 NUCLEAR REGULATORY COMMISSION ISUANCES FOR MAY 1990. Pages 371-481.
* Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. 200pp. 54863:075-54863:191.
- 9008070352** NUREG/CR-5588 V02 CARES (COMPUTER ANALYSIS FOR RAPID EVALUATION OF STRUCTURES) VERSION 1.0. Seismic Module. User's Manual.
XU, J., PHILIPPACOPULO, MILLER, C.A. Brookhaven National Laboratory. FIN A-3962. BNL-NUREG-52241. 90/07/31. Division of Engineering (Post 870413). 111pp. 54848:105-54848:214.
- 9008070356** NUREG/CR-5588 V01 CARES (COMPUTER ANALYSIS FOR RAPID EVALUATION OF STRUCTURES) VERSION 1.0. Seismic Module. Theoretical Manual.
XU, J., PHILIPPACOPULO, MILLER, C.A. Brookhaven National Laboratory. FIN A-3962. BNL-NUREG-52241. 90/07/31. Division of Engineering (Post 870413). 110pp. 54844:316-54845:035.
- 9008070358** NUREG-1398 DRFT FC ENVIRONMENTAL ASSESSMENT FOR PROPOSED RULE ON NUCLEAR POWER PLANT LICENSE RENEWAL. Draft Report For Comment.
* Division of Safety Issue Resolution (Post 880717). 90/07/31. 57pp. 54845:250-54845:306.
- 9008070359** NUREG/CR-5588 V03 CARES (COMPUTER ANALYSIS FOR RAPID EVALUATION OF STRUCTURES) VERSION 1.0. Seismic Module. Sample Problems.
XU, J., PHILIPPACOPULO, MILLER, C.A. Brookhaven National Laboratory. FIN A-3962. BNL-NUREG-52241. 90/07/31. Division of Engineering (Post 870413). 200pp. 54848:215-54848:360.
- 9008070362** NUREG-1363 V02 ATOMIC SAFETY AND LICENSING BOARD PANEL ANNUAL REPORT FISCAL YEAR 1989.
COTTER, B.P. Atomic Safety and Licensing Board Panel. 90/07/31. 63pp. 54845:098-54845:159.
- 9008070367** NUREG-1407 DRFT FC PROCEDURAL AND SUBMITTAL GUIDANCE FOR INDIVIDUAL PLANT EXAMINATION OF EXTERNAL EVENTS (IPEEE) FOR SEVERE ACCIDENT VULNERABILITIES. Draft Report For Comment.
* Division of Safety Issue Resolution (Post 880717). 90/07/31. 41pp. 54845:307-54845:347.
- 9008070370** NUREG/CR-5280 V01 AGE-RELATED DEGRADATION OF WESTINGHOUSE 480-VOLT CIRCUIT BREAKERS. Aging Assessment And Recommendations For Improving Breaker Reliability.
SUBUDHI, M., SHIER, W., MACDOUGALL, E. Brookhaven National Laboratory. FIN A-3270. BNL-NUREG-52178. 90/07/31. Division of Engineering (Post 870413). 90pp. 54845:160-54845:249.
- 9008070371** NUREG-1377 R01 NRC RESEARCH PROGRAM ON PLANT AGING: LISTINGS AND SUMMARIES OF REPORTS ISSUED THROUGH MAY 1990.
KONDIC, N.N., HILL, E.L. Division of Engineering (Post 870413). 90/07/31. 62pp. 54845:036-54845:097.
- 9008070378** NUREG-1409 BACKFITTING GUIDELINES.
ALLISON, D.P., CONRAN, J.H., TROTTER, C.A. Office for Analysis & Evaluation of Operational Data, Director. 90/07/31. 105pp. 54846:270-54847:011.
- 9008070384** NUREG-0540 V12 N03 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. March 1-31, 1990.
* Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. 400pp. 54847:012-54848:104.
- 9008070393** NUREG/CR-5117 STEAM GENERATOR TUBE INTEGRITY PROGRAM/STEAM GENERATOR GROUP PROJECT. Final Project Summary Report.
KURTZ, R.J., CLARK, R.A., BRADLEY, E.R. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2097. PNL-6446. 90/05/31. Division of Engineering (Post 870413). 225pp. 54846:060-54846:269.
- 9008070396** NUREG/CR-5589 ASSESSMENT OF ICE-CONDENSER CONTAINMENT PERFORMANCE ISSUES.
NOURBAKHSH, H.P. Brookhaven National Laboratory. FIN A-3966. BNL-NUREG-52242. 90/07/31. Division of Safety Issue Resolution (Post 880717). 57pp. 54844:259-54844:315.
- 9008070400** NUREG/CR-3444 V07 THE IMPACT OF LWR DECONTAMINATIONS ON SOLIDIFICATION, WASTE DISPOSAL AND ASSOCIATED OCCUPATIONAL EXPOSURE.
SOU, P., MILAN, L.W. Brookhaven National Laboratory. FIN A-3246. BNL-NUREG-51699. 90/07/31. Division of Engineering (Post 870413). 74pp. 54844:188-54844:258.
- 9008070412** NUREG/CR-4794 EXPERIMENTAL RESULTS OF CORE-CONCRETE INTERACTIONS USING MOLten STEEL WITH ZIRCONIUM.
COPUS, E.R., BLOSE, R.E., BROCKMANN, J.E. Sandia National Laboratories. FIN A-1218. SAND86-2638. 90/07/31. Division of Systems Research (Post 880717). 400pp. 54849:001-54850:026.
- 9008080093** Forwards Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Results of evaluations discussed.
EBNETER, S.D. Region 2 (Post 820201). 90/07/16. EURY, L.W. Carolina Power & Light Co. 4pp. 54905:214-54905:224.
- 9008080095** Operational Evaluation Repts 50-324/90-03 & 50-325/90-03 on 900609-10. Two crews & 16 operators performed satisfactorily. Major areas evaluated: crew evaluations on simulator per NUREG-1021.
MUNRO, J. Region 2 (Post 820201). 50-325/90-03. 90/07/11. 7pp. 54905:218-54905:224.
- 9008080097** Advises that response to Generic Ltr 89-06 re SPDS implementation complete, per 890412 & 0815 ltrs. Sys meets NUREG-0737 requirements & takes into account NUREG-1342 info.
BEVAN, R. Project Directorate V. GL-89-06. 90/08/03. CROSS, J.E. Portland General Electric Co. 2pp. 54903:353-54903:354.
- 9008080136** Rev 0 to emergency plan, App I, "NUREG-0654 Cross-Reference."
* Consumers Power Co. 90/07/30. 7pp. 54919:290-54919:296.
- 9008080178** NUREG/IA-0034 ASSESSMENT STUDY OF RELAPS/MOD2 CYCLE 36.04 BASED ON PRESSURIZER SAFETY AND RELIEF VALVE TESTS.
STUBBE, E.J., VANHOENACKER, L. TRACTEBEL. 90/07/31. Division of Systems Research (Post 880717). 90pp. 54871:157-54871:242.
- 9008080180** Forwards NUREG-1425, "Welding & NDE Issues at Seabrook Nuclear Station." Review performed in late Mar through mid Jul 1990 in response to concerns raised by Congressional Committee & J Wampler re quality of Pullman-Higgins pipe.
SNIEZEK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/06. BROWN, E.A. Public Service Co. of New Hampshire. 350pp. 54915:103-54916:152.
- 9008080187** NUREG/CR-5532 A PERFORMANCE ASSESSMENT METHODOLOGY FOR LOW-LEVEL WASTE FACILITIES.
KOZAK, M.W., CHU, M.S.Y., MATTINGLY, P.A. Sandia National Laboratories. FIN A-1764. SAND90-0375. 90/07/31. Division of Low-Level Waste Management & Decommissioning (Post 870413). 85pp. 54871:243-54871:327.
- 9008080195** NUREG/CR-5461 AGING OF CABLES, CONNECTIONS, AND ELECTRICAL PENETRATION ASSEMBLIES USED IN NUCLEAR POWER PLANTS.
JACOBUS, M.J. Sandia National Laboratories. FIN A-1818. SAND89-2369. 90/07/31. Division of Engineering (Post 870413). 81pp. 54871:328-54872:047.
- 9008080197** NUREG/CR-5556 REVIEW OF CURRENT LITERATURE RELATED TO GENERIC SAFETY ISSUE 15.
LIPINSKI, R.E., GARNER, R.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN L-1296. EGG-2598. 90/07/31. Division of Safety Issue Resolution (Post 880717). 28pp. 54881:320-54881:347.
- 9008080296** Forwards safety evaluation re facility DCRDR. Licensee meets DCRDR requirements of Suppl 1 to NUREG-0737.
MARTIN, R.E. Project Directorate I-1. TAC 69208. 90/08/06. BURKHARDT, L. Niagara Mohawk Power Corp. 10pp. 54917:325-54917:334.
- 9008090018** NUREG/CR-5524 V01 TMI-2 VESSEL INVESTIGATION PROJECT (VIP) METALLURGICAL PROGRAM. Project Report, January-September 1989.
DIERCKS, D.R. Argonne National Laboratory. FIN L-10050. ANL-90/2. 90/03/31. Division of Engineering (Post 870413). 43pp. 54872:048-54872:093.
- 9008090024** NUREG/CR-5568 V01 INDUSTRY BASED PERFORMANCE INDICATORS FOR NUCLEAR POWER PLANTS. Phase 1 Report: June 1989 - February 1990.
CONNELLY, E.M., VAN HEMEL, S.B. Communications Technology Applications, Inc. HAAS, P.M. Concord Associates, Inc. FIN L-1184. CTA 900215-025. 90/07/31. Division of Systems Research (Post 880717). 99pp. 54872:094-54872:191.
- 9008090119** Forwards certified minutes of Special Committee to Review Severe Accident Risks Rept meeting on 900613-14.
BARTLETT, C.B. NRC - No Detailed Affiliation Given. 90/08/03. HOYLE, J.C. Advisory Committee on Nuclear Waste. 1p. 54919:301-54921:046.

210 NONDOCKETED ITEMS

- 9008090122 Forwards transcript of 900613-14 meeting in Gaithersburg, MD re special committee to review severe accident risk rept, peer review for NUREG-1150 fourth formal meeting.
WEEKS, J.R. Brookhaven National Laboratory. 90/07/25. BARTLETT, C.B. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 54919:302-54919:302.
- 9008090124 Transcript of 900613-14 meeting in Gaithersburg, MD re special committee to review severe accident risk rept, peer review for NUREG-1150 fourth formal meeting. Pp 1-274.
* Brookhaven National Laboratory. 90/06/13. 274pp. 54919:303-54920:216.
- 9008090126 Transcript of 900614 meeting in Gaithersburg, MD re special committee to review severe accident risk rept, peer review committee for NUREG-1150 fourth formal meeting. Pp 1-189.
* Brookhaven National Laboratory. 90/06/14. 189pp. 54920:217-54921:046.
- 9008090205 Advises that facility satisfactorily meets SPDS requirements of Generic Ltr 89-06 & Suppl 1 of NUREG-0737, per util 890711 ltr.
MARTIN, R.E. Project Directorate I-1. GL-89-06. 90/08/08. BURKHARDT, L. Niagara Mohawk Power Corp. 3pp. 54922:001-54922:003.
- 9008090207 Forwards SER & SAIC-87/3034 re plant DCRDR. Confirmatory Issue A(10) closed.
SANDS, S.P. Project Directorate III-2. TAC 64028. 90/08/06. KOVACH, T.J. Commonwealth Edison Co. 10pp. 54921:239-54921:306.
- 9008090209 Advises that facility satisfactorily meets SPDS requirements of Generic Ltr 89-06 & Suppl 1 of NUREG-0737, in response to util 890711 ltr.
MARTIN, R.E. Project Directorate I-1. GL-89-06. 90/08/08. BURKHARDT, L. Niagara Mohawk Power Corp. 4pp. 54921:348-54921:351.
- 9008100082 Forwards safety evaluation accepting implementation of DCRDR program, per NUREG-0737 & NUREG-0800.
REED, T.A. Project Directorate II-3. TAC 67855. 90/08/08. HAIRSTON, W.G. Georgia Power Co. 6pp. 54943:289-54943:294.
- 9008100116 Provides evaluation of util justification for continued operation re cable testing program. Concludes that justification provides acceptable basis for continued operation until cable testing or replacement completed.
HEBDON, F.J. Project Directorate II-4. (formerly TVA Project Directorate) (Post 900603). TAC 77129. 90/08/08. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 54943:169-54943:173.
- 9008100248 Provides final response to NUREG-0737, Item II.D.1, "Performance Testing of Safety Relief Valves." Util will change seal configuration for existing valves to seal on steam medium & install continuous drain for loop piping.
TUCKER, H.B. Duke Power Co. TAC 76433. 90/08/01. Document Control Branch (Document Control Desk). 2pp. 54935:045-54935:046.
- 9008100296 Forwards facility written exam comments for NRC Insp Repts 50-352/90-10 & 50-353/90-11. Written exam for reactor operator & senior reactor operator considered comprehensive & thorough.
LEITCH, G.M. Philadelphia Electric Co. 90/07/25. MARTIN, T.T. Region 1 (Post 820201). 13pp. 54935:032-54935:044.
- 9008130063 Provides info re closeout of NRC review of util response to Generic Ltr 89-06 on SPDS. Requests that util notify NRC in writing upon implementation of SPDS at facility.
ROOD, H. Project Directorate V. TAC 73651. 90/08/10. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 54958:279-54958:281.
- 9008140066 Summarizes NRC 900706 discussion w/officials involved in low level waste disposal in PA re NRC guidance documents including std format & content guide & std review plan. List of attendees also encl.
DUNKELMAN, M. Operations Branch. 90/08/07. BANGART, R., GREEVES, J. Division of Low-Level Waste Management & Decommissioning (Post 870413). AUSTIN, J. Regulatory Branch. 4pp. 54974:001-54974:008.
- 9007310033 Comments on revs to NUREG-1199, "Std Format & Content of License Application for Low Level Radwaste Disposal Facility" & NUREG-1200, "SRP for Review of License Application for Low Level Radwaste Disposal Facility."
RYAN, M.T. Chem-Nuclear Systems, Inc. RA-1159-90. 90/07/25. GREEVES, J.T. Division of Low-Level Waste Management & Decommissioning (Post 870413). 4pp. 54974:005-54974:008.
- 9008140076 Forwards safety evaluation accepting util 831107 response to Generic Ltr 83-28, Item 1.1, "Post-Trip Review" re required actions on generic implications of Salem ATWS events. Implementation date of Jul 1985 noted in 900628 discussed.
TAMP, P.S. Project Directorate II-4. (formerly TVA Project Directorate) (Post 900603). GL-83-28. 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 54964:124-54964:131.
- 9008140079 Safety evaluation of util 831107 info re Generic Ltr 83-28, Item 1.1, concluding that applicant post-trip review program & procedures acceptable.
* NRC - No Detailed Affiliation Given. GL-83-28. 90/08/13. 6pp. 54964:126-54964:131.
- 9008140110 Forwards generic SER re Mark III containment hydrogen control, transmitted to Hydrogen Control Owners Group by 900806 ltr. Final analysis of facility combustible gas control sys, addressing key elements, requested by 910301.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). TAC 77024. 90/08/10. COTTLE, W.T. Entergy Operations, Inc. 3pp. 54965:064-54965:131.
- 9008140112 Advises that HGN-112-NP, "Generic Hydrogen Control Info for BWR-6 Mark III Containments" acceptable for ref in licensee analyses of hydrogen control sys for BWR Mark III containments to extent delineated in encl safety evaluation.
THADANI, A.C. Division of Systems Technology (Post 890827). GL-88-20. 90/08/06. LANGLEY, J.R. Hydrogen Control Owners Group. 2pp. 54965:067-54965:068.
- 9008140466 NUREG-1339 RESOLUTION OF GENERIC SAFETY ISSUE 29: BOLTING DEGRADATION OR FAILURE IN NUCLEAR POWER PLANTS.
JOHNSON, R.E. Division of Safety Issue Resolution (Post 880717). 90/06/30. 23pp. 54927:158-54927:180.
- 9008140487 NUREG-0936 V09 N02 NRC REGULATORY AGENDA. Quarterly Rept, April-June 1990.
* Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. 138pp. 54925:129-54925:261.
- 9008140491 NUREG-1425 WELDING AND NONDESTRUCTIVE EXAMINATION ISSUES AT SEABROOK NUCLEAR STATION. An Independent Review Team Report.
SPESSARD, R.L., COLEY, J., CROWLEY, W. Ofc of the Executive Director for Operations. 90/07/31. 200pp. 54925:282-54926:325.
- 9008140499 NUREG-0040 V14 N01 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report, January-March 1990.
* Division of Reactor Inspection & Safeguards (Post 870411). 90/07/31. 214pp. 54924:276-54925:128.
- 9008140508 NUREG/CR-2000 V09 N6 LICENSEE EVENT REPORT (LER) COMPILATION. For Month Of June 1990.
* Oak Ridge National Laboratory. FIN A-9135. ORNL/NSIC-200. 90/07/31. Office for Analysis & Evaluation of Operational Data, Director. 89pp. 54927:069-54927:157.
- 9008140510 NUREG/IA-0033 ASSESSMENT OF RELAP5/MOD2 CYCLE 36.04 AGAINST LOFT SMALL BREAK EXPERIMENT L3-6.
ERIKSSON, J. Sweden, Govt. of. STUDSVIK NP87128. 90/07/31. 93pp. 54926:326-54927:068.
- 9008150096 Requests addl info re SPDS, per NUREG-0737, Suppl 1.
HOFFMAN, S.T. Project Directorate II-1. TAC 56121. 90/08/10. HAIRSTON, W.G. Alabama Power Co. 4pp. 54972:053-54972:056.
- 9008150135 NUREG/CR-4551 V4PIR1 DRAFT EVALUATION OF SEVERE ACCIDENT RISKS: PEACH BOTTOM UNIT 2
PAYNE, A.C., BREEDING, R.J., JOW, H.N. Sandia National Laboratories. FIN A-1228. SAND86-1309. 90/03/31. NRC - No Detailed Affiliation Given. 1,000pp. 54944:187-54947:221.
- 9008150221 Forwards input to 900710 request re std review plan on plant life extension.
BAGCHI, G. Structural & Geosciences Branch. 90/08/06. TRAVERS, W.D. Assistant Director for Special Projects (Post 891001). 6pp. 54966:130-54966:135.
- 9008160019 Forwards NUREG-0090, Vol 13, No 1, "Rept to Congress on AOs: Jan-Mar 1990." Ten AOs noted for reporting period. One involved loss of vital ac power & subsequent temp increase in RCS at unit during shutdown.
CARP, K.M. Commissioners (Post 750119). 90/08/03. FOLEY, T.S. House of Rep. QUAYLE, J.D. Senate, President of the Senate. 44pp. 54992:195-54992:234.
- 9008160098 NUREG-0090 V13 N01 REPORT TO CONGRESS ON ABNORMAL OCCURRENCES. January-March 1990.
* Office for Analysis & Evaluation of Operational Data, Director. 90/07/31. 42pp. 54947:281-54947:321.
- 9008160102 NUREG-0540 V12 N05 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. May 1-31, 1990.
* Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. 400pp. 54947:322-54949:015.
- 9008160107 NUREG-0540 V12 N04 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. April 1-30, 1990.
* Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. 300pp. 54949:016-54949:337.
- 9008160142 NUREG/BR-0056 V06 N3 ITS News, Summer 1990, Vol 6, Number 3.
* Information Technology Services Branch. 90/08/01. 16pp. 54953:296-54953:312.
- 9008160163 Discusses resolution of variance requests from NUREG-0737, Item II.F.1. Attachments 1, 2 & 3. Ltr closes all NRR action & open items identified in insp Repts 50-483/84-35, 50-483/85-04, 50-483/86-04 & 50-483/88-18.
GODY, A.T. Project Directorate III-3. TAC 59290. 90/08/08. SCHNELL, D.F. Union Electric Co. 4pp. 54992:265-54992:268.
- 9008170010 Forwards monthly operating rept for Jul 1990 for Maine Yankee Atomic Power Station & revised rept for June 1990.
NICHOLS, S.E. Maine Yankee Atomic Power Co. MN-90-77. 90/08/09. Document Control Branch (Document Control Desk). 1p. 54981:092-54981:098.
- 9008170015 Forwards Requalification Program Evaluation Rept 50-412/90-11 (OL-RQ) administered on 900529-0607. Program assigned overall rating of satisfactory.
GALLO, R.M. Region 1 (Post 820201). 90/08/10. SIEBER, J.D. Duquesne Light Co. 2pp. 54982:001-54982:032.
- 9008170020 Requalification Program Evaluation Rept 50-412/90-11 OL-RQ on 900529-0607. Evaluation results: 15 of 16 operators passed all portions of exam & 3 of 4 crews evaluated as satisfactory.
SILK, D.M., ESELGROTH, P. Region 1 (Post 820201). 90/08/09. 29pp. 54982:003-54982:032.
- 9008170045 Approves use of Eberline SPING 3/4 noble gas & particulate effluent monitoring sys to meet requirements of NUREG-0737, Section II.F.1 & use of calibr certification of containment high-range radiation monitoring sys.
COLBURN, T.G. Project Directorate III-1. TAC 65058. 90/08/13. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 54993:355-54993:358.
- 9008170053 Discusses NUREG-0737, Item I.C.6 verification, per 801215 & 820112 commitments. Procedures will be put in place to ensure that independent verification of safety-related equipment performed utilizing qualified personnel.
CHRZANOWSKI, R. Commonwealth Edison Co. 90/08/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54993:359-54993:359.
- 9008200033 Notice of proposed change to regulations re requirements utils should meet to renew existing OLs for nuclear power plants. Four repts providing supplemental info to proposed rule include NUREG-1412, 1411, 1398 & 1362.
MINNERS, W. Division of Safety Issue Resolution (Post 880717). 90/07/09. 2pp. 54983:272-54983:273.
- 9008200093 Notifies NRC that utils volunteer to participate in emergency response data sys project for all four nuclear units, per Generic Ltr 89-15 & NUREG-1394.
MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). B13595. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54994:358-54994:359.

9008200110 Forwards safety evaluation accepting process for conducting DCRDR for plant. Requests that util address remaining open items & provide formal response no later than 90 days after restart of Unit 2.
ROSS, T. Division of Reactor Projects - I/II (Post 870411). TAC 56105. 90/08/15.
KINGSLEY, O.D. Tennessee Valley Authority. 9pp. 54995:306-54995:315.

9008200164 Submits rept re results of leakage exams conducted during Spring 1990 refueling outage, per TMI Item III.D.1.1. None of identified leakage considered excessive. Work orders issued in effort to reduce leakage to level as low practical.
HAIRSTON, W.G. Georgia Power Co. ELV-01973. 90/08/14. Document Control Branch (Document Control Desk). 2pp. 54995:294-54995:295.

9008210017 Submits revised biannual rept for "Evaluation & Compilation of DOE Waste Package Test Data," NUREG/CR-4735, Vol 6.
FRAKER, A.C. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/08/17. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 109pp. 54989:040-54989:148.

9008220057 Forwards drawing changes for Pu air transportable package Model PAT-1, NUREG-0361, SAR to assure conformity between NRC documentation for PAT-1 & configuration of test units used to certify PAT-1 packaging design. W/45 oversize drawings.
HOHNSTREITER, G. Sandia National Laboratories. 90/07/27. McDONALD, C. Transportation Branch. 1p. 55000:257-55000:258.

9008220103 NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.

9008220220 Submits addendum to plant control room design review summary rept, per 900130 ltr. Lists 10CFR50 App R-related mods outside control room that could not be reviewed until after final implementation of changes.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. B13602. 90/08/14. Document Control Branch (Document Control Desk). 3pp. 55000:356-55000:358.

9008230097 Provides addl info re util 900730 request for exemption from 10CFR50, App R re component cooling water pump room. Util believes that no significant nonradiological environ impacts associated w/proposed exemption exist.
CUTTER, A.B. Carolina Power & Light Co. NLS-90-166. 90/08/16. Document Control Branch (Document Control Desk). 2pp. 55016:084-55016:085.

9008230178 Forwards draft safety evaluation re requirements for inadequate core cooling instrumentation, per NUREG-0737, Item II.F.2, "Clarification of TMI Action Plan Requirements."
TAMP, S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC 77132. 90/08/16. KINGSLEY, O.D. Tennessee Valley Authority. 10pp. 55020:156-55020:165.

9008230205 Forwards util 891117 request to change Tech Spec requirements re scram accumulator check valves to eliminate potential of plant shutdown if accumulator check valves fail leakage tests while in Mode 1.
THADANI, M.C. Project Directorate I-2. 90/08/15. KEISER, H.W. Pennsylvania Power & Light Co. 16pp. 55016:160-55016:192.

-9008220116 Approves priority ranking schedule for resolving & completing Generic Issue 98, "QRD Accumulator Valve Leakage." Prioritization evaluation encl & will be included in NUREG-0933.
DENTON, H.R. Office of Nuclear Reactor Regulation (800428-851124). 85/02/19. BERNERO, R.M. Division of Systems Integration (811005-851124). 1p. 55016:192-55016:192.

9008240069 Decision. Advises that ASLB determination in LBP-89-17, that applicant emergency warning sys for State of MA portion of plant EPZ in compliance w/requirements & NUREG-0654 guidance affirmed w/Certificate of Svc. Served on 900820.
TOMPKINS, S.A. Atomic Safety and Licensing Appeal Panel. #390 10747. OL. 90/08/20. 33pp. 54995:021-54995:033.

9008240183 Forwards addl info in support of NRC development of SER for full-term OL for plant, including date of SER providing provisional OL to plant & summary of valid exemptions from 10CFR regulations, per telcon.
SLADE, G.B. Consumers Power Co. GL-83-26. 90/08/17. Document Control Branch (Document Control Desk). 6pp. 55021:198-55023:027.

9008270143 Advises that valve MO-1001-50 cannot be shown to meet 30-day mission for PASS in post-accident environ due to elevated radiation dose rates. Util currently developing solution to allow PASS to meet 30-day availability requirement.
BIRD, R.G. Boston Edison Co. BECO 90-100. 90/08/27. Document Control Branch (Document Control Desk). 1p. 55032:048-55032:048.

9008290184 Forwards FR notice, explaining decision not to extend comment period on proposed license renewal rules 10CFR2.50 & 54.NRC will benefit from UCS comments on rules per participation in NUREG-1317 development. W/o encl.
CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/08/22. CURRAN, D. Harmon, Curran & Tousley. 1p. 55046:166-55046:166.

9008290191 Forwards FR notice, explaining decision not to extend comment period for proposed license renewal rules 10CFR2.50 & 54.NRC will benefit from UCS comments due to participation in NUREG-1317 development. W/o encl.
CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/08/22. HIATT, S.L. Ohio Citizens for Responsible Energy. 1p. 55046:167-55046:167.

9008290229 Forwards FR notice, explaining decision not to grant extension of comment period on proposed license renewal rules. NRC will benefit from UCS comments due to participation in NUREG-1317 development.
CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/08/22. RICCI, J.P. Nuclear Information & Resource Service. 2pp. 55046:176-55046:177.

9008310179 NUREG/CR-4908 ULTRASONIC INSPECTION RELIABILITY FOR INTERGRANULAR STRESS CORROSION CRACKS. A Round Robin Study Of The Effects Of Personnel, Procedures, Equipment, And Crack Characteristics.
HEASLER, P.G., TAYLOR, T.T., SPANNER, J.C. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2289. PNL-6196. 90/07/31. Division of Engineering (Post 870413). 159pp. 55043:262-55044:054.

9008310184 NUREG/CR-5453 V05 BACKGROUND INFORMATION FOR THE DEVELOPMENT OF A LOW-LEVEL WASTE PERFORMANCE ASSESSMENT METHODOLOGY. Computer Code Implementation And Assessment.
KOZAK, M.W., CHU, M.S.Y., MATTINGLY, P.A. Sandia National Laboratories. FIN A-1764. SAND90-0375. 90/08/31. Division of High-Level Waste Management (Post 870413). 117pp. 55044:055-55044:159.

9008310196 NUREG/CR-5574 ERR Errata to "Determination of Chemical Form of Tritium in Self-Luminous Signs," correcting Page 1, Lines 17 & 18 of text to read as listed.
BOWERMAN, B.S., CZAJKOWSKI, C.J. Brookhaven National Laboratory. FIN L-1097. BNL-NUREG-52238. 90/08/08. Division of Industrial & Medical Nuclear Safety (Post 870413). 1p. 55042:137-55042:137.

9008310201 NUREG-1362 DRF FC ER Errata to "Regulatory Analysis for Proposed Rule on Nuclear Power Plant License Renewal, Draft Rept for Comment," revising Section 7.2 on Page 7-3 to read as listed.
Division of Safety Issue Resolution (Post 880717). 90/08/31. 1p. 55042:135-55042:136.

9008310209 NUREG/CR-5373 A DEMONSTRATION EXPERIMENT OF STEAM-DRIVEN, HIGH-PRESSURE MELT EJECTION. The HIPS-105 Test.
ALLEN, M.D., NICHOLS, R.T., PILCH, M. Sandia National Laboratories. FIN A-1406. SAND89-1135. 90/07/31. Division of Systems Research (Post 880717). 90pp. 55043:170-55043:261.

9008310213 NUREG-1214 R06 HISTORICAL DATA SUMMARY OF THE SYSTEMATIC ASSESSMENT OF LICENSEE PERFORMANCE.
ALLEN, S.P., WHARTON, R. Division of Licensee Performance & Quality Evaluation (Post 870411). 90/08/31. 100pp. 55043:056-55043:169.

9008310217 NUREG/CR-5591 V01 N1 HEAVY-SECTION STEEL IRRADIATION PROGRAM. Semiannual Progress Report For October 1989 - March 1990.
CORWIN, W.R. Oak Ridge National Laboratory. FIN L-1098. ORNL/TM-11568. 90/08/31. Division of Engineering (Post 870413). 44pp. 55043:011-55043:055.

9008310221 NUREG/CR-5448 AGING EVALUATION OF CLASS 1E BATTERIES: SEISMIC TESTING.
EDSON, J.L. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6389. EGG-2578. 90/08/31. Division of Engineering (Post 870413). 200pp. 55042:138-55043:010.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9007190181 Ack receipt of 900611 ltr expressing interest of Nuclear Waste Technical Review Board in licensing support sys.
DONNELLY, L.J. Office of Licensing Support System Administrator (Post 890301). 90/07/12. BARNARD, W.D. Nuclear Waste Technical Review Board. 1p. 54957:076-54957:079.

-9007190183 Discusses importance of maintaining progress on licensing support sys design & development schedule as long as repository program being actively pursued.
DONNELLY, L.J. Office of Licensing Support System Administrator (Post 890301). 90/07/05. BARTLETT, J. Energy, Dept. of. 3pp. 54957:077-54957:079.

9007230358 NRC Info Notice 90-047, "Unplanned Radiation Exposures to Personnel Extremities Due to Improper Handling of Potentially Highly Radioactive Sources." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/07/27. Consolidated Edison Co. of New York, Inc. 91pp. 54904:001-54904:092.

9007250110 Trip rept of 900626-27 visit to Amex site near Parkersburg, WV re observations from four monitoring wells.
PARROTT, J.D. Technical Branch. 90/07/05. HURT, R.D. Fuel Cycle Safety Branch. 3pp. 54737:323-54737:325.

9007270021 NRC Info Notice 90-048, "Enforcement Policy for Hot Particle Exposures." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/02. Consolidated Edison Co. of New York, Inc. 93pp. 54961:043-54961:136.

9007310009 Forwards AEOD/E90-05, "Operational Experience on Bus Transfer."
NOVAK, T.M. Division of Safety Programs (Post 870413). AEOD/E90-05. 90/07/25. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). SHAO, L.C. Division of Engineering (Post 870413). 3pp. 54796:105-54796:142.

-9007310012 AEOD/E90-05, "Operational Experience on Bus Transfer."
MAZUMDAR, S. Office for Analysis & Evaluation of Operational Data, Director. AEOD/E90-05. 90/06/30. 35pp. 54796:108-54796:142.

9007310128 Forwards biweekly listing of generic communications, including bulletins, info notices & generic ltrs.
BERLINGER, C.H. Generic Communications Branch. 90/07/18. GREEN, W. Institute of Nuclear Power Operations. 4pp. 54796:259-54796:262.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

9008010110 Forwards FEMA 900613 ltr transmitting findings for offsite emergency preparedness exercise at plant on 891101. No deficiencies noted. Four areas requiring corrective action identified.
GREGER, L.R. Region 3 (Post 820201). 90/07/20. REED, C. Commonwealth Edison Co. 2pp. 54805:178-54805:232.

9008020034 NRC Info Notice 90-050, "Minimization of Methane Gas in Plant Sys & Radwaste Shipping Containers." Svc list encl.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). IEIN-83-14. 90/08/08. Consolidated Edison Co. of New York, Inc. 90pp. 54952:095-54952:185.

9008020036 NRC Info Notice 90-051, "Failures of Voltage-Dropping Resistors in Power Supply Circuitry of Electric Governor Sys." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/08. Consolidated Edison Co. of New York, Inc. 87pp. 54952:186-54952:274.

212 NONDOCKETED ITEMS

- 9008020139** Request for OMB review & supporting statement re 10CFR30, "Authorization to Prepare Radiopharm Reagent Kits & Elute Radiopharm Generators; Use of Radiopharms for Therapy." Estimated respondent burden is 230 h.
NORRY,P.G. Office of Information Resources Management (Post 890205). OMB 3150-0017. 90/07/30. 2pp. 54840:352-54841:007.
- 9008030371** Request for OMB review & supporting statement re 10CFR35, "Authorization to Prepare Radiopharm Reagent Kits & Elute Radiopharm Generators; Use of Radiopharm for Therapy." Estimated respondent burden is 838 h.
NORRY,P.G. Office of Information Resources Management (Post 890205). OMB 3150-0010. 90/07/30. 15pp. 54840:353-54841:007.
- 9008030222** Forwards NRR Ofc Ltr 500, "Procedures for Controlling Development of New & Revised Generic Requirements."
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). NRRL-500. 90/07/25. Office of Nuclear Reactor Regulation, Director (Post 870411). 48pp. 54832:057-54832:104.
- 9008030296** Forwards, for review & comment, draft matl re public workshops planned to address issues raised by licensees in regulatory impact survey in areas of backfitting & event reporting by C.O.B. on 900727.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 90/07/16. MARTIN,T.T. Region 1 (Post 820201). EBNETER,S.D. Region 2 (Post 820201). DAVIS,A.B. Region 3 (Post 820201). 11pp. 54841:151-54841:161.
- 9008030306** "Follow-up on Actions Taken on Ofc of Inspector General Rept, 'Review of Controls Over Use of Travel Funds.'
* Office of Inspector General (Post 890417). 90/07/31. 24pp. 54841:105-54841:128.
- 9008030311** "Review of ASLBP."
* Office of Inspector General (Post 890417). 90/06/30. 62pp. 54841:032-54841:095.
- 9008030338** Advises that NRC neither received, granted nor denied exemption request per 10CFR21 re insulation matls in response to 900709 ltr.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/07/26. SOLLIE,J.M. North Brothers Co. 1p. 54873:128-54873:128.
- 9008060137** Discusses NRC environ conservation initiatives to expand recycling program to include add'l types of paper, aluminum cans, bottles & newspapers as part of ongoing conservation efforts.
BLAHA,J.L. Assistant for Operations (Post 890205). 90/08/02. BILHORN,S.G. Commissioners (Post 750119). 2pp. 54877:104-54877:105.
- 9008060342** Summary of 900716 meeting w/INPO & NUMARC re info exchange on requalification training in nuclear industry. List of attendees & agenda encl.
ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 90/07/30. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 6pp. 54889:269-54889:274.
- 9008060379** Submit NRR Ofc Ltr 104, Rev 2, establishing guidelines for processing requests submitted under FOIA.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). NRRL-104. 90/07/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp. 54876:345-54876:359.
- 9008080007** Forwards FEMA final exercise rept of 890914 plant emergency exercise. No deficiencies noted. W/o rept.
COLLINS,D.M. Region 2 (Post 820201). 90/07/27. EURY,L.W. Carolina Power & Light Co. 2pp. 54908:048-54908:049.
- 9008080076** Forwards "Shearon Harris Nuclear Power Plant Exercise on 890914."
KWIATKOWSKI,D. Federal Emergency Management Agency. 90/07/09. CONGEL,F.J. Radiation Protection Branch. 2pp. 54908:099-54908:140.
- 9008090082** "Shearon Harris Nuclear Power Plant Exercise on 890914."
* Federal Emergency Management Agency. 90/01/02. 40pp. 54908:101-54908:140.
- 9008080088** Forwards Section 206 of Energy Reorganization Act of 1974, per 900627 request.
BAJWA,S.S. Planning, Program & Management Support Branch (Post 870411). 90/07/27. LEONARD,O.G. ANCO Engineers, Inc. 4pp. 54916:188-54916:192.
- 9008080092** Requests recommendation of vendor to purchase Section 206 of Energy Reorganization Act, per 10CFR21.6, "Posting Requirements."
LEONARD,O.G. ANCO Engineers, Inc. 90/06/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54916:192-54916:192.
- 9008080213** Request for OMB review & supporting statement re general assignment. Estimated respondent burden is 240 h.
NORRY,P.G. Office of Information Resources Management (Post 890205). OMB. 90/08/02. 6pp. 54919:245-54919:250.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008080421** Summary of 900710 meeting w/Nuclear Util Procurement Issues Committee re program for joint util audits. List of attendees & briefing charts encl.
BRACH,E.W. Vendor Inspection Branch. 90/08/02. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 13pp. 54931:073-54931:085.
- 9008080429** RIL-166 Research Info Ltr 166: transmits results of emergency core coolant bypass tests conducted under 2D/3D Intl LOCA Research Program.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 90/07/31. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 54919:109-54919:112.
- 9008090064** Forwards listed documents prepared by SAIC under contract to DOE for LSS, per 900717 telcon.
DONNELLY,L.J. Office of Licensing Support System Administrator (Post 890301). 90/07/25. TAUB,L.A. BIS CAP International. 1p. 54950:287-54950:287.
- 9008090128** Responds to 900707 ltr re NRC permitting reactor operation w/1% error for failure. NRC would not permit continued operation of nuclear reactor if risks associated w/operation high as applied in recipient question.
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 90/08/01. PEART,W.G. Affiliation Not Assigned. 8pp. 54921:094-54921:101.
- 9008090204** Forwards Suppl 2 to Generic Ltr 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Suppl extends to at least 910101, generic ltr recommendation of having motor-operated valve program description available on site.
PARTLOW,J.G. Associate Director for Projects (Post 870411). GL-89-10. 90/08/06. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54931:285-54931:298.
- 9008100028** NRC Info Notice 90-053, "Potential Failures of Auxiliary Steam Piping & Possible Effects on Operability of Vital Equipment." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/16. Consolidated Edison Co. of New York, Inc. 87pp. 54988:236-54988:324.
- 9008130111** Responds to 900731 request for review of draft exercise rept & comments.
ROBERTS,J.P. Region 5 (Post 820201). 90/08/08. DONOVAN,R.W. Federal Emergency Management Agency. 1p. 54956:130-54956:156.
- 9008130112** Forwards draft "Remedial Drill Rept." for review & comments.
DONOVAN,R.W. Federal Emergency Management Agency. 90/07/31. SCHUSTER,D. Region 5 (Post 820201). 1p. 54956:131-54956:131.
- 9008130115** Draft "Remedial Drill Rept."
* Federal Emergency Management Agency. 90/07/31. 25pp. 54956:132-54956:156.
- 9008140062** Responds to 900706 ltr re J Lorion 900624 concerns re location of oral argument & lack of notice for ACRS meeting. Location of oral argument may be altered in discretion of Board & forwards transcript of ACRS meeting.
PARLER,W.C. Office of the General Counsel (Post 860701). CCS. 90/07/26. FASCELL,D.B. House of Rep. 2pp. 54951:312-54951:316.
- 9008140064** Forwards constituent 900624 ltr re concerns about location of oral argument & lack of notice for 900524 ACRS meeting.
FASCELL,D.B. House of Rep. 90/07/06. BACH,C.L. Congressional Affairs. 3pp. 54951:314-54951:316.
- 9008140190** Responds to inquiry on behalf of N Fongallaz re disposal of low level radwaste off coast of Ocean City, MD. Factsheets prepared by NRC & EPA re waste disposal in ocean encl.
COMBST,T.R. Congressional Affairs. CCS. 90/07/10. ROTH,W.V. House of Rep. 3pp. 54951:322-54951:340.
- 9008140496** Fact sheet, "Radwaste Dumping off Coast of CA."
* Environmental Protection Agency. CCS. 90/08/14. 14pp. 54951:325-54951:338.
- 9008140498** Forwards constituent 900305 ltr re concerns about disposal of radwaste in Ocean City, MD, for consideration & response.
ROTH,W.V. Senate. CCS. 90/07/10. RATHBUN,D.K. Congressional Affairs. 2pp. 54951:339-54951:340.
- 9008150038** Notifies that Commission agreed to phase out of ASLAP. Info on process by which panel will be abolished encl.
RATHBUN,D.K. Congressional Affairs. CCS. 90/07/02. UDALL,M.K. House of Rep., Interior & Insular Affairs. 4pp. 54944:153-54944:162.
- 9008150207** Summary of 900731 meeting w/INPO in Atlanta, GA re INPO corporate structure & INPO document, "Maint Programs in Nuclear Power Industry." List of meeting attendees encl.
GRANT,G.E. Performance & Quality Evaluation Branch (Post 890101). 90/08/09. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 3pp. 54971:224-54971:227.
- 9008150279** Summary of Operating Reactors Events Meeting 90-20 on 900808.
KADAMBI,N.P. Events Assessment Branch. OREM-90-020. 90/08/09. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 22pp. 54972:062-54972:083.
- 9008160084** Forwards "Final Radiological Emergency Preparedness Exercise Rept." for 891115 full-participation exercise. Results of 891213 medical drill conducted at site also included in rept. One deficiency identified.
KWIATKOWSKI,D. Federal Emergency Management Agency. 90/07/26. CONGEL,F.J. Division of Engineering & Systems Technology (870411-890826). 2pp. 54990:295-54990:345.
- 9008160088** "Final Radiological Emergency Preparedness Exercise Rept." for Fort St Vrain Nuclear Generating Station on 891115.
* Federal Emergency Management Agency. 90/06/22. 48pp. 54990:297-54990:345.
- 9008200150** Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEIN-88-019. 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55033:014.
- 9008210197** Forwards INPO/NRC coordination meeting minutes from 900605 meeting in Atlanta, GA.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/08/14. PATE,Z.T. Institute of Nuclear Power Operations. 18pp. 55000:101-55000:118.
- 9008220103** NRC Info Notice 90-054, "Summary of Requalification Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/28. Consolidated Edison Co. of New York, Inc. 91pp. 55034:015-55034:107.
- 9008230125** Ack receipt of invitation to address Nuclear Fuel Users Forum during meeting to be held on 901025, per 900719 ltr. NRC unable to provide speaker but will be represented.
GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 90/08/13. SANGER,C.P. Nuclear Fuel Users Forum. 3pp. 55018:141-55018:143.
- 9008240102** Documents closeout of Multiplant Action D017, "Tech Specs Defining Operability for Safety Sys." List of affected plants encl.
RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). TAC 40555. 90/08/09. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 55028:188-55028:199.
- 9008240252** Forwards "Shearon Harris Nuclear Power Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
PETERSON,G.C. Federal Emergency Management Agency. 90/08/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 55033:007-55033:283.

—9008240253 "Shearon Harris Nuclear Power Plant Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
* Federal Emergency Management Agency. 90/04/23. 300pp. 55033:008-55033:283.

9008280285 Forwards biweekly FR notice of applications & amends to OLs involving NSHC, published on 900711.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/08. GRAHAM, B. Senate, Environment & Public Works. UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce. 22pp. 55041:338-55041:359.

PR PROPOSED RULE

9007270197 Forwards response to 900710 questions re below regulatory concern policy as background for 900726 subcommittee hearing. Below regulatory concern policy provides basis for consistent exemption decisions.
CARR, K.M. Commissioners (Post 750119). 90/07/20. MILLER, G. House of Rep., Interior & Insular Affairs. 26pp. 55002:107-55002:107.

—9008140130 KM Carr response to G Miller Subcommittee on Energy & Environ Question 1 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 2pp. 55002:108-55002:109.

—9008140133 KM Carr response to G Miller Subcommittee on Energy & Environ Question 2 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:110-55002:110.

—9008140137 KM Carr response to G Miller Subcommittee on Energy & Environ Question 3 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:111-55002:111.

—9008140138 KM Carr response to G Miller Subcommittee on Energy & Environ Question 4 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:112-55002:112.

—9008140139 KM Carr response to G Miller Subcommittee on Energy & Environ Question 5 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:113-55002:113.

—9008140142 KM Carr response to G Miller Subcommittee on Energy & Environ Question 6 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:114-55002:114.

—9008140143 KM Carr response to G Miller Subcommittee on Energy & Environ Question 7 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:115-55002:115.

—9008140144 KM Carr response to G Miller Subcommittee on Energy & Environ Question 8 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:116-55002:116.

—9008140146 KM Carr response to G Miller Subcommittee on Energy & Environ Question 9 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:117-55002:117.

—9008140147 KM Carr response to G Miller Subcommittee on Energy & Environ Questions 10 & 11 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 4pp. 55002:118-55002:121.

—9008140148 KM Carr response to G Miller Subcommittee on Energy & Environ Question 12 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 1p. 55002:122-55002:122.

—9008140150 KM Carr response to G Miller Subcommittee on Energy & Environ Question 13 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 2pp. 55002:123-55002:124.

—9008140152 KM Carr response to G Miller Subcommittee on Energy & Environ Question 14 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 6pp. 55002:125-55002:130.

—9008140155 KM Carr response to G Miller Subcommittee on Energy & Environ Question 15 for 900726 hearing.
CARR, K.M. Commissioners (Post 750119). CCS. 90/07/26. MILLER, G. House of Rep., Interior & Insular Affairs. 2pp. 55002:131-55002:136.

9007310109 Comment supporting installation & operation of hardened vents for suppression pool airspaces of BWRs w/Mark I containment. Positive mechanism to deter inadvertent venting should be considered important.
EURE, J.A. Iowa, State of. EURE, J.A. Affiliation Not Assigned. 55FR25916 01415. 90/07/10. Division of Freedom of Information & Publications Services (Post 890205). 1p. 54737:358-54737:356.

9007310130 Responds to 900805 ltr outlining DOE plans re program for early site permit for advanced LWRs, per 10CFR50.52.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/24. YOUNG, W.H. Energy, Dept. of. 5pp. 54769:319-54769:325.

—9007310132 Informs of plans re early site permit demonstration program for future advanced LWR.
YOUNG, W.H. Energy, Dept. of. 90/06/05. CARR, K.M. Commissioners (Post 750119). 2pp. 54769:324-54769:325.

9008020078 Discusses 900616 application re onsite burial of contaminated wooden pallets. Application on hold pending issuance of NRC Below Regulatory Concern Policy.
BIDINGER, G.H. Fuel Cycle Safety Branch. 90/07/27. KOSMIDER, M.D. Allied-Signal Corp. 1p. 54805:359-54805:359.

9008070010 Responds to undated ltr to NRC re concerns about NRC efforts to establish "Below Regulatory Concern" policy for low level waste from licensed facilities. Assurance that health & safety of public & environ quality exists will be provided.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/03/13. SMITH, B. Affiliation Not Assigned. 1p. 54897:135-54897:135.

9008070286 FOIA request for info re radwaste below regulatory concern issue.
GEORGES, C.J. CNN America, Inc. 90/07/10. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 1p. 54844:132-54844:132.

9008070325 Final response to FOIA request for info re below regulatory concern. App A documents available in PDR.
PHILIPS, J. Division of Freedom of Information & Publications Services (Post 890205). 90/08/02. GEORGES, C.J. CNN America, Inc. 3pp. 54844:133-54844:135.

9008130062 Forwards regulatory history index for rulemaking on stabilization & decontamination priority, per 900706 request. W/o encl.
WOOD, R.S. Policy Development & Technical Support Branch (Post 870411). 90/08/09. LESAR, M.T. Regulatory Publications Branch. 1p. 54957:184-54957:184.

9008140058 Responds to 900706 request for info re low level radwaste disposals. Recently issued below regulatory concern policy statement encl to help constituent understand basis for policy.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 90/07/27. BREAU, J. Senate. 1p. 54944:112-54944:113.

—9008140059 Requests info on recent NRC ruling that would allow dumping of low level nuclear waste in city landfill in response to constituent inquiry.
BREAU, J. Senate. CCS. 90/07/06. BRADBURN, J.C. Congressional Affairs. 1p. 54944:113-54944:113.

9008140103 Responds to 900627 ltr re LA Thorp 900607 request concerning amends to NRC regulations to protect due process rights. NRC has proposed revs to regulations that enables agency to take enforcement action against nonlicensed persons.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 90/07/26. NICKLES, D. Senate. 1p. 54944:096-54944:111.

—9008140105 Requests response to encl ltr re NRC proposed regulation changes directed at lower level employees & contractor employees working at licensed facilities.
NICKLES, D. Senate. CCS. 90/06/27. NRC - No Detailed Affiliation Given. 14pp. 54944:097-54944:110.

—9008140118 Ack receipt of 900627 ltr re LA Thorp inquiries on deregulation of certain low level radwaste to below regulatory concern. Reply will be provided as soon as possible.
RATHBUN, D.K. Congressional Affairs. CCS. 90/07/03. NICKLES, D. Senate. 1p. 54944:111-54944:111.

9008140122 Advises that Commission added to NRC export regulations new definitions for specially designed components for use in gaseous diffusion enrichment plant to reflect clarification.
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). CCS. 90/07/25. GRAHAM, B. Senate, Environment & Public Works. UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P. House of Rep., Energy & Commerce. 3pp. 54951:317-54951:319.

9008150090 Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Suggests that preamble to final rule clarify that new reporting requirements be applicable to U enrichment facilities.
LEROY, P. Louisiana Energy Services. 55FR19890 00030. 90/07/30. Docketing & Services Branch. 3pp. 54927:181-54927:183.

9008150102 Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Language somewhat ambiguous & could result in numerous events being reported which are unimportant.
KOSMIDER, M.D. Allied-Signal Corp. 55FR19890 00013. 90/07/20. Docketing & Services Branch. 3pp. 54941:270-54941:272.

9008150110 Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents."
KOVACH, T.J. Commonwealth Edison Co. 55FR19890 00023. 90/07/30. CHILK, S. Office of the Secretary of the Commission. 2pp. 54941:268-54941:269.

9008150114 Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Concern noted re interpretation, particularly w/respect to damage to shielding of nuclear gauge.
SIECK, P.E. Ohmart Corp. 55FR19890 00028. 90/07/30. Docketing & Services Branch. 1p. 54941:267-54941:267.

9008150120 Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Specific guidance required to assure consistency in interpretation & enforcement of regulation.
NARDI, A.J. Westinghouse Electric Corp. 55FR19890 00027. 90/07/30. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 54941:263-54941:266.

9008150126 Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Requests that companies holding const permit or OL for commercial plants be exempted from requirements for activities occurring within protected area.
COLVIN, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manag. 55FR19890 00022. 90/07/30. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 54941:260-54941:262.

9008150132 Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Regulation would become burdensome & unnecessary reporting result unless conditions requiring immediate 24-h notification specified.
DORUFF, M.A. Amersham Corp. 55FR19890 00025. 90/07/27. Docketing & Services Branch. 2pp. 54941:258-54941:259.

214 NONDOCKETED ITEMS

- 9008150137** Comment opposing proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." CIMA.S. Affiliation Not Assigned. 55FR19890 00021. 90/07/17. Docketing & Services Branch. 3pp. 54941:255-54941:257.
- 9008150141** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Arbitrary & unnecessary requirements need to be reevaluated. MCLAUGHLIN, A. California, Univ. of, Los Angeles, CA. 55FR19890 00026. 90/07/30. Docketing & Services Branch. 1p. 54941:254-54941:254.
- 9008150148** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Time requirements for immediate notification may be somewhat severe & unrealistic in some circumstances. LINTON, O.W. American College of Radiology. 55FR19890 00024. 90/07/30. Docketing & Services Branch. 1p. 54941:253-54941:253.
- 9008150173** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Recommends withdrawal or major rev of proposed rules. DIMEGLIO, A.F. National Organization of Test, Research & Training Reactors. 55FR19890 00020. 90/07/24. Docketing & Services Branch. 3pp. 54941:250-54941:252.
- 9008150178** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." LACEY, L.R. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 55FR19890 00019. 90/07/24. Docketing & Services Branch. 3pp. 54941:247-54941:249.
- 9008150182** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Rule must be fundamentally altered to exclude insignificant radiation events or significant events w/ insignificant radiation components. HENKIN, R.E. American College of Nuclear Physicians. ALAZRAKI, N. Society of Nuclear Medicine. 55FR19890 00015. 90/07/27. Docketing & Services Branch. 2pp. 54941:245-54941:246.
- 9008150186** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Repeated presence of cautionary note in discussion serves to emphasize that regulation inherently defective in terms of types of repts dired by NRC. SLABACK, L.A. National Institute of Standards & Technology (formerly National Bureau of Standards). 55FR19890 00014. 90/07/16. Docketing & Services Branch. 3pp. 54941:242-54941:244.
- 9008150188** Comment opposing proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Regulation inappropriate because unnecessary burden placed on licensee w/ restricted area. BLACK, R.E. Veterans Administration. 55FR19890 00012. 90/07/20. Docketing & Services Branch. 2pp. 54941:240-54941:241.
- 9008150197** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Reporting requirements cited as being burdensome for very routine occurrence. SLACK, S.T. West Virginia University Hospitals, Inc., Morgantown, WV. 55FR19890 00011. 90/07/18. Docketing & Services Branch. 2pp. 54941:238-54941:239.
- 9008150208** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Generic reporting requirements can be detrimental to rept minimization. Specific action need to be established to obtain desired info. MALODY, C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 55FR19890 00010. 90/07/12. Docketing & Services Branch. 4pp. 54941:234-54941:237.
- 9008150213** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." BREDVAD, R.S. Affiliation Not Assigned. 55FR19890 00009. 90/07/16. Docketing & Services Branch. 1p. 54941:233-54941:233.
- 9008150220** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Events identified can easily be insignificant. Recommends that significant events be defined in terms of dose equivalent. SPITZNAGLE, L.A. Merck & Co., Inc. 55FR19890 00037. 90/07/27. Docketing & Services Branch. 3pp. 54941:230-54941:232.
- 9008150222** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." HIATT, S.L. Ohio Citizens for Responsible Energy. 55FR19890 00017. 90/07/23. NRC - No Detailed Affiliation Given. 1p. 54944:169-54944:169.
- 9008150241** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." TUCKER, H.B. Duke Power Co. 55FR19890 00018. 90/07/24. Docketing & Services Branch. 2pp. 54944:167-54944:168.
- 9008150247** Comment opposing proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." BANFIELD, E.L. MQS Inspection, Inc. (formerly Magnatflux Corp.). 55FR19890 00016. 90/07/23. Docketing & Services Branch. 2pp. 54944:170-54944:171.
- 9008150250** Comment opposing proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Recommends that serious consideration be given to specific criteria for licensing. HALL, D.C. Minnesota Mining & Manufacturing Co., 3M Co. 55FR19890 00034. 90/07/30. Docketing & Services Branch. 2pp. 54944:174-54944:175.
- 9008150260** Comment re proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Supports comments made by NUMARC. WALLACE, E.G. Tennessee Valley Authority. 55FR19890 00035. 90/07/31. CHILK, S.J. Office of the Secretary of the Commission. 1p. 54944:176-54944:176.
- 9008150287** Comment re proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Language of rule should be clarified by referring to applicable reporting requirements of 10CFR50.72 & 73 for commercial nuclear power reactors. SHAFER, D. Union Electric Co. 55FR19890 00036. 90/08/01. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 54944:177-54944:179.
- 9008150292** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Proposed regulation does not achieve stated intent to clarify notification requirements. SMITH, L.R. E.I. du Pont de Nemours & Co., Inc. 55FR19890 00033. 90/07/26. Docketing & Services Branch. 7pp. 54944:180-54944:186.
- 9008150296** Comment supporting spirit of proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Unnecessary reporting requirements not supported. MOBERG, A.J. Newport News Industrial Corp. (subs. of Newport News Shipbuilding). 55FR19890 00032. 90/07/30. Docketing & Services Branch. 1p. 54944:166-54944:166.
- 9008150302** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Some sentences should be removed or revised to avoid ambiguities which may arise in statement of consideration accompanying final rule change. MOWRY, W.R. Affiliation Not Assigned. 55FR19890 00029. 90/07/30. Docketing & Services Branch. 2pp. 54944:172-54944:173.
- 9008160068** Forwards two sets of workpapers in support of 10CFR171 notice of annual fees scheduled for publication in FR in next few days. One set of workpapers should be advanced to PDR & other set for processing through NUDOCS sys. HOLLOWAY, C.J. Office of the Controller (Post 890205). 90/08/03. LANHAM, D.H. Document Control Branch (Document Control Desk). 120pp. 54977:160-54977:268.
- 9008160109** Comment supporting proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." PAGEL, J.W. Vanderbilt Univ., Nashville, TN. 55FR19890 00031. 90/07/30. Docketing & Services Branch. 1p. 54947:280-54947:280.
- 9008160225** Comment requesting 60-day extension of comment period to respond to NRC 900717 proposed rule on nuclear power plant license renewal. HIATT, S.L. Ohio Citizens for Responsible Energy. 55FR29043 00003. 90/07/31. Docketing & Services Branch. 1p. 54972:240-54972:240.
- 9008170009** Comment requesting 60-day extension of comment period to respond to NRC 900717 proposed rules 10CFR2,50 & 54 re renewal of nuclear power plant licenses. CURRAN, D. Harmon, Curran & Tousley. 55FR29043 00003. 90/08/09. CHILK, S.J. Office of the Secretary of the Commission. 1p. 54974:196-54974:196.
- 9008170013** Proposed rule 10CFR2,50 & 54, "Nuclear Power Plant Renewal." Rule would establish requirements that applicant for renewal of OL must meet, info that must be submitted to NRC for review so that agency can determine whether requirement met. CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/07/10. 88pp. 54974:205-54974:279.
- 9008170018** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Proposed rule will significantly increase number of industry repts to NRC each yr & NRC will be inundated w/ followup 30-day written repts. WINSLOW, T.P. General Electric Co. 55FR19890 00038. 90/07/30. Docketing & Services Branch. 8pp. 54974:197-54974:204.
- 9008170028** Comment on proposed rules 10CFR20,30,40 & 70, "Notifications of Incidents." Util supports & endorses comments on proposed rulemaking submitted to NRC on 900730 by NUMARC. SHIFFER, J.D. Pacific Gas & Electric Co. 55FR19890 00039. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54974:280-54974:281.
- 9008170054** Requests extension of comment period for proposed rules 10CFR2,50 & 54 re nuclear power plant license renewal. RICCIO, J.P. Nuclear Information & Resource Service. 55FR29043 00001. 90/07/19. CHILK, S.J. Office of the Secretary of the Commission. 1p. 54974:009-54974:009.
- 9008210028** Advises of nomination of PG Norry for GSA 1990 Excellence Administration Award. REMICK, F.J. Commissioners (Post 750119). 90/08/09. BAWDEN, C. General Services Administration. 6pp. 55000:220-55000:225.
- 9008210045** "Export of Components for Use in Gaseous Diffusion Enrichment Plants," 10CFR110 final rule. Export licensing regulations being amended to clarify coverage of specially designed or prepared nuclear assemblies. TAYLOR, J.H. Ofc of the Executive Director for Operations. 55FR4181. 90/07/13. 20pp. 54984:054-54984:073.
- 9008210049** Responds to 900627 ltr expressing concern re recently issued below regulatory concern policy statement. Policy will assist both federal & state authorities to focus limited radiation protection resources on risks of greater concern. REMICK, F.J. Commissioners (Post 750119). 90/08/09. KERREY, J.R., EXON, J.J. Senate. 4pp. 55000:119-55000:124.
- 9008210052** Expresses concern re below regulatoru concern rule. Decision to deregulate category of radwaste will pose difficulty to adequately oversee & control mats being sent to community landfills. KERREY, J.R., EXON, J.J. Senate. 90/06/27. CARR, K.M. Commissioners (Post 750119). 2pp. 55000:123-55000:124.
- 9008210050** Comment on proposed rules 10CFR30,40,50,60,61,70,72,110 & 150 re willful misconduct of unlicensed persons. Proper approach would be for NRC to promulgate regulation that specifies kind of misconduct affecting public safety. GILCHRIST, J.E. American Mining Congress. 55FR12374 00036. 90/08/01. Docketing & Services Branch. 7pp. 54984:047-54984:053.
- 9008210065** Responds to 900601 ltr expressing opposition to NRC proposed deregulation of certain low level radwastes classification of "Below Regulatory Concern." NRC actions consistent w/ other Federal agencies. REMICK, F.J. Commissioners (Post 750119). 53FR49886. 90/08/10. SCHNEIDER, C. House of Rep. 11pp. 55004:068-55004:080.
- 9008210066** Expresses strong opposition to NRC proposed deregulation of low level radwastes to "Below Regulatory Concern (BRC)." Urges Commission to forego any policies that would downgrade low level radwastes to BRC status. SCHNEIDER, C. House of Rep. 53FR49886. 90/06/01. CARR, K. Commissioners (Post 750119). 2pp. 55004:079-55004:080.
- 9008210075** Comment supporting proposed rule 10CFR150 re Kerr-McGee plans for disposal of radwaste in West Chicago, IL. ORTIGER, T.W. Illinois, State of. 55FR11459. 90/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54984:045-54984:046.

9008210079 Proposed rule 10CFR51, "License Renewal for Nuclear Power Plants: Scope of Environ Effects." Rule would inform interested parties of NRC intent to address environ issues associated w/license renewal. TAYLOR, J.M. Ofc of the Executive Director for Operations. 55FR29964. 90/07/13. 16pp. 54984:029-54984:044.

9008210163 Notice of intent to prepare generic EIS re proposed rule 10CFR51, "Renewal of Nuclear Power Plant OLS." BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 55FR29964. 90/07/16. 3pp. 54984:291-54984:293.

9008210177 "Storage of Spent Fuel in NRC Approved Storage Casks at Power Reactor Sites." 10CFR50.72 & 170 final rule. Regulations amended to provide storage of spent nuclear fuel onsite provided reactor licensee notifies NRC. CHILK, S.J. Office of the Secretary of the Commission. 55FR19379. 90/07/12. 60pp. 54984:307-54985:006.

9008220066 Comment opposing proposed rules 10CFR20.30, 40 & 70, "Notifications of Incidents." Proposed rule found to be overly restrictive as written. COLLINS, J.P. Navy, Dept. of. 55FR19890 00040. 90/08/08. Docketing & Services Branch. 3pp. 54993:297-54993:299.

9008220068 Comment opposing proposed rule 10CFR55 re operator license. Rule would decrease probability that licensed operator w/ drug or alcohol problem will seek assistance from employee assistance programs. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 55FR14288 00038. 90/07/13. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54993:289-54993:290.

9008220078 Comment on proposed rule 10CFR55 re operator licenses & fitness for duty. Util supports position offered by NUMARC. BIRD, R.G. Boston Edison Co. 55FR14288 00039. 90/07/11. CHILK, S.J. Office of the Secretary of the Commission. 1p. 55017:114-55017:114.

9008220081 Comment opposing proposed rule 10CFR2 re willful misconduct by unlicensed persons. NRC needs to promulgate regulation that specifies kind of misconduct that can give rise to public health & safety concerns. GILCHRIST, J.E. American Mining Congress. 55FR12370 00019. 90/08/01. Docketing & Services Branch. 6pp. 54993:291-54993:296.

9008220187 Policy statement, "Enforcement Policy re Occupational Doses From Hot Particles." Provisions will be followed until new limit applicable to such cases established by rev to 10CFR20. CHILK, S.J. Office of the Secretary of the Commission. 55FR31113. 90/07/25. 7pp. 54993:303-54993:309.

9008240156 Final Rule 10CFR15, "Debt Collection Procedures." Amend intended to allow NRC to further improve collection of debts due US. TAYLOR, J.M. Ofc of the Executive Director for Operations. 53FR39480. 90/07/27. 29pp. 55006:115-55006:143.

9008280033 Correction to final rule 10CFR110, "Export of Components for Use in Gaseous Diffusion Enrichment Plants." Action corrects inconsistent refs & reflects restructured portions of export regulations. TAYLOR, J.M. Ofc of the Executive Director for Operations. 55FR30449. 90/08/13. 6pp. 55032:347-55032:352.

9008280310 Forwards documents for regulatory history package (AD60-1) re proposed rule 10CFR2 "Revs to Procedures to Issue Orders: Challenges to Orders Made Immediately Effective." LESSLER, L. Office of the General Counsel (Post 860701). AD60-1 01. 90/08/21. Document Control Branch (Document Control Desk). 1p. 55044:255-55045:144.

9008280321 Forwards proposed rule entitled "Procedures to Issue Orders: Challenges to Orders Made Immediately Effective" & ltrs to chairmen of relevant congressional committees, signed by general counsel & advising of publication of proposed rule. CHO, J. Office of the General Counsel (Post 860701). AD60-1 03. 90/06/21. MEYER, D.L. Regulatory Publications Branch. 22pp. 55044:274-55044:295.

9008280328 Forwards marked-up proposed rule re procedures to issue orders to provide for expeditious consideration of challenges to orders made immediately effective. MEYER, D.L. Regulatory Publications Branch. AD60-1 04. 90/06/14. CHO, J. Office of the General Counsel (Post 860701). 10pp. 55044:296-55044:305.

9008280333 Forwards proposed rule 10CFR2, "Revs to Procedures to Issue Orders," for review & processing per 900601 staff requirements memo on SECY-90-074A, "Rev to Rules of Practice." CHO, J. Office of the General Counsel (Post 860701). AD60-1 05. 90/06/08. MEYER, D.L. Regulatory Publications Branch. 12pp. 55044:306-55044:317.

9008280338 Forwards staff requirements memo on SECY-90-074A re rev to rules of practice, considered to be final Commission decisions. CHILK, S.J. Office of the Secretary of the Commission. AD60-1 06. 90/06/01. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 4pp. 55044:318-55044:321.

9008280345 Forwards marked-up copy of proposed rule 10CFR2, "Procedures to Issue Orders Made Immediately Effective." MEYER, D.L. Regulatory Publications Branch. AD60-1 07. 89/05/17. CHO, J. Office of the General Counsel (Post 860701). 22pp. 55044:322-55044:343.

9008280349 Responds to request for comment & concurrence on proposed rule 10CFR2, "Revs to Procedures to Issue Orders." SHELTON, B.J. Information & Records Management Branch (Post 890827). AD60-1 08. 90/05/17. MEYER, D.L. Regulatory Publications Branch. 1p. 55044:344-55044:344.

9008280360 Submits concerns re proposed rule 10CFR2, "Revs to Procedure to Issue Orders." Rule imposes adequate evidence test analogous to probable cause std applied in criminal cases for search & arrest warrants. KOHL, C.N. Atomic Safety and Licensing Appeal Panel. AD60-1 09. 90/05/17. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 8pp. 55044:345-55045:030.

9008280371 Forwards proposed rule 10CFR2, "Revs to Procedures to Issue Orders," for publication & Congressional ltr package for transmittal. GOLDBERG, J.R. Deputy General Counsel for Hearings, Enforcement & Administration (Post 890423). AD60-1 11. 90/03/21. MEYER, D.L. Regulatory Publications Branch. 25pp. 55045:031-55045:055.

9008290001 Discusses revs to 10CFR2 re challenges immediately effective NRC orders (SECY-90-074). COTTER, B.P. Atomic Safety and Licensing Board Panel. AD60-1 12. 90/03/14. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 7pp. 55045:056-55045:090.

9008290002 Forwards draft staff requirements memo & SECY-89-321 considered to be final Commission decisions. CHILK, S.J. Office of the Secretary of the Commission. AD60-1 14. 90/02/14. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 22pp. 55045:091-55045:139.

9008290005 Comments on draft proposed amends to rules of practice (10CFR2, Subpart B) to provide for expedited hearings when requested in connection w/immediately effective orders & delays in expedited hearings in certain circumstances. KOHL, C.N. Atomic Safety and Licensing Appeal Panel. AD60-1 16. 90/03/12. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 5pp. 55045:140-55045:144.

9008290184 Forwards FR notice, explaining decision not to extend comment period on proposed license renewal rules 10CFR2.50 & 54. NRC will benefit from UCS comments on rules per participation in NUREG-1317 development. W/o encl. CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/08/22. CURRAN, D. Harmon, Curran & Tousley. 1p. 55046:166-55046:166.

9008290191 Forwards FR notice, explaining decision not to extend comment period for proposed license renewal rules 10CFR2.50 & 54. NRC will benefit from UCS comments due to participation in NUREG-1317 development. W/o encl. CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/08/22. HIATT, S.L. Ohio Citizens for Responsible Energy. 1p. 55046:167-55046:167.

9008290216 Proposed rules 10CFR2.50 & 54, "Nuclear Power Plant License Renewal" & subsequent denial of requests to extend comment period. NRC considers 90-day comment period sufficient. CHILK, S.J. Office of the Secretary of the Commission. 90/08/22. 6pp. 55046:170-55046:175.

9008290229 Forwards FR notice, explaining decision not to grant extension of comment period on proposed license renewal rules. NRC will benefit from UCS comments due to participation in NUREG-1317 development. CHILK, S.J. Office of the Secretary of the Commission. 55FR29043. 90/08/22. RICCIO, J.P. Nuclear Information & Resource Service. 2pp. 55046:176-55046:177.

PRM PETITION FOR RULEMAKING

9008130062 Forwards regulatory history index for rulemaking on stabilization & decontamination priority, per 900706 request. W/o encl. WOOD, R.S. Policy Development & Technical Support Branch (Post 870411). 90/08/09. LESAR, M.T. Regulatory Publications Branch. 1p. 54957:184-54957:184.

9008210100 Comment opposing petition for rulemaking PRM-61-1 re design & const of zero-release low level radwaste disposal facility in saturated zone. Research program should be instituted to examine validity of concept. HIATT, S.L. Ohio Citizens for Responsible Energy. 55FR13797 00009. 90/07/24. Docketing & Services Branch. 2pp. 54984:074-54984:075.

9008210102 Comment opposing petition for rulemaking PRM-61-1 re development of zero-release low level radwaste disposal facility in saturated zone. Relief technically unfounded & contrary to NRC policy. MILLS, L.E. Edison Electric Institute. 55FR13797 00010. 90/08/03. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 54984:076-54984:079.

9008210109 Notice of receipt of petition for rulemaking PRM-60-3 re amend of regulations concerning disposal of high level radwastes in geologic repositories to include specific dose criterion for design basis accidents. CHILK, S.J. Office of the Secretary of the Commission. 55FR28771. 90/07/09. 8pp. 54984:080-54984:087.

9008210159 Comment opposing petition for rulemaking PRM-61-1 re low level radwaste disposal. GREENBERG, J. New England Coalition on Nuclear Pollution. 55FR13797 00012. 90/08/03. Docketing & Services Branch. 5pp. 54984:286-54984:290.

9008210170 Comment opposing petition for rulemaking PRM-61-1 re low level radwaste. CULLINGTON, L. Affiliation Not Assigned. 55FR13797 00013. 90/08/05. Docketing & Services Branch. 7pp. 54984:300-54984:306.

9008210184 Comment on petition for rulemaking PRM-50-55 re frequency of FSAR revs. Util endorses NUMARC suggestion. Nine months reasonable time period to prepare FSAR updates due to number & complexity of mods. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 55FR18608 00030. 90/07/13. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54984:294-54984:295.

9008210198 Comment on petition for rulemaking PRM-50-55 re revs to FSAR. Revs should be driven by circumstances rather than by arbitrary time schedule. SCHNELL, D.F. Union Electric Co. 55FR18608 00020. 90/07/06. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 54984:296-54984:299.

9008210199 Comment on petition for rulemaking PRM-61-1. Polymer & fiber reinforced concrete products have merit & should be studied further for application in nuclear waste disposal technology. EBENHACK, D.G. Chem-Nuclear Systems, Inc. 55FR13797 00011. 90/08/06. Docketing & Services Branch. 18pp. 54984:268-54984:285.

9008220215 Comment supporting petition for rulemaking PRM-50-55 re revs to FSAR. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 55FR18608 00028. 90/07/09. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 54993:300-54993:302.

9008240161 Correction to notice of receipt of petition for rulemaking PRM-60-3. MEYER, D.L. Regulatory Publications Branch. 55FR28771. 90/08/03. 2pp. 55006:144-55006:145.

216 NONDOCKETED ITEMS

9008290185 Comment on petition for rulemaking PRM-50-53. Listed facts & comments added to rulemaking record requested, including potential for fuel failure due to pellet-cladding interaction under stated circumstances.
HIATT, S.L. Ohio Citizens for Responsible Energy. 54FR30905 00005. 90/08/18. Docketing & Services Branch. 3pp. 55032:353-55032:355.

9008290204 Comment opposing petition for rulemaking PRM-61-1 re zero-release low level radwaste disposal facility in saturated zone.
DEVINCENTIS, J. Yankee Atomic Electric Co. 55FR13797 00014. 90/08/21. Docketing & Services Branch. 2pp. 55046:168-55046:169.

9008310085 Notice re denial of MI Lewis petition for rulemaking on reinstating financial qualifications as consideration in OL hearings for electric utility.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 53FR32913. 90/07/17. 10pp. 55042:125-55042:134.

PROJ PROJECTS - PREDOCKET LICENSING

9007270172 Forwards summary of intended changes to GNS Spec BS 05-1 for borated stainless steel used in CASTOR X fuel basket for comments, per 900620 telcon w/W Lloyd.
WITT, C.R. Chem-Nuclear Systems, Inc. 611-0416-90. 90/07/23. ROBERTS, J.P. Fuel Cycle Safety Branch. 3pp. 54734:295-54734:297.

9007300023 Forwards info re discharge limits for Urenco facilities. Limits for Gronau & Almelo facilities representative of operating centrifuge enrichment facility.
LEROY, P.G. Louisiana Energy Services. 90/07/23. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 10pp. 54756:021-54756:030.

9007300049 Forwards questions & comments in response to licensee 900425 topical safety analysis report re storable transport cask for use at ISFSI.
STURZ, F. Fuel Cycle Safety Branch. 90/07/26. WELLS, A. Nuclear Assurance Corp. 18pp. 54762:260-54762:277.

9008010069 Forwards "DOE West Valley Demonstration Project Site Specific Plan."
BIXBY, W.W. Energy, Dept. of Idaho Operations Office. 90/07/26. HURT, D. NRC - No Detailed Affiliation Given. 2pp. 54806:080-54806:165.

-9008010072 "DOE West Valley Demonstration Project Site-Specific Plan."
* Energy, Dept. of Idaho Operations Office. 90/06/12. 82pp. 54806:084-54806:165.

9008020145 Notification of 900803 meeting w/Westinghouse in Rockville, MD to discuss approach to control room design & technologies used in AP-600 design. Draft agenda encl.
DONATELL, L.F. Standardization Project Directorate (Post 900603). 90/07/30. MURLEY, T.E. NRC - No Detailed Affiliation Given. RUSSELL, W. Associate Director for Inspection & Technical Assessment (Post 870411). 4pp. 54828:156-54828:159.

9008030332 Notification of 900823 meeting w/EPRI & BNL in Rockville, MD to discuss proposed source term methodology for passive plant designs. Tentative agenda for meeting encl.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/07/30. MILLER, C.L. Standardization Project Directorate (Post 900603). 6pp. 54841:132-54841:137.

9008030351 Forwards, for discussion, preliminary draft of revs to Section 7.0 of draft Federal & State Facilities Compliance Agreement. Revs not approved by DOE Idaho Operations ofc or headquarters.
BIXBY, W.W. Energy, Dept. of 90/07/26. GORMAN, J. Environmental Protection Agency. COUNTERMAN, P. New York, State of. 4pp. 54841:193-54841:196.

9008030372 Advises of completed review of PNSI QA manual & requests addl info. Explanation why definition of listed terms do not agree w/definitions in NQA-1 requested.
GODY, A.T. Performance & Quality Evaluation Branch (Post 890101). 90/07/27. SMITH, R.H. Pacific Nuclear Systems, Inc. 4pp. 54957:135-54957:138.

9008080042 Summary of 900531 meeting w/EPRI, NUMARC & std plant vendors re EPRI advanced LWR requirements document for evolutionary LWRs. List of attendees encl.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/08/02. Standardization Project Directorate (Post 900603). 4pp. 54913:354-54913:357.

9008090176 Forwards report, "Prevention of Early Containment Failure Due to High Pressure Melt Ejection & Direct Containment Heating for Advanced LWRs."
KINTNER, E.E. General Public Utilities Corp. - GPU Service Corp. 90/07/23. Document Control Branch (Document Control Desk). 1p. 54918:001-54918:203.

-9008090194 "Prevention of Early Containment Failure Due to High Pressure Melt Ejection & Direct Containment Heating for Advanced LWRs."
CARTER, J.C. Electric Power Research Institute. 90/07/31. 200pp. 54918:002-54918:203.

9008090269 Forwards response to 900410 request for addl info re Chapters 1, 10 & 11 of advanced LWR requirements document.
KINTNER, E.E. General Public Utilities Corp. - GPU Service Corp. 90/07/23. Document Control Branch (Document Control Desk). 129pp. 54933:208-54933:337.

9008090312 Notification of 900828 meeting w/ACRS, EPRI & BNL in Rockville, MD to discuss PJA external events.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/08/03. MILLER, C.L. Standardization Project Directorate (Post 900603). 2pp. 54921:212-54921:213.

9008090359 Summarizes 900711 meeting w/Louisiana Energy Svcs re review of results of June 1990 trip to three Urenco plants. People were most cooperative in providing info, including classified sensitive info.
LOYSEN, P. Fuel Cycle Safety Branch. 90/08/07. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 3pp. 54953:314-54953:316.

9008090372 Discusses coordination of Louisiana Energy Svcs prelicensing activities. Regular monthly meetings of individuals responsible to LES project would be useful to maintain coordination in future.
LOYSEN, P. Fuel Cycle Safety Branch. 90/08/06. HAUGHNEY, C. Fuel Cycle Safety Branch. 2pp. 54953:324-54953:325.

9008100091 Provides followup to 900726 telcon re hazardous mats, chemicals & wastes that will be associated w/U enrichment plant in Claiborne Parish. NRC has relinquished to State of LA authority to regulate certain classes of radionuclides.
SWIFT, J.J. Fuel Cycle Safety Branch. 90/08/06. MORELOCK, T.G. Affiliation Not Assigned. 2pp. 54943:287-54943:288.

9008100329 Advises that LES pre-licensing coordination meeting will be held on 900821.

LOYSEN, P. NRC - No Detailed Affiliation Given. 90/08/09. BORDENICK, B.M., BRADY, R.J., HAUGHNEY, C.J. NRC - No Detailed Affiliation Given. 1p. 54943:211-54943:211.

9008130066 Ack receipt of 900717 ltr re request for legal authority verifications for waste storage at nuclear power plants in midwest compact region. Length of time that low level waste placed in storage should be minimized.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/08/07. LARSON, G.S. Midwest Interstate Low-Level Radioactive Waste Commission. 7pp. 54956:052-54956:064.

-9008130069 Responds to 900604 ltr questioning basis for NRC statement re long-term onsite storage of low level radwaste beyond 960101.
CARR, K.M. Commissioners (Post 750119). 90/07/20. MONACO, C. Cortland County, NY. 2pp. 54956:062-54956:063.

-9007230315 Expresses appreciation for 900604 response to request for legal authority verifications for waste storage at nuclear power plants in Midwest Compact Region.
LARSON, G.S. Midwest Interstate Low-Level Radioactive Waste Commission. 90/07/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54956:064-54956:064.

9008130214 Advises that Louisiana Energy Svcs pre-licensing matters meeting will be held on 900806 in Rockville, MD. Meeting to be devoted to plant design & process flow.
LOYSEN, P. Fuel Cycle Safety Branch. 90/08/09. HAUGHNEY, C., SWIFT, J.J., HURT, R.D. Fuel Cycle Safety Branch. 2pp. 54951:310-54951:311.

9008130223 Summary of 900531 meeting w/EPRI re source term to be used on future LWR. List of attendees & viewgraphs encl.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/08/08. Standardization Project Directorate (Post 900603). 60pp. 54957:323-54957:028.

9008140075 Forwards, for info, matl data sheet re results of testing performed on borated stainless steel specimens.
WITT, C.R. General Nuclear Systems, Inc. 611-0451-90. 90/08/07. ROBERTS, J.P. Fuel Cycle Safety Branch. 2pp. 54962:119-54962:120.

9008150290 Advises that documents marked proprietary will be withheld from public disclosure, per 900711 ltr & 900716 affidavit & 10CFR2.790(b)(5).
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/08/10. WITT, C.R. General Nuclear Systems, Inc. 2pp. 54971:269-54971:270.

9008170106 Responds to 900703 ltr to Chairman Carr re timely certification of two evolutionary/passive designs. NRC needs sufficient time to identify & evaluate issues to ensure that proposed advanced LWR designs provide adequate protection.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/08/13. SMITH, S.H. Nuclear Power Oversight Committee. 6pp. 54993:330-54993:337.

-9008170107 Advises that US util industry vitally interested in timely certification of both evolutionary & passive advanced LWR designs currently under review by NRC. Maint of current certification review schedules important.
SMITH, S.H. Nuclear Power Oversight Committee. 90/07/03. CARR, K.M. Commissioners (Post 750119). 2pp. 54993:336-54993:337.

9008170122 Forwards "Integrated Radwaste Treatment Sys, Campaign 17, 900430-0615," run rept.
ROWLAND, T.J. Energy, Dept. of. 90/08/13. HURT, R.D. NRC - No Detailed Affiliation Given. 1p. 54984:144-54984:164.

-9008170124 "Integrated Radwaste Treatment Sys, Campaign 17, 900430-0615," run rept.
* Energy, Dept. of. 90/07/17. 20pp. 54984:145-54984:164.

9008170171 Forwards, for completion of CPAF Milestone 1.4.b, index of about 900 documents available to support EIS preparation. Index contains list of key words for each document to aid search process for documents.
SZALINSKI, S.J. West Valley Nuclear Services Co., Inc. 90/07/12. BIXBY, W.W. Energy, Dept. of. 88pp. 54982:248-54982:334.

9008170184 Forwards, for info & use, West Valley Nuclear Svc Co, Inc assessment of chemical reaction hazards which may be applicable to West Valley Demonstration Project high level waste tanks.
BIXBY, W.W. Energy, Dept. of. 90/07/10. SOLECKI, J.E. Energy, Dept. of. 48pp. 54983:010-54983:057.

9008200045 WVDP-046 APP C R00 Rev 0 to WVDP-046, App C, "Trench Mapping & Infiltration Study."
* Energy, Dept. of. 90/08/14. 39pp. 54996:069-54996:107.

9008200128 Forwards comments re USIs & generic safety issues addressed in App B to Chapter 10 of EPRI advanced LWR requirements document.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/08/15. KINTNER, E.E. ALWR Utility Steering Committee. 8pp. 54995:277-54995:284.

9008220086 Forwards second submittal of responses to comments on Rev 2 of CASTOR X topical SAR for review. Encl withheld.
WITT, C.R. Chem-Nuclear Systems, Inc. 611-0465-90. 90/08/14. ROBERTS, J.P. Fuel Cycle Safety Branch. 55pp. 55053:009-55053:063.

9008240100 Notification of time change for 900823 meeting w/util in Rockville, MD re source terms methodology for passive plant designs.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/07/30. MILLER, C.L. Standardization Project Directorate (Post 900603). 3pp. 55028:264-55028:266.

9008240118 Forwards request for addl info on Chapter 10 of advanced LWR requirements document re electrical sys.
KENYON,T.J. Standardization Project Directorate (Post 900603). 90/08/02.
KINTNER,E.E. ALWR Utility Steering Committee. 6pp. 55028:267-55028:272.

9008280355 Summary of 900803 meeting w/Westinghouse in Rockville,MD re AP-800 control room design w/respect to human factors engineering.Attendees listed in Encl 1.
DONATELL,L.F. Standardization Project Directorate (Post 900603). 90/08/15. Standardization Project Directorate (Post 900603). 84pp. 55040:227-55040:309.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9007270130 Responds to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount." No Rosemount Model 1153 or 1154 transmitters presently in use at plant.
CRAWFORD,A.C. Public Service Co. of Colorado. IEB-90-001. 90/07/20. Document Control Branch (Document Control Desk). 5pp. 54738:105-54738:109.

9007270185 Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Util identified one transmitter failure potentially related to failure mechanism.
ROSEN,S.L. Houston Lighting & Power Co. IEB-90-001. 90/07/23. Document Control Branch (Document Control Desk). 8pp. 54734:045-54734:052.

9007310077 Part 21 rept re configuration discrepancies in Limitorque geared limit switch assemblies.Initially reported on 900724. Recommendations made to Limitorque to prevent such incidents from occurring in future & quality surveillance performed.
ORSER,W.S. Detroit Edison Co. NRC-90-0132. 90/07/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 54803:241-54803:247.

9008010037 Part 21 rept re error in Westinghouse ECCS decay heat model. Initially reported on 900712.Error resulted in nonconservative decay heat source & does not constitute actual operational safety concern.Meeting scheduled.
FAY,C.W. Wisconsin Electric Power Co. VPPND-90-343. 90/07/24. SAMWORTH,R.B. Project Directorate III-3. 2pp. 54797:001-54797:002.

9008010054 Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Data base identified 144 transmitters currently in use at plant.
FISICARO,J.J. Entergy Operations, Inc. IEB-90-001. 90/07/19. Document Control Branch (Document Control Desk). 12pp. 54815:345-54815:357.

9008010082 Responds to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No transmitters of specified models exhibited symptoms indicative of loss of fill oil.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. IEB-90-001. 90/07/19. Document Control Branch (Document Control Desk). 4pp. 54806:261-54806:264.

9008010235 Part 21 rept re failure of Enterprise diesel engine,Model DSRV-16.
GEORGE,J.B. TU Electric (formerly Texas Utilities Generating Co.). TX-90274. 90/07/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 54793:319-54793:324.

9008060133 Provides response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount." Pressure & differential pressure Transmitters 1153 & 1154 do not perform any safety-related function in current plant mode.
KEUTER,D.R. Sacramento Municipal Utility District. IEB-90-001. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54877:106-54877:106.

9008060144 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." Record review performed & sys walkdowns completed to assemble requisite list.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. IEB-90-001. 90/07/30. Document Control Branch (Document Control Desk). 5pp. 54876:108-54876:112.

9008070305 Part 21 rept re Thomas & Betts electrical terminal lug cracking around barrel.Initially reported on 900731.All Thomas & Betts products currently stocked in warehouses isolated & ordered held in warehouse.
CREEL,G.C. Baltimore Gas & Electric Co. 90/08/03. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 54879:254-54879:257.

9008080328 Part 21 rept re Topaz inverter, rated 125-volt dc to 115 volt ac.Info provided for review.
GUNTRUM,B.C. Cooper Industries, Inc. 90/06/29. Southern California Edison Co. 2pp. 54919:135-54919:136.

9008100211 Part 21 rept re MSIV design deficiency at plant.Design spec provided by Westinghouse did not specify requirement to provide seal in capability & util design process failed to recognize deficiency.
CRIMMINS,T.M. Public Service Electric & Gas Co. of New Jersey. NLR-N90160. 90/08/02. Document Control Branch (Document Control Desk). 4pp. 54951:192-54951:195.

9008140197 Forwards proprietary EAS-02-0190-1, "Analysis of Results From BWR Survey of Rosemount Transmitter Oil Loss Failures."
BECK,G.J. BWR Owners Group. BWROG-9076. 90/07/30. BERLINGER,C.H. Division of Operational Events Assessment (Post 870411). 2pp. 54963:285-54963:286.

9008160187 Forwards response to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." No suspect oil transmitters installed in reactor protection sys,ESFAS or ATWS applications at facility.
TUCKER,H.B. Duke Power Co. 90/08/10. Document Control Branch (Document Control Desk). 28pp. 54992:309-54992:336.

9008200081 Part 21 rept re misapplication of fluorolube FS-5 oil in main steam line pressure gauges.All four indicators replaced w/spare gauges which utilize high temp silicone oil.
PAPANIC,G. Yankee Atomic Electric Co. BYR-90-114. 90/08/14. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 54996:112-54996:116.

9008200150 Suppl 1 to NRC Info Notice 89-018, "Criminal Prosecution of Wrongdoing Committed by Suppliers of Nuclear Products or Svcs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEIN-88-019. 90/08/24. Consolidated Edison Co. of New York, Inc. 91pp. 55033:284-55034:014.

9008230076 Advises that 900717 response to NRC Bulletin 90-001, "Loss of Fill Oil in Transmitters Mfg by Rosemount," served as basis for closing issue on Unit 1.Results of evaluation of Units 2 & 3 will be subj of future ltr.
TATUM,J.E. Project Directorate V. TAC 76607. 90/08/16. RAY,H.B. Southern California Edison Co. 2pp. 55019:190-55019:191.

9008230083 "Satin American Corp Formal Response to NRC Info Notice 89-045 & Suppls 1 & 2."
* Satin American Corp. IEIN-89-045. 90/02/14. 387pp. 55013:018-55014:050.

9008230212 Advises that response to Bulletin 90-001, "Transmitters Mfg by Rosemount," complete,per 900711 ltr.
MASCANTONIO,A. Project Directorate III-1. IEB-90-001. 90/08/16. BECKMAN,W.L. Consumers Power Co. 1p. 55010:329-55010:329.

9008280318 Corrects statement made in 900716 response to NRC Bulletin 90-001, "Loss of Fill-Oil in Rosemount Transmitters." Identified that only half of operating crews provided w/ briefing on bulletin.
HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. C311-90-2110. 90/08/20. Document Control Branch (Document Control Desk). 1p. 55040:223-55040:223.

QA999 QUALITY ASSURANCE INSPECTIONS

9008080103 Forwards Insp Rept 99900403/90-01 on 900423-26 & notice of nonconformance.
BRACH,E.W. Vendor Inspection Branch. 90/08/03. WOLFE,B. General Electric Co. 2pp. 54914:283-54914:327.

-9008080105 Notice of nonconformance from insp on 900423-26. Nonconformance noted:licensee failed to establish adequate measures to assure that conditions adverse to quality promptly corrected.
* Vendor Inspection Branch. 90/08/03. 3pp. 54914:285-54914:287.

-9008080108 Insp Rept 99900403/90-01 on 900423-26.Noncompliance noted. Major areas inspected:review of corrective actions in response to listed NRC insps & follow-up on BWR technical issues including Part 21 notifications.
MCINTYRE,R.P. Vendor Inspection Branch. 90/07/27. 40pp. 54914:288-54914:327.

9008100029 Forwards Insp Rept 99900871/90-01 on 900312-15 & notices of violation & nonconformance.Insp evaluated low voltage shutdown circuit problem identified at facility & reviewed corrective actions taken.
BRACH,E.W. Vendor Inspection Branch. 90/08/07. HUMPHREYS,W.H. Elgar Corp. 2pp. 54943:176-54943:193.

-9008100031 Notice of violation from insp on 900312-15.Violations noted: failure to ensure that deviations adequately evaluated & that licensee customers informed of deviations & failure to inform customers of engineering change notices.
* Vendor Inspection Branch. 90/08/07. 2pp. 54943:178-54943:179.

-9008100033 Notice of nonconformance from insp on 900312-15. Nonconformance noted:five of six employees that perform activities affecting nuclear-related sys & components not indoctrinated in QA program.
* Vendor Inspection Branch. 90/08/07. 2pp. 54943:180-54943:181.

-9008100036 Insp Rept 99900871/90-01 on 900312-15.Violations & noncompliance noted.Major areas inspected:evaluation of potentially reportable deviation re inverter low voltage shutdown setpoint issue & evaluate corrective actions.
PETROSINO,J.J., VANDENBURGH,C. Vendor Inspection Branch. 90/08/07. 12pp. 54943:182-54943:193.

9008150069 Discusses dates to review corrective actions,per QA Program Insp Rept 9990166/89-01.
HUNT,M.R. Rotork Controls, Inc. 90/08/07. POTAPOVS,U. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54978:132-54978:132.

9008210188 Responds to Paragraph C.1,unresolved items on Page 3 of Insp Rept 99900369/88-01.Concludes that problems at facility result from site-specific conditions.
POWELL,R.D. Automatic Switch Co. 90/07/02. PETROSINO,J.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 55000:131-55000:136.

9008230083 "Satin American Corp Formal Response to NRC Info Notice 89-045 & Suppls 1 & 2."
* Satin American Corp. IEIN-89-045. 90/02/14. 387pp. 55013:018-55014:050.

REGDD REGULATORY GUIDES

9007270035 Insp Repts 50-413/90-16 & 50-414/90-16 on 900611-15. Violations noted but not cited.Major areas inspected: conformance to Reg Guide 1.97 & instrumentation for light water-cooled nuclear power plants during accidents.
MERRIWEATHER,N., MILLER,M., HUNT,M.D. Region 2 (Post 820201). 50-414/90-16. 90/07/09. 16pp. 54738:089-54738:104.

9007300011 Responds to NRC 900507 questions re 900413 Rev 1 to Topical Rept 028, "OC Response to NRC Reg Guide 1.97." Redundancy of valve position indication provided through redundant valves that satisfy function of containment isolation.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. C320-90-753. 90/07/23. Document Control Branch (Document Control Desk). 9pp. 54745:066-54745:074.

9007310158 Reviews emergency response capability & conformance to Rev 2 to Reg Guide 1.97,per SSER 5 (NUREG-0954).
JABBOUR,K.M. Division of Reactor Projects - I/II (Post 870411). TAC 61068. 90/07/27. TUCKER,H.B. Duke Power Co. 2pp. 54769:300-54769:301.

9007310195 NRC Info Notice 90-049, "Stress Corrosion Cracking in PWR Steam Generator Tubes." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 90/08/06. Consolidated Edison Co. of New York, Inc. 89pp. 55012:001-55012:091.

218 NONDOCKETED ITEMS

- 9008010005** LER 90-010-00: on 900626, determined that voltage dips caused by sluggish voltage regulator response exceed Reg Guide 1.9 limits. Caused by improper load sequence interval. Test plan being developed for testing voltage regulator. W/900727 ltr. STEPHENSON, W.A., BOLDT, G.L. Florida Power Corp. (subs. of Florida Progress Corp.). 3F0790-16. 90/07/27. 4pp. 54792:025-54792:028.
- 9008010119** Recommends that until wait until generic effort on NUMARC proposal completed before pursuing rev to emergency action level scheme. GREGER, L.R. Region 3 (Post 820201). 90/07/20. ORSER, W.S. Detroit Edison Co. 2pp. 54791:053-54791:055.
- 9008010121** Recommends that until wait until generic effort on NUMARC proposal completed before pursuing rev to emergency action level scheme. GREGER, L.R. Region 3 (Post 820201). 90/07/20. PERRY, J.S. Illinois Power Co. 2pp. 54791:056-54791:058.
- 9008020255** Forwards description of sys testing to be performed under prestart test corrective action program plan, per 890517 ltr. WALLACE, E.G. Tennessee Valley Authority. 90/07/30. Document Control Branch (Document Control Desk). 189pp. 54819:151-54819:339.
- 9008030097** Provides addl info re resolution of number of older licensing issues, including containment isolation valve position indication, per NRC 900615 ltr. CHRZANOWSKI, R. Commonwealth Edison Co. 90/07/30. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54832:048-54832:049.
- 9008030287** Forwards Amends 52, 38 & 24 to Licenses NPF-41, NPF-51 & NPF-74, respectively & safety evaluation. Amends revise portions of Tech Specs re reactor vessel pressure temp curves & low temp overpressure protection enable temps. PETERSON, S.R. Project Directorate V. TAC 71528. 90/07/25. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 54832:156-54832:220.
- 9008060146** Advises that since guidance contained in Reg Guide 1.97 not addressed in submittals re Generic Ltr 82-33, further clarification of position re compliance w/generic ltr appropriate, per 900613 ltr. Ltr will be submitted by 901215. EWING, E.C. Entergy Operations, Inc. GL-82-33. 90/07/31. Document Control Branch (Document Control Desk). 2pp. 54864:205-54864:206.
- 9008060276** Declines invitation to provide speaker for State of MD Safe Energy Coalition upcoming meeting on 900825 re safe operation & future decommissioning of plant. WESSMAN, R.H. Assistant Director for Region 1 Reactors. 90/08/01. BIRNIE, P. Maryland Safe Energy Coalition. 5pp. 54855:163-54855:241.
- 9008060281** Forwards certification of financial assurance for decommissioning of plant, per 900705 discussion. BURNETT, R. Region 1 (Post 820201). 90/07/10. BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 105pp. 54855:242-54855:347.
- 9008060293** Provides supplemental response to NRC 900629 ltr re electrical cross-ties, load shedding on nonblackout unit & emergency diesel generator reliability. Emergency diesel generator reliability program in place, per Reg Guide 1.155. STEWART, W.L. Virginia Power: (Virginia Electric & Power Co.). 90-410. 90/08/01. Document Control Branch (Document Control Desk). 9pp. 54843:001-54843:009.
- 9008060297** Forwards Insp Rept 50-458/90-16 on 900709-19 & notice of deviation. Unresolved item re calibr of meters used to monitor status of electrical power sources also identified. COLLINS, S.J. Region 4 (Post 820201). 90/07/30. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 54855:029-54855:029.
- 9008060300** Insp Rept 50-458/90-16 on 900709-19. Deviations noted. Major areas inspected: implementation of commitments made re post-accident monitoring instrumentation guidance in Reg Guide 1.97. PAULK, C.J., WAGNER, P.C., CVALINA, G. Region 4 (Post 820201). 90/07/24. 17pp. 54856:008-54856:024.
- 9008070056** Provides current status of Reg Guide 1.97 activities. Pressurizer heater status & main steam safety/relief valve position indications completed. BEARD, P.M. Florida Power Corp. (subs. of Florida Progress Corp.). 3F0890-01. 90/08/02. Document Control Branch (Document Control Desk). 2pp. 54905:051-54905:052.
- 9008080246** NRC Info Notice 90-052, "Retention of Broken Charpy Specimens." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 90/08/14. Consolidated Edison Co. of New York, Inc. 87pp. 54979:186-54979:275.
- 9008080258** Discusses Insp Repts 50-413/90-17 & 50-414/90-17 on 900611-19 & forwards notice of violation. Insp included review of actions re 900611 inadvertent transfer of reactor coolant water to refueling water storage tank at Unit 1. EBNETER, S.D. Region 2 (Post 820201). EA-90-118. 90/07/23. TUCKER, H.B. Duke Power Co. 4pp. 54919:282-54919:287.
- 9008080259** Notice of violation from insp on 900611-19. Violation noted: control room operator failure to verify that manual valve closed resulting in inadvertent diversion of reactor coolant to refueling water storage tank. EBNETER, S.D. Region 2 (Post 820201). 90/07/23. 2pp. 54919:286-54919:287.
- 9008130209** Provides engineering evaluation re loss of signal from containment monitoring sys. Concludes that unauthorized work activity by craftsman isolated. SORESEN, G.C. Washington Public Power Supply System. G02-90-134. 90/08/03. Document Control Branch (Document Control Desk). 2pp. 54956:165-54956:166.
- 9008130225** Responds to recommendations from Insp Repts 50-313/90-04 & 50-368/90-04 on 900202 that reporting format for semiannual radioactive effluent release repts be revised to comply w/ Reg Guide 1.21, Rev 1. EWING, E.C. Entergy Operations, Inc. OCAN089002. 90/08/08. Document Control Branch (Document Control Desk). 2pp. 54956:295-54956:296.
- 9008130273** Ack receipt of 900608 application for renewal of Certificate of Compliance 5830 for Model SNAP-21. Certificate of compliance will not be deemed to have expired until application has finally been determined. MACDONALD, C.E. Transportation Branch. 90/08/08. MENDENHALL, Navy, Dept. of, Naval Sea Systems Command. 1p. 54944:090-54944:090.
- 9008150217** Forwards request for addl info re Reg Guide 1.47, "Bypass & Inoperable Indication for Nuclear Power Plant Safety Sys," per Gridley 870129 ltr to Youngblood. TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC 77136. 90/08/13. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 54971:243-54971:246.
- 9008200058** Provides info on acceptability of rescheduling response to Reg Guide 1.97 SER, Item 4b, "Neutron Flux Monitoring Instrumentation." Rescheduling of util response will be determined on or shortly after meeting w/NRC. SIEBER, J.D. Duquesne Light Co. 90/08/14. Document Control Branch (Document Control Desk). 1p. 54996:244-54996:244.
- 9008200078** Forwards Insp Rept 50-423/90-12 on 900723-27. No violations noted. Compliance w/order to implement Reg Guide 1.97 inspected. DURR, J.P. Region 1 (Post 820201). 90/08/14. MROCKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54993:205-54993:212.
- 9008200080** Insp Rept 50-423/90-12 on 900723-27. No violations noted. Major areas inspected: implementation of post-accident monitoring instrumentation, per Reg Guide 1.97, Rev 2. PAOLINO, R., GRECA, A.D., KAY, L. Region 1 (Post 820201). GL-82-33. 90/08/13. 6pp. 54993:207-54993:212.
- 9008210150** Monthly operating rept for Jul 1990 for Fermi 2. Rept includes average daily unit power level & summary of unit shutdowns & power reductions identified in NRC Reg Guide 1.16 & Tech Spec 6.8.1.6. W/900815 ltr. ANTHONY, P.M., DAWSON, E., ORSER, W.S. Detroit Edison Co. NRC-90-0114. 90/07/31. 6pp. 55000:054-55000:059.
- 9008230054** Supports util 881130 & 900330 responses to Generic Ltr 88-11 re pressure-temp limits, per Rev 2 to Reg Guide 1.99. Difference of 3.4 F between util adjusted ref temp of 206.2 F & NRC adjusted ref temp of 209.6 F acceptable. BRINKMAN, D.S. Project Directorate I-1. GL-88-11. 90/08/17. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 3pp. 55023:279-55023:281.
- 9008240028** Insp Rept 50-333/90-19 on 900625-29. Deviations noted. Major areas inspected: review of licensee implementation of post-accident monitoring instrumentation per Reg Guide 1.97, Rev 2. ANDERSON, C., BHATIA, R., DELLA GRECA, N. Region 1 (Post 820201). 90/08/14. 7pp. 55029:165-55029:171.
- 9008240127** Discusses CRGR review of Reg Guides 1.84, 1.85 & 1.147. Proposed revs to Reg Guides 1.84 & 1.85 do not require CRGR review. Reg Guide 1.147 takes one exception which deals w/ultrasonic testing of piping. JORDAN, E.L. Committee to Review Generic Requirements. 90/08/13. SHAO, L.C. Division of Engineering (Post 870413). 2pp. 55028:186-55028:187.
- 9008270053** Forwards Amend 4 to License SUA-1534, amending License Condition 18 to require biannual refresher training in health physics for corp radiation safety officer. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/14. COLLINGS, S. Ferret Exploration Company of Nebraska, Inc. 4pp. 55036:184-55036:201.
- 9008280364** Forwards Amend 11 to License SUA-1470, modifying License Condition 25 & adding License Condition 36 re reclamation plan to read as stated, per 900321 ltr & Reg Guide 3.66. HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/10. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 3pp. 55060:031-55060:076.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

- 8909140258** Summary of CRGR Meeting 167 held on 890809. Committee recommended against forwarding proposed amend to Commission on basis that safety benefit not demonstrated as necessary to ensure adequate protection, as staff claimed. JORDAN, E.L. Committee to Review Generic Requirements. 89/08/23. TAYLOR, J.M. Ofc of the Executive Director for Operations. 73pp. 54869:026-54869:098.
- 9008020155** Requests CRGR review & approval of encl proposed rule to amend 10CFR50.55a to incorporate by ref, subsection IWE of Section XI, Div 1 of ASME Boiler & Pressure Vessel Code. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 89/06/13. JORDAN, E.L. Committee to Review Generic Requirements. 67pp. 54869:099-54869:165.
- 8903200372** Forwards evaluation of application of backfit rule to amendments to codes & stds regulation, 10CFR50.55a. Ofc of General Counsel has no legal objection to action being proposed. TREBY, S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 89/03/15. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 18pp. 54869:166-54869:183.
- 9008020156** Informs that RES proposes to additionally incorporate by ref, encl 1988 Addenda & 1989 Edition of Subsection IWE, Div 1 of ASME Boiler & Pressure Vessel Code. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 89/07/06. JORDAN, E.L. Committee to Review Generic Requirements. 29pp. 54869:184-54869:212.
- 9008020158** Discusses review of Reg Guide DG-1002, "Criteria for Electric Isolation Devices Used in Safety Sys for Nuclear Power Plants." BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 89/07/21. JORDAN, E.L. Committee to Review Generic Requirements. 11pp. 54869:213-54869:223.
- 9008020159** Requests CRGR review of combined packages re PORV & block valve reliability & addl low temp overpressure protection for LWRs. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 89/07/11. JORDAN, E.L. Committee to Review Generic Requirements. 500pp. 54869:224-54871:091.
- 9007110194** SECY-90-238 Requests Commission approval to assist DOE in funding Joint Coordinating Committee for Civilian Nuclear Reactor Safety Working Group 7, "Health Effects & Environ Protection Considerations" activities. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/06. 49pp. 54963:032-54963:080.

9007170411 SECY-90-246 Informs Commission of working group activities under US-USSR Joint Coordinating Committee for Civilian Nuclear Reactor Safety. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/07/13. 35pp. 54792:165-54792:199.

9007310036 Forwards draft for new STS Section 5.0, "Administrative Controls." Draft incorporates results of 900523-24 meeting w/owners groups. Highlighted portions indicate changes/ additions. CALVO,J.A. Technical Specifications Branch. 90/07/20. HALL,W.J. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 45pp. 54787:263-54787:307.

9007310089 Forwards sample pressure & temp limits rept which represents NRC current position on most recent comments received from owners groups during RCS chapter meetings on 900507-10. CALVO,J.A. Technical Specifications Branch. 90/07/16. HALL,W.J. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 6pp. 54802:335-54802:340.

9007310107 Forwards second draft new STS Section 3.8 re electrical power sys, incorporating results of meetings w/NUMARC & owners groups during May & June 1990. CALVO,J.A. Technical Specifications Branch. 90/07/24. HALL,W.J. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 53pp. 54757:014-54757:066.

9008020171 Summary of CRGR Meeting 168 on 890823. List of attendees encl. JORDAN,E.L. Committee to Review Generic Requirements. 89/09/06. TAYLOR,J.M. Assistant for Operations (Post 890205). 85pp. 54827:057-54827:141.

9008020213 Forwards NUMARC Rept 90-08, "Low-Voltage, In-Containment, Environ-Qualified Cable, License Renewal, Industry Rept." GRIFFING,E.P. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 90/07/31. CRAIG,J. Licensing Renewal Project Directorate (Post 900603). 1p. 54825:059-54825:213.

-9008020217 90-08 "Low-Voltage, In-Containment, Environ-Qualified Cable License Renewal Industry Rept." * Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 90/07/31. 125pp. 54825:061-54825:213.

9008060207 Submits supplemental discussion re pressure vessel integrity per meeting in West Palm Beach. NUMARC Rept 90-04, "Pressure Water Reactor Vessel License Renewal Rept." is good summary of issues that have arisen over past 30 yrs. BENDER,M. Querytech Associates. 90/06/26. SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 54856:001-54856:002.

9008060342 Summary of 900716 meeting w/INPO & NUMARC re info exchange on re-qualification training in nuclear industry. List of attendees & agenda encl. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 90/07/30. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 6pp. 54889:269-54889:274.

9008080042 Summary of 900531 meeting w/EPRI, NUMARC & std plant vendors re EPRI advanced LWR requirements document for evolutionary LWRs. List of attendees encl. KENYON,T.J. Standardization Project Directorate (Post 900603). 90/08/02. Standardization Project Directorate (Post 900603). 4pp. 54913:354-54913:357.

9008090016 Submits info in response to request for estimates of industry costs in responding to NRC Bulletin 88-005 & Suppl 1. MARION,A. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. IEB-88-005. 90/07/25. BRACH,E.W. Vendor Inspection Branch. 2pp. 54921:086-54921:087.

9008130176 Notification of 900814 meeting w/NUMARC in Rockville, MD to discuss new STS & lead plant conversions. CALVO,J.A. Technical Specifications Branch. 90/08/02. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 2pp. 54956:124-54956:125.

9008140001 Notification of 900814 meeting w/NUMARC & BWR Owners Group in Bethesda, MD re 10CFR50.73 reporting criteria & associated guidance. WILLIAMS,M.H. Trends & Patterns Analysis Branch. 90/08/07. NOVAK,T.M. Division of Safety Programs (Post 870413). 3pp. 54961:236-54961:238.

9008140061 Forwards "BWR Containments License Renewal Industry Rept." dtd Jul 1990. Rept supplies generic technical basis evaluation of potential age-related degradation to BWR containments during license renewal periods. GRIFFING,E.P. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 90/07/25. CRAIG,J. Licensing Renewal Project Directorate (Post 900603). 1p. 54970:303-54971:119.

-9008140066 90-10 "BWR Containment License Renewal Industry Rept." * Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 90/07/31. 175pp. 54970:305-54971:119.

9008140164 Staff requirements memo re SECY-90-238 "Joint Coordinating Committee for Civilian Nuclear Reactor Safety Working Group 7 Funding." Commission offers no objections to proposed funding of working group activities. CHILK,S.J. Office of the Secretary of the Commission. 90/07/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 54955:197-54955:197.

9008150202 Request review of NUMARC rept, "Low-Voltage In-Containment, Environmentally Qualified Cable License Renewal Industry Rept." Rept withheld. TRAVERS,W.D. Assistant Director for Special Projects (Post 891001). 90/08/07. MINNERS,W. Division of Safety Issue Resolution (Post 880717). BOSNAK,R.J. Division of Engineering (Post 870413). RICHARDSON,J.E. Division of Engineering Technology (Post 890827). 2pp. 54972:057-54972:058.

9008160009 "Study of Influence of Fast Neutron Flux Density on Radiation Resistance of Vessel Metals of PWRs." AMAYEV,A.D. Union of Soviet Socialist Republics. 90/08/31. 43pp. 54972:249-54972:292.

9008160048 Summary of 900718-19 meeting w/NUMARC, Joint Owners Group Accident Mgt Advisory Committee & EPRI re industry planned approach & schedule for developing guidance for accident mgt. PALLA,R.L. Risk Application Branch. 90/08/03. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 57pp. 54978:255-54978:312.

9008170061 Forwards "BWR Containment License Renewal Industry Rept." for review. Review schedule filed in Central Files. TRAVERS,W.D. Assistant Director for Special Projects (Post 891001). TAC M77232. 90/08/07. MINNERS,W. Division of Safety Issue Resolution (Post 880717). BOSNAK,R.J. Division of Engineering (Post 870413). RICHARDSON,J.E. Division of Engineering Technology (Post 890827). 2pp. 54984:131-54984:132.

9008170106 Responds to 900703 ltr to Chairman Carr re timely certification of two evolutionary/passive designs. NRC needs sufficient time to identify & evaluate issues to ensure that proposed advanced LWR designs provide adequate protection. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/08/13. SMITH,S.H. Nuclear Power Oversight Committee. 6pp. 54993:330-54993:337.

-9008170107 Advises that US util industry vitally interested in timely certification of both evolutionary & passive advanced LWR designs currently under review by NRC. Maint of current certification review schedules important. SMITH,S.H. Nuclear Power Oversight Committee. 90/07/03. CARR,K.M. Commissioners (Post 750119). 2pp. 54993:336-54993:337.

9008240118 Forwards request for addl info on Chapter 10 of advanced LWR requirements document re electrical sys. KENYON,T.J. Standardization Project Directorate (Post 900603). 90/08/02. KINTNER,E.E. ALWR Utility Steering Committee. 6pp. 55028:267-55028:272.

9008240127 Discusses CRGR review of Reg Guides 1.84, 1.85 & 1.147. Proposed revs to Reg Guides 1.84 & 1.85 do not require CRGR review. Reg Guide 1.147 takes one exception which deals w/ultrasonic testing of piping. JORDAN,E.L. Committee to Review Generic Requirements. 90/08/13. SHAO,L.C. Division of Engineering (Post 870413). 2pp. 55028:186-55028:187.

9008240157 Advises that new STS section available for resolution of industry open items, per 900814 meeting w/NUMARC. CALVO,J.A. Technical Specifications Branch. 90/08/20. ROBERTSON,J.L. BWR Owners Group. HINDS,J. Westinghouse Operating Plants Owners Group. WOODS,B. C-E Operating Plants Owners Group. 4pp. 55027:179-55027:182.

9008240176 Notification of 900823 meeting w/NUMARC in Rockville, MD to discuss level of design detail required for design certification. NEASE,R.L. Policy Development & Technical Support Branch (Post 870411). 90/08/20. MURLEY,T. MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 2pp. 55029:149-55029:150.

SECY POSITION PAPERS BEFORE THE COMMISSION

8912200253 SECY-89-370 Informs Commission of plans to implement mod of enforcement policy addressing exercise of enforcement discretion in cases involving occupational dose to skin from exposure to radiation from hot particles. TAYLOR,J.M. Ofc of the Executive Director for Operations. 89/12/11. 11pp. 54963:021-54963:031.

9005160055 SECY-90-169 Responds to Commission request to revise proposed mod of enforcement policy for hot particle exposures to use recommendations in NCRP Rept 106 as basis for modified policy. Modified enforcement policy encl. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/05/11. 17pp. 54868:329-54868:345.

9006050053 SECY-90-192 Requests Commission approval to issue Generic Ltr 88-20, Suppl 4 requesting licensees to conduct individual plant exams for severe accident vulnerabilities due to external events & submit info to NRC. TAYLOR,J.M. Ofc of the Executive Director for Operations. GL-88-20. 90/05/30. 104pp. 54868:211-54868:314.

9006200420 SECY-90-215 Forwards special review panel recommendations on differing prof views or opinions. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/18. 166pp. 55002:137-55002:303.

9006210029 SECY-90-213 Requests approval of final draft of Section 208 rept to Congress on AOs for Jan-Mar 1990. Upon approval & publication, ltrs to Speaker of House & President of Senate will be provided to Chairman for signature. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/15. 43pp. 54868:346-54869:025.

9006210036 SECY-90-217 Requests Commission review of proposed disapproval of GE request for specific exemptions from financial assurance instrument requirements of 10CFR50 & 70 of decommissioning rule. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/19. 194pp. 54963:081-54963:207.

9006260078 SECY-90-219 Requests Commission approval for proposed members of Nuclear Safety Research Review Committee. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/20. 8pp. 54957:001-54957:008.

9007020050 SECY-90-229 Informs Commission re effort by several Nordic countries to develop comprehensive set of criteria for disposal of high level waste. NMSS representative will attend Workshop on Intl Waste Disposal Criteria in Paris on 901105-07. DENTON,H.R. Office of Governmental & Public Affairs (Post 870413). 90/06/27. 13pp. 55059:357-55060:008.

9007050123 SECY-90-233 Requests Commission approve DOE proposed retransfer of Pu from France to Switzerland. DOE analysis of retransfer encl. HAUBER,R.D. International Programs. 90/06/29. 41pp. 55002:304-55002:344.

9007110194 SECY-90-238 Requests Commission approval to assist DOE in funding Joint Coordinating Committee for Civilian Nuclear Reactor Safety Working Group 7, "Health Effects & Environ Protection Considerations" activities. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/07/06. 49pp. 54963:032-54963:080.

9007170411 SECY-90-246 Informs Commission of working group activities under US-USSR Joint Coordinating Committee for Civilian Nuclear Reactor Safety. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/07/13. 35pp. 54792:165-54792:199.

220 NONDOCKETED ITEMS

9007170417 SECY-90-245 Informs Commission about results of NRC Regulatory Info Conference held on 900501 & 02 in Washington, DC.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/13. 7pp. 54792:273-54792:279.

9007180340 SECY-90-247 Informs Commission of recent liberalization of rules of Coordinating Committee for Multilateral Export Controls & effect on US govt nuclear export controls.
SHEA, J.R. International Programs. 90/07/13. 34pp. 54792:229-54792:262.

9007190042 SECY-90-250 Informs Commission of results of internal staff survey of impact of NRC regulatory activities on safe operation.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/16. 14pp. 54957:121-54957:134.

9007190055 SECY-90-242 Litigation Rept 1990-25 re NRC vs Federal Labor Relations Act. Case involves question whether union proposal on competitive areas for RIFs is negotiable under Federal Labor Relations Act.
CORDES, J.F. Solicitor (Post 860701). 90/07/12. 29pp. 54792:200-54792:228.

9007190286 SECY-90-251 Litigation Rept 1990-26.
CORDES, J.F. Solicitor (Post 860701). 90/07/17. 14pp. 54957:009-54957:022.

9007190290 SECY-90-252 Litigation rept as of 900706.
CORDES, J.F. Solicitor (Post 860701). 90/07/17. 36pp. 54957:023-54957:058.

9007240226 SECY-90-258 Litigation Rept 1990-27.
CORDES, J.F. Office of the General Counsel (Post 860701). 90/07/20. 8pp. 54957:113-54957:120.

9007250048 SECY-90-261 Discusses insp & enforcement initiatives for commercial grade procurement & dedication programs.
TAYLOR, J.M. Ofc of the Executive Director for Operations. IEIN-87-066. 90/07/23. 7pp. 54963:001-54963:007.

9007250050 SECY-90-260 Informs Commission of status of design & development of LSS & activities of Ofc of LSS Administrator.
DONNELLY, L.J. Office of Licensing Support System Administrator (Post 890301). 90/07/20. 10pp. 54963:008-54963:017.

9008060052 SECY-90-266 Provides quarterly status rept on NRC requalification program, per Commission 880609 request.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/08/01. 6pp. 55059:338-55059:343.

9008060070 Final response to FOIA request. App C records encl & available in PDR. App D records withheld in entirety (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 90/07/31. SNYDER, P.M. Snyder, P.M. 4pp. 54837:034-54837:062.

-8906260123 SECY-89-177 Responds to Commissions direction contained in staff requirements memo for SECY-88-342 dtd 890208. Paper addresses regulatory issues associated w/extended interim storage of low level radwaste by mats, fuel cycle & reactor licensees.
STELLO, V. Ofc of the Executive Director for Operations. 89/06/08. 16pp. 54837:041-54837:054.

9008070013 SECY-90-244 Weekly info rept for wk ending 900706.
BLAHA, J.L. Ofc of the Executive Director for Operations. 90/07/12. 39pp. 54897:174-54897:212.

9008090010 SECY-90-270 Informs Commission of response to US Appeals Court decision in Public Citizen vs NRC.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/08/06. 3pp. 55059:354-55059:356.

9008090013 SECY-90-269 Advises Commission of completion of thermal-hydraulic code development.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/08/06. 9pp. 55002:345-55002:353.

9008090017 SECY-90-272 Updates Commission on US-USSR civilian nuclear reactor safety cooperation.
TAYLOR, J.M. Ofc of the Executive Director for Operations. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 90/08/06. 10pp. 55059:344-55059:353.

9008140181 SECY-90-263 Weekly info rept for wk ending 900720.
BLAHA, J.L. Assistant for Operations (Post 890205). 90/07/26. 40pp. 54955:157-54955:196.

9008170274 SECY-90-239 Provides Commission w/info on status of NPRDS & progress during 1989.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/11. 33pp. 54980:019-54980:051.

9008210162 Forwards SECY-90-032B, "Quarterly Progress Rept on Pre-Licensing Phase of DOE Civilian High Level Radwaste Mgt Program."
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. HLWR. 90/08/15. BARTLETT, J.W. Energy, Dept. of. 2pp. 54994:149-54994:156.

-9008090030 SECY-90-032B Provides quarterly progress rept on precicensing phase of DOE civilian high level radwaste mgt program.
TAYLOR, J.M. Ofc of the Executive Director for Operations. HLWR. 90/08/03. 6pp. 54994:151-54994:156.

9008270025 SECY-90-295 Informs Commission of HHS proposed rule effect on 10CFR26, "Fitness-for-Duty Program" & actions performed to avoid conflicts & redundancy between rule & regulations.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/08/20. 5pp. 55036:209-55036:213.

9008270082 SECY-90-267 Weekly info rept for wk ending 900727.
BLAHA, J.L. Ofc of the Executive Director for Operations. 90/08/01. 47pp. 55018:086-55018:132.

STATE PROG STATE PROGRAMS

9007250085 Forwards June 1990 significant intergovernmental activities & issues rept for info. Rept combined efforts of regional state liaison officers, regional state agreements officers & state programs staff.
KAMMERER, C. State Programs (Post 900112). 90/07/13. CARR, ROGERS, CURTISS Commissioners (Post 750119). 11pp. 54737:326-54737:336.

9007270180 Responds to 900621 ltr expressing opposition to proposed closure of U Recovery Field Ofc in Denver, CO. Commission considered such proposal in late June 1990 but decided not to initiate action at present time.
CARR, K.M. Commissioners (Post 750119). 90/07/20. SULLIVAN, M. Wyoming, State of. 1p. 54739:029-54739:030.

-9007270183 Expresses opposition to proposed closure of U Recovery Field Ofc in Denver, CO due to NRC reorganization. Industry struggling & does not need to have licensing work made more difficult. Ofc should be maintained as is.
SULLIVAN, M. Wyoming, State of. 90/06/21. CARR, K. Commissioners (Post 750119). 1p. 54739:030-54739:030.

9007310015 "SPDES Discharge Monitoring Rept for June 1990." W/900712 ltr.
MILLER, L.K. Public Service Electric & Gas Co. of New Jersey. RPC90-160. 90/06/30. CAPORALE, G. New Jersey, State of. 20pp. 54769:199-54769:219.

9007310109 Comment supporting installation & operation of hardened vents for suppression pool airspaces of BWRs w/Mark I containment. Positive mechanism to deter inadvertent venting should be considered important.
EURE, J.A. Iowa, State of. EURE, J.A. Affiliation Not Assigned. 55FR25916 01415. 90/07/10. Division of Freedom of Information & Publications Services (Post 890205). 1p. 54737:356-54737:356.

9008010259 Responds to 900604 ltr requesting info on justification for Commission view described in staff 900503 ltr. Long-term storage should not be considered substitute for development of new disposal facility.
CARR, K.M. Commissioners (Post 750119). IEIN-90-009. 90/07/20. MONACO, C. New York, State of. 6pp. 54791:072-54791:079.

-9008010260 Voices strong opposition to NRC 900503 memo re storage of low level radwaste (SP-90-80). Author would appreciate receipt of any mats that provide technical or regulatory justification for policies stated in 900503 memo.
MONACO, C.M. New York, State of. IEIN-90-009. 90/06/04. CARR, K. Commissioners (Post 750119). 2pp. 54791:078-54791:079.

9008020187 Ack receipt of 900629 response to assessment of State of NE radiation control program. NRC will work w/Dept of Health & Dept of Environ Control to determine status of interrelated agreement mats program in State of NE.
CARR, K.M. Commissioners (Post 750119). 90/07/30. ORR, K.A. Nebraska, State of. 3pp. 54819:358-54819:360.

9008020303 Forwards "Proposed R&D Project for Vadose Zone Monitoring, Richland, WA" & "Environ Pathways Analysis of US Ecology Low Level Waste Disposal Facility."
ELSEN, M.J. Washington, State of. 90/07/26. THAGGARD, M. Office of Nuclear Material Safety & Safeguards, Director. 1p. 54830:286-54831:012.

9008030036 Notification of cooperative agreement, Mod 5, to "Maint & Operation of LPDR." Contractor: State Library of Pennsylvania.
CRAMPTON, S.A. Contract Administration Branch (890205-900602). FIN D-24160. NRC-10-87-336. 90/07/27. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). NORTHERN, S.S. NRC - No Detailed Affiliation Given. 1p. 54851:128-54851:132.

9008060251 Responds to appeal of denial of FOIA request for App F records. Requested records encl.
CHILK, S.J. Office of the Secretary of the Commission. 90/07/30. CRAFT, R.M. CONOCO, Inc. (Continental Oil Co.). 1p. 54837:081-54837:089.

-8810110085 Grants Agreement States legal authority to set alternate concentration limits for hazardous constituents in U mill tailings.
FONNER, R.L. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/09/20. LUBENAU, J. State, Local & Indian Tribe Programs (870413-900111). 2pp. 54837:087-54837:088.

-8812070092 Comments on State of TX draft changes to U tailings rules, per 881122 memo. W/SA Treby 880524 memo to MR Knapp.
TREBY, S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 88/12/01. KAMMERER, C. State, Local & Indian Tribe Programs (870413-900111). 1p. 54837:089-54837:089.

9008080083 Discusses Insp Rept 15000032/90-01 on 900627 & forwards notice of violation.
CLINE, W.E. Region 2 (Post 820201). 90/07/24. BUCHANAN, J. S.K. McBryde, Inc. 2pp. 54931:228-54931:231.

-9008080084 Notice of violation from insp on 900627. Violation noted: QA program not registered w/NRC in that licensee did not register to use package authorized by NRC Certificate of Compliance 9007 & did not have drawings or refs.
CLINE, W.E. Region 2 (Post 820201). 90/07/24. 2pp. 54931:230-54931:231.

9008090001 Forwards summary of assessments & comments for State of NE radiation control program for 880701-900615. NRC will conduct one review encompassing both agencies & make determination as to adequacy of compatibility of State of NE program.
KAMMERER, C. State Programs (Post 900112). 90/07/30. WRIGHT, G.R., GRAMS, D. Nebraska, State of. 10pp. 54932:318-54932:340.

-9008090002 Responds to issues raised during 900615 exit conference & in discussions w/State of NE Dept of Health & State of NE Dept of Environ Control re radiation control program for agreement mats.
ORR, K.A. Nebraska, State of. 90/06/29. DODA, R.J. Region 4 (Post 820201). 13pp. 54932:328-54932:340.

9008100117 Forwards executed Mod A019 to Cooperative Agreement DE-FC04-81AL16257 between DOE & State of CO.
DAVIDSON, R.E. Energy, Dept. of. 90/08/03. LOHAUS, P.H. Operations Branch. 1p. 54935:072-54935:076.

—9008100123 Mod A019, increasing state estimated allowable costs for period from effective date to 900930, to Cooperative Agreement DE-FC04-81AL16257.
SHAW, B.A. Colorado, State of. SHAW, B.A. Energy, Dept. of. 90/08/03. 4pp. 54935:073-54935:076.

9008100209 Responds to 900719 ltr requesting comments on summaries of 900710 meetings re low level radwaste storage issues. Listed specific documents & correspondence based on review of notes taken identified in summary.
LOHAUS, P.H. Operations Branch. 90/08/08. JAGER, L.E. Michigan, State of. 2pp. 54954:094-54954:095.

9008130301 Submits comments on NRC draft SNM license for Chem-Nuclear Sys, Inc. per request. Typo should be corrected as indicated.
AUTRY, V.R. South Carolina, State of. 90/08/08. LOHAUS, P.H. Operations Branch. 3pp. 54970:197-54970:199.

9008160130 Advises that listed moisture density gauge & asphalt content gauges received from Troxler Electronic, Inc.
ATKINSON, T.D. Wyoming, State of. 90-1263. 90/08/06. Region 4 (Post 820201). 3pp. 54995:215-54995:217.

9008170125 Expresses concern re proposed amend to License UT2300149, submitted by Envirocare of Utah, Inc., requesting approval for disposal of byproduct, source & nonPu SNM at Envirocare Clive disposal site.
CARPENTER, S.A. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 90/08/15. ANDERSON, L. Utah, State of. 9pp. 54993:014-54993:022.

9008200025 Forwards "Interim Statement of Technical Review Committee on Yucca Mountain Socioeconomic Project" & NWPO-SE-024-89, "Executive Summary Yucca Mountain Socioeconomic Project Interim Rept on State of NV Socioeconomic Studies."
LOUX, R.R. Nevada, State of. HLWR. 90/08/20. Nevada, State of. 1p. 54979:325-54979:358.

—9008200029 NWPO-SE-024-89 "Executive Summary, Yucca Mountain Socioeconomic Project, Interim Rept on State of NV Socioeconomic Studies."
* Nevada, State of. HLWR. 89/06/30. 16pp. 54979:342-54979:358.

9008210075 Comment supporting proposed rule 10CFR150 re Kerr-McGee plans for disposal of radwaste in West Chicago, IL.
ORTCIGER, T.W. Illinois, State of. 55FR11459. 90/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 54984:045-54984:046.

9008220140 Forwards NPDES Permit M0037028 for plant, approved by State of MI Water Resources Commission during 900719 meeting.
ORSER, W.S. Detroit Edison Co. NRC-90-0137. 90/08/17. Document Control Branch (Document Control Desk). 1p. 55006:285-55006:314.

—9008220143 NPDES Permit M0037028, issued to Michigan Water Resources Commission.
ZUGGER, P.D. Michigan, State of. 90/07/19. 29pp. 55006:286-55006:314.

9008240096 Advises that NRC visit to review State of MS radiation control program scheduled for 900919-20. Usual questions sent in preparation for full review will not be needed for visit.
WOODRUFF, R.L. Region 2 (Post 820201). 90/08/16. FUENTE, E.S. Mississippi, State of. 1p. 55027:154-55027:154.

9008270045 Advises that NRC does not recommend that bond releases be made for work that has to be repeated next yr but recommends that licensee provide acceptable plan for protecting radon cover over winter, per 900726 ltr.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/16. HEMMER, D. Wyoming, State of. 2pp. 55035:092-55035:093.

9008270157 Advises that operational safety assessment will be conducted at GE Wilmington, NC plant on 900924-28. Radiological programs to be assessed include nuclear criticality controls, radiological contingency planning & radiation safety.
CLINE, W.E. Region 2 (Post 820201). 90/08/06. BROWN, D.H. North Carolina, State of. 1p. 55032:139-55032:139.

9008280305 Proposes change to permit to allow analysis of TOC to demonstrate compliance w/ general State of TN regulations.
PAINE, D. Nuclear Fuel Services, Inc. 21G-90-0085. 90/08/22. WIGGINS, G.P. Tennessee, State of. 2pp. 55042:035-55042:036.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9003260135 Forwards responses to 3 of 4 questions re review of Topical Rept BAW-10168P.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/90-38. 90/03/12. WILSON, V. Planning, Program & Management Support Branch (Post 870411). 12pp. 53148:117-53148:128.

9007050195 Forwards addl info on BAW-10168P, Rev 1, per JH Taylor 900312 request. Four outstanding responses will be sent by 900715.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/90-97. 90/06/25. WILSON, V. Planning, Program & Management Support Branch (Post 870411). 42pp. 54392:001-54392:043.

9007050205 Submits addl info re Rev 2 to BAW-10168P, "BEACH," per JH Taylor 900312 request.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/90-96. 90/06/25. WILSON, V. Planning, Program & Management Support Branch (Post 870411). 20pp. 54392:177-54392:195.

9007270029 Forwards payment for review of Amend 24 to GE Licensing Topical Rept NEDE-24011-P.
CHARNLEY, J.S. General Electric Co. MFN-090-90. 90/07/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54727:315-54727:315.

9007270088 Forwards nonproprietary WCAP-10272-A, Suppl 2, Rev 1 & proprietary WCAP-10271-P-A, Suppl 2, Rev 1, "Evaluation of Surveillance Frequencies & Out of Svc Times for ESF Actuation Sys."
GOERING, G. Westinghouse Operating Plants Owners Group. OG-90-38. 90/07/20. JONES, R.C. Reactor Systems Branch. 4pp. 54766:225-54766:175.

—9007270092 Requests withholding of Rev 1, Suppl 2 to WCAP-10271-P-A, "Evaluation of Surveillance Frequencies & Out of Svc Times for Reactor Protection Instrumentation Sys," per 10CFR2.790.
WEISEMANN, R.A. Westinghouse Electric Corp. CAW-90-056. 90/07/17. MURLEY, T. Document Control Branch (Document Control Desk). 10pp. 54766:229-54766:238.

—9007270095 WCAP-10272-A S02 R01 "Evaluation of Surveillance Frequencies & Out of Svc Times for Reactor Protection Instrumentation Sys."
ANDRE, G.R., HOWARD, R.C., JANSEN, R.L. Westinghouse Electric Corp. 90/06/30. 700pp. 54768:239-54768:175.

9007270101 Forwards proprietary CEN-400-P & nonproprietary CEN-400-NP, "Draft Meeting Minutes of 890925-26 Audit of CEN 387-P, Pressurizer Surge Line Flow Stratification Evaluation."
STERLING, E.C. C-E Operating Plants Owners Group. CEOG-90-459. 90/06/27. CHAN, T.L. Region 5 (Post 820201). 5pp. 54727:169-54727:225.

—9007270102 CEN-400-NP "Draft Meeting Minutes of 890925-26 Audit of CEN-387-P Pressurizer Surge Line Flow Stratification Evaluation."
* C-E Operating Plants Owners Group. 90/06/30. 51pp. 54727:174-54727:224.

—9007270104 Forwards proprietary draft meeting minutes of audit on 890825 & 26 re Rept CEN 387-P, "Pressurizer Surge Line Flow Stratification Evaluation."
SIBIGA, D.L. Combustion Engineering, Inc. MPS-89-1048. 89/10/17. HOU, S. NRC - No Detailed Affiliation Given. 1p. 54727:225-54727:225.

9007270177 Clarifies previous documentation re 1981 ECCS evaluation model using BASH, info indicating that hot assembly & hot rod calculation in LOCBART uses finer nodding & that finer nodding used to more accurately calculate peak cladding temp encl.
JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-90-3524. 90/07/20. JONES, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 54738:001-54738:004.

9007300103 Requests approval of use of Code Case N-395 of ASME Boiler & Pressure Code for fabrication of components. Code case authorizes use of laser welding to join certain matls.
JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-90-3530. 90/07/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 54746:199-54746:200.

9007310002 Forwards response to request for addl info re YAEC-1710, "Yankee Nuclear Power Station Pilot Evaluation Rept for Plant License Renewal," & YAEC-1727P, "Methodology for Identifying Potential Fluid Component Age-Related..."
GRANT, J.M. Yankee Atomic Electric Co. BYR 90-92. 90/07/16. CRAIG, J.W. Document Control Branch (Document Control Desk). 25pp. 54769:222-54769:246.

9007310016 Provides addl justification & clarification re Change Notice 37 to Amend 12 to Topical Rept SCE-1-A, "CA Program," per NRC 900626 request. Evaluations to improve engineering quality concluded that in-line reviews not worthwhile.
RAY, H.B. Southern California Edison Co. 90/07/26. ZIMMERMAN, R. Region 5 (Post 820201). 3pp. 54787:308-54787:310.

9007310097 Advises that adequate bases not provided to conclude that pressurized surge line meets all appropriate code limits for 40-yr plant life, per util 900308 response to Item 1.b of NRC Bulletin 88-011. W/evaluation of C-E Owners Group CEN-387-P.
KOKAJKO, L.E. Project Directorate V. IEB-88-011. 90/07/25. RAY, H.B. Southern California Edison Co. COTTON, C.D. San Diego Gas & Electric Co. 3pp. 54803:222-54803:234.

—9008060400 Partially withheld topical rept evaluation of CEN-387-P, "Pressurizer Surge Line Flow Stratification Evaluation." Rept considered inadequate to justify continued operation for 40-yr plant life.
* NRC - No Detailed Affiliation Given. IEB-88-080. 90/07/25. 10pp. 54803:225-54803:234.

9007310156 Notification of 900802 meeting w/BWR Owners Group in Rockville, MD to discuss current topics & status of open issues. Meeting agenda encl.
THADANI, A. Division of Systems Technology (Post 890827). 90/07/25. RUSSELL, W. Associate Director for Inspection & Technical Assessment (Post 870411). 3pp. 54769:302-54769:304.

9008010205 Advises that review of CEN 387-P, "C-E Owners Group Pressurizer Surge Line Flow Stratification Evaluation," concludes adequate bases not provided that facility meets all appropriate code limits for 40-yr plant life.
VISSING, G.S. Project Directorate I-4. IEB-88-011. 90/07/25. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 54797:005-54797:016.

9008020042 Notification of 900807 meeting w/Westinghouse in Rockville, MD re WOBRA/TRAC code mods & cladding temp calculations.
HSIL, Y. Reactor Systems Branch. 90/07/26. JONES, R.C. Reactor Systems Branch. 2pp. 54825:240-54825:241.

9008020045 Notification of 900801 meeting w/BWR Owners Group in Rockville, MD re HPCI, RCIC & RWCU motor-operated containment isolation valve issues.
GODY, A.T. Project Directorate III-3. 90/07/27. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 7pp. 54820:041-54820:047.

9008020141 Forwards review of C-E Topical Rept CEN 387-P, "C-E Owners Group Pressurizer Surge Line Flow Stratification Evaluation," per NRC Bulletin 88-011. Adequate basis not provided for meeting pressurizer surge line code limits.
POSUSNY, C. Project Directorate IV-1 (Post 900603). IEB-88-011. 90/07/31. CARNS, N.S. Entergy Operations, Inc. 3pp. 54826:263-54826:276.

—9008020143 Review of C-E Topical Rept CEN 387-P, "C-E Owners Group Pressurizer Surge Line Flow Stratification Evaluation."
* NRC - No Detailed Affiliation Given. IEB-88-011. 90/07/31. 11pp. 54826:266-54826:276.

9008020236 Forwards response to 900327 request for addl info re BAW-10174, "Mark-BW Reload LOCA Analysis for Catawba & McGuire."
TUCKER, H. Duke Power Co. TAC 75139. 90/07/25. Document Control Branch (Document Control Desk). 49pp. 54826:092-54826:140.

9008030208 Accepts Westinghouse Owners Group (WOG) bounding analysis in response to NRC Bulletin 88-011 re pressurizer surge line thermal stratification, pending until Jan 1991 submittal. Review of WOG bounding evaluation encl.
TATUM, J.E. Project Directorate V. IEB-88-011. 90/07/31. RAY, H.B. Southern California Edison Co. 3pp. 54842:333-54842:343.

222 NONDOCKETED ITEMS

- 9008030211 Review of Westinghouse Topical Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification." Info provided found comprehensive & acceptable.
* NRC - No Detailed Affiliation Given. IEIN-88-030. 90/07/31. 8pp. 54842:336-54842:343.
- 9008030299 Informs of 900801 meeting w/Regulatory Response Group of BWR Owners Group to discuss capability of motor-operated containment isolation valves in steam supply lines of HPCI & RCIC sys & in supply line of RWCU sys.
SCARBROUGH, T.G. Mechanical Engineering Branch. 90/07/30. MARSH, L.B. Mechanical Engineering Branch. 1p. 54957:059-54957:075.
- 9008030300 Forwards criteria used to evaluate capability of motor-operated valves w/ small valve sizes not tested by NRC. Recipient should be ready to discuss capability of identified motor-operated valves at 900801 meeting.
SCARBROUGH, T.G. NRC - No Detailed Affiliation Given. IEIN-90-040. 90/07/24. STARK, S. General Electric Co. 16pp. 54957:060-54957:075.
- 9008060274 Forwards 47-1163743-24. "B&W Owners Group Steering Committee Recommendation Tracking Sys Rept," providing implementation status of safety & performance improvement program recommendations at each B&W plant.
O'CONNOR, W.T. Babcock & Wilcox Operating Plants Owners Group. OG-752. 90/07/30. CRUTCHFIELD, D. Associate Director for Projects (Post 870411). 5pp. 54852:089-54853:008.
- 9008060277 47-1163743-24 "B&W Owners Group Steering Committee Recommendation Tracking Sys Rept."
* Babcock & Wilcox Operating Plants Owners Group. 90/06/30. 375pp. 54852:094-54853:008.
- 9008060320 Resubmits synopsis of changes to updated operational QA Program Topical Rept VEP 1-5A.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 90/08/01. Document Control Branch (Document Control Desk). 8pp. 54876:284-54876:293.
- 9008060375 Revised pages to Operational QA Program Topical Rept VEP 1-5A.
* Virginia Power (Virginia Electric & Power Co.). 90/08/01. 2pp. 54876:292-54876:293.
- 9008060395 Forwards Amend 13 to Topical Rept SCE-1-A, "QA Program."
ROSENBLUM, R.M. Southern California Edison Co. 90/07/30. Document Control Branch (Document Control Desk). 1p. 54881:348-54882:086.
- 9008060397 SCE-1-A A13 Amend 13 to "QA Program."
* Southern California Edison Co. 90/07/30. 98pp. 54881:349-54882:086.
- 9008070100 Ack receipt of 900615 ltr informing NRC of proposed EPRI epidemiologic study of radiation workers at nuclear plants. Meeting w/principal investigators to discuss design of proposed study suggested.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/07/20. CULLER, F.L. Electric Power Research Institute. 2pp. 54902:195-54902:197.
- 9008080042 Summary of 900531 meeting w/EPRI, NUMARC & std plant vendors re EPRI advanced LWR requirements document for evolutionary LWRs. List of attendees encl.
KENYON, T.J. Standardization Project Directorate (Post 900603). 90/08/02. Standardization Project Directorate (Post 900603). 4pp. 54913:354-54913:357.
- 9008080171 Forwards GA-C18103, "Fort St Vrain Cycle 3 Core Performance," per request for addl info re proposed amend to Tech Spec which would allow util to complete defueling of facility.
BREY, H.L. Public Service Co. of Colorado. P-90247. 90/08/03. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (891001-900602). 2pp. 54906:047-54906:262.
- 9008080174 GA-C18103 GA-C18103, "Fort St Vrain Cycle 3 Core Performance."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 85/11/30. 113pp. 54906:049-54906:153.
- 9008080244 Approves 900728 application for withholding WCAP-11786, Rev 1 re weld joint crack in six inch safety injection & RHR piping (ref 10CFR2.790).
HOFFMAN, S.T. Project Directorate II-1. 90/08/03. WIESEMANN, R.A. Westinghouse Electric Corp. 3pp. 54931:146-54931:148.
- 9008080301 Forwards for review revised safety limits, limiting condition for operations & bases for Chapter 2.0, "Safety Limits." Chapter 3.1, "Reactivity Control Sys" & Chapter 3.2, "Power Distribution of C&C RSTS." Comments required by 900810.
NELSON, P.R. C-E Operating Plants Owners Group. NELSON, P.R. Combustion Engineering, Inc. CEOG-90-577. 90/08/06. NRC - No Detailed Affiliation Given. 170pp. 54903:082-54903:268.
- 9008090063 Notification of 900813 & 14 meetings w/C-E & INEL in Rockville, MD to discuss evaluation model for small break LOCA.
HSIL, Y. Reactor Systems Branch. 90/08/02. JONES, R.C. Reactor Systems Branch. 2pp. 54922:213-54922:214.
- 9008090114 Forwards generic SER accepting HGN-112-NP, "Generic Hydrogen Control Info for BWR-6 Mark III Containments."
THADANI, A.C. Division of Systems Technology (Post 890827). 90/08/06. LANGLEY, J.R. Gulf States Utilities Co. 3pp. 54922:292-54922:357.
- 9008090116 Generic SER re Mark III containment hydrogen control.
* NRC - No Detailed Affiliation Given. 90/08/06. 63pp. 54922:295-54922:357.
- 9008090247 Advises that WCAP-12576, "Westinghouse Revised Thermal Design Procedure Instrument Uncertainty Methodology for American Electric Power DC Cook Unit 2 Nuclear Power Station (Proprietary)" withheld per 10CFR2.790(b)(5).
COLBURN, T. Project Directorate II-1. TAC 75935. 90/08/03. WIESEMANN, R.A. Westinghouse Electric Corp. 4pp. 54934:118-54934:121.
- 9008100102 Notification of 900808 meeting w/B&W in Rockville, MD to discuss B&W future analytical plans & review schedules.
HSIL, Y. Reactor Systems Branch. 90/08/02. JONES, R.C. Reactor Systems Branch. 2pp. 54942:356-54942:357.
- 9008100161 Forwards review of Westinghouse Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification," per NRC Bulletin 88-011.
STOLZ, J.F. Project Directorate I-4. IEB-88-011. 90/08/06. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 3pp. 54943:323-54943:333.
- 9008100162 Review of Westinghouse WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification."
* NRC - No Detailed Affiliation Given. IEB-88-011. 90/08/06. 8pp. 54943:326-54943:333.
- 9008100217 Forwards formal responses to two questions from ITS re util Topical Rept DPC-NE-3000.
TUCKER, H.B. Duke Power Co. 90/08/03. Document Control Branch (Document Control Desk). 3pp. 54943:352-54943:354.
- 9008100330 Forwards proprietary rept BAW-2095P, "Kewaunee New & Spent Fuel Storage Rack Criticality Analysis." Rept withheld.
STEINHARDT, C.R. Wisconsin Public Service Corp. NRC-90-97. 90/08/07. Document Control Branch (Document Control Desk). 5pp. 54935:062-54935:066.
- 9008130098 Advises that encl ltr sample should be transmitted to licensees re Containment Hydrogen Control Owners Group Topical Rept HGN-112-NP. Licensees requested to submit final analysis of hydrogen control measures by 910301.
KINTNER, L.L. Project Directorate IV-1 (Post 900603). TAC 64818. 90/08/08. HANNON, J. Project Directorate III-3. 3pp. 54978:001-54978:003.
- 9008130267 Forwards Topical Rept PL-NF-90-001, "Application of Reactor Analysis Methods for BWR Design & Analysis."
KEISER, H.W. Pennsylvania Power & Light Co. PLA-3420. 90/08/08. BUTLER, W.R. Project Directorate I-2. 2pp. 54938:237-54939:137.
- 9008130272 PL-NF-90-001 "Application of Reactor Analysis Methods for BWR Design & Analysis."
KULICK, J.M. Pennsylvania Power & Light Co. 90/08/01. 256pp. 54938:239-54939:137.
- 9008140197 Forwards proprietary EAS-02-0190-1, "Analysis of Results From BWR Survey of Rosemount Transmitter Oil Loss Failures."
BECK, G.J. BWR Owners Group. BWROG-9076. 90/07/30. BERLINGER, C.H. Division of Operational Events Assessment (Post 870411). 2pp. 54963:285-54963:286.
- 9008140272 Forwards revised bases for instrument chapter re analog RPS & ESFAS & draft C-E Owners Group submittal to NRC.
NELSON, P.R. Combustion Engineering, Inc. CEOG-90-591. 90/08/09. Combustion Engineering, Inc. 117pp. 54962:144-54962:258.
- 9008150028 Advises that rept entitled, "Steam Generator Tube Laser Welded Sleeving," will be withheld per 10CFR9.5(4) w/listed exceptions.
HOFFMAN, S.T. Project Directorate II-1. 90/08/09. JOHNSON, W.J. Westinghouse Electric Corp. 3pp. 54972:027-54972:029.
- 9008150138 Application for amends to Licenses NPF-2 & NPF-8, changing Tech Specs re EOL moderator temp coefficients. Encl proprietary rept WCAP-11953 & nonproprietary rept WCAP-11954 justifies changes. Rept withheld (ref 10CFR2.790).
HAIRSTON, W.G. Alabama Power Co. 90/07/13. Document Control Branch (Document Control Desk). 2pp. 54978:044-54978:128.
- 9008150142 Requests that proprietary WCAP-11953, "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for Joseph M Farley Nuclear Plant Units 1 & 2," be withheld per 10CFR2.790.
WIESEMANN, R.A. Westinghouse Electric Corp. CAW-89-003. 89/01/09. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 54978:057-54978:069.
- 9008150143 WCAP-11954 "Safety Evaluation Supporting More Negative EOL Moderator Temp Coefficient Tech Spec for JM Farley Nuclear Plant Units 1 & 2."
ANKNEY, R.D., OSBORNE, M.P. Westinghouse Electric Corp. 88/12/31. 60pp. 54978:070-54978:128.
- 9008150199 Advises that Topical Rept ANF-90-018(P), Rev 1, "Susquehanna Unit 1 & 8 x 8 Extended Burnup Design Rept" will be withheld from public disclosure (ref 10CFR2.790), per 900702 request & listed vendor reasons.
THADANI, M.C. Project Directorate I-2. TAC 77165. 90/08/13. KEISER, H.W. Pennsylvania Power & Light Co. 10pp. 54966:060-54966:069.
- 9008150286 Provides info that clarifies organizational Topical Rept TVA-NPOD89, per 900727 telcon. New charts & min shift crew composition info will be incorporated in next topical rept rev.
WALLACE, E.G. Tennessee Valley Authority. 90/08/13. Document Control Branch (Document Control Desk). 8pp. 54971:275-54971:282.
- 9008170001 Forwards previous & revised organizational charts for QA Topical Rept B&ROE-COM4-1-NP-6A. No change in QA function noted.
ROE, K.K. Burns & Roe Co. 90/08/08. Document Control Branch (Document Control Desk). 3pp. 54984:206-54984:208.
- 9008170096 Submits assessment of safety concern re BWR containment isolation valves for HPCI, RCIC & RWCU. Factors discussed above justify continued plant operation while licensees expeditiously pursue corrective actions.
RICHARDSON, J.E. Division of Engineering Technology (Post 890827). GL-89-08. 90/08/13. RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 5pp. 54991:130-54991:134.
- 9008200054 Advises that PIUS design certification application most likely available in Jul 1993.
KENNEDY, E.H. Combustion Engineering, Inc. LD-90-056. 90/08/16. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 54996:146-54996:146.
- 9008200134 Notification of 900828 meeting w/B&W Owners Group & B&W in Rockville, MD to discuss steam generator tube rupture release analysis.
LYON, W. Reactor Systems Branch. 90/08/15. JONES, R.C. Reactor Systems Branch. 2pp. 54994:355-54994:356.
- 9008200138 Notification of 900830 meeting w/Westinghouse in Rockville, MD for presentation on control rod drop times based on PRA & Tech Spec implications.
KOPPEL, L. Reactor Systems Branch. 90/08/13. JONES, R.C. Reactor Systems Branch. 2pp. 54993:201-54993:202.

9008220169 Forwards evaluation of CEN 387-P, "Pressurizer Surge Line Thermal Stratification." Info provided by C-E Owners Group in Ref 1 & 2 inadequate to justify meeting all appropriate limits for 40-yr plant life.
BOURNIA, A. Project Directorate IV-1 (Post 900603). IEB-88-011. 90/08/17. GATES, W.G. Omaha Public Power District. 4pp. 55015:092-55015:105.

-9008220171 Evaluation of Topical Rept CEN 387-P, "Pressurizer Surge Line Thermal Stratification." Info provided in Ref 1 & 2 inadequate to justify continued operation for 40-yr plant life.
* NRC - No Detailed Affiliation Given. IEB-88-011. 90/08/17. 10pp. 55015:096-55015:105.

9008230129 Discusses causes & corrective actions re 900803 UF6 reduction plant event. Procedure N-800-20 will be revised to ensure that cylinder properly connected in autoclave or that pigtail plugged.
LACEY, L.R., MESTEPEY, J.H. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 90136-N. 90/08/10. BEACH, A.B. Region 4 (Post 820201). 2pp. 55012:322-55012:323.

9008230218 Forwards review of B&W Owners Group pressurizer surge line thermal stratification BAW-2085 analysis per IE Bulletin 88-011. Continued evaluation justified until final rept complete but issues needing resolution noted.
HERNAN, R.W. Project Directorate I-4. IEB-88-011. 90/08/09. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 55016:046-55016:054.

-9008230220 Review of B&W Owners Group pressurizer surge line thermal stratification BAW-2085 analysis per IE Bulletin 88-011.
* NRC - No Detailed Affiliation Given. IEB-88-011. 90/08/09. 7pp. 55016:048-55016:054.

9008240210 Approves until 890602 response to NRC Bulletin 88-011 re pressurizer surge line thermal stratification. Issues identified which need to be resolved for util to meet all appropriate code limits for 40-yr plant operating life.
LYNCH, M.D. Project Directorate III-3. IEB-88-001. 90/08/07. SHELTON, D.C. Toledo Edison Co. 4pp. 55027:200-55027:210.

-9007250191 Review of B&W Owners Group Rept BAW-2085, "Pressurizer Surge Line Thermal Stratification." Info provided by B&W inadequate & not entirely acceptable for justifying life operation.
* NRC - No Detailed Affiliation Given. IEIN-88-080. 90/06/25. 7pp. 55027:204-55027:210.

9008270092 Advises that proprietary WCAP-12221, "Advanced Digital Feedwater Control Sys for Diablo Canyon Units 1 & 2" will be withheld from public disclosure (ref 10CFR2.790), per 890328 request.
LARKINS, J.T. Project Directorate 80/08/20. WIESEMANN, R.A. Westinghouse Electric Corp. 3pp. 55036:275-55036:277.

9008270282 Forwards generic SER re Mark III containment hydrogen control, based on review of Mark III Containment Hydrogen Control Owners Group submittal of Topical Rept HGN-112-NP. Util should provide final analysis by 910301.
HICKMAN, J.B. Project Directorate III-3. 90/08/20. SPANGENBERG, F. Illinois Power Co. 3pp. 55036:278-55037:002.

9008280265 Advises that no short-term concerns re thermal stratification effects for duration of ten addl heatup/ cooldown cycles exists from when bounding analysis performed in 1988, per util 890531 response to NRC Bulletin 88-011.
BRINKMAN, D.S. Project Directorate I-1. IEB-88-011. 90/08/17. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 2pp. 55042:113-55042:123.

-9008280267 NRR review of Topical Rept WCAP-12277, "Westinghouse Owners Group Bounding Evaluation for Pressurizer Surge Line Thermal Stratification." Info provided comprehensive & acceptable.
* Office of Nuclear Reactor Regulation, Director (Post 870411). IEB-88-011. 90/08/17. 9pp. 55042:115-55042:123.

9008280355 Summary of 900803 meeting w/Westinghouse in Rockville, MD re AP-600 control room design w/respect to human factors engineering. Attendees listed in Encl 1.
DONATELL, L.F. Standardization Project Directorate (Post 900603). 90/08/15. Standardization Project Directorate (Post 900603). 84pp. 55040:227-55040:309.

9008280363 Clarifies info submitted in 871207 & 880808 ltrs re steam generator tube rupture analysis demonstration runs. Demonstration runs met plant-specific requirements in Section D to NRC SER on WCAP-10698.
TUCKER, H.B. Duke Power Co. 90/08/20. Document Control Branch (Document Control Desk). 16pp. 55044:228-55044:241.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9007300035 Responds to DOE 900713 ltr describing plans to address requirements of Resource Conservation & Recovery Act. NRC will rely upon technical exchanges w/ DOE re implementation of DOE plans.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/26. SHELOR, D. Energy, Dept. of. 1p. 54737:258-54737:258.

9007300056 Provides monthly issuance of schedules for selected UMRAP sites for info. Schedules reflect all current & future key project activities in areas of characterization, NEPA compliance, design development & remedial action const.
MATTHEWS, M.L. Energy, Dept. of. 90/07/25. LOHAUS, P., NUTONGLA, N., BEGAYE, M. NRC - No Detailed Affiliation Given. 41pp. 54763:253-54763:293.

9007300060 Summarizes 900723 discussion w/D Barth re mobile sampling platform & lab. Activity will sample side by side & perform confirmatory testing to check DOE results.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 90/07/24. LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 54737:257-54737:257.

9007300063 Forwards notification of 900802 meeting w/JGC Corp in Rockville, MD to discuss status review of US Ecology Rept USE-61-002-P. Advises that proprietary info may be discussed at meeting.
SURMEIER, J.J. Technical Branch. 90/07/25. MILLER, V.L. State Programs (Post 900112). 2pp. 54756:054-54756:055.

9007300065 Forwards notification of 900802 meeting w/JGC Corp in Rockville, MD to discuss status review of US Ecology Rept USE-61-002-P. "High Strength Asphalt Solidification."
SHEWMAKER, R.E. Technical Branch. 90/07/25. SURMEIER, J.J. Technical Branch. 2pp. 54756:035-54756:036.

9007310017 Forwards EEG-45, "Preliminary Investigation Into Explosion Potential of Volatile Organic Compounds in WIPP CH-TRU Waste."
NEILL, R.H. New Mexico Institute of Mining & Technology, Socorro, NM. HLWR. 90/07/26. BEOWNING, R.E. NRC - No Detailed Affiliation Given. 1p. 54737:259-54737:313.

-9007310019 EEG-45 "Preliminary Investigation into the Explosion Potential of Volatile Organic Compounds in WIPP CH-TRU Waste."
SILVA, M.K. New Mexico Institute of Mining & Technology, Socorro, NM. 90/06/30. 51pp. 54737:260-54737:313.

9007310050 Requests NRC attendance at workshop on 900807-08 in Denver to discuss OCRM QA program per 900522 NRC/DOE meeting.
STEIN, R. Energy, Dept. of. HLWR. 90/07/27. LINEHAN, J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 54737:314-54737:315.

9007310278 Forwards corrected Pages B-41 & B-42 for App B of NUREG/CR-4753, Vol 6, "Evaluation & Compilation of DOE Waste Package Test Data."
HARRIS, J. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/07/30. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 5pp. 54757:008-54757:012.

9008010043 Submits potential questions re QA in high level waste program.
STEINDLER, M.J. Advisory Committee on Nuclear Waste. HLWR. 90/07/12. ABRAMS, C. Advisory Committee on Nuclear Waste. 2pp. 54770:067-54770:068.

9008010077 Forwards DOE weekly rept for wk ending 900720.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 90/07/25. LINEHAN, J.J. Division of High-Level Waste Management (Post 870413). 7pp. 54792:133-54792:139.

9008010130 Forwards "Evaluation of Thermal Analysis Model for Engineered Barrier Sys Performance Assessment Code."
NAIR, P.K. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 90/06/28. PERRING, J.R. Division of High-Level Waste Management (Post 870413). 1p. 54770:039-54770:066.

-9008010133 "Evaluation of Thermal Analysis Model for Engineered Barrier Sys Performance Assessment Code."
PENNING, H.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 90/06/28. NRC - No Detailed Affiliation Given. 27pp. 54770:040-54770:066.

9008010162 Forwards Std Deficiency Repts 553 through 561, Rev 0 & Observations 90-03-01 through 90-03-10, resulting from Yucca Mountain Project Ofc QA Audit 90-03.
HORTON, D.G. Energy, Dept. of. HLWR. 90/07/23. HAYES, L.R. Interior, Dept. of, Geological Survey. 39pp. 54792:082-54792:121.

9008010207 Provides list of proposed interactions for discussion at 900731 interaction scheduling meeting. NRC understands that DOE will be prepared to agree to firm schedules for meetings over next three months.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/31. STEIN, R. Energy, Dept. of. 5pp. 54815:235-54815:239.

9008010210 Forwards summary of 900612-13 NRC/DOE technical exchange on significant faults. Importance of reaching early agreement on approach for deciding which faults need to be characterized emphasized throughout discussions.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/31. STEIN, R. Energy, Dept. of. 6pp. 54792:140-54792:145.

9008010219 Forwards NRC surveillance observation of DOE/Yucca Mountain Project Ofc QA Surveillance YMP-SR-90-031. Concurs w/ conclusion that procedural implementation of QA program for preparation, review & approval of study plans adequate.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/31. STEIN, R. Energy, Dept. of. 8pp. 54792:146-54792:153.

9008010257 Advises that 900711 revised final work plan for Task 6, "Technical Assistance for Alternate Concentration Limit Methodology," consistent w/NRC 900518 comments & acceptable.
WASTLER, S.L. NRC - No Detailed Affiliation Given. NRC-04-87-399. 90/07/26. KRICKENBERGER MITRE Corp. 1p. 54791:071-54791:071.

9008010259 Responds to 900604 ltr requesting info on justification for Commission view described in staff 900503 ltr. Long-term storage should not be considered substitute for development of new disposal facility.
CARR, K.M. Commissioners (Post 750119). IEIN-90-009. 90/07/20. MONACO, C. New York, State of. 6pp. 54791:072-54791:079.

-9008010260 Voices strong opposition to NRC 900503 memo re storage of low level radwaste (SP-90-80). Author would appreciate receipt of any mats that provide technical or regulatory justification for policies stated in 900503 memo.
MONACO, C.M. New York, State of. IEIN-90-009. 90/06/04. CARR, K. Commissioners (Post 750119). 2pp. 54791:078-54791:079.

9008010261 Expresses appreciation for 900615 meeting re review of sites known to be contaminated w/radioactive mats & confirms understandings reached. NRC will review all files of licenses terminated after 1965 for adequate documentation.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/19. LONGEST, H.L. Environmental Protection Agency. 4pp. 54791:067-54791:070.

9008010265 Responds to 900716 memo transmitting questions raised by State of CA Dept of Health Svcs. Issues raised by California associated w/waste verification, uniform manifest reporting & financing of long-term facility care.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/07/27. MILLER, V.L. State Programs (Post 900112). 62pp. 54871:092-54871:151.

9008020157 Forwards closure of Std Deficiency Rept 454, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 89-05 of Reynolds Electrical & Engineering Co, Inc.
HORTON, D.G. Energy, Dept. of. HLWR. 90/07/16. PRITCHETT, R.F. Reynolds Electrical & Engineering Co, Inc. 5pp. 54815:254-54815:258.

224 NONDOCKETED ITEMS

- 9008020160** Accepts amended response to Std Deficiency Rept 464, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 89-7 of LASL.
HORTON, D.G. Energy, Dept. of. HLWR. 90/07/06. HERBST, R.J. Los Alamos National Laboratory. 7pp. 54815:259-54815:265.
- 9008020242** Forwards Interim Change Notice (ICN) 1 to Rev 0 to QMP-03-01, ICN 2 to Rev 0 to QMP-02-08, ICN 2 to Rev 1 to QMP-03-01, ICN 3 to Rev 0 to QMP-02-08, Rev 0 to QMP-05-03 & ICN 2 to Rev 1 to QMP-17-01.
* Science Applications International Corp. (formerly Science Applications, Inc.). HLWR. 90/07/24. BELKE, W.L. NRC - No Detailed Affiliation Given. 5pp. 54815:269-54815:301.
- 9008020274** Interim Change Notice 1 to Rev 0 to QMP-03-01, "Peer Reviews."
BLANCHARD, M., HORTON, D.G., GERTZ, C. Science Applications International Corp. (formerly Science Applications, Inc.). 90/07/17. 5pp. 54815:274-54815:278.
- 9008020277** Interim Change Notice 2 to Rev 0 to QMP-02-08, "Technical Assessment Review."
BLANCHARD, M., HORTON, D.G., GERTZ, C. Science Applications International Corp. (formerly Science Applications, Inc.). 90/07/17. 4pp. 54815:279-54815:282.
- 9008020280** Interim Change Notice 2 to Rev 1 to QMP-03-01, "Peer Reviews."
BLANCHARD, M., HORTON, D.G., GERTZ, C. Science Applications International Corp. (formerly Science Applications, Inc.). 90/07/17. 2pp. 54815:283-54815:284.
- 9008020281** Interim Change Notice 3 to Rev 0 to QMP-02-08, "Technical Assessment Review."
BLANCHARD, M., HORTON, D.G., GERTZ, C. Science Applications International Corp. (formerly Science Applications, Inc.). 90/07/17. 4pp. 54815:285-54815:288.
- 9008020284** Rev 0 to QMP-05-03, "Preparation & Control of NNWSI Project QAP & WMPO QAPP."
BLAYLOCK, J. Science Applications International Corp. (formerly Science Applications, Inc.). 88/05/23. 11pp. 54815:289-54815:299.
- 9008020285** Interim Change Notice 1 to Rev 0 to QMP-06-04, "Project Ofc Document Development, Review, Approval & Rev Processes."
* Science Applications International Corp. (formerly Science Applications, Inc.). 90/07/20. 1p. 54815:300-54815:300.
- 9008020287** Interim Change Notice 2 to Rev 1 to QMP-17-01, "Records Mgt: Record Source Requirements."
HORTON, D.G., GERTZ, C. Science Applications International Corp. (formerly Science Applications, Inc.). 90/07/17. 1p. 54815:301-54815:301.
- 9008020289** Verifies committed corrective action for Std Deficiency Rept 333, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 90-02. Failure to comply w/ due date provided will result in elevation of matter to mgt for action.
HORTON, D.G. Energy, Dept. of. HLWR. 90/07/16. GERTZ, C.P. Energy, Dept. of. 3pp. 54815:266-54815:268.
- 9008030215** Forwards Rev 5 to Yucca Mountain Project Ofc QA audit schedule for both internal & external audits planned for FY90.
HORTON, D.G. Energy, Dept. of. HLWR. 90/07/26. HOOKS, K.R. NRC - No Detailed Affiliation Given. 4pp. 54831:078-54831:081.
- 9008030216** Accepts responses to Std Deficiency Repts 536, 537, 540 & 544, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 90-02 of LLL. Verification of completion of corrective action will be performed after effective dates provided.
HORTON, D.G. Energy, Dept. of. WBS 1.2.9.3. 90/07/26. JARDINE, L.J. Lawrence Livermore National Laboratory. 14pp. 54831:082-54831:095.
- 9008030354** Forwards FR notice announcing availability of Staff Position SP 60-001, "Clarification of 300-1000 Yrs Period For Substantially Complete Containment of High Level Wastes Within Waste Packages Under 10CFR60.113(a)(1)(ii)(a)."
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/31. MEYER, D.L. Regulatory Publications Branch. 4pp. 54815:303-54815:317.
- 9008030361** Notice of availability of Staff Position SP-60-001, "Clarification of 300-1,000 Yrs Period for Substantially Complete Containment of High Level Wastes Within Waste Packages Under 10CFR60.113(a)(1)(ii)(a)."
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/27. 11pp. 54815:307-54815:317.
- 9008030375** Requests P Niedzielski-Eichner, Nye County adviser be included on NRC mailing list for future announcements of NRC meetings.
DELLIGATTI, M.S. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/02. BRANDHURST, S.T. Allen/Bradhurst Corp. 1p. 54815:302-54815:302.
- 9008060090** Responds to ltr re Yucca Mountain Project QA controlled documents & requests return or destroying of QAPP-01, Rev 5.
APPEL, D.H. Interior, Dept. of, Geological Survey. HLWR. 90/07/25. HOOKS, J.K. NRC - No Detailed Affiliation Given. 1p. 54904:155-54904:155.
- 9008060094** Forwards draft "Proposed Staff Position on Concept of Tectonically Significant Fault."
STABLEIN, K. NRC - No Detailed Affiliation Given. HLWR. 90/08/03. Document Control Branch (Document Control Desk). 1p. 54904:142-54904:151.
- 9008060109** Draft "Proposed Staff Position on Concept of Tectonically Significant Fault."
* NRC - No Detailed Affiliation Given. HLWR. 90/06/01. 9pp. 54904:143-54904:151.
- 9008060119** Summary of 900724 meeting w/GAO representatives G Buchert & J Ohl at NRC Las Vegas, NV ofc to conduct investigation of DOE Yucca Mountain ofc.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 90/07/31. LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 54904:156-54904:156.
- 9008060124** Notification of Engineered Barrier Sys Panel 900828-29 meeting in Pleasanton, CA re packaging of spent fuel.
* Nuclear Waste Technical Review Board. HLWR. 90/07/24. 2pp. 54904:152-54904:154.
- 9008060361** Summary of 900718 meeting in Rockville, MD w/Rogers & Assoc Engineering Corp re improvement of NRC regulatory guidance documents, including std format & content guide & SRP.
DUNKELMAN, M. Operations Branch. 90/07/30. BANGART, R., GREEVES, J. Division of Low-Level Waste Management & Decommissioning (Post 870413). AUSTIN, J. Regulatory Branch. 5pp. 54876:333-54876:337.
- 9008060363** Forwards summary of 900711 telcon between NRC & US Ecology re low level waste disposal in State of CA. List of attendees also encl.
DUNKELMAN, M. Operations Branch. 90/07/31. BANGART, R., GREEVES, J. Division of Low-Level Waste Management & Decommissioning (Post 870413). AUSTIN, J. NRC - No Detailed Affiliation Given. 7pp. 54877:109-54877:115.
- 9008060365** Submits proposed implementation plan for Directive 8 & requests development of post-closure disposal plan.
MATTHEWS, M.L. Energy, Dept. of. 90/08/01. HILL, S. Jacobs Engineering Group, Inc. 3pp. 54889:355-54889:357.
- 9008070010** Responds to undated ltr to NRC re concerns about NRC efforts to establish "Below Regulatory Concern" policy for low level waste from licensed facilities. Assurance that health & safety of public & environ quality exists will be provided.
BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 90/03/13. SMITH, B. Affiliation Not Assigned. 1p. 54897:135-54897:135.
- 9008070014** Responds to 900222 ltr re Presbytery of Geneva resolution on potential nuclear waste disposal sites. State of NY entered into agreement w/NRC under which state directly regulates disposal of low level radwaste.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/03/09. HAYNES, R.H. Presbytery of Geneva, NY. 1p. 54905:068-54905:068.
- 9008070250** Provides results of geology-geophysics section review of DOE technical assessment review re exploratory shafts. Two add steps necessary to close-out Comment 127.
MCCONNELL, K.I. Geoscience & Systems Performance Branch (Post 880911). HLWR. 90/08/01. STABLIEN, N.K. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 7pp. 54880:007-54880:013.
- 9008070331** Advises that DOE plans to conduct certain activities of Sandia Natl Labs during wk of 900820-24 in Albuquerque, NM.
BELKE, W.L. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/03. BALLARD, R.L. Geoscience & Systems Performance Branch (Post 880911). BUNTING, J.O. Engineering Branch (Post 880911). 2pp. 54873:129-54873:130.
- 9008080051** Forwards Observation Audit Rept 90-4 for CNWRA Audit CNWRA 90-1 on 900626-28. NRC agrees w/ auditor findings in areas of corrective action, QA records & internal audits.
HOOKS, K.R. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/06. MABRITO, B. Center for Nuclear Waste Regulatory Analysis. 3pp. 54904:240-54904:252.
- 9008080053** 90-4 "NRC Observation Audit Rept 90-4 for CNWRA Audit 90-1 on 900626-28."
CONWAY, J.T., DELLIGATTI, M.S. Repository Licensing & Quality Assurance Project Directorate (Post 881120). FORTUNA, S.L. Program Management, Policy Development & Analysis Staff (Post 870413). HLWR. 90/08/02. 10pp. 54904:243-54904:252.
- 9008080059** Provides DOE comments on Working Draft 2 of 40CFR191, "Environ Radiation Protection Stds for Mgt & Disposal Spent Fuel, High Level & Transuranic Radwaste." Supports EPA efforts to develop generic groundwater protection strategy.
PELLETIER, R.F. Energy, Dept. of. HLWR. 90/08/02. GUIMOND, R.J. Environmental Protection Agency. 15pp. 54904:225-54904:239.
- 9008080078** Forwards rept, "Mineral Evaluation of Yucca Mountain Addition, Nye County, NV," per 900514 ltr request. Rept contains color photocopies in attempt to fulfill request for actual photographs of rept figures. W/two oversize encls.
GERTZ, C.P. Energy, Dept. of. HLWR. 90/07/13. LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 54950:159-54950:286.
- 9008080334** Responds to questions re stand alone trust fund mechanism.
JOHNSON, T. Regulatory Branch. 90/08/07. DAVIS, K. St. Louis Univ., St. Louis, MO. 1p. 54917:294-54917:294.
- 9008090104** Forwards marked-up comments on 900613 Lowman draft remedial action plan meeting minutes per 900712 request. NRC feels that informal review & site visit/ meeting, as proposed in MOU based on streamlining & applied at site, very successful.
WASTLER, S.L. Operations Branch. 90/08/07. MANN, P. Energy, Dept. of. 15pp. 54931:256-54931:270.
- 9008090239** Forwards "Project Ofc QA Audit Plan for Yucca Mountain Project Ofc Audit of Holmes & Narver, Inc. Audit 90-06, 900731-0802."
HORTON, D.G. Energy, Dept. of. HLWR. 90/07/09. CALOVINI, J.C. Holmes & Narver, Inc. 4pp. 54908:181-54908:341.
- 9008090242** "Project Ofc QA Audit Plan for Yucca Mountain Project Ofc Audit of Holmes & Narver, Inc. Audit 90-06, 900731-0802."
KRATZINGER, F.J., HORTON, D.G. Energy, Dept. of. HLWR. 90/07/09. 350pp. 54908:184-54909:341.
- 9008090417** Forwards 900814 meeting notice for NRC meeting w/CNSI re status of cement topical repts & proposed revs to staff technical position on waste form.
SURMEIER, J.J. Technical Branch. 90/08/07. MILLER, V.L. Assistant Director for State Agreements Program. 2pp. 54933:198-54933:199.
- 9008100117** Forwards executed Mod A019 to Cooperative Agreement DE-FC04-81AL16257 between DOE & State of CO.
DAVIDSON, R.E. Energy, Dept. of. 90/08/03. LOHAUS, P.H. Operations Branch. 1p. 54935:072-54935:076.
- 9008100123** Mod A019, increasing state estimated allowable costs for period from effective date to 900930, to Cooperative Agreement DE-FC04-81AL16257.
SHAW, B.A. Colorado, State of. SHAW, B.A. Energy, Dept. of. 90/08/03. 4pp. 54935:073-54935:076.

9008100209 Responds to 900719 ltr requesting comments on summaries of 900710 meetings re low level radwaste storage issues. Listed specific documents & correspondence based on review of notes taken identified in summary.
LOHAUS, P.H. Operations Branch. 90/08/08. JAGER, L.E. Michigan, State of. 2pp. 54954:094-54954:095.

9008100215 Advises of 900918 meeting in Rockville, MD to discuss approaches for establishing alternate concentration limits at Title I U mill sites. Meeting designed to provide info to DOE & to solicit input on methodology.
LOHAUS, P.H. Operations Branch. 90/08/08. MATTHEWS, M. Energy, Dept. of. 2pp. 54954:253-54954:254.

9008100301 Staff Position 60-003, "Definition of Term Performance Objectives As Used in 10CFR60.133(i)."
BERNERO, R.M. Division of High-Level Waste Management (Post 870413). 90/08/08. 6pp. 54952:330-54952:335.

9008100304 Forwards FR notice announcing availability of Staff Position SP 60-003, "Definition of Term Performance Objectives As Used in 10CFR60.133(i)."
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/08. MEYER, D.L. Regulatory Publications Branch. 1p. 54952:336-54952:338.

-9008100305 Notice of availability of Staff Position SP 60-003, "Definition of Term Performance Objectives As Used in 10CFR60.133(i)."
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/08/08. 2pp. 54952:337-54952:338.

9008100314 Forwards FR notice announcing availability of Staff Position SP 60-002, "Meaning of Phrase Performance Objectives re Isolation of Waste."
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/08. MEYER, D.L. Regulatory Publications Branch. 1p. 54952:339-54952:341.

-9008100317 Notice of availability of Staff Position SP 60-002, "Performance Objectives re Isolation of Waste."
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/08/08. 2pp. 54952:340-54952:341.

9008100320 Staff Position 60-002, "Performance Objectives re Isolation of Waste."
BERNERO, R.M. Division of High-Level Waste Management (Post 870413). HLWR. 90/08/08. 6pp. 54952:342-54952:347.

9008100331 Forwards final "Active Mines & Prospects Within 30-Mile Radius of Proposed High Level Repository Site at Yucca Mountain, Nye County, Nevada, Subsequent to Jan 1988 (As of Jul 1990)." W/one oversize drawing.
ZILKA, N. Interior, Dept. of, Bureau of Mines. FIN D-1018. NRC-02-85-004. 90/08/09. BLACKFORD, M. NRC - No Detailed Affiliation Given. 1p. 54995:199-54995:204.

-9008100332 "Active Mines & Prospects Within 30-Mile Radius of Proposed High Level Repository Site at Yucca Mountain, Nye County, Nevada, Subsequent to Jan 1988 (As of Jul 1990)." W/one oversize drawing.
RANEY, R.G. Interior, Dept. of, Bureau of Mines. FIN D-1018. NRC-02-85-004. 90/08/09. NRC - No Detailed Affiliation Given. 5pp. 54995:200-54995:204.

9008130206 Forwards DOE weekly rept for wk ending 900727.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 90/08/08. LINEHAN, J.J. Division of High-Level Waste Management (Post 870413). 6pp. 54953:056-54953:061.

9008130310 Requests meeting on 900906 to discuss potential issues on high level waste & TRU waste disposal stds before 900915 Board of Radwaste Mgt Seminar.
NEILL, R.H. Environmental Evaluation Group. HLWR. 90/08/07. BROWNING, R. NRC - No Detailed Affiliation Given. 6pp. 54953:062-54953:067.

9008130321 Forwards Commission paper discussing issues re storage of low level waste & responding to 900724 memo, item 3.W/o encl.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/08/07. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 54956:323-54956:324.

9008140066 Summarizes NRC 900706 discussion w/officials involved in low level waste disposal in PA re NRC guidance documents including std format & content guide & std review plan. List of attendees also encl.
DUNKELMAN, M. Operations Branch. 90/08/07. BANGART, R., GREEVES, J. Division of Low-Level Waste Management & Decommissioning (Post 870413). AUSTIN, J. Regulatory Branch. 4pp. 54974:001-54974:008.

-9007310033 Comments on revs to NUREG-1199, "Std Format & Content of License Application for Low Level Radwaste Disposal Facility" & NUREG-1200, "SRP for Review of License Application for Low Level Radwaste Disposal Facility."
RYAN, M.T. Chem-Nuclear Systems, Inc. RA-1159-90. 90/07/25. GREEVES, J.T. Division of Low-Level Waste Management & Decommissioning (Post 870413). 4pp. 54974:005-54974:008.

9008140093 Accepts encl amended responses to Std Deficiency Repts 464 & 465 Rev 0, resulting from Yucca Mountain Project Office QA Audit 89-07 of LASL.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/01. HERBST, R.J. Los Alamos National Laboratory. 12pp. 54953:186-54953:197.

9008140132 Suggests further discussion of request for increased public & state notification on receipt of BRC petitions. Positive response should be given to L Jagers request.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/08/09. THOMPSON, H.L. Dep Exec Dir for Nuc Matls Safety, Safeguards & Operations Support (Post 890205). 3pp. 54955:204-54955:206.

9008140145 Forwards Yucca Mountain Project Ofc FY90 QA surveillance schedule, Rev 9 & FY91 schedule, Rev 0.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/07. HOOKS, K.R. NRC - No Detailed Affiliation Given. 4pp. 54953:158-54953:161.

9008140160 Accepts responses to observations resulting from Yucca Mountain Project Ofc QA Audit 90-01 of Los Alamos Natl Lab.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/07. HERBST, R.J. Los Alamos National Laboratory. 24pp. 54953:162-54953:185.

9008140176 Forwards closure of Std Deficiency Rept 433, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 89-03 of Sandia.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/06. HUNTER, T.O. Sandia National Laboratories. 5pp. 54953:198-54953:202.

9008140274 Rev 0 to OMP-060-04, "Project Ofc Document Development, Review, Approval & Rev Processes."
* Science Applications International Corp. (formerly Science Applications, Inc.). HLWR. 90/08/06. 6pp. 54953:115-54953:120.

9008140292 Forwards "Review Plan for NRC Staff Review of DOE SCP Progress Repts." Plan reflects resolution of all significant internal review comments.
BROWNING, R.E. Division of High-Level Waste Management (Post 870413). 90/08/10. Division of High-Level Waste Management (Post 870413). 1p. 54953:236-54953:256.

-9008140294 "Review Plan for NRC Staff Review of DOE SCP Progress Repts."
* Division of High-Level Waste Management (Post 870413). 90/08/10. 18pp. 54953:237-54953:256.

9008140511 Comments on new remedial action plan (RAP) documentation based on Lowman draft RAP, per DOE/NRC 900522 mgt meeting. Refs to more detailed info in supporting documents should be more explicit. Review of Gunnison draft RAP underway.
LOHAUS, P.H. Operations Branch. 90/08/13. MATTHEWS, M. Energy, Dept. of. 3pp. 54965:132-54965:134.

9008140523 Forwards SECY-90-207, "First Update of Regulatory Strategy & Schedules for High-Level Waste Repository Program" & Rev 1 of schedule prioritization of ctr activities. Work required for FY91 & FY92 listed.
BROWNING, R.E. Division of High-Level Waste Management (Post 870413). HLWR. 90/08/10. LATZ, J.E. Center for Nuclear Waste Regulatory Analyses. 3pp. 54953:121-54953:157.

9008150172 Responds to 900531 ltr expressing opposition to proposed closure of Denver ofc. NRC may need to reconsider decision to keep ofc open in future as budget & workload considerations warrant.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/30. BAKER, S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 3pp. 54989:154-54989:156.

9008150194 Responds to 900615 ltr expressing opposition to proposed closure of Denver ofc. Commission decided not to initiate action presently but may need to reconsider action at future time as budget & workload consideration warrant.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/30. ROYBAL, C.E. New Mexico Mining Association. 3pp. 54978:145-54978:147.

9008150242 Responds to 900530 ltr expressing opposition to proposed closure of Denver ofc. Commission decided not to initiate action presently but may reconsider decision at future time as budget & workload considerations warrant.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/30. WICHERS, D.L. Malpai Resources Co. 3pp. 54971:228-54971:230.

9008150243 Submits justification for removing neutron access monitoring holes & amends remedial action plan (RAP) from Green River, UT. Refs to holes & moisture monitoring will be deleted from final RAP pending approval.
MATTHEWS, M.L. Energy, Dept. of. 90/08/13. LOHAUS, P.H. Operations Branch. 17pp. 54971:252-54971:268.

9008150244 Responds to 900618 ltr expressing opposition to proposed closure of Denver ofc. Reconsideration of decision for ofc to remain open may be needed at future time as budget & workload considerations warrant.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/30. HERMER, D. Wyoming, State of. 3pp. 54966:124-54966:126.

9008150245 Responds to 900601 ltr expressing opposition to proposed closure of NRC U Recovery Field Ofc in Denver, CO.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 90/07/30. RATCHY, J.F. Wyoming Mining Association. 4pp. 54965:275-54965:278.

9008150248 Summary of 900725 meeting w/EPRI & NUMARC re technical basis for waste form stability in 10CFR61. EPRI estimated that rept of study will be issued in early 1991.
WICK, E. Technical Branch. 90/08/13. SURMEIER, J.J. Technical Branch. 9pp. 54966:097-54966:105.

9008160120 Trip rept of 900723-25 visit to Williamsburg, VA to attend ASTM Committee C-26 (Nuclear Fuel Cycle) meeting.
MANAKTALA, H.K. Center for Nuclear Waste Regulatory Analyses. HLWR. 90/08/03. Center for Nuclear Waste Regulatory Analyses. 4pp. 54974:299-54974:302.

9008160125 Forwards invitation for two NRC representatives to attend 900911-12 technical workshop on radionuclide adsorption in Los Alamos, NM. Emphasis will be on adsorption processes & unsaturated flow & transport re Yucca Mountain.
STEIN, R. Energy, Dept. of. HLWR. 90/08/10. LINEHAN, J.J. NRC - No Detailed Affiliation Given. 17pp. 54974:282-54974:298.

9008160162 Forwards M Tokar ltr to O Wong informing that USE-61-001-P, Rev 0 review will be terminated unless addl info submitted.
SURMEIER, J.J. Technical Branch. 90/08/15. MILLER, V.L. State Programs (Post 900112). 2pp. 54992:337-54992:338.

9008170130 Forwards for review, revised UMTRA QA, environ, safety & health & radiologic audit/surveillance activities schedule.
HILL, S.R. Jacobs Engineering Group, Inc. 90/08/14. MATTHEWS, M.L. Energy, Dept. of. 3pp. 54992:358-54992:360.

9008170143 Advises that final remedial action plan for cleanup of Durango, CO UMTRA site being revised in new remedial action selection rept format.
MATTHEWS, M.L. Energy, Dept. of. 90/08/10. HALL, R.E. Region 4 (Post 820201). 1p. 54991:001-54991:001.

9008170153 Monthly rept of activities under FIN A-1165 for Jul 1990.
BONANO, E.J. Sandia National Laboratories. FIN A-1165. HLWR. 90/08/15. TIKTINSKY, D.H. Division of High-Level Waste Management (Post 870413). 18pp. 54979:276-54979:293.

226 NONDOCKETED ITEMS

- 9008170179** Trip rept of 900624-28 visit to Anaheim, CA to attend 35th Annual Meeting of Health Physics Society. Supporting info encl.
HAGEMAN, J.P., WHITING, A.R. Center for Nuclear Waste Regulatory Analyses. 90/08/06. Center for Nuclear Waste Regulatory Analyses. 22pp. 54980:052-54980:275.
- 9008170188** Responds to 900718 ltr & forwards proposed revs to position statements on agenda items for Sept 1990 meeting of Radwaste Mgt Committee. US recommended to adopt position that supports development of workshop on sorption data & modeling.
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. HLWR. 90/08/10. ISAACS, T.H. Energy, Dept. of. 11pp. 54975:135-54975:144.
- 9008170191** Forwards minutes of 900522 NRC/DOE meeting on CA workshop. Meeting held to discuss need for workshop to resolve problems associated w/series of negative statements about effects of QA on high level waste repository program.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/15. STEIN, R. Energy, Dept. of. 2pp. 54975:082-54975:132.
- 9008210130** Summary of 900522 meeting w/DOE & State of NV in Bethesda, MD re proposed QA workshop. Supporting info encl.
DELLIGATTI, M.S. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/27. MACALUSO, C. Energy, Dept. of. 44pp. 54975:085-54975:132.
- 9008170212** Forwards "Progress Rept of Activities & Recommendations in Integrated Waste Package Experimental Program, May 1988 - Apr 1990."
NAIR, P. Center for Nuclear Waste Regulatory Analyses. NRC-22-89-005. HLWR. 90/06/06. REED, P. NRC - No Detailed Affiliation Given. 7pp. 54975:001-54975:081.
- 9008170214** "Progress Rept of Activities & Recommendations in Integrated Waste Package Experimental Program, May 1988 - Apr 1990."
SRIDHAR, N., CRAGNOLINO, G., LYLE, F.F. Center for Nuclear Waste Regulatory Analyses. 90/06/05. NRC - No Detailed Affiliation Given. 7pp. 54975:002-54975:081.
- 9008170257** Requests addl info re computer code MODF including baseline condition input data set used to construct two-dimensional model mentioned & code version used to perform original simulations.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/10. STEIN, R. Energy, Dept. of. 1p. 54980:018-54980:018.
- 9008170261** Forwards staff positions 60-001 & 60-002 & advises of FR notice announcing availability.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/16. STEIN, R. Energy, Dept. of. 2pp. 54975:145-54975:163.
- 9008170267** Staff Position 60-001, "Clarification of 30-31 Yrs Period for Substantially Complete Containment of High Level Wastes from Waste Packages Under 10CFR60.113(a)(1)(ii)(A)."
BERNERO, R.M. Division of High-Level Waste Management (Post 870413). HLWR. 90/07/27. 9pp. 54975:147-54975:163.
- 9008200025** Forwards "Interim Statement of Technical Review Committee on Yucca Mountain Socioeconomic Project" & NWPO-SE-024-89 "Executive Summary, Yucca Mountain Socioeconomic Project Interim Rept on State of NV Socioeconomic Studies."
LOUX, R.R. Nevada, State of. HLWR. 90/08/20. Nevada, State of. 1p. 54979:325-54979:358.
- 9008200028** "Interim Statement of Technical Review Committee on Yucca Mountain Socioeconomic Project."
WHITE, G.F. Colorado, Univ. of. HLWR. 90/01/31. 15pp. 54979:326-54979:341.
- 9008200029** NWPO-SE-024-89 "Executive Summary, Yucca Mountain Socioeconomic Project, Interim Rept on State of NV Socioeconomic Studies."
* Nevada, State of. HLWR. 89/06/30. 16pp. 54979:342-54979:358.
- 9008200063** Acceptance of responses to observations resulting from Yucca Mountain Project Ofc QA Audit 90-02 of LLL.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/09. JARDINE, L.J. Lawrence Livermore National Laboratory. 19pp. 54979:359-54980:017.
- 9008200074** NWPO-TR-014-90 "Numerical Simulation of Gas Flow Through Unsaturated Fractured Rock at Yucca Mountain, NV."
COOPER, C.A. Nevada, State of. HLWR. 90/01/31. 90pp. 54994:001-54994:090.
- 9008200082** Submits Yucca Mountain Project site rept for Jul 1990 & forwards Q-list publications list at LLL.
GILRAY, J.W. NRC - No Detailed Affiliation Given. HLWR. 90/08/15. LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 17pp. 54975:193-54975:325.
- 9008200084** "Yucca Mountain Project Q-List, Quality Activities List & Project Requirements List."
* Energy, Dept. of. 90/07/24. 75pp. 54975:210-54975:282.
- 9008200088** "Bibliography of Radwaste Mgt Publications at LLL from May 1982 - June 1990."
* Lawrence Livermore National Laboratory. 90/07/31. 43pp. 54975:283-54975:325.
- 9008200094** Notification of 900830 meeting w/DOE in Rockville, MD to discuss items of mutual interest.
HOLONICH, J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/16. LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 54988:325-54988:326.
- 9008200095** Forwards minutes of 900523 QA meeting. DOE stated at meeting that due to recent events, planned qualification audits of DOE Radwaste Mgt headquarters & Yucca Mountain Project Ofc would be postponed.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/15. STEIN, R. Energy, Dept. of. 3pp. 54975:166-54975:192.
- 9008200097** Summary of 900523 meeting w/DOE & State of NV in Bethesda, MD re QA. Supporting info encl.
DELLIGATTI, M.S. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/07/27. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 24pp. 54975:159-54975:192.
- 9008200167** Discusses work being performed under FIN A-4171, "Evaluation & Compilation of DOE Waste Package Test Data." Topics for interpretative papers & 1990 due dates listed.
FRAKER, A.C. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/08/15. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 2pp. 54988:327-54988:328.
- 9008200171** Trip rept of 900806-07 visit to Woods Hole, MA re 21st meeting of Water Science & Technology Board.
CHERY, D.L. Geoscience & Systems Performance Branch (Post 880911). HLWR. 90/08/16. BALLARD, R.L. Geoscience & Systems Performance Branch (Post 880911). 16pp. 54991:177-54991:192.
- 9008210017** Submits revised biannual rept for "Evaluation & Compilation of DOE Waste Package Test Data." NUREG/CR-4735, Vol 6.
FRAKER, A.C. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/08/17. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 109pp. 54989:040-54989:148.
- 9008210070** Requests comments by 900901 on encl "Cfr Configuration Mgt & Control Manual," that will be useful in controlling ADP.
ALDOMARE, P. Engineering Branch (Post 880911). HLWR. 90/08/17. FORTUNA, S. Program Management, Policy Development & Analysis Staff (Post 870413). CHERY, D.L., HOOKS, K.R. Division of High-Level Waste Management (Post 870413). 6pp. 54988:348-54989:039.
- 9008210074** Forwards update of NRC part of rept "US Radwaste Mgt Programs in 1990," per 900629 memo.
BROWNING, R.E. Division of High-Level Waste Management (Post 870413). HLWR. 90/08/17. ISAACS, T.H. Energy, Dept. of. 5pp. 54989:149-54989:153.
- 9008210104** Forwards "Project Ofc QA Audit Rept for Yucca Mountain Project Ofc Audit of Holmes & Narver, Inc Audit 90-06," conducted from 900731-0802. No std deficiency repts or observations identified.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/14. CALOVINI, J.C. Holmes & Narver, Inc. 2pp. 54994:128-54994:136.
- 9008210106** "Project Ofc QA Audit Rept for Yucca Mountain Project Ofc Audit of Holmes & Narver, Inc Audit 90-06," conducted 900731-0802.
KRATZINGER, F.J., HORTON, D.G. Holmes & Narver, Inc. HLWR. 90/08/09. 7pp. 54994:130-54994:136.
- 9008210110** Forwards "Yucca Mountain Project Ofc QA Surveillance Rept of SAIC Surveillance YMP-SR-90-033 Conducted 900716-20." Rev 0 to listed std deficiency repts & observations also encl.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/13. NELSON, J.H. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 54994:091-54994:117.
- 9008210112** YMP-SR-90-033 "Yucca Mountain Project Ofc QA Surveillance Rept of SAIC Surveillance YMP-SR-90-033 Conducted 900716-20."
HARRIS, D.J., HORTON, D.G. Science Applications International Corp. (formerly Science Applications, Inc.). 90/08/09. 25pp. 54994:093-54994:117.
- 9008210114** Accepts response to Std Deficiency Rept 333, Rev 0, resulting from Yucca Mountain project ofc QA Audit 89-02. Verification of completion of corrective action will be performed after effective date provided.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/13. GERTZ, C.P. Nevada, State of. 1p. 55002:063-55002:063.
- 9008210115** Forwards closed Std Deficiency Rept 453, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 89-05.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/13. PRITCHETT, R.F. Reynolds Electrical & Engineering Co., Inc. 6pp. 54994:122-54994:127.
- 9008210117** Forwards closed Std Deficiency Rept 445, Rev 0, resulting from Yucca Mountain Project Ofc QA Audit 89-03 of Sandia.
HORTON, D.G. Energy, Dept. of. HLWR. 90/08/13. HUNTER, T.O. Sandia National Laboratories. 4pp. 54994:118-54994:121.
- 9008210158** Notification of 900918 meeting w/DOE, State of NV & affected local govts in Bethesda, MD to discuss items of interest re QA.
CONWAY, J.T. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/20. HOOKS, K.R. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 54994:137-54994:139.
- 9008210162** Forwards SECY-90-032B, "Quarterly Progress Rept on Pre-Licensing Phase of DOE Civilian High Level Radwaste Mgt Program."
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. HLWR. 90/08/15. BARTLETT, J.W. Energy, Dept. of. 2pp. 54994:144-54994:156.
- 9008090030** SECY-90-032B Provides quarterly progress rept on prelicensing phase of DOE civilian high level radwaste mgt program.
TAYLOR, J.M. Ofc of the Executive Director for Operations. HLWR. 90/08/03. 6pp. 54994:151-54994:156.
- 9008210165** Discusses acceptance/start work reviews of DOE study plans on characterization of volcanic features & mineralogy, petrology & chemistry of transport pathways. No objections identified w/any activities proposed.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/20. STEIN, R. Energy, Dept. of. 5pp. 54994:157-54994:161.
- 9008210171** Forwards minutes of NRC/DOE 900727 performance assessment technical exchange.
LINEHAN, J.J. Division of High-Level Waste Management (Post 870413). HLWR. 90/08/20. STEIN, R. Energy, Dept. of. 2pp. 54994:144-54994:148.
- 9008210174** Summary of 900727 meeting w/DOE re technical exchange on performance assessment.
DELLIGATTI, M.S. Repository Licensing & Quality Assurance Project Directorate (Post 881120). ROSSI, S.H. Energy, Dept. of. HLWR. 90/08/15. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 54994:146-54994:148.
- 9008220089** Forwards computer disk of monthly rept. Return of disk requested. W/o encl.
* NRC - No Detailed Affiliation Given. HLWR. 90/08/17. Document Control Branch (Document Control Desk). 1p. 54994:162-54994:162.

9008220158 Trip rept of 900814 visit to Gunnison, CO re Gunnison draft remedial action plan.
GILLEN, D.M. Operations Branch. 90/08/21. FLIEGEL, M. Operations Branch. 15pp. 55000:335-55000:349.

9008220204 Requests samples of simulated high level waste glass for each representative waste forms to be produced at two vitrification facilities as part of NRC/CNWR plans to conduct independent research activities.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/21. STEIN, R. Energy, Dept. of. 2pp. 54994:163-54994:164.

9008220207 Forwards proposed regulatory & institutional uncertainties identified by CNWR rept 90-003. Identity of member to be appointed to task team requested by 900831.

LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/20. TREBY, S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. BALLARD, R.L. Geoscience & Systems Performance Branch (Post 880911). BUNTING, J.O. Engineering Branch (Post 880911). 9pp. 54994:165-54994:173.

9008220210 Forwards surveillance observation rept of LLL QA program conducted on 900806-09. NRC agrees w/preliminary conclusion that QA program & implementation adequate considering low level of activity at LLL.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/21. STEIN, R. Energy, Dept. of. 4pp. 54994:174-54994:177.

9008230034 Notification of 900823 meeting w/Science Application Intl Corp & Bondico Nuclear on 900823 in Rockville, MD to discuss NRC review of structural stability of Bondico high integrity container HIC-7.
* Technical Branch. 90/08/21. Technical Branch. 1p. 55023:282-55023:282.

9008230055 Advises that draft technical evaluation rept on proposed remedial action of UMTAP project sites reviewed. Draft responses developed to open issues encl.
MATTHEWS, M.L. Energy, Dept. of. 90/08/21. LOHAUS, P.H. Operations Branch. 19pp. 55016:231-55017:113.

-9008230057 RFL-07-90-12-05-00 "Transient Drainage (Ponding Analysis)."
* Jacobs Engineering Group, Inc. 90/07/19. 103pp. 55016:250-55016:352.

-9008230059 06-570-06-00 "Radon Barrier."
YADON, A.B. Jacobs Engineering Group, Inc. 90/07/13. 26pp. 55016:353-55017:017.

-9008230060 RFL-07-90-01-04-00 "Help Analysis of Steady State Infiltration."
* Jacobs Engineering Group, Inc. 90/07/19. 10pp. 55017:018-55017:027.

-9008230062 RFL-07-90-1205A-00 "Cross Section Analysis of Transient Drainage."
BURNETT, R. Jacobs Engineering Group, Inc. 90/07/19. 20pp. 55017:028-55017:047.

-9008230063 RFL-07-90-01-04-00R1 Rev 1 to "Statistical Description of Permeability Coefficient K for Radar Barrier & Wasatch Formation."
BURNETT, R. Jacobs Engineering Group, Inc. 90/07/19. 64pp. 55017:048-55017:113.

9008240232 Summary of 900807 meeting w/DOE re future use of Durango UMTAP processing site.
JACOBY, D.L. Uranium Recovery Field Ofc, R4. 90/08/14. Uranium Recovery Field Ofc, R4. 7pp. 55027:095-55027:101.

9008240235 Summary of 900807 meeting w/DOE re seepage at Mexican Hat site.
GONZALES, R.O. Uranium Recovery Field Ofc, R4. 90/08/14. Uranium Recovery Field Ofc, R4. 2pp. 55029:157-55029:158.

9008270052 Discusses Durango Project Interface Document (PID) 03-S-36 proposed to eliminate gradation requirement for rock-soil matrix in Section 02937 of specs. Testing requirements should be arranged to assure actual use of mixing ratios.
HALL, R.E. Uranium Recovery Field Ofc, R4. 90/08/17. MATTHEWS, M.L. Energy, Dept. of. 2pp. 55035:029-55035:030.

9008280145 Notification & agenda of 900917-18 Board on Radwaste Symposium on Radwaste Repository Licensing in Washington, DC re status of licensing requirements in US & elsewhere.
PARKER, F.L. National Research Council. HLWR. 90/08/23. BROWNING, R. Division of High-Level Waste Management (Post 870413). 5pp. 55024:073-55024:077.

9008280152 Notification of 901015 public hearing in Reno, NV re environ public health of siting repository at Yucca Mountain site.
* Nuclear Waste Technical Review Board. HLWR. 90/08/22. 2pp. 55024:078-55024:079.

9008280155 Notification of 901015 public hearing in Reno, NV re environ & public health of siting permanent repository at Yucca Mountain site in Reno, NV.
* Nuclear Waste Technical Review Board. HLWR. 90/08/28. 1p. 55024:070-55024:070.

9008280190 Forwards notice of upcoming NRC/DOE technical/programmatic meetings, per 840827 FR notice.
LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 90/08/23. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 55024:071-55024:072.

9008280297 90-04 "Sandia Yucca Mountain Project Audit 90-04, 900820-24."
* Sandia National Laboratories. 90/08/24. 400pp. 55109:248-55111:052.

9008280348 Submits document holder rept of 900809 showing controlled documents that NRC possesses.
NELSON, J.H. Science Applications International Corp. (formerly Science Applications, Inc.). HLWR. 90/08/10. NRC - No Detailed Affiliation Given. 4pp. 55034:241-55034:244.

9008280354 Submits Yucca Mountain Project site rept for month of Jul 1990.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 90/08/20. LINEHAN, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 133pp. 55034:108-55034:240.

WASTE RES WASTE MANAGEMENT RESEARCH REPORTS

9007310278 Forwards corrected Pages B-41 & B-42 for App B of NUREG/CR-4753, Vol 6, "Evaluation & Compilation of DOE Waste Package Test Data."
HARRIS, J. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/07/30. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 5pp. 54757:008-54757:012.

9008100331 Forwards final "Active Mines & Prospects Within 30-Mile Radius of Proposed High Level Repository Site at Yucca Mountain, Nye County, Nevada, Subsequent to Jan 1988 (As of Jul 1990)."
ZILKA, N. Interior, Dept. of, Bureau of Mines. FIN D-1018. NRC-02-85-004. 90/08/09. BLACKFORD, M. NRC - No Detailed Affiliation Given. 1p. 54995:199-54995:204.

-9008100332 "Active Mines & Prospects Within 30-Mile Radius of Proposed High Level Repository Site at Yucca Mountain, Nye County, Nevada, Subsequent to Jan 1988 (As of Jul 1990)." W/one oversize drawing.
RANEY, R.G. Interior, Dept. of, Bureau of Mines. FIN D-1018. NRC-02-85-004. 90/08/09. NRC - No Detailed Affiliation Given. 5pp. 54995:200-54995:204.

9008170153 Monthly rept of activities under FIN A-1165 for Jul 1990.
BONANO, E.J. Sandia National Laboratories. FIN A-1165. HLWR. 90/08/15. TIKTINSKY, D.H. Division of High-Level Waste Management (Post 870413). 18pp. 54979:276-54979:293.

9008200167 Discusses work being performed under FIN A-4171, "Evaluation & Compilation of DOE Waste Package Test Data." Topics for interpretative papers & 1990 due dates listed.
FRAKER, A.C. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/08/15. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 2pp. 54988:327-54988:328.

9008210017 Submits revised biannual rept for "Evaluation & Compilation of DOE Waste Package Test Data." NUREG/CR-4735, Vol 6.
FRAKER, A.C. National Institute of Standards & Technology (formerly National Bureau of Standards). FIN A-4171. HLWR. 90/08/17. INTERRANTE, C. Division of High-Level Waste Management (Post 870413). 109pp. 54989:040-54989:148.

XPORTLIC EXPORT AND IMPORT LICENSES

9007310025 License for Marubeni America Corp to export 184 kg U-235, contained in 5,656 kg U to Japan.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). JJ-5715. 90/07/26. 2pp. 54795:175-54795:176.

9007310027 License for Mitsubishi Intl Corp to export 493 kg U-235, contained in 14,263 kg U to Japan.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). HSA-5490-02. 90/07/26. 2pp. 54769:220-54769:221.

9007310029 Forwards application for export license for low enriched U for use in Japan. Ltr of assurance required.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/26. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54757:180-54757:181.

9007310047 Forwards MS Ding 900712 ltr of assurance re pending application for license to export nuclear mail to Taiwan, per 900430 & 0515 requests.
ELLIS, C.N. American Institute in Taiwan. 90/07/18. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 2pp. 54795:157-54795:158.

9007310051 Forwards application to export low enriched U for use in Taiwan. Ltr of assurance required.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/26. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54769:355-54769:356.

9007310054 Requests special & urgent consideration of application to export mechanical plugs to Yugoslavia.
KEATING, R.F. Westinghouse Electric Corp. 90/07/23. HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 2pp. 54769:359-54769:360.

9008010013 License for Advanced Nuclear Fuels Corp to export 4,100 kg U-235, contained in 102,000 kg U to West Germany.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). CWM:90:092. 90/07/26. 2pp. 54815:358-54815:359.

9008010017 Returns 900118 application for license to export 75 mechanical plugs to Yugoslavia. Plugs should be exported under Dept of Commerce export authority, per Export Commodity Control 4363B.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/27. HUDEC, W.S. Westinghouse Electric Corp. 1p. 54817:346-54817:349.

9008010030 Responds to 900622 & 0702 requests for clarification of proper classification of Rosemount pressure transmitters. NRC concludes that subj transmitters fall within NRC licensing authority, per 10CFR110.8(a)(9).
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/27. MARTIN, M. Rosemount, Inc. 1p. 54788:335-54788:335.

9008010142 License for Mitsubishi Intl Corp to export 603 kg U-235, contained in 17,455 kg U to Japan.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). HSA-5490-03. 90/07/26. 2pp. 54789:003-54789:004.

9008020224 Forwards application for license to export nuclear equipment to China & product data sheets.
MARTIN, M. Rosemount, Inc. 90/06/22. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 1p. 54826:001-54826:008.

-9008020225 Application for license to export 25 lb alaphine nuclear pressure transmitter to China.
MARTIN, M. Rosemount, Inc. 90/06/22. 7pp. 54826:002-54826:008.

228 NONDOCKETED ITEMS

- 9008020228** Forwards application for license to export enriched UF₆ to Japan. Description of matl reflects two quantities of UF₆, combined to reflect total amount of enrichment.
RAVENSCROFT, N. Edlow International Co. 90/07/26. WRIGHT, B. International Programs. 1p. 54826:036-54826:037.
- 9008020232** Application for license to export 918 kg U-235 to Japan.
RAVENSCROFT, N. Edlow International Co. 90/07/26. 1p. 54826:037-54826:037.
- 9008030001** Forwards applications for license to export 10 g U-235 & 4 kg H-451 graphite comprising fuel & reflector test element bodies, to France. W/o application re 10 g U-235.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-1587. 90/07/24. PETERSON, M.R. International Programs. 1p. 54841:209-54841:212.
- 9008030002** Application for license to export 4 kg H-451 graphite in form of one fuel & reflector test element to France.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-1587. 90/07/24. 3pp. 54841:210-54841:212.
- 9008030014** Forwards application for license to export SNM & nuclear grade matl to France.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-1587. 90/07/24. PETERSON, M.R. International Programs. 1p. 54832:113-54832:115.
- 9008030015** Application for license to export 10 g U-235 contained in 50.76 g U to France.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-1587. 90/07/24. 2pp. 54832:114-54832:115.
- 9008030318** Requests Executive Branch position re Rosemount, Inc application for license to export transmitters to China.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/31. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54841:096-54841:104.
- 9008030320** Requests Executive Branch position re Edlow Intl Co application for license to export low enriched U for use as reload fuel in Japan. Assurances required that matl will be subj to all terms & conditions of agreement for cooperation.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/31. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54841:129-54841:131.
- 9008030323** Requests Executive Branch position re GA Co application for license to export nuclear grade graphite in form of fuel & reflector test element to France.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/31. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54842:271-54842:275.
- 9008030325** License for Advanced Nuclear Fuels to export 1,800 kg U-235, contained in 42,700 kg U, to Taiwan.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/31. 2pp. 54842:276-54842:277.
- 9008030326** License for DOE to export 60 g U-235, 1.5 g U-233, 2 g U-236 & 2 g Pu-239, Pu-242 & Pu-244 to Belgium.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/31. 2pp. 54851:112-54851:113.
- 9008030329** Requests Executive Branch position re GA Co application for license to export 50.76 g low enriched U to France for irradiation tests in Siloe research reactor.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/07/31. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54841:147-54841:150.
- 9008080062** Notices of transfer of matl authorized under NRC Licenses XSNM-2504, XSNM-2505 & XSNM-2508 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
MORGENEGG, M. U.S. Embassies. 90/07/12. U.S. Embassies. 5pp. 54931:030-54931:034.
- 9008100051** Executive Branch position re Mitsui & Co (USA), Inc application to export 33,812 kg U to Japan. Recommends that license be issued.
STRATFORD, R.J. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 90/08/06. SHEA, J.R. International Programs. 1p. 54943:356-54943:356.
- 9008100054** Executive Branch position re Mitsui & Co (USA), Inc application to export 1,870 kg U-235 to Japan. Recommends that license be issued.
STRATFORD, R.J. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 90/08/06. SHEA, J.R. International Programs. 1p. 54943:219-54943:219.
- 9008100058** Notices of transfer of matl authorized under listed licenses.
* U.S. Embassies. 90/08/07. State, Dept. of. 1p. 54942:309-54942:309.
- 9008100243** Forwards application for license to export 40,000 kg bulk nuclear grade graphite to Korea.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. WRIGHT, B. International Programs. 2pp. 54954:255-54954:257.
- 9008100246** Application for license to export 40,000 kg bulk nuclear grade graphite to Korea.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. 1p. 54954:257-54954:257.
- 9008100277** Forwards application for license to export 48,000 kg bulk nuclear grade graphite to Korea.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. WRIGHT, B. International Programs. 1p. 54943:107-54943:109.
- 9008100279** Application for license to export 48,000 kg bulk nuclear grade graphite to Korea.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. 2pp. 54943:108-54943:109.
- 9008100282** Forwards application for license to export 900 kg bulk nuclear grade graphite to West Germany.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. WRIGHT, B. International Programs. 1p. 54943:104-54943:106.
- 9008100285** Application for license to export 900 kg bulk nuclear grade graphite to West Germany.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. 2pp. 54943:105-54943:106.
- 9008210057** Requests Executive Branch position re Hi-Mark Research Ltd application to export nuclear grade graphite to Korea.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/08/17. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 55003:051-55003:054.
- 9008210062** Application for license to export 48,000 kg bulk nuclear grade graphite to Korea.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. 2pp. 55003:052-55003:053.
- 9008210063** Requests that long-term license applications for Korea & West Germany be combined.
JOHNSON, G.A. Hi-Mark Research, Ltd. 90/08/09. WRIGHT, B. International Programs. 1p. 55003:054-55003:054.
- 9008210067** Notices of transfer of matl authorized under NRC License XSNM-2526 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55000:247-55000:251.
- 9008210068** Notices of transfer of matl authorized under NRC License XSNM-2576 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55003:285-55003:289.
- 9008210072** Notices of transfer of matl authorized under NRC License XSNM-2515 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55004:096-55004:100.
- 9008210080** Notices of transfer of matl authorized under NRC License XSNM-2574 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55003:025-55003:029.
- 9008210082** Notices of transfer of matl authorized under NRC License XSNM-2528 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55000:125-55000:129.
- 9008210083** Notices of transfer of matl authorized under NRC License XSNM-2529 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 54998:285-54998:289.
- 9008210084** Notices of transfer of matl authorized under NRC License XSNM-2573 & requests confirmation that matl will be held subject to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55000:074-55000:078.
- 9008210092** Requests Executive Branch position re application to export nuclear grade graphite to West Germany.
HAUBER, R.D. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 90/08/17. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 55003:252-55003:255.
- 9008210107** Notices of transfer of matl authorized under NRC License XSNM-2512 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55003:247-55003:251.
- 9008210137** Notices of transfer of matl authorized under NRC License XSNM-2525 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55003:235-55003:239.
- 9008210138** Notices of transfer of matl authorized under NRC License XSNM-2510 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55003:241-55003:245.
- 9008210160** Notices of transfer of matl authorized under NRC License XSNM-2511 & requests confirmation that matl will be held subj to agreement upon entry into Japan.
ROHRLICH, P.E. U.S. Embassies. 90/07/11. U.S. Embassies. 5pp. 55000:093-55000:097.
- 9008210164** Requests Executive Branch position re Hi-Mark Research, Ltd application to export nuclear grade graphite to West Germany.
HAUBER, R.D. Assistant Director for International Security (870413-890225). 90/08/17. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 54998:295-54998:298.
- 9008240007** Advises of error in 900806 application for export license. Correct designation should be Unit 2, Region 13.
LIEBERMAN, J. Mitsubishi International Corp. (subs. of Mitsubishi Corp.). HS-265. 90/08/09. WRIGHT, B. International Programs. 1p. 55030:018-55030:023.
- 9008240008** Forwards application for license to export 737 kg U-235, contained in 21,351 kg U, to Japan.
LIEBERMAN, J. Mitsubishi International Corp. (subs. of Mitsubishi Corp.). HSA-5490-12. 90/08/06. WRIGHT, B. International Programs. 3pp. 55030:019-55030:021.
- 9008240009** Application for license to export 737 kg U-235, contained in 21,351 kg U, to Japan.
* Mitsubishi International Corp. (subs. of Mitsubishi Corp.). HSA-5490-12. 90/08/06. 2pp. 55030:022-55030:023.
- 9008240010** Forwards application for license to export minor components to Yugoslavia.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-1607. 90/08/14. PETERSON, M.R. Asst. Dir. for Intl. Security, Exports & Matis Safety (Post 890226). 1p. 55023:307-55023:310.

—9008240011 Application for license to export listed components, including detector & std control rod motor assemblies to Yugoslavia.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-1607. 90/08/14. 3pp. 55023:308-55023:310.

9008240012 Forwards ltr of assurance re application for license to export fuel channels to Finland.
HOCKMAN,R.W. Carpenter Technology Corp. 90/08/09. PETERSON,M. International Programs. 2pp. 55029:227-55029:228.

9008240013 Application to amend export licenses,adding Transnuclear,Inc as other parties to export.
OGINO,Y. Nissho Iwai American Corp. 90/08/09. HAUBER,R. International Programs. 1p. 55028:202-55028:202.

9008240014 Forwards application for license to export 50 kg U-235, contained in 1,000 kg U,to France,West Germany,UK & Netherlands.
FISK,R.H. Edlow International Co. 90/08/08. WRIGHT,B. International Programs. 1p. 55030:024-55030:028.

—9008240015 Application for license to export 50 kg U-235,contained in 1,000 kg U,to France,West Germany,UK & Netherlands.
FISK,R.H. Edlow International Co. 90/08/08. 3pp. 55030:025-55030:028.

9008240017 Application to amend license,by adding two pieces of hafnium CRD tubes for shipment from Germany to Argentina.
HOCKMAN,R.W. Carpenter Technology Corp. 90/08/10. PETERSON,M. International Programs. 1p. 55027:178-55027:178.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBATE, C.	9008030060*	50-458 P	AUSTIN, J.D.	9007270200	40-7102	BARRON, H.B.	9008030084	50-269 S
ABBATE, C.M.	9008030054	50-458 P	AUSTIN, M.A.	9008070093*	70-398	BARSS, D.	9008090048*	50-295 Q
ABBATE, C.M.	9008080198	50-458 P	AUSTIN, M.A.	9008100099*	70-1100	BARTH, C.A.	9008150176	50-424 G
ABBATE, C.M.	9008090148	50-458 P	AUSTIN, M.A.	9008160116*	50-54	BARTLETT, C.B.	9008090119	ADVCM
ABBATE, C.M.	9008090172	50-458 P	AUTRY, V.R.	9008130301	27-47	BARTON, J.J.	9007310037	50-219 F
ADAM, W.J.	9008070145*	70-270	AXELRAD, M.	9008010145	70-270	BASILESCO, G.J.	9008130169	50-293 S
ADAM, W.J.	9008070145*	70-270	AXELRAD, M.	9008010145	70-270	BATES, R.C.	9003230172*	50-410 P
ADAMOVITZ, S.S.	9007270083*	50-424 Q	AXELRAD, M.	9008270070	70-270	BAUER, T.L.	9008200036	71-535
ADAMOVITZ, S.S.	9008240207*	70-143	AXELRAD, M.	9008270070	70-270	BAX, R.L.	9007310063	50-254 S
ADAMS, A.	9008030027	50-170 P	AXELRAD, M.	9008270081*	70-270	BAX, F.L.	9008010147	50-265 P
ADAMS, A.	9008030190	50-186 P	AXELRAD, M.	9008270081*	70-270	BAX, R.L.	9008100044	50-254 S
ADAMS, A.	9008080024	50-5 P	AXELRAD, M.	9008090160	50-331 S	BAX, R.L.	9008160218	50-265 P
ADAMS, A.	9008130144	50-262 P	BACKUS, R.	9008150179	50-443 G	BEACH, A.B.	9008010080	50-602 Q
ADAMS, S.R.	9007310023	27-48	BACKUS, R.	9008150179	50-443 G	BEACH, A.B.	9008060258	50-602 Q
ADENSAM, E.G.	9008060092*	50-400 P	BACKUS, R.	9008150198*	50-443 G	BEACH, A.B.	9008060259*	50-602 Q
AIELLO, R.F.	9008080044*	50-424 Q	BACKUS, R.	9008150198*	50-443 G	BEACH, A.B.	9008090350	50-192 Q
ALAZRAKI, N.	9008150182	PR	BACKUS, R.	9008150223	50-443 G	BEARD, P.M.	9007310110	50-302 I
ALBERT, R.	9008220080	50-286 S	BACKUS, R.	9008150223	50-443 G	BEARD, P.M.	9008070056	50-302 P
ALEXANDER, R.E.	9007250143*	ACRS	BACKUS, R.	9008150256	50-443 G	BEARD, P.M.	9008220064	50-302 P
ALEXANDER, R.J.	9008280286	50-155 S	BACKUS, R.	9008150256	50-443 G	BEARD, P.M.	9008220068	PR
ALEXICH, M.P.	9007270030	50-315 P	BADLANI, M.L.	9008010064*	50-206 P	BEARD, P.M.	9008220090	50-302 Q
ALEXICH, M.P.	9008090138	50-315 P	BAER, R.E.	9008030101*	50-382 Q	BEARD, P.M.	9008240130	50-302 Q
ALEXICH, M.P.	9008140005	50-315 P	BAER, R.E.	9008070122*	50-267 Q	BEARD, R.M.	9008140052	50-321 R
ALEXICH, M.P.	9008240031	50-315 P	BAER, R.L.	9008090073*	GEN TEC I	BECHHOEFER, C.	9008150192	50-254 G
ALEXICH, M.P.	9008270136	50-315 P	BAGCHI, G.	9008080025	50-280 Q	BECHHOEFER, C.	9008240086	50-424 G
ALEXION, T.W.	9008020209	50-313 Q	BAGCHI, G.	9008150221	NUREG	BECHHOEFER, C.	9008240147	50-424 G
ALEXION, T.W.	9008090146	50-313 Q	BAILEY, E.E.	9008280262*	COMMISSION	BECK, G.J.	9008140197	TOPREP
ALEXION, T.W.	9008090191	50-313 P	BAILEY, J.A.	9008160072	50-482 Q	BECKER, R.A.	9008020177	50-400 M
ALEXION, T.W.	9008230180	50-313 P	BAILEY, J.A.	9008220119	50-482 R	BECKER, R.A.	9008020180	50-400 M
ALEXION, T.W.	9008280356	50-368 P	BAILEY, T.L.	9008030152*	50-263 P	BECKER, R.A.	9008060091	50-400 P
ALLEN, M.D.	9008310209	NUREG	BAIRD, J.B.	9008280239*	50-267 Q	BECKER, R.A.	9008060110	50-400 Q
ALLENSPACH, F.	9008310213	NUREG	BAJWA, S.S.	9008080088	ORG	BECKER, R.A.	9008080211	50-400 P
ALLISON, D.P.	9008070378	NUREG	BAKER, B.W.	9008090071	71-9160	BECKER, R.A.	9008130051	50-400 P
ALTO, R.A.	9008170192	70-27	BAKER, D.M.	9008200049	50-289 R	BECKJORD, E.S.	9008020155*	REVIEW GR P
ALTOMARE, P.	9008210070	WASTE MGT	BAKER, E.	9007300006	I&E	BECKJORD, E.S.	9008020156*	REVIEW GR P
AMATO, C.G.	9008100072*	50-272 Q	BAKER, E.	9007300009	I&E	BECKJORD, E.S.	9008020158*	REVIEW GR P
AMAYEV, A.D.	9008160009	REVIEW GR P	BAKER, E.	9008070001	I&E	BECKJORD, E.S.	9008020159*	REVIEW GR P
AMENT, D.L.	9007270162	50-361 I	BAKER, E.T.	9008080191	50-333 Q	BECKJORD, E.S.	9008080429	ORG
AMENT, D.L.	9008010103	50-206 I	BAKER, E.T.	9008270001	50-348 Q	BECKJORD, E.S.	9008210163	PR
AMENT, D.L.	9008100064	50-206 I	BAKER, J.M.	9008080217	50-397 F	BECKMAN, W.L.	9008090133	50-155 R
ANDERSON, C.	9008240028*	50-333 Q	BAKER, J.W.	9008080204	50-397 S	BECKMAN, W.L.	9008220164	50-155 P
ANDERSON, C.J.	9008070296*	50-272 Q	BAKER, J.W.	9008100024	50-397 S	BECKMAN, W.L.	9008270181	50-155 P
ANDERSON, C.J.	9008200080*	50-423 Q	BAKER, J.W.	9008160148	50-397 S	BECKMAN, W.L.	9008280286	50-155 S
ANDERSON, J.L.	9008070334	NUREG	BAKER, J.W.	9008170005	50-397 R	BELANGER, R.	9008240018	50-443 S
ANDRE, G.R.	9007270095*	TOPREP	BALDASSARI, D.	9008030052*	50-146 I	BELANGER, R.R.	9008010249	50-443 S
ANKER, B.	9008030265	CONTRACT	BANFIELD, E.L.	9008150247	PR	BELANGER, R.R.	9008090069	50-443 S
ANKER, B.	9008220115	CONTRACT	BANGART, R.L.	9008010265	WASTE MGT	BELISLE, G.A.	9007260172*	50-250 Q
ANKER, B.	9008270139	CONTRACT	BANGART, R.L.	9008020034	50-3 Q	BELISLE, G.A.	9007270019*	50-302 Q
ANKNEY, R.D.	9008150143*	50-348 P	BANGART, R.L.	9008070010	WASTE MGT	BELISLE, G.A.	9007270045*	50-250 Q
ANTHONY, P.M.	9008210150	50-341 R	BANGART, R.L.	9008090414	40-2061	BELISLE, G.A.	9008210003*	50-348 Q
APPEL, D.H.	9008060090	WASTE MGT	BARAN, R.	9008210153	50-219 R	BELISLE, G.A.	9008210005*	50-413 Q
ARBuckle, J.D.	9008080204	50-397 S	BARBER, T.	9008100044	50-254 S	BELISLE, G.A.	9008210007*	50-338 Q
ARMITAGE, T.	9008270171*	CONTRACT	BARKHURST, R.P.	9008010176	50-382 P	BELISLE, G.A.	9008210060*	50-269 Q
ASMUSSEN, K.E.	9007270179	70-734	BARKHURST, R.P.	9008010179	50-382 P	BELISLE, G.A.	9008210089*	50-281 Q
ASMUSSEN, K.E.	9007310101	50-89 I	BARKHURST, R.P.	9008010183	50-382 P	BELISLE, G.A.	9008240073*	50-302 Q
ASMUSSEN, K.E.	9008030001	XPORTLIC	BARNES, D.T.	9008010237	50-219 S	BELKE, W.L.	9008070331	WASTE MGT
ASMUSSEN, K.E.	9008030002*	XPORTLIC	BARNES, I.	9008160128*	50-313 Q	BELL, S.	9008020273*	CONTRACT
ASMUSSEN, K.E.	9008030014	XPORTLIC	BARNES, I.	9008060166*	50-313 Q	BELL, S.	9008020279*	CONTRACT
ASMUSSEN, K.E.	9008030015	XPORTLIC	BARNON, M.J.	9008220084	50-277 F	BELL, S.	9008020286*	CONTRACT
ASMUSSEN, K.E.	9008240010	XPORTLIC	BARR, K.P.	9008200113*	50-390 Q	BELL, S.	9008030269*	CONTRACT
ASMUSSEN, K.E.	9008240011*	XPORTLIC	BARR, K.P.	9008240067	50-390 A	BELL, S.	9008060217*	CONTRACT
ASMUSSEN, K.E.	9008270094	71-9057	BARR, K.P.	9008270200*	50-390 Q	BELL, S.	9008080099*	CONTRACT
ASMUSSEN, K.E.	9008280289	70-734	BARR, K.P.	9008270210*	50-390 Q	BELL, S.	9008090076*	CONTRACT
ATKINSON, T.D.	9008160130	STATE PRO G	BARRETT, S.	9008160153	50-454 S	BELL, S.	9008090112*	CONTRACT

232 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BELL,S.	9008090140*	CONTRACT	BEVAN,R.	9008070283	50-344 P	BOULETTE,E.T.	9007300061	50-309 K
BELL,S.	9008090145*	CONTRACT	BEVAN,R.	9008080097	50-344 P	BOURNIA,A.	9008080261	50-285 P
BELL,S.	9008130324*	CONTRACT	BEVAN,R.	9008230179	50-344 P	BOURNIA,A.	9008130074	50-285 Q
BELL,S.	9008150011*	CONTRACT	BEVAN,R.B.	9008080086	50-344 Q	BOURNIA,A.	9008140084	50-285 Q
BELL,S.	9008150298*	CONTRACT	BHATIA,R.	9008240028*	50-333 Q	BOURNIA,A.	9008220169	50-285 Q
BELL,S.	9008220117*	CONTRACT	BIDINGER,G.H.	9008020073	70-143	BOURNIA,A.	9008230222	50-298 P
BELL,S.	9008220133*	CONTRACT	BIDINGER,G.H.	9008020076	40-3392	BOURNIA,A.	9008270186	50-298 P
BELL,S.	9008220134*	50-259 V	BIDINGER,G.H.	9008020080	70-734	BOWEN,W.M.	9008070393	NUREG
BELL,S.	9008230224*	CONTRACT	BIDINGER,G.H.	9008220019	40-3392	BOWERMAN,B.S.	9008310196	NUREG
BELL,S.	9008230229*	CONTRACT	BIELBY,M.	9008090165*	50-331 V	BOWSER,R.J.	9008010231	71-9079
BELL,S.	9008240022*	CONTRACT	BIRD,R.G.	9007270131	50-293 K	BOYD,D.	9008030042	CONTRACT
BELL,S.	9008240030*	CONTRACT	BIRD,R.G.	9007310021	50-293 R	BOYD,D.	9008080096	CONTRACT
BELL,S.	9008240039*	CONTRACT	BIRD,R.G.	9007310212	50-293 I	BOYD,D.	9008090107	CONTRACT
BELL,S.	9008270138*	CONTRACT	BIRD,R.G.	9008080243	50-293 S	BOYD,D.	9008090137	CONTRACT
BELL,S.	9008270142*	CONTRACT	BIRD,R.G.	9008130169	50-293 S	BOYD,D.	9008090144	CONTRACT
BELL,S.	9008280288*	CONTRACT	BIRD,R.G.	9008150055	50-293 S	BOYD,D.	9008130001	CONTRACT
BELL,S.	9008290029*	CONTRACT	BIRD,R.G.	9008150067	50-293 V	BOYD,D.	9008130323	CONTRACT
BELLAMY,R.R.	9008070047	50-443 F	BIRD,R.G.	9008210108	50-293 P	BOYD,D.	9008150009	CONTRACT
BELLAMY,R.R.	9008070092	70-398	BIRD,R.G.	9008220078	PR	BOYD,D.	9008150294	CONTRACT
BELLAMY,R.R.	9008070115	50-245 Q	BIRD,R.G.	9008240240	50-293 P	BOYD,D.	9008220123	CONTRACT
BELLAMY,R.R.	9008070214	50-146 Q	BIRD,R.G.	9008270143	50-293 P	BOYD,D.	9008220127	CONTRACT
BELLAMY,R.R.	9008070233	50-271 Q	BIRD,R.G.	9008270184*	50-293 Q	BOYD,D.	9008220137	CONTRACT
BELLAMY,R.R.	9008070301	50-286 Q	BISSETT,P.H.	9008100196*	50-423 Q	BOYD,D.	9008230223	CONTRACT
BELLAMY,R.R.	9008080013	50-293 Q	BIXBY,W.W.	9008010069	PROJ	BRACH,E.W.	9008080103	QA999
BELLAMY,R.R.	9008080038	50-293 Q	BIXBY,W.W.	9008030351	PROJ	BRACH,E.W.	9008080421	ORG
BELLAMY,R.R.	9008080077	50-354 Q	BIXBY,W.W.	9008170184	PROJ	BRACH,E.W.	9008100029	QA999
BELLAMY,R.R.	9008100052	50-352 Q	BLACK,R.E.	9008150188	PR	BRADFORD,W.	9008100108*	50-302 Q
BELLAMY,R.R.	9008100068	50-272 Q	BLAHAK,J.L.	9007300037	COMMISSION	BRADHAM,O.S.	9007310226	50-395 F
BELLAMY,R.R.	9008100146	50-271 Q	BLAHAK,J.L.	9008060021	COMMISSION	BRADHAM,O.S.	9008010074	50-395 K
BELLAMY,R.R.	9008100169	50-271 Q	BLAHAK,J.L.	9008060137	ORG	BRADHAM,O.S.	9008020077	50-395 I
BELLAMY,R.R.	9008100179	50-29 Q	BLAHAK,J.L.	9008070013	COMMISSION	BRADHAM,O.S.	9008030088	50-395 P
BELLAMY,R.R.	9008100180	50-244 F	BLAHAK,J.L.	9008090075	COMMISSION	BRADHAM,O.S.	9008070072	50-395 F
BELLAMY,R.R.	9008160024	50-334 Q	BLAHAK,J.L.	9008140181	COMMISSION	BRADHAM,O.S.	9008100268	50-395 F
BELLAMY,R.R.	9008160095	50-317 Q	BLAHAK,J.L.	9008160171	COMMISSION	BRADHAM,O.S.	9008140490	50-395 Q
BELLAMY,R.R.	9008160111	50-322 Q	BLAHAK,J.L.	9008240136	COMMISSION	BRADHAM,O.S.	9008170258	50-395 R
BELLAMY,R.R.	9008220206	50-247 Q	BLAHAK,J.L.	9008270082	COMMISSION	BRADHAM,O.S.	9008200065	50-395 P
BELLER,R.	9008240177	50-220 S	BLAKE,J.J.	9007260198*	50-324 Q	BRADHAM,O.S.	9008220162	50-395 R
BELLER,R.C.	9008230138	50-220 S	BLAKE,J.J.	9008130133*	50-413 Q	BRADHAM,O.S.	9008230007	50-395 Q
BENDER,M.	9008080188	ACRS	BLAKE,J.J.	9008130155*	50-335 Q	BRADHAM,O.S.	9008280351	50-395 Q
BENDER,M.	9008060191	ACRS	BLAKE,J.J.	9008200126*	50-261 Q	BRADISH,T.R.	9008010101	50-529 S
BENDER,M.	9008060193	ACRS	BLANCHARD,M.	9008020274*	WASTE MGT	BRADISH,T.R.	9008060141	50-529 S
BENDER,M.	9008060207	ACRS	BLANCHARD,M.	9008020277*	WASTE MGT	BRADLEY,E.R.	9008070393	NUREG
BENNETT,W.J.	9007270143*	COMMISSION	BLANCHARD,M.	9008020280*	WASTE MGT	BRAM,S.B.	9007300027	50-247 Q
BENNION,J.S.	9008060254	50-72 P	BLANCHARD,M.	9008020281*	WASTE MGT	BRAM,S.B.	9008010028	50-247 Q
BENNION,J.S.	9008090025	50-72 I	BLAYLOCK,J.	9008020284*	WASTE MGT	BRAM,S.B.	9008010079	50-247 P
BENSE,R.H.	9008100315	50-317 S	BLIND,A.A.	9008150263	50-316 S	BRAM,S.B.	9008010082	50-247 Q
BENSE,R.H.	9008240016	50-317 S	BLIND,A.A.	9008270021	50-315 P	BRAM,S.B.	9008060341	50-247 Q
BERATTA,J.P.	9008210095	50-220 Q	BLOCH,P.B.	9008070228	70-270	BRAM,S.B.	9008070229	50-3 J
BERG,W.L.	9007270111	50-409 I	BLOCK,M.L.	9008210131	50-267 R	BRAM,S.B.	9008170039	50-247 Q
BERGERON,M.P.	9008020304*	27-48	BLOCK,P.B.	9008270159	70-270	BRAM,S.B.	9008200107	50-247 F
BERGERON,M.P.	9008020305*	27-48	BLOCKSOM,R.	9008220125*	CONTRACT	BRAM,S.B.	9008220208	50-247 V
BERKOW,H.N.	9007300132*	50-338 P	BLOOD,C.	9008230221	50-331 F	BRAM,S.B.	9008230067	50-247 S
BERKOW,H.N.	9008070213*	50-280 P	BLOSE,R.E.	9008070412	NUREG	BRAM,S.B.	9008230216	50-247 R
BERKOW,H.N.	9008070383*	50-389 P	BLOSSER,J.D.	9008060291	50-483 S	BRAM,S.B.	9008240169	50-247 S
BERKOW,H.N.	9008080164*	50-338 P	BLOSSER,J.D.	9008130205	50-483 S	BRAM,S.B.	9008240197	50-247 Q
BERKOW,H.N.	9008080266*	50-338 P	BLOSSER,J.D.	9008140044	50-483 R	BRAM,S.B.	9008280171	50-247 F
BERKOW,H.N.	9008090258	50-250 G	BLOUGH,A.R.	9008080058	50-277 Q	BRAM,S.B.	9008280177	50-247 V
BERKOW,H.N.	9008100145*	50-280 P	BLOUGH,A.R.	9008100204	50-352 Q	BRANCH,M.W.	9008200113*	50-390 Q
BERKOW,H.N.	9008160071*	50-338 P	BLOUGH,A.R.	9008230189	50-322 P	BRANCH,M.W.	9008270200*	50-390 Q
BERKOW,H.N.	9008160183*	50-338 P	BLUE,J.M.	9007310103*	50-89 I	BREAUX,J.	9008140059*	PR
BERLIN,R.E.	9008080133	50-199 I	BLUE,J.N.	9007270181*	70-734	BREDVAD,R.S.	9008150213	PR
BERLINGER,C.H.	9007310128	I&E	BLUE,J.N.	9007270184*	70-734	BREEDING,R.J.	9008150135	50-277 P
BERLINGER,C.H.	9008090102	I&E	BLUE,J.N.	9007310108*	50-89 I	BRENEE,T.	9008150272	50-282 S
BERNERO,R.M.	9008010261	WASTE MGT	BLUE,L.A.	9008170263*	50-395 R	BREY,H.L.	9008080171	50-267 P
BERNERO,R.M.	9008020291	70-1151	BLTYHE,H.M.	9008020301	40-7604	BRIGGS,L.E.	9008070112*	50-336 V
BERNERO,R.M.	9008020293	70-1113	BOBO,J.T.	9008230068*	50-269 I	BRINDLE,D.	9008160156	50-455 S
BERNERO,R.M.	9008030361*	WASTE MGT	BOHLKE,W.H.	9008010204	50-250 P	BRINKMAN,D.S.	9008020203	50-247 P
BERNERO,R.M.	9008070014	WASTE MGT	BOHLKE,W.H.	9008200052	50-250 R	BRINKMAN,D.S.	9008230054	50-247 P
BERNERO,R.M.	9008100301	WASTE MGT	BOHLKE,W.H.	9008220218	50-389 P	BRINKMAN,D.S.	9008230196	50-247 P
BERNERO,R.M.	9008100305*	WASTE MGT	BOLDT,G.L.	9008010005	50-302 S	BRINKMAN,D.S.	9008270174	50-247 P
BERNERO,R.M.	9008100317*	WASTE MGT	BOLDT,G.L.	9008170225	50-302 R	BRINKMAN,D.S.	9008280265	50-247 Q
BERNERO,R.M.	9008100320	WASTE MGT	BONANO,E.J.	9008170153	WASTE RES	BROCKMAN,K.E.	9007270120*	50-321 Q
BERNERO,R.M.	9008130321	WASTE MGT	BONASARO,C.A.	9008280269*	COMMISSION	BROCKMAN,K.E.	9008080044*	50-424 Q
BERNERO,R.M.	9008140132	WASTE MGT	BORDENICK,B.M.	9008270109	70-270	BROCKMANN,J.E.	9008070412	NUREG
BERNERO,R.M.	9008150172	WASTE MGT	BORES,R.	9008070217*	50-146 Q	BRONS,J.C.	9007300048	50-333 P
BERNERO,R.M.	9008150194	WASTE MGT	BORES,R.	9008070304*	50-286 Q	BRONS,J.C.	9007300105	50-333 Q
BERNERO,R.M.	9008150242	WASTE MGT	BORES,R.J.	9008100171*	50-271 Q	BRONS,J.C.	9007310179	50-286 P
BERNERO,R.M.	9008150244	WASTE MGT	BORES,R.J.	9008070093*	70-398	BRONS,J.C.	9007310180*	50-286 P
BERNERO,R.M.	9008150245	WASTE MGT	BORES,R.J.	9008070117*	50-245 Q	BRONS,J.C.	9008020083	50-286 I
BERNERO,R.M.	9008170188	WASTE MGT	BORES,R.J.	9008080045*	50-293 Q	BRONS,J.C.	9008090085	50-286 P
BERNERO,R.M.	9008170267*	WASTE MGT	BORES,R.J.	9008100099*	70-1100	BRONS,J.C.	9008170021	50-333 P
BERNERO,R.M.	9008210162	WASTE MGT	BORES,R.J.	9008100150*	50-57 Q	BRONS,J.C.	9008220215	50-286 H
BERRY,K.W.	9008010120	50-255 Q	BORES,R.J.	9008160116*	50-54 Q	BROWN,B.W.	9008080272*	50-244 Q
BERRY,R.L.	9008170253	50-29 R	BORNEMAN,K.R.	9008210176	50-458 R	BROWN,B.W.	9008080272*	50-244 Q
BERRY,R.O.	9008060308	50-59 Q	BOSTON,J.W.	9008020041	50-266 K	BROWN,M.	9007310063	50-254 S
BESSETTE,D.	9008170079*	50-317 Q	BOSTON,J.W.	9008070009	50-266 Q	BROWN,M.	9008100044	50-254 S
BESSETTE,D.E.	9008070211*	50-220 Q	BOUCHEY,G.D.	9008070089	50-266 P	BROWN,S.S.	9008280301	50-322 P
BEVAN,R.	9008070215	50-344 Q		9008140495	50-397 Q	BROWNING,R.E.	9008140292	WASTE MGT

PERSONAL AUTHOR INDEX 233

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BROWNING,R.E.	9008140523	WASTE MGT	CALDWELL,C.W.	9008270004*	50-206 Q	CARROLL,K.	9008170253	50-29 R
BROWNING,R.E.	9008210074	WASTE MGT	CALDWELL,R.A.	9008160160*	50-482 Q	CARRUTHERS,G.	9007270189*	COMMISSION
BRUNET,J.R.	9007300095	50-255 F	CALLAN,L.J.	9008060143	50-382 V	CARSON,R.	9008240030*	CONTRACT
BRUNET,J.R.	9008080147	50-255 F	CALLAN,L.J.	9008060148	50-298 V	CARTER,J.C.	9008090194*	PROJ
BRUNET,J.R.	9008080193	50-255 F	CALLAN,L.J.	9008060154	50-445 V	CARTER,R.S.	9008170094	50-184 P
BRUNET,J.R.	9008080196	50-255 F	CALLAN,L.J.	9008060165	50-458 V	CASHWELL,R.J.	9008080252	50-156 R
BRUNET,J.R.	9008080390	50-255 F	CALLAN,L.J.	9008060181	50-313 V	CASHWELL,R.J.	9008080283	50-156 R
BRUSH,P.N.	9008220035*	70-8 V	CALLAN,L.J.	9008070074	50-498 V	CASHWELL,R.J.	9008230136	50-156 F
BUCHANAN,D.R.	9008100328*	50-320 P	CALLAN,L.J.	9008070076	50-285 V	CASTO,C.A.	9008080123*	50-259 V
BUCHANAN,J.E.	9008210013*	71-9006 V	CALLAN,L.J.	9008070111	50-482 V	CASTO,C.A.	9008220028*	50-160 V
BUCKLEY,B.C.	9008010143	50-280 Q	CALONE,L.J.	9008160170	50-322 R	CATANDELLA,J.J.	9007160159*	50-245 P
BUCKLEY,B.C.	9008070212	50-280 P	CALVO,J.A.	9007310036	REVIEW GR P	CATOLA,S.G.	9008140030	50-341 F
BUCKLEY,B.C.	9008080282	50-280 P	CALVO,J.A.	9007310089	REVIEW GR P	CENTOLANZI,P.	9008220095	50-382 R
BUCKLEY,B.C.	9008100142	50-280 P	CALVO,J.A.	9007310107	REVIEW GR P	CHAMBERLAIN,D.	9008060014	50-445 S
BUCKLEY,B.C.	9008130140	50-280 P	CALVO,J.A.	9008130176	REVIEW GR P	CHAMBERLAIN,D.	9008070173	50-445 S
BUCKLEY,B.C.	9008170058	50-280 P	CALVO,J.A.	9008240157	REVIEW GR P	CHAMBERLAIN,D.	9008100026*	50-445 Q
BUDIG,G.A.	9008010006	50-148 P	CAMERON,M.C.	9008010122	71-9033 Q	CHAN,E.I.	9008070129	50-443 G
BUDY,H.F.	9008160011*	50-458 Q	CANNON,V.K.	9007310089	71-192 Q	CHAN,E.I.	9008150205	50-443 G
BURDICK,T.	9008010181*	50-315 V	CANT,G.	9007300004	I&E	CHANDLER,D.S.	9008270179*	CONTRACT
BURDICK,T.	9008010228*	50-315 V	CANTOR,C.	9008130072	CONTRACT	CHAPIN,D.M.	9008240039*	CONTRACT
BURGESS,B.L.	9008140476*	50-315 Q	CANTRELL,F.S.	9008100113*	50-416 Q	CHAPMAN,T.L.	9008170026*	50-333 P
BURGESS,B.L.	9008160175*	50-255 Q	CANTRELL,F.S.	9008280314*	50-395 Q	CHARNLEY,J.S.	9007270029	TOPREP
BURGESS,S.	9008060268*	50-305 Q	CAPRA,R.A.	9007300113*	50-333 P	CHARTRAND,T.A.	9008080208	50-255 F
BURKE,J.	9008090113*	50-382 R	CAPRA,R.A.	9008100062*	50-317 F	CHAUDHARY,S.	9008160031*	50-29 Q
BURKHARDT,L.	9008280279	50-220 H	CAPRA,R.A.	9008140120*	50-333 P	CHAUDHARY,S.K.	9008070245*	50-272 Q
BURNETT,P.	9008080044*	50-424 Q	CAPRA,R.A.	9008170089*	50-286 P	CHAUDHARY,S.K.	9008070252*	50-317 Q
BURNETT,P.T.	9008240073*	50-302 Q	CAPRA,R.A.	9008230151	50-322 P	CHAWAGA,D.	9008070238*	50-271 Q
BURNETT,R.	9008060281*	50-317 P	CAPRA,R.A.	9008230241*	50-410 P	CHAWAGA,D.	9008100053*	50-352 Q
BURNETT,R.	9008230062*	WASTE MGT	CARIER,P.	9008150257	50-260 P	CHERNY,F.C.	9008090073*	GEN TEST I S
BURNETT,R.	9008230063*	WASTE MGT	CARIER,P.P.	9008090059	50-260 F	CHERY,D.L.	9008200171	WASTE MGT
BURNETT,R.F.	9008060222*	FOIA	CARPENTER,D.R.	9008220082	50-259 R	CHEUNG,L.S.	9008070296*	50-272 Q
BURNETT,R.F.	9008060227*	FOIA	CARPENTER,D.R.	9008240085*	50-259 Q	CHILK,S.J.	9008010171	10CFR
BURNETT,R.F.	9008070161	70-371 Q	CARPENTER,S.A.	9008130319	27-48	CHILK,S.J.	9008010208	10CFR
BURNETT,R.F.	9008270120	70-27 Q	CARPENTER,S.A.	9008140175	27-48	CHILK,S.J.	9008060078*	FOIA
BURRIS,S.P.	9008200113*	50-390 Q	CARPENTER,S.A.	9008170125	27-48	CHILK,S.J.	9008060082*	FOIA
BURRIS,S.P.	9008270200*	50-390 Q	CARR,K.M.	9007180302	COMMISSION	CHILK,S.J.	9008060251	FOIA
BURSKI,R.F.	9008080361	50-382 F	CARR,K.M.	9007270142	COMMISSION	CHILK,S.J.	9008060356	10CFR
BURSKI,R.F.	9008090109	50-382 R	CARR,K.M.	9007270164	COMMISSION	CHILK,S.J.	9008060389	10CFR
BURSKI,R.F.	9008130032	50-382 P	CARR,K.M.	9007270169	COMMISSION	CHILK,S.J.	9008070152	50-275 M
BURSKI,R.F.	9008220095	50-382 R	CARR,K.M.	9007270175	COMMISSION	CHILK,S.J.	9008070231	50-424 G
BURSKI,R.F.	9008230113	50-382 Q	CARR,K.M.	9007270180	COMMISSION	CHILK,S.J.	9008080032	10CFR
BURSKI,R.F.	9008230219	5-382 R	CARR,K.M.	9007270187	COMMISSION	CHILK,S.J.	9008140135	10CFR
BUSCHBAUM,D.E.	9008240080	50-445 R	CARR,K.M.	9007270191	COMMISSION	CHILK,S.J.	9008140164	10CFR
BUTCHER,R.C.	9008080117*	50-250 Q	CARR,K.M.	9007270195	COMMISSION	CHILK,S.J.	9008140166	10CFR
BUTLER,W.	9008060025*	50-322 P	CARR,K.M.	9007270197	COMMISSION	CHILK,S.J.	9008150181	50-443 G
BUTLER,W.R.	9008030178*	50-352 P	CARR,K.M.	9007270202	COMMISSION	CHILK,S.J.	9008170013	PR
BUTLER,W.R.	9008060020	50-322 P	CARR,K.M.	9007270204	COMMISSION	CHILK,S.J.	9008210109	PRM
BUTLER,W.R.	9008060123	50-322 P	CARR,K.M.	9008010259	COMMISSION	CHILK,S.J.	9008210177	PR
BUTLER,W.R.	9008060125*	50-322 P	CARR,K.M.	9008020187	COMMISSION	CHILK,S.J.	9008220107	10CFR
BUTLER,W.R.	9008060127*	50-322 P	CARR,K.M.	9008030368	COMMISSION	CHILK,S.J.	9008220108	10CFR
BUTLER,W.R.	9008080232*	50-311 P	CARR,K.M.	9008060074*	FOIA	CHILK,S.J.	9008220111	10CFR
BUTLER,W.R.	9008150149	50-354 P	CARR,K.M.	9008080303	50-312 U	CHILK,S.J.	9008220187	PR
BUTLER,W.R.	9008150165	50-322 P	CARR,K.M.	9008130069*	PROJ	CHILK,S.J.	9008240184	50-443 G
BUTLER,W.R.	9008150169*	50-322 P	CARR,K.M.	9008140126	COMMISSION	CHILK,S.J.	9008270152	50-443 G
BUTLER,W.R.	9008230133*	50-387 P	CARR,K.M.	9008140130*	COMMISSION	CHILK,S.J.	9008280338*	PR
BUTLER,W.R.	9008230148	50-322 P	CARR,K.M.	9008140133*	COMMISSION	CHILK,S.J.	9008290002*	PR
BUTLER,W.R.	9008230149*	50-322 P	CARR,K.M.	9008140137*	COMMISSION	CHILK,S.J.	9008290072	10CFR
BUTLER,W.R.	9008230156*	50-352 F	CARR,K.M.	9008140138*	COMMISSION	CHILK,S.J.	9008290184	PR
BUTLER,W.R.	9008240181	50-387 P	CARR,K.M.	9008140139*	COMMISSION	CHILK,S.J.	9008290191	PR
BUTLER,W.R.	9008270050*	50-311 P	CARR,K.M.	9008140142*	COMMISSION	CHILK,S.J.	9008290216	PR
BUTLER,W.R.	9008270089*	50-277 P	CARR,K.M.	9008140143*	COMMISSION	CHILK,S.J.	9008290229	PR
BUTLER,W.R.	9008280191*	50-352 P	CARR,K.M.	9008140144*	COMMISSION	CHO,J.	9008280321*	PR
BYNUM,J.R.	9008060255	50-327 S	CARR,K.M.	9008140146*	COMMISSION	CHO,J.	9008280333*	PR
BYNUM,J.R.	9008070043	50-327 S	CARR,K.M.	9008140147*	COMMISSION	CHRISRENSSEN,H.	9008100113*	50-416 Q
BYNUM,J.R.	9008130246	50-328 S	CARR,K.M.	9008140148*	COMMISSION	CHRISTOFFER,G.	9008010136*	50-456 Q
BYNUM,J.R.	9008210073	50-259 S	CARR,K.M.	9008140150*	COMMISSION	CHRZANOWSKI,R.	9008010093	50-295 P
BYRD,T.J.	9007300075*	40-6563 S	CARR,K.M.	9008140152*	COMMISSION	CHRZANOWSKI,R.	9008010218	50-295 P
CAHILL,W.J.	9007270161	50-445 I	CARR,K.M.	9008140155*	COMMISSION	CHRZANOWSKI,R.	9008030097	50-295 P
CAHILL,W.J.	9007310225	50-445 F	CARR,K.M.	9008150297	COMMISSION	CHRZANOWSKI,R.	9008030180	50-295 F
CAHILL,W.J.	9008010135	50-445 P	CARR,K.M.	9008160019	50-424 U	CHRZANOWSKI,R.	9008060334	50-295 P
CAHILL,W.J.	9008030128*	50-445 P	CARR,K.M.	9008210011	COMMISSION	CHRZANOWSKI,R.	9008170053	50-295 P
CAHILL,W.J.	9008030138	50-445 K	CARR,K.M.	9008210016	COMMISSION	CHU,M.S.Y.	9008080187	NUREG
CAHILL,W.J.	9008030199	50-445 S	CARR,K.M.	9008210021	COMMISSION	CHU,M.S.Y.	9008310184	NUREG
CAHILL,W.J.	9008060002	50-445 P	CARR,K.M.	9008210023	COMMISSION	CILLIS,M.	9008080355*	50-206 Q
CAHILL,W.J.	9008060026	50-445 P	CARR,K.M.	9008210034	COMMISSION	CILLIS,M.	9008100298*	50-528 Q
CAHILL,W.J.	9008060156	50-445 V	CARR,K.M.	9008210036	COMMISSION	CIMA,S.	9008150137	PR
CAHILL,W.J.	9008060173	50-445 F	CARR,K.M.	9008210040	COMMISSION	CLARK,J.P.	9008170026*	50-333 P
CAHILL,W.J.	9008070016	50-445 Q	CARR,K.M.	9008280259	COMMISSION	CLARK,P.R.	9008090065	50-219 Q
CAHILL,W.J.	9008070201	50-445 F	CARR,K.M.	9008280261	COMMISSION	CLARK,R.A.	9008070393	NUREG
CAHILL,W.J.	9008130177	50-446 S	CARR,K.M.	9008280264	COMMISSION	CLARK,R.H.	9008170033*	50-414 P
CAHILL,W.J.	9008130293	50-446 S	CARR,K.M.	9008280266	COMMISSION	CLARK,R.J.	9008030176	50-352 P
CAHILL,W.J.	9008130304	50-445 R	CARR,K.M.	9008280268*	COMMISSION	CLARK,R.J.	9008090268*	50-311 P
CAHILL,W.J.	9008160017	50-445 V	CARR,K.M.	9008280271	COMMISSION	CLARK,R.J.	9008230154	50-352 F
CAHILL,W.J.	9008170036	50-445 Q	CARR,K.M.	9008280357	COMMISSION	CLARK,R.J.	9008280189	50-352 P
CAHILL,W.J.	9008170108	50-445 S	CARRASCO,J.E.	9008020092*	50-317 Q	CLAWSON,C.	9008140038	50-289 F
CAHILL,W.J.	9008230119	50-445 S	CARRASCO,J.E.	9008070252*	50-317 Q	CLAYTON,B.	9008070366	50-341 Q
CAHILL,W.J.	9008270084	71-504 Q	CARRASCO,J.E.	9008070320*	50-247 Q	CLAYTON,B.	9008130298	50-155 Q
CAHILL,W.J.	9008270185	50-445 Q	CARROL,G.	9008070379*	50-424 G	CLAYTON,B.	9008140472	50-315 Q

234 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CLAYTON,B.	9008160174	50-255	COLLINS,S.J.	9008130099	50-267	CORDES,J.F.	9007190055	SECY
CLINE,W.E.	9007270110	70-1151	COLLINS,S.J.	9008130264	50-313	CORDES,J.F.	9007190286	SECY
CLINE,W.E.	9008010105	50-269	COLLINS,S.J.	9008150280	50-313	CORDES,J.F.	9007190290	SECY
CLINE,W.E.	9008010211	50-250	COLLINS,S.J.	9008160001	50-313	CORDES,J.F.	9007240226	SECY
CLINE,W.E.	9008010239	50-250	COLLINS,S.J.	9008160010	50-458	CORNELISON,R.L.	9008170197	71-9035
CLINE,W.E.	9008030131	50-338	COLLINS,S.J.	9008160123	50-313	CORNELISON,R.L.	9008170202	71-9039
CLINE,W.E.	9008070314	50-416	COLLINS,S.J.	9008160135	50-498	CORNELISON,R.L.	9008170204	71-9032
CLINE,W.E.	9008080028	70-1252	COLLINS,S.J.	9008160138	50-458	CORNELISON,R.L.	9008170206	71-9033
CLINE,W.E.	9008080030*	70-1252	COLLINS,S.J.	9008160150	50-298	CORNELISON,R.L.	9008170207	71-9135
CLINE,W.E.	9008080052	50-160	COLLINS,S.J.	9008160152	50-445	CORNELISON,R.L.	9008170210	71-6717
CLINE,W.E.	9008080083	STATE PRO G	COLLINS,S.J.	9008160155	50-482	CORRADINI,M.L.	9008060184	ACRS
CLINE,W.E.	9008080084*	STATE PRO G	COLLINS,S.J.	9008160164	50-482	CORRADINI,M.L.	9008060186	ACRS
CLINE,W.E.	9008100095	I&E	COLLINS,S.J.	9008160165	50-313	CORRADINI,M.L.	9008060195	ACRS
CLINE,W.E.	9008130134	50-348	COLLINS,S.J.	9008160168	50-313	CORTLAND,P.	9008170072	50-259
CLINE,W.E.	9008130284	50-400	COLLINS,S.J.	9008170031	50-298	CORUGEDO,J.J.	9008070338	NUREG
CLINE,W.E.	9008130287	50-250	COLLINS,S.J.	9008200027	50-458	CORWIN,W.R.	9008310217	NUREG
CLINE,W.E.	9008130320	70-143	COLLINS,S.J.	9008200032	50-313	COSTANTINO,C.	9008070352	NUREG
CLINE,W.E.	9008140027	50-302	COLLINS,S.J.	9008200034	50-445	COSTANTINO,C.	9008070356	NUREG
CLINE,W.E.	9008150255	50-395	COLLINS,S.J.	9008200041	50-458	COSTANTINO,C.	9008070359	NUREG
CLINE,W.E.	9008160122	50-338	COLLINS,S.J.	9008230122	50-445	COTTER,B.P.	9008070362	NUREG
CLINE,W.E.	9008200117	70-27	COLLINS,S.J.	9008240005	50-285	COTTER,B.P.	9008150216*	50-443
CLINE,W.E.	9008200118*	70-27	COLLINS,S.J.	9008240143	50-498	COTTER,B.P.	9008240106	50-460
CLINE,W.E.	9008200127	70-143	COLLINS,S.J.	9008270008	50-445	COTTER,B.P.	9008290001*	PR
CLINE,W.E.	9008220110	70-27	COLLINS,S.J.	9008270012	50-285	COTTER,W.T.	9008010089	50-416
CLINE,W.E.	9008240074	70-143	COLLINS,S.J.	9008270016	50-298	COTTLE,W.T.	9006190089	50-416
CLINE,W.E.	9008270157	70-1113	COLLINS,S.J.	9008270018	50-298	COTTLE,W.T.	9007310119	50-416
CLINE,W.E.	9008270160	70-1113	COLLINS,S.J.	9008270019	50-458	COTTLE,W.T.	9007310233	50-416
CLINE,W.E.	9008280329	70-143	COLLINS,S.J.	9008280044	50-382	COTTLE,W.T.	9008010011	50-417
COBLENTZ,L.	9008080355*	50-206	COLLINS,S.J.	9008280121	50-498	COTTLE,W.T.	9008070300	50-416
COBLENTZ,L.	9008100298*	50-528	COLLINS,S.J.	9008280228	50-313	COTTLE,W.T.	9008070303	50-416
COBLENTZ,L.L.	9007270010*	50-344	COLLINS,S.J.	9008280231	50-458	COTTE,W.T.	9008080122	50-416
COFFMAN,J.R.	9007310200	50-188	COLLINS,S.J.	9008280234	50-498	COTTE,W.T.	9008090105	50-416
COHEN,B.	9008070292*	50-443	COLLINS,S.J.	9008280238	50-267	COTTE,W.T.	9008090175	50-416
COLBURN,T.	9008020008	50-315	COLLINS,S.J.	9008280248	50-285	COTTE,W.T.	9008090244	50-416
COLBURN,T.	9008020127	50-315	COLLINS,S.J.	9008280251	50-313	COTTE,W.T.	9008140469	50-416
COLBURN,T.	9008090247	50-316	COLLINS,S.J.	9008280253	50-313	COTTE,W.T.	9008150012	50-416
COLBURN,T.	9008160043	50-315	COLLINS,S.J.	9008280317	50-313	COTTE,W.T.	9008170240	50-416
COLBURN,T.	9008160080	50-315	COLLOPY,T.J.	9008170198	70-371	COTTE,W.T.	9008170241	50-416
COLBURN,T.	9008170063	50-316	COLOMBO,M.E.	9008270155*	CONTRACT	COTTE,W.T.	9008200050	50-416
COLBURN,T.G.	9008020010	50-315	COLVIN,J.F.	9008150126	PR	COTTE,W.T.	9008210145	50-416
COLBURN,T.G.	9008170045	50-315	COMBS,T.R.	9008140190	ORG	COTTE,W.T.	9008210169	50-416
COLBURN,T.G.	9008170048	50-315	COMFORT,G.C.	9007300054	70-698	COTTE,W.T.	9008280382	50-416
COLBURN,T.G.	9008170050	50-315	CONANT,J.F.	9007300085	71-6294	COTTE,W.T.	9008280383	50-416
COLBURN,T.G.	9008270192	50-315	CONANT,J.F.	9008100290	70-1100	COULEHAN,V.	9008030072	50-286
COLBURN,T.G.	9008270248	50-440	CONGEL,F.J.	9008010161*	ACRS	COUNTISS,W.	9008130003*	CONTRACT
COLEY,J.	9008140491	50-443	CONGEL,F.J.	9008090128	ORG	COURTEMANCHE,S.	9008060366	I&E
COLLINS,D.M.	9007280247	50-369	CONICELLA,N.F.	9008160042*	50-219	COVINGTON,W.T.	9008020298	71-6601
COLLINS,D.M.	9007270047	70-143	CONLON,T.	9007270106*	50-338	COWGILL,C.	9008100080	50-220
COLLINS,D.M.	9007270067	50-395	CONLON,T.E.	9008240068	50-302	COWGILL,C.	9008160079	50-286
COLLINS,D.M.	9007270078	50-424	CONNELLY,E.M.	9008090024	NUREG	COWGILL,C.J.	9008070050	50-220
COLLINS,D.M.	9007270090	50-338	CONNER,V.K.	9007310283*	71-192	COWGILL,C.J.	9008080140	50-286
COLLINS,D.M.	9007270122	50-348	CONNOR,V.K.	9007310285*	71-192	COWLES,R.	9008060067	50-354
COLLINS,D.M.	9008080007	50-400	CONNOR,V.K.	9007310287*	71-192	COWLES,R.	9008090096	50-354
COLLINS,D.M.	9008200159	70-143	CONRAN,J.H.	9008070378	NUREG	COX,N.A.	9008010059	71-657
COLLINS,D.M.	9008240205	70-143	CONSTABLE,G.L.	9008010132*	50-285	CRAFT,R.M.	9008060248	FOIA
COLLINS,D.M.	9008270041	70-27	CONSTABLE,G.L.	9008160139*	50-458	CRAGNOLINO,G.	9008170214*	WASTE MGT
COLLINS,D.M.	9008270044*	70-27	CONSTABLE,G.L.	9008170034*	50-298	CRAMPTON,S.A.	9008030031	CONTRACT
COLLINS,D.M.	9008270119	50-280	CONSTABLE,G.L.	9008240163	50-298	CRAMPTON,S.A.	9008030036	CONTRACT
COLLINS,D.M.	9008280157	50-416	CONSTABLE,G.L.	9008270004*	50-206	CRAMPTON,S.A.	9008030139	CONTRACT
COLLINS,J.P.	9008220066	PR	CONSTABLE,G.L.	9008270014*	50-285	CRAMPTON,S.A.	9008090070	CONTRACT
COLLINS,S.J.	9007310102	50-382	CONSTABLE,L.	9008100037	50-361	CRAMPTON,S.A.	9008150050	CONTRACT
COLLINS,S.J.	9007310188	50-313	CONTE,R.J.	9008160042*	50-219	CRAMPTON,S.A.	9008150264	CONTRACT
COLLINS,S.J.	9007310192	50-313	CONTE,R.J.	9008270063*	50-219	CRAMPTON,S.A.	9008220113	CONTRACT
COLLINS,S.J.	9008010010	50-445	CONTE,S.O.	9008210041*	COMMISSION	CRAMPTON,S.A.	9008220124	CONTRACT
COLLINS,S.J.	9008010088	50-445	CONWAY,J.T.	9008080053*	WASTE MGT	CRAMPTON,S.A.	9008220130	CONTRACT
COLLINS,S.J.	9008010094	50-313	CONWAY,J.T.	9008210158	WASTE MGT	CRAMPTON,S.A.	9008270147	CONTRACT
COLLINS,S.J.	9008010125	50-285	CONWAY,R.D.	9008020062	50-423	CRAMPTON,S.A.	9008270154	CONTRACT
COLLINS,S.J.	9008010127	50-445	CONWAY,W.F.	9007270037	50-528	CRAMPTON,S.A.	9008270162	CONTRACT
COLLINS,S.J.	9008010225	50-298	CONWAY,W.F.	9008010070	50-529	CRAMPTON,S.A.	9008270169	CONTRACT
COLLINS,S.J.	9008020251	50-445	CONWAY,W.F.	9008010090	50-528	CRAMPTON,S.A.	9008270178	CONTRACT
COLLINS,S.J.	9008030089	50-313	CONWAY,W.F.	9008010152	50-528	CRAMPTON,S.A.	9008280336	CONTRACT
COLLINS,S.J.	9008030100	50-382	CONWAY,W.F.	9008020006	50-530	CRANE,P.M.	9008210012*	COMMISSION
COLLINS,S.J.	9008030127	50-445	CONWAY,W.F.	9008070065	50-528	CRAWFORD,A.C.	9007270130	50-267
COLLINS,S.J.	9008030275	50-446	CONWAY,W.F.	9008070069	50-528	CRAWFORD,A.C.	9007300119	50-267
COLLINS,S.J.	9008060022	50-298	CONWAY,W.F.	9008070312	50-528	CRAWFORD,A.C.	9008060031	50-267
COLLINS,S.J.	9008060034	50-285	CONWAY,W.F.	9008070318	50-528	CRAWFORD,A.C.	9008060054	50-267
COLLINS,S.J.	9008060036	50-482	CONWAY,W.F.	9008070319	50-530	CRAWFORD,A.C.	9008140199	50-267
COLLINS,S.J.	9008060038	50-445	CONWAY,W.F.	9008100292	50-528	CRAWFORD,A.C.	9008200002	50-267
COLLINS,S.J.	9008060295	50-482	CONWAY,W.F.	9008170029	50-528	CRAWFORD,M.O.	9008020286*	CONTRACT
COLLINS,S.J.	9008060297	50-458	CONWAY,W.F.	9008200146	50-528	CREED,J.R.	9008010136*	50-456
COLLINS,S.J.	9008060302	50-298	COOK,B.	9008060374	50-220	CREEL,G.C.	9007310152	50-317
COLLINS,S.J.	9008060314	50-382	COOK,B.	9008060388	50-220	CREEL,G.C.	9007310205	50-317
COLLINS,S.J.	9008070121	50-267	COOK,J.B.	9008030075	50-295	CREEL,G.C.	9008070064	50-317
COLLINS,S.J.	9008090153	50-285	COOKE,D.O.	9008280260*	COMMISSION	CREEL,G.C.	9008070305	50-317
COLLINS,S.J.	9008090400	50-445	COOPER,C.A.	9008200074	WASTE MGT	CREEL,G.C.	9008080106	50-317
COLLINS,S.J.	9008090410	50-482	COOPER,T.	9008080276*	50-369	CREEL,G.C.	9008080262	50-317
COLLINS,S.J.	9008100019	50-445	COOPER,T.	9008270115*	50-369	CREEL,G.C.	9008140009	50-317
COLLINS,S.J.	9008100023	50-445	COPUS,E.R.	9008070412	NUREG	CRIMMINS,T.M.	9008010240	50-311

PERSONAL AUTHOR INDEX 235

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CRIMMINS,T.M.	9008010243	50-272	DAVISON,W.S.	9008100024	50-397	DONOHUEW,J.N.	9008070361	50-327
CRIMMINS,T.M.	9008030270	50-272	DAVISON,W.S.	9008160148	50-397	DONOHUEW,J.N.	9008070369	50-327
CRIMMINS,T.M.	9008100211	50-272	DAWSON,E.	9008210150	50-341	DONOHUEW,J.N.	9008130242	50-328
CRLENJAK,R.	9008100108*	50-302	DE AGAZIO,A.	9008202174	50-412	DONOHUEW,J.N.	9008280250	50-327
CRLENJAK,R.V.	9008080117*	50-250	DE AGAZIO,A.W.	9008020175*	50-412	DONOVAN,R.W.	9008130112*	50-344
CRLENJAK,R.V.	9008100090	50-250	DEACON,M.D.	9008150266*	CONTRACT	DONOVAN,R.W.	9008270118*	50-443
CRLENJAK,R.V.	9008030270	50-335	DEBARBA,E.A.	9008060401	50-213	DOOLIN,N.L.	9008280331*	CONTRACT
CROCKER,L.P.	9008070261	50-321	DEBARBA,E.A.	9008170235	50-213	DOROZYNSKI,A.R.	9008010153	50-54
CROCKER,L.P.	9008100065	50-321	DEBARBA,E.A.	9008210090	50-213	DORUFF,M.A.	9008150132	PR
CROSBIE,K.L.	9007310064	70-1359	DECKER,T.R.	9007270083*	50-424	DRAGOUN,T.	9008160106*	50-317
CROSS,J.E.	9008020117	50-344	DECKER,T.R.	9007270094*	50-338	DRAGOUN,T.F.	9008020032*	50-255
CROSS,J.E.	9008030270	50-344	DECKER,T.R.	9007270126*	50-348	DRAWBRIDGE,B.L.	9008100017	50-443
CROWE,S.W.	9008030122*	50-390	DECKER,T.R.	9008240207*	70-143	DROMERICK,A.W.	9008060056	50-219
CROWLEY,W.	9008140491	50-443	DEDDENS,J.C.	9008010113	50-458	DROMERICK,A.W.	9008070306	50-219
CROYLE,R.M.	9008280282	40-17	DEDDENS,J.C.	9008210176	50-458	DROMERICK,A.W.	9008100067	50-219
CRUTCHFIELD,D.	9008070281	50-458	DEDDENS,J.C.	9008230018	50-458	DROMERICK,A.W.	9008100104	50-219
CRUTCHFIELD,D.	9008090334	50-313	DEER IN WATER	9008060200	40-8027	DROMERICK,A.W.	9008270231	50-219
CULLINGTON,L.	9008210170	PRM	DEFAYETTER,R.W.	9008070368*	50-341	DROSTE,J.B.	9008150263	50-316
CUMMINS,J.E.	9008160002*	50-313	DEFAYETTER,R.W.	9008130300*	50-155	DUBOSE,B.J.	9008140182	CONTRACT
CUNNINGHAM,G.E.	9007300093	71-170	DEFFENBAUGH,J.	9008310179	NUREG	DUBOSE,B.J.	9008140185	CONTRACT
CUNNINGHAM,G.E.	9007300097	71-170	DELEZENSKI,I.	9008220032	50-312	DUBOSE,B.J.	9008140260	CONTRACT
CUNNINGHAM,R.E.	9008090334	50-317	DELGEORGE,L.O.	9008230009	50-237	DUBOSE,B.J.	9008170151	CONTRACT
CUNNINGHAM,R.E.	9008150290	PROJ	DELLA GRECA,N.	9008240028*	50-333	DUBOSE,B.J.	9008220025	CONTRACT
CUNNINGHAM,R.E.	9008150293	50-317	DELLA RATT,A.	9008160027*	50-334	DUBOSE,B.J.	9008220034	CONTRACT
CURRAN,D.	9008150179	50-443	DELLIGATTI,M.S.	9008030373	WASTE MGT	DUBOSE,B.J.	9008220042	CONTRACT
CURRAN,D.	9008150179	50-443	DELLIGATTI,M.S.	9008080053*	WASTE MGT	DUBOSE,B.J.	9008220046	CONTRACT
CURRAN,D.	9008150198*	50-443	DELLIGATTI,M.S.	9008200097*	WASTE MGT	DUBOSE,B.J.	9008220050	CONTRACT
CURRAN,D.	9008150198*	50-443	DELLIGATTI,M.S.	9008210130	WASTE MGT	DUBOSE,B.J.	9008220099	CONTRACT
CURRAN,D.	9008150223	50-443	DELLIGATTI,M.S.	9008210174*	WASTE MGT	DUBOSE,B.J.	9008220179	CONTRACT
CURRAN,D.	9008150223	50-443	DELMEDICO,J.	9008230047	I&E	DUBOSE,B.J.	9008230210	CONTRACT
CURRAN,D.	9008150256	50-443	DELMEDICO,J.	9008230050	I&E	DUBOSE,B.J.	9008270145	CONTRACT
CURRAN,D.	9008150256	50-443	DELMEDICO,J.	9008230051	I&E	DUDLEY,R.F.	9007300144	50-368
CURRAN,D.	9008170009	PR	DEMAISON,B.P.	9008010071	50-346	DUDLEY,R.F.	9008090199*	50-313
CURTISS	9006210459	COMMISSION	DENTON,H.R.	8502270116*	50-387	DUGSTAD,D.	9008140339	50-282
CURTISS	9008020097	COMMISSION	DENTON,H.R.	9007202050	SECY	DULICK,A.M.	9007270134	50-334
CURTISS	9008140153	COMMISSION	DENTON,H.R.	9008090017	SECY	DUNDEK,K.M.	9008140365	50-456
CURTISS,J.R.	9007270199	COMMISSION	DENTON,H.R.	9008140122	PR	DUNKELMAN,M.	9008060361	WASTE MGT
CURTISS,J.R.	9007270201*	COMMISSION	DENTON,R.E.	9008060045	50-317	DUNKELMAN,M.	9008060368	WASTE MGT
CURTISS,J.R.	9008010221	COMMISSION	DENTON,R.E.	9008100315	50-317	DUNKELMAN,M.	9008140066	WASTE MGT
CURTISS,J.R.	9008010222	COMMISSION	DENTON,R.E.	9008170251	50-317	DUNKELMAN,M.	9008140512	27-48
CURTISS,J.R.	9008060077*	FOIA	DENTON,R.E.	9008230134	50-317	DUNKELMAN,M.	9008160147	27-48
CURTISS,J.R.	9008060383	COMMISSION	DENTON,R.E.	9008240016	50-317	DUNKELMAN,M.	9008220177	27-48
CURTISS,J.R.	9008070032	COMMISSION	DESAI,B.B.	9008270205*	50-269	DUNLOP,A.	9008140155*	50-264
CURTISS,J.R.	9008140131	COMMISSION	DESROSIERS,A.	9008070289*	50-443	DUNN,J.P.	9008240020	50-333
CURTISS,J.R.	9008220105	COMMISSION	DEVINCENTIS,J.	9008290204	PRM	DUROS,K.W.	9007300070	40-6583
CUSANOVICH,M.A.	9007300010	50-113	DEVINE,J.C.	9008130201	50-219	DURR,J.P.	9008020091	50-317
CUTTER,A.B.	9007310163	50-261	DDEXTER,T.W.	9008080019*	50-293	DURR,J.P.	9008070242	50-272
CUTTER,A.B.	9008010102	50-400	DDEXTER,T.W.	9008160112*	50-322	DURR,J.P.	9008070249	50-317
CUTTER,A.B.	9008020081	50-324	DIAMOND,R.K.	9008100159	71-704	DURR,J.P.	9008070293	50-272
CUTTER,A.B.	9008030099	50-324	DICHARRY,R.D.	9007300079	71-9056	DURR,J.P.	9008070317	50-247
CUTTER,A.B.	9008030145	50-324	DICK,G.F.	9008020204	50-498	DURR,J.P.	9008090265	50-333
CUTTER,A.B.	9008060089	50-261	DICK,G.F.	9008030051	50-498	DURR,J.P.	9008100184	50-309
CUTTER,A.B.	9008090043	50-324	DICK,G.F.	9008060098	50-498	DURR,J.P.	9008160014	50-293
CUTTER,A.B.	9008090090	50-261	DICK,G.F.	9008090180	50-498	DURR,J.P.	9008160030	50-29
CUTTER,A.B.	9008150278	50-400	DICK,G.F.	9008090188	50-498	DURR,J.P.	9008170043	50-247
CUTTER,A.B.	9008230097	50-261	DICK,G.F.	9008090208	50-498	DURR,J.P.	9008200078	50-423
CUTTER,A.B.	9008240055	50-324	DICK,G.F.	9008090211	50-498	EARNEST,A.B.	9008280236*	50-498
CWALINA,G.	9008060300*	50-458	DICK,G.F.	9008250222	50-498	EATON,R.B.	9008100048	50-293
CZAJKOWSKI,C.J.	9008310196	NUREG	DIEDERICH,G.J.	9008010023	50-373	EATON,R.B.	9008220139	50-293
D'AMATO,A.M.	9008030161*	50-220	DIEDERICH,G.J.	9008160066	50-373	EBENHACK,D.G.	9008210199	PRM
DAHAN,P.G.	9008170232	50-275	DIERCKS,D.R.	9008090018	50-320	EBNETER,S.D.	9008270246	50-269
DAHLBERG,A.W.	9007300100	50-424	DIETZ,C.R.	9008270177	50-261	EBNETER,S.D.	9007260221	50-280
DAHLBERG,A.W.	9007300102	50-321	DIGNAN,T.G.	9008240090	50-443	EBNETER,S.D.	9008080049	50-83
DAHLBERG,K.	9008220122	50-220	DIGNAN,T.G.	9008240090	50-443	EBNETER,S.D.	9008080057	50-324
DANCE,H.C.	9008100061*	50-324	DIGNAN,T.G.	9008270141	50-443	EBNETER,S.D.	9008080093	50-324
DANCE,H.C.	9008200161	50-324	DIGNAN,T.G.	9008270141	50-443	EBNETER,S.D.	9008080098	50-250
DANCE,H.C.	9008200175	50-324	DIMEGLIO,A.F.	9008150173	PR	EBNETER,S.D.	9008080212	50-62
DANDOLIS,D.B.	9008020202	50-267	DINGELL,J.D.	9008150187*	50-275	EBNETER,S.D.	9008080258	50-413
DANIELSON,D.H.	9008060261*	50-440	DIPALO,A.J.	9008090221*	FOIA	EBNETER,S.D.	9008080259*	50-413
DANIELSON,D.H.	9008130306*	50-255	DOCTOR,P.G.	9008070393	NUREG	EBNETER,S.D.	9008200153	50-297
DANIELSON,D.H.	9008220149*	50-155	DOCTOR,S.R.	9008310179	NUREG	EBNETER,S.D.	9008220126	50-62
DANIELSON,D.H.	9008220153*	50-254	DODGE,R.E.	9008210156	50-244	EBNETER,S.D.	9008230001	50-395
DATTA,A.	9008270194*	70-2928	DOERFLEIN,L.T.	9008080065*	50-277	EBNETER,S.D.	9008240149	50-369
DAVIDSON,D.I.	9008090415	50-275	DOERFLEIN,L.T.	9008100210*	50-352	EBNETER,S.D.	9008240151*	50-369
DAVIDSON,R.E.	9008100117	WASTE MGT	DOERFLEIN,L.T.	9008170165	50-277	EBNETER,S.D.	9008270039	50-424
DAVIS,A.B.	9008010131	50-454	DOLAN,J.C.	9008270113*	50-443	EBNETER,S.D.	9008270061	50-324
DAVIS,A.B.	9008020098	50-461	DOMBY,A.H.	9008150228	50-424	EBNETER,S.D.	9008270098	50-250
DAVIS,A.B.	9008020100*	50-461	DOMBY,A.H.	9008150228	50-424	EBNETER,S.D.	9008270250*	50-269
DAVIS,A.B.	9008020104	50-341	DONATELL,L.F.	9008020145	PROJ	ECKERT,J.P.	9008020087	70-135
DAVIS,A.B.	9008080050	50-456	DONATELL,L.F.	9008280355	PROJ	ECONOMOS,N.	9007260198*	50-324
DAVIS,A.B.	9008080340	50-341	DONNELLY,B.	9008210037*	COMMISSION	ECONOMOS,N.	9008130133*	50-413
DAVIS,A.B.	9008090120	50-237	DONNELLY,L.J.	9007190181	ORG	EDDY,J.D.	9008070084	50-155
DAVIS,A.B.	9008130318	50-255	DONNELLY,L.J.	9007190183*	ORG	EDDY,J.D.	9008070091	50-155
DAVIS,A.B.	9008140462	50-331	DONNELLY,L.J.	9007250050	SECY	EDGAR,J.B.	9008060083	71-6581
DAVIS,A.B.	9008220152	50-237	DONNELLY,L.J.	9008090064	ORG	EDGAR,J.B.	9008170217	70-1257
DAVIS,G.M.	9008080323	50-382	DONNELLY,L.J.	9008170175*	ADVCN	EDISON,G.E.	9008020142	50-250
DAVIS,J.	9002090344*	FOIA	DONOHUEW,J.	9008280366	50-327	EDISON,G.E.	9008060076	50-250
DAVIS,S.E.	9008090421	50-387	DONOHUEW,J.N.	9008020211	50-327	EDISON,G.E.	9008070262	50-250

236 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
EDISON,G.E.	9008070285	50-250	F	FEIGENBAUM,T.C.	9007310290	50-443	F	FRALEY,R.F.	9008070258	ACRS	
EDISON,G.E.	9008080125	50-250	P	FEIGENBAUM,T.C.	9008010249	50-443	S	FRANKLIN,B.	9008020197	50-461	P
EDISON,G.E.	9008080126*	50-250	P	FEIGENBAUM,T.C.	9008030019	50-443	P	FRAY,J.	9008100308	50-277	S
EDISON,G.E.	9008140113	50-250	P	FEIGENBAUM,T.C.	9008090066	50-443	P	FRAZ,J.	9008100260	50-277	V
EDNETER,S.D.	9008080020	50-327	Q	FEIGENBAUM,T.C.	9008090069	50-443	S	FRAZ,J.	9008140351	50-277	S
EDSON,J.L.	9008310221	NUREG		FEIGENBAUM,T.C.	9008200073	50-443	R	FREDRICKSON,P.	9008080251*	50-280	Q
EDWARDS,T.G.	9008020077	50-395	I	FEIGENBAUM,T.C.	9008210008	50-443	F	FREDRICKSON,P.	9008270213*	50-338	
EENIGENBURG,E.	9008010016	50-237	S	FEIGENBAUM,T.C.	9008220200	50-443	P	FREEMAN,D.W.	9008140039	50-123	P
EENIGENBURG,E.	9008160021	50-237	R	FEIGENBAUM,T.C.	9008240018	50-443	S	FREEMAN,P.A.	9007250027	50-423	S
EENIGENBURG,E.	9008170254	50-10	R	FELTON,J.M.	9008090219	FOIA		FREEMAN,P.A.	9008240187	50-423	S
EENIGENBURG,E.	9008220197	50-237	S	FELTZ,D.E.	9008070266	50-128	P	FRIZZLE,C.D.	9008090019	50-309	P
ELIASON,L.R.	9008020269	50-282	Q	FERGUSON,D.B.	9008220001	70-143		FRYE,J.H.	9008010116	50-440	G
ELLERSHAW,L.E.	9008160128*	50-313	Q	FERNANDEZ,W.	9007270207	50-333	S	FRYE,J.H.	9008150200	50-440	G
ELLIS,C.N.	9007310047	XPORTLIC		FERNANDEZ,W.	9008060028	50-333	S	FRYLING,R.	9007310281	50-272	I
ELLIS,D.W.	9008080243	50-293	S	FERNANDEZ,W.	9008060068	50-333	Q	FULLER,C.H.	9008090413	50-267	V
ELMS,A.L.	9008140040	50-423	R	FERNANDEZ,W.	9008080201	50-333	S	FULLER,C.H.	9008130227	50-267	F
ELROD,S.A.	9008240113*	50-335	Q	FERNANDEZ,W.	9008130146	50-333	S	FULLER,C.H.	9008210131	50-267	R
ELSEN,M.J.	9008020303	27-48		FERNANDEZ,W.	9008140046	50-333	R	FULVIO,A.A.	9008100308	50-277	S
EMMONS,K.C.	9008170235	50-213	R	FERRIS,R.H.	9008070393	NUREG		FULVIO,A.A.	9008240160	50-277	S
EMRIT,R.	9008070346	NUREG		FIEDLER,P.B.	9008160028	50-219	P	FURIA,J.	9008070304*	50-286	Q
ENG,P.L.	9008150150	50-397	P	FIEDLER,P.B.	9008270064*	50-219	Q	FURIA,J.	9008100171*	50-271	Q
ENGLAND,L.A.	9008060246	50-458	S	FIELDS,J.	9008090281	CONTRACT		GAD,R.K.	9008010157	50-271	G
ENGLAND,L.A.	9008090386	50-458	S	FIELDS,J.	9008230226	CONTRACT		GAD,R.K.	9008010157	50-271	G
ENGLE,L.B.	9007300130	50-338	P	FIELDS,J.	9008240021	CONTRACT		GAD,R.K.	9008150180	50-271	G
ENGLE,L.B.	9008080153	50-338	P	FIELDS,J.	9008240025	CONTRACT		GAD,R.K.	9008150180	50-271	G
ENGLE,L.B.	9008080263	50-338	P	FIELDS,J.	9008240029	CONTRACT		GAD,R.K.	9008150184	50-271	G
ENGLE,L.B.	9008100040	50-338	P	FIELDS,J.	9008240038	CONTRACT		GAD,R.K.	9008150184	50-271	G
ENGLE,L.B.	9008160070	50-338	P	FIELDS,J.	9008270137	CONTRACT		GAD,R.K.	9008150224	50-271	G
ENGLE,L.B.	9008160182	50-338	P	FIELDS,J.	9008280374	CONTRACT		GAD,R.K.	9008150224	50-271	G
ENNIS,J.D.	9008010109*	50-269	Q	FIELDS,J.S.	9007310214	50-387	R	GAGLIARDO,J.E.	9008060304*	50-298	Q
ERICKSON,P.B.	9007300016	50-267	P	FILLION,P.	9008230192*	50-324	Q	GAGLIARDO,J.E.	9008160002*	50-313	Q
ERICKSON,P.B.	9008020200	50-267	P	FILLION,P.	9008270222*	50-324	Q	GALLO,R.M.	9008070046	50-213	Q
ERICKSON,R.A.	9007260039*	50-244	F	FINKEL,A.	9008170079*	50-317	Q	GALLO,R.M.	9008070085	50-289	V
ERIKSSON,J.	9008140510	NUREG		FIRLIT,J.F.	9008130213	50-220	R	GALLO,R.M.	9008070110	50-336	V
ESELGROTH,P.	9008070112*	50-336	V	FIRLIT,J.F.	9008220121	50-410	R	GALLO,R.M.	9008070206	50-220	Q
ESELGROTH,P.	9008170020*	50-412	V	FIRLIT,J.F.	9008220122	50-220	R	GALLO,R.M.	9008070246	50-29	V
ESELGROTH,P.W.	9008070087*	50-289	V	FIRLIT,J.F.	9008230138	50-220	S	GALLO,R.M.	9008080070	50-272	Q
ESELGROTH,P.W.	9008070251*	50-29	V	FIRLIT,J.F.	9008230207	50-410	S	GALLO,R.M.	9008080089	50-272	Q
ESELGROTH,P.W.	9008100196*	50-423	Q	FIRLIT,J.F.	9008230209	50-220	Q	GALLO,R.M.	9008090139	50-29	Q
ESTRADA,J.A.	9008070333	FOIA		FIRLIT,J.F.	9008230234	50-220	P	GALLO,R.M.	9008100194	50-423	Q
ETHERINGTON,H.	9008060198	ACRS		FIRLIT,J.F.	9008240177	50-220	S	GALLO,R.M.	9008160042*	50-219	V
EURE,J.A.	9007310109	PR		FISH,H.C.	9008060028	50-333	S	GALLO,R.M.	9008170015	50-412	V
EURE,J.A.	9007310109	PR		FISH,H.C.	9008080201	50-333	S	GALLO,R.M.	9008170078	50-317	Q
EVERS,K.H.	9008020119	50-305	I	FISH,H.C.	9008130146	50-333	S	GALLO,R.M.	9008200096	50-387	Q
EVERS,K.H.	9008060035	50-305	K	FISICARO,J.J.	9007310003	50-313	F	GALLO,R.M.	9008200099	50-289	Q
EVERS,K.H.	9008070021	50-305	P	FISICARO,J.J.	9008010050	50-313	R	GALLO,R.M.	9008270063*	50-219	Q
EVERS,K.H.	9008080194	50-305	P	FISICARO,J.J.	9008010054	50-313	Q	GANNON,W.C.	9008140235	40-6940	
EVERS,K.H.	9008140050	50-305	R	FISICARO,J.J.	9008070204	50-313	P	GANNON,W.C.	9008140255*	40-6940	
EVERS,K.H.	9008230101	50-305	K	FISICARO,J.J.	9008080227	50-368	Q	GARCIA,E.	9008080355*	50-206	Q
EWING,E.C.	9007310161	50-368	S	FISICARO,J.J.	9008200060	50-313	P	GARCIA,E.M.	9008160140*	50-397	Q
EWING,E.C.	9007310289	50-313	Q	FISICARO,J.J.	9008200071	50-368	Q	GARCIA,P.J.	9008030070*	40-6622	
EWING,E.C.	9008010015	50-313	P	FISICARO,J.J.	9008210105	50-368	R	GARCIA,P.J.	9008220212*	40-3453	
EWING,E.C.	9008010076	50-313	Q	FISICARO,J.J.	9008210113	50-313	R	GARCIA,P.J.	9008220214*	40-8084	
EWING,E.C.	9008020105	50-313	I	FISK,R.H.	9008240014	XPORTLIC		GARCIA,P.J.	9008270057	40-8905	
EWING,E.C.	9008030132	50-368	S	FISK,R.H.	9008240015*	XPORTLIC		GARDE,B.P.	9008270132	50-250	G
EWING,E.C.	9008060135	50-313	Q	FITZPATRICK	9008140046	50-333	R	GARDE,B.P.	9008270132	50-250	G
EWING,E.C.	9008060146	50-313	P	FITZPATRICK,E.	9007300011	50-219	P	GARDE,B.P.	9008270135*	50-250	G
EWING,E.C.	9008070094	50-313	S	FITZPATRICK,E.	9007300090	50-219	P	GARDE,B.P.	9008270135*	50-250	G
EWING,E.C.	9008070097	50-313	Q	FITZPATRICK,E.	9007310111	50-219	P	GARDNER,R.N.	9008010003	50-282	Q
EWING,E.C.	9008070248	50-313	Q	FITZPATRICK,E.	9008010045	50-219	P	GARDNER,R.N.	9008270037*	50-237	Q
EWING,E.C.	9008080207	50-313	S	FITZPATRICK,E.	9008010237	50-219	S	GARG,H.C.	9008140178*	50-260	Q
EWING,E.C.	9008080230	50-368	S	FITZPATRICK,E.	9008060144	50-219	Q	GARNER,L.W.	9008230187*	50-261	Q
EWING,E.C.	9008080234	50-368	S	FITZPATRICK,E.	9008060333	50-219	S	GARNER,R.W.	9008080197	NUREG	
EWING,E.C.	9008130225	50-313	Q	FITZPATRICK,E.	9008060390	50-219	P	GASTON,R.W.	9008280303	50-346	S
EWING,E.C.	9008160169*	50-313	P	FITZPATRICK,E.	9008090061	50-219	F	GATES,W.G.	9008060353	50-285	H
EWING,E.C.	9008200077	50-368	S	FITZPATRICK,E.	9008150288	50-219	R	GATES,W.G.	9008070067	50-285	S
EWING,E.C.	9008210086	50-368	S	FITZPATRICK,E.	9008210153	50-219	Q	GATES,W.G.	9008070104	50-285	P
EXON,J.J.	9008210052*	COMMISSION		FITZPATRICK,E.	9008270172	50-219	P	GATES,W.G.	9008070222	50-285	P
FAIRTILE,M.B.	9008240204	50-271	P	FIVEASH,S.	9008160112*	50-322	Q	GATES,W.G.	9008080006	50-285	P
FALEVITS,Z.	9008060268*	50-305	Q	FLEMING,J.A.	9008170083*	50-293	H	GATES,W.G.	9008080008*	50-285	P
FARBER,M.	9008090054	50-456	S	FLEMING,R.F.	9008150073	50-2	S	GATES,W.G.	9008090014	50-285	S
FARBER,M.J.	9008240167*	50-295	Q	FLIPPO,R.G.	9008210012*	COMMISSION		GATES,W.G.	9008100272	50-285	V
FASCELL,D.B.	9008140064*	ORG		FONNER,R.L.	8810110085*	FOIA		GATES,W.G.	9008130153	50-285	P
FAWCETT,D.	9007300043	50-272	F	FORD,E.W.	9008010018	50-344	S	GATES,W.G.	9008150042	50-285	Q
FAWCETT,D.	9008020198	50-354	F	FORD,E.W.	9008060111	50-344	S	GATES,W.G.	9008150044	50-285	P
FAY,C.W.	9007270006	50-266	Q	FORD,E.W.	9008140366	50-344	S	GATES,W.G.	9008160097	50-285	R
FAY,C.W.	9007270137	50-266	Q	FORD,E.W.	9008210196	50-344	S	GATES,W.G.	9008200001	50-285	F
FAY,C.W.	9007300055	50-301	R	FORTUNA,S.L.	9008080053*	WASTE MGT		GATES,W.G.	9008280270	50-285	F
FAY,C.W.	9007310246	50-266	F	FOSETT,H.L.	9008030260	50-293	Q	GAUTAM,A.S.	9008070282*	50-458	Q
FAY,C.W.	9008010037	50-266	S	FOSSOTTI,C.O.	9008280262*	COMMISSION		GEHMLICH,D.K.	9007270209	50-72	I
FAY,C.W.	9008010194	50-266	Q	FOSTER,J.	9008090170*	50-461	Q	GEIGER,J.	9008220197	50-237	S
FAY,C.W.	9008070263	50-266	R	FOX,M.J.	9008090156*	50-498	Q	GEORGE,J.B.	9008010235	PT21	
FAY,C.W.	9008140372	50-266	R	FOX,M.J.	9008090159*	50-498	Q	GEORGES,C.J.	9008070286	FOIA	
FAY,C.W.	9008140438	50-266	F	FOX,M.J.	9008090167*	50-498	Q	GERTZ,C.	9008020274*	WASTE MGT	
FAY,C.W.	9008170035	50-266	S	FOXPALL,C.E.	9008230115*	50-382	Q	GERTZ,C.	9008020277*	WASTE MGT	
FAY,C.W.	9008240227	50-266	S	FRAKER,A.C.	9008200167	WASTE RES		GERTZ,C.	9008020280*	WASTE MGT	
FAZIO,V.	9008080305*	50-312	U	FRAKER,A.C.	9008210017	WASTE RES		GERTZ,C.	9008020281*	WASTE MGT	
FEIGENBAUM,T.C.	9007270026	50-443	F	FRALEY,R.F.	9008010159	ACRS		GERTZ,C.	9008020287*	WASTE MGT	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GERTZ,C.P.	9008080078	WASTE MGT	GREGG,R.J.	9008170172	70-371	HAIRSTON,W.G.	9008080256	50-348
GHOSH,A.	9008210055	40-3392	GRIEPENTROG,J.	9007270174*	COMMISSION	HAIRSTON,W.G.	9008090041	50-424
GIBBS,R.	9007260135*	50-324	GRIFFING,E.P.	9008020213	REVIEW GR P	HAIRSTON,W.G.	9008100035	50-424
GIBBS,R.	9007260175*	50-324	GRIFFING,E.P.	9008140061	REVIEW GR P	HAIRSTON,W.G.	9008100038	50-321
GILBERT,G.D.	9008030344*	50-369	GRIMES,B.K.	9008230125	ORG	HAIRSTON,W.G.	9008100041	50-366
GILBERT,L.D.	9008160166*	50-313	GRIMES,C.I.	9008030056*	50-458	HAIRSTON,W.G.	9008130097	50-424
GILCHRIST,J.E.	9008210050	PR	GRIMES,C.I.	9008030057	50-445	HAIRSTON,W.G.	9008140024	50-321
GILCHRIST,J.E.	9008220081	PR	GRIMES,C.I.	9008080203*	50-458	HAIRSTON,W.G.	9008140052	50-321
GILCHRIST,J.R.	9007270024*	50-62	GRIMM,J.P.	9008270055*	40-8943	HAIRSTON,W.G.	9008140307	50-424
GILL,C.F.	9008020032*	50-255	GRIMSLEY,D.H.	9008060070	FOIA	HAIRSTON,W.G.	9008140333	50-424
GILLEN,D.M.	9008220158	WASTE MGT	GRIMSLEY,D.H.	9008060347	FOIA	HAIRSTON,W.G.	9008150138	50-348
GILRAY,J.W.	9008200082	WASTE MGT	GUBERSKI,J.D.	9008060107	50-344	HAIRSTON,W.G.	9008170014	50-348
GIRARD,E.H.	9008200126*	50-261	GUBERSKI,J.D.	9008060324	50-344	HAIRSTON,W.G.	9008170017	50-364
GLOERSON,W.B.	9008270121*	50-280	GUBERSKI,J.D.	9008240194	50-344	HAIRSTON,W.G.	9008170137	50-364
GOBLE,R.L.	9008070279*	50-443	GUNTRUM,B.C.	9008080328	50-206	HAIRSTON,W.G.	9008170148	50-321
GODKNECHT,M.	9008060333	50-219	GWYNN,T.P.	9008090192	50-313	HAIRSTON,W.G.	9008170154	50-366
GODY,A.T.	9008200045	TOPREP	HAAS,P.M.	9008090024	NUREG	HAIRSTON,W.G.	9008170229	50-364
GODY,A.T.	9008020064	50-483	HAERTJENS,B.L.	9008060115	70-135	HAIRSTON,W.G.	9008200157	50-425
GODY,A.T.	9008020243	50-483	HAERTJENS,B.L.	9008200043	70-27	HAIRSTON,W.G.	9008200164	50-424
GODY,A.T.	9008030372	PROJ	HAERTJENS,B.L.	9008200055	70-27	HAIRSTON,W.G.	9008210118	50-348
GODY,A.T.	9008080224	50-483	HAGAN,J.	9008060160	50-354	HAIRSTON,W.G.	9008220014	50-424
GODY,A.T.	9008160163	50-483	HAGAN,J.	9008100010*	50-354	HAIRSTON,W.G.	9008280100	50-321
GODY,A.T.	9008230194	50-483	HAGAN,J.J.	9008060067	50-354	HAIRSTON,W.G.	9008280290	50-424
GOERING,G.	9007270088	TOPREP	HAGAN,J.J.	9008090096	50-354	HAIRSTON,W.G.	9008280299	50-424
GOLDBERG,J.H.	9008140500	50-250	HAGAN,J.J.	9008170024	50-354	HAIRSTON,W.G.	9008280306	50-321
GOLDBERG,J.H.	9008140504	50-335	HAGAN,T.	9008030033*	CONTRACT	HALE,M.W.	9008170019	50-400
GOLDBERG,J.R.	9008280371*	PR	HAGAN,T.	9008090300*	50-206	HALL,D.C.	9008150250	PR
GOMEZ,R.D.	9008070412	NUREG	HAGAN,T.	9008220128*	CONTRACT	HALL,J.	9007300095	50-255
GONZALES,R.O.	9008240228	40-8907	HAGAN,T.F.	9008010151*	CONTRACT	HALL,J.P.	9008070005	50-331
GONZALES,R.O.	9008240235	WASTE MGT	HAGAN,T.F.	9008030038*	CONTRACT	HALL,J.R.	9008030035	50-331
GONZALES,R.O.	9008240248	40-3453	HAGAN,T.F.	9008060190*	50-259	HALL,K.R.	9008070267*	50-128
GONZALES,R.O.	9008270040	40-8907	HAGAN,T.F.	9008100010*	50-338	HALL,R.E.	9008030065	40-6622
GONZALES,R.O.	9008280368*	40-8902	HAGAN,T.F.	9008090005*	CONTRACT	HALL,R.E.	9008030070*	40-6622
GOODEN,A.	9007270070*	50-395	HAGAN,T.F.	9008090012*	CONTRACT	HALL,R.E.	9008220211	40-3453
GOODEN,A.	9008270046*	70-27	HAGAN,T.F.	9008090051*	CONTRACT	HALL,R.E.	9008220212*	40-3453
GORALSKI,G.	9008140036	50-255	HAGAN,T.F.	9008090135*	CONTRACT	HALL,R.E.	9008220213	40-8084
GRACE,J.N.	9008060187*	FOIA	HAGAN,T.F.	9008090288*	CONTRACT	HALL,R.E.	9008220214*	40-8084
GRACE,J.N.	9008060192*	FOIA	HAGAN,T.F.	9008100015*	CONTRACT	HALL,R.E.	9008240165	40-2259
GRANDEY,G.W.	9007270196*	COMMISSION	HAGAN,T.F.	9008140184*	CONTRACT	HALL,R.E.	9008240168	40-8698
GRANLUND,R.W.	9008010086*	50-5	HAGAN,T.F.	9008140187*	CONTRACT	HALL,R.E.	9008240170	40-8907
GRANT,G.E.	9008150207	ORG	HAGAN,T.F.	9008140210*	CONTRACT	HALL,R.E.	9008240171*	40-8907
GRANT,J.M.	9007310002	50-29	HAGAN,T.F.	9008140214*	50-263	HALL,R.E.	9008240180	40-8681
GRANT,W.B.	9008220192*	50-331	HAGAN,T.F.	9008140266*	CONTRACT	HALL,R.E.	9008240220	40-8903
GRECA,A.D.	9008200080*	50-423	HAGAN,T.F.	9008150054*	CONTRACT	HALL,R.E.	9008240221	40-4492
GREEN,L.C.	9008270099	70-270	HAGAN,T.F.	9008170157*	CONTRACT	HALL,R.E.	9008240222*	40-8903
GREEN,L.C.	9008270099	70-270	HAGAN,T.F.	9008220021*	CONTRACT	HALL,R.E.	9008240223	40-3453
GREEN,L.C.	9008270099	70-270	HAGAN,T.F.	9008220031*	CONTRACT	HALL,R.E.	9008240224*	40-3453
GREENBERG,J.	9008210159	PRM	HAGAN,T.F.	9008220037*	CONTRACT	HALL,R.E.	9008240225	40-8907
GREENMAN,E.G.	9008010196	50-295	HAGAN,T.F.	9008220044*	CONTRACT	HALL,R.E.	9008240226*	40-3453
GREENMAN,E.G.	9008010198	50-331	HAGAN,T.F.	9008220048*	CONTRACT	HALL,R.E.	9008240230	40-8783
GREENMAN,E.G.	9008020040	50-346	HAGAN,T.F.	9008220053*	CONTRACT	HALL,R.E.	9008240231*	40-8783
GREENMAN,E.G.	9008020266	50-295	HAGAN,T.F.	9008220104*	CONTRACT	HALL,R.E.	9008240236	40-8681
GREENMAN,E.G.	9008080027	50-341	HAGAN,T.F.	9008220114*	CONTRACT	HALL,R.E.	9008240237*	40-8681
GREENMAN,E.G.	9008090325	50-373	HAGAN,T.F.	9008220131*	CONTRACT	HALL,R.E.	9008240238	40-8452
GREENMAN,E.G.	9008220147	50-483	HAGAN,T.F.	9008220183*	CONTRACT	HALL,R.E.	9008240239	40-299
GREENMAN,E.G.	9008220150	50-155	HAGAN,T.F.	9008230211*	CONTRACT	HALL,R.E.	9008240241*	40-299
GREENMAN,E.G.	9008220184	50-255	HAGAN,T.F.	9008240027*	CONTRACT	HALL,R.E.	9008240242	40-8584
GREENMAN,E.G.	9008230163	50-346	HAGAN,T.F.	9008270146*	CONTRACT	HALL,R.E.	9008240243	40-299
GREENMAN,E.G.	9008230169	50-346	HAGAN,T.F.	9008270150*	CONTRACT	HALL,R.E.	9008240245	40-8786
GREENMAN,E.G.	9008230173	50-373	HAGAN,T.F.	9008270155*	CONTRACT	HALL,R.E.	9008240247	40-1162
GREENMAN,E.G.	9008230173	50-373	HAGAN,T.F.	9008270158*	CONTRACT	HALL,R.E.	9008240249	40-8904
GREENMAN,E.G.	9008270126	50-295	HAGAN,T.F.	9008270165*	CONTRACT	HALL,R.E.	9008240250*	40-8904
GREGER,L.R.	9007310240	50-331	HAGAN,T.F.	9008270171*	CONTRACT	HALL,R.E.	9008240251	40-8502
GREGER,L.R.	9008010110	50-237	HAGAN,T.F.	9008270179*	CONTRACT	HALL,R.E.	9008240255	40-8084
GREGER,L.R.	9008010111	50-483	HAGAN,T.F.	9008280331*	CONTRACT	HALL,R.E.	9008270006	40-8857
GREGER,L.R.	9008010115	50-440	HAGAN,T.F.	9008280342*	CONTRACT	HALL,R.E.	9008270024	40-6622
GREGER,L.R.	9008010119	50-341	HAGEMAN,J.P.	9008170179	WASTE MGT	HALL,R.E.	9008270027	40-2259
GREGER,L.R.	9008010121	50-461	HAGEN,E.W.	9008070334	NUREG	HALL,R.E.	9008270028	40-8786
GREGER,L.R.	9008010134	50-456	HAGEN,T.F.	9008030143*	CONTRACT	HALL,R.E.	9008270045	40-4492
GREGER,L.R.	9008020258	50-255	HAGINS,E.E.	9008240138	40-2061	HALL,R.E.	9008270052	WASTE MGT
GREGER,L.R.	9008020263	50-483	HAGUE,R.L.	9008130297*	50-305	HALL,R.E.	9008270053	40-8943
GREGER,L.R.	9008090169	50-461	HAIRSTON,W.G.	9007270027*	50-321	HALL,R.E.	9008270054*	40-8943
GREGER,L.R.	9008090314	50-440	HAIRSTON,W.G.	9007270117	50-425	HALL,R.E.	9008270058*	40-8905
GREGER,L.R.	9008090340	50-266	HAIRSTON,W.G.	9007270127	50-424	HALL,R.E.	9008270059*	40-8905
GREGER,L.R.	9008090342	50-305	HAIRSTON,W.G.	9007270188	50-321	HALL,R.E.	9008270060	40-8907
GREGER,L.R.	9008100267	50-305	HAIRSTON,W.G.	9007300036	50-321	HALL,R.E.	9008270065	40-4492
GREGER,L.R.	9008130172	50-295	HAIRSTON,W.G.	9007300099	50-321	HALL,R.E.	9008270066	40-8681
GREGER,L.R.	9008130314	50-255	HAIRSTON,W.G.	9007310080	50-424	HALL,R.E.	9008270069*	40-8681
GREGER,L.R.	9008140161	50-440	HAIRSTON,W.G.	9008010044	50-348	HALL,R.E.	9008270071*	40-8681
GREGER,L.R.	9008160176	50-305	HAIRSTON,W.G.	9008020130	50-321	HALL,R.E.	9008270076	40-4492
GREGER,L.R.	9008160177	50-263	HAIRSTON,W.G.	9008020132	50-321	HALL,R.E.	9008270077*	40-4492
GREGER,L.R.	9008220168	50-331	HAIRSTON,W.G.	9008020151	50-425	HALL,R.E.	9008280364	40-8902
GREGER,L.R.	9008220188	50-331	HAIRSTON,W.G.	9008020222	50-348	HALL,R.E.	9008280367*	40-8902
GREGER,L.R.	9008230008	50-155	HAIRSTON,W.G.	9008020267	50-424	HALL,R.E.	9008280375	40-8584
GREGER,L.R.	9008230123	50-373	HAIRSTON,W.G.	9008060053	50-425	HALL,R.E.	9008280378	40-3453
GREGER,L.R.	9008230124	50-263	HAIRSTON,W.G.	9008060058	50-364	HALL,S.L.	9008170011*	50-309
GREGER,L.R.	9008230126	50-341	HAIRSTON,W.G.	9008060162	50-425	HALL,S.L.	9008170012*	50-309
GREGG,R.J.	9007310085	70-371	HAIRSTON,W.G.	9008080151	50-364	HALL,T.C.	9008020271*	71-170

238 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HALLSTROM, G.A.	9008210060*	50-269	HAUGHNEY, C.J.	9008210043*	70-143	HICKMAN, J.B.	9008090138	50-461
HALTIWANGER, J.	9008170260*	50-395	HAUGHNEY, C.J.	9008210051*	70-143	HICKMAN, J.B.	9008270282	50-461
HAMILTON, L.	9008090136	50-254	HAUGHNEY, C.J.	9008270180	70-1374	HICKMAN, J.B.	9008280276	50-461
HANDY, L.B.	9008090149	FOIA	HAUGHNEY, C.J.	9008270187	70-2928	HICKS, M.M.	9008060234	FOIA
HANNEN, R.L.	9008090160	50-331	HAUGHNEY, C.J.	9008270190*	70-2928	HIGH, D.J.	9008030069*	50-146
HANNEN, R.L.	9008140183	50-331	HAUGHNEY, C.J.	9008270199*	70-2928	HIGHFILL, K.L.	9008220118	50-293
HANNEN, R.L.	9008201027	50-331	HAUGHNEY, C.J.	9008270206	70-2910	HILDEBRAND, J.E.	9007270003	50-146
HANNON, J.M.	9008060112*	50-461	HAUGHNEY, C.J.	9008270212*	70-2910	HILDEBRAND, J.E.	9008070083	50-146
HANNON, J.M.	9008270249*	50-440	HAUGHNEY, C.J.	9008270215*	70-2910	HILDEBRAND, J.E.	9008170008	50-146
HANNON, J.N.	9008020184*	50-461	HAUGHNEY, C.J.	9008270219	70-1257	HILL, E.L.	9008070371	NUREG
HANNON, J.N.	9008020247*	50-483	HAUGHNEY, C.J.	9008270223*	70-1257	HILL, S.R.	9008170130	WASTE MGT
HANNON, J.N.	9008070309*	50-461	HAUGHNEY, C.J.	9008270228*	70-1257	HILLMAN, C.T.	9008080208	50-255
HANNON, J.N.	9008090008*	50-461	HAUSER, D.L.	9007270039	50-369	HINDS, J.	9008060345	50-249
HANNON, J.N.	9008090143*	50-461	HAUSER, D.L.	9007270043	50-370	HINDS, J.M.	9008090327*	50-373
HANSEN, J.V.	9008210019*	COMMISSION	HAUSER, D.L.	9007270049	50-270	HIPP, G.	9008130246	50-328
HARDER, L.	9008060370	71-5805	HAUSER, D.L.	9007270054	50-269	HOCKMAN, R.W.	9008240012	XPORTLIC
HARMON, P.	9008080003*	50-327	HAUSER, D.L.	9008060150	50-413	HOCKMAN, R.W.	9008240017	XPORTLIC
HARNESS, J.L.	9007310062	50-324	HAUSER, D.L.	9008160075	50-269	HODGDON, A.P.	9008150168	40-2061
HARNESS, J.L.	9007310171	50-324	HAUSMAN, G.	9008060268*	50-305	HODGES, M.W.	9008100121	50-354
HARNESS, J.L.	9008010087	50-325	HAVERKAMP, D.R.	9008020023*	50-245	HODGES, M.W.	9008160040	50-219
HARNESS, J.L.	9008020126	50-324	HAVERKAMP, D.R.	9008090042*	50-336	HODGES, M.W.	9008270062	50-219
HARNESS, J.L.	9008070039	50-324	HAYES, F.K.	9008230087*	50-259	HOFFMAN, C.R.	9008220102*	50-302
HARNESS, J.L.	9008090072	50-325	HAYES, J.J.	9008090201	50-395	HOFFMAN, D.P.	9008090157	50-155
HARNESS, J.L.	9008130208	50-325	HAYNESWORTH, V.	9008140401	50-261	HOFFMAN, D.P.	9008220203	50-269
HARNESS, J.L.	9008150084	50-324	HEAD, S.	9008070019	50-498	HOFFMAN, S.T.	9008080244	50-368
HARNESS, J.L.	9008160100	50-324	HEAD, S.	9008100230	50-498	HOFFMAN, S.T.	9008150028	50-348
HARNESS, J.L.	9008200147	50-324	HEAD, S.	9008100242	50-498	HOFFMAN, S.T.	9008150096	50-348
HARNESS, J.L.	9008210085	50-324	HEAD, S.	9008130283	50-498	HOGAN, W.	9008020210	50-223
HARRIS, C.J.	9008210112*	WASTE MGT	HEAD, S.	9008130286	50-498	HOGGE, A.J.	9008210015*	50-269
HARRIS, J.	9007310278	WASTE RES	HEAD, S.	9008240175	50-498	HOHNSTREITER, G.	9008220057	71-361
HARRIS, J.R.	9007270106*	50-338	HEAD, S.M.	9008100251	50-499	HOLIAN, B.	9008020009	50-255
HARRIS, K.N.	9007310256	50-250	HEAD, S.M.	9008170007	50-499	HOLIAN, B.	9008160033	50-255
HARRIS, K.N.	9008010160	50-250	HEASLER, P.G.	9008310179	NUREG	HOLIAN, B.E.	9008020054	50-255
HARRIS, K.N.	9008150276	50-251	HEBDON, F.J.	9007300005	50-327	HOLIAN, B.E.	9008090003	50-255
HARRIS, K.N.	9008170149	50-250	HEBDON, F.J.	9007300007*	50-327	HOLLAND, W.E.	9008080251*	50-280
HARRIS, K.N.	9008210121	50-250	HEBDON, F.J.	9007310090	50-259	HOLLER, E.	9008070155	50-254
HARRIS, K.N.	9008270168	50-250	HEBDON, F.J.	9007310154	50-327	HOLLER, E.	9008070232	50-254
HARRIS, T.	9008010087	50-325	HEBDON, F.J.	9008020216*	50-327	HOLLER, E.	9008150134	50-271
HARRIS, T.	9008130208	50-325	HEBDON, F.J.	9008070364*	50-327	HOLLER, E.	9008240104	50-271
HARTFIELD, R.A.	9008070321	NUREG	HEBDON, F.J.	9008070372*	50-327	HOLLER, E.	9008240132	50-271
HARTLEY, R.S.	9007090111*	50-237	HEBDON, F.J.	9008080306	50-259	HOLLER, E.	9008240158	50-254
HARTZELL, C.L.	9007310215	50-413	HEBDON, F.J.	9008100116	50-327	HOLLER, E.	9008240162*	50-254
HARTZELL, C.L.	9008060330	50-414	HEBDON, F.J.	9008130039	50-327	HOLLOWAY, T.J.	9008220085	50-327
HARTZELL, C.L.	9008130174	50-413	HEBDON, F.J.	9008280287	50-328	HOLLOWAY, C.J.	9008160068	PR
HASELTINE, J.D.	9008070079	50-29	HEBDON, F.J.	9008280292*	50-328	HOLMES, J.	9008060268*	50-305
HASELTINE, J.D.	9008070080	50-29	HEBDON, F.J.	9008300089	50-259	HOLMES-RAY, P.	9008100108*	50-302
HASKELL, P.C.	9008150011*	CONTRACT	HEGRAT, H.L.	9008090080	50-440	HOLONICH, J.	9008200094	WASTE MGT
HASSE, R.A.	9008010146*	50-263	HEGRAT, H.L.	9008130167	50-440	HOLT, J.W.	9008210157	50-335
HAUSER, R.D.	9007050123	SECY	HEGRAT, H.L.	9008170227	50-440	HOLT, J.W.	9008280280*	50-335
HAUSER, R.D.	9007310025	XPORTLIC	HEHL, C.W.	9008020027	50-247	HOLTZMAN, R.B.	9008130173*	50-295
HAUSER, R.D.	9007310027	XPORTLIC	HEHL, C.W.	9008070116	50-387	HOLTZMAN, R.B.	9008220192*	50-331
HAUSER, R.D.	9007310029	XPORTLIC	HEHL, C.W.	9008100181	50-333	HOLTZSCHER, D.L.	9008030144	50-461
HAUSER, R.D.	9007310051	XPORTLIC	HEHL, C.W.	9008230195	50-272	HON, A.	9008100037	50-361
HAUSER, R.D.	9008010013	XPORTLIC	HELFRECHT, D.J.	9008020121*	50-305	HON, A.L.	9008270004*	50-206
HAUSER, R.D.	9008010017	XPORTLIC	HELVIG, D.R.	9008280047	50-352	HOOD, D.S.	9008020102	50-369
HAUSER, R.D.	9008010030	XPORTLIC	HENDERSON, T.K.	9008020071	50-29	HOOD, D.S.	9008080221	50-369
HAUSER, R.D.	9008010142	XPORTLIC	HENDERSON, T.K.	9008060102	50-29	HOOD, D.S.	9008160094	50-369
HAUSER, R.D.	9008030318	XPORTLIC	HENDERSON, T.K.	9008060120	50-29	HOOD, D.S.	9008230144	50-369
HAUSER, R.D.	9008030320	XPORTLIC	HENDERSON, T.K.	9008140329	50-29	HOOKER, C.A.	9008270274*	70-734
HAUSER, R.D.	9008030323	XPORTLIC	HENDRICKSON, R.	9008070125	50-116	HOOKS, K.R.	9008080051	WASTE MGT
HAUSER, R.D.	9008030325	XPORTLIC	HENKIN, R.E.	9008150182	PR	HOPKINS, P.C.	9008080079*	50-413
HAUSER, R.D.	9008030326	XPORTLIC	HENSLEY, K.D.	9008170178	70-143	HOPKINS, S.	9008140293	CONTRACT
HAUSER, R.D.	9008030329	XPORTLIC	HENSLEY, K.D.	9008170224	70-143	HOPPER, G.T.	9008080123*	50-259
HAUSER, R.D.	9008210057	XPORTLIC	HERDT, A.R.	9007270118	50-321	HORN, M.	9008020065*	70-25
HAUSER, R.D.	9008210092	XPORTLIC	HERDT, A.R.	9008080036	50-424	HORN, M.	9008100154*	70-734
HAUSER, R.D.	9008210164	XPORTLIC	HERDT, A.R.	9008080041	50-424	HORTON, D.G.	9008010162	WASTE MGT
HAUGHNEY, C.J.	9008020046	40-2061	HERDT, A.R.	9008080071	50-413	HORTON, D.G.	9008020157	WASTE MGT
HAUGHNEY, C.J.	9008020047	70-1100	HERDT, A.R.	9008080073*	50-413	HORTON, D.G.	9008020160	WASTE MGT
HAUGHNEY, C.J.	9008020051*	70-1100	HERDT, A.R.	9008200149	50-269	HORTON, D.G.	9008020274*	WASTE MGT
HAUGHNEY, C.J.	9008020055*	70-1100	HERDT, A.R.	9008200154	50-413	HORTON, D.G.	9008020277*	WASTE MGT
HAUGHNEY, C.J.	9008020059	70-25	HERDT, A.R.	9008210027	50-269	HORTON, D.G.	9008020280*	WASTE MGT
HAUGHNEY, C.J.	9008020063*	70-25	HERDT, A.R.	9008210097	50-269	HORTON, D.G.	9008020281*	WASTE MGT
HAUGHNEY, C.J.	9008020066*	70-25	HERDT, A.R.	9008210181	50-369	HORTON, D.G.	9008020287*	WASTE MGT
HAUGHNEY, C.J.	9008020079	70-622	HERDT, A.R.	9008270108	50-369	HORTON, D.G.	9008020289	WASTE MGT
HAUGHNEY, C.J.	9008020094	40-8027	HERDT, A.R.	9008270111*	50-369	HORTON, D.G.	9008030215	WASTE MGT
HAUGHNEY, C.J.	9008090185	40-8820	HERDT, A.R.	9008270202	50-269	HORTON, D.G.	9008030216	WASTE MGT
HAUGHNEY, C.J.	90080100137	70-824	HERNAN, R.W.	9008140077	50-289	HORTON, D.G.	9008090239	WASTE MGT
HAUGHNEY, C.J.	90080100139*	70-824	HERNAN, R.W.	9008230218	50-289	HORTON, D.G.	9008090242*	WASTE MGT
HAUGHNEY, C.J.	90080100143*	70-824	HEYSEK, W.G.	9008210125	50-289	HORTON, D.G.	9008140093	WASTE MGT
HAUGHNEY, C.J.	90080100148	70-734	HIATT, S.L.	9008150153	50-440	HORTON, D.G.	9008140145	WASTE MGT
HAUGHNEY, C.J.	90080100149*	70-734	HIATT, S.L.	9008150222	PR	HORTON, D.G.	9008140160	WASTE MGT
HAUGHNEY, C.J.	90080100158*	70-734	HIATT, S.L.	9008160225	PR	HORTON, D.G.	9008140176	WASTE MGT
HAUGHNEY, C.J.	90080100186	70-1100	HIATT, S.L.	9008210100	PRM	HORTON, D.G.	9008200063	WASTE MGT
HAUGHNEY, C.J.	90080100188*	70-1100	HIATT, S.L.	9008290185	PRM	HORTON, D.G.	9008210104	WASTE MGT
HAUGHNEY, C.J.	90080100191*	70-1100	HICKMAN, J.B.	9008020182	50-461	HORTON, D.G.	9008210106*	WASTE MGT
HAUGHNEY, C.J.	9008100195	70-27	HICKMAN, J.B.	9008060108	50-461	HORTON, D.G.	9008210110	WASTE MGT
HAUGHNEY, C.J.	9008130211	40-8820	HICKMAN, J.B.	9008070307	50-461	HORTON, D.G.	9008210112*	WASTE MGT
HAUGHNEY, C.J.	9008210042	70-143	HICKMAN, J.B.	9008090007	50-461	HORTON, D.G.	9008210114	WASTE MGT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HORTON,D.G.	9008210115	WASTE MGT	JAFFE,D.H.	9008070271	50-423 P	JULIAN,C.A.	9008210002	50-348 Q
HORTON,D.G.	9008210117	WASTE MGT	JAFFE,D.H.	9008070273*	50-423 P	JULIAN,C.A.	9008210004	50-413 Q
HORTON,F.	9008030155*	U	JAFFE,D.H.	9008070287	50-213 P	JULIAN,C.A.	9008210006	50-338 Q
HOSSEY,C.M.	9008100098	I&E	JAFFE,D.H.	9008090158	50-423 P	JULIAN,C.A.	9008210056	50-269 Q
HOSLER,C.L.	9008010085	50-5 I	JAFFE,D.H.	9008130052	50-423 P	JULIAN,C.A.	9008210087	50-261 Q
HOUSE,J.E.	9008090318*	50-440 Q	JAKLITSCH,J.	9008020229	40-8027 P	JULIAN,C.A.	9008210091	50-261 Q
HOWARD,R.C.	9007270095*	TOPREP	JAMES,D.E.	9008010092	50-313 Q	JULIAN,C.A.	9008210175	50-324 Q
HOWELL,A.	9007310122	50-445 S	JANG,J.C.	9008070117*	50-245 Q	JULIAN,C.A.	9008230191	50-324 Q
HOWELL,A.T.	9007310106	50-445 S	JANG,J.C.	9008160116*	50-54 Q	JULIAN,C.A.	9008240068	50-302 Q
HOYLE,A.	9008070336*	FOIA	JANSEN,R.L.	9007270095*	TOPREP	JULIAN,C.A.	9008240071*	50-302 Q
HOYLE,J.C.	9008150191	ADVCN	JANSON,K.	9008010137	50-271 G	JULIAN,C.A.	9008270153	50-302 Q
HOYLE,J.C.	9008150258	ADVCN	JANSON,K.	9008010157	50-271 G	JUSTICE,L.H.	9008220131*	CONTRACT S
HOYLE,J.C.	9008170174	ADVCN	JANSON,K.	9008070191	50-271 G	KADAMBI,N.P.	9008150279	50-237 S
HSII,Y.	9008020042	TOPREP	JANSON,K.	9008070194*	50-271 G	KAHLE,J.B.	9008200119*	70-27
HSII,Y.	9008090063	TOPREP	JANSON,K.	9007270095*	TOPREP	KAIN,K.	9008200178	71-692
HSII,Y.	9008100102	TOPREP	JANSON,K.	9008240061	50-271 G	KAMMERER,C.	9007250085	STATE PRO G
HUBBS,D.	9008030143*	CONTRACT	JANSON,K.	9008240115	50-271 G	KAMMERER,C.	9008090001	STATE PRO G
HUBER,M.P.	9008060261*	Q	JANSON,K.	9008240115	50-271 G	KANE,G.E.	9008150274	50-338 S
HUBER,M.P.	9008220149*	50-155 Q	JANUSKA,A.G.	9008090318*	50-440 Q	KANSLER,M.R.	9008010066	50-280 S
HUBSON,G.	9008220155	50-263 S	JANUSKA,A.G.	9008140162*	50-440 Q	KANSLER,M.R.	9008010118	50-280 S
HUDSPETH,J.B.	9008080297	50-348 F	JAPE,F.	9007260143*	50-250 Q	KARAGANIS,J.V.	9008240120	40-2061 P
HUDSPETH,J.B.	9008210168	50-348 F	JAPE,F.	9008210116*	50-259 Q	KARAM,R.A.	9007310004	50-160 P
HUDSPETH,J.B.	9008230020	50-348 F	JEANMOUGIN,N.M.	9008070338	NUREG	KARAM,R.A.	9008030259	50-160 P
HUDSPETH,J.B.	9008280295	50-348 F	JEHLE,P.	9008150168	40-2061 CONTRACT	KASNICIKI,D.	9007270112*	70-1151
HUEY,F.R.	9008100049*	50-528 Q	JENNINGS,D.	9008080396*	CONTRACT	KASUN,D.J.	9007300109	70-1113
HUEY,F.R.	9008160134*	50-206 Q	JENNINGS,L.F.	9007270077	50-272 I	KASUN,D.J.	9007300135	70-27
HUEY,R.	9008270010*	50-397 I	JENSEN,F.W.	9008020121*	50-305 I	KASUN,D.J.	9007310022	70-371
HUG,M.T.	9008170129	50-323 S	JEPSON,K.	9008010024	50-263 R	KASUN,D.J.	9007310024*	70-371
HUGHES,A.	9008060185	50-259 P	JOHNSON,A.	9008090198	50-244 F	KASUN,D.J.	9008060099	70-27
HUGHES,A.	9008070017	50-338 V	JOHNSON,A.G.	9008010098	50-243 F	KASUN,D.J.	9008060104	70-734
HUGHES,A.	9008140209	CONTRACT	JOHNSON,A.R.	9008080264	50-244 Q	KASUN,D.J.	9008070123	70-1100
HUGHES,A.	9008140212	50-263 Q	JOHNSON,G.	9008210062*	XPORTLIC	KASUN,D.J.	9008080064	70-734
HUGHES,A.	9008280161*	50-416 Q	JOHNSON,G.A.	9008100243	XPORTLIC	KASUN,D.J.	9008080069*	70-734
HUKILL,H.D.	9008020292	50-289 Q	JOHNSON,G.A.	9008100246*	XPORTLIC	KASUN,D.J.	9008090052	70-27
HUKILL,H.D.	9008090134	50-289 Q	JOHNSON,G.A.	9008100277	XPORTLIC	KASUN,D.J.	9008090057*	70-27
HUKILL,H.D.	9008210125	50-289 Q	JOHNSON,G.A.	9008100279*	XPORTLIC	KASUN,D.J.	9008130054	70-25
HUKILL,H.D.	9008280318	50-289 Q	JOHNSON,G.A.	9008100282	XPORTLIC	KAUFMAN,F.D.	9008160178	50-272 Q
HULME,N.D.	9008240193	50-423 Q	JOHNSON,G.A.	9008100285*	XPORTLIC	KAUFMAN,P.D.	9008160180	50-387 P
HUMPHREY,P.G.	9008270200*	50-390 Q	JOHNSON,G.A.	9008210063*	XPORTLIC	KAY,L.	9008200080*	50-423 Q
HUNGER,G.A.	9007270119	50-352 F	JOHNSON,I.M.	9008230017	50-10 F	KEATING,R.F.	9007310054	XPORTLIC
HUNGER,G.A.	9007270121	50-352 F	JOHNSON,J.D.	9008310184	NUREG	KEIMIG,R.	9008220080	50-286 S
HUNGER,G.A.	9007300033	50-277 Q	JOHNSON,J.R.	9008070275	50-244 Q	KEIMIG,R.R.	9008080019*	50-293 Q
HUNGER,G.A.	9007310007	50-277 Q	JOHNSON,J.R.	9008020083	50-443 Q	KEIMIG,R.R.	9008160027*	50-334 Q
HUNGER,G.A.	9007310035	50-352 Q	JOHNSON,J.R.	9008200089	50-271 Q	KEIMIG,R.R.	9008160112*	50-322 Q
HUNGER,G.A.	9008020035	50-171 I	JOHNSON,M.D.	9008010241	50-54 P	KEISER,H.W.	9008010108	50-387 P
HUNGER,G.A.	9008060240	50-277 P	JOHNSON,M.D.	9008010254*	50-54 P	KEISER,H.W.	9008010126	50-387 J
HUNGER,G.A.	9008130251	50-352 P	JOHNSON,M.R.	9008270267	50-338 R	KEISER,H.W.	9008060006	50-387 P
HUNGER,G.A.	9008130285	50-277 P	JOHNSON,P.H.	9007270002*	50-397 R	KEISER,H.W.	9008060007*	50-387 P
HUNGER,G.A.	9008160012	50-352 P	JOHNSON,R.E.	9008090073*	GEN TEC I	KEISER,H.W.	9008060139	50-387 K
HUNGER,G.A.	9008220070	50-277 P	JOHNSON,R.E.	9008140466	NUREG	KEISER,H.W.	9008060226	50-387 P
HUNSADER,S.C.	9008010096	50-454 P	JOHNSON,S.A.	9007270125	50-302 F	KEISER,H.W.	9008060230*	50-387 P
HUNSADER,S.C.	9008010099	50-454 P	JOHNSON,T.	9008020029	50-272 S	KEISER,H.W.	9008060237	50-387 Q
HUNSADER,S.C.	9008230039	50-456 Q	JOHNSON,T.	9008080334	WASTE MGT	KEISER,H.W.	9008060339	50-387 V
HUNSTAD,A.	9008010063	50-282 S	JOHNSON,W.J.	9007270177	TOPREP	KEISER,H.W.	9008100258	50-387 P
HUNSTAD,A.	9008030227	50-282 S	JOHNSON,W.J.	9007300103	TOPREP	KEISER,H.W.	9008130267	50-387 P
HUNT,M.	9008210094*	50-261 Q	JOHNSTON,G.	9008130163*	50-528 Q	KEISER,H.W.	9008140202	50-387 F
HUNT,M.D.	9007270035*	50-413 Q	JOHNSTON,J.R.	9008090133	50-155 R	KEISER,H.W.	9008160185	50-387 R
HUNT,M.D.	9008270222*	50-324 Q	JOLICOEUR,J.R.	9008150259	50-219 F	KEISER,H.W.	9008210166	50-387 R
HUNT,M.R.	9008150069	QA599	JONES,B.W.	9008140065	FOIA	KEISER,H.W.	9008270034	50-387 P
HUNTER,J.J.	9007300089	40-7580	JONES,T.M.	9008020126	50-324 S	KELLER,L.E.	9008030076*	50-146 I
HUNTER,J.J.	9008010154	40-7580	JONES,T.M.	9008070039	50-324 S	KELLER,W.	9008230070*	50-269 I
HURLEY,J.	9008090105	50-416 F	JONES,T.M.	9008090072	50-325 S	KELLEY,D.L.	9008160136*	50-498 Q
HUTCHINSON,F.	9008060306	50-150 I	JONES,W.E.	9008230229*	CONTRACT	KELLOGG,P.J.	9007260135*	50-324 Q
HUTCHINSON,L.B.	9008170005	50-397 R	JONES,W.E.	9008240022*	CONTRACT	KELLOGG,P.J.	9007260175*	50-324 Q
IHDE,R.H.	9007270176	70-1201	JOOS,D.W.	9008020188	50-155 I	KELLOGG,P.J.	9008240085*	50-259 Q
INGELS,T.E.	9008280320	70-1308	JOOS,D.W.	9008020244	50-255 I	KEMP,M.D.	9007270182*	70-734
IRVING,G.W.	9007060011	50-170 F	JORDAN,E.L.	8909140258	REVIEW GR P	KEMP,M.D.	9007310105*	50-89 I
IRVING,G.W.	9007240021	50-170 F	JORDAN,E.L.	9008020171	REVIEW GR P	KENNEDY,E.H.	9008200054	TOPREP
ISAACSON,E.D.	9007310071	40-7604	JORDAN,E.L.	9008030296	ORG	KENT,A.P.	9008160082	50-498 R
IVERSON,G.L.	9008240097	50-443 G	JORDAN,E.L.	9008240127	REGGD	KENYON,T.J.	9008030332	PROJ
IVERSON,G.L.	9008270148*	50-443 G	JORDAN,M.D.	9008240120	40-2061	KENYON,T.J.	9008080042	PROJ
IVERSON,G.L.	9008270148*	50-443 G	JORDAN,M.J.	9007310280*	50-461 V	KENYON,T.J.	9008090312	PROJ
JABBOUR,K.M.	9007310158	50-413 E	JORDAN,M.J.	9008090165*	50-331 V	KENYON,T.J.	9008130223	PROJ
JABBOUR,K.N.	9007310124	50-413 Q	JOW,H.N.	9008150135	50-277 P	KENYON,T.J.	9008200128	PROJ
JABBOUR,K.N.	9008020061	50-413 P	JOYCE,T.C.	9008170232	50-275 R	KENYON,T.J.	9008240100	PROJ
JABBOUR,K.N.	9008240201	50-413 P	JOYCE,T.P.	9008030075	50-295 S	KENYON,T.J.	9008240118	PROJ
JACKIW,I.N.	9008140159*	50-264 Q	JOYCE,T.P.	9008170242	50-295 R	KERCH,H.W.	9008230042*	50-344 Q
JACKIW,I.N.	9008210192*	50-266 Q	JOYCE,T.P.	9008280273	50-295 R	KERREY,J.R.	9008210052*	COMMISSION N
JACKIW,I.N.	9008230168*	50-346 Q	JOYCE,T.P.	9008280274	50-295 R	KEUAGA,L.	9007300095	50-255 F
JACKSON,R.L.	9007310024*	70-371	JULIAN,C.A.	9007260171	50-250 Q	KEUTER,D.R.	9007300019	50-312 F
JACOBS,S.	9008150226	70-270	JULIAN,C.A.	9007260197	50-324 Q	KEUTER,D.R.	9007300116	50-312 I
JACOBSON,J.M.	9008130306*	50-255 Q	JULIAN,C.A.	9007270018	50-302 Q	KEUTER,D.R.	9007310296	50-312 P
JACOBUS,M.J.	9008080195	NUREG	JULIAN,C.A.	9007270033	50-213 Q	KEUTER,D.R.	9007310298	50-312 P
JACOBY,D.L.	9008240218	40-8905	JULIAN,C.A.	9007270041	50-250 Q	KEUTER,D.R.	9008030272	50-312 P
JACOBY,D.L.	9008240232	WASTE MGT	JULIAN,C.A.	9007270103	50-338 Q	KEUTER,D.R.	9008060133	50-312 Q
JACOBY,D.L.	9008240254	40-8903	JULIAN,C.A.	9008080291	50-400 Q	KEUTER,D.R.	9008130210	50-312 P
JACOBY,D.L.	9008280368*	40-8902	JULIAN,C.A.	9008130132	50-413 Q	KEUTER,D.R.	9008220016	50-312 P
JAFFE,D.	9008270196	50-423 P	JULIAN,C.A.	9008130154	50-335 Q	KEUTER,D.R.	9008270103	50-312 R

240 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
KEUTER,D.R.	9008270161	50-312	S	KOVACH,T.J.	9008280302	50-456	Q	LEONARD,J.D.	9008140192	50-322	I
KING,L.P.	9008270213*	50-338	Q	KOZAK,M.W.	9008080187	NUREG		LEONARD,J.D.	9008140232	50-322	I
KINGSLEY,O.D.	9007270031	50-390	Q	KOZAK,M.W.	9008310184	NUREG		LEONARD,J.D.	9008270110	50-322	I
KINGSLEY,O.D.	9007270157	50-259	I	KOZUP,C.S.	9008080141	50-255	S	LEONARD,J.D.	9008280377	50-322	I
KINGSLEY,O.D.	9008080021*	50-327	Q	KOZUP,C.S.	9008080390	50-255	F	LEONARD,J.D.	9008280379*	50-322	I
KINGSLEY,O.D.	9008140203	50-259	Q	KRATZINGER,F.J.	9008090242*	WASTE MGT		LEONARD,O.G.	9008080092*	ORG	
KINSEY,W.H.	9008100230	50-498	S	KRATZINGER,F.J.	9008210106*	WASTE MGT		LEROY,P.	9008150090	PR	
KINSEY,W.H.	9008100242	50-498	S	KRAUSE,C.W.	9007300058*	50-301	R	LEROY,P.G.	9005110202*	FOIA	
KINSEY,W.H.	9008100249	50-498	S	KRAUSE,C.W.	9008140372	50-266	R	LEROY,P.G.	9007300023	PROJ	
KINSEY,W.H.	9008100251	50-499	S	KREH,J.L.	9008200123*	50-327	Q	LESSER,M.S.	9008270213*	50-338	C
KINSEY,W.H.	9008130283	50-498	S	KRIEGER,K.	9008230216	50-247	R	LESSLER,L.	9008280310	PR	
KINSEY,W.H.	9008160204	50-498	S	KRIEGER,R.W.	9008100240	50-206	S	LESSY,R.P.	9008060167	FOIA	
KINSEY,W.H.	9008170007	50-499	S	KRIEGER,R.W.	9008240098	50-361	S	LESSY,R.P.	9008060172	FOIA	
KINSEY,W.H.	9008240175	50-498	S	KULICK,J.M.	9008130272*	50-387	P	LESSY,R.P.	9008060174	FOIA	
KINTNER,E.E.	9008090176	PROJ		KUNOWSKI,M.A.	9008020032*	50-255	Q	LESSY,R.P.	9008060176	FOIA	
KINTNER,E.E.	9008090269	PROJ		KUNOWSKI,M.A.	9008140162*	50-440	Q	LESSY,R.P.	9008060178	FOIA	
KINTNER,L.L.	9008080329	50-416	P	KURTZ,R.J.	9008070393	NUREG		LEVINE,J.M.	9008010101	50-529	S
KINTNER,L.L.	9008130098	TOPREP		KWIATKOWSKI,D.	9008080076	50-400	F	LEVINE,J.M.	9008060141	50-529	S
KINTNER,L.L.	9008140110	50-416	P	KWIATKOWSKI,D.	9008080316	50-245	F	LEVINE,J.M.	9008130261	50-529	S
KINTNER,L.L.	9008170057	50-416	P	KWIATKOWSKI,D.	9008160084	50-267	F	LEVINE,J.M.	9008130263	50-529	S
KINTNER,L.L.	9008170067**	50-416	P	KWOK,K.S.	9008140205	50-20	P	LEVINE,J.M.	9008160090	50-528	R
KINTNER,L.L.	9008170073	50-416	P	LABARGE,D.	9007300112	50-333	P	LEVINE,J.M.	9008240199	50-529	S
KINTNER,L.L.	9008170095	50-416	P	LABARGE,D.E.	9008140117	50-333	P	LIEBERMAN,J.	9007300004	I&E	
KINTNER,L.L.	9008200116	50-416	P	LABARGE,D.E.	9008170040	50-333	P	LIEBERMAN,J.	9007300006	I&E	
KINTNER,L.L.	9008240051	50-416	P	LABARGE,D.E.	9008170199	50-286	P	LIEBERMAN,J.	9007300008	50-461	Q
KINTNER,L.L.	9008280257	50-416	P	LABARGE,D.E.	9008230049	50-333	P	LIEBERMAN,J.	9007300009	I&E	
KIRSCH,D.F.	9007300003	50-206	V	LABONTE,W.T.	9008070098	50-382	S	LIEBERMAN,J.	9008010223	50-320	Q
KIRSCH,D.F.	9007300111	50-288	V	LABRUNA,S.	9008030267	50-311	P	LIEBERMAN,J.	9008070001	I&E	
KIRSCH,D.F.	9008060155	50-206	V	LABRUNA,S.	9008130282	50-272	P	LIEBERMAN,J.	9008220175	50-348	Q
KIRSCH,D.F.	9008060253	50-275	V	LABRUNA,S.	9008150285	50-272	P	LIEBERMAN,J.	9008230047	I&E	
KIRSCH,D.F.	9008090378	50-206	Q	LACEY,L.R.	9008010036	40-8027		LIEBERMAN,J.	9008230050	I&E	
KIRSCH,D.F.	9008100047	50-528	Q	LACEY,L.R.	9008150178	PR		LIEBERMAN,J.	9008230051	I&E	
KIRSCH,D.F.	9008160008	50-243	Q	LACEY,L.R.	9008230129	TOPREP		LIEBERMAN,J.	9008230053	50-269	Q
KIRSCH,D.F.	9008160131	50-206	Q	LAINAS,G.C.	9008020149	50-321	P	LIEBERMAN,J.	9008240007	XPORTLIC	
KIRSCH,D.F.	9008160132*	50-206	Q	LAINAS,G.C.	9008080286*	50-280	P	LIEBERMAN,J.	9008240008*	XPORTLIC	
KLEINSORGE,W.P.	9008130155*	50-335	Q	LAINAS,G.C.	9008100042*	50-338	P	LIMROTH,D.F.	9008080019*	50-293	Q
KLINE,J.L.	9008150192	50-254	G	LAKNER,A.	9003230172*	50-410	P	LIN,T.J.	9008230086*	50-259	P
KLINE,J.R.	9008010116	50-440	G	LAMBERSKI,J.	9008150228	50-424	G	LINEHAN,J.J.	9007300035	WASTE MGT	
KNAPP,M.R.	9008100097	70-1100	Q	LAMBERSKI,J.	9008150228	50-424	G	LINEHAN,J.J.	9008010207	WASTE MGT	
KNAPP,M.R.	9008160114	50-54	Q	LANKSBURY,R.D.	9008270033*	50-440	Q	LINEHAN,J.J.	9008010210	WASTE MGT	
KNAPP,M.R.	9008240109	70-1100	Q	LANNARTZ,J.	9008010228*	50-315	V	LINEHAN,J.J.	9008010219	WASTE MGT	
KNIGHT,N.R.	9008090134	50-289	S	LANNING,W.D.	9008070282*	50-458	Q	LINEHAN,J.J.	9008030354	WASTE MGT	
KNOP,R.C.	9008010149	50-461	Q	LANNING,W.D.	9008150122	50-458	Q	LINEHAN,J.J.	9008100304	WASTE MGT	
KNOP,R.C.	9008130294	50-305	Q	LANNING,W.D.	9008270005*	50-315	Q	LINEHAN,J.J.	9008100314	WASTE MGT	
KNOP,R.C.	9008130296*	50-305	Q	LARKINS,J.T.	9008020185	50-206	P	LINEHAN,J.J.	9008170191	WASTE MGT	
KNOP,R.C.	9008140156	50-264	Q	LARKINS,J.T.	9008030289*	50-528	P	LINEHAN,J.J.	9008170257	WASTE MGT	
KNOP,R.C.	9008210189	50-266	Q	LARKINS,J.T.	9008080292*	50-397	P	LINEHAN,J.J.	9008170261	WASTE MGT	
KNOP,R.C.	9008230165*	50-346	Q	LARKINS,J.T.	9008130183*	50-361	P	LINEHAN,J.J.	9008200095	WASTE MGT	
KNOP,R.C.	9008230167	50-346	Q	LARKINS,J.T.	9008150154*	50-397	P	LINEHAN,J.J.	9008210165	WASTE MGT	
KNOP,R.C.	9008230171*	50-346	Q	LARKINS,J.T.	9008150160*	50-206	P	LINEHAN,J.J.	9008210171	WASTE MGT	
KNOP,R.C.	9008270030	50-440	Q	LARKINS,J.T.	9008230092	50-397	P	LINEHAN,J.J.	9008220204	WASTE MGT	
KNOP,R.C.	9008270032*	50-440	Q	LARKINS,J.T.	9008230238*	50-206	P	LINEHAN,J.J.	9008220207	WASTE MGT	
KNOX-DAVIN,E.	9008010107	CONTRACT		LARKINS,J.T.	9008270092	50-275	P	LINEHAN,J.J.	9008220210	WASTE MGT	
KNOX-DAVIN,E.	9008020270	CONTRACT		LARKINS,J.T.	9008280182	50-361	P	LINEHAN,J.J.	9008280190	WASTE MGT	
KNOX-DAVIN,E.	9008020275	CONTRACT		LARKINS,J.T.	9008280185*	50-361	P	LINEBERGER,G.	9008150192	50-254	G
KNOX-DAVIN,E.	9008020282	CONTRACT		LARSON,G.S.	9007230315*	PROJ		LINTON,O.W.	9008150148	PR	
KNOX-DAVIN,E.	9008060206	CONTRACT		LARSON,R.G.	9007270193*	COMMISSION		LIPINSKI,R.E.	9008080197	NUREG	
KNOX-DAVIN,E.	9008280281	CONTRACT		LAVALLE,T.A.	9008100014	50-263	S	LITTLE,W.S.	9008080003*	50-327	Q
KOCHER,C.W.	9008060147	50-264	R	LAYMON,J.S.	9008220134*	50-259	V	LIU,W.C.	9008130306*	50-255	Q
KOFRON,K.L.	9008130280	50-456	S	LAZARUS,W.J.	9008100072*	50-272	Q	LIVERMORE,H.H.	9008270210*	50-390	Q
KOFRON,K.L.	9008140365	50-456	R	LAZO,R.M.	9008010068	50-271	G	LO,R.	9008140089	50-261	P
KOFRON,K.L.	9008230214	50-456	R	LAZO,R.M.	9008070178	50-424	G	LO,R.H.	9008020057	50-261	P
KOHL,C.N.	9008070247	50-250	G	LAZO,R.M.	9008150146	50-271	G	LO,R.H.	9008060087	50-261	P
KOHL,C.N.	9008280360*	PR		LAZO,R.M.	9008240179	50-271	G	LOFLIN,L.I.	9008030185	50-400	F
KOHL,C.N.	9008290005*	PR		LE,N.	9008090178*	50-324	P	LOFLIN,L.I.	9008060055	50-324	P
KOKAJKO,LE.	9007300123	50-361	P	LE,N.B.	9008220146	50-261	P	LOFLIN,L.I.	9008060305	50-261	P
KOKAJKO,LE.	9007310097	50-361	Q	LEBLANC,R.M.	9008090177	50-324	P	LOFLIN,L.I.	9008070156	50-261	P
KOKAJKO,LE.	9008100081	50-361	P	LEEDS,E.J.	9007310078*	40-7604		LOFLIN,L.I.	9008090101	50-400	P
KOKAJKO,LE.	9008130180	50-361	P	LEEDS,E.J.	9008020240	50-443	P	LOFLIN,L.I.	9008090152	50-324	Y
KOKAJKO,LE.	9008230074	50-361	Q	LEEDS,E.J.	9008020245	50-309	Q	LOFLIN,L.I.	9008130269	50-324	P
KOLTAY,P.S.	9008270005*	50-315	Q	LEEDS,E.J.	9008130230	50-443	P	LOFLIN,L.I.	9008130274	50-324	P
KON,M.	9008130280	50-456	S	LEFSTEIN,S.R.	9008070232	50-254	G	LOFLIN,L.I.	9008170082	50-324	K
KONDIC,N.N.	9008070371	NUREG		LEFSTEIN,S.R.	9008240162*	50-254	G	LOFLIN,L.I.	9008220170	50-324	R
KONKLIN,J.E.	9008070282*	50-458	Q	LEGER,M.E.	9007300015*	50-323	Q	LOFLIN,L.I.	9008230095	50-261	Q
KONKLIN,J.E.	9008270005*	50-315	Q	LEIGH,D.W.	9007270004*	50-146	I	LOHAUS,P.H.	9008100209	WASTE MGT	
KONWINSKI,G.R.	9008240234	40-8903		LEIST,S.M.	9008200183	71-9032		LOHAUS,P.H.	9008100215	WASTE MGT	
KONWINSKI,G.R.	9008270026	40-1162		LEIST,S.M.	9008220073	71-9032		LOHAUS,P.H.	9008140511	WASTE MGT	
KOPP,L.I.	9008200138	TOPREP		LEITCH,G.M.	9007310286	50-352	P	LOHAUS,P.H.	9008140512	27-48	
KOPP,M.J.	9008270037*	50-237	Q	LEITCH,G.M.	9008100296	50-352	V	LOHAUS,P.H.	9008160147	27-48	
KOSMIDER,M.D.	9007300018	40-3392		LEITCH,G.M.	9008130157	50-352	Q	LOHAUS,P.H.	9008220177	27-48	
KOSMIDER,M.D.	9008150102	PR		LEITCH,G.M.	9008150267	50-352	Q	LOHMEIER,A.	9008160031*	50-29	Q
KOTTAN,J.J.	9008080045*	50-293	Q	LEITCH,G.M.	9008150267	50-352	Q	LONG,R.L.	9007270165	50-320	H
KOVACH,T.J.	9008020272	50-295	Q	LEITCH,G.M.	9008160092	50-352	R	LONG,R.L.	9008010004	50-219	P
KOVACH,T.J.	9008030109	50-456	Q	LENAHAN,J.J.	9008210007*	50-338	Q	LONG,R.L.	9008020288	50-320	P
KOVACH,T.J.	9008070341	50-237	Q	LENNARTZ,J.	9008010181*	50-315	V	LONG,R.L.	9008100326	50-320	P
KOVACH,T.J.	9008090060	50-373	Q	LENT,N.F.	9008210022*	COMMISSION		LONG,R.L.	9008210139	50-320	R
KOVACH,T.J.	9008140032	50-373	F	LEONARD,J.D.	9008140186	50-322	H	LONG,R.L.	9008210141	50-320	P
KOVACH,T.J.	9008150110	PR		LEONARD,J.D.	9008140188	50-322	P	LONG,R.L.	9008210142	50-320	H

PERSONAL AUTHOR INDEX 241

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LOUX,R.R.	9008200025	WASTE MGT	MARION,A.	9008090016	REVIEW GR P	MCCABE,E.	9008230204	50-309 S
LOWERY,H.R.	9008030084	50-269 S	MARRIOTT,P.W.	9008100086	50-605 A	MCCABE,E.C.	9008070278*	50-244 Q
LOYSEN,P.	9008090359	PROJ	MARRIOTT,P.W.	9008130232	50-605 A	MCCABE,E.C.	9008200086*	50-443 Q
LOYSEN,P.	9008090372	PROJ	MARRIOTT,P.W.	9008240119	50-605 A	MCCANN,R.J.	9008140044	50-483 R
LOYSEN,P.	9008100329	PROJ	MARSH,L.B.	9008170074*	50-293 P	MCCONNELL,K.I.	9008070250	WASTE MGT
LOYSEN,P.	9008130214	PROJ	MARSHALL,B.M.	9007310011	50-338 S	MCCONNELL,T.L.	9007310217	50-369 S
LUCERO,D.A.	9008070412	NUREG	MARSHALL,B.M.	9007310013	50-338 P	MCCONNELL,T.L.	9008060100	50-369 S
LUEHMAN,J.	9008010223	50-320 Q	MARSHALL,B.M.	9007310014	50-338 P	MCCONNELL,T.L.	9008060117	50-369 S
LUEHMAN,J.	9008202175	50-348 Q	MARSHALL,B.M.	9008280309	50-338 P	MCCONNELL,T.L.	9008130292	50-369 S
LUNN,B.P.	9008150055	50-293 S	MARSHALL,S.W.	9008100225	27-48	MCCONNELL,T.L.	9008130303	50-369 S
LYASH,J.	9008060393	50-278 S	MARSTON,R.R.	9007270126*	50-348 Q	MCCORD,J.T.	9008310184	NUREG
LYON,W.F.	9008170214*	WASTE MGT	MARSTON,R.R.	9008200139*	50-259 Q	MCCORMICK,M.J.	9008100262	50-352 S
LYNCH,M.D.	9008230190	50-346 P	MARTIN,C.W.	9008060401	50-213 S	MCCORMICK,M.J.	9008160188	50-353 S
LYNCH,M.D.	9008240210	50-346 Q	MARTIN,J.B.	9008230058	50-244 Q	MCCORMICK,M.J.	9008160192	50-353 S
LYNOTT,J.A.	9008020089*	70-135	MARTIN,M.	9008020224	XPORTLIC	MCCUBBIN,S.	9008090004	CONTRACT
LYNOTT,J.A.	9008020116*	70-135	MARTIN,M.	9008020225*	XPORTLIC	MCCUBBIN,S.	9008090046	CONTRACT
LYNOTT,J.A.	9008020134	TOPREP	MARTIN,R.D.	9008060331	50-313 Q	MCCUBBIN,S.	9008090132	CONTRACT
LYSTER,M.D.	9007270109	50-440 I	MARTIN,R.D.	9008230203	50-482 I	MCCUBBIN,S.	9008090290	50-206 P
LYSTER,M.D.	9007310074	50-440 P	MARTIN,R.D.	9008240006	50-267 P	MCCUBBIN,S.	9008100012	CONTRACT
LYSTER,M.D.	9008070025	50-440 Q	MARTIN,R.E.	9008070139	50-220 P	MCCUBBIN,S.	9008220132	50-259 V
LYSTER,M.D.	9008090080	50-440 S	MARTIN,R.E.	9008080296	50-220 P	MCCUBBIN,S.	9008280327	CONTRACT
LYSTER,M.D.	9008130167	50-440 S	MARTIN,R.E.	9008090205	50-410 P	MCDIARMID,R.C.	9008090415	50-275 Q
LYSTER,M.D.	9008130226	50-440 S	MARTIN,R.E.	9008090209	50-220 P	MCDONALD,D.G.	9007300020	50-317 P
LYSTER,M.D.	9008130265	50-440 S	MARTIN,R.E.	9008230145	50-410 P	MCDONALD,D.G.	9008100060	50-317 P
LYSTER,M.D.	9008170227	50-440 R	MARTIN,R.E.	9008230240	50-410 P	MCDONALD,D.G.	9008140082	50-318 P
LYSTER,M.D.	9008200042	71-9073	MARTIN,R.M.	9008280313	71-552	MCDONALD,D.G.	9008140087*	50-318 P
LYSTER,M.D.	9008220190	50-440 Q	MARTIN,T.T.	9008070061	50-220 P	MCDONALD,D.G.	9008270042	50-317 P
LYSTER,M.D.	9008270133	50-440 S	MARTIN,T.T.	9008070126	50-320 Q	MCDOW,J.	9008070128	50-440 G
MACDONALD,C.E.	9007300012	70-1252	MARTIN,T.T.	9008070127*	50-320 Q	MCHELHINNEY,T.F.	9008080117*	50-250 Q
MACDONALD,C.E.	9007300045	71-185	MARTIN,T.T.	9008070136	50-245 Q	MCGAHA,J.R.	9008060351	50-382 S
MACDONALD,C.E.	9007300047*	71-185	MARTIN,T.T.	9008070137*	50-245 Q	MCGAHA,J.R.	9008070098	50-382 S
MACDONALD,C.E.	9007300053	71-149	MARTIN,T.T.	9008070144	50-320 Q	MCGAHA,J.R.	9008080323	50-382 S
MACDONALD,C.E.	9007300057*	71-149	MARTIN,T.T.	9008070146*	50-320 Q	MCGAHA,J.R.	9008230217	50-382 S
MACDONALD,C.E.	9007300071	71-9218	MARTIN,T.T.	9008090395	50-220 Q	MCGARRY,J.M.	9008060225*	FOIA
MACDONALD,C.E.	9007300098	71-9053	MARTIN,T.T.	9008100094	50-289 Q	MCGRATH,R.J.	9008210035*	COMMISSION
MACDONALD,C.E.	9007300137	71-9788	MARTIN,T.T.	9008100200	50-322 P	MCGUIRE,D.R.	9007260118*	50-302 Q
MACDONALD,C.E.	9007300138*	71-9788	MARTIN,T.T.	9008100222	50-443 P	MCGUIRE,D.R.	9008010109*	50-269 Q
MACDONALD,C.E.	9008010172	50-186 P	MARTIN,T.T.	9008100227	50-244 P	MCGUIRE,D.R.	9008010214*	50-250 Q
MACDONALD,C.E.	9008070182	71-9036	MARTIN,T.T.	9008100232	50-271 P	MCGUIRE,D.R.	9008030133*	50-338 Q
MACDONALD,C.E.	9008070186	71-6722	MARTIN,T.T.	9008130181	50-293 P	MCGUIRE,D.R.	9008080034*	70-1252 Q
MACDONALD,C.E.	9008070192	71-9192	MARTIN,T.T.	9008130184	50-317 P	MCGUIRE,D.R.	9008130135*	50-348 Q
MACDONALD,C.E.	9008080072	71-6294	MARTIN,T.T.	9008130186	50-309 P	MCINTYRE,R.P.	9008080045*	QA999
MACDONALD,C.E.	9008080075*	71-6294	MARTIN,T.T.	9008130187	50-277 P	MCKENNEY,S.S.	9008280330	70-25
MACDONALD,C.E.	9008090197	71-5088	MARTIN,T.T.	9008130189	50-387 P	MCKERNON,T.O.	9008060304*	50-298 Q
MACDONALD,C.E.	9008090213	71-5797	MARTIN,T.T.	9008130190	50-245 P	MCLAUGHLIN,A.	9008150141	PR
MACDONALD,C.E.	9008090215	71-9030	MARTIN,T.T.	9008130191	50-213 P	MCLAUGHLIN,J.E.	9008020196	50-142 H
MACDONALD,C.E.	9008090216	71-9033	MARTIN,T.T.	9008130192	50-220 P	MENAMARA,N.T.	9008080045*	50-293 Q
MACDONALD,C.E.	9008090217	71-9079	MARTIN,T.T.	9008130193	50-286 P	MCPECK,E.	9007260118*	50-302 Q
MACDONALD,C.E.	9008100140	71-390	MARTIN,T.T.	9008130195	50-272 P	MCSWIGGIN,T.G.	9008220165*	50-461 Q
MACDONALD,C.E.	9008100144	71-135	MARTIN,T.T.	9008130196	50-29 P	MEACHAM,J.M.	9008090382	50-298 S
MACDONALD,C.E.	9008100151	71-315	MARTIN,T.T.	9008130197	50-247 P	MEACHAM,J.M.	9008140054	50-298 R
MACDONALD,C.E.	9008100170	70-1966	MARTIN,T.T.	9008130198	50-334 P	MECK,K.	9008160105*	50-352 R
MACDONALD,C.E.	9008100174*	70-1966	MARTIN,T.T.	9008130200	50-219 P	MECK,K.	9008160108*	50-352 R
MACDONALD,C.E.	9008100176	71-387	MARTIN,T.T.	9008160195	50-277 Q	MECREDY,R.C.	9007310018	50-244 P
MACDONALD,C.E.	9008100177	71-552	MASCIANTONIO,A.	9008140269	50-155 P	MECREDY,R.C.	9007310157	50-244 F
MACDONALD,C.E.	9008130271	71-5805	MASCIANTONIO,A.	9008230212	50-155 Q	MECREDY,R.C.	9008070315	50-244 F
MACDONALD,C.E.	9008130273	71-5830	MASCIANTONIO,A.	9008240048	50-155 P	MECREDY,R.C.	9008080300	50-244 S
MACDONALD,C.E.	9008140198	71-361	MASNIK,M.T.	9008080304	50-320 P	MECREDY,R.C.	9008210156	50-244 R
MACDONALD,C.E.	9008140201*	71-361	MASNYK,O.M.	9008010109*	50-269 Q	MECREDY,R.C.	9008230006	50-244 Q
MACDONALD,C.E.	9008150239	71-9151	MATHEW,R.K.	9008070296*	50-272 Q	MECREDY,R.C.	9008230153	50-244 Q
MACDONALD,C.E.	9008150240*	71-9151	MATHIS,J.L.	9008100113*	50-416 Q	MECREDY,R.C.	9008230155	50-244 P
MACDONALD,C.E.	9008200173	71-9181	MATTHEWS,D.B.	9008070131*	50-424 P	MECREDY,R.C.	9008230157	50-244 Q
MACDONALD,C.E.	9008200174*	71-9181	MATTHEWS,D.B.	9008080312*	50-424 P	MECREDY,R.C.	9008230231	50-244 Q
MACDONALD,C.E.	9008200177	71-9056	MATTHEWS,D.B.	9008150103	50-369 P	MEDFORD,M.O.	9008020136	50-327 P
MACDONALD,C.E.	9008200179*	71-9056	MATTHEWS,D.B.	9008170068	50-269 P	MEDFORD,M.O.	9008030102	50-390 S
MACDONALD,C.E.	9008200184	71-9204	MATTHEWS,D.B.	9008230147*	50-369 P	MEDFORD,M.O.	9008030140	50-390 Q
MACDONALD,C.E.	9008220174	71-702	MATTHEWS,D.B.	9008240202*	50-413 P	MEDFORD,M.O.	9008030172	50-390 S
MACDONALD,C.E.	9008230023	71-9218	MATTHEWS,M.L.	9007300056	WASTE MGT	MEDFORD,M.O.	9008080152	50-390 K
MACDONALD,C.E.	9008240129	70-3020	MATTHEWS,M.L.	9008060365	WASTE MGT	MEDFORD,M.O.	9008090118	50-390 Q
MACDONALD,C.E.	9008270117	71-9001	MATTHEWS,M.L.	9008150243	WASTE MGT	MEDFORD,M.O.	9008090142	50-390 Q
MACDOUGALL,E.	9008070370	NUREG	MATTHEWS,M.L.	9008170143	WASTE MGT	MEDFORD,M.O.	9008150281	50-259 Q
MADEDA,T.J.	9008010136*	50-456 Q	MATTHEWS,M.L.	9008230055	WASTE MGT	MEDFORD,M.O.	9008160213	50-259 Q
MADSEN,G.J.	9008100262	50-352 S	MATTINGLY,P.A.	9008080187	NUREG	MEDFORD,M.O.	9008240079	50-260 Q
MADSEN,G.J.	9008160188	50-353 S	MATTINGLY,P.A.	9008310184	NUREG	MEDFORD,M.O.	9008240083	50-259 Q
MADSEN,G.J.	9008160192	50-353 S	MAULDIN,G.W.	9008030122*	50-390 A	MEEHAN,B.	9008010148	CONTRACT
MALAKHOV,F.	9008080216*	50-267 P	MAXWELL,D.C.	9008170254	50-10 R	MEEHAN,B.	9008220018	CONTRACT
MALAKHOV,F.	9008080218*	50-267 P	MAZUMDAR,S.	9007310012*	ORG	MEEHAN,B.	9008270156	CONTRACT
MALLET,B.	9008230121	I&E	MCALPINE,E.	9008200129*	70-143	MELLOR,R.A.	9008020071	50-29 S
MALLET,B.S.	9008100274	70-36	MCALPINE,E.J.	9007270112*	70-115	MELLOR,R.A.	9008060102	50-29 S
MALODY,C.W.	9008060101	70-1257	MCALPINE,E.J.	9008200119*	70-27	MERRIWEATHER,N.	9007270035*	50-413 Q
MALODY,C.W.	9008150208	PR	MCALPINE,E.J.	9008210001	I&E	MERSCHOFF,E.W.	9007260132	50-324 Q
MALODY,C.W.	9008220020	70-1257	MCALPINE,E.J.	9008230021	70-113	MERSCHOFF,E.W.	9007260170	50-324 Q
MANAKTALA,H.K.	9008160120	WASTE MGT	MCALPINE,E.J.	9008280332*	70-143	MERSCHOFF,E.W.	9007270017	50-280 Q
MANN,D.	9008100182*	50-29 Q	MCBREARY,R.A.	9008100125*	50-354 Q	MERSCHOFF,E.W.	9008200115	50-424 Q
MANNING,F.	9008030121*	50-295 S	MCBREARY,R.A.	9008160016*	50-293 Q	MERSCHOFF,E.W.	9008200124	50-261 Q
MANNING,F.M.	9008030126	50-295 S	MCBRYDE,S.K.	9008210010	71-9006	MERSCHOFF,E.W.	9008210152	50-302 Q
MARGULIES,M.B.	9008010174	50-603 S	MCBURNETT,M.A.	9008070012	50-498 F	MERSCHOFF,E.W.	9008210186	50-280 P
MARINOIS,E.C.	9008140178*	50-260 Q	MCBURNETT,M.A.	9008160082	50-498 R	MESERVE,R.A.	9008240128	40-2061

242 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MESERVE, R.A.	9008240128	40-2061	MINNERS, W.	9008200033	NUREG	MROCZKA, E.J.	9008100111	50-336 P
MESTEPEY, J.H.	9008230129	TOPREP	MIRAGLIA, F.J.	9006070201*	FOIA	MROCZKA, E.J.	9008130083	50-336 P
MEYER, D.L.	9003240161	PRM	MLYNAREK, M.G.	9008140036	50-255 R	MROCZKA, E.J.	9008130083	50-336 P
MEYER, D.L.	9003280328*	PR	MOBERG, A.J.	9008150296	PR	MROCZKA, E.J.	9008130088	50-336 P
MEYER, D.L.	9008280345*	PR	MOGNIAK, M.J.	9007300066	40-7580	MROCZKA, E.J.	9008130088	50-336 P
MEYER, G.	9008060374	50-220 S	MODENOS, L.P.	9008280314*	50-395 Q	MROCZKA, E.J.	9008130229	50-245 P
MEYER, G.	9008060368	50-220 S	MOELLER, D.W.	9008100173	50-130 P	MROCZKA, E.J.	9008130229	50-245 P
MEYER, G.W.	9008060114*	50-333 Q	MOELLER, D.W.	9008130126	ADVCM	MROCZKA, E.J.	9008150064	50-336 P
MEYER, G.W.	9003070053*	50-220 Q	MONACO, C.M.	9008010260*	COMMISSION	MROCZKA, E.J.	9008150064	50-336 P
MEYER, G.W.	9008080129	50-247 Q	MONTEITH, L.K.	9007310127	50-297 I	MROCZKA, E.J.	9008170002	50-336 P
MEYER, G.W.	9008080143*	50-286 Q	MONTGOMERY, C.R.	9008030083*	50-146 I	MROCZKA, E.J.	9008170002	50-336 P
MEYER, G.W.	9008100183*	50-333 Q	MOORE, J.E.	9008070150	50-250 G	MROCZKA, E.J.	9008170003	50-213 P
MEYER, G.W.	9008160181	50-333 Q	MOORE, J.E.	9008070198	50-250 G	MROCZKA, E.J.	9008170003	50-213 P
MEYER, W.A.	9008100136	71-5957	MOORE, J.E.	9008150218	50-250 Q	MROCZKA, E.J.	9008170004	50-213 P
MICHAUD, P.W.	9008270071*	40-8681	MOORE, L.R.	9007270120*	50-321 G	MROCZKA, E.J.	9008170004	50-213 P
MICHAUD, P.W.	9008280366*	40-8902	MOORMAN, J.H.	9008200135*	50-327 Q	MROCZKA, E.J.	9008200093	50-213 F
MICHELSON, C.	9008060166	ACRS	MORAN, D.H.	9008280187*	50-259 P	MROCZKA, E.J.	9008200093	50-213 F
MICHELSON, C.	9008060170	ACRS	MORAN, D.H.	9008070210	50-443 G	MROCZKA, E.J.	9008200093	50-213 F
MICHELSON, C.	9008200010	ACRS	MORELOCK, T.C.	9008070334	NUREG	MROCZKA, E.J.	9008220205	50-423 Q
MICHELSON, C.	9008200012	ACRS	MOREY, D.N.	9008010044	50-348 S	MROCZKA, E.J.	9008220205	50-423 Q
MICHELSON, C.	9008210009	ACRS	MOREY, D.N.	9008080151	50-364 S	MROCZKA, E.J.	9008220220	50-213 P
MILES, K.	9008100298*	50-528 Q	MOREY, D.N.	9008080256	50-348 S	MROCZKA, E.J.	9008220220	50-213 P
MILIAN, L.W.	9008070400	NUREG	MOREY, D.N.	9008170014	50-348 R	MROCZKA, E.J.	9008230106	50-213 P
MILLAR, D.	9007310161	50-368 S	MOREY, D.N.	9008170017	50-364 R	MROCZKA, E.J.	9008230106	50-213 P
MILLAR, D.	9008070332	50-368 S	MORGAN, H.E.	9008010188	50-261 S	MROCZKA, E.J.	9008240063	50-245 Q
MILLAR, D.	9008200077	50-368 S	MORGAN, H.E.	9008020086	50-361 S	MROCZKA, E.J.	9008240063	50-245 Q
MILLAR, D.	9008210086	50-368 S	MORGAN, H.E.	9008020169	50-361 S	MROCZKA, E.J.	9008270134	50-213 P
MILLER, C.A.	9008070352	NUREG	MORGAN, H.E.	9008130164	50-206 S	MROCZKA, E.J.	9008270134	50-213 P
MILLER, C.A.	9008070356	NUREG	MORGAN, H.E.	9008130202	50-206 S	MROCZKA, E.J.	9008270149	50-213 P
MILLER, C.A.	9008070359	NUREG	MORGAN, H.E.	9008210088	50-206 S	MROCZKA, E.J.	9008270149	50-213 P
MILLER, D.	9008080342	50-361 V	MORGAN, H.E.	9008240098	50-361 S	MUDLIN, J.D.	9008080272*	50-244 Q
MILLER, D.B.	9008030120	50-277 Q	MORGAN, R.E.	9008140401	50-261 R	MULDER, R.U.	9007260268	50-396 P
MILLER, D.B.	9008100263	50-277 Q	MORGAN, R.E.	9008270038	50-261 P	MULDER, R.U.	9007270020	50-62 P
MILLER, D.B.	9008220084	50-277 R	MORGAN, R.E.	9008280372	50-261 V	MULDER, R.U.	9008080311	50-396 P
MILLER, G.	9007270198*	COMMISSION	MORGAN, W.E.	9007300029	50-10 I	MULLEY, G.A.	9008030260	50-293 Q
MILLER, G.E.	9008070322	50-326 R	MORGAN, W.E.	9007300034	50-373 P	MUNRO, J.	9008080095*	50-324 V
MILLER, H.J.	9007310243	50-263 P	MORGAN, W.E.	9008010193	50-373 P	MUNRO, J.F.	9008200135*	50-327 V
MILLER, H.J.	9007310254	50-266 V	MORGAN, W.E.	9008090022	50-10 P	MUNRO, J.F.	9008220067*	50-324 V
MILLER, H.J.	9007310257	50-305 V	MORGAN, H.E.	9008060358	50-362 S	MUNRO, W.	9008220118	50-293 P
MILLER, H.J.	9007310275	50-341 V	MORGENEGG, M.	9008080062	XPORTLIC	MURLEY, T.E.	9007310068	50-259 P
MILLER, H.J.	9007310277	50-263 V	MORRELL, M.P.	9007310120	50-146 I	MURLEY, T.E.	9008030222	ORG
MILLER, H.J.	9008010029	50-440 V	MORRILL, P.	9008010041	50-275 S	MURLEY, T.E.	9008060379	ORG
MILLER, H.J.	9008010035	50-483 V	MORRIS, J.S.	9008270078*	70-270	MURLEY, T.E.	9008060247	50-327 U
MILLER, H.J.	9008010039	50-331 V	MORRIS, P.A.	9008240186*	50-255 P	MURLEY, T.E.	9008130066	PROJ
MILLER, H.J.	9008010046	50-315 V	MORRIS, P.A.	9008240189*	50-255 P	MURLEY, T.E.	9008280265	ORG
MILLER, H.J.	9008010048	50-346 V	MORRIS, P.A.	9008240191*	50-255 P	MURPHY, K.E.	9008230158	50-245 S
MILLER, H.J.	9008010052	50-461 V	MORRISON, M.	9008270165*	CONTRACT	MURPHY, M.E.	9008010084*	50-602 Q
MILLER, H.J.	9008010056	50-155 V	MORRISON, M.	9008210119	50-311 R	MURPHY, M.E.	9008010226*	50-298 Q
MILLER, H.J.	9008010062	50-10 V	MORRISON, M.	9008210129	50-272 R	MURPHY, M.E.	9008280249*	50-285 F
MILLER, H.J.	9008010139	50-263 Q	MORTENSON, S.C.	9008170026*	50-333 P	MURPHY, W.P.	9007260003	50-271 F
MILLER, H.J.	9008010144*	50-263 Q	MOSER, S.W.	9008170230*	50-369 R	MURPHY, W.P.	9007270203	50-271 F
MILLER, H.J.	9008060265	50-305 Q	MOSER, S.W.	9008170237*	50-413 R	MURPHY, W.P.	9008140350	50-271 R
MILLER, H.J.	9008060266*	50-305 Q	MOSER, S.W.	9008170247*	50-269 R	MURPHY, W.P.	9008200087	50-271 V
MILLER, H.J.	9008090163	50-331 V	MOWRY, W.R.	9008150302	PR	MURRAY, B.	9008030101*	50-382 Q
MILLER, H.J.	9008160200	50-454 V	MOYERS, J.C.	9008070332	NUREG	MURRAY, B.	9008060259*	50-602 Q
MILLER, H.J.	9008220180	50-295 Q	MROCZKA, E.J.	9007160156	50-245 P	MURRAY, B.	9008070122*	50-267 Q
MILLER, H.J.	9008220182*	50-295 Q	MROCZKA, E.J.	9007160156	50-245 P	MURRAY, B.	9008270009*	50-445 Q
MILLER, H.J.	9008270035	50-237 Q	MROCZKA, E.J.	9007270009	50-245 P	MUSSER, R.A.	9007270120*	50-321 Q
MILLER, H.J.	9008270036*	50-237 Q	MROCZKA, E.J.	9007270009	50-245 P	MYERS, H.	9008080249*	50-327 U
MILLER, L.	9008160013*	50-243 V	MROCZKA, E.J.	9007270011	50-245 P	MYERS, J.R.	9008090382	50-298 S
MILLER, L.F.	9008130163*	50-528 Q	MROCZKA, E.J.	9007270011	50-245 P	MYERS, T.J.	9008010071	50-346 F
MILLER, L.F.	9008160190*	50-361 R	MROCZKA, E.J.	9007270107	50-423 P	NAGEL, R.E.	9008220032	50-312 R
MILLER, L.K.	9007310015	50-272 V	MROCZKA, E.J.	9007270107	50-423 P	NAIR, P.	9008170212	WASTE MGT
MILLER, L.K.	9008010012	50-272 S	MROCZKA, E.J.	9007310185	50-423 P	NAIR, P.K.	9008010130	WASTE MGT
MILLER, L.K.	9008030037	50-311 S	MROCZKA, E.J.	9007310185	50-423 P	NANDY, F.R.	9007270012	50-362 P
MILLER, L.K.	9008030040	50-311 S	MROCZKA, E.J.	9007310189	50-245 P	NANDY, F.R.	9007270186	50-206 P
MILLER, L.K.	9008140055	50-272 S	MROCZKA, E.J.	9007310189	50-245 P	NANDY, F.R.	9007300101	50-206 P
MILLER, L.K.	9008140060	50-311 S	MROCZKA, E.J.	9008010202	50-213 P	NANDY, F.R.	9008010008	50-206 S
MILLER, L.K.	9008140063	50-272 S	MROCZKA, E.J.	9008010202	50-213 P	NANDY, F.R.	9008010055	50-206 P
MILLER, L.K.	9008210119	50-311 R	MROCZKA, E.J.	9008020144	50-336 Q	NANDY, F.R.	9008010060	50-206 P
MILLER, L.K.	9008210129	50-272 R	MROCZKA, E.J.	9008020144	50-336 Q	NANDY, F.R.	9008010124	50-206 P
MILLER, L.K.	9008210155	50-272 S	MROCZKA, E.J.	9008020166	50-213 P	NANDY, F.R.	9008020192	50-361 P
MILLER, L.K.	9008210161	50-272 S	MROCZKA, E.J.	9008020166	50-213 P	NANDY, F.R.	9008020193	50-361 P
MILLER, L.K.	9008210167	50-311 S	MROCZKA, E.J.	9008020248	50-245 F	NANDY, F.R.	9008020195	50-361 S
MILLER, L.K.	9008230032	50-272 S	MROCZKA, E.J.	9008020248	50-245 F	NANDY, F.R.	9008020208	50-206 F
MILLER, L.K.	9008270131	50-311 S	MROCZKA, E.J.	9008060376	50-423 Q	NANDY, F.R.	9008060044	50-361 Q
MILLER, M.	9007270035*	50-413 Q	MROCZKA, E.J.	9008060376	50-423 Q	NANDY, F.R.	9008060049	50-206 P
MILLER, R.L.	9008240045*	50-206 P	MROCZKA, E.J.	9008070002	50-213 P	NANDY, F.R.	9008060072	50-206 S
MILLS, L.E.	9008210102	PRM	MROCZKA, E.J.	9008070002	50-213 P	NANDY, F.R.	9008070015	50-206 P
MILSTEAD, W.	9008070346	NUREG	MROCZKA, E.J.	9008070216	50-245 F	NANDY, F.R.	9008140191	50-361 P
MINECK, D.L.	9007310196	50-331 I	MROCZKA, E.J.	9008070216	50-245 F	NANDY, F.R.	9008180020	50-206 P
MINECK, D.L.	9008030345	50-331 P	MROCZKA, E.J.	9008070354	50-245 R	NANDY, F.R.	9008160145	50-361 P
MINECK, D.L.	9008070119	50-331 F	MROCZKA, E.J.	9008070354	50-245 R	NANDY, F.R.	9008210132	50-206 R
MINECK, D.L.	9008070375	50-331 V	MROCZKA, E.J.	9008080406	50-213 Q	NANDY, F.R.	9008220022	50-206 R
MINECK, D.L.	9008090168	50-331 V	MROCZKA, E.J.	9008080406	50-213 Q	NANDY, F.R.	9008220045	50-361 R
MINECK, D.L.	9008090416	50-331 P	MROCZKA, E.J.	9008090029	50-423 P	NANDY, F.R.	9008270191	50-361 Q
MINECK, D.L.	9008230024	50-331 F	MROCZKA, E.J.	9008090029	50-423 P	NAPIER, B.A.	9008020304*	27-48
MINNERS, W.	9008090067	GEN TEC I	MROCZKA, E.J.	9008100111	50-336 P	NARBUT, P.	9008010041	50-275 S

PERSONAL AUTHOR INDEX 243

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NARDI,A.J.	9008150120	PR	OLSEN,A.F.	9008170196	70-27	PASSWATER,A.C.	9008130288	50-483 P
NARDI,A.J.	9008170219	70-1100	OLSEN,A.F.	9008170208	70-27	PATE,R.J.	9008020129	70-1203
NARDI,A.J.	9008220189	71-708	OLSEN,A.F.	9008170209	70-27	PATE,R.J.	9008060313	70-754
NARDI,A.J.	9008280325	71-259	OLSEN,A.F.	9008170226	70-27	PATE,R.J.	9008270270	70-734
NARDONE,P.	9008200073	50-443 R	OLSEN,A.F.	9008200006	70-27	PATE,R.J.	9008270273*	70-734
NAZAR,M.K.	9007310056	50-369 P	OLSEN,A.F.	9008220093	70-27	PATE,R.J.	9008270274*	70-734
NEASE,R.L.	9008240176	REVIEW GR P	ORDERS,W.T.	9008080079*	50-413 Q	PATTERSON,C.A.	9008240085*	50-259
NEELY,H.H.	9008070338	NUREG	ORR,K.A.	9008090002*	STATE PRO G	PAUL,R.	9008060268*	50-305
NEELY,L.W.	9008240144	50-389 S	ORRIS,K.	9008170269*	50-454 R	PAUL,R.A.	9008020032*	50-255
NEFF,J.O.	9008220029	70-8	ORRIS,K.	9008170270*	50-454 R	PAULK,C.J.	9008060300*	50-458 Q
NEIGHBORS,J.D.	9008170086	50-286 P	ORSER,W.S.	9007310077	50-341 S	PAUSTIAN,H.H.	9008140324	50-263 R
NEIGHBORS,J.D.	9008170199	50-286 P	ORSER,W.S.	9007310100	50-16 I	PAYNE,A.C.	9008150135	50-277 P
NEIGHBORS,J.D.	9008230052	50-286 Q	ORSER,W.S.	9007310104	50-341 I	PAYNE,D.F.	9008100015*	CONTRACT
NEILL,R.H.	9007310017	WASTE MGT	ORSER,W.S.	9007310159	50-341 F	PECK,D.L.	9008150299*	COMMISSION
NEILL,R.H.	9008130310	WASTE MGT	ORSER,W.S.	9008090021	50-341 Q	PEDERSEN,R.M.	9008230053	50-269 N
NEISLER,J.H.	9008010003*	50-282 Q	ORSER,W.S.	9008090027	50-341 Q	PEEBLES,T.	9008210116*	50-259 Q
NEJFELT,H.	9008240027*	CONTRACT	ORSER,W.S.	9008130077	50-341 P	PEEBLES,T.A.	9007260141	50-250 Q
NELSON,J.H.	9008280348	WASTE MGT	ORSER,W.S.	9008130085	50-341 P	PEEBLES,T.A.	9008080095*	50-324 V
NELSON,P.R.	9008080301	TOPREP	ORSER,W.S.	9008130107	50-341 P	PEEBLES,T.A.	9008200145	50-335 Q
NELSON,P.R.	9008080301	TOPREP	ORSER,W.S.	9008130119	50-341 P	PEEBLES,T.A.	9008220026	50-160 V
NELSON,P.R.	9008140272	TOPREP	ORSER,W.S.	9008130145	50-341 P	PEEBLES,T.A.	9008220065	50-324 V
NERON,G.	9008140042	50-336 P	ORSER,W.S.	9008210150	50-341 R	PEEBLES,T.A.	9008220067*	50-324 V
NERSES,V.	9007300118	50-443 P	ORSER,W.S.	9008220083	50-341 Q	PEEBLES,T.A.	9008220116	50-416 P
NERSES,V.	9007300120*	50-443 P	ORSER,W.S.	9008220140	50-341 P	PEEBLES,T.A.	9008270229	50-335 V
NERSES,V.	9008060062*	50-29 P	ORSER,W.S.	9008230175	50-341 S	PELLETIER,R.F.	9008080059	WASTE MGT
NERSES,V.	9008070374*	50-29 P	ORTCIGER,T.W.	9008210075	40-2061	PELUSO,L.	9008070117*	50-245 Q
NERSES,V.	9008160051	50-443 P	OSBORNE,M.P.	9008150143*	50-348 P	PENDERGAST,J.M.	9008230175	50-341 S
NEWBERRY,S.	9008140178*	50-260 P	OWEN,T.B.	9007310215	50-413 S	PENNICK,H.G.	9008010133*	WASTE MGT
NEWBURGH,G.	9008140385	50-245 P	OWEN,T.B.	9008060330	50-414 S	PENNINGTON,W.S.	9008210044*	70-143
NEWBURGH,G.	9008140385	50-245 P	OWEN,T.B.	9008130174	50-413 S	PENNINGTON,W.S.	9008210061*	40-3392
NEWMAN,H.J.	9008140136	27-48	OWEN,T.B.	9008160210*	50-413 F	PENNINGTON,W.S.	9008210064*	40-3392
NEWMAN,H.J.	9008170166	27-48	PADOVAN,L.	9008270203*	50-302 S	PENNINGTON,W.S.	9008270226*	70-1257
NEWMAN,H.J.	9008170194	27-48	PADOVAN,L.M.	9008270201	50-302 S	PERRY,J.S.	9008020278	50-461 S
NEWSOME,R.W.	9008130133*	50-413 P	PAGEL,J.W.	9008160109	PR	PERRY,J.S.	9008130212	50-461 P
NICHOLAS,J.B.	9008070122*	50-267 Q	PAINE,D.	9008140519	70-143	PERSHING,D.W.	9007270209	50-72 I
NICHOLAS,J.B.	9008270009*	50-445 Q	PAINE,D.	9008170182	70-143	PERSON,J.C.	9008070328	50-410 Q
NICHOLS,R.T.	9008310209	NUREG	PAINE,D.	9008170186	70-143	PERSON,L.	9008100171*	50-271 Q
NICHOLS,S.E.	9008170110	50-309 P	PAINE,D.	9008170203	70-143	PETERMAN,K.W.	9008010016	50-237 S
NICHOLS,S.E.	9008230237	50-309 P	PAINE,D.	9008170213	70-143	PETERSON,G.C.	9008240252	50-400 F
NICHOLS,S.E.	9008240145	50-309 P	PAINE,D.	9008170215	70-143	PETERSON,H.	9008090165*	50-331 V
NICKLES,D.	9008140105*	PR	PAINE,D.	9008200003	70-143	PETERSON,S.K.	9008010191	50-263 S
NIMITZ,R.L.	9008080081*	50-354 Q	PAINE,D.	9008210030	70-143	PETERSON,S.K.	9008010216	50-263 S
NINH,S.	9008080276*	50-369 Q	PAINE,D.	9008280305	70-143	PETERSON,S.R.	9008030287	50-528 S
NINH,S.	9008270115*	50-369 S	PAINE,D.P.	9008200004	70-143	PETERSON,S.R.	9008130057	50-528 P
NOONAN,T.P.	9008060114	50-412 S	PALLA,R.L.	9008160048	REVIEW GR P	PETERSON,S.R.	9008230096	50-528 P
NOONAN,T.P.	9008150251	50-334 S	PAOLINO,R.	9008200080*	50-423 Q	PETERSON,S.R.	9008230099	50-528 Q
NOONAN,T.P.	9008270140	50-334 Q	PAPANIC,G.	9008010192	50-29 Q	PETERSON,S.R.	9008230188	50-528 Q
NORELIUS,C.E.	9008020030	50-255 Q	PAPANIC,G.	9008130203	50-29 P	PETROSINO,J.J.	9008100036*	QA999
NORELIUS,C.E.	9008020163	50-266 Q	PAPANIC,G.	9008200081	50-29 S	PEVEY,L.E.	9006200047	70-398
NORELIUS,C.E.	9008020164*	50-266 Q	PAPANIC,G.	9008270017	50-29 P	PHILIPPACOPULO	9008070352	NUREG
NORELIUS,C.E.	9008090047	50-295 Q	PARIS,O.H.	9008010174	50-603 G	PHILIPPACOPULO	9008070356	NUREG
NORRIS,B.S.	9008070087*	50-289 P	PARKER,F.L.	9008280145	WASTE MGT	PHILIPPACOPULO	9008070359	NUREG
NORRIS,J.	9008070262	50-250 P	PARKER,T.M.	9008100033	50-263 P	PHILIPS,J.	9008020294	50-499 S
NORRIS,J.A.	9008070382	50-389 P	PARKER,T.M.	9008010063	50-282 S	PHILIPS,J.	9008060260	FOIA
NORRY,P.G.	9008020139	ORG	PARKER,T.M.	9008010191	50-263 S	PHILIPS,J.	9008070325	FOIA
NORRY,P.G.	9008080213	ORG	PARKER,T.M.	9008010216	50-263 S	PHILIPS,J.	9008090155	50-498 Q
NORRY,P.G.	9008080371*	ORG	PARKER,T.M.	9008020108	50-263 Q	PHILIPS,J.D.	9008060182	FOIA
NORTHERN,S.S.	9008220125*	CONTRACT	PARKER,T.M.	9008030110	50-263 K	PHILIPS,J.D.	9008060202	40-8027
NOURBAKHSH,H.P.	9008070396	NUREG	PARKER,T.M.	9008030149	50-263 P	PHILIPS,J.D.	9008060219	FOIA
NOVAK,D.	9008030348*	40-2061	PARKER,T.M.	9008030227	50-282 S	PHILIPS,J.D.	9008060236	FOIA
NOVAK,T.M.	9007310009	ORG	PARKER,T.M.	9008060273	50-282 P	PHILIPS,J.D.	9008070268	70-135
NOVAK,T.M.	9008030119	50-295 S	PARKER,T.M.	9008060310	50-263 P	PHILIPS,J.D.	9008070330	50-410 P
NOVAK,T.M.	9008170135	50-323 S	PARKER,T.M.	9008060316*	50-263 P	PHILIPS,J.D.	9008070335	FOIA
O'CONNELL,P.	9008070238*	50-271 Q	PARKER,T.M.	9008070035	50-282 Q	PHILIPS,J.D.	9008070342	FOIA
O'CONNELL,P.	9008100182*	50-29 Q	PARKER,T.M.	9008100014	50-263 S	PHILIPS,J.D.	9008090151	FOIA
O'CONNELL,P.V.	9008100099*	70-1100	PARKER,T.M.	9008130061	50-263 F	PHILIPS,J.D.	9008090186	FOIA
O'CONNOR,D.J.	9008060337	50-334 J	PARKER,T.M.	9008140324	50-263 R	PHILIPS,J.D.	9008140069	FOIA
O'CONNOR,W.T.	9008060274	TOPREP	PARKER,T.M.	9008140339	50-282 R	PHILLIPS,M.P.	9008010146*	50-263 Q
O'NEILL,P.	9008280167	50-455 S	PARKER,T.M.	9008150272	50-282 S	PHILLIPS,T.	9008160093	50-338 R
OBRIEN,J.G.	9008060338	40-8610	PARKER,T.M.	9008220010	71-9238	PICKETT,D.V.	9008020207	50-482 P
OCHS,R.	9008030371*	COMMISSION	PARKER,T.M.	9008220069	50-282 S	PICKETT,D.V.	9008030044	50-482 P
ODELL,W.H.	9007270158	50-458 S	PARKER,T.M.	9008220155	50-263 S	PICKETT,D.V.	9008030048	50-482 V
ODELL,W.H.	9008010247	50-458 S	PARLER,W.C.	9008140062	ORG	PIERCE-BJORKLUN	9008150131	50-443 G
ODELL,W.H.	9008060246	50-458 S	PARROTT,J.D.	9007250110	ORG	PIERSON,R.	9008160044*	50-315 P
ODELL,W.H.	9008060285	50-458 Q	PARTLOW,J.G.	9007270205	50-482 I	PIERSON,R.	9008160081*	50-315 P
ODELL,W.H.	9008060327	50-458 P	PARTLOW,J.G.	9007310052	50-3 P	PIERSON,R.C.	9008080223*	50-341 P
ODELL,W.H.	9008090386	50-458 P	PARTLOW,J.G.	9008080043	50-3 V	PIERSON,R.C.	9008240050*	50-155 P
ODELL,W.H.	9008130035	50-458 P	PARTLOW,J.G.	9008080047	50-3 V	PILCH,M.	9008310209	NUREG
ODELL,W.H.	9008130222	50-458 P	PARTLOW,J.G.	9008090204	ORG	PITTMAN,J.	9008070346	NUREG
ODETTE,G.R.	9008020215	50-29 P	PARTLOW,J.G.	9008270236	50-219 P	PLAPPERT,R.D.	9008030062	50-206 F
ODETTE,G.R.	9008020219*	50-29 P	PARTLOW,J.G.	9008270239	50-245 P	PLEASANT,E.M.	9008090009	CONTRACT
ODOM,R.M.	9008020151	50-425 S	PASCIAK,W.	9008070238*	50-271 Q	PLEASANT,E.M.	9008090081	CONTRACT
ODOM,R.M.	9008060053	50-425 S	PASCIAK,W.	9008100053*	50-352 Q	PLENIEWICZ,R.	9008030023	50-454 S
ODOM,R.M.	9008060162	50-425 S	PASCIAK,W.	9008100182*	50-29 Q	PLENIEWICZ,R.	9008160153	50-454 S
ODOM,R.M.	9008130097	50-424 S	PASCIAK,W.	9008160106*	50-317 Q	PLENIEWICZ,R.	9008160156	50-455 S
ODOM,R.M.	9008280290	50-424 S	PASCIAK,W.	9008220209*	50-247 Q	PLENIEWICZ,R.	9008170266	50-454 R
OGINO,Y.	9008240013	XPORTLIC	PASCIAK,W.J.	9008100099*	70-1100 S	PLENIEWICZ,R.	9008280167	50-455 S
OKAILY,S.A.	8701150185*	50-255 P	PASSMORE,K.	9008030023	50-454 S	PLESSET,M.S.	9008060215	ACRS

244 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
PLETTNER,E.A.	9008130300*	50-155	Q	REMICK,F.J.	9008150185	50-275	P	ROBINSON,W.R.	9008170243	50-344	R
PLODZIK,S.J.	9008070295*	50-443	G	REMICK,F.J.	9008170163	COMMISSION	N	ROBINSON,W.R.	9008210196	50-344	S
PLOSKI,T.	9008090170*	50-461	Q	REMICK,F.J.	9008210028	COMMISSION	N	ROBINSON,W.R.	9008240194	50-344	S
POHLOD,C.S.	9008020199	50-151	V	REMICK,F.J.	9008210049	COMMISSION	N	ROBINSON,W.R.	9008270122	50-344	S
POHLOD,C.S.	9008060177	50-151	V	REMICK,F.J.	9008210054	COMMISSION	N	ROBINSON,W.R.	9008080156	50-139	S
POLLACK,M.	9008010012	50-272	S	REMLICK,F.J.	9008210065	COMMISSION	N	RODGERS,D.E.	9007310292*	71-192	
POLLACK,M.	9008030037	50-311	S	RESNIKOFF,M.	9007300074*	71-9218		RODGERS,D.E.	9007310294*	71-192	
POLLACK,M.	9008030040	50-311	S	REULAND,W.	9007300052*	50-333	P	ROE,J.W.	9008060342	REVIEW GR	P
POLLACK,M.J.	9008140055	50-272	S	REYES,L.	9008080245	50-280	Q	ROE,K.K.	9008170001	TOPREP	
POLLACK,M.J.	9008140060	50-311	S	REYES,L.A.	9007260169	50-413	Q	ROGERS,K.C.	9007270146	COMMISSION	N
POLLACK,M.J.	9008210155	50-272	S	REYES,L.A.	9007270059	50-269	Q	ROGERS,K.C.	9008010020	COMMISSION	N
POLLACK,M.J.	9008210161	50-272	S	REYES,L.A.	9008080023	50-324	V	ROGERS,K.C.	9008010215*	10CFR	
POLLACK,M.J.	9008230032	50-272	S	REYES,L.A.	9008080033	50-324	P	ROGERS,K.C.	9008010217	COMMISSION	N
POOLER,R.S.	9008030024	50-220	H	REYES,L.A.	9008080039	50-261	F	ROGERS,K.C.	9008030150	50-220	U
POOLER,R.S.	9008030026*	50-220	H	REYES,L.A.	9008080090	50-369	Q	ROGERS,K.C.	9008030153*	50-220	U
POROWSKI,J.S.	9008010064*	50-206	P	REYES,L.A.	9008080114	50-250	Q	ROGERS,K.C.	9008060391	COMMISSION	N
PORTER,K.F.	9008160090	50-528	R	REYES,L.A.	9008080116*	50-250	Q	ROGERS,K.C.	9008070028	COMMISSION	N
PORTER,S.A.	9008030028	71-9236		REYES,L.A.	9008080142	50-338	P	ROGERS,K.C.	9008140088	COMMISSION	N
PORTER,S.A.	9008270164	71-9218		REYES,L.A.	9008080250*	50-280	Q	ROGERS,K.C.	9008140128	COMMISSION	N
POSUSNY,C.	9008020141	50-368	Q	REYES,L.A.	9008080269	50-369	Q	ROGERS,K.C.	9008150031	COMMISSION	N
POSUSNY,C.	9008090146	50-313	Q	REYES,L.A.	9008080273*	50-369	Q	ROGERS,K.C.	9008220106	COMMISSION	N
POSUSNY,C.	9008170104	50-368	P	REYES,L.A.	9008200133	50-261	Q	ROGGE,J.	9008160186	50-29	S
POST,H.	9008290029*	CONTRACT		REYES,L.A.	9008200140	50-280	Q	ROGGE,J.	9008200090*	50-271	Q
POSTELLE,P.N.	9008060217*	CONTRACT		REYES,L.A.	9008200144	50-369	Q	ROGGE,J.F.	9008080044*	50-424	Q
POSTELLE,P.N.	9008090288*	CONTRACT		REYES,L.A.	9008200151	50-280	P	ROHRLICH,P.E.	9008210067	XPORTLIC	
POTTER,J.P.	9008080056*	50-324	Q	REYES,L.A.	9008270049	50-280	P	ROHRLICH,P.E.	9008210068	XPORTLIC	
POTTER,J.P.	9008270121*	50-280	Q	RHODES,F.T.	9008070058	50-482	P	ROHRLICH,P.E.	9008210072	XPORTLIC	
POTTER,J.P.	9008280161*	50-416	Q	RICCIO,J.P.	9008170054	PR		ROHRLICH,P.E.	9008210080	XPORTLIC	
POWELL,D.R.	9008150276	50-251	S	RICHARDS,S.	9008160189	50-361	V	ROHRLICH,P.E.	9008210082	XPORTLIC	
POWELL,D.R.	9008170149	50-250	S	RICHARDS,S.A.	9007270001	50-397	Q	ROHRLICH,P.E.	9008210083	XPORTLIC	
POWELL,J.L.	9008060249	50-288	P	RICHARDS,S.A.	9008010163	50-397	P	ROHRLICH,P.E.	9008210084	XPORTLIC	
POWELL,R.D.	9008210188	QA999		RICHARDS,S.A.	9008010182	50-275	Q	ROHRLICH,P.E.	9008210107	XPORTLIC	
POWERS,D.A.	9008100021*	50-445	Q	RICHARDS,S.A.	9008010185*	50-275	Q	ROHRLICH,P.E.	9008210137	XPORTLIC	
POWERS,D.A.	9008130101*	50-267	Q	RICHARDS,S.A.	9008010186*	50-275	Q	ROHRLICH,P.E.	9008210138	XPORTLIC	
POWERS,D.A.	9008160160*	50-482	Q	RICHARDS,S.A.	9008020135	50-344	Q	ROHRLICH,P.E.	9008210160	XPORTLIC	
POWERS,D.A.	9008280236*	50-498	Q	RICHARDS,S.A.	9008030135*	50-344	Q	ROLLENS,J.	9008010071	50-346	F
PRELL,J.A.	9008070251*	50-29	V	RICHARDS,S.A.	9008070077	50-397	Q	ROMBERG,W.D.	9008170003	50-213	R
PRENDERGAST,K.	9007270015*	50-528	Q	RICHARDS,S.A.	9008140309	50-312	Q	ROMBERG,W.D.	9008170003	50-213	R
PRENDERGAST,K.	9008270166*	50-206	Q	RICHARDS,S.A.	9008230041	50-344	Q	ROOD,H.	9008070011	50-275	P
PRESTHOLT,P.T.	9007300060	WASTE MGT		RICHARDS,S.A.	9008270002	50-206	Q	ROOD,H.	9008130063	50-275	P
PRESTHOLT,P.T.	9008010077	WASTE MGT		RICHARDSON,J.E.	9006220235	50-443	H	ROSEN,S.L.	9007270185	50-498	Q
PRESTHOLT,P.T.	9008060119	WASTE MGT		RICHARDSON,J.E.	9008170096	TOPREP		ROSENBLUM,R.M.	9008060395	50-206	P
PRESTHOLT,P.T.	9008130206	WASTE MGT		RICHEY,R.B.	9008020007	50-400	F	ROSENBLUM,R.M.	9008070360	50-206	P
PRESTHOLT,P.T.	9008280354	WASTE MGT		RICHEY,R.B.	9008020226	50-400	F	ROSENBLUM,R.M.	9008130178	50-206	P
PRESTON,B.A.	9008130228	50-272	P	RICHEY,R.B.	9008060343	50-400	S	ROSENBLUM,R.M.	9008140151	50-206	Q
PREVATTE,R.L.	9008100061*	50-324	Q	RICHEY,R.B.	9008170019	50-400	R	ROSENBLUM,R.M.	9008240075	50-361	Q
PRICE,E.D.	9008270123	50-269	P	RICHEY,R.B.	9007300017	50-237	P	ROSS,T.	9008080322	50-259	P
QUAY,T.R.	9008080331*	50-416	P	RICHEY,R.B.	9008030349	50-237	P	ROSS,T.	9008200110	50-259	P
QUAY,T.R.	9008170060*	50-416	P	RICHEY,R.B.	9008160059	50-237	P	ROSS,T.	9008220138	50-260	P
QUAY,T.R.	9008280341	50-382	P	RIDEOUT,A.E.	9008220114*	CONTRACT		ROSS,T.	9008230030	50-259	P
RANDLES,J.	9008170033*	50-414	P	RIDGELL,E.M.	9008210073	50-259	S	ROSS,T.	9008280284	50-260	Q
RANEY,R.G.	9008100332*	WASTE RES		RIDLEY,J.	9008080202	50-255	F	ROSS,T.M.	9007300115	50-259	P
RANGARAO,G.	9008070296*	50-272	Q	RIDLEY,J.	9008080390	50-255	F	ROSS,T.M.	9008080012	50-260	P
RANKIN,W.	9008270046*	70-27		RIGGS,R.	9008070346	NUREG		ROSS,T.M.	9008080279	50-260	P
RANKIN,W.H.	9007270070*	50-395	Q	RIMMERMAN,M.W.	9008020096*	50-171	I	ROSS,T.M.	9008080320	50-260	P
RANKIN,W.H.	9008080005*	50-424	Q	RIMMERMAN,M.W.	9008020099*	50-171	I	ROSS,T.M.	9008080345	50-260	P
RANKIN,W.H.	9008200101*	50-261	Q	RIMMERMAN,M.W.	9008020101*	50-171	I	ROSS,T.M.	9008100135	50-259	P
RANSOM,C.B.	9006210383*	50-336	P	RIMMERMAN,M.W.	9008020103*	50-171	I	ROSS,T.M.	9008150108	50-259	P
RAPP,C.W.	9008220028*	50-160	V	RING,M.A.	9008010002	50-282	Q	ROSS,T.M.	9008280186	50-259	P
RATHBUN,D.K.	9008140118*	PR		RING,M.A.	9008060257	50-440	Q	ROSSBACH,L.	9008160079	50-286	S
RATHBUN,D.K.	9008140158	50-443	H	RING,M.A.	9008130305	50-255	Q	ROSSI,B.	9008230085*	50-259	P
RATHBUN,D.K.	9008140173	50-443	H	RING,M.A.	9008160202*	50-454	Q	ROSSI,C.E.	9007230358	50-3	Q
RATHBUN,D.K.	9008140179	50-186	H	RING,M.A.	9008220148	50-155	Q	ROSSI,C.E.	9007270021	50-3	Q
RATHBUN,D.K.	9008150025	50-443	H	RING,M.A.	9008220151	50-254	Q	ROSSI,C.E.	9007310195	50-3	Q
RATHBUN,D.K.	9008150038	ORG		ROBERTS,J.	9008270163	50-206	Q	ROSSI,C.E.	9008020036	50-3	Q
RATLIFF,S.A.	9008220082	50-259	R	ROBERTS,J.	9008270166*	50-206	Q	ROSSI,C.E.	9008020150*	50-321	P
RAU,E.	9007310280*	50-461	V	ROBERTS,J.P.	9007310241	50-326	Q	ROSSI,C.E.	9008030338	ORG	
RAVENSCHROFT,N.	9008020228	XPORTLIC		ROBERTS,J.P.	9008020148	50-397	F	ROSSI,C.E.	9008080246	50-3	Q
RAVENSCHROFT,N.	9008020232*	XPORTLIC		ROBERTS,J.P.	9008070075	50-528	F	ROSSI,C.E.	9008100028	50-3	Q
RAVENSCHROFT,N.	9008230206	70-1252		ROBERTS,J.P.	9008070254	50-397	Q	ROSSI,C.E.	9008200150	50-3	Q
RAY,H.B.	9007310016	50-206	P	ROBERTS,J.P.	9008130111	50-344	F	ROSSI,C.E.	9008220103	50-3	Q
RAY,H.B.	9007310207	50-361	Q	ROBERTS,J.P.	9008280010*	50-344	F	ROSSI,S.H.	9008210174*	WASTE MGT	
RAY,H.B.	9008070030	50-206	Q	ROBERTSON,L.	9008030107*	50-280	I	ROSSIN,A.D.	9008130322	50-312	H
RAY,H.B.	9008090383*	50-206	Q	ROBERTSON,L.R.	9008030104*	50-280	I	ROTH,J.	9008070217*	50-146	Q
REDMOND,R.F.	9007310237	50-150	I	ROBEY,R.A.	9008090136	50-254	R	ROTH,J.	9008100150*	50-57	Q
REED,T.A.	9008070130	50-424	P	ROBEY,R.A.	9008100107	50-254	R	ROTH,W.V.	9008140498*	ORG	
REED,T.A.	9008080308	50-424	P	ROBINSON,A.M.	9008020286*	CONTRACT		ROTHERG,O.	9008090079	GEN TEC I	S
REED,T.A.	9008100092	50-424	P	ROBINSON,L.	9008090220	FOIA		ROUGHAN,C.M.	9008270124	71-9033	
REID,H.	9008210058*	COMMISSION		ROBINSON,W.R.	9008010018	50-344	S	ROWE,J.M.	9008010195	50-184	P
REID,H.	9008240169	50-247	S	ROBINSON,W.R.	9008060107	50-344	S	ROWE,J.M.	9008060252	50-184	P
REIDINGER,T.	9008160013*	50-243	V	ROBINSON,W.R.	9008060111	50-344	S	ROWLAND,T.J.	9008170122	PROJ	
REIS,E.J.	9008070253	50-443	G	ROBINSON,W.R.	9008060324	50-344	S	ROYACK,M.J.	9008160190*	50-361	V
REIS,E.J.	9008150140	50-443	G	ROBINSON,W.R.	9008070062	50-344	S	RUBENSTEIN,L.S.	8508060024*	50-390	A
REIS,E.J.	9008150183	50-443	G	ROBINSON,W.R.	9008130065	50-344	R	RUFFIN,R.	9008090175	50-416	S
REIS,H.F.	9008240101	50-250	G	ROBINSON,W.R.	9008130207	50-344	S	RUFFIN,R.	9008280382	50-416	S
REIS,H.F.	9008240101	50-250	G	ROBINSON,W.R.	9008130262	50-344	S	RUITER,G.H.	9008140050	50-305	R
REISENAUER,A.E.	9008020304*	27-48		ROBINSON,W.R.	9008140311	50-344	S	RULAND,B.	9008100089	50-219	S
REMIK	9008060368	COMMISSION		ROBINSON,W.R.	9008140368	50-344	S	RULAND,W.	9008070103*	50-334	Q

PERSONAL AUTHOR INDEX 245

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RULAND, W.	9008080338*	50-219 Q	SCHUSTER, M.D.	9007270015*	50-528 Q	SIEBER, J.D.	9008170016	50-334 R
RULAND, W.	9008100039*	50-289 Q	SCHUSTER, T.K.	9008140439	50-295 Q	SIEBER, J.D.	9008200058	50-334 P
RULAND, W.	9008220079*	50-219 Q	SCHUSTER, T.K.	9008220216	50-454 P	SIEBER, J.D.	9008220136	50-334 K
RUMPLE, R.	9008160101*	50-324 R	SCHWABENBAUER	9008060343	50-400 S	SIECK, P.E.	9008150114	PR
RUMPLE, R.	9008160103*	50-324 R	SCOTT, M.A.	9008240113*	50-335 Q	SIEGEL, B.L.	9007300145	50-237 P
RUNYON, M.	9007310072*	50-259 P	SEARS, C.F.	9008220205	50-423 Q	SIEGEL, B.L.	9008030007	50-237 Q
RUSANOWSKY, P.P.	9008090419	50-388 S	SEARS, P.	9008030041	50-29 P	SIEGEL, B.L.	9008070348	50-237 P
RUSSELL, J.	9008030072	50-286 S	SEARS, P.M.	9008020003	50-29 P	SIEGEL, B.L.	9008080255	50-237 P
RUSSELL, J.E.	9008140034	50-286 R	SEARS, P.M.	9008060061	50-29 P	SIEGEL, B.L.	9008080289	50-237 P
RUSSELL, J.E.	9008210081	50-286 F	SEARS, P.M.	9008070265	50-29 P	SIEGEL, B.L.	9008160039	50-237 P
RUSSELL, L.B.	9008080054	50-317 P	SEARS, P.M.	9008070277	50-29 P	SIEGEL, B.L.	9008280352	50-237 P
RUSSELL, L.B.	9008210173	50-317 P	SEARS, P.M.	9008070327	50-29 P	SIEGEL, B.L.	9008280362*	50-237 P
RUSSELL, W.T.	9008150133	50-387 P	SEARS, P.M.	9008080248	50-29 P	SILBERG, J.E.	9008150201	50-440 G
RUSSELL, W.T.	9008240102	ORG	SEARS, P.M.	9008130166	50-29 P	SILBERG, J.E.	9008150201	50-440 G
RUSSELL, J.	9008140101*	FOIA	SEARS, P.M.	9008160064	50-29 P	SILK, D.M.	9008170020*	50-412 V
RUTHERFORD, P.D.	9007310091	70-25	SEARS, P.M.	9008240188	50-29 P	SILVA, M.K.	9007310019*	WASTE MGT
RUTHERFORD, P.D.	9008090368*	70-25	SEARS, R.G.	9008020271*	71-170	SILVER, H.	9008070207	50-302 P
RUTHERFORD, P.D.	9008210029	70-25	SEIDLE, W.C.	9008010084*	50-602 Q	SILVER, H.	9008170038	50-302 P
RUTHERFORD, P.D.	9008220156	70-25	SEIDLE, W.C.	9008010228*	50-298 Q	SIMON, G.P.	9008090053*	50-269 P
RYAN, M.T.	9007310033	WASTE MGT	SEIDLE, W.C.	9008160011*	50-458 Q	SIMON, G.P.	9008090053*	50-269 P
SAGER, D.A.	9007310082	50-335 F	SEIDLE, W.C.	9008160136*	50-498 Q	SIMONEN, F.A.	9008070393	NUREG
SAGER, D.A.	9007310235	50-335 Q	SEIDLE, W.C.	9008280249*	50-285 F	SIMPSON, A.K.	9007270178*	COMMISSION
SAGER, D.A.	9008010106	50-335 P	SERRA, P.J.	9008060394	50-331 T	SINCLAIR, M.C.	9008070199*	50-443 G
SAGER, D.A.	9008130309	50-389 S	SERRA, P.L.	9008060288	50-331 T	SINCLAIR, M.C.	9008150230*	50-443 G
SAGER, D.A.	9008160219	50-335 P	SERRA, P.L.	9008060350	50-331 T	SINGH, A.	9008010226*	50-298 Q
SAGER, D.A.	9008210157	50-335 R	SERRA, P.L.	9008210143	50-331 F	SINGH, A.	9008160136*	50-498 Q
SAGER, D.A.	9008230243	50-389 S	SERRA, P.L.	9008230024	50-331 Q	SINGLETON, J.	9008140072*	FOIA
SAGER, D.A.	9008240144	50-389 S	SEYMOUR, D.A.	9007270094*	50-338 Q	SINKULE, M.V.	9008100105	50-302 Q
SAGER, D.A.	9008280277	50-335 PR	SHAFFER, D.	9008150287	50-249 S	SINKULE, M.V.	9008210077	50-335 Q
SAMWORTH, R.B.	9008080290	50-397 P	SHAFFER, W.	9008060345	50-456 S	SINKULE, M.V.	9008240111	50-335 Q
SAMWORTH, R.B.	9008230109	50-266 P	SHAFFER, W.D.	9008090054	50-295 Q	SINKULE, M.V.	9008270204	50-338 Q
SAMWORTH, R.B.	9008020191*	50-461 I	SHAFFER, W.D.	9008240164	50-295 Q	SINKULE, M.V.	9008270209*	50-338 S
SANDQUIST, G.M.	9007270209	50-72 F	SHANBAKY, M.	9008240166*	50-295 Q	SIPE, A.	9007310217	50-369 S
SANDS, S.P.	9008090162	50-454 F	SHANLEY, L.	9008060386	50-317 R	SIPE, A.	9008060100	50-369 S
SANDS, S.P.	9008090207	50-456 F	SHANNON, J.M.	9008170251	50-443 G	SIPE, A.	9008060117	50-369 S
SANENTZ, A.B.	9008140205	50-20 P	SHAPIRO, P.O.	9008070260	50-443 G	SIPE, A.	9008130292	50-369 S
SAPORITO, T.J.	9008070167	50-250 G	SHARMA, H.S.	9008140074*	FOIA	SIPE, A.	9008130303	50-369 S
SARETTE, T.M.	9008210133*	50-206 R	SHAW, B.A.	9008210153	50-219 R	SKINNER, P.H.	9008270205*	50-269 Q
SARETTE, T.M.	9008210134*	50-206 R	SHAW, B.A.	9008100123*	WASTE MGT	SLABACK, L.A.	9008150186	PR
SARETTE, T.M.	9008220047*	50-361 R	SHAW, B.A.	9008100123*	WASTE MGT	SLACK, S.T.	9008150197	PR
SARETTE, T.M.	9008220049*	50-361 R	SHEA, J.R.	9007180340	SECY	SLADE, G.B.	9008080141	50-255 S
SARSOUR, B.	9008090276*	50-346 R	SHEA, P.	9008170062	ACRS	SLADE, G.B.	9008140008	50-255 F
SARSOUR, B.	9008170250	50-346 R	SHEA, P.	9008220011	50-605 A	SLADE, G.B.	9008210191	50-255 P
SARTOR, W.M.	9008200101*	50-261 Q	SHEAR, G.	9008230121	I&E	SLADE, G.B.	9008240183	50-255 P
SAULSBERRY, D.B.	9008080207	50-313 S	SHELTON, B.J.	9008280349*	PR	SLADE, G.B.	9008270128	50-255 Q
SAUNDERSON, R.	9008220121	50-410 R	SHELTON, D.C.	9007300024	50-346 I	SMEDLEY, R.W.	9006060054	50-255 P
SCACE, S.E.	9008240193	50-423 S	SHELTON, D.C.	9008070041	50-346 P	SMITH, D.M.	9008230150	50-277 Q
SCACE, S.E.	9008240193	50-423 S	SHELTON, D.C.	9008080149	50-346 P	SMITH, G.C.	9008160027*	50-334 Q
SCACE, S.E.	9007250027	50-423 S	SHELTON, D.C.	9008130059	50-346 F	SMITH, H.	9008280342*	CONTRACT
SCACE, S.E.	9007250027	50-423 S	SHELTON, D.C.	9008150253	50-346 P	SMITH, I.W.	9008070157	50-443 G
SCACE, S.E.	9008020062	50-423 S	SHELTON, D.C.	9008160161	50-346 Q	SMITH, I.W.	9008070181*	50-443 G
SCACE, S.E.	9008020062	50-423 S	SHELTON, D.C.	9008200075	50-346 F	SMITH, J.F.	9008150210	50-443 Q
SCACE, S.E.	9008020295	50-245 V	SHELTON, D.C.	9008220062	50-346 P	SMITH, L.P.	9008220153*	50-254 Q
SCACE, S.E.	9008020295	50-245 V	SHEMBARGER, K.	9008010181*	50-315 V	SMITH, L.R.	9008290029*	CONTRACT
SCACE, S.E.	9008130295	50-423 V	SHEMBARGER, K.	9008010228*	50-315 V	SMITH, L.R.	9008150292	PR
SCACE, S.E.	9008130295	50-423 V	SHERBINI, S.	9008220209*	50-247 Q	SMITH, M.D.	9008230026	50-305 K
SCACE, S.E.	9008140040	50-423 R	SHERMAN, W.K.	9008150211*	50-271 G	SMITH, R.	9008150226	70-270
SCACE, S.E.	9008140040	50-423 R	SHIRMAKER, R.E.	9007300065	WASTE MGT	SMITH, S.	9008140034	50-286 R
SCACE, S.E.	9008140042	50-336 R	SHIER, W.	9008070370	NUREG	SMITH, S.H.	9008170107*	PROJ
SCACE, S.E.	9008140042	50-336 R	SHIFFER, J.D.	9007300013	50-323 Q	SMITH, T.H.	9008230217	50-382 S
SCACE, S.E.	9008140385	50-245 R	SHIFFER, J.D.	9007300014	50-275 Q	SMOAK, C.F.	9008230072*	50-269 I
SCACE, S.E.	9008160124	50-423 V	SHIFFER, J.D.	9008020124	50-323 Q	SNELL, W.	9008090048*	50-295 Q
SCACE, S.E.	9008160124	50-423 V	SHIFFER, J.D.	9008020153	50-133 I	SNELL, W.	9008090170*	50-461 Q
SCACE, S.E.	9008230012	50-245 F	SHIFFER, J.D.	9008030219	50-275 Q	SNELL, W.	9008220192*	50-331 Q
SCACE, S.E.	9008230158	50-245 S	SHIFFER, J.D.	9008030221	50-275 Q	SNELL, W.G.	9008020032*	50-255 Q
SCACE, S.E.	9008230158	50-245 S	SHIFFER, J.D.	9008030224*	50-275 P	SNELL, W.G.	9008020165*	50-266 Q
SCACE, S.E.	9008240187	50-423 S	SHIFFER, J.D.	9008030333	50-275 P	SNIEZEK, J.H.	9008080180	50-443 P
SCACE, S.E.	9008240187	50-423 S	SHIFFER, J.D.	9008070270	50-275 P	SOO, P.	9008070400	NUREG
SCALET, D.C.	9008020005	50-605 A	SHIFFER, J.D.	9008160076	50-275 P	SOONG, S.	9008020053*	70-1100
SCALET, D.C.	9008230027	50-605 A	SHIFFER, J.D.	9008170028	PR	SOONG, S.	9008100141*	70-824
SCANDALIOS, J.	9008140106*	FOIA	SHIFFER, J.D.	9008170123	50-275 S	SOONG, S.	9008100189*	70-1100
SCARANO, R.	9007270014	50-528 Q	SHIFFER, J.D.	9008170129	50-323 Q	SORENSEN, G.C.	9007310028	50-397 I
SCARANO, R.A.	9008080346	50-344 F	SHIFFER, J.D.	9008200048	50-323 Q	SORENSEN, G.C.	9008060060	50-397 F
SCARANO, R.A.	9008090385	70-25 Q	SHIFFER, J.D.	9008280312	50-275 S	SORENSEN, G.C.	9008060064	50-397 P
SCARANO, R.A.	9008280009	50-344 Q	SHINGLETON, E.B.	9008170145	50-346 P	SORENSEN, G.C.	9008060168	50-397 P
SCARBROUGH, T.	9008030300*	TOPREP	SHINGLETON, E.B.	9008170147	50-346 S	SORENSEN, G.C.	9008070082	50-397 P
SCARBROUGH, T.G.	9008030299	TOPREP	SHON, F.J.	9008010116	50-440 G	SORENSEN, G.C.	9008090082	50-508 A
SCHAEFFER, D.W.	9008280010*	50-344 Q	SHON, F.J.	9008010174	50-603 G	SORENSEN, G.C.	9008130209	50-397 P
SCHAUBROECK, D.	9008210113	50-313 R	SHORTHTRIDGE, R.B.	9008270121*	50-280 Q	SORENSEN, G.C.	9008230105	50-508 H
SCHNEBLI, G.A.	9008080117*	50-250 Q	SHYMLOCK, M.B.	9008010150*	50-461 Q	SPANGENBERG, F.	9007270113	50-461 R
SCHNEIDER, C.	9008210066*	COMMISSION	SHYMLOCK, M.B.	9008080276*	50-369 Q	SPANGENBERG, F.	9007270206	50-461 I
SCHNELL, D.F.	9008210198	50-483 H	SHYMLOCK, M.B.	9008270115*	50-369 Q	SPANGENBERG, F.	9008030144	50-461 Q
SCHROCK, V.E.	9008060204	ACRS	SHYMLOCK, M.B.	9008270205*	50-269 Q	SPANGENBERG, F.	9008130209	50-461 S
SCHULZE, R.T.	9008210012*	COMMISSION	SIBIGA, D.L.	9007270104*	TOPREP	SPANGENBERG, F.	9008140018	50-461 S
SCHUMACHER, M.C.	9008090318*	50-440 Q	SIEBER, J.D.	9008010158	50-334 R	SPANGENBERG, F.	9008140194	50-461 S
SCHUMACHER, M.C.	9008130173*	50-295 Q	SIEBER, J.D.	9008060059	50-334 P	SPANGENBERG, F.	9008210128	50-461 R
SCHUMACHER, M.C.	9008140162*	50-440 Q	SIEBER, J.D.	9008070081	50-334 P	SPANGENBERG, F.	9008220163	50-461 P
SCHUSTER, M.D.	9007110027	50-312 Q	SIEBER, J.D.	9008070106	50-334 Q	SPANNER, J.C.	9008310179	NUREG

246 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
SPARKS,S.	9007270045*	50-250	Q	STOLZ,J.F.	9008090161*	50-423	P	TAYLOR,J.H.	9003260135	TOPREP
SPARKS,S.	9008210089*	50-261	Q	STOLZ,J.F.	9008100161	50-213	Q	TAYLOR,J.H.	9007050195	TOPREP
SPESSARD,R.L.	9008140491	50-443	P	STOLZ,J.F.	9008140080*	50-289	P	TAYLOR,J.H.	9007050205	TOPREP
SPITZBERG,D.B.	9008130101*	50-267	Q	STOLZ,J.F.	9008170075	50-320	P	TAYLOR,J.M.	8912200253	SECY
SPITZNAGLE,L.A.	9008150220	PR		STOLZ,J.F.	9008270232*	50-219	P	TAYLOR,J.M.	9005100241*	ACRS
SRIDHAR,N.	9008170214*	WASTE MGT		STOLZ,J.F.	9008270255	50-245	P	TAYLOR,J.M.	9005160055	SECY
ST LAURENT,N.N.	9008060311	50-29	V	STONE,J.C.	9008080228	50-272	P	TAYLOR,J.M.	9006050053	SECY
STABLEIN,K.	9008060094	WASTE MGT		STONE,J.C.	9008080231	50-311	P	TAYLOR,J.M.	9006200420	SECY
STACK,J.	9008150226	70-270		STONE,J.C.	9008090267	50-311	P	TAYLOR,J.M.	9006210029	SECY
STANG,J.	9008030049	50-341	P	STONE,J.C.	9008230162	50-272	Q	TAYLOR,J.M.	9006210306	SECY
STANG,J.	9008230213	50-341	Q	STONE,J.C.	9008270048	50-311	P	TAYLOR,J.M.	9006260078	SECY
STANG,J.F.	9008080220	50-341	P	STORZ,L.F.	9008080144	50-346	S	TAYLOR,J.M.	9007110194	SECY
STANG,J.F.	9008150229	50-341	P	STORZ,L.F.	9008090271	50-346	R	TAYLOR,J.M.	9007170411	SECY
STANG,J.F.	9008150231	50-341	P	STORZ,L.F.	9008130093	50-346	S	TAYLOR,J.M.	9007170417	SECY
STANG,J.F.	9008150234	50-341	P	STORZ,L.F.	9008170145	50-346	S	TAYLOR,J.M.	9007190042	SECY
STANG,J.F.	9008230045	50-341	Q	STORZ,L.F.	9008170147	50-346	S	TAYLOR,J.M.	9007250048	SECY
STANG,J.F.	9008230199	50-341	P	STORZ,L.F.	9008170250	50-346	R	TAYLOR,J.M.	9007270034	ACRS
STANG,J.F.	9008240190	50-341	P	STORZ,L.F.	9008260303	50-346	S	TAYLOR,J.M.	9007310130	PR
STANLEY,H.G.	9008090419	50-388	S	STORZ,L.F.	9008280384	50-346	S	TAYLOR,J.M.	9008060052	SECY
STANLEY,H.G.	9008090421	50-387	S	STOTZ,J.C.	9008080144	50-346	S	TAYLOR,J.M.	9008060262*	FOIA
STANLEY,H.G.	9008170044	50-387	S	STOTZ,J.C.	9008280384	50-346	S	TAYLOR,J.M.	9008070100	TOPREP
STANLEY,H.G.	9008270022	50-387	S	STRATFORD,R.J.	9008100051	XPORTLIC		TAYLOR,J.M.	9008090010	SECY
STANSBERRY,W.W.	9008130135*	50-348	Q	STRATFORD,R.J.	9008100054	XPORTLIC		TAYLOR,J.M.	9008090013	SECY
STARKEY,R.B.	9008220135	50-324	R	STROSNIDER,J.	9008020092*	50-317	Q	TAYLOR,J.M.	9008090017	SECY
STARKEY,R.D.	9008080044*	50-424	Q	STROSNIDER,J.	9008070320*	50-247	Q	TAYLOR,J.M.	9008090030*	WASTE MGT
STARKEY,R.S.	9008060351	50-382	S	STROSNIDER,J.R.	9008070245*	50-272	Q	TAYLOR,J.M.	9008140017	40-8989
STAUTER,J.C.	9008010053	40-2061		STROSNIDER,J.R.	9008070252*	50-317	Q	TAYLOR,J.M.	9008140058	PR
STAUTER,J.C.	9008010245	70-925		STROSNIDER,J.R.	9008230042*	50-344	Q	TAYLOR,J.M.	9008140103	PR
STAUTER,J.C.	9008150255	40-1478		STUBBE,E.J.	9008080178	NUREG		TAYLOR,J.M.	9008170106	PROJ
STEIGER,W.E.	9006210018	50-322	P	STUCKEY,C.M.	9008070340	FOIA		TAYLOR,J.M.	9008170274	SECY
STEIN,R.	9007310050	WASTE MGT		STURZ,F.	9007300049	PROJ		TAYLOR,J.M.	9008210045	PR
STEIN,R.	9008160125	WASTE MGT		STURZ,F.	9007300059	50-317	Y	TAYLOR,J.M.	9008210079	PR
STEINDLER,M.J.	9008010043	WASTE MGT		STURZ,F.C.	9008100325	50-267	Y	TAYLOR,J.M.	9008210197	ORG
STEINHARDT,C.R.	9008100330	50-305	P	STURZ,F.C.	9008100327	50-267	Y	TAYLOR,J.M.	9008240156	PR
STELLO,V.	8906260123*	FOIA		SUBUDHI,M.	9008070370	NUREG		TAYLOR,J.M.	9008270025	SECY
STEPHENS,B.	9008070037*	50-282	Q	SUH,G.Y.	9008230159	50-277	P	TAYLOR,J.M.	9008280033	PR
STEPHENSON,J.D.	9008280255	50-302	F	SUH,G.Y.	9008270087	50-277	P	TAYLOR,J.M.	9008310085	PRM
STEPHENSON,J.G.	9007270125	50-302	F	SULLIVAN,L.H.	9008060209	ACRS		TAYLOR,P.A.	9007270019*	50-302
STEPHENSON,W.A.	9008010005	50-302	S	SULLIVAN,M.	9007270183*	COMMISSION	N	TAYLOR,P.A.	9008210005*	50-413
STEPHENSON,W.A.	9008080087	50-302	S	SUMMERS,J.	9008280383	50-416	S	TAYLOR,T.T.	9008310179	NUREG
STEPHENSON,W.A.	9008080362	50-302	S	SUMMERS,R.J.	9008080131*	50-247	Q	TEMPS,R.	9008100080	50-220
STEPHENSON,W.A.	9008080369	50-302	S	SUMMERS,R.J.	9008160179	50-247	Q	TENBROOK,W.K.	9007270010*	50-344
STEPHENSON,W.A.	9008130307	50-302	S	SURMEIER,J.J.	9007300063	WASTE MGT		TENBROOK,W.K.	9008160140*	50-397
STERLING,E.C.	9007270101	TOPREP		SURMEIER,J.J.	9008090417	WASTE MGT		TENORIO,J.I.	9008020271*	71-170
STEVENS,R.J.	9008030122*	50-390	A	SURMEIER,J.J.	9008160162	WASTE MGT		TENORIO,J.I.	9008020283*	71-170
STEWART,S.A.	9008170225	50-302	R	SUSLICK,W.M.	9007310056	50-369	P	TENORIO,J.I.	9008020290*	71-170
STEWART,W.L.	9007270005	50-338	P	SUTHERLAND,E.A.	9007310191	50-225	I	TERAO,D.	9008100125*	50-354
STEWART,W.L.	9008010199	50-280	F	SUWALA,M.C.	9008200008	70-27		TERAO,D.	9008100187*	50-309
STEWART,W.L.	9008010200	50-280	F	SWANSON,D.T.	9007270212*	70-8		TERAO,D.	9008160016*	50-293
STEWART,W.L.	9008010201	50-281	Q	SWANSON,D.T.	9008020268*	70-8		TERAO,D.	9008160031*	50-29
STEWART,W.L.	9008010238	50-280	Y	SWETLAND,P.	9008020029	50-272	S	TERC,N.M.	9008100021*	50-445
STEWART,W.L.	9008030050	50-280	P	SWIFT,J.J.	9007300069	40-2061		TERC,N.M.	9008280254*	50-313
STEWART,W.L.	9008030066	50-280	P	SWIFT,J.J.	9008030347	40-2061		TERRY,C.D.	9008030106	50-410
STEWART,W.L.	9008030081	50-280	I	SWIFT,J.J.	9008090339	40-2061		TERRY,C.D.	9008090391	50-220
STEWART,W.L.	9008030086*	50-280	I	SWIFT,J.J.	9008100091	PROJ		TERRY,C.D.	9008280278	50-410
STEWART,W.L.	9008030230	50-338	P	SZALINSKI,S.J.	9008170171	PROJ		TESTA,E.D.	9008080005*	50-424
STEWART,W.L.	9008060140	50-280	P	TAM,P.S.	9007300159	50-390	A	THADANI,A.	9007310156	TOPREP
STEWART,W.L.	9008060293	50-280	P	TAM,P.S.	9008080046	50-390	A	THADANI,A.C.	9008090114	TOPREP
STEWART,W.L.	9008060320	50-280	P	TAM,P.S.	9008100109	50-390	A	THADANI,A.C.	9008140112*	50-416
STEWART,W.L.	9008140211	50-338	P	TAM,P.S.	9008140076	50-390	A	THADANI,A.C.	9008270284*	50-461
STEWART,W.L.	9008140217	50-338	Q	TAM,P.S.	9008150217	50-390	A	THADANI,M.C.	9008060095	50-387
STEWART,W.L.	9008160093	50-338	R	TAM,P.S.	9008150233	50-390	A	THADANI,M.C.	9008150199	50-387
STEWART,W.L.	9008160099	50-338	F	TAM,P.S.	9008230140	50-390	A	THADANI,M.C.	9008160067	50-387
STEWART,W.L.	9008200061	50-338	P	TAM,P.S.	9008230170	50-390	A	THADANI,M.C.	9008230131	50-387
STEWART,W.L.	9008210126	50-280	R	TAM,P.S.	9008230178	50-390	A	THADANI,M.C.	9008230205	50-387
STEWART,W.L.	9008210184	PRM		TAM,P.S.	9008230185	50-390	A	THOMAS,B.G.	9007270159	50-361
STEWART,W.L.	9008220056	50-338	R	TATUM,J.E.	9007300151	50-206	Q	THOMAS,J.	9008170242	50-295
STEWART,W.L.	9008270267	50-338	R	TATUM,J.E.	9008202338	50-206	P	THOMAS,J.A.	9008100328*	50-320
STICE,D.L.	9008160097	50-285	R	TATUM,J.E.	9008030208	50-206	Q	THOMAS,M.	9007260143*	50-250
STOHR,J.P.	9007260117	50-302	Q	TATUM,J.E.	9008030217	50-206	P	THOMAS,P.	9008130004	50-155
STOHR,J.P.	9007260177	70-143		TATUM,J.E.	9008130138	50-206	P	THOMAS,P.	9008140053	50-155
STOHR,J.P.	9008080004	50-424	Q	TATUM,J.E.	9008150159	50-206	P	THOMPSON,D.	9007260118*	50-302
STOHR,J.P.	9008080055	50-324	Q	TATUM,J.E.	9008230076	50-206	Q	THOMPSON,D.	9008010214*	50-250
STOHR,J.P.	9008080068	50-280	Q	TATUM,J.E.	9008230193	50-206	P	THOMPSON,H.L.	9008090218	50-277
STOHR,J.P.	9008080162	70-143		TATUM,J.E.	9008230230	50-206	P	THOMPSON,J.E.	9008140054	50-298
STOHR,J.P.	9008200098	50-261	Q	TATUM,J.E.	9008230233	50-206	P	THOMPSON,R.R.	9008060255	50-327
STOHR,J.P.	9008200100*	50-261	Q	TATUM,J.E.	9008230236	50-206	P	THUNSTEDT,J.W.	9008160086	50-373
STOLS,R.	9007270016	50-237	P	TATUM,J.E.	9008240040	50-206	P	TIERNEY,R.A.	9008210123*	50-250
STOLS,R.	9007300017	50-237	P	TATUM,J.E.	9008270224	50-206	Q	TIERNEY,R.A.	9008210124*	50-250
STOLS,R.	9008020261	50-254	Q	TATUN,J.E.	9008150113	50-206	P	TILLMAN,A.	9008010214*	50-250
STOLS,R.	9008130073	50-254	P	TAYLOR,D.	9008270189	50-295	P	TILLMAN,A.	9008030133*	50-338
STOLS,R.	9008130078	50-254	P	TAYLOR,D.	9008280246	50-373	P	TILLMAN,A.	9008080034*	70-1252
STOLS,R.	9008130082	50-254	P	TAYLOR,D.L.	9008060402	50-457	Q	TINGEN,S.G.	9008080251*	50-280
STOLS,R.	9008130095	50-265	P	TAYLOR,D.L.	9008130188	50-456	Q	TIPPS,S.B.	9008100041	50-366
STOLS,R.	9008130161	50-237	P	TAYLOR,D.L.	9008130194	50-295	Q	TIPPS,S.B.	9008140024	50-321
STOLZ,J.F.	9007300028	50-336	P	TAYLOR,D.L.	9008200070	50-295	Q	TIPPS,S.B.	9008170148	50-321
STOLZ,J.F.	9008060057*	50-219	P	TAYLOR,D.L.	9008230208	50-237	Q	TIPPS,S.B.	9008170154	50-366
STOLZ,J.F.	9008060079	50-320	H	TAYLOR,D.L.	9008240172	50-454	Q	TORIAS,B.M.	9008090164*	50-498

PERSONAL AUTHOR INDEX 247

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TOBIN, W.J.	9007260118*	50-302	TUCKER, H.B.	9008280373	50-413	WALLACE, E.G.	9008230090	50-259
TOKARZ, J.J.	9008010023	50-373	TUCKER, T.L.	9008210015*	50-269	WALLACE, E.G.	9008240084	50-259
TOMPKINS, B.A.	9008070243	50-250	TUCKER, H.B.	9007310218	50-414	WALLACE, E.G.	9008240091	50-259
TOMPKINS, B.A.	9008150164	50-443	TUCKER, H.B.	9007310220	50-269	WALLACE, E.G.	9008240094	50-327
TOMPKINS, B.A.	9008240069	50-443	TURK, S.E.	9008270088	50-443	WALLACE, E.G.	9008240095	50-327
TOMPKINS, B.A.	9008240174	50-443	TURNER, C.L.	9008060322	50-461	WALLIN, G.A.	9008140350	50-271
TOREN, H.	9008140007	50-322	TUTTLE, R.J.	9007300139	70-25	WALLOP, M.	9007270171*	COMMISSION
TOSKEY, J.B.	9008280286	50-155	UDY, A.C.	8909140274*	50-250	WALSH, J.T.	9008030157*	50-220
TOTH, A.D.	9008270010*	50-397	UDY, A.C.	8909140274*	50-250	WALTON, G.	9008140491	50-443
TOWNSEND, C.D.	9008270004*	50-206	UDY, A.C.	8909260266*	50-331	WANG, A.	9008080229	50-213
TOWNSEND, J.D.	9008170232	50-275	ULMER, F.J.	9008170243	50-344	WANG, A.	9008090193	50-213
TOY, H.L.	9007270210	70-8	UMBEL, D.	9008090091	CONTRACT	WANG, A.	9008230225	50-213
TRACY, H.T.	9007270145	50-29	VAN DOORN, P.K.	9008080276*	50-369	WANG, A.B.	9008080236	50-213
TRACY, H.T.	9008020095*	50-29	VAN DOORN, P.K.	9008270115*	50-369	WANG, A.B.	9008080237*	50-213
TRAFICONTE, J.	9008070260	50-443	VAN HEMEL, S.B.	9008090024	NUREG	WANG, A.B.	9008090195*	50-213
TRAFICONTE, J.	9008150179	50-443	VAN SANT, B.	9008070067	50-285	WARD, D.C.	9008030070*	40-6622
TRAFICONTE, J.	9008150198*	50-443	VANDENBURGH, C.	9008100036*	QA999	WARD, D.C.	9008220212*	40-3453
TRAFICONTE, J.	9008150223	50-443	VANHOENACKER, L.	9008080178	NUREG	WARD, D.C.	9008220214*	40-8084
TRAFICONTE, J.	9008150256	50-443	VARAKLIS, A.A.	9008140097*	FOIA	WARD, D.C.	9008240165	40-2259
TRAN, H.	9008140183	50-331	VARGA, S.	9008140177	50-260	WARD, D.C.	9008240168	40-6698
TRAN, H.	9008210127	50-331	VARGA, S.A.	9008270043*	50-317	WARD, D.C.	9008240180	40-6681
TRAVERS, W.D.	9008150202	REVIEW GR P	VARGA, S.A.	9008280304*	50-322	WARD, D.C.	9008240226*	40-3453
TRAVERS, W.D.	9008170061	REVIEW GR P	VARGA, S.G.	9008060130*	50-322	WARD, D.C.	9008240238	40-8452
TREBY, S.A.	8806020197*	FOIA	VAUGHN, G.E.	9007310210	50-499	WARD, D.C.	9008240243	40-299
TREBY, S.A.	8812070092*	FOIA	VAUGHN, G.E.	9008030078	50-498	WARD, D.C.	9008240244	40-6681
TREBY, S.A.	8903200372*	REVIEW GR P	VAUGHN, G.E.	9008070019	50-498	WARD, D.C.	9008240246	40-1162
TREMBLAY, L.A.	9008060012	50-271	VAUGHN, G.E.	9008130286	50-498	WARD, D.C.	9008240247	40-1162
TRENT, L.K.	9008170201	70-27	VERNETSON, W.G.	9007310020	50-83	WARD, D.C.	9008270024	40-6622
TREVORS, G.A.	9007270208	50-298	VERNETSON, W.G.	9007310149	70-1068	WARD, D.C.	9008270072	40-8768
TREVORS, G.A.	9008060016	50-298	VERRELLI, D.M.	9007270022	50-416	WARD, D.C.	9008270074	40-4492
TREVORS, G.A.	9008060158	50-298	VERRELLI, D.M.	9007270099	50-324	WARD, D.C.	9008270075	40-299
TREVORS, G.A.	9008090189	50-298	VERRELLI, D.M.	9008280215	50-395	WARD, D.C.	9008280375	40-8584
TREVORS, G.A.	9008090306	50-298	VERRELLI, D.M.	9008100057	50-324	WARD, D.C.	9008280378	40-3453
TROCINE, L.	9008080044*	50-424	VERRELLI, D.M.	9008100059*	50-324	WARREN, L.A.	9008210126	50-280
TROJANOWSKI, R.	9008100085	I&E	VERRELLI, D.M.	9008100112	50-416	WASTLER, S.L.	9008010257	WASTE MGT
TROJANOWSKI, R.	9008100098	I&E	VERRELLI, D.M.	9008200102	50-261	WASTLER, S.L.	9008090104	WASTE MGT
TROOST, B.G.	9008270150*	CONTRACT	VERRELLI, D.M.	9008230184	50-261	WECHSELBERGER	9007300146*	50-237
TROSKOSKI, W.	9007300008	50-461	VERRELLI, D.M.	9008280307	50-395	WECHSELBERGER	9008160055*	50-237
ROTTIER, C.A.	9008070378	NUREG	VERRELLI, D.M.	9008280311*	50-395	WEEKS, J.R.	9008090122*	ADVCM
TROUP, G.	9008080219	70-27	VIA, S.	9008100108*	50-302	WEEKS, J.W.	9008130309	50-369
TROUP, G.L.	9008280332*	70-143	VIRGILIO, M.J.	9008170069	50-322	WEHRY, R.R.	9008170044	50-387
TROUT, J.P.	9008070124	50-271	VSSING, G.S.	9008010205	50-336	WEHRY, R.R.	9008270022	50-387
TROUT, J.P.	9008070124	50-271	VITKUS, T.J.	9008130204	40-6940	WEISEMANN, R.A.	9007270092*	TOPREP
TROUT, J.P.	9008070141	50-271	VOGT, J.F.	9007310058	71-5862	WEISS, S.H.	9008030028*	50-170
TROUT, J.P.	9008070141	50-271	VOLKMER, H.L.	9008140493*	50-186	WEISS, S.H.	9008030192*	50-186
TROUT, J.P.	9008070147	50-271	WAGNER, E.J.	9007310008	50-293	WEISS, S.H.	9008080026*	50-5
TROUT, J.P.	9008070147	50-271	WAGNER, K.	9008280272*	COMMISSION	WEISS, S.H.	9008130147*	50-262
TROUT, J.P.	9008240090	50-443	WAGNER, P.C.	9008060300*	50-458	WENZINGER, E.	9008080313	50-219
TROUT, J.P.	9008240090	50-443	WAGNER, R.	9007270166*	COMMISSION	WENZINGER, E.	9008220077	50-219
TROZZI, V.	9008070264	70-135	WALKER, R.D.	9008130177	50-446	WENZINGER, E.C.	9008020020	50-245
TRUBATCH, S.L.	9008240162*	50-254	WALKER, R.D.	9008270084	71-504	WENZINGER, E.C.	9008070099	50-334
TSCHERNE, R.L.	9008020085*	50-286	WALKER, T.	9008270063*	50-219	WENZINGER, E.C.	9008090035	50-336
TUCKER, H.	9008020236	50-369	WALLACE, E.G.	9007260149	50-390	WENZINGER, E.C.	9008100034	50-289
TUCKER, H.B.	9007310056	50-369	WALLACE, E.G.	9008010040	50-327	WERT, L.D.	9008270205*	50-269
TUCKER, H.B.	9007310094	50-269	WALLACE, E.G.	9008020133	50-259	WESSMAN, R.	9007300021*	50-317
TUCKER, H.B.	9008020125	50-413	WALLACE, E.G.	9008020194	50-390	WESSMAN, R.H.	9008060047	50-213
TUCKER, H.B.	9008030328	50-269	WALLACE, E.G.	9008020239	50-390	WESSMAN, R.H.	9008060276	50-317
TUCKER, H.B.	9008030340	50-369	WALLACE, E.G.	9008020255	50-390	WESSMAN, R.H.	9008090261	50-354
TUCKER, H.B.	9008060033	50-269	WALLACE, E.G.	9008030071	50-390	WESSMAN, R.H.	9008170081	50-293
TUCKER, H.B.	9008060244	50-413	WALLACE, E.G.	9008030074	50-390	WESTERMAN, T.F.	9008060318*	50-382
TUCKER, H.B.	9008070023	50-269	WALLACE, E.G.	9008030118	50-390	WESTERMAN, T.F.	9008060332*	50-313
TUCKER, H.B.	9008070040	50-369	WALLACE, E.G.	9008030156	50-390	WESTERMAN, T.F.	9008150263*	50-313
TUCKER, H.B.	9008070175	50-369	WALLACE, E.G.	9008030163	50-390	WESTERMANN, E.L.	9008010064*	50-206
TUCKER, H.B.	9008100217	50-269	WALLACE, E.G.	9008030281	50-390	WHARTON, R.	9008310213	NUREG
TUCKER, H.B.	9008100248	50-369	WALLACE, E.G.	9008060015	50-390	WHEADON, W.C.	9007310133	71-9001
TUCKER, H.B.	9008130171	50-369	WALLACE, E.G.	9008060023	50-390	WHEELER, J.T.	9008220021*	CONTRACT
TUCKER, H.B.	9008150241	PR	WALLACE, E.G.	9008060027	50-390	WHITE, B.	9008070176	71-5971
TUCKER, H.B.	9008160023	50-269	WALLACE, E.G.	9008060086	50-390	WHITE, G.F.	9008200028*	WASTE MGT
TUCKER, H.B.	9008160087	50-413	WALLACE, E.G.	9008060161	50-390	WHITELAND, J.L.	9008170076	50-289
TUCKER, H.B.	9008160187	50-269	WALLACE, E.G.	9008070239	50-390	WHITENER, H.L.	9007260172*	50-250
TUCKER, H.B.	9008160208	50-413	WALLACE, E.G.	9008080134	50-327	WHITENER, H.L.	9008210003*	50-348
TUCKER, H.B.	9008170006	50-369	WALLACE, E.G.	9008080350	70-2910	WHITING, A.R.	9008170179	WASTE MGT
TUCKER, H.B.	9008170032	50-414	WALLACE, E.G.	9008090049	50-259	WHITMAN, D.A.	9008230004	50-298
TUCKER, H.B.	9008170046	50-269	WALLACE, E.G.	9008090103	50-260	WHITNEY, J.	9008270158*	CONTRACT
TUCKER, H.B.	9008170126	50-413	WALLACE, E.G.	9008090110	50-259	WHITT, M.S.	9008210105	50-368
TUCKER, H.B.	9008170222	50-269	WALLACE, E.G.	9008090255	50-327	WHITTEMORE, C.H.	9008070043	50-327
TUCKER, H.B.	9008170228	50-369	WALLACE, E.G.	9008100020	50-327	WICK, E.	9008150248	WASTE MGT
TUCKER, H.B.	9008170236	50-413	WALLACE, E.G.	9008100027	50-327	WIDAY, J.A.	9007310038*	50-244
TUCKER, H.B.	9008170246	50-269	WALLACE, E.G.	9008100131	50-327	WIDAY, J.A.	9007310040*	50-244
TUCKER, H.B.	9008210014	50-269	WALLACE, E.G.	9008130308	50-327	WIDAY, J.A.	9007310042*	50-244
TUCKER, H.B.	9008210122	50-414	WALLACE, E.G.	9008150260	PR	WIDAY, J.A.	9007310044*	50-244
TUCKER, H.B.	9008230066	50-269	WALLACE, E.G.	9008150288	50-259	WIDELL, R.C.	9008080087	50-302
TUCKER, H.B.	9008230093	50-269	WALLACE, E.G.	9008200026	50-259	WIDELL, R.C.	9008080362	50-302
TUCKER, H.B.	9008240137	50-269	WALLACE, E.G.	9008200076	50-390	WIDELL, R.C.	9008080369	50-302
TUCKER, H.B.	9008270123	50-269	WALLACE, E.G.	9008210136	50-390	WIDELL, R.C.	9008130291	50-302
TUCKER, H.B.	9008280363	50-413	WALLACE, E.G.	9008220085	50-327	WIDELL, R.C.	9008130307	50-302
TUCKER, H.B.	9008280365	50-413	WALLACE, E.G.	9008230084	50-259	WIEBE, J.	9008280127*	50-498
TUCKER, H.B.	9008280370	50-269	WALLACE, E.G.	9008230089	50-327	WIEBE, J.S.	9008010129*	50-445

248 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WIEBE, J.S.	9008060301*	50-482 Q	WILSON, P.	9008090135*	CONTRACT	WRIGHT, G.C.	9008090336	50-483 P
WIENS, L.A.	9007310067	50-269 S	WINEGARD, R.	9008140295*	CONTRACT	WRIGHT, G.C.	9008100220	50-155 V
WIENS, L.A.	9008090045	50-269 P	WINGER, M.A.	9008170016	50-334 R	WRIGHT, G.C.	9008130290	50-268 P
WIESEMANN, R.A.	9008150142*	50-348 P	WINK, L.J.	9008070211*	50-220 Q	WRIGHT, G.C.	9008140174	50-305 P
WIGGINS, E.J.	9008130076*	CONTRACT	WINSLOW, T.P.	9006070369	70-1113	WRIGHT, G.C.	9008220173	50-454 V
WIGGINS, E.J.	9008140295*	CONTRACT	WINSLOW, T.P.	9008090179	70-1113	WRIGHT, R.	9007260143*	50-250 Q
WIGGINS, J.T.	9008020113	50-333 Q	WINSLOW, T.P.	9008130311	70-1113	WUDZKI, J.J.	9008150054*	CONTRACT
WIGGINTON, D.	9008140119	50-382 F	WINSLOW, T.P.	9008170018	PR	XU, J.	9008070352	NUREG
WIGGINTON, D.L.	9008160217	50-382 A	WINSLOW, T.P.	9008170162	71-6294	XU, J.	9008070356	NUREG
WILKINS, D.R.	9008220012*	50-605 A	WINSLOW, T.P.	9008170167	70-1113	XU, J.	9008070359	NUREG
WILLIAMS, F.L.	9008020214	50-252 I	WINSLOW, T.P.	9008280291	71-4986	YIADON, A.B.	9008230059*	WASTE MGT
WILLIAMS, F.L.	9008130113	50-252 I	WINTERS, R.W.	9008100187*	50-309 Q	YOCUM, P.D.	9008140018	50-461 S
WILLIAMS, J.C.	9008140307	50-424 R	WISEMAN, G.R.	9008200129*	70-143	YOCUM, P.D.	9008140194	50-461 S
WILLIAMS, M.	9008080069*	70-734	WISEMAN, G.R.	9008210094*	50-261 Q	YORK, J.W.	9008080251*	50-280 Q
WILLIAMS, M.	9008090057*	70-27	WISHAM, C.L.	9008200007	70-734	YOUNG, D.	9008210025*	COMMISSION
WILLIAMS, M.G.	9008220119	50-482 R	WITHERS, B.D.	9007310005	50-482 I	YOUNG, K.A.	9008210166	50-387 R
WILLIAMS, M.H.	9008140001	REVIEW GR P	WITHERS, B.D.	9008010021	50-482 Q	YOUNG, W.H.	9007310132*	PR
WILLIAMS, R.A.	9008170230*	50-369 R	WITHERS, B.D.	9008130259	50-482 Q	YUHAS, G.	9008280361*	COMMISSION
WILLIAMS, R.A.	9008170237*	50-413 R	WITT, C.R.	9007270172	PROJ	YUHAS, G.	9008080355*	50-206 Q
WILLIAMS, R.A.	9008170247*	50-269 R	WITT, C.R.	9008140075	PROJ	YUHAS, G.	9008100298*	50-528 Q
WILSON, B.A.	9007270075	50-327 Q	WITT, C.R.	9008220086	PROJ	YUHAS, G.P.	9007270007	50-344 Q
WILSON, B.A.	9008080001	50-327 Q	WITT, C.R.	9008270107	71-9096	YUHAS, G.P.	9007270008*	50-344 Q
WILSON, B.A.	9008080002*	50-327 Q	WITT, C.R.	9008270114	71-9094	YUHAS, G.P.	9007270010*	50-344 Q
WILSON, B.A.	9008080121	50-259 V	WOMACK, L.F.	9008220072	50-275 F	YUHAS, G.P.	9008080352	50-206 Q
WILSON, B.A.	9008080254	50-259 Q	WONG, H.	9008140321*	50-312 Q	YUHAS, G.P.	9008100294	50-528 Q
WILSON, B.A.	9008200112	50-390 Q	WONG, H.J.	9008100055	50-528 P	YUHAS, G.P.	9008160137	50-387 Q
WILSON, B.A.	9008200121	50-327 Q	WOOD, R.S.	9008130062	PR	YUHAS, G.P.	9008160140*	50-397 Q
WILSON, B.A.	9008200132	50-327 Q	WOODHEAD, C.P.	9008070134	70-270	ZAPOLSKI, M.	9008170024	50-354 Q
WILSON, B.A.	9008200137	50-259 Q	WOODLAND, D.R.	9008130304	50-445 R	ZEILER, J.	9008080079*	50-413 Q
WILSON, B.A.	9008210039	50-390 A	WOODLAND, D.R.	9008240080	50-445 R	ZILKA, N.	9008100331	WASTE RES
WILSON, B.A.	9008210099	50-259 Q	WOODRUFF, R.L.	9008100085	I&E	ZIMMERMAN, R.P.	9007300064	50-397 Q
WILSON, B.A.	9008210148	50-259 F	WOODRUFF, R.L.	9008240096	STATE PRO G	ZIMMERMAN, R.P.	9008020138	50-275 Q
WILSON, B.A.	9008240081	50-259 Q	WOODS, J.B.	9008140401	50-261 R	ZIMMERMAN, R.P.	9008030130	50-344 Q
WILSON, B.A.	9008240134	50-259 P	WRIGHT, F.N.	9008080056*	50-324 Q	ZIMMERMAN, R.P.	9008060097	50-530 P
WILSON, B.A.	9008240219	50-259 Q	WRIGHT, G.C.	9007310249	50-461 V	ZIMMERMAN, R.P.	9008060242	50-275 Q
WILSON, B.A.	9008270195	50-390 Q	WRIGHT, G.C.	9007310251*	50-461 V	ZIMMERMAN, R.P.	9008130106	50-397 Q
WILSON, B.A.	9008270198*	50-390 Q	WRIGHT, G.C.	9008010178	50-315 V	ZIMMERMAN, R.P.	9008130162	50-528 Q
WILSON, B.A.	9008270208	50-390 Q	WRIGHT, G.C.	9008010227	50-315 V	ZIMMERMAN, R.P.	9008140207	50-528 P
WILSON, B.K.	9008150226	70-270	WRIGHT, G.C.	9008070324	50-237 V	ZIMMERMAN, R.P.	9008140213	50-208 P
WILSON, J.R.	9008090093*	CONTRACT	WRIGHT, G.C.	9008080035	50-155 V	ZIMMERMAN, R.P.	9008270007	50-397 Q
						ZINKE, G.A.	9006190089	50-416 R
						ZINKE, G.A.	9008170240	50-416 R
						ZUGGER, P.D.	9008220143*	50-341 P
						ZWOLINSKI, J.A.	9008230186	50-483 P

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Impell Corp. (formerly Impell Corp.)	9008100300*	50-528 Q		9008170206	71-9033
ANCO Engineers, Inc.	9008080092*	ORG		9008170207	71-9135
AT&T	9008220128*	CONTRACT		9008170210	71-6717
Accu-Weather, Inc.	9008170157*	CONTRACT		9008200143	71-705
Advanced Nuclear Fuels Corp. (formerly	9008060083	71-6581	Argonne National Laboratory	9008090018	50-320 P
Exxon Nuclear Co., Inc.)			Arizona Public Service Co. (formerly	9007270037	50-528 F
	9008060101	70-1257	Arizona Nuclear Power Project)		
	9008060106*	70-1257		9008010070	50-529 I
	9008150208	PR		9008010090	50-528 Q
	9008170217	70-1257		9008010101	50-529 S
Afton Associates, Inc.	9008220020	70-1257		9008010152	50-528 I
Akin, Gump, Strauss, Hauer & Feld	9007270174*	COMMISSIO		9008020006	50-530 I
(formerly Akin, Gump, Hauer & Feld)	9008060167	FOIA		9008060141	50-529 S
				9008070065	50-528 P
	9008060172	FOIA		9008070065	50-528 P
				9008070069	50-528 P
	9008060174	FOIA		9008070069	50-528 P
	9008060176	FOIA		9008070071*	50-528 P
	9008060178	FOIA		9008070071*	50-528 P
Alabama Power Co.	9008140065	50-348			
	9008010044			9008070312	50-528 F
				9008070312	50-528 F
	9008020222	50-348		9008070312	50-528 F
	9008060058	50-364		9008070318	50-528 Q
	9008080151	50-364		9008070319	50-530 P
	9008080256	50-348			
	9008080297	50-348		9008100292	50-528 Q
				9008130261	50-529 S
	9008150138	50-348		9008130263	50-529 S
	9008150138	50-348		9008160090	50-528 R
	9008150139*	50-348		9008160090	50-528 R
	9008150139*	50-348			
	9008170014	50-348		9008160090	50-528 R
				9008170029	50-528 R
	9008170017	50-364		9008200146	50-528 P
	9008170137	50-364		9008200146	50-528 S
	9008170229	50-364		9008240199	50-529 S
	9008170234*	50-364			
	9008210118	50-348	Arizona, Univ. of, Tucson, AZ	9007300010	50-113 I
				9008010151*	CONTRACT
	9008210120*	50-348		9008220021*	CONTRACT
	9008210168	50-348	Arkansas Power & Light Co.	9007310003	50-313 F
	9008210168	50-348		9007310003	50-313 F
	9008230020	50-348			
	9008280295	50-348		9007310161	50-368 S
				9007310289	50-313 O
Alliquippa, PA	9008270155*	CONTRACT		9007310289	50-313 O
Alliance Moving & Storage, Inc.	9008220117*	CONTRACT		9008010244	50-313 F
Allied-Signal Corp.	9007300018	40-3392			
	9008150102	PR		9008010248	50-313 F
American Air Filter Co.	9008020197	50-461 P		9008010248	50-313 F
				9008030132	50-368 S
American College of Nuclear Physicians	9008150182	PR		9008060042	50-313 F
American College of Radiology	9008150148	PR		9008060042	50-313 F
American Institute in Taiwan	9007310047	XPORTLIC			
American Management Systems, Inc.	9008280262*	COMMISSIO		9008060046	50-313 F
American Mining Congress	9007270196*	COMMISSIO		9008060046	50-313 F
				9008060073	50-313 F
	9008210050	PR		9008060073	50-313 F
	9008220081	PR		9008060075	50-313 F
Amersham Corp.	9008090071	71-9160			
	9008150132	PR		9008060075	50-313 F
	9008270124	71-9033			
Amesbury Hosp., Amesbury, MA	9008070292*	50-443 G		9008060075	50-313 F
Anaheim, CA	9007270162	50-361 I		9008060080	50-313 F
	9007270162	50-361 I		9008060080	50-313 F
	9008010103	50-206 I		9008060085	50-313 F
	9008010103	50-206 I			
				9008060105	50-313 F
	9008010103	50-206 I		9008060105	50-313 F
	9008100064	50-206 I		9008060113	50-313 F
	9008100064	50-206 I		9008060113	50-313 F
	9008100064	50-206 I		9008060122	50-313 F
Anna Jaques Hosp., Newburyport, MA	9008070289*	50-443 G			
				9008060122	50-313 F
Applied Technical Services, Inc.	9008170197	71-9035		9008060131	50-313 F
	9008170202	71-9039		9008060131	50-313 F
	9008170204	71-9032			

250 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9008060196	50-313	ד		9008080262	50-317	P
	9008060196	50-313	ד		9008100315	50-317	S
	9008060203	50-313	ד		9008140009	50-317	P
	9008060203	50-313	ד		9008140009	50-317	P
	9008060212	50-313	ד		9008140012*	50-317	P
	9008060212	50-313	ד		9008140012*	50-317	P
	9008060220	50-313	ד		9008160007	50-317	F
	9008060220	50-313	ד		9008160007	50-317	F
	9008060286	50-313	ד		9008170251	50-317	R
	9008060286	50-313	ד		9008170251	50-317	R
	9008140056	50-313	ד		9008210173	50-317	P
	9008210105	50-368	ד		9008230134	50-317	S
	9008210113	50-313	ד		9008240016	50-317	S
	9008280258	50-313	ד		9008240056	50-317	F
	9008280263	50-313	ד		9008240056	50-317	F
Armed Forces Radiobiological Research Institute	9007060011	50-170	F		9008240065	50-317	F
Arter & Hadden	9007240021	50-170	F	Battelle Memorial Institute	9007270210	70-8	
Aspen Systems Corp.	9007270200	40-7102			9007270212*	70-8	
	9008020279*	CONTRACT		Battelle Memorial Institute, Columbus	9008020268*	70-8	
Atlantic City Electric Co.	9007270077	50-272	I		9008230229*	CONTRACT	
	9007270077	50-272	I	Laboratories	9008240022*	CONTRACT	
	9007270077	50-272	I		9008020304*	27-48	
	9007270077	50-272	I	Battelle Memorial Institute, Pacific Northwest Laboratory	9008020305*	27-48	
	9007270080*	50-272	I		9008070393	NUREG	
	9007270081*	50-272	I		9008310179	NUREG	
	9007270084*	50-272	I	Bechtel Group, Inc.	9008230086*	50-259	P
	9007270085*	50-272	I	Bishop, Cook, Purcell & Reynolds	9008060225*	FOIA	
	9007270086*	50-272	I	Boston Edison Co.	9007270131	50-293	K
Atlantic States Legal Foundation, Inc.	9008030024	50-220	H		9007310008	50-293	R
Automatic Switch Co.	9008030026*	50-220	H		9007310021	50-293	R
Automation Management Consultants, Inc.	9008210188	QA999			9007310212	50-293	I
	9008060217*	CONTRACT			9008080243	50-293	S
	9008090288*	CONTRACT			9008130169	50-293	S
BP Chemicals International	9007310071	40-7604			9008150055	50-293	S
	9008020301	40-7604			9008150067	50-293	V
BWR Owners Group	9008020302*	40-7604			9008210108	50-293	P
Babcock & Wilcox Co.	9008140197	TOPREP			9008210111*	50-293	P
	9003260135	TOPREP			9008220078	PR	
	9007050195	TOPREP			9008220118	50-293	R
	9007050205	TOPREP			9008240240	50-293	P
	9007270176	70-1201			9008270056*	50-293	P
	9008020087	70-135			9008270143	50-293	P
	9008020087	70-135			9008270184	50-293	P
	9008020087	70-135		Brattleboro, VT	9008270165*	CONTRACT	
	9008020089*	70-135		Brookhaven National Laboratory	9008070352	NUREG	
	9008020089*	70-135			9008070356	NUREG	
	9008020089*	70-135			9008070359	NUREG	
	9008020116*	70-135			9008070370	NUREG	
	9008020116*	70-135			9008070396	NUREG	
	9008060115	70-135			9008070400	NUREG	
	9008170192	70-27			9008090122*	ADVCN	
	9008170196	70-27			9008090124*	ADVCN	
	9008170196	70-27			9008090126*	ADVCN	
	9008170201	70-27			9008310196	NUREG	
	9008170208	70-27		Brown Brothers Harriman & Co.	9007270190	40-6563	
	9008170209	70-27		Burns & Roe Co.	9008170001	TOPREP	
	9008170226	70-27		C-E Operating Plants Owners Group	9007270101	TOPREP	
	9008200006	70-27			9007270102*	TOPREP	
	9008200008	70-27			9008080301	TOPREP	
	9008200043	70-27		CBI Services, Inc. (formerly Chicago Bridge & Iron Co.)	9008220092*	50-302	Q
	9008200055	70-27			9008220094*	50-302	Q
Babcock & Wilcox Operating Plants Owners Group	9008220093	70-27			9008220101*	50-302	Q
	9008060274	TOPREP			9008070286	FOIA	
	9008060277*	TOPREP		CNN America, Inc.	9008060248	FOIA	
Backus, Meyer & Solomon	9008150179	50-443	G	CONOCO, Inc. (Continental Oil Co.)	9008140235	40-6940	
	9008150198*	50-443	G	Cabot Corp.	9008140255*	40-6940	
	9008150223	50-443	G	Cajun Electric Power Cooperative, Inc.	9008010117*	50-458	I
	9008150223	50-443	G		9008060204	ACRS	
Baltimore Gas & Electric Co.	9008150256	50-443	G	California, Univ. of, Berkeley, CA	9008070322	50-326	R
	9007310152	50-317	Y	California, Univ. of, Irvine, CA	9008020196	50-142	H
	9007310152	50-317	Y	California, Univ. of, Los Angeles, CA	9008150141	PR	
	9007310152	50-317	Y	California, Univ. of, Santa Barbara, CA	9008020215	50-29	P
	9007310155*	50-317	Y		9008020219*	50-29	P
	9007310155*	50-317	Y	Callaway County, MO	9008220131*	CONTRACT	
	9007310155*	50-317	Y	Calspan Corp. (subs. Arvin Industries/Fr	8701150185*	50-255	P
	9007310205	50-317	I	anklin Research Center)			
	9008060045	50-317	S	Canada Atomic Energy Control Board	9008210055	40-3392	
	9008070064	50-317	Q		9008150011*	CONTRACT	
	9008070305	50-317	S	Career Counseling Services	9007310062	50-324	F
	9008070305	50-317	S	Carolina Power & Light Co.	9007310163	50-261	I
	9008080054	50-317	P		9007310165*	50-261	I
	9008080054	50-317	P		9007310171	50-324	Q
	9008080106	50-317	P		9008010087	50-325	S
	9008080106	50-317	P		9008010102	50-400	I
	9008080110*	50-317	P		9008010188	50-261	S
	9008080110*	50-317	P		9008020007	50-400	F

CORPORATE SOURCE INDEX 251

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9008020081	50-324		9008220190	50-440
	9008020126	50-324		9008270133	50-440
	9008020226	50-400	Chem-Nuclear Systems, Inc.	9007270172	PROJ
	9008030099	50-324		9007310033*	WASTE MGT
	9008030099	50-324		9008210199	PRM
	9008030145	50-324		9008220086	PROJ
	9008030185	50-400		9008270107	71-9096
	9008060055	50-324		9008270114	71-9094
	9008060089	50-261		9008270116*	71-9094
	9008060305	50-261	Cimarron Corp.	9008010245	70-925
	9008060305	50-261	Cintichem, Inc.	9008010241	50-54
	9008060305	50-261		9008010241	50-54
	9008060305	50-261		9008010254*	50-54
	9008060343	50-400		9008010254*	50-54
	9008070039	50-324	Citibank, N.A.	9008020229	40-8027
	9008070156	50-261		9008070279*	50-443
	9008090043	50-324	Clark Univ., Worcester, MA	9008070029*	50-440
	9008090043	50-324	Cleveland Electric Illuminating Co.	9008150201	50-440
	9008090072	50-325		9008100123*	WASTE MGT
	9008090090	50-261	Colorado, State of	9008200028*	WASTE MGT
	9008090090	50-261	Colorado, Univ. of		
	9008090101	50-400	Combustion Engineering, Inc.	9007270104*	TOPREP
	9008090152	50-324		9007300085	71-6294
	9008090152	50-324		9007300087*	71-6294
	9008090152	50-324		9008080301	TOPREP
	9008130208	50-325		9008100290	70-1100
	9008130269	50-324		9008140272	TOPREP
	9008130269	50-324		9008200054	TOPREP
	9008130270*	50-324	Commonwealth Edison Co.	9007270016	50-237
	9008130270*	50-324		9007270082	50-237
	9008130274	50-324		9007270082	50-237
	9008130274	50-324			
	9008130274	50-324		9007300017	50-237
	9008130275*	50-324		9007300029	50-10
	9008130275*	50-324		9007300029	50-10
	9008140401	50-261		9007300029	50-10
	9008150084	50-324		9007300029	50-10
	9008150084	50-324		9007300034	50-373
	9008150278	50-400		9007310063	50-254
	9008160100	50-324		9008010016	50-237
	9008160100	50-324		9008010023	50-373
	9008160101*	50-324		9008010078	50-254
	9008160103*	50-324		9008010093	50-295
	9008170019	50-400		9008010093	50-295
	9008170082	50-324		9008010096	50-454
	9008170082	50-324		9008010096	50-454
	9008170085*	50-324		9008010096	50-454
	9008170085*	50-324		9008010096	50-454
	9008200147	50-324		9008010096	50-454
	9008200147	50-324		9008010099	50-454
	9008210085	50-324		9008010099	50-454
	9008210085	50-324		9008010099	50-454
	9008220135	50-324		9008010147	50-265
	9008220135	50-324		9008010166*	50-265
	9008220170	50-324		9008010193	50-373
	9008220181*	50-324		9008010218	50-295
	9008230095	50-261		9008010218	50-295
	9008230095	50-261			
	9008230097	50-261		9008020162	50-454
	9008240055	50-324		9008020261	50-254
	9008240055	50-324		9008020272	50-295
	9008240060*	50-324		9008030023	50-454
	9008240060*	50-324		9008030075	50-295
	9008240060*	50-324		9008030097	50-295
	9008270038	50-261		9008030109	50-456
	9008270177	50-261		9008030109	50-456
	9008280372	50-261		9008030180	50-295
Carondelet Foundry Co.	9008200183	71-9032		9008030349	50-237
	9008200183	71-9032		9008030349	50-237
	9008220073	71-9032		9008030350*	50-237
	9008220073	71-9032		9008030350*	50-237
	9008220076*	71-9032		9008060004	50-10
	9008220076*	71-9032		9008060334	50-295
	9008240012	XPORTLIC		9008060334	50-295
	9008240017	XPORTLIC		9008060402	50-457
Cedar Rapids, IA	9008270171*	CONTRACT		9008070308	50-454
Center for Nuclear Waste Regulatory Analyses	9008010130	WASTE MGT		9008070341	50-237
	9008010133*	WASTE MGT		9008080325	50-10
	9008160120	WASTE MGT		9008080325	50-10
	9008170179	WASTE MGT		9008090022	50-10
	9008170212	WASTE MGT		9008090023*	50-10
	9008170214*	WASTE MGT		9008090060	50-373
	9007270109	50-440		9008090136	50-254
	9007310074	50-440		9008090136	50-254
	9008070025	50-440		9008100044	50-254
	9008090080	50-440		9008100107	50-254
	9008130167	50-440		9008130005	50-373
	9008130226	50-440		9008130073	50-254
	9008130265	50-440		9008130078	50-254
	9008170227	50-440		9008130078	50-254
Centerior Energy	9008200042	71-9073		9008130082	50-254

Communications Technology Applications,
Inc.
Concord Associates, Inc.
Connecticut Yankee Atomic Power Co.

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9008130082	50-254	Consolidated Edison Co. of New York, Inc.	9008270134	50-213	
	9008130095	50-265		9008270149	50-213	
	9008130161	50-237		9007300027	50-247	
	9008130161	50-237		9007300031*	50-247	
	9008130161	50-237		9008010028	50-247	
	9008130161	50-237				
	9008130188	50-456		9008010079	50-247	
	9008130188	50-456		9008010082	50-247	
	9008130188	50-456		9008060341	50-247	
	9008130194	50-295		9008070229	50-3	
	9008130194	50-295	9008070229	50-3		
	9008130280	50-456	Consumers Power Co.	9008170039	50-247	
	9008140032	50-373		9008200107	50-247	
	9008140365	50-456		9008220208	50-247	
	9008140365	50-456		9008230067	50-247	
	9008140439	50-295		9008230216	50-247	
	9008150110	PR		9008240169	50-247	
	9008150193	50-456		9008240197	50-247	
	9008150193	50-456		9008280171	50-247	
	9008160021	50-237		9008280177	50-247	
	9008160059	50-237		9006060054	50-255	
	9008160069*	50-237		9007300095	50-255	
	9008160069*	50-237		9007300096	50-255	
	9008160086	50-373		9008010120	50-255	
	9008160153	50-454		9008020188	50-155	
	9008160156	50-455		9008020206	50-255	
	9008160218	50-265		9008020244	50-255	
	9008170053	50-295		9008070084	50-155	
	9008170242	50-295		9008070091	50-155	
	9008170242	50-295		9008080136	50-255	
	9008170254	50-10		9008080141	50-255	
	9008170254	50-10		9008080147	50-255	
	9008170254	50-10		9008080184	50-255	
	9008170266	50-454		9008080193	50-255	
	9008170269*	50-454		9008080196	50-255	
	9008170270*	50-454		9008080202	50-255	
	9008200070	50-295		9008080208	50-255	
	90082210149	50-373		9008080390	50-255	
	90082210151	50-295		9008090133	50-155	
	9008220197	50-237		9008090157	50-155	
	9008220216	50-454		9008130004	50-155	
	9008220216	50-454		9008140008	50-255	
	9008220217*	50-454		9008140036	50-255	
	9008220217*	50-454		9008140053	50-155	
	9008230009	50-237		9008210146	50-255	
	9008230017	50-10		9008210191	50-255	
	9008230017	50-10		9008220164	50-155	
	9008230017	50-10		9008220166*	50-155	
	9008230017	50-10		9008220203	50-255	
	9008230017	50-10		9008240183	50-255	
	9008230017	50-10		9008270128	50-255	
	9008230017	50-10	Cooper Industries, Inc.	9008270129*	50-255	
	9008230017	50-10		9008270181	50-155	
	9008230017	50-10		9008270183*	50-155	
	9008230017	50-10		9008280286	50-155	
	9008230039	50-456		9008080328	50-208	
	9008230039	50-456		Covington & Burling Criticom, Inc. Czechoslovakia, Govt. of DDL Omni Engineering Corp. Dairyland Power Cooperative	9008240128	40-2061
	9008230208	50-237			9008140295*	CONTRACT
	9008230214	50-456			9008280272*	COMMISSIO
	9008240162*	50-254			9008280331*	CONTRACT
	9008240172	50-454			9007270111	50-409
	9008240172	50-454	Defense, Dept. of Detroit Edison Co.	9008280260*	COMMISSIO	
	9008270189	50-295		9007310077	50-341	
	9008280167	50-455		9007310100	50-16	
	9008280246	50-373		9007310104	50-341	
	9008280273	50-295		9007310159	50-341	
	9008280273	50-295		9008090021	50-341	
	9008280274	50-295		9008090027	50-341	
	9008280275*	50-295		9008130077*	50-341	
	9008280275*	50-295		9008130079*	50-341	
	9008280302	50-456		9008130085	50-341	
ons Technology Applications, ociates, Inc. ankkee Atomic Power Co.	9008280302	50-456		9008130087*	50-341	
	9008090024	NUREG		9008130107	50-341	
	9008130109*			50-341		
	9008090024	NUREG		50-341		
	9008010202	50-213		50-341		
	9008010203*	50-213		50-341		
	9008020166	50-213		50-341		
	9008060401	50-213		50-341		
	9008070002	50-213		50-341		
	9008080406	50-213		50-341		
	9008170003	50-213	Diamond Engineering & Testing, Inc.	9008220083	50-341	
	9008170004	50-213		9008220140	50-341	
	9008170235	50-213		9008230175	50-341	
	9008200093	50-213		9008100159	71-704	
	9008200093	50-213		9008100164*	71-704	
	9008210090	50-213	Dickherber, R.L.	9008070232	50-254	
	9008220220	50-213		9008240162*	50-254	
	9008230106	50-213	Dignan,T.G. Dow Chemical Co.	9008270141	50-443	
	9008230107*	50-213		9008060147	50-264	

CORPORATE SOURCE INDEX 253

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Ike Power Co.	9008280282	40-17		9008230066	50-269
	9008280283*	40-17		9008230066	50-269
	9007270039	50-369		9008230066	50-269
	9007270043	50-370		9008230066	50-269
	9007270049	50-270		9008230066	50-269
	9007270054	50-269		9008230066	50-269
	9007310056	50-369		9008230066	50-269
	9007310094	50-269		9008230066	50-269
	9007310215	50-413		9008230093	50-269
	9007310217	50-369		9008230093	50-269
	9007310218	50-414		9008230093	50-269
	9007310220	50-269		9008230093	50-269
	9008020125	50-413		9008230093	50-269
	9008020236	50-369		9008230093	50-269
	9008030084	50-269		9008230093	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030328	50-269		9008240137	50-269
	9008030340	50-369		9008240141*	50-269
	9008030344*	50-369		9008240141*	50-269
	9008060033	50-269		9008240141*	50-269
	9008060100	50-369		9008240141*	50-269
	9008060117	50-369		9008240141*	50-269
	9008060150	50-413		9008240141*	50-269
	9008060151*	50-413		9008240141*	50-269
	9008060244	50-413		9008270123	50-269
	9008060244	50-413		9008280363	50-413
	9008060330	50-414		9008280365	50-413
	9008060364	50-369		9008280365	50-413
	9008070023	50-269		9008280370	50-269
	9008070023	50-269		9008280373	50-413
	9008070023	50-269		9008280373	50-413
	9008070026*	50-269	Duquesne Light Co.	9008280373	50-413
	9008070026*	50-269		9007270134	50-334
	9008070026*	50-269		9008010158	50-334
	9008070026*	50-269		9008060059	50-334
	9008070040	50-369		9008060059	50-334
	9008070040	50-369		9008060114	50-412
	9008070175	50-369		9008070081	50-334
	9008070179*	50-369		9008070081	50-334
	9008100217	50-269		9008070106	50-334
	9008100248	50-369		9008070107*	50-334
	9008100248	50-369		9008150251	50-334
	9008130171	50-369		9008170016	50-334
	9008130174	50-413		9008170016	50-334
	9008130292	50-369		9008200058	50-334
	9008130303	50-369		9008220136	50-334
	9008150241	PR		9008270140	50-334
	9008160023	50-269	E.I. du Pont de Nemours & Co., Inc.	PR	
	9008160075	50-269	EG&G Idaho, Inc. (subs. of EG&G, Inc.)	8909140274*	50-250
	9008160075	50-269		8909260266*	50-331
	9008160075	50-269		9006210383*	50-336
	9008160087	50-413		9007090111*	50-237
	9008160187	50-269		9008080197	NUREG
	9008160187	50-269		9008080272*	50-244
	9008160187	50-269		9008090053*	50-269
	9008160208	50-413		9008310221	NUREG
	9008160208	50-413	Eastman Kodak Co.	9008280288*	CONTRACT
	9008160210*	50-413	Edison Electric Institute	9008210102	PRM
	9008160210*	50-413	Edlow International Co.	9008020228	XPORTLIC
	9008170006	50-369		9008020232*	XPORTLIC
	9008170032	50-414		9008230206	70-1252
	9008170033*	50-414		9008240014	XPORTLIC
	9008170046	50-269		9008240015*	XPORTLIC
	9008170046	50-269	Electric Power Research Institute	9007300052*	50-333
	9008170046	50-269		9008090194*	PROJ
	9008170046	50-269	Energy Technology Engineering Center	9008070338	NUREG
	9008170046	50-269		9007300056	WASTE MGT
	9008170046	50-269	Energy, Dept. of	9007310050	WASTE MGT
	9008170046	50-269		9007310132*	PR
	9008170126	50-413		9008010162	WASTE MGT
	9008170222	50-269		9008010231	71-9079
	9008170228	50-369		9008020157	WASTE MGT
	9008170230*	50-369		9008020160	WASTE MGT
	9008170233*	50-369		9008020289	WASTE MGT
	9008170236	50-413		9008030033*	CONTRACT
	9008170237*	50-413		9008030215	WASTE MGT
	9008170237*	50-413		9008030216	WASTE MGT
	9008170239*	50-413		9008030351	PROJ
	9008170246	50-269		9008060365	WASTE MGT
	9008170246	50-269		9008080059	WASTE MGT
	9008170247*	50-269		9008080078	WASTE MGT
	9008170249*	50-269		9008090239	WASTE MGT
	9008210014	50-269		9008090242*	WASTE MGT
	9008210015*	50-269		9008100117	WASTE MGT
	9008210122	50-414		9008100123*	WASTE MGT

254 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9008140093	WASTE MGT			9008230113	50-382	Q
	9008140145	WASTE MGT			9008230217	50-382	S
	9008140160	WASTE MGT			9008230219	50-382	F
	9008140176	WASTE MGT			9008280382	50-416	S
	9008150243	WASTE MGT			9008280383	50-416	S
	9008160125	WASTE MGT		Environmental Conservation Organization	9008130322	50-312	H
	9008170122	PROJ		Environmental Evaluation Group	9008130310	WASTE MGT	
	9008170124*	PROJ		Environmental Protection Agency	9008140496*	ORG	
	9008170143	WASTE MGT		Family Carpet Service, Inc.	9008070340	FOIA	
	9008170184	PROJ			9008070347*	FOIA	
	9008200045	PROJ		Fansteel Metals (subs. of Fansteel, Inc.)	9007300089	40-7580	
	9008200063	WASTE MGT			9008010154	40-7580	
	9008200084*	WASTE MGT		Fansteel, Inc.	9008010155*	40-7580	
	9008210104	WASTE MGT		Federal Emergency Management Agency	9007300066	40-7580	
	9008210110	WASTE MGT			9008080076	50-400	F
	9008210114	WASTE MGT			9008080082*	50-400	F
	9008210115	WASTE MGT			9008080316	50-245	F
	9008210117	WASTE MGT			9008130112*	50-344	F
	9008210174*	WASTE MGT			9008130115*	50-344	F
	9008220029	70-8			9008160084	50-267	F
	9008220035*	70-8			9008160088*	50-267	F
	9008230055	WASTE MGT			9008240252	50-400	F
Energy, Dept. of, Idaho Operations Offic	9008280361*	COMMISSIO	N		9008240253*	50-400	F
	9008010069	PROJ			9008270113*	50-443	G
	9008010072*	PROJ			9008270118*	50-443	G
Entergy Corp.	9008060351	50-382	S	First Wisconsin National Bank of Madison	9008020121*	50-305	I
Entergy Operations, Inc.	9008070098	50-382	S	Florida Power & Light Co.	9007310082	50-335	F
	9006190089	50-416	R		9007310082	50-335	F
	9007310119	50-416	I		9007310110	50-302	I
	9007310233	50-416	F		9007310235	50-335	Q
	9008010011	50-417	R		9007310256	50-250	F
	9008010015	50-313	P		9008010106	50-335	P
	9008010050	50-313	R		9008010106	50-335	P
	9008010054	50-313	Q		9008010160	50-250	P
	9008010076	50-313	Q		9008010204	50-250	P
	9008010089	50-416	J		9008130309	50-389	S
	9008010092	50-313	P		9008140500	50-250	Q
	9008010176	50-382	P		9008140504	50-335	Q
	9008010177*	50-382	P		9008150189	50-250	G
	9008010179	50-382	P		9008150276	50-251	S
	9008010180*	50-382	P		9008160219	50-335	P
	9008010183	50-382	P		9008170149	50-250	S
	9008010184*	50-382	P		9008200052	50-250	R
	9008020105	50-313	I		9008210121	50-250	R
	9008060135	50-313	Q		9008210123*	50-250	R
	9008060135	50-313	Q		9008210124*	50-250	R
	9008060146	50-313	P		9008210157	50-335	R
	9008060146	50-313	P		9008210157	50-335	R
	9008070094	50-313	S		9008210157	50-335	R
	9008070097	50-313	Q		9008220218	50-389	P
	9008070097	50-313	Q		9008220219*	50-389	P
	9008070204	50-313	Q		9008230243	50-389	S
	9008070204*	50-313	P		9008240101	50-250	G
	9008070205*	50-313	P		9008240101	50-250	G
	9008070248	50-313	Q		9008240144	50-389	S
	9008070248	50-313	Q		9008270132	50-250	G
	9008070300	50-416	J		9008270135*	50-250	G
	9008070303	50-416	V		9008270168	50-250	S
	9008080122	50-416	S		9008270168	50-250	S
	9008080207	50-313	S		9008280277	50-335	S
	9008080227	50-368	Q		9008280280*	50-335	R
	9008080230	50-368	S	Florida Power Corp. (subs. of Florida Progress Corp.)	9008280280*	50-335	R
	9008080234	50-368	S		9007270125	50-302	F
	9008080323	50-382	S		9008010005	50-302	S
	9008080361	50-382	T		9008070056	50-302	P
	9008090105	50-416	F		9008080087	50-302	S
	9008090109	50-382	R		9008080362	50-302	S
	9008090113*	50-382	F		9008080369	50-302	S
	9008090175	50-416	S		9008130291	50-302	P
	9008090244	50-416	P		9008130307	50-302	S
	9008090245*	50-416	P		9008170225	50-302	R
	9008130032	50-382	P		9008220064	50-302	P
	9008130225	50-313	Q		9008220068	PR	
	9008140469	50-416	P		9008220090	50-302	Q
	9008140480*	50-416	P		9008240130	50-302	Q
	9008150012	50-416	P		9008240133*	50-302	Q
	9008150013*	50-416	P	Florida, Univ. of, Gainesville, FL	9008280255	50-302	F
	9008160169*	50-313	P		9007310020	50-83	I
	9008170240	50-416	R	Garde, B.P.	9007310149	70-1068	
	9008170241	50-416	P		9008270132	50-250	G
	9008170244*	50-416	P		9008270135*	50-250	G
	9008200050	50-416	P	General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9007270179	70-734	
	9008200060	50-313	P		9007270181*	70-734	
	9008200067*	50-416	P		9007270182*	70-734	
	9008200071	50-368	Q		9007270184*	70-734	
	9008200077	50-368	S		9007310101	50-89	I
	9008210086	50-368	S		9007310101	50-89	I
	9008210145	50-416	F		9007310103*	50-89	I
	9008210169	50-416	P				
	9008210172*	50-416	P				

CORPORATE SOURCE INDEX 255

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9007310103*	50-89	I		9008160028	50-219 P
	9007310103*	50-89	I		9008170076	50-289 F
	9007310105*	50-89	I		9008210125	50-289 R
	9007310105*	50-89	I		9008210139	50-320 R
	9007310105*	50-89	I		9008210140*	50-320 R
	9007310108*	50-89	I		9008210141	50-320 P
	9007310108*	50-89	I		9008210142	50-320 H
	9007310108*	50-89	I		9008210153	50-219 R
	9008030001	XPORTLIC			9008270064*	50-219 Q
	9008030002*	XPORTLIC			9008270172	50-219 P
	9008030014	XPORTLIC			9008270175*	50-219 P
	9008030015*	XPORTLIC			9008280318	50-289 Q
	9008080174*	50-267 P		Georgia Institute of Technology, Atlanta GA	9007310004	50-160 P
	9008080216*	50-267 P			9008030259	50-160 P
	9008080218*	50-267 P			9007270027	50-321 P
	9008200007	70-734		Georgia Power Co.	9007270027	50-321 P
	9008240010	XPORTLIC			9007270028*	50-321 P
	9008240011*	XPORTLIC			9007270028*	50-321 P
	9008270094	71-9057			9007270028*	50-321 P
	9008280289	70-734			9007270117	50-425 P
General Electric Co.	9008280298*	70-734			9007270127	50-424 F
	9006070369	70-1113			9007270188	50-321 K
	9007270029	TOPREP			9007270192*	50-321 K
	9007300093	71-170			9007270192*	50-321 K
	9007300094*	71-170			9007270194*	50-321 K
	9007300097	71-170			9007270194*	50-321 K
	9008020257*	71-170			9007300036	50-321 F
	9008020264*	71-170			9007300036	50-321 F
	9008020271*	71-170			9007300099	50-321 V
	9008020276*	71-170			9007300099	50-321 V
	9008020283*	71-170			9007300100	50-424 I
	9008020290*	71-170			9007300102	50-321 I
	9008090179	70-1113			9007310080	50-424 P
	9008100086	50-605	A		9008020130	50-321 P
	9008130232	50-605	A		9008020132	50-321 P
	9008130311	70-1113			9008020151	50-425 S
	9008170018	PR			9008020257	50-424 Q
	9008170026*	50-333 P			9008020267	50-424 Q
	9008170162	71-6294			9008060053	50-425 S
	9008170167	70-1113			9008060162	50-425 S
	9008220012*	50-605 A			9008090041	50-424 Q
	9008240119	50-605 A			9008100035	50-424 S
	9008280291	71-4986			9008100035	50-424 S
General Nuclear Systems, Inc.	9008280320	70-1308			9008100038	50-321 T
	9008140075	PROJ			9008100041	50-366 S
General Physics Corp.	9008080199*	50-305 P			9008130097	50-424 S
	9008230235*	50-220 P			9008140024	50-321 S
General Public Utilities Corp. - GPU Service Corp.	9007270165	50-320 H			9008140052	50-321 F
	9007270167*	50-320 H			9008140052	50-321 F
	9007300011	50-219 P			9008140307	50-424 R
	9007300090	50-219 P			9008140333	50-424 F
	9007310037	50-219 F			9008150228	50-424 G
	9007310111	50-219 P			9008150228	50-424 G
	9007310114*	50-219 P			9008170148	50-321 S
	9007310120	50-146 I			9008170154	50-366 S
	9007310120	50-146 I			9008200157	50-425 P
	9007310120	50-146 I			9008200164	50-424 P
	9007310120	50-146 I			9008220014	50-424 P
	9007310120	50-146 I			9008220014	50-424 P
	9007310120	50-146 I			9008220017*	50-424 P
	9007310137*	50-219 P			9008220017*	50-424 P
	9008010004	50-219 P			9008280100	50-321 O
	9008010045	50-219 P			9008280100	50-321 O
	9008010051*	50-219 P			9008280101*	50-321 S
	9008010237	50-219 S			9008280290	50-424 S
	9008010242	50-289 F			9008280299	50-424 P
	9008020288	50-320 P			9008280299	50-424 P
	9008020292	50-289 Q			9008280300*	50-424 P
	9008030052*	50-146 I			9008280300*	50-424 P
	9008030069*	50-146 I			9008280306	50-321 P
	9008030076*	50-146 I			9008280306	50-321 P
	9008030076*	50-146 I			9008280308*	50-321 P
	9008030083*	50-146 I			9008280308*	50-321 P
	9008060005	50-289 F		Georgians Against Nuclear Energy	9008070379*	50-424 G
	9008060144	50-219 Q		Gilbert/Commonwealth, Inc. (formerly	9008220091*	50-302 Q
	9008060333	50-219 S		Gilbert Associates, Inc.)	9008220102*	50-302 Q
	9008060390	50-219 P			9008090005*	CONTRACT
	9008070083	50-146 H		Good Samaritan Hosp., Downers Grove, IL	9008070199*	50-443 G
	9008090061	50-219 F		Graystone Emergency Management Associate	9008150230*	50-443 G
	9008090065	50-219 Q			9008270099	70-270 S
	9008090134	50-289 S		Green, Hennings & Henry	9007270158	50-458 S
	9008090176	PROJ		Gulf States Utilities Co.	9008010113	50-458 I
	9008090269	PROJ			9008010114*	50-458 I
	9008100022	50-289 F			9008010247	50-458 S
	9008100326	50-320 P			9008060246	50-458 S
	9008100328*	50-320 P			9008060285	50-458 O
	9008130201	50-219 P			9008060327	50-458 P
	9008140038	50-289 F			9008090386	50-458 S
	9008150288	50-219 Q				

256 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9008130035	50-458		9008070138	50-315
	9008130038*	50-458		9008140005	50-315
	9008130222	50-458		9008140005	50-315
	9008210176	50-458		9008140006*	50-315
	9008230018	50-458		9008140006*	50-315
Harmon, Curran & Tousley	9008150179	50-443		9008150263	50-316
	9008150198*	50-443		9008240031	50-315
	9008150223	50-443		9008240031	50-315
	9008150223	50-443		9008240033*	50-315
	9008150256	50-443		9008240033*	50-315
	9008170009	PR		9008270021	50-315
Health & Human Services, Dept. of, U.S.	9008090076*	CONTRACT		9008270136	50-315
Public Health Service			Interior, Dept. of, Bureau of Mines	9008100331	WASTE RES
Health Physics Society	9007250143*	ACRS		9008100332*	WASTE RES
Hi-Mark Research, Ltd.	9008100243	XPORTLIC	Interior, Dept. of, Geological Survey	9008060090	WASTE MGT
	9008100246*	XPORTLIC		9008150299*	COMMISSIO
	9008100277	XPORTLIC		9008280342*	CONTRACT
	9008100279*	XPORTLIC	International Commission on Radiological Protection		
	9008100282	XPORTLIC	Iowa Electric Light & Power Co.	9007310196	50-331
	9008100285*	XPORTLIC		9008030345	50-331
	9008210062*	XPORTLIC		9008060288	50-331
	9008210063*	XPORTLIC		9008060350	50-331
Holmes & Narver, Inc.	9008210106*	WASTE MGT		9008060394	50-331
House of Rep.	9008030155*	50-220		9008070119	50-331
	9008030157*	50-220		9008070375	50-331
	9008080305*	50-312		9008090160	50-331
	9008140064*	ORG		9008090168	50-331
	9008140493*	50-186		9008090416	50-331
	9008210012*	COMMISSIO		9008140183	50-331
	9008210019*	COMMISSIO		9008210127	50-331
	9008210022*	COMMISSIO		9008210143	50-331
	9008210025*	COMMISSIO		9008230024	50-331
	9008210035*	COMMISSIO		9008230221	50-331
	9008210037*	COMMISSIO		9008280124*	50-331
	9008210041*	COMMISSIO		9008070125	50-116
	9008210066*	COMMISSIO	Iowa State Univ., Ames, IA		
House of Rep., Energy & Commerce	9008150187*	50-275		9007310109	PR
House of Rep., Interior & Insular Affairs	9007270198*	COMMISSIO	Iowa, State of	9008020286*	CONTRACT
	9008080249*	50-327	J.C. Services	9008170130	WASTE MGT
Houston Lighting & Power Co.	9007270185	50-498	Jacobs Engineering Group, Inc.	9008230057*	WASTE MGT
	9007310210	50-499		9008230059*	WASTE MGT
	9008030078	50-498		9008230060*	WASTE MGT
	9008030078	50-498		9008230062*	WASTE MGT
	9008030079*	50-498		9008230063*	WASTE MGT
	9008030079*	50-498		9007310200	50-188
	9008070012	50-498		9008010006	50-148
	9008070019	50-498	Kerr-McGee Chemical Corp. (subs. of Kerr-McGee Corp.)	9008010053	40-2061
	9008100230	50-498		9008240128	40-2061
	9008100242	50-498		9008150255	40-1478
	9008100249	50-498	Kerr-McGee Corp.	9008090112*	CONTRACT
	9008100251	50-499	Knox Consultants, Inc.		
	9008130283	50-498		9008200088*	WASTE MGT
	9008130286	50-498	Lawrence Livermore National Laboratory	9006210018	50-322
	9008160082	50-498	Long Island Lighting Co.	9008140007	50-322
	9008160204	50-498		9008140186	50-322
	9008170007	50-499		9008140188	50-322
	9008240175	50-498		9008140189*	50-322
	9007270211*	70-8		9008140192	50-322
Huntington National Bank	9008270284*	50-461		9008140232	50-322
Hydrogen Control Owners Group	9008090145*	CONTRACT		9008140240*	50-322
I-NET, Inc.				9008160170	50-322
	9007310064	70-1359		9008270110	50-322
IRT Corp.	8909140274*	50-250		9008280377	50-322
Idaho National Engineering Laboratory	9008080272*	50-244		9008280379*	50-322
	9008090053*	50-269		9008280380*	50-322
	9007270113	50-461		9008060209	ACRS
Illinois Power Co.	9007270114*	50-461	Los Alamos National Laboratory		
	9007270115*	50-461		9005110202*	FOIA
	9007270116*	50-461	Louisiana Energy Services	9007300023	PROJ
	9007270206	50-461		9008150090	PR
	9008020278	50-461	Louisiana Power & Light Co.	9008220095	50-382
	9008030144	50-461		9008230115*	50-382
	9008130055	50-461		9008020210	50-223
	9008130212	50-461	Lowell, Univ. of, Lowell, MA	9008240039*	CONTRACT
	9008140018	50-461	MPR Associates, Inc.	9008150247	PR
	9008140194	50-461	MQS Inspection, Inc. (formerly Magnaflex Corp.)		
	9008210128	50-461	Madison Gas & Electric Co.	9008020121*	50-305
	9008220163	50-461		9007300061	50-309
	9008210075	40-2061	Maine Yankee Atomic Power Co.	9008090019	50-309
	9008220165*	50-461		9008090020*	50-309
	9008240120	40-2061		9008130043	50-309
Illinois, State of				9008170010	50-309
	9008020199	50-151		9008170011*	50-309
	9008020199	50-151		9008170012*	50-309
	9008020201*	50-151		9008230237	50-309
	9008060177	50-151		9008240145	50-309
	9008060177	50-151		9007300070	40-6563
Illinois, Univ. of, Urbana, IL			Mallinckrodt Specialty Chemicals Co.		
	9008060180*	50-151		9007300075*	40-6563
	9008060180*	50-151	Manhattan College, Riverdale, NY	9008060133	50-199
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9007270030	50-315	Marsh & McLennan, Inc.	9008060337	50-334
			Maryland Safe Energy Coalition	9008030371*	COMMISSIO

CORPORATE SOURCE INDEX 257

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Massachusetts Institute of Technology, Cambridge, MA	9008140205	50-20	P		9007300105	50-333	Q
	9008140206*	50-20	P		9007310179	50-286	P
Massachusetts, Commonwealth of	9008070260	50-443	G		9007310180*	50-286	P
	9008150179	50-443	G		9007310181*	50-286	P
					9008020083	50-286	I
	9008150179	50-443	G		9008020085*	50-286	I
	9008150198*	50-443	G		9008020085*	50-286	I
	9008150198*	50-443	G		9008030072	50-286	S
	9008150223	50-443	G		9008060001	50-286	F
	9008150223	50-443	G		9008060028	50-333	S
	9008150256	50-443	G		9008060068	50-333	Q
Merck & Co., Inc.	9008150256	50-443	G		9008060071*	50-333	Q
Michigan, State of	9008150220	PR			9008080201	50-333	S
	9008220143*	50-341	P		9008090085	50-286	P
	9008270150*	CONTRACT			9008090088*	50-286	P
Michigan, Univ. of, Ann Arbor, MI	9008150073	50-2	S		9008130146	50-333	S
Mid-Missouri Nuclear Weapons Freeze, Inc	9008270099	70-270			9008140029	50-333	F
Midwest Interstate Low-Level Radioactive Waste Commission	9007230315*	PROJ			9008140034	50-286	R
Minnesota Mining & Manufacturing Co., 3M Co.	9008150250	PR			9008140046	50-333	R
					9008170021	50-333	P

258 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9008130090*	50-336 P		9008140324	50-263 R
	9008130229	50-245 P		9008140339	50-282 R
	9008130295	50-423 V		9008140339	50-282 R
	9008140040	50-423 H		9008150272	50-282 S
	9008140042	50-336 H		9008220010	71-9238
	9008140385	50-245 P		9008220013*	71-9238
	9008150064	50-336 P		9008220069	50-282 S
	9008150065*	50-336 P		9008220155	50-283 S
	9008160124	50-423 V	Nuclear Energy Accountability Project	9008070167	50-250 G
	9008170002	50-336 P		9008240082	50-250 G
	9008200093	50-213 F	Nuclear Energy Services, Inc.	9008070073*	50-16 I
	9008220205	50-423 D	Nuclear Fuel Services, Inc.	9008140519	70-143
	9008230158	50-245 S		9008170178	70-143
	9008240063	50-245 D		9008170182	70-143
	9008240187	50-423 S		9008170186	70-143
	9008240193	50-423 S		9008170203	70-143
	9008270149	50-213 P		9008170213	70-143
	9008270149	50-213 P		9008170215	70-143
Northeast Utilities	9007160156	50-245 P		9008170224	70-143
	9007250027	50-423 S		9008200003	70-143
	9007270009	50-245 P		9008200004	70-143
	9007270011	50-245 P		9008210030	70-143
	9007270107	50-423 P		9008220001	70-143
	9007310185	50-423 P		9008280305	70-143
	9007310189	50-245 P	Nuclear Information & Resource Service	9008170054	PR
	9008010202	50-213 P	Nuclear Licensing Reports	9008090219	FOIA
	9008020062	50-423 S	Nuclear Management & Resources Council	9008020213	REVIEW GR P
	9008020144	50-336 D	(NUMARC) (formerly Nuclear Utility Mana		
	9008020248	50-245 F		9008020217*	REVIEW GR P
	9008020295	50-245 V		9008090016	REVIEW GR P
	9008060376	50-423 Q		9008140061	REVIEW GR P
	9008070002	50-213 P		9008140068*	REVIEW GR P
	9008070216	50-245 F		9008150126	PR
	9008070216	50-245 F	Nuclear Power Oversight Committee	9008170107*	PROJ
	9008070354	50-245 R	Nuclear Waste Technical Review Board	9008060124	WASTE MGT
	9008080406	50-213 Q		9008280152	WASTE MGT
	9008090029	50-423 P		9008280155	WASTE MGT
	9008100111	50-336 P	Oak Ridge Associated Univs.	9008060349*	FOIA
	9008130083	50-336 P		9008130003*	CONTRACT
	9008130088	50-336 P		9008130204	40-6940
	9008130229	50-245 P	Oak Ridge National Laboratory	9008070332	NUREG
	9008130295	50-423 V		9008070334	NUREG
	9008140040	50-423 R		9008140508	NUREG
	9008140042	50-336 R		9008310217	NUREG
	9008140385	50-245 R	Ohio Citizens for Responsible Energy	9008150153	50-440 G
	9008150064	50-336 P		9008150222	PR
	9008160124	50-423 V		9008160225	PR
	9008170002	50-336 P		9008210100	PRM
	9008170003	50-213 R		9008290185	PRM
	9008170004	50-213 P	Ohio State Univ., Columbus, OH	9007310237	50-150 I
	9008200093	50-213 F		9008060306	50-150 I
	9008200093	50-213 F	Ohmart Corp.	9008150114	PR
	9008220205	50-423 Q	Old Dominion Fabricators	9008280313	71-552
	9008220220	50-213 P	Oliver, Walker, Carlton & Wilson	9008150226	70-270
	9008230012	50-245 F	Omaha Public Power District	9008060353	50-285 H
	9008230012	50-245 F		9008070067	50-285 S
	9008230012	50-245 F		9008070104	50-285 P
	9008230106	50-213 R		9008070222	50-285 P
	9008230158	50-245 S		9008070225*	50-285 P
	9008240063	50-245 Q		9008080006	50-285 P
	9008240187	50-423 S		9008080008*	50-285 P
	9008240193	50-423 S		9008080010*	50-285 P
	9008270134	50-213 P		9008090014	50-285 S
Northeast Utilities Service Co. (subs. o Northeast Utilities)	9008060238	50-245 P		9008100272	50-285 V
				9008130153	50-285 P
Northern California Power Agency	9008090415	50-275 Q		9008150042	50-285 Q
Northern States Power Co.	9008010024	50-263 P		9008150044	50-285 P
	9008010033	50-263 P		9008160097	50-285 R
	9008010034*	50-263 P		9008200001	50-285 F
	9008010063	50-282 S		9008280270	50-285 F
	9008010191	50-263 S	Oregon State Univ., Corvallis, OR	9008010098	50-243 F
	9008010216	50-263 S		9008010100*	50-243 F
	9008020108	50-263 S	Pacific Gas & Electric Co.	9007300013	50-323 Q
	9008020110*	50-263 K		9007300014	50-275 Q
	9008020269	50-282 Q		9007300014	50-275 Q
	9008030110	50-263 Q		9007300015*	50-323 Q
	9008030149	50-263 P		9008020124	50-323 P
	9008030152*	50-263 P		9008020153	50-133 I
	9008030227	50-282 P		9008030219	50-275 Q
	9008060273	50-282 P		9008030219	50-275 Q
	9008060310	50-263 P		9008030221	50-275 P
	9008060316*	50-263 P		9008030221	50-275 P
	9008060319*	50-263 P		9008030224*	50-275 P
	9008070035	50-282 P		9008030224*	50-275 P
	9008070035	50-282 Q		9008030225*	50-275 P
	9008070037*	50-282 O		9008030225*	50-275 P
	9008070037*	50-282 O		9008030333	50-275 P
	9008100014	50-263 T		9008070270	50-275 P
	9008130061	50-263 T		9008160076	50-275 P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Pacific Nuclear Systems, Inc.	9008160076	50-275	P	9008020035	50-171
	9008160078*	50-275	P	9008020096*	50-171
	9008160078*	50-275	P	9008020099*	50-171
	9008170028	PR		9008020099*	50-171
	9008170028	PR		9008020101*	50-171
	9008170123	50-275	S	9008020101*	50-171
	9008170129	50-323	S	9008020103*	50-171
	9008170232	50-275	R	9008020103*	50-171
	9008170232	50-275	R	9008030120	50-277
	9008200048	50-323	Q	9008060240	50-277
	9008220072	50-275	F	9008100260	50-277
	9008220072	50-275	F	9008100260	50-277
	9008220074*	50-275	F	9008100262	50-352
	9008220074*	50-275	F	9008100263	50-277
	9008280312	50-275	P	9008100263	50-277
	9008280315*	50-275	P	9008100296	50-352
	9008280315*	50-275	P	9008100308	50-277
	9007310133	71-9001		9008130157	50-352
	9007310145*	71-9001		9008130251	50-352
	9007310282	71-192		9008130251	50-352
	9007310282	71-192		9008130253*	50-352
	9007310283*	71-192		9008130253*	50-352
	9007310285*	71-192		9008130276	50-352
	9007310285*	71-192		9008130276	50-352
	9007310287*	71-192		9008130285	50-277
	9007310292*	71-192		9008130285	50-277
	9007310292*	71-192		9008130285	50-277
	9007310294*	71-192		9008140351	50-277
	9007310294*	71-192		9008150267	50-352
	9008030228	71-9236		9008160012	50-352
	9008270164	71-9218		9008160092	50-352
	9008270167*	71-9218		9008160092	50-352
	9008090093*	CONTRACT		9008160105*	50-352
	9008220125*	CONTRACT		9008160108*	50-352
9008220125*	CONTRACT		9008160188	50-353	
Parsons Brinckerhoff Maintenance Services, Inc. Pennsville, NJ Pennsylvania Power & Light Co.	9007310214	50-387	R	9008160192	50-353
	9008010108	50-387	P	9008220070	50-277
	9008010108	50-387	P	9008220070	50-277
	9008010126	50-387	J	9008220071*	50-277
	9008060006	50-387	P	9008220071*	50-277
	9008060006	50-387	P	9008220084	50-277
	9008060007*	50-387	P	9008230150	50-277
	9008060007*	50-387	P	9008240160	50-277
	9008060008*	50-387	P	9008280047	50-352
	9008060008*	50-387	P	9008280047	50-352
	9008060139	50-387	K	9008280054*	50-352
	9008060226	50-387	P	9008280054*	50-352
	9008060226	50-387	P	9008280060*	50-352
	9008060230*	50-387	P	9008280060*	50-352
	9008060230*	50-387	P	9008280069*	50-352
	9008060231*	50-387	P	9008280069*	50-352
	9008060231*	50-387	P	9008280077*	50-352
	9008060237	50-387	Q	9008280077*	50-352
	9008060339	50-387	V	9008280087*	50-352
	9008060339	50-387	V	9008280087*	50-352
	9008090419	50-388	S	9008280098*	50-352
	9008090421	50-387	S	9008280098*	50-352
	9008100258	50-387	P	9008280107*	50-352
	9008130267	50-387	P	9008280107*	50-352
	9008130267	50-387	P	9008280115*	50-352
	9008130272*	50-387	P	9008280115*	50-352
	9008130272*	50-387	P	9008280119*	50-352
	9008140202	50-387	F	9008280119*	50-352
	9008140202	50-387	F	9008280129*	50-352
	9008160185	50-387	R	9008280129*	50-352
	9008170044	50-387	S	9008280135*	50-352
	9008210166	50-387	R	9008280135*	50-352
	9008270022	50-387	S	9008280136*	50-352
	9008270034	50-387	P	9008280136*	50-352
9008010085	50-5	I	9008280138*	50-352	
Pennsylvania State Univ., University Park, PA Pennsylvania, Commonwealth of PharmChem Laboratories, Inc. Philadelphia Electric Co.	9008010086*	50-5	I	9008280138*	50-352
	9008030038*	CONTRACT		9008280143*	50-352
	9008270158*	CONTRACT		9008280143*	50-352
	9007270119	50-352	P	9008280147*	50-352
	9007270119	50-352	P	9008280147*	50-352
	9007270121	50-352	F	9008280149*	50-352
	9007270121	50-352	F	9008280149*	50-352
	9007300033	50-277	F	9008280154*	50-352
	9007300033	50-277	F	9008280154*	50-352
	9007310007	50-277	H	9008280156*	50-352
	9007310007	50-277	H	9008280156*	50-352
	9007310007	50-277	H	9008280159*	50-352
	9007310007	50-277	H	9008280159*	50-352
	9007310035	50-352	F	9008280162*	50-352
	9007310035	50-352	F	9008280162*	50-352
	9007310286	50-352	P	9008280166*	50-352
	9007310286	50-352	P	9008280166*	50-352
	9008020035	50-171	I	9008280241*	50-352
	9008020035	50-171	I	9008280241*	50-352

260 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9008280242*	50-352		9008210129	50-272
	9008280242*	50-352		9008210155	50-272
	9008280245*	50-352		9008210181	50-272
	9008280245*	50-352		9008210187	50-311
	9008280247*	50-352		9008230032	50-272
	9008280247*	50-352		9008270131	50-311
Photocraft Custom Lab, Inc.	9008030269*	CONTRACT	Quality Testing & Inspection	9008010122	71-9033
Physicians for Social Responsibility	9008270099	70-270	Querytech Associates	9008060188	ACRS
Piedmont Municipal Power Agency	9008230072*	50-269		9008060191	ACRS
Portland General Electric Co.	9008010018	50-344		9008060193	ACRS
	9008020117	50-344		9008060207	ACRS
	9008030334	50-344	RTI, Inc. (formerly Radiation Technology Inc.)	9008140072*	FOIA
	9008060107	50-344		9008140074*	FOIA
	9008060111	50-344		9008140097*	FOIA
	9008060324	50-344		9008140101*	FOIA
	9008070062	50-344		9008140106*	FOIA
	9008130065	50-344		9007300074*	71-9218
	9008130207	50-344	Radioactive Waste Management Associates	9008060249	50-288
	9008130262	50-344	Reed College, Portland, OR	9008060140*	CONTRACT
	9008140311	50-344	Regulatory Group, Inc.		
	9008140366	50-344		9007310191	50-225
	9008170243	50-344	Rensselaer Polytechnic Institute, Troy, NY	9008230211*	CONTRACT
	9008210196	50-344	Resource Technical Services, Inc.	9008090012*	CONTRACT
	9008240184	50-344	Richland, WA	9007270159	50-361
	9008270122	50-344	Riverside, CA		
Portsmouth Regional Hosp., Portsmouth, N	9008070295*	50-443	Rochester Gas & Electric Corp.	9007310018	50-244
President of U.S. & Executive Offices	9007270143*	COMMISSIO		9007310038*	50-244
Professional Carpet Service	9008070333	FOIA		9007310040*	50-244
Public Service Co. of Colorado	9007270130	50-267		9007310042*	50-244
	9007300119	50-267		9007310044*	50-244
	9008060031	50-267		9007310157	50-244
	9008060054	50-267		9008070315	50-244
	9008080171	50-267		9008080300	50-244
	9008090413	50-267		9008210156	50-244
	9008130227	50-267		9008230006	50-244
	9008140199	50-267		9008230153	50-244
	9008200002	50-267		9008230155	50-244
	9008210131	50-267		9008230157	50-244
Public Service Co. of New Hampshire	9007270026	50-443		9008230231	50-244
	9007310290	50-443		9008230232*	50-244
	9008010249	50-443		9007300139	70-25
	9008030019	50-443	Rockwell International Corp.	9007310091	70-25
	9008090066	50-443		9008090368*	70-25
	9008090069	50-443		9008210029	70-25
	9008100017	50-443		9008220156	70-25
	9008200073	50-443		9008280330	70-25
	9008210008	50-443		9008010157	50-271
	9008220200	50-443	Ropes & Gray	9008070124	50-271
	9008240018	50-443		9008070141	50-271
	9008240090	50-443		9008070147	50-271
	9008240090	50-443		9008150180	50-271
	9008240097	50-443		9008150184	50-271
	9008240097	50-443		9008150224	50-271
	9008270141	50-443		9008240090	50-443
	9008270141	50-443	Rosemount, Inc.	9008020224	XPORTLIC
	9008270148*	50-443		9008020225*	XPORTLIC
Public Service Electric & Gas Co. of New Jersey	9008270148*	50-443	Rotork Controls, Inc.	9008150069	QA999
	9007300043	50-272	S.K. McBryde, Inc.	9008210010	71-9006
	9007310015	50-272	SMC O'Donnell & Associates, Inc.	9008210013*	71-9006
	9007310281	50-272	(formerly O'Donnell & Associates, Inc.)	9008010064*	50-206
	9007310281	50-272	Sacramento Municipal Utility District		
	9007310281	50-272		9007300019	50-312
	9008010012	50-272		9007300116	50-312
	9008010240	50-311		9007310296	50-312
	9008010243	50-272		9007310296	50-312
	9008010243	50-272		9008030272	50-312
	9008020186	50-354		9008060133	50-312
	9008030037	50-311		9008060189	50-312
	9008030040	50-311		9008130210	50-312
	9008030267	50-311		9008220016	50-312
	9008030268*	50-311		9008220032	50-312
	9008030270	50-272		9008270103	50-312
	9008060067	50-354		9008270104*	50-312
	9008060160	50-354		9008270161	50-312
	9008090066	50-354	Sandia National Laboratories	9008070412	NUREG
	9008100010*	50-354		9008080187	NUREG
	9008100211	50-272		9008080195	NUREG
	9008130226	50-272		9008150135	50-277
	9008130228	50-272		9008170153	WASTE RES
	9008130231*	50-272		9008220057	71-361
	9008130231*	50-272		9008280297	WASTE MGT
	9008130262	50-272		9008310184	NUREG
	9008140055	50-272		9008310209	NUREG
	9008140060	50-311	Satin American Corp.	9008230083	QA999
	9008140063	50-272	Saxon Nuclear Experimental Corp.	9007270003	50-146
	9008150285	50-272		9007270004*	50-146
	9008170024	50-354	Science Applications International Corp.	9008170008	50-146
	9008210119	50-311	(formerly Science Applications, Inc.)	8911160160*	50-369

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9004130250*	50-454 F		9008060044	50-361 Q
	9006270317*	50-454 F		9008060049	50-206 P
	9008020242	WASTE MGT		9008060049	50-206 P
	9008020274*	WASTE MGT		9008060049	50-206 P
	9008020277*	WASTE MGT		9008060072	50-206 S
	9008020280*	WASTE MGT		9008060072	50-206 S
	9008020281*	WASTE MGT		9008060072	50-206 S
	9008020284*	WASTE MGT		9008060358	50-362 S
	9008020285*	WASTE MGT		9008060395	50-206 S
	9008020287*	WASTE MGT		9008060395	50-206 P
	9008030196*	50-423 P		9008060395	50-206 P
	9008140274	WASTE MGT		9008060397*	50-206 P
	9008210112*	WASTE MGT		9008060397*	50-206 P
Seacoast Anti-Pollution League	9008280348	WASTE MGT		9008060397*	50-206 P
	9008150179	50-443 G		9008070015	50-206 P
	9008150179	50-443 G		9008070030	50-206 Q
	9008150198*	50-443 G		9008070030	50-206 Q
	9008150198*	50-443 G		9008070030	50-206 Q
	9008150223	50-443 G		9008070360	50-206 P
	9008150223	50-443 G		9008090383*	50-206 Q
	9008150256	50-443 G		9008100240	50-206 S
Senate	9008150256	50-443 G		9008130164	50-206 S
	9007270171*	COMMISSIO N		9008130178	50-206 P
	9007270178*	COMMISSIO N		9008130178	50-206 P
	9008030161*	50-220 U		9008130202	50-206 S
	9008140059*	PR		9008140151	50-206 Q
	9008140105*	PR		9008140191	50-361 P
	9008140498*	ORG		9008140191	50-361 P
	9008210052*	COMMISSIO N		9008140193*	50-361 P
	9008210058*	COMMISSIO N		9008140193*	50-361 P
Senior Executives Association/Professional Development League	9008280269*	COMMISSIO N		9008160020	50-206 P
Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.)	9008010036	40-8027		9008160145	50-361 P
	9008150178	PR		9008160145	50-361 P
	9008230129	TOPREP		9008160158*	50-361 P
Shaw, Pittman, Potts & Trowbridge	9008150201	50-440 G		9008210088	50-206 S
Small Business Administration	9008020286*	CONTRACT		9008210132	50-206 R
	9008090135*	CONTRACT		9008210133*	50-206 R
	9008090145*	CONTRACT		9008210134*	50-206 R
	9008220117*	CONTRACT		9008220022	50-206 R
Society of Nuclear Medicine	9008290029*	CONTRACT		9008220045	50-361 R
Source Production & Equipment Co., Inc.	9008150182	PR		9008220045	50-361 R
South Carolina Electric & Gas Co.	9007300079	71-9056		9008220047*	50-361 R
	9007310226	50-395 F		9008220047*	50-361 R
	9008010074	50-395 K		9008220049*	50-361 R
	9008020077	50-395 I		9008220054*	50-361 R
	9008020078*	50-395 I		9008220054*	50-361 R
	9008030088	50-395 P		9008240045*	50-206 P
	9008070072	50-395 F		9008240047*	50-206 P
	9008100268	50-395 F		9008240075	50-361 Q
	9008140490	50-395 Q		9008240078*	50-361 Q
	9008170258	50-395 R		9008240088	50-361 S
	9008170260*	50-395 R	Spiegel & McDiarmid	9008270191	50-361 Q
	9008170263*	50-395 R	Standard Oil Co. of Ohio	9008090415	50-275 Q
	9008200065	50-395 P		9007310078*	40-7604
	9008200068*	50-395 P	State, Dept. of, Bureau of Oceans & Intl Environ. & Scientific Affairs	9008100051	XPORTLIC
	9008220162	50-395 R		9008100054	XPORTLIC
	9008230007	50-395 Q	Statistica, Inc.	9008290029*	CONTRACT
	9008280351	50-395 Q	Stepan Chemical Co.	9008060338	40-8610
South Carolina Public Service Authority (Santee Cooper)	9008020077	50-395 I	Sweden, Govt. of	9008140510	NUREG
South Carolina, State of	9008130301	27-47	System Automation Corp.	9008240030*	CONTRACT
Southern California Edison Co.	9007270012	50-362 P	T&K Inspection	9008200178	71-892
	9007270186	50-206 P	TRACTEBEL	9008080178	NUREG
	9007270186	50-206 P	TRESP Associates, Inc.	9008080149	FOIA
	9007300101	50-206 P		9007270161	50-445 I
	9007300127*	50-361 P	TU Electric (formerly Texas Utilities Generating Co.)	9007310225	50-445 F
	9007300127*	50-361 P		9007310225	50-445 F
	9007310016	50-206 P		9008010135	50-445 F
	9007310207	50-361 Q		9008010235	PT21
	9008010008	50-206 S		9008030128*	50-445 P
	9008010008	50-206 S		9008030138	50-445 K
	9008010008	50-206 S		9008030138	50-445 K
	9008010055	50-206 P		9008030190	50-445 S
	9008010057*	50-206 P		9008060002	50-445 S
	9008010060	50-206 P		9008060026	50-445 P
	9008010061*	50-206 P		9008060026	50-445 P
	9008010124	50-206 F		9008060156	50-445 V
	9008010252	50-206 F		9008060173	50-445 F
	9008020086	50-361 S		9008070018	50-445 Q
	9008020169	50-361 S		9008070201	50-445 F
	9008020192	50-361 P		9008130177	50-446 S
	9008020192	50-361 P		9008130293	50-446 S
	9008020193	50-206 P		9008130304	50-445 R
	9008020195	50-361 S		9008130304	50-445 R
	9008020208	50-206 F		9008160017	50-445 V
	9008030062	50-206 F		9008160018*	50-445 V
	9008060044	50-361 Q		9008170036	50-445 Q

1

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Teledyne Energy Systems Tennessee Valley Authority	9008170041*	50-445	Q	9008140203	50-259	Q
	9008170108	50-445	S	9008150257	50-260	P
	9008230119	50-445	S	9008150260	PR	
	9008240080	50-445	R	9008150281	50-259	Q
	9008270084	71-504		9008150281	50-259	Q
	9008270185	50-445	Q	9008150281	50-259	Q
	9007310058	71-5862		9008150286	50-259	P
	9007260149	50-390	A	9008150286	50-259	P
	9007260149	50-390	A	9008150286	50-259	P
	9007260150*	50-390	A	9008150286	50-259	P
	9007270031	50-390	Q	9008160213	50-259	Q
	9007270031	50-390	Q	9008160213	50-259	Q
	9007270157	50-259	I	9008160213	50-259	Q
	9007270157	50-259	I	9008200026	50-259	F
	9007310072*	50-259	P	9008200026	50-259	F
	9008010040	50-327	V	9008200026	50-259	F
	9008010040	50-327	V	9008200076	50-390	S
	9008020133	50-259	P	9008210073	50-259	S
	9008020133	50-259	P	9008210136	50-390	S
	9008020133	50-259	P	9008220082	50-259	R
	9008020136	50-327	P	9008220085	50-327	R
	9008020136	50-327	P	9008220134*	50-259	V
	9008020194	50-390	A	9008230084	50-259	P
	9008020239	50-390	A	9008230084	50-259	P
	9008020239	50-390	A	9008230084	50-259	P
	9008020255	50-390	A	9008230085*	50-259	P
	9008030071	50-390	A	9008230085*	50-259	P
	9008030074	50-390	A	9008230085*	50-259	P
	9008030087*	50-390	A	9008230087*	50-259	P
	9008030102	50-390	S	9008230089	50-327	P
	9008030102	50-390	S	9008230090	50-259	Q
	9008030118	50-390	A	9008230090	50-259	Q
	9008030118	50-390	A	9008230090	50-259	Q
	9008030122*	50-390	A	9008240079	50-260	Q
	9008030122*	50-390	A	9008240083	50-259	Q
	9008030140	50-390	Q	9008240083	50-259	Q
	9008030156	50-390	A	9008240084	50-259	Q
	9008030163	50-390	A	9008240084	50-259	Q
	9008030172	50-390	S	9008240084	50-259	Q
	9008030172	50-390	S	9008240091	50-259	P
	9008030281	50-390	A	9008240091	50-259	P
	9008060015	50-390	A	9008240091	50-259	P
	9008060023	50-390	A	9008240094	50-327	P
	9008060027	50-390	A	9008240095	50-327	P
	9008060027	50-390	A	9008060308	50-59	Q
9008060086	50-390	A	9008070266	50-128	P	
9008060161	50-390	A	9008070267*	50-128	P	
9008060161	50-390	A	9008230224*	CONTRACT		
9008060163*	50-390	A	9008200036	71-535		
9008060164*	50-390	A	9008200039*	71-535		
9008060164*	50-390	A	9008100015*	CONTRACT		
9008060255	50-327	S	9008200049	50-289	R	
9008070043	50-327	S	9007300024	50-346	I	
9008070239	50-390	F	9008010071	50-346	F	
9008080021*	50-327	Q	9008060370	71-5805		
9008080134	50-327	P	9008070041	50-346	P	
9008080152	50-390	K	9008070042*	50-346	P	
9008080350	70-2910		9008080061	50-346	F	
9008090049	50-259	P	9008080144	50-346	S	
9008090049	50-259	P	9008080149	50-346	P	
9008090049	50-259	P	9008090271	50-346	R	
9008090050*	50-259	P	9008090276*	50-346	R	
9008090050*	50-259	P	9008130059	50-346	F	
9008090059	50-259	F	9008130093	50-346	S	
9008090059	50-259	F	9008150253	50-346	P	
9008090103	50-260	P	9008160161	50-346	Q	
9008090106*	50-260	P	9008170145	50-346	S	
9008090110	50-259	P	9008170147	50-346	S	
9008090110	50-259	P	9008170250	50-346	R	
9008090110	50-259	P	9008200075	50-346	F	
9008090115*	50-259	P	9008220062	50-346	P	
9008090115*	50-259	P	9008220303	50-346	S	
9008090115*	50-259	P	9008280384	50-346	S	
9008090118	50-390	Q	9008240027*	CONTRACT		
9008090118	50-390	Q	9008150228	50-424	G	
9008090142	50-390	Q	9008010153	50-54	P	
9008090142	50-390	Q	9007310023	27-48		
9008090255	50-327	P	9008100225	27-48		
9008090255	50-327	P	9008100229*	27-48		
9008100020	50-327	S	9008130319	27-48		
9008100027	50-327	F	9008140136	27-48		
9008100131	50-327	Q	9008140175	27-48		
9008100131	50-327	Q	9008170125	27-48		
9008130246	50-328	S	9008170166	27-48		
9008130308	50-327	V	9008170194	27-48		
9008130308	50-327	V	9008080062	XPORTLIC		
			U.S. Embassies			

CORPORATE SOURCE INDEX 263

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9008100058	XPORTLIC		9008030104*	50-280
	9008210067	XPORTLIC		9008030104*	50-280
	9008210068	XPORTLIC		9008030104*	50-280
	9008210072	XPORTLIC		9008030104*	50-280
	9008210080	XPORTLIC		9008030107*	50-280
	9008210082	XPORTLIC		9008030107*	50-280
	9008210083	XPORTLIC		9008030107*	50-280
	9008210084	XPORTLIC		9008030107*	50-280
	9008210107	XPORTLIC		9008030230	50-338
	9008210137	XPORTLIC		9008030230	50-338
	9008210138	XPORTLIC		9008030231*	50-338
	9008210160	XPORTLIC		9008030231*	50-338
Union Electric Co.	9008060291	50-483		9008060140	50-280
	9008060303	50-483		9008060140	50-280
	9008060309*	50-483		9008060142*	50-280
	9008060312*	50-483		9008060142*	50-280
	9008130006	50-483		9008060293	50-280
	9008130205	50-483		9008060293	50-280
	9008130288	50-483		9008060320	50-280
	9008140023	50-483		9008060320	50-280
	9008140044	50-483		9008060320	50-280
	9008150287	PR		9008060320	50-280
Union of Soviet Socialist Republics	9008210198	50-483		9008060375*	50-280
United Nuclear Corp.	9008160009	REVIEW GR		9008060375*	50-280
	9007310085	70-371		9008060375*	50-280
	9008170172	70-371		9008060375*	50-280
Uranium Resources, Inc.	9008170198	70-371		9008140211	50-338
Utah, Univ. of, Salt Lake City, UT	9007270193*	COMMISSIO		9008140211	50-338
	9007270209	50-72		9008140216*	50-338
	9008060254	50-72		9008140216*	50-338
	9008090025	50-72		9008140217	50-338
Utility Data Institute, Inc.	9008090051*	CONTRACT		9008140217	50-338
Utility Workers Union of America	9008060234	FOIA		9008150274	50-338
Vanderbilt Univ., Nashville, TN	9008160109	PR		9008160093	50-338
Vermont Yankee Nuclear Power Corp.	9007260003	50-271		9008160099	50-338
	9007270203	50-271		9008200061	50-338
	9008010157	50-271		9008210126	50-280
	9008060012	50-271		9008210184	PRM
	9008060013*	50-271		9008220056	50-338
	9008070124	50-271		9008270267	50-338
	9008070141	50-271		9008280309	50-338
	9008070147	50-271		9007260268	50-396
	9008140350	50-271	Virginia, Univ. of, Charlottesville, VA	9007270020	50-62
	9008150180	50-271		9007270024*	50-62
	9008150184	50-271		9007270025*	50-62
	9008150224	50-271		9008080311	50-396
Vermont, State of	9008200087	50-271		9008080396*	CONTRACT
	9008010137	50-271	Walhalla, SC	9008270179*	CONTRACT
	9008010157	50-271	Washington Public Power Supply System	9007310028	50-397
	9008070191	50-271		9008060060	50-397
	9008070194*	50-271		9008060064	50-397
	9008070202*	50-271		9008060168	50-397
	9008150211	50-271		9008060171*	50-397
	9008240061	50-271		9008070082	50-397
	9008240115	50-271		9008080204	50-397
	9008240117	50-271		9008080217	50-397
Veterans Administration	9008150188	PR		9008090082	50-508
Viking Systems International	9003230172*	50-410		9008100024	50-397
Virginia Power (Virginia Electric & Power Co.)	9007270005	50-338		9008130209	50-397
	9007310011	50-338		9008140495	50-397
	9007310011	50-338		9008160148	50-397
	9007310013	50-338		9008170005	50-397
	9007310013	50-338		9008230105	50-508
	9007310014	50-338	Washington, State of	9008020303	27-48
	9007310014	50-338	Washington, Univ. of, Seattle, WA	9008080156	50-139
	9007310014	50-338		9008240120	40-2061
	9008010066	50-280	West Chicago, IL	9008170171	PROJ
	9008010118	50-280	West Valley Nuclear Services Co., Inc.	9008150197	PR
	9008010199	50-280	West Virginia University Hospitals, Inc.		
	9008010199	50-280	Morgantown, WV	9007270092*	TOPREP
	9008010199	50-280	Westinghouse Electric Corp.	9007270095*	TOPREP
	9008010200	50-280		9007270177	TOPREP
	9008010200	50-280		9007300103	TOPREP
	9008010201	50-281		9007310054	XPORTLIC
	9008010238	50-280		9008150120	PR
	9008010238	50-280		9008150142*	50-348
	9008010238	50-280		9008150143*	50-348
	9008030050	50-280		9008170219	70-1100
	9008030050	50-280		9008220189	71-708
	9008030055*	50-280		9008280325	71-259
	9008030055*	50-280			
	9008030066	50-280	Westinghouse Operating Plants Owners Group	9007270088	TOPREP
	9008030081	50-280		9008090135*	CONTRACT
	9008030081	50-280	Wilson Hewitt & Associates, Inc.	9008220114*	CONTRACT
	9008030081	50-280	Wiscasset, ME	9007270006	50-266
	9008030081	50-280	Wisconsin Electric Power Co.		
	9008030086*	50-280		9007270137	50-266
	9008030086*	50-280		9007270137	50-266
	9008030086*	50-280		9007270138*	50-266
	9008030086*	50-280		9007270138*	50-266

264 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Wisconsin Power & Light Co. Wisconsin Public Service Corp.	9007300055	50-301	Wisconsin, Univ. of, Madison, WI	9008230102*	50-305	K
	9007300058*	50-301		9008060184	ACRS	
	9007310246	50-266		9008060186	ACRS	
	9008010037	50-266		9008060195	ACRS	
	9008010037	50-266		9008080252	50-156	R
	9008010194	50-266	Wolf Creek Nuclear Operating Corp.	9008080283	50-156	R
	9008020041	50-266		9008230136	50-156	F
	9008020041	50-266		9007310005	50-482	I
	9008020093*	50-266		9008010021	50-482	Q
	9008020093*	50-266		9008070058	50-482	P
	9008070009	50-266		9008070060*	50-482	P
	9008070009	50-266		9008130259	50-482	Q
	9008070089	50-266		9008160072	50-482	Q
	9008070089	50-266		9008160074*	50-482	Q
	9008070090*	50-266		9008220119	50-482	R
	9008070090*	50-266	Wyoming, State of	9007270183*	COMMISSIO	N
	9008070263	50-266		9008160130	STATE PRO	G
	9008140372	50-266		9007270145	50-29	I
	9008140372	50-266		9007300039	50-271	F
	9008140438	50-266		9007310002	50-29	P
	9008140438	50-266		9008010192	50-29	Q
	9008140448*	50-266		9008020071	50-29	S
	9008140448*	50-266		9008020095*	50-29	I
	9008170035	50-266		9008060102	50-29	S
	9008240227	50-266		9008060120	50-29	S
	9008020123*	50-305	I	9008060311	50-29	V
	9008020119	50-305		9008070079	50-29	P
	9008020120*	50-305		9008070080	50-29	P
	9008060035	50-305		9008130203	50-29	P
	9008070021	50-305		9008140329	50-29	S
	9008080194	50-305	P	9008170253	50-29	R
	9008100330	50-305		9008200081	50-29	S
	9008140050	50-305		9008270017	50-29	P
	9008230026	50-305		9008290204	PRM	
	9008230101	50-305				

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
01-1658-1815 R01	9008100300*	50-528	Q	NUREG/CR-5524 V01	9008090018	50-320	P ANL-90/2
06-570-06-00	9008230059*	WASTE MGT		NUREG/CR-5532	9008080187	NUREG	SAND90-0375
22A9266 R02	9008020271*	71-170		NUREG/CR-5556	9008080197	NUREG	EGG-2598
420-11.0106 R00	9007310145*	71-9001		NUREG/CR-5588 V01	9008090024	NUREG	CTA 900215-025
47-1163743-24	9008060277*	TOPREP		NUREG/CR-5574 ERR	9008310196	NUREG	BNL-NUREG-52238
83A4902 R01	9008070073*	50-16	I NRC-90-0104	NUREG/CR-5588 V01	9008070356	NUREG	BNL-NUREG-52241
90-04	9008280297	WASTE MGT		NUREG/IA-0034	9008070352	NUREG	BNL-NUREG-52241
90-08	9008020217*	REVIEW GR	P	NUREG/CR-5588 V03	9008070359	NUREG	BNL-NUREG-52241
90-10	9008140068*	REVIEW GR	P	NUREG/CR-5589	9008070396	NUREG	BNL-NUREG-52242
90-4	9008080053*	WASTE MGT	HLWR	NUREG/CR-5591 V01 N1	9008310217	NUREG	ORNL/TM-11568
909750	9008080216*	50-267	P	NUREG/IA-0033	9008140510	NUREG	STUDSVIKNP87128
910078	9008080218*	50-267	P	NUREG/IA-0034	9008080178	NUREG	
B11-0497 DRFT	9008170026*	50-333	P	NWPO-SE-024-89	9008200029*	WASTE MGT	HLWR
BPC/SCE-86-4337	9008240047*	50-206	P	NWPO-TR-014-90	9008200074	WASTE MGT	HLWR
CEN-400-NP	9007270102*	TOPREP		PL-NF-90-001	9008130272*	50-387	P
CNNE-1553.05-00-0009	9008170033*	50-414	P	RFL-07-90-01-04-00	9008230060*	WASTE MGT	
EEG-45	9007310019*	WASTE MGT	Q	RFL-07-90-01-04-00R1	9008230063*	WASTE MGT	
EGG-MS-8923	9008080272*	50-244	P	RFL-07-90-12-05-00	9008230057*	WASTE MGT	
EGG-NTA-7189	8909280266*	50-331	P GL-83-28	RFL-07-90-1205A-00	9008230062*	WASTE MGT	
EGG-NTA-7411	8909140274*	50-250	P GL-83-28	RIL-166	9008080429	ORG	
EGG-NTA-8080	9008210383*	50-336	P TAC 59265	SAIC-88/1943	8911160160*	50-369	Q NRC-03-87-029
EGG-NTA-8104	9007090111*	50-237	P TAC 49083	SAIC-89/1151	9008030198*	50-423	P TAC 68568
GA-C18103	9008080174*	50-267	P	SAIC-89/1640	9004130250*	50-454	F TAC M68522
GP-R-243101	9008080199*	50-305	P	SAIC-90/1043	9006270317*	50-454	F TAC 68515
M-2 R00	9008230066*	50-259	P	SCE-1-A A13	9008060397*	50-206	P
MD-Q0000-900046 R00	9008230085*	50-259	P	SE-90-023 R01	9008140240*	50-322	P
NPPD-900802	9008090210*	50-298	Q	SECY-89-177	8906260123*	FOIA	
NSAC-143	9007300052*	50-333	P	SECY-89-370	8912200253	SECY	
NSPL-12-10146 R00	9008030152*	50-263	P	SECY-90-032B	9008090030*	WASTE MGT	HLWR
NUREG-0020 V14 N03	9008070321	NUREG		SECY-90-169	9005160055	SECY	
NUREG-0040 V14 N01	9008140499	NUREG		SECY-90-192	9006050053	SECY	GL-88-20
NUREG-0090 V13 N01	9008160098	NUREG		SECY-90-213	9006210029	SECY	
NUREG-0540 V12 N03	9008070384	NUREG		SECY-90-215	9006200420	SECY	
NUREG-0540 V12 N04	9008160107	NUREG		SECY-90-217	9006210306	SECY	
NUREG-0540 V12 N05	9008160102	NUREG		SECY-90-219	9006260078	SECY	
NUREG-0750 V31 N05	9008070350	NUREG		SECY-90-229	9007020050	SECY	
NUREG-0933 S11	9008070346	NUREG		SECY-90-233	9007050123	SECY	
NUREG-0936 V09 N02	9008140487	NUREG		SECY-90-238	9007110194	SECY	
NUREG-1214 R06	9008310213	NUREG		SECY-90-239	9008170274	SECY	
NUREG-1339	9008140466	NUREG		SECY-90-242	9007190055	SECY	
NUREG-1362 DRF FC ER	9008310201	NUREG		SECY-90-244	9008070013	COMMISSIO	N
NUREG-1362 DRFT FC	9008070329	NUREG		SECY-90-245	9007170417	SECY	
NUREG-1363 V02	9008070362	NUREG		SECY-90-246	9007170411	SECY	
NUREG-1377 R01	9008070371	NUREG		SECY-90-247	9007180340	SECY	
NUREG-1398 DRFT FC	9008070358	NUREG		SECY-90-250	9007190042	SECY	
NUREG-1407 DRFT FC	9008070367	NUREG		SECY-90-251	9007190286	SECY	
NUREG-1409	9008070378	NUREG		SECY-90-252	9007190290	SECY	
NUREG-1411	9008070323	NUREG		SECY-90-258	9007240226	SECY	
NUREG-1412 DRFT FC	9008070326	NUREG		SECY-90-260	9007250050	SECY	
NUREG-1425	9008140491	50-443	P	SECY-90-261	9007250048	SECY	IEIN-87-066
NUREG/BR-0056 V06 N3	9008160142	NUREG		SECY-90-263	9008140181	COMMISSIO	N
NUREG/CR-2000 V09 N6	9008140508	NUREG	ORNL/NSIC-200	SECY-90-266	9008060052	SECY	
NUREG/CR-3444 V07	9008070400	NUREG	BNL-NUREG-51699	SECY-90-267	9008270082	COMMISSIO	N
NUREG/CR-4551 V4PIR1	9008150135	50-277	P SAND86-1309	SECY-90-269	9008090013	SECY	
NUREG/CR-4794	9008070412	NUREG	SAND86-2638	SECY-90-270	9008090010	SECY	
NUREG/CR-4908	9008310179	NUREG	PNL-6196	SECY-90-272	9008090017	SECY	
NUREG/CR-5117	9008070393	NUREG	PNL-8446	SECY-90-285	9008270025	SECY	
NUREG/CR-5280 V01	9008070370	NUREG	BNL-NUREG-52178	TER 3232-019 R02	9008100328*	50-320	P
NUREG/CR-5373	9008310209	NUREG	SAND89-1135	TER-C5506-650	8701150185*	50-255	P
NUREG/CR-5374	9008070334	NUREG	ORNL/TM-11200	VNC-RP&S-01 R00	9008020276*	71-170	
NUREG/CR-5448	9008310221	NUREG	EGG-2576	WCAP-10272-A S02 R01	9007270095*	TOPREP	
NUREG/CR-5453 V05	9008310184	NUREG	SAND80-0375	WCAP-11954	9008150143*	50-348	P
NUREG/CR-5461	9008080195	NUREG	SAND89-2369	WVDF-046 APP C R00	9008200045	PROJ	
NUREG/CR-5515	9008070338	NUREG	ETEC 88-01	XD-Q0000-900003 R00	9008230087*	50-259	P
NUREG/CR-5519 V01	9008070332	NUREG	ORNL-6607	YMP-SR-90-033	9008210112*	WASTE MGT	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8502270116	9008230205	90/08/15	50-387 P	9007270112	9007270110	90/07/12	70-1151
8508060024	9008150233	90/08/13	50-390 A	9007270114	9007270113	90/07/19	50-461 R
8701150185	9008240183	90/08/17	50-255 P	9007270115	9007270113	90/07/19	50-461 R
8806020197	9008060251	90/07/30	FOIA	9007270116	9007270113	90/07/19	50-461 R
8810110085	9008060251	90/07/30	FOIA	9007270120	9007270118	90/07/13	50-321 Q
8812070092	9008060251	90/07/30	FOIA	9007270126	9007270122	90/07/13	50-348 Q
8903200372	8909140258	89/08/23	REVIEW GR P	9007270138	9007270137	90/07/23	50-266 F
8906260123	9008060070	90/07/31	FOIA	9007270143	9007270142	90/07/18	COMMISSIO N
8909140274	9008140113	90/08/09	50-250 P	9007270166	9007270164	90/07/16	COMMISSIO N
8909260266	9008070005	90/07/26	50-331 P	9007270167	9007270165	90/07/20	50-320 H
8911160160	9008160094	90/08/09	50-369 Q	9007270171	9007270169	90/07/20	COMMISSIO N
9002090344	9008140069	90/08/08	FOIA	9007270174	9007180302	90/07/16	COMMISSIO N
9003230172	9008230145	90/08/17	50-410 P	9007270178	9007270175	90/07/20	COMMISSIO N
9004130250	9008090162	90/08/06	50-454 F	9007270181	9007270179	90/07/26	70-734
9005100241	9008170062	90/07/25	ACRS	9007270182	9007270179	90/07/26	70-734
9005110202	9008090186	90/08/02	FOIA	9007270183	9007270180	90/07/20	COMMISSIO N
9006070201	9008060236	90/08/01	FOIA	9007270184	9007270179	90/07/26	70-734
9006210383	9007300028	90/07/19	50-336 P	9007270189	9007270187	90/07/20	COMMISSIO N
9006270317	9008090162	90/08/06	50-454 F	9007270192	9007270188	90/07/16	50-321 K
9007090111	9008070348	90/07/25	50-237 P	9007270193	9007270191	90/07/20	COMMISSIO N
9007160159	9007160156	90/07/03	50-245 P	9007270194	9007270188	90/07/16	50-321 K
9007160165	9007160156	90/07/03	50-245 P	9007270196	9007270195	90/07/20	COMMISSIO N
9007160167	9007160156	90/07/03	50-245 P	9007270198	9007270197	90/07/20	COMMISSIO N
9007190183	9007190181	90/07/12	ORG	9007270201	9007270199	90/07/11	COMMISSIO N
9007230315	9008130066	90/08/07	PRQJ	9007270211	9007270210	90/07/25	70-8
9007250143	9008010159	90/07/06	ACRS	9007270212	9007270210	90/07/25	70-8
9007250191	9008240210	90/08/07	50-346 Q	9007300007	9007300005	90/07/25	50-327 P
9007280039	9008100180	90/08/03	50-244 F	9007300015	9007300013	90/07/23	50-323 Q
9007280118	9007260117	90/07/10	50-302 Q	9007300021	9007300020	90/07/24	50-317 P
9007280135	9007260132	90/06/27	50-324 Q	9007300022	9007300020	90/07/24	50-317 P
9007280143	9007260141	90/07/13	50-250 Q	9007300031	9007300027	90/07/12	50-247 Q
9007280150	9007260149	90/07/20	50-390 A	9007300032	9007300028	90/07/19	50-336 P
9007280172	9007260171	90/07/19	50-250 Q	9007300047	9007300045	90/07/26	71-185
9007280175	9007260170	90/07/11	50-324 Q	9007300052	9007300048	90/07/25	50-333 P
9007280198	9007260197	90/07/13	50-324 Q	9007300057	9007300053	90/07/26	71-149
9007270002	9007270001	90/07/11	50-397 Q	9007300058	9007300055	90/07/24	50-301 R
9007270004	9007270003	90/07/20	50-146 I	9007300074	9007300071	90/07/26	71-9218
9007270008	9007270007	90/07/11	50-344 Q	9007300075	9007300070	90/07/26	40-6563
9007270010	9007270007	90/07/11	50-344 Q	9007300087	9007300085	90/07/27	71-6294
9007270015	9007270014	90/07/12	50-528 Q	9007300094	9007300093	90/07/19	71-170
9007270019	9007270018	90/07/10	50-302 Q	9007300113	9007300112	90/07/24	50-333 P
9007270024	9007270020	90/07/20	50-62 P	9007300120	9007300118	90/07/26	50-443 P
9007270025	9007270020	90/07/20	50-62 P	9007300122	9007300118	90/07/26	50-443 P
9007270028	9007270027	90/07/20	50-321 P	9007300127	9007300123	90/07/25	50-361 P
9007270035	9007270033	90/07/13	50-413 Q	9007300132	9007300130	90/07/25	50-338 P
9007270045	9007270041	90/07/16	50-250 Q	9007300134	9007300130	90/07/25	50-338 P
9007270070	9007270067	90/07/06	50-395 Q	9007300138	9007300137	90/07/25	71-9788
9007270080	9007270077	90/07/26	50-272 I	9007300146	9007300145	90/07/25	50-237 P
9007270081	9007270077	90/07/26	50-272 I	9007300148	9007300145	90/07/25	50-237 P
9007270083	9007270078	90/07/06	50-424 Q	9007310012	9007310009	90/07/25	ORG
9007270084	9007270077	90/07/26	50-272 I	9007310019	9007310017	90/07/26	WASTE MGT
9007270085	9007270077	90/07/26	50-272 I	9007310024	9007310022	90/07/26	70-371
9007270086	9007270077	90/07/26	50-272 I	9007310033	9008140066	90/08/07	WASTE MGT
9007270092	9007270088	90/07/20	TOPREP	9007310038	9007310018	90/07/25	50-244 P
9007270094	9007270090	90/06/28	50-338 Q	9007310040	9007310018	90/07/25	50-244 P
9007270095	9007270088	90/07/20	TOPREP	9007310042	9007310018	90/07/25	50-244 P
9007270102	9007270101	90/06/27	TOPREP	9007310044	9007310018	90/07/25	50-244 P
9007270104	9007270101	90/06/27	TOPREP	9007310072	9007310068	90/07/26	50-259 P
9007270106	9007270103	90/06/26	50-338 Q	9007310078	9007310071	90/07/27	40-7604
9007270108	9007270107	90/07/02	50-423 P	9007310103	9007310101	90/07/26	50-89 I

268 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER					
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		
9007310105	9007310101	90/07/26	50-89	I	9008020155	8909140258	89/08/23	REVIEW GR	P
9007310108	9007310101	90/07/26	50-89	I	9008020156	8909140258	89/08/23	REVIEW GR	P
9007310114	9007310111	90/07/24	50-219	P	9008020158	8909140258	89/08/23	REVIEW GR	P
9007310126	9007310124	90/07/27	50-413	Q	9008020159	8909140258	89/08/23	REVIEW GR	P
9007310132	9007310130	90/07/24	PR		9008020164	9008020163	90/06/08	50-266	Q
9007310137	9007310111	90/07/24	50-219	P	9008020165	9008020163	90/06/08	50-266	Q
9007310145	9007310133	90/07/26	71-9001		9008020175	9008020174	90/07/24	50-412	P
9007310155	9007310152	90/07/26	50-317	Y	9008020184	9008020182	90/07/30	50-461	P
9007310165	9007310163	90/07/26	50-261	I	9008020190	9008020182	90/07/30	50-461	P
9007310180	9007310179	90/07/26	50-286	P	9008020191	9008020182	90/07/30	50-461	P
9007310181	9007310179	90/07/26	50-286	P	9008020201	9008020199	90/07/26	50-151	V
9007310186	9007310185	90/07/24	50-423	P	9008020205	9008020203	90/07/31	50-247	P
9007310251	9007310249	90/07/25	50-461	V	9008020216	9008020211	90/07/27	50-327	P
9007310280	9007310249	90/07/25	50-461	V	9008020217	9008020213	90/07/31	REVIEW GR	P
9007310283	9007310282	90/07/26	71-192		9008020218	9008020211	90/07/27	50-327	P
9007310285	9007310282	90/07/26	71-192		9008020219	9008020215	90/07/30	50-29	P
9007310287	9007310282	90/07/26	71-192		9008020225	9008020224	90/06/22	XPORTLIC	
9007310292	9007310282	90/07/26	71-192		9008020232	9008020228	90/07/26	XPORTLIC	
9007310294	9007310282	90/07/26	71-192		9008020247	9008020243	90/07/27	50-483	P
9008010003	9008010002	90/07/24	50-282	Q	9008020252	9008020243	90/07/27	50-483	P
9008010034	9008010033	90/07/25	50-263	P	9008020257	9007300097	90/07/25	71-170	
9008010051	9008010045	90/07/23	50-219	P	9008020264	9007300097	90/07/25	71-170	
9008010057	9008010055	90/07/27	50-206	P	9008020268	9007270210	90/07/25	70-8	
9008010061	9008010055	90/07/27	50-206	P	9008020271	9007300097	90/07/25	71-170	
9008010064	9008010060	90/07/27	50-206	P	9008020273	9008020270	90/06/29	CONTRACT	
9008010072	9008010069	90/07/26	PROJ		9008020274	9008020242	90/07/24	WASTE MGT	
9008010084	9008010080	90/07/25	50-602	Q	9008020276	9007300097	90/07/25	71-170	
9008010086	9008010085	90/07/26	50-5	F	9008020277	9008020242	90/07/24	WASTE MGT	
9008010100	9008010098	90/07/23	50-243	F	9008020279	9008020275	90/07/30	CONTRACT	
9008010109	9008010105	90/07/24	50-269	Q	9008020280	9008020242	90/07/24	WASTE MGT	
9008010114	9008010113	90/07/26	50-458	I	9008020281	9008020242	90/07/24	WASTE MGT	
9008010117	9008010113	90/07/26	50-458	I	9008020283	9007300097	90/07/25	71-170	
9008010128	9008010125	90/07/23	50-285	Q	9008020284	9008020242	90/07/24	WASTE MGT	
9008010129	9008010127	90/07/27	50-445	Q	9008020285	9008020242	90/07/24	WASTE MGT	
9008010132	9008010125	90/07/23	50-285	Q	9008020286	9008020282	90/07/18	CONTRACT	
9008010133	9008010130	90/06/28	WASTE MGT		9008020287	9008020242	90/07/24	WASTE MGT	
9008010136	9008010134	90/07/24	50-456	Q	9008020290	9007300097	90/07/25	71-170	
9008010138	9008010131	90/07/20	50-454	Q	9008020296	9008020294	90/07/31	50-499	S
9008010144	9008010139	90/07/26	50-263	Q	9008020302	9008020301	90/07/30	40-7604	
9008010146	9008010139	90/07/26	50-263	Q	9008020304	9008020303	90/07/26	27-48	
9008010150	9008010149	90/07/25	50-461	Q	9008020305	9008020303	90/07/26	27-48	
9008010151	9008010148	90/07/25	CONTRACT		9008030002	9008030001	90/07/24	XPORTLIC	
9008010155	9008010154	90/07/30	40-7580		9008030015	9008030014	90/07/24	XPORTLIC	
9008010161	9008010159	90/07/06	ACRS		9008030026	9008030024	90/07/26	50-220	H
9008010166	9008010147	90/07/26	50-265	P	9008030028	9008030027	90/07/23	50-170	P
9008010177	9008010176	90/07/25	50-382	P	9008030032	9008030031	90/07/23	50-170	P
9008010180	9008010179	90/07/25	50-382	P	9008030033	9008030036	90/07/30	CONTRACT	
9008010181	9008010178	90/07/24	50-315	V	9008030038	9008030036	90/07/27	CONTRACT	
9008010184	9008010183	90/07/25	50-382	P	9008030052	9007310120	90/07/26	50-146	I
9008010185	9008010182	90/07/13	50-275	Q	9008030055	9008030050	90/07/30	50-280	P
9008010186	9008010182	90/07/13	50-275	Q	9008030056	9008030054	90/07/30	50-458	P
9008010187	9008010185	90/07/27	50-184	P	9008030058	9008030054	90/07/30	50-458	P
9008010203	9008010202	90/07/26	50-213	P	9008030060	9007310120	90/07/26	50-146	I
9008010212	9008010205	90/07/25	50-336	P	9008030069	9008030070	90/07/27	40-6622	
9008010214	9008010211	90/07/18	50-250	Q	9008030076	9007310120	90/07/26	50-146	I
9008010215	9008010208	90/07/09	10CFR		9008030079	9008030078	90/07/30	50-498	P
9008010226	9008010225	90/07/24	50-298	Q	9008030083	9007310120	90/07/26	50-146	I
9008010228	9008010227	90/07/24	50-315	V	9008030086	9008030081	90/07/26	50-280	I
9008010254	9008010241	90/07/25	50-54	P	9008030087	9008030071	90/07/31	50-390	A
9008010260	9008010259	90/07/20	COMMISSIO	N	9008030101	9008030100	90/07/30	50-382	Q
9008020023	9008020020	90/07/20	50-245	Q	9008030104	9008030081	90/07/26	50-280	I
9008020032	9008020030	90/07/26	50-255	Q	9008030107	9008030081	90/07/26	50-280	I
9008020051	9008020047	90/07/26	70-1100		9008030121	9008030119	90/07/31	50-295	S
9008020053	9008020047	90/07/26	70-1100		9008030122	9008030118	90/07/31	50-390	A
9008020055	9008020047	90/07/26	70-1100		9008030128	9008030127	90/07/25	50-445	P
9008020063	9008020059	90/07/30	70-25		9008030133	9008030131	90/07/30	50-338	Q
9008020065	9008020059	90/07/30	70-25		9008030135	9008030130	90/07/20	50-344	Q
9008020066	9008020059	90/07/30	70-25		9008030143	9008030139	90/07/24	CONTRACT	
9008020078	9008020077	90/07/26	50-395	I	9008030152	9008030149	90/08/01	50-263	P
9008020085	9008020083	90/07/26	50-286	I	9008030153	9008030150	90/07/26	50-220	U
9008020089	9008020087	90/07/24	70-135		9008030155	9008030150	90/07/26	50-220	U
9008020092	9008020091	90/06/28	50-317	Q	9008030157	9008030150	90/07/26	50-220	U
9008020093	9008020041	90/07/23	50-266	K	9008030161	9008030150	90/07/26	50-220	U
9008020095	9007270145	90/07/25	50-29	I	9008030178	9008030176	90/07/30	50-352	P
9008020096	9008020035	90/07/26	50-171	I	9008030181	9008030178	90/07/30	50-352	P
9008020099	9008020035	90/07/25	50-461	Q	9008030192	9008030190	90/08/01	50-186	P
9008020100	9008020098	90/07/26	50-171	I	9008030195	9008030190	90/08/01	50-186	P
9008020101	9008020035	90/07/26	50-171	I	9008030198	9008270196	90/08/20	50-423	P
9008020103	9008020108	90/06/28	50-263	K	9008030211	9008030208	90/07/31	50-206	Q
9008020110	9008020108	90/06/28	50-263	K	9008030218	9008030217	90/07/30	50-206	P
9008020114	9008020113	90/07/19	50-333	Q	9008030224	9008030221	90/07/27	50-275	P
9008020116	9008020087	90/07/24	70-135		9008030225	9008030221	90/07/27	50-275	P
9008020120	9008020119	90/07/26	50-305	I	9008030231	9008030230	90/07/30	50-338	P
9008020121	9008020119	90/07/26	50-305	I	9008030268	9008030267	90/07/27	50-311	P
9008020123	9008020119	90/07/26	50-305	I	9008030269	9008030265	90/07/30	CONTRACT	
9008020143	9008020141	90/07/31	50-368	Q	9008030289	9008030287	90/07/25	50-528	P
9008020150	9008020149	90/07/31	50-321	P	9008030289	9008030287	90/07/25	50-528	P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 269

ACCESSION NUMBER				ACCESSION NUMBER					
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		
9008030290	9008030287	90/07/25	50-528	P	9008070117	9008070115	90/07/25	50-245	Q
9008030300	9008030299	90/07/30	TOPREP		9008070122	9008070121	90/07/31	50-267	Q
9008030344	9008030340	90/07/23	50-369	F	9008070127	9008070126	90/07/30	50-320	Q
9008030348	9008030347	90/07/31	40-2061		9008070131	9008070130	90/07/30	50-424	P
9008030350	9008030349	90/07/31	50-237	P	9008070133	9008070130	90/07/30	50-424	P
9008030361	9008030354	90/07/31	WASTE MGT		9008070137	9008070136	90/07/23	50-245	Q
9008030371	9008030368	90/07/31	COMMISSIO	N	9008070142	9008070139	90/08/03	50-220	P
9008060007	9008060006	90/07/27	50-387	P	9008070145	9008070134	90/07/27	70-270	Q
9008060008	9008060006	90/07/27	50-387	P	9008070146	9008070144	90/07/30	50-320	Q
9008060013	9008060012	90/05/17	50-271	F	9008070179	9008070175	90/08/01	50-369	Q
9008060017	9008060016	90/05/23	50-298	F	9008070181	9008070157	90/07/27	50-443	G
9008060025	9008060020	90/07/25	50-322	P	9008070194	9008070191	90/07/24	50-271	G
9008060057	9008060056	90/07/31	50-219	P	9008070199	9008070157	90/07/27	50-443	G
9008060062	9008060061	90/08/02	50-29	P	9008070202	9008070191	90/07/24	50-271	P
9008060063	9008060061	90/08/02	50-29	P	9008070205	9008070204	90/07/30	50-313	P
9008060071	9008060068	90/07/30	50-333	Q	9008070211	9008070206	90/07/27	50-220	Q
9008060074	9008060070	90/07/31	FOIA		9008070213	9008070212	90/07/31	50-280	Q
9008060077	9008060070	90/07/31	FOIA		9008070217	9008070214	90/07/26	50-146	P
9008060078	9008060070	90/07/31	FOIA		9008070218	9008070215	90/08/02	50-344	P
9008060082	9008060070	90/07/31	FOIA		9008070225	9008070222	90/08/02	50-285	P
9008060092	9008060091	90/07/31	50-400	P	9008070237	9008070233	90/07/25	50-271	Q
9008060093	9008060091	90/07/31	50-400	P	9008070238	9008070233	90/07/25	50-271	Q
9008060103	9008060095	90/07/26	50-387	P	9008070245	9008070242	90/07/24	50-272	Q
9008060106	9008060101	90/07/27	70-1257		9008070251	9008070246	90/07/25	50-29	Q
9008060109	9008060094	90/08/03	WASTE MGT		9008070252	9008070249	90/07/24	50-317	V
9008060112	9008060108	90/08/01	50-461	P	9008070267	9008070266	90/07/24	50-128	P
9008060125	9008060123	90/07/31	50-322	P	9008070273	9008070271	90/08/01	50-423	P
9008060126	9008060123	90/07/31	50-322	P	9008070278	9008070275	90/07/27	50-244	Q
9008060127	9008060123	90/07/31	50-322	P	9008070279	9008070260	90/07/31	50-443	Q
9008060130	9008060123	90/07/31	50-322	P	9008070282	9008070281	90/08/01	50-458	Q
9008060142	9008060140	90/08/01	50-280	P	9008070284	9008070283	90/08/02	50-344	P
9008060151	9008060150	90/07/27	50-413	I	9008070289	9008070260	90/07/31	50-443	G
9008060163	9008060161	90/07/31	50-390	A	9008070292	9008070260	90/07/31	50-443	G
9008060164	9008060161	90/07/31	50-390	A	9008070295	9008070260	90/07/31	50-443	Q
9008060171	9008060168	90/08/02	50-397	P	9008070296	9008070293	90/07/31	50-272	Q
9008060180	9008060177	90/07/26	50-151	V	9008070304	9008070301	90/07/23	50-286	Q
9008060187	9008060182	90/08/01	FOIA		9008070309	9008070307	90/08/02	50-461	Q
9008060190	9008060185	90/07/23	50-259	P	9008070310	9008070307	90/08/02	50-461	Q
9008060192	9008060182	90/08/01	FOIA		9008070320	9008070317	90/07/26	50-247	Q
9008060208	9008060202	90/08/01	40-8027		9008070336	9008070335	90/08/02	FOIA	Q
9008060217	9008060206	90/07/31	CONTRACT		9008070347	9008070342	90/08/02	FOIA	P
9008060222	9008060219	90/07/24	FOIA		9008070349	9008070348	90/07/25	50-237	P
9008060225	9008060219	90/07/24	FOIA		9008070357	9008070354	90/08/02	50-245	P
9008060227	9008060219	90/07/24	FOIA		9008070364	9008070361	90/07/31	50-327	P
9008060230	9008060226	90/08/02	50-387	P	9008070365	9008070361	90/07/31	50-327	P
9008060231	9008060226	90/08/02	50-387	P	9008070368	9008070366	90/07/26	50-341	Q
9008060259	9008060258	90/08/03	50-602	Q	9008070372	9008070369	90/08/01	50-327	P
9008060261	9008060257	90/08/01	50-440	Q	9008070373	9008070369	90/08/01	50-327	P
9008060262	9008060260	90/07/31	FOIA		9008070374	9008070327	90/08/02	50-29	P
9008060266	9008060265	90/08/01	50-305	Q	9008070376	9008070327	90/08/02	50-29	P
9008060268	9008060265	90/08/01	50-305	Q	9008070379	9008070231	90/07/27	50-424	G
9008060277	9008060274	90/07/30	TOPREP		9008070383	9008070382	90/08/01	50-389	Q
9008060281	9008060276	90/08/01	50-317	P	9008070388	9008070382	90/08/01	50-389	Q
9008060298	9008060297	90/07/30	50-458	Q	9008080002	9008080001	90/07/26	50-327	Q
9008060299	9008060295	90/07/31	50-482	Q	9008080003	9008080001	90/07/26	50-327	Q
9008060300	9008060297	90/07/30	50-458	Q	9008080005	9008080004	90/07/26	50-424	Q
9008060301	9008060295	90/07/31	50-482	Q	9008080008	9008080006	90/08/02	50-285	P
9008060304	9008060302	90/07/30	50-298	Q	9008080010	9008080006	90/08/02	50-285	P
9008060309	9008060303	90/07/27	50-483	P	9008080017	9008080012	90/07/31	50-260	Q
9008060312	9008060303	90/07/27	50-483	P	9008080019	9008080013	90/07/30	50-293	Q
9008060316	9008060310	90/07/31	50-263	P	9008080021	9008080020	90/07/20	50-327	P
9008060317	9008060314	90/08/01	50-382	Q	9008080026	9008080024	90/08/01	50-5	Q
9008060318	9008060314	90/08/01	50-382	Q	9008080030	9008080028	90/07/24	70-1252	P
9008060319	9008060310	90/07/31	50-263	Q	9008080031	9008080024	90/08/01	50-5	P
9008060332	9008060331	90/08/01	50-313	Q	9008080034	9008080028	90/07/24	70-1252	
9008060349	9008060347	90/07/31	FOIA		9008080044	9008080041	90/07/23	50-424	Q
9008060375	9008060320	90/08/01	50-280	P	9008080045	9008080038	90/07/27	50-293	Q
9008060397	9008060395	90/07/30	50-206	P	9008080053	9008080051	90/08/06	WASTE MGT	Q
9008060400	9007310097	90/07/25	50-361	P	9008080056	9008080055	90/07/26	50-324	Q
9008070007	9008070005	90/07/26	50-331	P	9008080063	9008080058	90/07/30	50-277	Q
9008070026	9008070023	90/08/01	50-269	P	9008080065	9008080058	90/07/30	50-277	Q
9008070027	9008070017	90/07/23	50-338	V	9008080069	9008080064	90/08/03	70-734	Q
9008070029	9008070025	90/07/24	50-440	Q	9008080073	9008080071	90/07/20	50-413	Q
9008070037	9008070035	90/07/31	50-282	Q	9008080075	9008080072	90/08/03	71-6294	Q
9008070042	9008070041	90/08/01	50-346	P	9008080079	9008080071	90/07/20	50-413	Q
9008070052	9008070050	90/07/31	50-220	Q	9008080081	9008080077	90/07/23	50-354	Q
9008070053	9008070050	90/07/31	50-220	Q	9008080082	9008080076	90/07/08	50-400	F
9008070060	9008070058	90/08/01	50-482	P	9008080084	9008080083	90/07/24	STATE PRO	G
9008070071	9008070069	90/07/31	50-528	P	9008080092	9008080088	90/07/27	ORG	
9008070073	9007310100	90/07/26	50-16	I	9008080095	9008080093	90/07/16	50-324	V
9008070087	9008070085	90/07/26	50-289	V	9008080099	9008080096	90/08/02	CONTRACT	
9008070090	9008070089	90/07/31	50-266	P	9008080105	9008080103	90/08/03	CA999	
9008070093	9008070092	90/07/25	70-398		9008080108	9008080103	90/08/03	CA999	
9008070101	9008070099	90/07/24	50-334	Q	9008080110	9008080106	90/08/03	50-317	P
9008070103	9008070099	90/07/24	50-334	Q	9008080116	9008080114	90/07/23	50-250	Q
9008070107	9008070106	90/07/27	50-334	P	9008080117	9008080114	90/07/23	50-250	Q
9008070112	9008070110	90/07/24	50-336	V	9008080123	9008080121	90/07/24	50-259	V

270 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9008080126	9008080125	90/08/06	50-250	9008090199	9008090191	90/07/24	50-313
9008080130	9008080129	90/07/24	50-247	9008090200	9008090191	90/07/24	50-313
9008080131	9008080129	90/07/24	50-247	9008090203	9008090201	90/08/06	50-395
9008080143	9008080140	90/07/30	50-286	9008090210	9008090189	90/08/02	50-298
9008080164	9008080153	90/08/02	50-338	9008090221	9008090220	90/08/06	FOIA
9008080165	9008080153	90/08/02	50-338	9008090242	9008090239	90/07/09	WASTE MGT
9008080174	9008080171	90/08/03	50-267	9008090245	9008090244	90/08/06	50-416
9008080199	9008080194	90/08/03	50-305	9008090268	9008090267	90/08/07	50-311
9008080203	9008080198	90/08/01	50-458	9008090273	9008090265	90/07/26	50-333
9008080206	9008080198	90/08/01	50-458	9008090276	9008090271	90/07/23	50-346
9008080214	9008080211	90/07/31	50-400	9008090288	9008090281	90/07/06	CONTRACT
9008080216	9008080171	90/08/03	50-267	9008090300	9008090290	90/07/24	50-206
9008080219	9008080171	90/08/03	50-267	9008090318	9008090314	90/08/02	50-440
9008080223	9008080220	90/07/27	50-341	9008090325	9008090325	90/07/31	50-373
9008080225	9008080224	90/08/06	50-483	9008090368	9008090365	90/08/03	70-25
9008080226	9008080220	90/07/27	50-341	9008090383	9008090378	90/07/26	50-206
9008080232	9008080231	90/07/31	50-311	9008090406	9008090395	90/08/01	50-220
9008080233	9008080229	90/08/03	50-213	9008100010	9008060160	90/07/20	50-354
9008080237	9008080236	90/08/03	50-213	9008100015	9008100012	90/04/30	CONTRACT
9008080249	9008080247	90/08/06	50-327	9008100021	9008100019	90/08/06	50-445
9008080250	9008080245	90/07/23	50-280	9008100025	9008100023	90/08/03	50-445
9008080251	9008080245	90/07/23	50-280	9008100026	9008100023	90/08/03	50-445
9008080257	9008080255	90/08/06	50-237	9008100031	9008100029	90/08/07	QA999
9008080259	9008080258	90/07/23	50-413	9008100033	9008100029	90/08/07	QA999
9008080266	9008080263	90/07/31	50-338	9008100036	9008100029	90/08/07	QA999
9008080267	9008080263	90/07/31	50-338	9008100039	9008100034	90/08/01	50-289
9008080268	9008080264	90/08/06	50-244	9008100042	9008100040	90/07/31	50-338
9008080272	9008080264	90/08/06	50-244	9008100045	9008100040	90/07/31	50-338
9008080273	9008080269	90/07/24	50-369	9008100049	9008100047	90/07/27	50-528
9008080276	9008080269	90/07/24	50-369	9008100053	9008100052	90/08/03	50-352
9008080286	9008080282	90/08/07	50-280	9008100059	9008100057	90/07/17	50-324
9008080287	9008080282	90/08/07	50-280	9008100061	9008100057	90/07/17	50-324
9008080292	9008080280	90/08/01	50-397	9008100062	9008100060	90/08/08	50-317
9008080294	9008080290	90/08/01	50-397	9008100072	9008100068	90/08/02	50-272
9008080305	9008080303	90/08/03	50-312	9008100096	9008100094	90/08/03	50-289
9008080312	9008080308	90/07/31	50-424	9008100099	9008100097	90/08/01	70-1100
9008080315	9008080308	90/07/31	50-424	9008100108	9008100105	90/07/27	50-302
9008080327	9008080313	90/07/20	50-219	9008100113	9008100112	90/07/25	50-416
9008080331	9008080329	90/08/03	50-416	9008100114	9008100111	90/08/01	50-336
9008080338	9008080313	90/07/20	50-219	9008100123	9008100117	90/08/03	WASTE MGT
9008080355	9008080352	90/07/23	50-206	9008100125	9008100121	90/08/01	50-354
9008080371	9008020139	90/07/30	ORG	9008100139	9008100137	90/08/06	70-824
9008080396	9008090091	90/08/03	CONTRACT	9008100141	9008100137	90/08/06	70-824
9008090002	9008090001	90/07/30	STATE PRO	9008100143	9008100137	90/08/06	70-824
9008090005	9008090004	90/07/26	CONTRACT	9008100145	9008100142	90/08/02	50-280
9008090008	9008090007	90/08/03	50-461	9008100147	9008100142	90/08/02	50-280
9008090011	9008090007	90/08/03	50-461	9008100149	9008100148	90/08/03	70-734
9008090012	9008090009	90/06/12	CONTRACT	9008100150	9008100146	90/07/31	50-57
9008090020	9008090019	90/07/30	50-309	9008100153	9008100081	90/08/03	50-361
9008090023	9008090022	90/07/31	50-10	9008100154	9008100148	90/08/03	70-734
9008090030	9008210162	90/08/15	WASTE MGT	9008100158	9008100148	90/08/03	70-734
9008090032	9008090029	90/07/31	50-423	9008100162	9008100161	90/08/06	50-213
9008090042	9008090035	90/08/01	50-336	9008100164	9008100159	90/08/03	71-704
9008090048	9008090047	90/08/03	50-295	9008100171	9008100169	90/08/02	50-271
9008090050	9008090049	90/08/07	50-259	9008100174	9008100170	90/08/08	70-1966
9008090051	9008090046	90/07/26	CONTRACT	9008100182	9008100179	90/08/03	50-29
9008090053	9008090045	90/08/01	50-269	9008100183	9008100181	90/08/06	50-333
9008090057	9008090052	90/08/02	70-27	9008100187	9008100184	90/08/03	50-309
9008090073	9008090067	90/01/16	GEN TEC I	9008100188	9008100186	90/08/09	70-1100
9008090076	9008090070	90/08/02	CONTRACT	9008100189	9008100186	90/08/09	70-1100
9008090088	9008090085	90/07/27	50-286	9008100191	9008100186	90/08/09	70-1100
9008090083	9008090081	90/08/03	CONTRACT	9008100196	9008100194	90/08/07	50-423
9008090106	9008090103	90/08/06	50-260	9008100207	9008100204	90/08/03	50-352
9008090112	9008090107	90/08/01	CONTRACT	9008100210	9008100204	90/08/03	50-352
9008090113	9008090109	90/08/03	50-382	9008100229	9008100225	90/08/07	27-48
9008090115	9008090110	90/08/06	50-259	9008100246	9008100243	90/08/09	XPORTLIC
9008090116	9008090114	90/08/06	TOPREP	9008100279	9008100277	90/08/09	XPORTLIC
9008090122	9008090119	90/08/03	ADVCM	9008100285	9008100282	90/08/09	XPORTLIC
9008090124	9008090119	90/08/03	ADVCM	9008100298	9008100294	90/07/26	50-528
9008090126	9008090119	90/08/03	ADVCM	9008100300	9008100292	90/08/03	50-528
9008090135	9008090132	90/06/21	CONTRACT	9008100305	9008100304	90/08/08	WASTE MGT
9008090140	9008090137	90/08/02	CONTRACT	9008100317	9008100314	90/08/08	WASTE MGT
9008090143	9008090138	90/08/06	50-481	9008100328	9008100326	90/08/03	50-320
9008090145	9008090144	90/08/02	CONTRACT	9008100332	9008100331	90/08/09	WASTE RES
9008090147	9008090146	90/08/07	50-313	9008130003	9008130001	90/08/06	CONTRACT
9008090156	9008090155	90/08/06	50-498	9008130038	9008130035	90/08/03	50-458
9008090159	9008090155	90/08/06	50-498	9008130040	9008130039	90/08/10	50-327
9008090161	9008090158	90/08/06	50-423	9008130069	9008130066	90/08/07	PROJ
9008090164	9008090155	90/08/06	50-498	9008130076	9008130072	90/07/05	CONTRACT
9008090165	9008090163	90/08/03	50-331	9008130079	9008130077	90/08/01	50-341
9008090166	9008090162	90/08/06	50-454	9008130087	9008130085	90/08/01	50-341
9008090167	9008090155	90/08/06	50-498	9008130090	9008130088	90/08/07	50-336
9008090170	9008090169	90/08/03	50-461	9008130101	9008130099	90/08/08	50-287
9008090171	9008090162	90/08/06	50-454	9008130107	9008130107	90/08/01	50-341
9008090178	9008090177	90/08/02	50-324	9008130112	9008130111	90/08/08	50-344
9008090194	9008090178	90/07/23	PROJ	9008130115	9008130111	90/08/08	50-344
9008090195	9008090193	90/08/03	50-213	9008130125	9008130119	90/08/02	50-341

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 271

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9008130133	9008130132	90/07/13	50-413 Q	9008150054	9008150050	90/08/09	CONTRACT
9008130135	9008130134	90/08/03	50-348 Q	9008150065	9008150064	90/08/09	50-336 P
9008130147	9008130144	90/08/09	50-262 P	9008150104	9008150103	90/08/09	50-369 P
9008130148	9008130145	90/08/01	50-341 P	9008150139	9008150138	90/07/13	50-348 P
9008130149	9008130144	90/08/09	50-262 P	9008150142	9008150138	90/07/13	50-348 P
9008130155	9008130154	90/07/27	50-335 Q	9008150143	9008150138	90/07/13	50-348 P
9008130159	9008130057	90/08/10	50-528 P	9008150152	9008150149	90/08/13	50-354 P
9008130163	9008130162	90/07/23	50-528 Q	9008150154	9008150150	90/08/03	50-397 P
9008130173	9008130172	90/08/01	50-295 Q	9008150156	9008150150	90/08/03	50-397 P
9008130183	9008130180	90/08/09	50-361 P	9008150160	9008150159	90/08/10	50-206 P
9008130215	9008130213	90/08/07	50-220 R	9008150163	9008150159	90/08/10	50-322 P
9008130216	9008130213	90/08/07	50-220 R	9008150169	9008150185	90/08/13	50-275 P
9008130217	9008130213	90/08/07	50-220 R	9008150187	9008150185	90/08/10	50-275 P
9008130218	9008130213	90/08/07	50-220 R	9008150198	9008150179	90/08/07	50-443 G
9008130219	9008130213	90/08/07	50-220 R	9008150216	9008150210	90/08/07	50-443 G
9008130220	9008130213	90/08/07	50-220 R	9008150230	9008150223	90/08/07	50-443 G
9008130231	9008130228	90/08/08	50-272 P	9008150240	9008150239	90/08/10	71-9151
9008130253	9008130251	90/08/09	50-352 F	9008150262	9008150258	90/08/07	ADVCM
9008130270	9008130269	90/08/09	50-324 P	9008150266	9008150264	90/08/03	CONTRACT
9008130272	9008130267	90/08/08	50-387 P	9008150282	9008150280	90/08/10	50-313 Q
9008130275	9008130274	90/08/09	50-324 P	9008150283	9008150280	90/08/10	50-313 Q
9008130296	9008130284	90/08/07	50-305 Q	9008150298	9008150294	90/08/10	CONTRACT
9008130297	9008130284	90/08/07	50-305 Q	9008150299	9008150297	90/08/03	COMMISSIO
9008130300	9008130298	90/08/07	50-155 Q	9008160002	9008160001	90/08/09	50-313 Q
9008130306	9008130305	90/08/09	50-255 Q	9008160011	9008160010	90/08/09	50-458 Q
9008130324	9008130323	90/07/27	CONTRACT	9008160013	9008160008	90/08/03	50-243 V
9008140006	9008140005	90/08/07	50-315 P	9008160016	9008160014	90/08/09	50-293 V
9008140012	9008140009	90/08/13	50-317 P	9008160018	9008160017	90/08/13	50-445 V
9008140059	9008140058	90/07/27	PR	9008160027	9008160024	90/08/09	50-334 Q
9008140064	9008140062	90/07/26	ORG	9008160031	9008160030	90/08/09	50-29 Q
9008140068	9008140061	90/07/25	REVIEW GR	9008160042	9008160040	90/08/09	50-219 V
9008140072	9008140069	90/08/08	FOIA	9008160044	9008160043	90/08/03	50-315 P
9008140074	9008140069	90/08/08	FOIA	9008160045	9008160043	90/08/03	50-315 P
9008140079	9008140076	90/08/13	50-390 A	9008160055	9008160039	90/08/09	50-237 P
9008140080	9008140077	90/08/10	50-289 P	9008160056	9008160039	90/08/09	50-237 P
9008140083	9008140077	90/08/10	50-289 P	9008160069	9008160021	90/08/14	50-237 P
9008140087	9008140082	90/08/09	50-318 P	9008160071	9008160070	90/08/10	50-338 P
9008140097	9008140069	90/08/08	FOIA	9008160073	9008160070	90/08/10	50-338 P
9008140101	9008140069	90/08/08	FOIA	9008160074	9008160072	90/08/10	50-482 P
9008140105	9008140103	90/07/26	PR	9008160078	9008160076	90/08/10	50-275 P
9008140106	9008140069	90/08/08	FOIA	9008160081	9008160080	90/08/02	50-315 P
9008140112	9008140110	90/08/10	50-416 P	9008160083	9008160080	90/08/02	50-315 P
9008140115	9008140110	90/08/10	50-416 P	9008160088	9008160084	90/07/26	50-267 P
9008140116	9008140113	90/08/09	50-250 P	9008160096	9008160094	90/08/09	50-369 P
9008140118	9008140103	90/07/26	PR	9008160101	9008160100	90/08/03	50-324 R
9008140120	9008140117	90/08/10	50-333 P	9008160103	9008160100	90/08/03	50-324 R
9008140121	9008140117	90/08/10	50-333 P	9008160105	9008160092	90/08/09	50-352 R
9008140130	9007270197	90/07/20	COMMISSIO	9008160108	9008160095	90/08/08	50-317 P
9008140133	9007270197	90/07/20	COMMISSIO	9008160112	9008160092	90/08/09	50-352 R
9008140137	9007270197	90/07/20	COMMISSIO	9008160112	9008160111	90/08/07	50-322 Q
9008140138	9007270197	90/07/20	COMMISSIO	9008160116	9008160114	90/08/08	50-54 Q
9008140139	9007270197	90/07/20	COMMISSIO	9008160128	9008160123	90/08/13	50-313 Q
9008140142	9007270197	90/07/20	COMMISSIO	9008160132	9008160131	90/08/03	50-206 Q
9008140143	9007270197	90/07/20	COMMISSIO	9008160134	9008160131	90/08/03	50-206 Q
9008140144	9007270197	90/07/20	COMMISSIO	9008160136	9008160135	90/08/13	50-498 Q
9008140146	9007270197	90/07/20	COMMISSIO	9008160139	9008160138	90/08/13	50-458 Q
9008140147	9007270197	90/07/20	COMMISSIO	9008160140	9008160137	90/08/03	50-397 Q
9008140148	9007270197	90/07/20	COMMISSIO	9008160157	9008160155	90/08/13	50-482 Q
9008140150	9007270197	90/07/20	COMMISSIO	9008160158	9008160145	90/08/14	50-361 P
9008140152	9007270197	90/07/20	COMMISSIO	9008160160	9008160155	90/08/13	50-482 Q
9008140155	9007270197	90/07/20	COMMISSIO	9008160166	9008160165	90/08/13	50-313 Q
9008140159	9008140156	90/08/01	50-284 Q	9008160169	9008160168	90/08/13	50-313 P
9008140162	9008140161	90/08/08	50-440 Q	9008160175	9008160174	90/08/09	50-255 P
9008140178	9008140177	90/08/10	50-260 Q	9008160183	9008160182	90/08/07	50-338 P
9008140184	9008140182	90/07/12	CONTRACT	9008160184	9008160182	90/08/07	50-338 P
9008140187	9008140185	90/07/31	CONTRACT	9008160190	9008160189	90/08/01	50-361 V
9008140189	9008140188	90/08/10	50-322 P	9008160197	9008160195	90/08/10	50-277 Q
9008140193	9008140191	90/08/03	50-361 P	9008160202	9008160200	90/08/10	50-454 P
9008140201	9008140198	90/08/10	71-361 P	9008160210	9008160208	90/08/01	50-413 P
9008140206	9008140205	90/08/10	50-20 P	9008170011	9008170010	90/08/09	50-308 R
9008140210	9008140209	90/08/06	CONTRACT	9008170012	9008170010	90/08/09	50-309 R
9008140214	9008140212	90/08/01	50-263 P	9008170020	9008170015	90/08/10	50-412 V
9008140216	9008140211	90/08/08	50-338 P	9008170026	9008170021	90/08/14	50-333 P
9008140240	9008140232	90/08/10	50-322 P	9008170033	9008170032	90/08/10	50-414 P
9008140255	9008140235	90/08/09	40-6940 P	9008170034	9008170031	90/08/08	50-298 Q
9008140266	9008140260	90/08/01	CONTRACT	9008170041	9008170036	90/08/13	50-445 P
9008140284	9008140292	90/08/10	WASTE MGT	9008170042	9008170040	90/08/13	50-333 P
9008140295	9008140293	90/08/10	CONTRACT	9008170051	9008170050	90/08/13	50-315 P
9008140321	9008140309	90/07/31	50-312 Q	9008170060	9008170057	90/08/14	50-416 P
9008140448	9008140438	90/08/03	50-266 F	9008170064	9008170057	90/08/14	50-416 P
9008140476	9008140472	90/08/01	50-315 Q	9008170065	9008170063	90/08/02	50-316 P
9008140480	9008140469	90/08/10	50-416 P	9008170067	9008170057	90/08/14	50-416 P
9008140493	9008140179	90/07/11	50-186 H	9008170074	9008220139	90/08/17	50-293 P
9008140496	9008140190	90/07/10	ORG	9008170077	9008170075	90/08/09	50-320 P
9008140498	9008140190	90/07/10	ORG	9008170079	9008170078	90/08/10	50-317 Q
9008150011	9008150009	90/08/08	CONTRACT	9008170083	9008170081	90/08/16	50-293 H
9008150013	9008150012	90/08/10	50-416 P	9008170085	9008170082	90/08/03	50-324 K

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 273

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9008230239	9008230236	90/08/14	50-206	9008270148	9008270141	90/08/21	50-443
9008230241	9008230240	90/08/17	50-410	9008270150	9008270147	90/08/02	CONTRACT
9008230242	9008230240	90/08/17	50-410	9008270155	9008270154	90/08/10	CONTRACT
9008240008	9008240007	90/08/09	XPORTLIC	9008270158	9008270156	90/07/30	CONTRACT
9008240009	9008240007	90/08/09	XPORTLIC	9008270165	9008270162	90/08/01	CONTRACT
9008240011	9008240010	90/08/14	XPORTLIC	9008270166	9008270163	90/08/10	50-206
9008240015	9008240014	90/08/08	XPORTLIC	9008270167	9008270164	90/08/24	71-8218
9008240022	9008240021	90/07/06	CONTRACT	9008270171	9008270169	90/08/20	CONTRACT
9008240023	9008240020	90/08/14	50-333	9008270175	9008270172	90/08/14	50-219
9008240027	9008240025	90/05/16	CONTRACT	9008270179	9008270178	90/08/15	CONTRACT
9008240028	9008240020	90/08/14	50-333	9008270183	9008270181	90/08/15	50-155
9008240030	9008240029	90/08/16	CONTRACT	9008270180	9008270187	90/08/22	70-2928
9008240033	9008240031	90/08/14	50-315	9008270184	9008270187	90/08/22	70-2928
9008240039	9008240038	90/07/03	CONTRACT	9008270187	9008270186	90/08/20	50-423
9008240045	9008240040	90/08/14	50-206	9008270198	9008270195	90/08/03	50-390
9008240047	9008240040	90/08/14	50-206	9008270199	9008270187	90/08/22	70-2928
9008240050	9008240048	90/08/15	50-155	9008270200	9008270195	90/08/03	50-390
9008240060	9008240055	90/08/16	50-324	9008270203	9008270201	90/08/14	50-302
9008240071	9008240068	90/08/17	50-302	9008270205	9008270202	90/08/03	50-269
9008240073	9008240068	90/08/17	50-302	9008270209	9008270204	90/08/10	50-338
9008240076	9008240075	90/08/21	50-361	9008270210	9008270208	90/08/02	50-390
9008240085	9008240081	90/08/16	50-259	9008270212	9008270206	90/08/22	70-2910
9008240113	9008240111	90/08/16	50-335	9008270213	9008270204	90/08/10	50-338
9008240133	9008240130	90/08/16	50-302	9008270215	9008270206	90/08/22	70-2910
9008240141	9008240137	90/08/14	50-269	9008270222	9008210175	90/08/03	50-324
9008240151	9008240149	90/08/16	50-369	9008270223	9008270219	90/08/22	70-1257
9008240162	9008240158	90/08/13	50-254	9008270225	9008270219	90/08/22	70-1257
9008240166	9008240164	90/08/09	50-295	9008270228	9008270219	90/08/22	70-1257
9008240167	9008240164	90/08/09	50-295	9008270232	9008270231	90/08/14	50-219
9008240171	9008240170	90/07/23	40-8907	9008270249	9008270248	90/05/24	50-440
9008240182	9008240181	90/08/21	50-387	9008270250	9008270246	90/08/16	50-269
9008240186	9008240183	90/08/17	50-255	9008270251	9008270248	90/05/24	50-440
9008240189	9008240183	90/08/17	50-255	9008270258	9008270255	90/08/14	50-245
9008240191	9008240183	90/08/17	50-255	9008270273	9008270270	90/08/15	70-734
9008240202	9008240201	90/08/20	50-413	9008270274	9008270270	90/08/15	70-734
9008240203	9008240201	90/08/20	50-413	9008270284	9008270282	90/08/20	50-461
9008240207	9008240205	90/08/10	70-143	9008280009	9008280009	90/08/21	50-344
9008240222	9008240220	90/07/20	40-8903	9008280047	9008280047	90/08/24	50-352
9008240224	9008240223	90/07/20	40-3453	9008280060	9008280060	90/08/24	50-352
9008240226	9008240223	90/07/20	40-3453	9008280069	9008280069	90/08/24	50-352
9008240231	9008240230	90/07/20	40-8783	9008280077	9008280047	90/08/24	50-352
9008240237	9008240236	90/07/18	40-8681	9008280087	9008280047	90/08/24	50-352
9008240241	9008240239	90/07/26	40-289	9008280098	9008280047	90/08/24	50-352
9008240250	9008240249	90/07/25	40-8904	9008280101	9008280100	90/08/20	50-321
9008240253	9008240252	90/08/03	50-400	9008280107	9008280047	90/08/24	50-352
9008270004	9008270002	90/08/10	50-206	9008280115	9008280047	90/08/24	50-352
9008270005	9008270003	90/08/22	50-315	9008280119	9008280047	90/08/24	50-352
9008270009	9008270008	90/08/16	50-445	9008280124	9008230221	90/08/17	50-331
9008270010	9008270007	90/08/09	50-397	9008280127	9008280121	90/08/17	50-498
9008270013	9008270012	90/08/16	50-285	9008280129	9008280047	90/08/24	50-352
9008270014	9008270012	90/08/16	50-285	9008280135	9008280047	90/08/24	50-352
9008270020	9008270019	90/08/17	50-458	9008280136	9008280047	90/08/24	50-352
9008270032	9008270030	90/08/16	50-440	9008280138	9008280047	90/08/24	50-352
9008270033	9008270030	90/08/16	50-440	9008280143	9008280047	90/08/24	50-352
9008270036	9008270035	90/08/16	50-237	9008280147	9008280047	90/08/24	50-352
9008270037	9008270035	90/08/16	50-237	9008280149	9008280047	90/08/24	50-352
9008270043	9008270042	90/08/22	50-317	9008280154	9008280047	90/08/24	50-352
9008270044	9008270041	90/08/15	70-27	9008280156	9008280047	90/08/24	50-352
9008270046	9008270041	90/08/15	70-27	9008280159	9008280047	90/08/24	50-352
9008270050	9008270048	90/08/22	50-311	9008280161	9008280157	90/08/20	50-416
9008270051	9008270048	90/08/22	50-311	9008280162	9008280047	90/08/24	50-352
9008270054	9008270053	90/08/14	40-8943	9008280166	9008280047	90/08/24	50-352
9008270055	9008270053	90/08/14	40-8943	9008280185	9008280182	90/08/20	50-361
9008270056	9008240240	90/08/09	50-293	9008280187	9008280186	90/08/17	50-259
9008270058	9008270057	90/08/13	40-8905	9008280191	9008280188	90/08/16	50-352
9008270059	9008270057	90/08/13	40-8905	9008280193	9008280189	90/08/16	50-352
9008270063	9008270062	90/08/20	50-219	9008280235	9008280234	90/08/20	50-498
9008270064	9008270062	90/08/20	50-219	9008280236	9008280234	90/08/20	50-498
9008270069	9008270066	90/07/17	40-8681	9008280239	9008280238	90/08/20	50-267
9008270071	9008270066	90/07/17	40-8681	9008280241	9008280047	90/08/24	50-352
9008270077	9008270076	90/07/30	40-4482	9008280242	9008280047	90/08/24	50-352
9008270078	9008270070	90/08/20	70-270	9008280245	9008280047	90/08/24	50-352
9008270081	9008270070	90/08/20	70-270	9008280247	9008280047	90/08/24	50-352
9008270089	9008270087	90/08/20	50-277	9008280249	9008280248	90/08/20	50-285
9008270090	9008270087	90/08/20	50-277	9008280252	9008280250	90/08/20	50-327
9008270104	9008270103	90/08/15	50-312	9008280254	9008280253	90/08/21	50-313
9008270111	9008270108	90/08/10	50-369	9008280260	9008280259	90/08/14	COMMISSIO
9008270113	9008270088	90/08/22	50-443	9008280262	9008280261	90/08/15	COMMISSIO
9008270115	9008270108	90/08/10	50-369	9008280267	9008280265	90/08/17	50-247
9008270116	9008270114	90/08/23	71-9094	9008280268	9008280266	90/08/15	COMMISSIO
9008270118	9008270088	90/08/22	50-443	9008280269	9008280266	90/08/15	COMMISSIO
9008270121	9008270119	90/08/14	50-280	9008280272	9008280271	90/08/17	COMMISSIO
9008270129	9008270128	90/08/17	50-255	9008280275	9008280274	90/08/20	50-295
9008270135	9008270132	90/08/14	50-250	9008280280	9008280277	90/08/20	50-335
9008270138	9008270137	90/07/03	CONTRACT	9008280283	9008280282	89/10/30	40-17
9008270142	9008270139	90/07/09	CONTRACT	9008280288	9008280281	90/08/23	CONTRACT
9008270146	9008270145	90/07/09	CONTRACT	9008280292	9008280287	90/08/21	50-328

274 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9008280294	9008280284	90/08/22	50-260 Q	9008280345	9008280310	90/08/21	PR
9008280298	9008280289	90/08/24	70-734	9008280349	9008280310	90/08/21	PR
9008280300	9008280299	90/08/20	50-424 P	9008280350	9008280341	90/08/22	50-382 P
9008280304	9008280301	90/08/21	50-322 P	9008280360	9008280310	90/08/21	PR
9008280308	9008280306	90/08/20	50-321 P	9008280361	9008280357	90/08/17	COMMISSIO N
9008280311	9008280307	90/08/15	50-395 Q	9008280362	9008280352	90/08/23	50-237 P
9008280314	9008280307	90/08/15	50-395 Q	9008280367	9008280364	90/08/10	40-8902
9008280315	9008280312	90/08/20	50-275 P	9008280368	9008280364	90/08/10	40-8902
9008280321	9008280310	90/08/21	PR	9008280371	9008280310	90/08/21	PR
9008280328	9008280310	90/08/21	PR	9008280379	9008280377	90/08/21	50-322 P
9008280331	9008280327	90/06/22	CONTRACT	9008280380	9008280377	90/08/21	50-322 P
9008280332	9008280329	90/08/13	70-143	9008290001	9008280310	90/08/21	PR
9008280333	9008280310	90/08/21	PR	9008290002	9008280310	90/08/21	PR
9008280338	9008280310	90/08/21	PR	9008290005	9008280310	90/08/21	PR
9008280342	9008280336	90/08/21	CONTRACT	9008290029	9008280374	90/06/14	CONTRACT
				9008290121	9008230058	90/08/15	50-344 Q

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|---|
| 19. Safety Evaluation Reports (SERs) on specific generic issues. | 21. Backup technical documents (e.g., topical reports) submitted in support of the application. |
| | 22. Proposed equipment failure/instructions. |
| 20. Reports of site visits. | 23. NRC's changes in internal organizational structure. |

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

- | | |
|---|--|
| All related correspondence is filed in Category A. | 2. Amendments and changes to the PSAR. |
| 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report). | 3. Transmittal and acknowledgment letters. |
| | 4. Certificates of service to the PSAR. |

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

- | | |
|---|--|
| 1. Environmental Report (ER) submitted by the utility. | 6. Federal Register notices citing the availability of items 1 and 2. |
| 2. Amendments and supplements to the ER. | 7. Correspondence relating to the review of ER. |
| 3. Transmittal and acknowledgment letters. | 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. |
| 4. Information on scheduling of submittal or review of ER. | 9. Correspondence relating to certification of pollution control devices. |
| 5. NRC questions, requests for additional information, and applicant responses. | NOTE: Other environmental documents are filed in Categories A, D, P, or R. |

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC. 2. Supplements to the DES and FES. 3. Correspondence relating to the DES and FES. 4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals. 5. Transmittal and acknowledgment letters. 6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements. | <ol style="list-style-type: none"> 7. Backup technical documents submitted in connection with above. 8. Federal Register notices citing availability of items 1 and 2. 9. Reports of site visits to obtain information for the DES or FES. 10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES. <p>NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.</p> |
|---|---|
-

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR. 2. Supplements to the SER. 3. Correspondence relating to the SER and supplements. 4. Federal Register notices citing availability of items 1 and 2. 5. Information on scheduling of SER submittals and review. | <ol style="list-style-type: none"> 6. Requests for additional information for use in preparing SER; responses to such requests. 7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER. 8. Transmittal and acknowledgment letters. <p>NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.</p> |
|---|---|

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits to the proceedings (Hearings) are located in the PDR but are available upon request to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.

7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility. 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility. 3. Amendments and changes to the FSAR and USAR. | <ol style="list-style-type: none"> 4. Federal Register notices citing availability of the FSAR and amendments. 5. Transmittal and acknowledgment letters. 6. Certificates of service to the FSAR and USAR. <p>NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.</p> |
|---|---|
-

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
 2. Correspondence pertaining to work performed under LWAs.
-

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney Antitrust Review".

sion is antitrust matters.

3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.
-

TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

of hearings, testimony, and briefings in antitrust matters. Related

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

ings, relating to both facility license applications and safety-related matters.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.
9. Information on the Standard Review Plan (STP).
10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).
11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility. 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility. 3. Amendments and changes to the FSAR and USAR. | <ol style="list-style-type: none"> 4. Federal Register notices citing availability of the FSAR and amendments. 5. Transmittal and acknowledgment letters. 6. Certificates of service to the FSAR and USAR. <p>NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.</p> |
|---|---|
-

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
 2. Correspondence pertaining to work performed under LWAs.
-

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review". 2. Correspondence where the primary topic of discussion is antitrust matters. | <ol style="list-style-type: none"> 3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N. |
|---|---|
-

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

ings, relating to both facility license applications and safety-related matters.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings.

4. Technical correspondence, and memoranda received from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and plant-specific safety-related material, transmittal of ACRS recommendations and full committee meeting minutes, and ACRS reports (consultant reports and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, including announcements or meeting summaries, related to Technical Specification, the Control of Reactor, and technical issues arising after the issuance of the Operating License.
8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers) regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.
9. Information on the State of Review Plan (SIRP).
10. Results of surveys or tests conducted in accordance with the Technical Specification and topical reports, which fall in Category P.
11. Correspondence relating to NRC's Regulatory Evaluation Program (REP).

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|---|---|
| <p>12. Owner's group meeting announcements and reports.</p> <p>13. Quality assurance information.</p> <p>14. Environmental matters (technical).</p> <p>15. Seismic qualification review team (SQRT) reports and related correspondence.</p> <p>16. Emergency core cooling system documents.</p> <p>17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.</p> <p>18. Correspondence regarding expansion of spent fuel storage pool.</p> | <p>19. Start-up test reports.</p> <p>20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i></p> <p>21. SERs on specific generic issues.</p> <p>22. Proposed equipment failure/instructions.</p> <p>23. Inservice testing (not inspections).</p> <p>24. Reports of site visits.</p> <p>25. Application to voluntarily surrender license, dismantle, and dispose of component parts.</p> <p>26. Changes in NRC's internal organizational structure.</p> |
|---|---|
-

Q. INSPECTION REPORTS; OFFICE OF INSPECTION AND ENFORCEMENT RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

- | | |
|---|--|
| <p>1. Inspection reports.</p> <p>2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.</p> <p>3. Responses by applicant to IE correspondence.</p> <p>4. Applicant's determination of proprietary nature of Inspection Reports.</p> <p>5. Letters concerning areas of noncompliance.</p> <p>6. Pre-service and in-service inspections and procedures.</p> | <p>7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).</p> <p>8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.</p> <p>9. Health physics inspections/appraisals.</p> <p>10. Emergency preparedness inspections/appraisals.</p> <p>11. Inspections and related correspondence from the International Atomic Energy Agency.</p> <p>12. Systematic Assessment of Licensee Performance (SALP).</p> |
|---|--|

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|---|--|
| 13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

A. Integrated Design Inspection (IDI) reports.

B. Independent Design Verification Program (IDVP) reports. | 15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16. |
|---|--|
- NOTE: For IE Bulletins and Information Notices, see I&E file series.
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

- | | |
|---|--|
| 1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports. | 4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed. |
|---|--|
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

- | | |
|---|---|
| 1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports. | 4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNS).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1-7. |
|---|---|

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.
4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission.
2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental

Report on Dismantling, Safety Analysis Report on Decommissioning.

3. Documents relating to disposal of radioactive material and decontamination of the site.
 4. Other correspondence relating to decommissioning.
 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.
-

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR 9.21 – Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
 2. Full, written explanation of closed meetings.
 3. Certification by the General Counsel on closed meetings.
 4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
 5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
 6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
 7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.
-

ACRS – Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

ings related to both facility license applications and safety-related matters.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.21. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

- | | |
|---|--|
| 1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance. | 2. Contractual documents and modifications to contracts. |
|---|--|
-

DISCLOSURE—Financial Disclosure Information

Contains financial disclosure and conflict of interest information submitted by certain NRC employees in accordance with the Ethics in Government Act of 1978.

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

- | | |
|---|--|
| 1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989). | 2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial. |
| | 3. Records or portions thereof released in response to FOIA requests made under FOIA appeals. |
-

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

cussing methodologies, analyses, the program and technical aspects of issues.

- | | |
|--|---|
| 1. Draft reports of action plans to accomplish generic tasks in the NRR program. | 3. Meeting notifications and minutes. |
| 2. Correspondence with industry and within NRC dis- | 4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues. |
-

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office of Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-

up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

DEFINITIONS OF NONDOCKETED CATEGORIES

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.
4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.

5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.

6. Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.

7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.

NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.
2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.
3. Action and review plans, as well as guidance, for meeting NRC requirements.
4. Task force reports on specific topics.
5. Proceeding of conferences and workshops.
6. Management and program analysis reports.
7. Statistical analyses that are of interest to the staff, the industry, and the public.
8. Administrative reports that are of interest to the staff, the industry, and the public.
9. Correspondence from industry, government, and the public commenting on reports.

DEFINITIONS OF NONDOCKETED CATEGORIES

10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.

NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

ORG—Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

PR—Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.21 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM – Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.21 file category.

PROJ – Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

PT 21—10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999—Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD — Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES — Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.
 - a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
3. *Research Information Letters* (RILs) summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

3. Research plans and predicted results of major experiments and presentations by research contractors.

4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.

5. Internal memoranda relating to topics under discussion.

6. Correspondence related to items 1 through 5.
-

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

3. Petitions, motions, testimony, and statements submitted by parties to the hearings.

4. Hearing Board orders and rulings.

5. Technical reports submitted as evidence in the proceedings.

6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.
2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.
2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.
3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE preclicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site preclicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

- | | |
|---|---|
| 3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard. | 5. Correspondence from citizens and other non-government organizations for the above items. |
| 4. NRC topical report reviews and associated correspondence. | NOTE: For contractor research on waste management activities, see the WMRES category. |
-

WMRES – Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding precicensing activities in the area of high-level disposal in geologic repositories, including:

- | | |
|--|--|
| 1. Periodic contractor progress reports. | 3. Draft and final reports submitted for NRC review or information. |
| 2. Trip reports. | 4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved. |
-

XPORTLIC – Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

- | | |
|--|---|
| 1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials. | 5. Correspondence to and from foreign governments, international organizations, and members of the public. |
| 2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment. | 6. Hearing records and decisions. |
| 3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views. | 7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license. |
| 4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States. | 8. Licenses, license amendments, and license renewals for types specified in item 1. |
- NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10. CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol., Supp., Rev.,
and Addendum Numbers, if any.)

NUREG-0540

Vol. 12, No. 8

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

August 1 - 31, 1990

3. DATE REPORT PUBLISHED

MONTH

YEAR

October

1990

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE

DOCUMENT WAS PRINTED USING RECYCLED PAPER.

